

LIBRARY
OF THE
UNIVERSITY
OF ILLINOIS

614.1
Il611v
1958-62
[redacted]

Return this book on or before the
**Latest Date** stamped below.

**Theft, mutilation, and underlining of books are reasons for disciplinary action and may result in dismissal from the University.**

University of Illinois Library

NOV 14 1967

NOV 21 1967

NOV 21 1967

JAN 13 1969

JUN 10 1969

SEP 1 1975

OCT 8 1975

JUL 15 1976

MAR 10 1977

FEB 24 1986

JAN 27 1986

APR 28 1990

JUN 07 1990

L161—O-1096

614.1
Il611v
1958

# VITAL STATISTICS ILLINOIS

19 58

THE LIBRARY OF THE
FEB 9 1960
UNIVERSITY OF ILLINOIS

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

# VITAL STATISTICS ILLINOIS

19  58



ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois
January, 1960

STATE OF ILLINOIS

William G. Stratton

Governor

DEPARTMENT OF PUBLIC HEALTH

B. K. Richardson

Acting Director

BUREAU OF STATISTICS

Springfield, Illinois

January, 1960

I26llv
1958-62
Supp. 2

# TABLE OF CONTENTS

Page

PART I -- VITAL STATISTICS IN RETROSPECT . . . . . 1

Historical background . . . . . 1

Population . . . . . 1

Live births . . . . . 1

Infant mortality . . . . . 2

Stillbirths . . . . . 3

Perinatal mortality . . . . . 3

Maternal deaths . . . . . 4

Deaths . . . . . 4

PART II -- ADDITIONAL DESCRIPTIVE DATA ON 1958 VITAL EVENTS . . . . . 5

Live births . . . . . 5

Stillbirths (fetal deaths) . . . . . 6

Leading causes of death . . . . . 6

Infant deaths . . . . . 8

Maternal deaths . . . . . 10

## TEXT TABLES

Table — Page

I. -- Illinois population, by age and color: estimated 1958, and enumerated 1950, 1940, 1930, and 1920 . . . . . 1

II. -- Live births by color, Illinois, Chicago, and Downstate: 1958 and 1922 . . . . . 1

III. -- Principal causes of death among infants under one year of age, Illinois: 1958, 1955, 1945, 1935, and 1925 . . . . . 3

IV. -- Perinatal mortality in Illinois: 1958, 1955, 1945, 1935, and 1925 . . . . . 4

V. -- Maternal death rates, by color, United States, Illinois, Chicago, and Downstate: 1958, 1955, 1945, 1935, and 1925 . . . . . 4

VI. -- Age specific death rates, Illinois: 1958, 1950, 1940, 1930, and 1920 . . . . . 4

VII. -- Crude and age-adjusted death rates, United States and Illinois: 1958, 1950, 1940, 1930, and 1920 . . . . . 4

VIII. -- Causes of fetal death among infants born to Illinois mothers in 1958 . . . . . 6

IX. -- Components of resident heart disease deaths, Illinois: 1958 . . . . . 7

X. -- Resident cancer deaths by primary site and age, Illinois: 1958 . . . . . 7

XI. -- Resident deaths due to vascular lesions affecting the central nervous system, Illinois: 1958 . . . . . 7

XII. -- Ten leading causes of infant deaths occurring in Illinois by age: 1958 . . . . . 8

XIII. -- Accidental deaths among Illinois residents by type of accident and age of decedent: 1958 . . . . . 9

XIV. -- Accidental deaths occurring in Illinois by type of accident and place where accident occurred by population class: 1958 . . . . . 9

## CHARTS AND MAPS


Chart — Page

I. -- Distribution of population by age, Illinois: 1920, 1930, 1940, 1950, and 1958 . . . . . 1

II. -- Live births by birth order, Illinois: 1922-1958 . . . . . 2

III. -- Birth and death rates, Illinois: 1918-1958 . . . . . 2

IV. -- Percentage of live births occurring in hospitals, Illinois: 1937-1958 . . . . . 2

V. -- Infant deaths by age for selected years, Illinois: 1925-1958 . . . . . 3

VI. -- Distribution of premature births by county of residence of mother, Illinois: 1958 . . . . . 5

VII. -- Maternal death rate (5 year average) by county of residence, Illinois: 1954-1958 . . . . . 10

Crude mortality rates for selected causes of death: Illinois, 1921-1958 . . . . . 51

Map of Illinois, showing counties and principal cities . . . . . 52


## TABULAR SECTION


Table — Page

1. -- Live births, total deaths, infant deaths, maternal deaths, and stillbirths, with rates for each, Illinois: 1918-1958 . . . . . 11

2A. -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of Illinois counties: 1958 . . . . . 12

2B. -- Live birth rates and infant death, neonatal death, and stillbirth race specific rates among residents of Illinois counties: 1958 . . . . . 14

3A. -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of the larger cities of Illinois: 1958 . . . . . 16

3B. -- Live birth rates and infant death, neonatal death, and stillbirth race specific rates among residents of the larger cities of Illinois: 1958 . . . . . 18

4. -- Live births, stillbirths by gestation, and infant deaths by age among residents of Illinois counties: 1958 . . . . . 20

5. -- Live births, stillbirths by gestation, and infant deaths by age among residents of the larger cities of Illinois: 1958 . . . . . 22

6. -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 1958 . . . . . 24

7. -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 1958 . . . . . 26

8A. -- The twelve leading causes of death, by age and color, among residents of Illinois, Chicago, and Downstate: 1958 . . . . . 28

8B. -- Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 1958 . . . . . 31

9A. -- Deaths from the twelve leading causes among residents of Illinois counties: 1958 . . . . . 34

9B. -- Death rates for the twelve leading causes among the residents of Illinois counties: 1958 . . . . . 38

10A. -- Deaths from the twelve leading causes among the residents of the larger cities of Illinois: 1958 . . . . . 42

10B. -- Death rates for the twelve leading causes among the residents of the larger cities of Illinois: 1958 . . . . . 46

11. -- Twelve leading causes of death in selected age groups: 1958 . . . . . 50

# PART I -- VITAL STATISTICS IN RETROSPECT

## HISTORICAL BACKGROUND

Central registration of births and deaths began in Illinois on January 1, 1916. The State was admitted to the United States death registration area in 1918 and to the birth registration area in 1922. Entrance into the area depended on evidence that at least 90 percent of the events were filed promptly and that the records were of at least fair quality. Registration is now of high quality and about 100 percent complete. An intensive querying and field program is used to continue to improve registration.

Table I. -- ILLINOIS POPULATION, BY AGE AND COLOR: ESTIMATED 1958, AND ENUMERATED 1950, 1940, 1930, AND 1920

| Race and age | Population in thousands | | | | |
|---|---|---|---|---|---|
| | July 1958 | April 1950 | April 1940 | April 1930 | January 1920 |
| Illinois, total | 9,889 | 8,712 | 7,897 | 7,631 | 6,485 |
| Under 25 years | 3,847 | 3,274 | 3,069 | 3,332 | 2,997 |
| 25 to 44 years | 2,888 | 2,705 | 2,519 | 2,472 | 2,078 |
| 45 to 64 years | 2,225 | 1,979 | 1,741 | 1,399 | 1,103 |
| 65 years and over | 929 | 754 | 568 | 421 | 298 |
| Unknown age | -- | -- | -- | 7 | 9 |
| White, total | 8,972 | 8,046 | 7,504 | 7,296 | 6,299 |
| Under 25 years | 3,436 | 3,003 | 2,919 | 3,200 | 2,926 |
| 25 to 44 years | 2,586 | 2,469 | 2,369 | 2,329 | 1,998 |
| 45 to 64 years | 2,063 | 1,853 | 1,666 | 1,347 | 1,074 |
| 65 years and over | 887 | 721 | 550 | 413 | 293 |
| Unknown age | -- | -- | -- | 7 | 8 |
| Nonwhite, total | 917 | 666 | 393 | 335 | 186 |
| Under 25 years | 411 | 271 | 150 | 132 | 71 |
| 25 to 44 years | 302 | 236 | 150 | 143 | 80 |
| 45 to 64 years | 162 | 126 | 75 | 52 | 29 |
| 65 years and over | 42 | 33 | 18 | 8 | 5 |
| Unknown age | -- | -- | -- | -- | 1 |

## POPULATION

The population of the State has been undergoing a number of significant changes during the past few decades. These changes are evident in the vital statistics. The emigration of young persons from the farming areas is reflected in the declining birth rate and rising death rate in several counties. The nonwhite populations are migrating to the industrial centers of Chicago and East Saint Louis bringing with them a higher birth rate, higher infant mortality rate and higher tuberculosis death rate, for example. Many of the industrial areas of the State have more females than males in the middle adult ages. The fact that women live longer than men is leading to a predominance of females at the advanced ages.

The analysis of vital data is almost entirely limited to age, sex, and color comparisons because of the lack of adequate means of measuring most population characteristics between censuses. Table I summarizes the age and color characteristics of the Illinois population as enumerated at the four past decennial censuses and as estimated for 1958 by the Bureau of Statistics. Chart I shows the percentage change for broad age groups for the same period.

Chart I. -- DISTRIBUTION OF POPULATION BY AGE, ILLINOIS: 1920, 1930, 1940, 1950, and 1958




## LIVE BIRTHS

From the beginning of central registration in Illinois, the live birth rate steadily declined for many years. From a rate of 19.3 live births per 1,000 population in 1922, the rate dropped to an all-time low of 13.9 in 1933. Since then, the rate has climbed. The rise was slow until the end of World War II; it has since been rapid. The highest recorded rate of 24.5 occurred in 1957. A significant portion of the increase during the last decade can be attributed to additions to existing families rather than to first-born children. Chart II shows the proportion of the births according to birth order for the first

Table II. -- LIVE BIRTHS BY COLOR, ILLINOIS, CHICAGO, AND DOWNSTATE: 1958 AND 1922

| | Illinois | | Chicago | | Downstate | |
|---|---|---|---|---|---|---|
| | 1958* | 1922† | 1958* | 1922† | 1958* | 1922† |
| Total | 234,712 | 134,050 | 90,391 | 58,053 | 144,321 | 75,997 |
| White | 198,300 | 130,287 | 60,926 | 55,439 | 137,374 | 74,848 |
| Nonwhite | 36,412 | 3,763 | 29,465 | 2,614 | 6,947 | 1,149 |
| Percent nonwhite | 15.5 | 2.8 | 32.6 | 4.5 | 4.8 | 1.5 |

*1958 figures are for resident births tabulated by the Illinois Department of Public Health, and include births to Illinois residents occurring outside the State.

†1922 figures are for births occurring in Illinois as recorded by the National Office of Vital Statistics.

through the sixth births for the period 1922 through 1958. During this same period, the median age of the mother at the time of her child's birth has steadily declined from 27.4 years in 1922 to 26.1 years in 1958, except during the war period when the median rose to 27.5 in 1945.

Chart II. -- LIVE BIRTHS BY BIRTH ORDER, ILLINOIS: 1922-1958




Table II shows how the proportion of live births by color has been changing over the years.

A trend table showing live births and other vital data appears in Table 1, page 11.

Chart III shows the yearly variations in the birth rate from 1922 through 1958 and in the death rate from 1918 through 1958.

Chart III. -- BIRTH AND DEATH RATES, ILLINOIS: 1918-1958




Chart IV shows the proportion of live births that occurred in hospitals for selected years 1937 through 1958.

Chart IV. -- PERCENTAGE OF LIVE BIRTHS OCCURRING IN HOSPITALS, ILLINOIS: 1937-1958




## INFANT MORTALITY

The decline in the deaths of children, especially of infants, is one of the outstanding achievements during this century. In Illinois, the decline has been from a rate of 81.9 deaths of infants under one year of age per 1,000 live births in 1923 to the low of 24.6 in 1956. In 1958, the rate was 25.0. Both white and nonwhite races have declined almost uniformly. The rate for the white race was 74.6 in 1922 and 22.5 in 1958. The nonwhite rates were 125.4 and 38.6 in 1922 and 1958, respectively.

Chart V shows the proportional distribution of infant deaths by age for each of five selected years. The control of communicable diseases and general improvement of living conditions for children have reduced the proportion of deaths in the 1 through 11 months age group from 47.5 percent in 1925 to 28.1 percent in 1958. Some of the increase from 22.2 percent to 40.7 percent in the proportion of deaths under one day of age is due to better reporting of deaths in this group. In recent years, the use of the very precise World Health Organization definition of live birth and the fact that now about 98 percent of all live births occur in a hospital have greatly improved the reporting.

Chart V. -- INFANT DEATHS BY AGE FOR SELECTED YEARS, ILLINOIS: 1925-1958




Table III shows the number and distribution of the principal causes of death under one year of age for the years 1925, 1935, 1945, 1955, and 1958. In recent years, special efforts are being made to assign a specific cause of death to prematurely born babies. This makes impossible strict comparisons of causes from decade to decade. Deaths from those diseases for which immunizing agents are available show the greatest decline. In the past, when most children were born at home, diarrhea and enteritis was often used as an index of the sanitary status of a community. This disease has now almost disappeared as a cause of death.

## STILLBIRTHS

At the present time, the fetal death ratio (the number of stillbirths per 1,000 live births) is about two-fifths of what it was nearly forty years ago, as Table 1, page 11 shows. The ratio of 36.0 in 1922 reflects the lack of a precise definition of a stillbirth and the tendency not to report stillbirths in home deliveries. On the other hand, the ratio of 15.4 in 1958 reflects the result of special efforts to record all of these events.

## PERINATAL MORTALITY

With the trend toward a greater proportion of deaths in young children occurring from causes associated primarily with heredity, prenatal environment and delivery, a more descriptive measure of mortality has been proposed. The

**Table III. -- PRINCIPAL CAUSES OF DEATH AMONG INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1958, 1955, 1945, 1935, AND 1925**

| Cause of death | 1958 | | 1955 | | 1945 | | 1935 | | 1925 | |
|---|---|---|---|---|---|---|---|---|---|---|
| | No. | Per-cent | No. | Per-cent | No. | Per-cent | No. | Per-cent | No. | Per-cent |
| All causes | 5,857 | 100.0 | 5,466 | 100.0 | 4,377 | 100.0 | 5,138 | 100.0 | 9,892 | 100.0 |
| Asphyxia and atelectasis: | | | | | | | | | | |
| Without prematurity | 370 | 6.3 | 322 | 5.9 | * | * | * | * | * | * |
| With prematurity | 1,324 | 22.6 | 1,095 | 20.0 | * | * | * | * | * | * |
| Prematurity, unqualified | 651 | 11.1 | 740 | 13.6 | 1,369 | 31.3 | 1,595 | 31.0 | 2,315 | 23.4 |
| Pneumonia | 776 | 13.3 | 792 | 14.5 | 550 | 12.6 | 693 | 13.5 | 1,282 | 13.0 |
| Diarrhea and enteritis | 131 | 2.2 | 181 | 3.3 | 192 | 4.4 | 273 | 5.3 | 1,817 | 18.4 |
| Injury at birth | 519 | 8.9 | 575 | 10.5 | 532 | 12.1 | 702 | 13.7 | 1,112 | 11.2 |
| Congenital malformations | 850 | 14.7 | 778 | 14.2 | 778 | 17.8 | 588 | 11.4 | 980 | 9.9 |
| All other causes | 1,226 | 20.9 | 983 | 18.0 | 956 | 21.8 | 1,287 | 25.1 | 2,386 | 24.1 |

Source: Figures for 1925, 1935, and 1945 are from reports of the National Office of Vital Statistics. Figures for 1955 and 1958 are from tabulations in the Illinois Bureau of Statistics.

*Prior to 1949, prematurity took precedence over asphyxia and atelectasis in classifying the cause of death.

perinatal mortality rate combines the stillbirths and deaths of newly born children and refers them to the number of pregnancies, using the stillbirths and live births as an estimate. This measure gives a quite realistic picture of pregnancy wastage. The proper age interval for computing this rate has not yet been uniformly agreed upon. However, Table IV shows the approximate trend during the past four decades. As shown in this table, at least 3 percent of all pregnancies that reach the 20th week of gestation terminate in death before the end of the first week of life.

Table IV. -- PERINATAL MORTALITY IN ILLINOIS: 1958, 1955, 1945, 1935, AND 1925

| Year | Live births and Stillbirths* | Still-births* | Deaths under 1 week | Total perinatal deaths | Rate† |
|---|---|---|---|---|---|
| 1958. . . . . | 238,327 | 3,615 | 3,707 | 7,322 | 30.7 |
| 1955. . . . . | 223,869 | 3,328 | 3,546 | 6,874 | 30.7 |
| 1945. . . . . | 141,656 | 2,951 | 2,574 | 5,525 | 39.0 |
| 1935. . . . . | 115,192 | 3,308 | 2,801 | 6,109 | 53.0 |
| 1925. . . . . | 140,322 | 4,885 | 3,942 | 8,827 | 62.9 |

*See Table 1, p. 11.
†All stillbirths plus deaths under one week of age per 1,000 live births plus stillbirths.

## MATERNAL DEATHS

Since 1918, the first year for which comparable data are available, the number of maternal deaths has declined rapidly from 1,160 to its lowest number of 74 in 1958. The fact that mothers have been educated to seek medical care early in pregnancy and the increase in hospital births have practically eliminated the risk of dying from causes associated with the puerperal state. Table V summarizes the experience in Illinois, Downstate, Chicago, and the United States during the past several decades.

Table V. -- MATERNAL DEATH RATES, BY COLOR, UNITED STATES, ILLINOIS, CHICAGO, AND DOWNSTATE: 1958, 1955, 1945, 1935, AND 1925

(Rates per 10,000 live births)

| Year | United States | | Illinois | | Chicago | | Downstate | |
|---|---|---|---|---|---|---|---|---|
| | White | Nonwhite | White | Nonwhite | White | Nonwhite | White | Nonwhite |
| 1958. . . | * | * | 2.7 | 5.5 | 2.1 | 4.1 | 3.0 | 11.5 |
| 1955. . . | 3.3 | 13.0 | 2.8 | 9.7 | 2.6 | 9.7 | 2.9 | 9.7 |
| 1945. . . | 17.2 | 45.5 | 16.8 | 36.6 | 15.5 | 36.0 | 17.6 | 38.5 |
| 1935. . . | 53.1 | 94.6 | 48.8 | 64.2 | 38.9 | 52.5 | 56.2 | 101.4 |
| 1925. . . | 60.3 | 116.2 | 56.4 | 100.3 | 50.8 | 84.3 | 60.6 | 145.9 |

Source: Illinois figures for 1925 and 1935 are from reports of the National Office of Vital Statistics. Illinois figures for 1945, 1955, and 1958 are from tabulations in the Illinois Bureau of Statistics. United States figures for all years are from reports of the National Office of Vital Statistics.
*Not available by color. Estimated rate for all colors was 3.9 in 1957.

## DEATHS

Until the last decade, the number of deaths has remained remarkably constant. Although the number of deaths has been steadily rising during the past decade, the crude rate has been falling. Table 1, page 11, shows that the greatest number of deaths occurred in 1957 when 102,293 Illinois residents died. The previous high was in 1918. That the crude death rate is a deceptive measure of the risk of dying is shown in Tables VI and VII. The first table shows that the age-specific death rates have declined rapidly at all ages under 45 years. The other shows that the Illinois death rate has actually been falling faster than the crude rate would indicate, but still not as rapidly as the United States rate. By definition, Table VII is found by applying the age-specific death rates in Table VI to the United States population by age at the 1940 census as a standard. By fixing the population, the improvement in the overall death experience can be quickly measured.

Table VI. -- AGE SPECIFIC DEATH RATES, ILLINOIS: 1958, 1950, 1940, 1930, AND 1920

(Rates per 100,000 population in each specific age group)

| Age group | 1958 | 1950 | 1940 | 1930 | 1920 |
|---|---|---|---|---|---|
| ALL AGES. . . . . | 1,029 | 1,054 | 1,128 | 1,095 | 1,230 |
| Under 5 years. . . . . | 649 | 669 | 985 | 1,562 | 2,523 |
| 5 to 14 years. . . . . | 51 | 56 | 106 | 187 | 264 |
| 15 to 24 years. . . . . | 110 | 117 | 185 | 291 | 458 |
| 25 to 34 years. . . . . | 134 | 167 | 287 | 408 | 648 |
| 35 to 44 years. . . . . | 294 | 358 | 522 | 665 | 785 |
| 45 to 54 years. . . . . | 772 | 910 | 1,106 | 1,205 | 1,210 |
| 55 to 64 years. . . . . | 1,734 | 2,022 | 2,325 | 2,460 | 2,306 |
| 65 to 74 years. . . . . | 4,166 | 4,314 | 5,101 | 5,183 | 5,110 |
| 75 years and over . . . | 11,533 | 11,356 | 13,033 | 12,868 | 12,632 |

Table VII. -- CRUDE AND AGE-ADJUSTED DEATH RATES, UNITED STATES AND ILLINOIS: 1958, 1950, 1940, 1930, AND 1920

| Year | United States | | Illinois | |
|---|---|---|---|---|
| | Crude rate* | Adjusted rate† | Crude rate* | Adjusted rate† |
| 1958. . . . . | 9.5 | 7.8 | 10.3 | 8.1 |
| 1950. . . . . | 9.6 | 8.4 | 10.5 | 8.7 |
| 1940. . . . . | 10.8 | 10.8 | 11.3 | 10.7 |
| 1930. . . . . | 11.3 | 12.5 | 10.9 | 12.2 |
| 1920. . . . . | 13.0 | 14.2 | 12.3 | 13.7 |

Source: United States figures from reports of the National Office of Vital Statistics. Illinois figures from tabulations in the Illinois Bureau of Statistics.
*Deaths per 1,000 population in area.
†Deaths per 1,000 population in area after age adjustment (direct method) using United States population in 1940 as standard.

## PART II -- ADDITIONAL DESCRIPTIVE DATA ON 1958 VITAL EVENTS

In addition to the data published regularly in the Health Statistics Bulletins, the following special subjects have been included herein:

On live births: the nativity of the mother, weight of infants at birth, a measure of extent that mothers travel for delivery, and information on complications of pregnancy, labor, and delivery.

On stillbirths (fetal deaths): gestation, age of mother, birth order (parity), and leading causes of fetal death.

On deaths: special tabulations for heart disease, vascular lesions of the central nervous system, cancer, and accidents.

**Chart VI. -- DISTRIBUTION OF PREMATURE BIRTHS BY COUNTY OF RESIDENCE OF MOTHER, ILLINOIS: 1958**




### LIVE BIRTHS

In 1958, there were 234,712 children born alive to Illinois residents. Of these, 51.2 percent were male and 48.8 percent were female. The sex ratio was 105 males for each 100 females. Distribution of these live births by county of residence of the mother is given in Table 2A, page 12, and by large cities in Table 3A, page 16. Although both the length of pregnancy in weeks and the birth weight of the child are reported for each birth, the birth weight is used to determine the maturity of the infant. A prematurely-born child is defined by the United States Children's Bureau as one who weighed 2,500 grams (5 pounds, 8 ounces) or less at birth. The 17,410 premature births in 1958 comprised 7.4 percent of the total. The proportion ranged from 2.4 percent in Schuyler County to 12.4 percent in Pulaski County. The accompanying map (Chart VI) shows the distribution of premature live births by county.

An important factor in the reduction of infant mortality is considered by many to be the increase in the proportion of births occurring in hospitals. In 1958, 97.9 percent of all births occurring to Illinois mothers took place in hospitals. In each of 8 counties, every birth to a resident of that county occurred in a hospital; in an additional 59 counties, 99 percent or more of the births occurred in hospitals. In only 4 counties was the proportion less than 95 percent. These were Calhoun County with 92.3 percent, Gallatin County 87.8 percent, Pulaski County 69.1 percent, and Alexander County 68.4 percent.

In 61.2 percent of the births occurring to Illinois mothers, the mother was also born in Illinois; in 34.8 percent the mother was born in the United States, including territories and possessions, outside of Illinois; and in only 4.0 percent of the births were the mothers born in foreign countries.

In 1958 only 2.8 percent of births to Illinois mothers occurred outside the State. Most of these mothers lived in border counties. Of interest is the fact that 54.0 percent of the births occurred in the same area where the mother resided; in an additional 32.9 percent, the mothers stayed within the county for delivery. In 10.3 percent of the births, the mothers traveled to other counties within the State.

Even though the reporting of complications

of pregnancy, labor and delivery, and the method of delivery are not required in Illinois, over one-fourth of the birth certificates filed in 1958 contained data with respect to these items. The item relating to complications of pregnancy directly related to pregnancy was completed on 62,169 or 26.8 percent of the certificates filed. Of these, 96.7 percent reported no complications known, 1.7 percent reported pre-eclampsia, 0.4 percent reported hypertensive disease, 0.3 percent reported anemia, 0.2 percent pyelitis, 0.1 percent each for nephritis, eclampsia, and pernicious vomiting. All other complications reported accounted for 0.4 percent. Information on complications of pregnancy not directly related to pregnancy was given on 60,712 or 26.2 percent of the certificates. Of these, 98.4 percent reported no known complications. The complications reported were diabetes 0.3 percent, heart disease 0.2 percent, tuberculosis 0.2 percent, syphilis 0.1 percent, and rubella (German measles) less than 0.1 percent. Of the certificates completing the item requesting data on complications of labor and delivery 64,396, or 88.7 percent, reported no complications; 4.0 percent reported breech presentation; 0.8 percent reported abruptio placenta; 0.8 percent placenta praevia; 0.7 percent contracted pelvis; 0.3 percent prolapse of cord. Other complications accounted for 4.7 percent. Slightly over one-third, or 77,519 certificates, contained data on the method of delivery. An analysis shows that 91.1 percent of the deliveries reported were spontaneous; 4.9 percent were Cesarean section; 2.2 percent breech extraction; 1.6 percent mid and high forceps; and 0.2 percent version and extraction.

Table VIII. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS IN 1958

| Cause | Number | Percent |
|---|---|---|
| ALL CAUSES | 3,615 | 100.0 |
| Cause in the mother: | | |
| Chronic disease in mother | 89 | 2.5 |
| Acute disease in mother | 18 | 0.5 |
| Diseases and conditions of pregnancy and childbirth | 233 | 6.4 |
| Difficulties in labor | 169 | 4.7 |
| Other causes in mother | 13 | 0.4 |
| Placenta and cord conditions without mention of prolapsed cord | 1,191 | 33.0 |
| Placenta and prolapsed cord condition | 113 | 3.1 |
| Birth injuries | 52 | 1.4 |
| Malformations of foetus | 240 | 6.6 |
| Disease of foetus | 417 | 11.5 |
| Ill-defined causes in mother and foetus | 836 | 23.1 |
| Cause unknown | 244 | 6.8 |

Source: Tabulations in Illinois Bureau of Statistics.

## STILLBIRTHS (fetal deaths)

There were 3,615 stillborn infants born to mothers who were residents of Illinois in 1958. Of these, 2,756 were white and 859 were nonwhite. For all races, the ratio was 15.4 stillbirths per 1,000 live births. For the white race, this ratio was 13.9 and for the nonwhite, 23.6. The average (median) age of the mothers of these stillborn infants is 26 years, which is the same as the average (median) age of the mothers having live born infants in 1958. Table VIII shows the distribution of the causes of fetal death. This table quickly reveals that 33.0 percent of the fetal deaths are due to placental and cord conditions without mention of prolapsed cord. Because of the interest in prolapsed cord conditions, special codes were established in Illinois to classify these conditions. 3.1 percent of the fetal deaths were caused by prolapsed cord conditions.

## LEADING CAUSES OF DEATH

The twelve leading causes of death in Illinois have varied only slightly since 1950, with heart disease continuously the leading cause of death. Table IX shows the components of these heart disease deaths by age. From this table it is readily seen that by far the greater majority of heart disease deaths are classified as arteriosclerotic heart disease including coronary disease and that these are most prevalent among the older age groups. It is interesting to note that 95 persons under 25 years of age were reported as having died from heart disease (exclusive of congenital malformations of the heart) as the underlying cause.

Cancer was again the second leading cause and accounted for 16,141 deaths in 1958. Table X shows a distribution of these deaths by primary site and age. While the largest number of cancer deaths occurred in the age group 65 to 84, this is not true for the various primary site groups. Cancer of the respiratory system, breast, and the lymphosarcomas occur with greater frequency in the ages 45 to 64. Deaths from leukemia and aleukemia are high in the ages under 15 and then decline from ages 15 through 44 years. This may be the reason why many persons believe that leukemia deaths are more prevalent among children. The fact that over half of the deaths from leukemia and aleukemia occur in ages 45 and over contradicts this belief. Crude cancer mortality rates are generally higher among the white race than among the nonwhite. This is largely due to the fact that a smaller proportion of the nonwhite population is in the older age groups. Table 8B, page 31, shows that the age-specific death rates due to cancer are much higher among the nonwhite persons than among the white at ages 25 and over.

Deaths from vascular lesions of the central nervous system are presented in Table XI. Cerebral hemorrhage accounts for 61.3 percent of

Table IX. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1958

| Age | Heart diseases | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Chronic rheumatic | Arteriosclerotic including coronary | Degenerative heart | Acute and subacute bacterial endocarditis | Acute myocarditis not specified as rheumatic | Acute pericarditis specified as non-rheumatic | Functional | Other and unspecified | Hypertensive |
| ALL AGES | 44,067 | 1,067 | 32,589 | 4,595 | 67 | 79 | 3 | 271 | 1,197 | 4,199 |
| Under 1 year | 14 | -- | 2 | 2 | -- | 1 | -- | 2 | 7 | -- |
| 1-4 years | 12 | 1 | -- | 3 | 1 | 3 | -- | -- | 4 | -- |
| 5-14 years | 14 | 2 | -- | 3 | 1 | 2 | -- | 1 | 4 | 1 |
| 15-24 years | 55 | 26 | 10 | 5 | 4 | 1 | -- | 1 | 8 | -- |
| 25-44 years | 1,494 | 209 | 880 | 117 | 13 | 9 | 1 | 8 | 156 | 101 |
| 45-64 years | 11,552 | 496 | 8,921 | 611 | 25 | 23 | 1 | 47 | 508 | 920 |
| 65-84 years | 25,312 | 298 | 19,008 | 2,727 | 22 | 33 | 1 | 163 | 426 | 2,634 |
| 85 and over | 5,614 | 35 | 3,768 | 1,127 | 1 | 7 | -- | 49 | 84 | 543 |

Source: Tabulations in Illinois Bureau of Statistics.

Table X. -- RESIDENT CANCER DEATHS BY PRIMARY SITE AND AGE, ILLINOIS: 1958

| Age | Total | Primary site | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | Buccal cavity and pharynx | Digestive organs | Respiratory system | Breast | Genital organs | Other and unspecified sites | Leukemia and aleukemia | Lymphosarcomas |
| ALL AGES | 16,141 | 395 | 5,900 | 2,363 | 1,496 | 2,483 | 2,012 | 730 | 762 |
| Under 1 year | 13 | -- | -- | -- | -- | -- | 7 | 4 | 2 |
| 1-4 years | 105 | -- | 3 | 1 | -- | 3 | 39 | 57 | 2 |
| 5-14 years | 109 | 1 | -- | 2 | -- | 1 | 37 | 54 | 14 |
| 15-24 years | 108 | -- | 7 | 1 | 1 | 22 | 28 | 31 | 18 |
| 25-44 years | 1,193 | 22 | 231 | 117 | 191 | 247 | 190 | 65 | 130 |
| 45-64 years | 6,139 | 172 | 2,017 | 1,142 | 704 | 870 | 714 | 222 | 298 |
| 65-84 years | 7,750 | 183 | 3,312 | 1,049 | 545 | 1,210 | 897 | 265 | 289 |
| 85 and over | 724 | 17 | 330 | 51 | 55 | 130 | 100 | 32 | 9 |

Source: Tabulations in Illinois Bureau of Statistics.

these deaths, and cerebral embolism and thrombosis accounts for 27.7 percent.

Congenital malformations and diseases of early infancy, which are described in the analysis of infant deaths, are the fourth leading cause of death in 1958.

In Table 11, page 50, the twelve leading causes of death are shown for each age group beginning with the group 1 to 4 years. (Table XII shows the leading causes for ages under one year.) Accidents, influenza and pneumonia, cancer, and congenital malformations in this order are the leading causes of death between the first and fifteenth birthdays. Accidents, cancer, and homicide are leading causes during adolescence and early adulthood. Only 3,097 deaths, or 3.0 percent of the 101,729 Illinois residents who died

Table XI. -- RESIDENT DEATHS DUE TO VASCULAR LESIONS AFFECTING THE CENTRAL NERVOUS SYSTEM, ILLINOIS: 1958

| Age | Total | Type of vascular lesion | | | |
|---|---|---|---|---|---|
| | | Subarachnoid hemorrhage | Cerebral hemorrhage | Cerebral embolism and thrombosis | Other |
| ALL AGES | 11,049 | 331 | 6,772 | 3,058 | 888 |
| Under 1 year | 5 | 3 | 2 | -- | -- |
| 1-4 years | 3 | 1 | 1 | 1 | -- |
| 5-14 years | 8 | 3 | 4 | -- | 1 |
| 15-24 years | 19 | 14 | 4 | -- | 1 |
| 25-44 years | 279 | 115 | 129 | 26 | 9 |
| 45-64 years | 2,000 | 134 | 1,353 | 418 | 95 |
| 65-84 years | 6,979 | 56 | 4,302 | 2,037 | 584 |
| 85 and over | 1,756 | 5 | 977 | 576 | 198 |

Source: Tabulations in Illinois Bureau of Statistics.

Table XII. -- TEN LEADING CAUSES OF INFANT DEATHS OCCURRING IN ILLINOIS BY AGE: 1958

| Neonatal (under 28 days of age) | | | Ages 28 days to 1 year | | |
|---|---|---|---|---|---|
| Cause | Number | Percent | Cause | Number | Percent |
| ALL CAUSES | 4,142 | 100.0 | ALL CAUSES | 1,624 | 100.0 |
| 1. Postnatal asphyxia and atelectasis | 1,653 | 39.9 | 1. Influenza and pneumonia | 762 | 46.9 |
| 2. Immaturity | 672 | 16.2 | 2. Congenital malformations | 303 | 18.7 |
| 3. Congenital malformations | 541 | 13.0 | 3. Accidents | 133 | 8.2 |
| 4. Birth injury | 505 | 12.2 | 4. Gastro-enteritis and colitis | 107 | 6.6 |
| 5. Pneumonia of newborn | 288 | 7.0 | 5. Bronchitis | 37 | 2.3 |
| 6. Erythroblastosis | 131 | 3.2 | 6. Spina bifida and meningocele | 26 | 1.6 |
| 7. Ill-defined diseases peculiar to early infancy | 114 | 2.8 | 7. Postnatal asphyxia and atelectasis | 25 | 1.5 |
| 8. Monstrosity | 68 | 1.6 | 8. Acute upper respiratory infections | 15 | 0.9 |
| 9. Spina bifida and meningocele | 43 | 1.0 | 9. Neoplasms | 13 | 0.8 |
| 10. Hernia | 30 | 0.7 | 10a. Meningococcal infections | 12 | 0.7 |
| | | | b. Immaturity | 12 | 0.7 |

Source: Tabulations in Illinois Bureau of Statistics.

in 1958, occurred between ages one and twenty-five. Accidents and cancer accounted for 1,606 of these.

Table XIII contains data on accidental deaths to residents of Illinois by type of accident and age of decedent. One of the most striking differences shown in this table is the rate of motor vehicle collisions with pedestrians as compared with motor vehicle collisions with other motor vehicles for persons in the age range 15 to 24. It is also interesting to note that, while the pedestrian accident rate would be expected to be high in the age groups 65 and over, the rate for collisions between two motor vehicles is also higher among persons age 65 and over than any other age group. Non-collision motor vehicle accidents are highest in the age group 15 to 24. Accidental deaths due to poisonings are commonly thought to occur most frequently among the very young. However, this table points out that the rate of accidental deaths due to poisoning is highest in the age group 15 to 24. Deaths due to falls began with a rate of 3.4 per 100,000 population among children under 5 years of age, dropped to a low of 0.5 in the age group 5 to 14 and then increased gradually up to age 65 when the rate rose to a tremendous 71.5. Deaths due to fires also have higher rates in the preschool and elementary school ages and among older people than for the age group between 15 and 65. Deaths due to firearms and drownings are higher in the age group 15 to 24 than for any other age group. Suffocations are highest in the age group under 5 years. Table XIV describes accidental deaths occurring in Illinois by type of accident and place where the injury occurred classified by population class. The death rate from the collisions of two or more motor vehicles in the rural areas is 18.5 per 100,000 population. This is nearly 12 times the rate for Chicago. In contrast, the rural pedestrian-motor vehicle death rate is 3.7 as compared to 4.5 in Chicago.

Tuberculosis is no longer found among the leading twelve causes of death, as reported in Table 8, page 29. Hypertension without mention of heart involvement is a new addition to the list. These causes rank from 6 to 12 in the following sequence: pneumonia and influenza, general arteriosclerosis, diabetes mellitus, cirrhosis of the liver, hypertension without mention of heart, suicide, nephritis not specified as acute, and renal sclerosis.

## INFANT DEATHS

The distribution of infant deaths among Illinois residents in 1958 by age and cause has been discussed in Part I of this summary. As in the case of fetal deaths, the number of deaths under one year of age per 1,000 live births for the nonwhite race (38.6) is much higher than that for the white race (22.5). It is encouraging to note that the infant death rate for 1958 dropped to 25.0 from 25.4 in 1957. Neonatal deaths, that is, deaths under 28 days of age, comprise 72 percent of the infant deaths. However, the leading causes of death vary for the infants under 28 days of age and for those 28 days of age and over, as shown in Table XII. The first four leading causes, postnatal asphyxia and atelectasis, prematurity (unqualified), congenital malformations and birth injury in that order, account for 81.3 percent of the deaths under the age of 28 days. Only congenital malformations remains among the leading four causes after the age of 28 days. It is preceded by influenza and pneumonia and

Table XIII -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1958

| Age | Total | TRANSPORT ACCIDENTS | | | | | | | | | | | | | NON-TRANSPORT ACCIDENTS | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Motor vehicle | | | | | | | | | Other transport | | | | | | | | | | | |
| | | Collisions | | | | | | Non-collision | | | | | | | | | | | | | | |
| | | Pedestrian | Other motor vehicle | R. R. train | Bicycle | Animal or animal drawn vehicle | Fixed object | Running off road | Other traffic | Other motor vehicle accidents | Other road vehicle | Water transport | Aircraft | Railway | Poisonings | Falls | Fire | Firearms | Mechanical suffocation | Drowning | Other | Therapeutic and non-therapeutic complications |
| NUMBER | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 4,668 | 407 | 780 | 113 | 32 | 3 | 88 | 359 | 188 | 17 | 10 | 54 | 36 | 110 | 159 | 990 | 431 | 84 | 65 | 222 | 499 | 21 |
| Under 1 year | 152 | 1 | 9 | -- | -- | -- | -- | 2 | 1 | -- | -- | -- | -- | -- | -- | 12 | 12 | -- | 40 | 1 | 73 | 1 |
| 1-4 years | 238 | 44 | 25 | 5 | 2 | -- | 1 | 1 | 3 | 2 | -- | -- | -- | 1 | 20 | 24 | 47 | 1 | 3 | 22 | 36 | 1 |
| 5-14 years | 385 | 59 | 32 | 4 | 23 | -- | -- | 8 | 2 | 3 | 3 | 3 | -- | 9 | 2 | 9 | 121 | 12 | 7 | 43 | 35 | -- |
| 15-24 years | 661 | 11 | 162 | 25 | 4 | 1 | 31 | 127 | 77 | -- | 5 | 13 | 8 | 5 | 25 | 20 | 18 | 35 | 1 | 54 | 37 | 2 |
| 25-44 years | 952 | 39 | 234 | 31 | 1 | -- | 34 | 133 | 48 | 4 | -- | 18 | 20 | 27 | 56 | 64 | 59 | 17 | 7 | 42 | 111 | 7 |
| 45-64 years | 1,002 | 87 | 174 | 35 | 2 | -- | 14 | 69 | 40 | 6 | 1 | 14 | 8 | 40 | 43 | 196 | 70 | 17 | 5 | 45 | 126 | 9 |
| 65-84 years | 1,059 | 145 | 144 | 12 | -- | 2 | 8 | 19 | 16 | 2 | 1 | 6 | -- | 25 | 11 | 482 | 94 | 2 | 2 | 13 | 74 | 1 |
| 85 and over | 219 | 11 | -- | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | -- | 3 | 2 | 183 | 10 | -- | -- | 1 | 7 | -- |
| RATE | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 47.2 | 4.1 | 7.9 | 1.1 | 0.3 | 0.0 | 0.9 | 3.6 | 1.9 | 0.2 | 0.1 | 0.5 | 0.4 | 1.1 | 1.6 | 10.0 | 4.4 | 0.8 | 0.7 | 2.2 | 5.0 | 0.2 |
| Under 5 years | 36.5 | 4.2 | 3.2 | 0.5 | 0.2 | -0- | 0.1 | 0.3 | 0.4 | 0.2 | -0- | -0- | -0- | 0.1 | 1.9 | 3.4 | 5.5 | 0.1 | 4.0 | 2.2 | 10.2 | 0.2 |
| 5-14 years | 22.6 | 4.1 | 1.9 | 0.2 | 1.4 | -0- | -0- | 0.5 | 0.1 | 0.2 | 0.2 | 0.2 | -0- | 0.5 | 0.1 | 0.5 | 7.1 | 0.7 | 0.4 | 2.5 | 2.1 | -0- |
| 15-24 years | 61.3 | 1.0 | 15.0 | 2.3 | 0.4 | 0.1 | 2.9 | 11.8 | 7.1 | -0- | 0.5 | 1.2 | 0.7 | 0.5 | 2.3 | 1.9 | 1.7 | 3.2 | 0.1 | 5.0 | 3.4 | 0.2 |
| 25-44 years | 33.0 | 1.4 | 8.1 | 1.1 | 0.0 | -0- | 1.2 | 4.6 | 1.7 | 0.1 | -0- | 0.6 | 0.7 | 0.9 | 1.9 | 2.2 | 2.0 | 0.6 | 0.2 | 1.5 | 3.8 | 0.2 |
| 45-64 years | 45.0 | 3.9 | 7.8 | 1.6 | 0.1 | -0- | 0.6 | 3.1 | 1.8 | 0.3 | 0.0 | 0.6 | 0.4 | 1.8 | 1.9 | 8.8 | 3.1 | 0.8 | 0.2 | 2.1 | 5.7 | 0.4 |
| 65 and over | 137.5 | 16.8 | 15.5 | 1.4 | -0- | 0.2 | 0.9 | 2.0 | 1.8 | 0.2 | 0.1 | 0.6 | -0- | 3.0 | 1.4 | 71.5 | 11.2 | 0.2 | 0.2 | 1.5 | 8.7 | 0.1 |

Source: Tabulations in Illinois Bureau of Statistics.

Table XIV. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1958

| PLACE OF INJURY | All accidents | MOTOR VEHICLE | | | | NON-MOTOR VEHICLE | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Pedestrian | Other vehicle | Other | Occupational | | Home | | | Public | | |
| | | | | | | Farm | Non-farm | Fire and explosion | Falls | Other | Drowning | Falls | Other |
| NUMBER: | | | | | | | | | | | | | |
| All accidents | 4,130* | 1,834 | 375 | 736 | 723 | 70 | 258 | 270 | 577 | 370 | 188 | 172 | 391 |
| Place by population class: | | | | | | | | | | | | | |
| Chicago | 1,222 | 322 | 170 | 59 | 93 | -- | 74 | 94 | 231 | 125 | 79 | 112 | 185 |
| Cities of 100,000-500,000 | 60 | 17 | 11 | 5 | 1 | -- | 3 | 10 | 20 | 3 | 1 | 3 | 3 |
| Cities of 50,000- 99,999 | 188 | 56 | 28 | 17 | 21 | -- | 23 | 14 | 34 | 22 | 1 | 11 | 17 |
| Cities of 25,000- 49,999 | 207 | 58 | 20 | 15 | 23 | -- | 10 | 22 | 60 | 17 | 8 | 12 | 20 |
| Cities of 10,000- 24,999 | 253 | 69 | 22 | 23 | 24 | -- | 21 | 16 | 62 | 44 | 5 | 9 | 27 |
| Counties exclusive of cities of 10,000 and over | 2,200 | 1,302 | 124 | 617 | 561 | 70 | 127 | 114 | 170 | 159 | 94 | 25 | 139 |
| RATE PER 100,000 POPULATION | | | | | | | | | | | | | |
| Place by population class: | | | | | | | | | | | | | |
| Chicago | 32.4 | 8.5 | 4.5 | 1.6 | 2.5 | -0- | 2.0 | 2.5 | 6.1 | 3.3 | 2.1 | 3.0 | 4.9 |
| Cities of 100,000-500,000 | 25.3 | 7.2 | 4.6 | 2.1 | 0.4 | -0- | 1.3 | 4.2 | 8.4 | 1.3 | 0.4 | 1.3 | 1.3 |
| Cities of 50,000- 99,999 | 25.4 | 8.9 | 3.8 | 2.3 | 2.8 | -0- | 3.1 | 1.9 | 4.6 | 3.0 | 0.1 | 1.5 | 2.3 |
| Cities of 25,000- 49,999 | 27.0 | 7.6 | 2.6 | 2.0 | 3.0 | -0- | 1.3 | 2.9 | 7.8 | 2.2 | 1.0 | 1.6 | 2.6 |
| Cities of 10,000- 24,999 | 24.5 | 6.7 | 2.1 | 2.2 | 2.3 | -0- | 2.0 | 1.6 | 6.0 | 4.3 | 0.5 | 0.9 | 2.6 |
| Counties exclusive of cities of 10,000 and over | 65.8 | 38.9 | 3.7 | 18.5 | 16.8 | 2.1 | 3.8 | 3.4 | 5.1 | 4.8 | 2.8 | 0.7 | 4.2 |

*Exclusive of 312 accidental deaths occurring in Illinois where the place of injury was either not stated or reported as Out-of-State.
Source: Tabulations in Illinois Bureau of Statistics.

Chart VII -- MATERNAL DEATH RATE (5 YEAR AVERAGE) BY COUNTY OF RESIDENCE, ILLINOIS: 1954-1958

(Rates per 1,000 live births)




followed in order by accidents and gastro-enteritis and colitis. These four causes accounted for 80.4 percent of the deaths during the remainder of the first year of life.

## MATERNAL DEATHS

There were only 74 maternal deaths among residents of Illinois in 1958. This is the smallest number ever recorded. Because of the small number of maternal deaths an annual analysis by county is of no value. The five-year average rates for the period 1954 through 1958 for each county are shown on the accompanying map (Chart VII). There were 39 counties collectively reporting 82,944 live births and no deaths for this period. Alexander County was highest with a rate of 28.4 maternal deaths per 10,000 live births.

**Table 1. -- LIVE BIRTHS, TOTAL DEATHS, INFANT DEATHS, MATERNAL DEATHS, AND STILLBIRTHS, WITH RATES FOR EACH, ILLINOIS: 1918-1958**

(Live birth rates and total death rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| Year | Estimated population | Live births | | Total deaths | | Infant deaths | | Maternal deaths | | Stillbirths | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| 1958*. . . | 9,889,000 | 234,712 | 23.7 | 101,729 | 10.3 | 5,857 | 25.0 | 74 | 0.3 | 3,615 | 15.4 |
| 1957*. . . | 9,754,000 | 238,579 | 24.5 | 102,293 | 10.5 | 6,070 | 25.4 | 80 | 0.3 | 3,616 | 15.2 |
| 1956*. . . | 9,487,000 | 229,571 | 24.2 | 96,956 | 10.2 | 5,642 | 24.6 | 77 | 0.3 | 3,399 | 14.8 |
| 1955*. . . | 9,361,000 | 220,541 | 23.6 | 95,585 | 10.2 | 5,479 | 24.8 | 83 | 0.4 | 3,328 | 15.1 |
| 1954*. . . | 9,193,000 | 217,229 | 23.6 | 92,307 | 10.0 | 5,442 | 25.1 | 92 | 0.4 | 3,233 | 14.9 |
| 1953*. . . | 9,039,000 | 206,813 | 22.9 | 96,607 | 10.7 | 5,326 | 25.8 | 98 | 0.5 | 3,323 | 16.1 |
| 1952*. . . | 8,913,000 | 205,438 | 23.0 | 94,173 | 10.6 | 5,115 | 24.9 | 92 | 0.4 | 3,239 | 15.8 |
| 1951*. . . | 8,825,000 | 201,082 | 22.8 | 93,254 | 10.6 | 5,023 | 25.0 | 107 | 0.5 | 3,270 | 16.3 |
| 1950*. . . | 8,753,000 | 189,640 | 21.7 | 92,260 | 10.5 | 4,855 | 25.6 | 114 | 0.6 | 3,084 | 16.3 |
| 1949*. . . | 8,513,000 | 189,313 | 22.2 | 92,521 | 10.9 | 5,185 | 27.4 | 136 | 0.7 | 3,184 | 16.8 |
| 1948†. . . | 8,552,000 | 184,871 | 21.6 | 91,328 | 10.7 | 5,123 | 27.7 | 151 | 0.8 | 3,284 | 17.8 |
| 1947†. . . | 8,341,000 | 196,007 | 23.5 | 93,686 | 11.2 | 5,672 | 28.9 | 204 | 1.0 | 3,669 | 18.7 |
| 1946†. . . | 8,155,000 | 174,825 | 21.4 | 89,566 | 11.0 | 5,316 | 30.4 | 237 | 1.4 | 3,667 | 21.0 |
| 1945†. . . | 7,601,000 | 138,705 | 18.2 | 90,116 | 11.9 | 4,377 | 31.6 | 235 | 1.7 | 2,951 | 21.3 |
| 1944†. . . | 7,719,000 | 142,005 | 18.4 | 88,180 | 11.4 | 4,602 | 32.4 | 254 | 1.8 | 3,158 | 22.2 |
| 1943†. . . | 7,761,000 | 155,735 | 20.1 | 92,058 | 11.9 | 5,184 | 33.3 | 320 | 2.1 | 3,470 | 22.3 |
| 1942†. . . | 8,057,000 | 156,232 | 19.4 | 87,777 | 10.9 | 5,176 | 33.1 | 326 | 2.1 | 3,445 | 22.1 |
| 1941†. . . | 7,995,000 | 136,159 | 17.0 | 86,582 | 10.8 | 4,661 | 34.2 | 340 | 2.5 | 3,202 | 23.5 |
| 1940†. . . | 7,905,000 | 124,615 | 15.8 | 89,099 | 11.3 | 4,398 | 35.3 | 369 | 3.0 | 3,152 | 25.3 |
| 1939†. . . | 7,890,000 | 118,852 | 15.1 | 87,623 | 11.1 | 4,526 | 38.1 | 375 | 3.2 | 2,978 | 25.1 |
| 1938‡. . . | 7,866,000 | 122,562 | 15.6 | 84,769 | 10.8 | 5,016 | 40.9 | 412 | 3.4 | 3,207 | 26.2 |
| 1937‡. . . | 7,857,000 | 115,282 | 14.7 | 87,739 | 11.2 | 4,967 | 43.1 | 450 | 3.9 | 3,058 | 26.5 |
| 1936‡. . . | 7,840,000 | 112,167 | 14.3 | 92,806 | 11.8 | 5,246 | 46.8 | 500 | 4.5 | 3,099 | 27.6 |
| 1935‡. . . | 7,797,000 | 111,884 | 14.3 | 85,518 | 11.0 | 5,138 | 45.9 | 555 | 5.0 | 3,308 | 29.6 |
| 1934‡. . . | 7,772,000 | 110,226 | 14.2 | 87,205 | 11.2 | 5,825 | 52.8 | 568 | 5.2 | 3,333 | 30.2 |
| 1933‡. . . | 7,768,000 | 107,910 | 13.9 | 82,513 | 10.6 | 5,284 | 49.0 | 537 | 5.0 | 3,219 | 29.8 |
| 1932‡. . . | 7,736,000 | 111,512 | 14.4 | 83,160 | 10.8 | 5,884 | 52.8 | 625 | 5.6 | 3,446 | 30.9 |
| 1931‡. . . | 7,687,000 | 118,788 | 15.5 | 85,788 | 11.2 | 6,961 | 58.6 | 659 | 5.5 | 4,080 | 34.3 |
| 1930‡. . . | 7,644,000 | 128,121 | 16.8 | 83,591 | 10.9 | 7,152 | 55.8 | 699 | 5.5 | 4,311 | 33.6 |
| 1929‡. . . | 7,606,000 | 128,633 | 16.9 | 87,788 | 11.5 | 7,901 | 61.4 | 874 | 6.8 | 4,452 | 34.6 |
| 1928‡. . . | 7,576,000 | 129,667 | 17.1 | 90,195 | 11.9 | 8,326 | 64.2 | 743 | 5.7 | 4,677 | 36.1 |
| 1927‡. . . | 7,519,000 | 133,662 | 17.8 | 82,849 | 11.0 | 8,605 | 64.4 | 743 | 5.6 | 4,693 | 35.1 |
| 1926‡. . . | 7,395,000 | 133,939 | 18.1 | 85,331 | 11.5 | 9,294 | 69.4 | 871 | 6.5 | 4,879 | 36.4 |
| 1925‡. . . | 7,306,000 | 135,437 | 18.5 | 81,593 | 11.2 | 9,822 | 72.5 | 789 | 5.8 | 4,885 | 36.1 |
| 1924‡. . . | 7,215,000 | 137,118 | 19.0 | 77,133 | 10.7 | 9,734 | 71.0 | 844 | 6.2 | 5,290 | 38.6 |
| 1923‡. . . | 7,068,000 | 131,920 | 18.7 | 81,753 | 11.6 | 10,809 | 81.9 | 846 | 6.4 | 5,157 | 39.1 |
| 1922‡. . . | 6,958,000 | 134,050 | 19.3 | 75,771 | 10.9 | 10,195 | 76.1 | 847 | 6.3 | 4,826 | 36.0 |
| 1921‡. . . | 6,858,000 | -- | -- | 73,424 | 10.7 | 10,674 | -- | 944 | -- | -- | -- |
| 1920‡. . . | 6,663,000 | -- | -- | 82,296 | 12.4 | 11,641 | -- | 1,141 | -- | -- | -- |
| 1919‡. . . | 6,392,000 | -- | -- | 77,256 | 12.1 | 11,148 | -- | 960 | -- | -- | -- |
| 1918‡. . . | 6,275,000 | -- | -- | 100,396 | 16.0 | 13,109 | -- | 1,160 | -- | -- | -- |

*Data for the years 1949-1958, incl., are resident data from tabulations of the Illinois Department of Public Health.
†Data for the years 1939-1948, incl., are resident data as published by the National Office of Vital Statistics.
‡Data for the years 1918-1938, incl., are Illinois occurrences as published by the National Office of Vital Statistics.

Table 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958

| County | Live births | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| ILLINOIS | 234,712 | 198,300 | 36,412 | 5,857 | 4,453 | 1,404 | 4,211 | 3,281 | 930 | 3,615 | 2,756 | 859 |
| Adams | 1,360 | 1,323 | 37 | 35 | 33 | 2 | 29 | 27 | 2 | 14 | 13 | 1 |
| Alexander | 310 | 181 | 129 | 17 | 7 | 10 | 11 | 4 | 7 | 5 | 3 | 2 |
| Bond | 296 | 295 | 1 | 7 | 7 | -- | 2 | 2 | -- | 5 | 5 | -- |
| Boone | 467 | 466 | 1 | 18 | 17 | 1 | 14 | 14 | -- | 8 | 8 | -- |
| Brown | 106 | 106 | -- | 3 | 3 | -- | 1 | 1 | -- | 1 | 1 | -- |
| Bureau | 782 | 781 | 1 | 21 | 21 | -- | 15 | 15 | -- | 8 | 8 | -- |
| Calhoun | 129 | 129 | -- | 3 | 3 | -- | 2 | 2 | -- | -- | -- | -- |
| Carroll | 407 | 406 | 1 | 8 | 8 | -- | 7 | 7 | -- | 8 | 8 | -- |
| Cass | 295 | 295 | -- | 10 | 10 | -- | 7 | 7 | -- | 1 | 1 | -- |
| Champaign | 2,953 | 2,742 | 211 | 80 | 67 | 13 | 59 | 54 | 5 | 28 | 23 | 5 |
| Christian | 805 | 804 | 1 | 20 | 20 | -- | 15 | 15 | -- | 13 | 13 | -- |
| Clark | 308 | 308 | -- | 4 | 4 | -- | 3 | 3 | -- | 1 | 1 | -- |
| Clay | 325 | 325 | -- | 5 | 5 | -- | 3 | 3 | -- | 4 | 4 | -- |
| Clinton | 652 | 651 | 1 | 12 | 12 | -- | 9 | 9 | -- | 12 | 12 | -- |
| Coles | 930 | 924 | 6 | 25 | 25 | -- | 20 | 20 | -- | 20 | 19 | 1 |
| Cook | 124,855 | 93,841 | 31,014 | 3,205 | 2,053 | 1,152 | 2,271 | 1,498 | 773 | 2,051 | 1,302 | 749 |
| Crawford | 350 | 350 | -- | 6 | 6 | -- | 5 | 5 | -- | 3 | 3 | -- |
| Cumberland | 221 | 221 | -- | 4 | 4 | -- | 2 | 2 | -- | 3 | 3 | -- |
| De Kalb | 1,177 | 1,174 | 3 | 17 | 17 | -- | 14 | 14 | -- | 12 | 12 | -- |
| De Witt | 340 | 340 | -- | 12 | 12 | -- | 11 | 11 | -- | 6 | 6 | -- |
| Douglas | 487 | 485 | 2 | 11 | 11 | -- | 8 | 8 | -- | 9 | 9 | -- |
| Du Page | 6,929 | 6,905 | 24 | 145 | 144 | 1 | 99 | 99 | -- | 78 | 78 | -- |
| Edgar | 412 | 410 | 2 | 9 | 9 | -- | 6 | 6 | -- | 9 | 9 | -- |
| Edwards | 163 | 163 | -- | 2 | 2 | -- | -- | -- | -- | 3 | 3 | -- |
| Effingham | 548 | 548 | -- | 11 | 11 | -- | 11 | 11 | -- | 7 | 7 | -- |
| Fayette | 384 | 384 | -- | 7 | 7 | -- | 6 | 6 | -- | 6 | 6 | -- |
| Ford | 357 | 355 | 2 | 8 | 8 | -- | 7 | 7 | -- | 8 | 8 | -- |
| Franklin | 635 | 635 | -- | 21 | 21 | -- | 14 | 14 | -- | 12 | 12 | -- |
| Fulton | 766 | 766 | -- | 8 | 8 | -- | 7 | 7 | -- | 14 | 14 | -- |
| Gallatin | 131 | 130 | 1 | 7 | 7 | -- | 3 | 3 | -- | 3 | 3 | -- |
| Greene | 308 | 308 | -- | 7 | 7 | -- | 6 | 6 | -- | 5 | 5 | -- |
| Grundy | 485 | 483 | 2 | 7 | 7 | -- | 6 | 6 | -- | 6 | 6 | -- |
| Hamilton | 177 | 177 | -- | 1 | 1 | -- | -- | -- | -- | -- | -- | -- |
| Hancock | 455 | 455 | -- | 16 | 16 | -- | 15 | 15 | -- | 9 | 9 | -- |
| Hardin | 111 | 111 | -- | 5 | 5 | -- | 3 | 3 | -- | 2 | 2 | -- |
| Henderson | 171 | 171 | -- | 2 | 2 | -- | 1 | 1 | -- | 2 | 2 | -- |
| Henry | 1,022 | 1,010 | 12 | 24 | 24 | -- | 17 | 17 | -- | 17 | 17 | -- |
| Iroquois | 725 | 721 | 4 | 14 | 14 | -- | 11 | 11 | -- | 7 | 7 | -- |
| Jackson | 859 | 794 | 65 | 26 | 21 | 5 | 19 | 17 | 2 | 12 | 11 | 1 |
| Jasper | 229 | 229 | -- | 2 | 2 | -- | 2 | 2 | -- | 4 | 4 | -- |
| Jefferson | 682 | 654 | 28 | 19 | 19 | -- | 13 | 13 | -- | 10 | 9 | 1 |
| Jersey | 374 | 372 | 2 | 10 | 10 | -- | 9 | 9 | -- | 5 | 5 | -- |
| Jo Daviess | 524 | 524 | -- | 6 | 6 | -- | 6 | 6 | -- | 9 | 9 | -- |
| Johnson | 115 | 114 | 1 | -- | -- | -- | -- | -- | -- | 2 | 2 | -- |
| Kane | 4,806 | 4,694 | 112 | 125 | 119 | 6 | 89 | 85 | 4 | 77 | 73 | 4 |
| Kankakee | 1,994 | 1,835 | 159 | 44 | 36 | 8 | 37 | 31 | 6 | 32 | 27 | 5 |
| Kendall | 366 | 366 | -- | 8 | 8 | -- | 7 | 7 | -- | 6 | 6 | -- |
| Knox | 1,258 | 1,211 | 47 | 25 | 24 | 1 | 17 | 16 | 1 | 14 | 14 | -- |
| Lake | 7,108 | 6,646 | 462 | 179 | 160 | 19 | 124 | 112 | 12 | 89 | 81 | 8 |
| La Salle | 2,562 | 2,546 | 16 | 54 | 54 | -- | 44 | 44 | -- | 33 | 33 | -- |
| Lawrence | 349 | 344 | 5 | 9 | 9 | -- | 5 | 5 | -- | 2 | 2 | -- |
| Lee | 757 | 746 | 11 | 17 | 16 | 1 | 10 | 9 | 1 | 18 | 17 | 1 |

Table 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued

| County | Live births | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Livingston | 820 | 817 | 3 | 17 | 17 | -- | 10 | 10 | -- | 11 | 11 | -- |
| Logan | 615 | 611 | 4 | 15 | 14 | 1 | 13 | 12 | 1 | 14 | 14 | -- |
| McDonough | 565 | 561 | 4 | 10 | 10 | -- | 7 | 7 | -- | 11 | 11 | -- |
| McHenry | 2,000 | 1,999 | 1 | 47 | 47 | -- | 33 | 33 | -- | 30 | 30 | -- |
| McLean | 1,849 | 1,806 | 43 | 44 | 42 | 2 | 29 | 28 | 1 | 28 | 27 | 1 |
| Macon | 2,863 | 2,652 | 211 | 81 | 73 | 8 | 61 | 55 | 6 | 49 | 47 | 2 |
| Macoupin | 782 | 782 | -- | 26 | 26 | -- | 21 | 21 | -- | 18 | 18 | -- |
| Madison | 5,328 | 4,931 | 397 | 142 | 126 | 16 | 111 | 100 | 11 | 87 | 76 | 11 |
| Marion | 806 | 765 | 41 | 27 | 25 | 2 | 23 | 21 | 2 | 7 | 4 | 3 |
| Marshall | 271 | 270 | 1 | 4 | 4 | -- | 2 | 2 | -- | 5 | 5 | -- |
| Mason | 301 | 301 | -- | 7 | 7 | -- | 4 | 4 | -- | 6 | 6 | -- |
| Massac | 267 | 249 | 18 | 4 | 4 | -- | 4 | 4 | -- | 5 | 4 | 1 |
| Menard | 182 | 181 | 1 | 6 | 5 | 1 | 4 | 4 | -- | 2 | 2 | -- |
| Mercer | 314 | 314 | -- | 2 | 2 | -- | 2 | 2 | -- | 5 | 5 | -- |
| Monroe | 322 | 322 | -- | 9 | 9 | -- | 9 | 9 | -- | 3 | 3 | -- |
| Montgomery | 617 | 611 | 6 | 12 | 12 | -- | 9 | 9 | -- | 11 | 11 | -- |
| Morgan | 617 | 598 | 19 | 13 | 13 | -- | 11 | 11 | -- | 6 | 5 | 1 |
| Moultrie | 274 | 274 | -- | 5 | 5 | -- | 4 | 4 | -- | 2 | 2 | -- |
| Ogle | 865 | 865 | -- | 19 | 19 | -- | 13 | 13 | -- | 15 | 15 | -- |
| Peoria | 4,417 | 4,080 | 337 | 96 | 77 | 19 | 68 | 56 | 12 | 54 | 48 | 6 |
| Perry | 351 | 346 | 5 | 11 | 11 | -- | 6 | 6 | -- | 9 | 8 | 1 |
| Piatt | 298 | 298 | -- | 6 | 6 | -- | 4 | 4 | -- | 7 | 7 | -- |
| Pike | 378 | 378 | -- | 6 | 6 | -- | 3 | 3 | -- | 5 | 5 | -- |
| Pope | 67 | 66 | 1 | 1 | 1 | -- | 1 | 1 | -- | 2 | 2 | -- |
| Pulaski | 210 | 108 | 102 | 3 | 1 | 2 | 2 | -- | 2 | 10 | 3 | 7 |
| Putnam | 97 | 96 | 1 | 1 | 1 | -- | 1 | 1 | -- | 2 | 2 | -- |
| Randolph | 594 | 584 | 10 | 12 | 10 | 2 | 10 | 8 | 2 | 10 | 10 | -- |
| Richland | 367 | 367 | -- | 8 | 8 | -- | 6 | 6 | -- | 6 | 6 | -- |
| Rock Island | 3,313 | 3,207 | 106 | 85 | 78 | 7 | 67 | 62 | 5 | 45 | 43 | 2 |
| St. Clair | 6,816 | 5,258 | 1,558 | 172 | 109 | 63 | 125 | 88 | 37 | 100 | 82 | 18 |
| Saline | 441 | 425 | 16 | 12 | 11 | 1 | 10 | 9 | 1 | 6 | 5 | 1 |
| Sangamon | 3,396 | 3,208 | 188 | 86 | 78 | 8 | 65 | 61 | 4 | 39 | 35 | 4 |
| Schuyler | 170 | 170 | -- | 4 | 4 | -- | 2 | 2 | -- | 1 | 1 | -- |
| Scott | 137 | 137 | -- | 5 | 5 | -- | 4 | 4 | -- | 1 | 1 | -- |
| Shelby | 495 | 494 | 1 | 9 | 9 | -- | 7 | 7 | -- | 12 | 12 | -- |
| Stark | 161 | 161 | -- | 4 | 4 | -- | 4 | 4 | -- | 2 | 2 | -- |
| Stephenson | 1,005 | 945 | 60 | 27 | 27 | -- | 19 | 19 | -- | 13 | 11 | 2 |
| Tazewell | 2,330 | 2,330 | -- | 43 | 43 | -- | 34 | 34 | -- | 31 | 31 | -- |
| Union | 268 | 268 | -- | 11 | 11 | -- | 7 | 7 | -- | 7 | 7 | -- |
| Vermilion | 2,109 | 1,950 | 159 | 56 | 48 | 8 | 41 | 36 | 5 | 33 | 29 | 4 |
| Wabash | 287 | 287 | -- | 5 | 5 | -- | 1 | 1 | -- | 4 | 3 | 1 |
| Warren | 422 | 411 | 11 | 8 | 7 | 1 | 4 | 4 | -- | 9 | 9 | -- |
| Washington | 222 | 222 | -- | 3 | 3 | -- | 2 | 2 | -- | 4 | 4 | -- |
| Wayne | 339 | 338 | 1 | 9 | 9 | -- | 5 | 5 | -- | 3 | 3 | -- |
| White | 371 | 370 | 1 | 10 | 10 | -- | 7 | 7 | -- | -- | -- | -- |
| Whiteside | 1,483 | 1,480 | 3 | 33 | 33 | -- | 25 | 25 | -- | 21 | 21 | -- |
| Will | 4,516 | 4,154 | 362 | 132 | 110 | 22 | 92 | 80 | 12 | 55 | 47 | 8 |
| Williamson | 812 | 795 | 17 | 17 | 15 | 2 | 12 | 11 | 1 | 8 | 7 | 1 |
| Winnebago | 5,253 | 4,893 | 360 | 133 | 115 | 18 | 90 | 77 | 13 | 62 | 55 | 7 |
| Woodford | 605 | 605 | -- | 12 | 12 | -- | 9 | 9 | -- | 5 | 5 | -- |
| Unspecified place in Illinois | 7 | 6 | 1 | 6 | 4 | 2 | 6 | 4 | 2 | 21 | 21 | -- |

Table 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958

(Live birth rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| County | Live births[1] | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| ILLINOIS | 23.7 | | | 25.0 | 22.5 | 38.6 | 17.9 | 16.5 | 25.5 | 15.4 | 13.9 | 23.6 |
| Adams | 20.7 | | | 25.7 | 24.9 | 54.1 | 21.3 | 20.4 | 54.1 | 10.3 | 9.8 | 27.0 |
| Alexander | 15.3 | | | 54.8 | 38.7 | 77.5 | 35.5 | 22.1 | 54.3 | 16.1 | 16.6 | 15.5 |
| Bond | 22.4 | | | 23.6 | 23.7 | -0- | 6.8 | 6.8 | -0- | 16.9 | 16.9 | -0- |
| Boone | 24.8 | | | 38.5 | 36.5 | 1000.0 | 30.0 | 30.0 | -0- | 17.1 | 17.2 | -0- |
| Brown | 14.9 | | | 28.3 | 28.3 | -0- | 9.4 | 9.4 | -0- | 9.4 | 9.4 | -0- |
| Bureau | 18.9 | | | 26.9 | 26.9 | -0- | 19.2 | 19.2 | -0- | 10.2 | 10.2 | -0- |
| Calhoun | 18.4 | | | 23.3 | 23.3 | -0- | 15.5 | 15.5 | -0- | -0- | -0- | -0- |
| Carroll | 21.2 | | | 19.7 | 19.7 | -0- | 17.2 | 17.2 | -0- | 19.7 | 19.7 | -0- |
| Cass | 20.3 | | | 33.9 | 33.9 | -0- | 23.7 | 23.7 | -0- | 3.4 | 3.4 | -0- |
| Champaign | 24.1 | | | 27.1 | 24.4 | 61.6 | 20.0 | 19.7 | 23.7 | 9.5 | 8.4 | 23.7 |
| Christian | 20.5 | | | 24.8 | 24.9 | -0- | 18.6 | 18.6 | -0- | 16.1 | 16.2 | -0- |
| Clark | 17.7 | | | 13.0 | 13.0 | -0- | 9.7 | 9.7 | -0- | 3.2 | 3.2 | -0- |
| Clay | 18.3 | | | 15.4 | 15.4 | -0- | 9.2 | 9.2 | -0- | 12.3 | 12.3 | -0- |
| Clinton | 28.3 | | | 18.4 | 18.4 | -0- | 13.8 | 13.8 | -0- | 18.4 | 18.4 | -0- |
| Coles | 21.8 | | | 26.9 | 27.1 | -0- | 21.5 | 21.6 | -0- | 21.5 | 20.6 | 166.7 |
| Cook | 24.5 | | | 25.7 | 21.9 | 37.1 | 18.2 | 16.0 | 24.9 | 16.4 | 13.9 | 24.2 |
| Crawford | 16.4 | | | 17.1 | 17.1 | -0- | 14.3 | 14.3 | -0- | 8.6 | 8.6 | -0- |
| Cumberland | 21.0 | | | 18.1 | 18.1 | -0- | 9.0 | 9.0 | -0- | 13.6 | 13.6 | -0- |
| De Kalb | 25.5 | | | 14.4 | 14.5 | -0- | 11.9 | 11.9 | -0- | 10.2 | 10.2 | -0- |
| De Witt | 19.8 | | | 35.3 | 35.3 | -0- | 32.4 | 32.4 | -0- | 17.6 | 17.6 | -0- |
| Douglas | 24.6 | | | 22.6 | 22.7 | -0- | 16.4 | 16.5 | -0- | 18.5 | 18.6 | -0- |
| Du Page | 27.2 | | | 20.9 | 20.9 | 41.7 | 14.3 | 14.3 | -0- | 11.3 | 11.3 | -0- |
| Edgar | 17.5 | | | 21.8 | 22.0 | -0- | 14.6 | 14.6 | -0- | 21.8 | 22.0 | -0- |
| Edwards | 17.2 | | | 12.3 | 12.3 | -0- | -0- | -0- | -0- | 18.4 | 18.4 | -0- |
| Effingham | 24.9 | | | 20.1 | 20.1 | -0- | 20.1 | 20.1 | -0- | 12.8 | 12.8 | -0- |
| Fayette | 15.6 | | | 18.2 | 18.2 | -0- | 15.6 | 15.6 | -0- | 15.6 | 15.6 | -0- |
| Ford | 22.0 | | | 22.4 | 22.5 | -0- | 19.6 | 19.7 | -0- | 22.4 | 22.5 | -0- |
| Franklin | 14.8 | | | 33.1 | 33.1 | -0- | 22.0 | 22.0 | -0- | 18.9 | 18.9 | -0- |
| Fulton | 16.7 | | | 10.4 | 10.4 | -0- | 9.1 | 9.1 | -0- | 18.3 | 18.3 | -0- |
| Gallatin | 16.4 | | | 53.4 | 53.8 | -0- | 22.9 | 23.1 | -0- | 22.9 | 23.1 | -0- |
| Greene | 16.2 | | | 22.7 | 22.7 | -0- | 19.5 | 19.5 | -0- | 16.2 | 16.2 | -0- |
| Grundy | 20.0 | | | 14.4 | 14.5 | -0- | 12.4 | 12.4 | -0- | 12.4 | 12.4 | -0- |
| Hamilton | 16.1 | | | 5.6 | 5.6 | -0- | -0- | -0- | -0- | -0- | -0- | -0- |
| Hancock | 17.0 | | | 35.2 | 35.2 | -0- | 33.0 | 33.0 | -0- | 19.8 | 19.8 | -0- |
| Hardin | 17.9 | | | 45.0 | 45.0 | -0- | 27.0 | 27.0 | -0- | 18.0 | 18.0 | -0- |
| Henderson | 20.4 | | | 11.7 | 11.7 | -0- | 5.8 | 5.8 | -0- | 11.7 | 11.7 | -0- |
| Henry | 20.5 | | | 23.5 | 23.8 | -0- | 16.6 | 16.8 | -0- | 16.6 | 16.8 | -0- |
| Iroquois | 20.0 | | | 19.3 | 19.4 | -0- | 15.2 | 15.3 | -0- | 9.7 | 9.7 | -0- |
| Jackson | 22.1 | | | 30.3 | 26.4 | 76.9 | 22.1 | 21.4 | 30.8 | 14.0 | 13.9 | 15.4 |
| Jasper | 18.5 | | | 8.7 | 8.7 | -0- | 8.7 | 8.7 | -0- | 17.5 | 17.5 | -0- |
| Jefferson | 18.6 | | | 27.9 | 29.1 | -0- | 19.1 | 19.9 | -0- | 14.7 | 13.8 | 35.7 |
| Jersey | 21.7 | | | 26.7 | 26.9 | -0- | 24.1 | 24.2 | -0- | 13.4 | 13.4 | -0- |
| Jo Daviess | 24.0 | | | 11.5 | 11.5 | -0- | 11.5 | 11.5 | -0- | 17.2 | 17.2 | -0- |
| Johnson | 13.5 | | | -0- | -0- | -0- | -0- | -0- | -0- | 17.4 | 17.5 | -0- |
| Kane | 26.6 | | | 26.0 | 25.4 | 53.6 | 18.5 | 18.1 | 35.7 | 16.0 | 15.6 | 35.7 |
| Kankakee | 19.6 | | | 22.1 | 19.6 | 50.3 | 18.6 | 16.9 | 37.7 | 16.0 | 14.7 | 31.4 |
| Kendall | 25.4 | | | 21.9 | 21.9 | -0- | 19.1 | 19.1 | -0- | 16.4 | 16.4 | -0- |
| Knox | 22.3 | | | 19.9 | 19.8 | 21.3 | 13.5 | 13.2 | 21.3 | 11.1 | 11.6 | -0- |
| Lake | 27.7 | | | 25.2 | 24.1 | 41.1 | 17.4 | 16.9 | 26.0 | 12.5 | 12.2 | 17.3 |
| La Salle | 22.7 | | | 21.1 | 21.2 | -0- | 17.2 | 17.3 | -0- | 12.9 | 13.0 | -0- |
| Lawrence | 18.3 | | | 25.8 | 26.2 | -0- | 14.3 | 14.5 | -0- | 5.7 | 5.8 | -0- |
| Lee | 20.5 | | | 22.5 | 21.4 | 90.9 | 13.2 | 12.1 | 90.9 | 23.8 | 22.8 | 90.9 |

[1]Population by color not estimated for individual counties.

Table 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued

(Live birth rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| County | Live births[1] | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-White | Total | White | Non-White | Total | White | Non-White | Total | White | Non-White |
| Livingston | 21.5 | | | 20.7 | 20.8 | -0- | 12.2 | 12.2 | -0- | 13.4 | 13.5 | -0- |
| Logan | 19.7 | | | 24.4 | 22.9 | 250.0 | 21.1 | 19.6 | 250.0 | 22.8 | 22.9 | -0- |
| McDonough | 19.6 | | | 17.7 | 17.8 | -0- | 12.4 | 12.5 | -0- | 19.5 | 19.6 | -0- |
| McHenry | 28.3 | | | 23.5 | 23.5 | -0- | 16.5 | 16.5 | -0- | 15.0 | 15.0 | -0- |
| McLean | 20.6 | | | 23.8 | 23.3 | 46.5 | 15.7 | 15.5 | 23.3 | 15.1 | 15.0 | 23.3 |
| Macon | 26.0 | | | 28.3 | 27.5 | 37.9 | 21.3 | 20.7 | 28.4 | 17.1 | 17.7 | 9.5 |
| Macoupin | 18.0 | | | 33.2 | 33.2 | -0- | 26.9 | 26.9 | -0- | 23.0 | 23.0 | -0- |
| Madison | 23.8 | | | 26.7 | 25.6 | 40.3 | 20.8 | 20.3 | 27.7 | 16.3 | 15.4 | 27.7 |
| Marion | 20.2 | | | 33.5 | 32.7 | 48.8 | 28.5 | 27.5 | 48.8 | 8.7 | 5.2 | 73.2 |
| Marshall | 20.2 | | | 14.8 | 14.8 | -0- | 7.4 | 7.4 | -0- | 18.5 | 18.5 | -0- |
| Mason | 19.1 | | | 23.3 | 23.3 | -0- | 13.3 | 13.3 | -0- | 19.9 | 19.9 | -0- |
| Massac | 15.9 | | | 15.0 | 16.1 | -0- | 15.0 | 16.1 | -0- | 18.7 | 16.1 | 55.6 |
| Menard | 19.0 | | | 33.0 | 27.6 | 1000.0 | 22.0 | 22.1 | -0- | 11.0 | 11.0 | -0- |
| Mercer | 17.4 | | | 6.4 | 6.4 | -0- | 6.4 | 6.4 | -0- | 15.9 | 15.9 | -0- |
| Monroe | 21.0 | | | 28.0 | 28.0 | -0- | 28.0 | 28.0 | -0- | 9.3 | 9.3 | -0- |
| Montgomery | 19.5 | | | 19.4 | 19.6 | -0- | 14.6 | 14.7 | -0- | 17.8 | 18.0 | -0- |
| Morgan | 16.2 | | | 21.1 | 21.7 | -0- | 17.8 | 18.4 | -0- | 9.7 | 8.4 | 52.6 |
| Moultrie | 20.4 | | | 18.2 | 18.2 | -0- | 14.6 | 14.6 | -0- | 7.3 | 7.3 | -0- |
| Ogle | 23.3 | | | 22.0 | 22.0 | -0- | 15.0 | 15.0 | -0- | 17.3 | 17.3 | -0- |
| Peoria | 23.9 | | | 21.7 | 18.9 | 56.4 | 15.4 | 13.7 | 35.6 | 12.2 | 11.8 | 17.8 |
| Perry | 16.3 | | | 31.3 | 31.8 | -0- | 17.1 | 17.3 | -0- | 25.6 | 23.1 | 200.0 |
| Piatt | 18.1 | | | 20.1 | 20.1 | -0- | 13.4 | 13.4 | -0- | 23.5 | 23.5 | -0- |
| Pike | 17.0 | | | 15.9 | 15.9 | -0- | 7.9 | 7.9 | -0- | 13.2 | 13.2 | -0- |
| Pope | 12.6 | | | 14.9 | 15.2 | -0- | 14.9 | 15.2 | -0- | 29.9 | 30.3 | -0- |
| Pulaski | 17.5 | | | 14.3 | 9.3 | 19.6 | 9.5 | -0- | 19.6 | 47.6 | 27.8 | 68.6 |
| Putnam | 21.6 | | | 10.3 | 10.4 | -0- | 10.3 | 10.4 | -0- | 20.6 | 20.8 | -0- |
| Randolph | 18.9 | | | 20.2 | 17.1 | 200.0 | 16.8 | 13.7 | 200.0 | 16.8 | 17.1 | -0- |
| Richland | 21.7 | | | 21.8 | 21.8 | -0- | 16.3 | 16.3 | -0- | 16.3 | 16.3 | -0- |
| Rock Island | 21.9 | | | 25.7 | 24.3 | 66.0 | 20.2 | 19.3 | 47.2 | 13.6 | 13.4 | 18.9 |
| St. Clair | 27.0 | | | 25.2 | 20.7 | 40.4 | 18.3 | 16.7 | 23.7 | 14.7 | 15.6 | 11.6 |
| Saline | 16.1 | | | 27.2 | 25.9 | 62.5 | 22.7 | 21.2 | 62.5 | 13.6 | 11.8 | 62.5 |
| Sangamon | 24.1 | | | 25.3 | 24.3 | 42.6 | 19.1 | 19.0 | 21.3 | 11.5 | 10.9 | 21.3 |
| Schuyler | 18.1 | | | 23.5 | 23.5 | -0- | 11.8 | 11.8 | -0- | 5.9 | 5.9 | -0- |
| Scott | 19.6 | | | 36.5 | 36.5 | -0- | 29.2 | 29.2 | -0- | 7.3 | 7.3 | -0- |
| Shelby | 20.1 | | | 18.2 | 18.2 | -0- | 14.1 | 14.2 | -0- | 24.2 | 24.3 | -0- |
| Stark | 20.1 | | | 24.8 | 24.8 | -0- | 24.8 | 24.8 | -0- | 12.4 | 12.4 | -0- |
| Stephenson | 21.3 | | | 26.9 | 28.6 | -0- | 18.9 | 20.1 | -0- | 12.9 | 11.6 | 33.3 |
| Tazewell | 26.8 | | | 18.5 | 18.5 | -0- | 14.6 | 14.6 | -0- | 13.3 | 13.3 | -0- |
| Union | 14.4 | | | 41.0 | 41.0 | -0- | 26.1 | 26.1 | -0- | 26.1 | 26.1 | -0- |
| Vermilion | 22.3 | | | 26.6 | 24.6 | 50.3 | 19.4 | 18.5 | 31.4 | 15.6 | 14.9 | 25.2 |
| Wabash | 21.6 | | | 17.4 | 17.4 | -0- | 3.5 | 3.5 | -0- | 13.9 | 10.5 | -- |
| Warren | 16.9 | | | 19.0 | 17.0 | 90.9 | 9.5 | 9.7 | -0- | 21.3 | 21.9 | -0- |
| Washington | 15.3 | | | 13.5 | 13.5 | -0- | 9.0 | 9.0 | -0- | 18.0 | 18.0 | -0- |
| Wayne | 17.2 | | | 26.5 | 26.6 | -0- | 14.7 | 14.8 | -0- | 8.8 | 8.9 | -0- |
| White | 17.7 | | | 27.0 | 27.0 | -0- | 18.9 | 18.9 | -0- | -0- | -0- | -0- |
| Whiteside | 27.9 | | | 22.3 | 22.3 | -0- | 16.9 | 16.9 | -0- | 14.2 | 14.2 | -0- |
| Will | 25.7 | | | 29.2 | 26.5 | 60.8 | 20.4 | 19.3 | 33.1 | 12.2 | 11.3 | 22.1 |
| Williamson | 19.1 | | | 20.9 | 18.9 | 117.6 | 14.8 | 13.8 | 58.8 | 9.9 | 8.8 | 58.8 |
| Winnebago | 26.4 | | | 25.3 | 23.5 | 50.0 | 17.1 | 15.7 | 36.1 | 11.9 | 11.2 | 19.4 |
| Woodford | 22.8 | | | 19.8 | 19.8 | -0- | 14.9 | 14.9 | -0- | 8.3 | 8.3 | -0- |

[1]Population by color not estimated for individual counties.

**Table 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958**

| City | Live births | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Alton | 777 | 614 | 163 | 33 | 25 | 8 | 27 | 21 | 6 | 13 | 8 | 5 |
| Arlington Heights | 706 | 705 | 1 | 27 | 27 | -- | 22 | 22 | -- | 9 | 9 | -- |
| Aurora | 1,612 | 1,553 | 59 | 52 | 47 | 5 | 38 | 35 | 3 | 30 | 27 | 3 |
| Belleville | 1,000 | 991 | 9 | 24 | 24 | -- | 20 | 20 | -- | 12 | 12 | -- |
| Bellwood | 462 | 461 | 1 | 10 | 9 | 1 | 8 | 7 | 1 | 9 | 9 | -- |
| Berwyn | 1,013 | 1,012 | 1 | 18 | 18 | -- | 15 | 15 | -- | 14 | 14 | -- |
| Bloomington | 883 | 842 | 41 | 22 | 20 | 2 | 13 | 12 | 1 | 14 | 13 | 1 |
| Blue Island | 537 | 521 | 16 | 13 | 13 | -- | 10 | 10 | -- | 4 | 4 | -- |
| Brookfield | 418 | 417 | 1 | 9 | 9 | -- | 7 | 7 | -- | 9 | 9 | -- |
| Cairo | 176 | 91 | 85 | 7 | 1 | 6 | 4 | -- | 4 | 2 | 1 | 1 |
| Calumet City | 635 | 635 | -- | 14 | 14 | -- | 12 | 12 | -- | 3 | 3 | -- |
| Canton | 229 | 229 | -- | 4 | 4 | -- | 3 | 3 | -- | 4 | 4 | -- |
| Carbondale | 287 | 241 | 46 | 13 | 8 | 5 | 9 | 7 | 2 | 6 | 5 | 1 |
| Carpentersville | 459 | 459 | -- | 18 | 18 | -- | 9 | 9 | -- | 8 | 8 | -- |
| Centralia | 297 | 258 | 39 | 10 | 8 | 2 | 8 | 6 | 2 | 4 | 1 | 3 |
| Champaign | 1,299 | 1,144 | 155 | 29 | 21 | 8 | 21 | 17 | 4 | 16 | 11 | 5 |
| Chicago | 90,391 | 60,926 | 29,465 | 2,449 | 1,367 | 1,082 | 1,698 | 972 | 726 | 1,583 | 863 | 720 |
| Chicago Heights | 1,113 | 826 | 287 | 32 | 16 | 16 | 17 | 10 | 7 | 17 | 13 | 4 |
| Cicero | 1,387 | 1,386 | 1 | 24 | 24 | -- | 19 | 19 | -- | 16 | 16 | -- |
| Collinsville | 374 | 364 | 10 | 5 | 5 | -- | 5 | 5 | -- | 7 | 6 | 1 |
| Danville | 1,139 | 991 | 148 | 33 | 25 | 8 | 23 | 18 | 5 | 18 | 14 | 4 |
| Decatur | 1,923 | 1,714 | 209 | 58 | 50 | 8 | 44 | 38 | 6 | 36 | 34 | 2 |
| De Kalb | 394 | 394 | -- | 6 | 6 | -- | 6 | 6 | -- | 6 | 6 | -- |
| Des Plaines | 871 | 869 | 2 | 22 | 22 | -- | 16 | 16 | -- | 9 | 9 | -- |
| Dixon | 335 | 326 | 9 | 7 | 6 | 1 | 5 | 4 | 1 | 9 | 8 | 1 |
| Dolton | 525 | 523 | 2 | 8 | 8 | -- | 6 | 6 | -- | 7 | 7 | -- |
| Downers Grove | 538 | 538 | -- | 10 | 10 | -- | 8 | 8 | -- | 2 | 2 | -- |
| East Moline | 354 | 327 | 27 | 3 | 3 | -- | 2 | 2 | -- | 2 | 2 | -- |
| East St. Louis | 2,539 | 1,298 | 1,241 | 91 | 36 | 55 | 64 | 30 | 34 | 45 | 32 | 13 |
| Elgin | 974 | 930 | 44 | 14 | 14 | -- | 11 | 11 | -- | 12 | 12 | -- |
| Elmhurst | 811 | 811 | -- | 16 | 16 | -- | 12 | 12 | -- | 6 | 6 | -- |
| Elmwood Park | 440 | 440 | -- | 8 | 8 | -- | 7 | 7 | -- | 6 | 6 | -- |
| Evanston | 1,647 | 1,372 | 275 | 26 | 18 | 8 | 20 | 14 | 6 | 26 | 22 | 4 |
| Evergreen Park | 507 | 507 | -- | 8 | 8 | -- | 5 | 5 | -- | 7 | 7 | -- |
| Forest Park | 378 | 378 | -- | 3 | 3 | -- | 2 | 2 | -- | 6 | 6 | -- |
| Franklin Park | 421 | 421 | -- | 11 | 11 | -- | 11 | 11 | -- | 7 | 7 | -- |
| Freeport | 579 | 521 | 58 | 18 | 18 | -- | 14 | 14 | -- | 10 | 8 | 2 |
| Galesburg | 801 | 757 | 44 | 18 | 17 | 1 | 12 | 11 | 1 | 7 | 7 | -- |
| Glen Ellyn | 367 | 363 | 4 | 7 | 7 | -- | 5 | 5 | -- | 6 | 6 | -- |
| Glenview | 514 | 512 | 2 | 11 | 11 | -- | 9 | 9 | -- | 8 | 8 | -- |
| Granite City | 1,154 | 1,152 | 2 | 27 | 27 | -- | 24 | 24 | -- | 17 | 17 | -- |
| Harrisburg | 142 | 136 | 6 | 6 | 6 | -- | 6 | 6 | -- | 3 | 2 | 1 |
| Harvey | 816 | 728 | 88 | 18 | 16 | 2 | 13 | 12 | 1 | 14 | 10 | 4 |
| Highland Park | 473 | 471 | 2 | 14 | 14 | -- | 9 | 9 | -- | 7 | 7 | -- |
| Hinsdale | 238 | 237 | 1 | -- | -- | -- | -- | -- | -- | 4 | 4 | -- |
| Homewood | 268 | 268 | -- | 5 | 5 | -- | 4 | 4 | -- | 5 | 5 | -- |
| Jacksonville | 327 | 308 | 19 | 9 | 9 | -- | 7 | 7 | -- | 4 | 3 | 1 |
| Joliet | 1,613 | 1,483 | 130 | 53 | 48 | 5 | 41 | 37 | 4 | 19 | 15 | 4 |
| Kankakee | 717 | 616 | 101 | 19 | 14 | 5 | 17 | 13 | 4 | 17 | 15 | 2 |
| Kewanee | 338 | 326 | 12 | 8 | 8 | -- | 7 | 7 | -- | 5 | 5 | -- |
| La Grange | 372 | 336 | 36 | 6 | 4 | 2 | 5 | 4 | 1 | 6 | 6 | -- |

Table 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued

| City | Live births | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| La Grange Park | 231 | 231 | -- | 3 | 3 | -- | 3 | 3 | -- | 2 | 2 | -- |
| Lansing | 426 | 426 | -- | 12 | 12 | -- | 11 | 11 | -- | 2 | 2 | -- |
| La Salle | 245 | 245 | -- | 7 | 7 | -- | 5 | 5 | -- | 5 | 6 | -- |
| Lincoln | 296 | 292 | 4 | 11 | 10 | 1 | 9 | 8 | 1 | 8 | 8 | -- |
| Lincolnwood | 158 | 158 | -- | 3 | 3 | -- | 3 | 3 | -- | 1 | 1 | -- |
| Lombard | 704 | 702 | 2 | 13 | 13 | -- | 8 | 8 | -- | 11 | 11 | -- |
| Macomb | 226 | 222 | 4 | 4 | 4 | -- | 3 | 3 | -- | 4 | 4 | -- |
| Marion | 220 | 211 | 9 | 5 | 3 | 2 | 3 | 2 | 1 | 2 | 2 | -- |
| Mattoon | 449 | 444 | 5 | 13 | 13 | -- | 10 | 10 | -- | 9 | 8 | 1 |
| Maywood | 675 | 523 | 152 | 9 | 5 | 4 | 9 | 5 | 4 | 11 | 6 | 5 |
| Melrose Park | 833 | 827 | 6 | 16 | 16 | -- | 12 | 12 | -- | 14 | 14 | -- |
| Moline | 951 | 941 | 10 | 27 | 27 | -- | 22 | 22 | -- | 15 | 15 | -- |
| Monmouth | 206 | 195 | 11 | 5 | 4 | 1 | 1 | 1 | -- | 3 | 3 | -- |
| Morton Grove | 436 | 435 | 1 | 4 | 4 | -- | 2 | 2 | -- | 4 | 4 | -- |
| Mount Prospect | 497 | 496 | 1 | 13 | 13 | -- | 13 | 13 | -- | 5 | 5 | -- |
| Mount Vernon | 361 | 333 | 28 | 12 | 12 | -- | 10 | 10 | -- | 6 | 5 | 1 |
| Niles | 405 | 405 | -- | 6 | 6 | -- | 4 | 4 | -- | 2 | 2 | -- |
| Normal | 257 | 257 | -- | -- | -- | -- | -- | -- | -- | 3 | 3 | -- |
| Northbrook | 420 | 420 | -- | 5 | 5 | -- | 4 | 4 | -- | 7 | 7 | -- |
| North Chicago | 495 | 302 | 193 | 12 | 6 | 6 | 8 | 4 | 4 | 7 | 3 | 4 |
| Northlake | 256 | 255 | 1 | 9 | 9 | -- | 7 | 7 | -- | 8 | 8 | -- |
| Oak Lawn | 1,253 | 1,249 | 4 | 45 | 45 | -- | 39 | 39 | -- | 26 | 26 | -- |
| Oak Park | 1,117 | 1,109 | 8 | 24 | 23 | 1 | 15 | 15 | -- | 14 | 14 | -- |
| Ottawa | 543 | 536 | 7 | 12 | 12 | -- | 9 | 9 | -- | 4 | 4 | -- |
| Palatine | 281 | 281 | -- | 7 | 7 | -- | 7 | 7 | -- | 5 | 5 | -- |
| Park Forest | 993 | 987 | 6 | 11 | 11 | -- | 9 | 9 | -- | 17 | 17 | -- |
| Park Ridge | 542 | 542 | -- | 8 | 8 | -- | 7 | 7 | -- | 7 | 7 | -- |
| Pekin | 683 | 683 | -- | 14 | 14 | -- | 9 | 9 | -- | 6 | 6 | -- |
| Peoria | 2,467 | 2,142 | 325 | 63 | 44 | 19 | 44 | 32 | 12 | 32 | 26 | 6 |
| Quincy | 871 | 835 | 36 | 20 | 18 | 2 | 17 | 15 | 2 | 11 | 10 | 1 |
| Rantoul | 172 | 170 | 2 | 6 | 5 | 1 | 5 | 5 | -- | 1 | 1 | -- |
| Riverdale | 202 | 202 | -- | 6 | 5 | 1 | 5 | 4 | 1 | 5 | 5 | -- |
| River Forest | 142 | 142 | -- | 5 | 5 | -- | 5 | 5 | -- | 3 | 3 | -- |
| Rock Falls | 323 | 323 | -- | 9 | 9 | -- | 8 | 8 | -- | -- | -- | -- |
| Rockford | 2,986 | 2,789 | 197 | 82 | 69 | 13 | 54 | 44 | 10 | 43 | 39 | 4 |
| Rock Island | 1,065 | 996 | 69 | 35 | 28 | 7 | 27 | 22 | 5 | 16 | 14 | 2 |
| Skokie | 1,098 | 1,094 | 4 | 20 | 20 | -- | 12 | 12 | -- | 11 | 11 | -- |
| Springfield | 1,928 | 1,748 | 180 | 52 | 44 | 8 | 37 | 33 | 4 | 26 | 22 | 4 |
| Sterling | 407 | 406 | 1 | 8 | 8 | -- | 7 | 7 | -- | 10 | 10 | -- |
| Streator | 370 | 362 | 8 | 6 | 6 | -- | 5 | 5 | -- | 2 | 2 | -- |
| Urbana | 753 | 700 | 53 | 23 | 19 | 4 | 18 | 17 | 1 | 6 | 5 | -- |
| Villa Park | 438 | 438 | -- | 9 | 9 | -- | 6 | 6 | -- | 13 | 13 | -- |
| Waukegan | 1,539 | 1,363 | 176 | 43 | 33 | 10 | 25 | 20 | 5 | 21 | 18 | 3 |
| Westchester | 338 | 338 | -- | 3 | 3 | -- | 2 | 2 | -- | 6 | 6 | -- |
| West Frankfort | 158 | 158 | -- | 6 | 6 | -- | 4 | 4 | -- | 2 | 2 | -- |
| Wheaton | 542 | 530 | 12 | 15 | 14 | 1 | 10 | 10 | -- | 3 | 3 | -- |
| Wilmette | 453 | 451 | 2 | 13 | 13 | -- | 9 | 9 | -- | 7 | 7 | -- |
| Winnetka | 167 | 166 | 1 | 6 | 6 | -- | 5 | 5 | -- | 1 | 1 | -- |
| Wood River | 250 | 250 | -- | 3 | 3 | -- | 2 | 2 | -- | 6 | 6 | -- |
| Zion | 360 | 338 | 22 | 13 | 11 | 2 | 11 | 9 | 2 | 2 | 2 | -- |

**Table 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958**

(Live birth rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| City | Live births[1] | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Alton | 22.9 | | | 42.5 | 40.7 | 49.1 | 34.7 | 34.2 | 36.8 | 16.7 | 13.0 | 30.7 |
| Arlington Heights | 30.4 | | | 38.2 | 38.3 | -0- | 31.2 | 31.2 | -0- | 12.7 | 12.8 | -0- |
| Aurora | 27.6 | | | 32.3 | 30.3 | 84.7 | 23.6 | 22.5 | 50.8 | 18.6 | 17.4 | 50.8 |
| Belleville | 26.2 | | | 24.0 | 24.2 | -0- | 20.0 | 20.2 | -0- | 12.0 | 12.1 | -0- |
| Bellwood | 25.2 | | | 21.7 | 19.5 | 1000.0 | 17.3 | 15.2 | 1000.0 | 19.5 | 19.5 | -0- |
| Berwyn | 19.1 | | | 17.8 | 17.8 | -0- | 14.8 | 14.8 | -0- | 13.8 | 13.8 | -0- |
| Bloomington | 24.1 | | | 24.9 | 23.8 | 48.8 | 14.7 | 14.3 | 24.4 | 15.9 | 15.4 | 24.4 |
| Blue Island | 28.0 | | | 24.2 | 25.0 | -0- | 18.6 | 19.2 | -0- | 7.4 | 7.7 | -0- |
| Brookfield | 20.6 | | | 21.5 | 21.6 | -0- | 16.7 | 16.8 | -0- | 21.5 | 21.6 | -0- |
| Cairo | 15.6 | | | 39.8 | 11.0 | 70.6 | 22.7 | -0- | 47.1 | 11.4 | 11.0 | 11.8 |
| Calumet City | 28.0 | | | 22.0 | 22.0 | -0- | 18.9 | 18.9 | -0- | 4.7 | 4.7 | -0- |
| Canton | 18.6 | | | 17.5 | 17.5 | -0- | 13.1 | 13.1 | -0- | 17.5 | 17.5 | -0- |
| Carbondale | 24.3 | | | 45.3 | 33.2 | 108.7 | 31.4 | 29.0 | 43.5 | 20.9 | 20.7 | 21.7 |
| Carpentersville | 36.4 | | | 39.2 | 39.2 | -0- | 19.6 | 19.6 | -0- | 17.4 | 17.4 | -0- |
| Centralia | 21.1 | | | 33.7 | 31.0 | 51.3 | 26.9 | 23.3 | 51.3 | 13.5 | 3.9 | 76.9 |
| Champaign | 26.2 | | | 22.3 | 18.4 | 51.6 | 16.2 | 14.9 | 25.8 | 12.3 | 9.6 | 32.3 |
| Chicago | 24.0 | | | 27.1 | 22.4 | 36.7 | 18.8 | 16.0 | 24.6 | 17.5 | 14.2 | 24.4 |
| Chicago Heights | 37.5 | | | 28.8 | 19.4 | 55.7 | 15.3 | 12.1 | 24.4 | 15.3 | 15.7 | 13.9 |
| Cicero | 20.2 | | | 17.3 | 17.3 | -0- | 13.7 | 13.7 | -0- | 11.5 | 11.5 | -0- |
| Collinsville | 25.3 | | | 13.4 | 13.7 | -0- | 13.4 | 13.7 | -0- | 18.7 | 16.5 | 100.0 |
| Danville | 27.6 | | | 29.0 | 25.2 | 54.1 | 20.2 | 18.2 | 33.8 | 15.8 | 14.1 | 27.0 |
| Decatur | 24.1 | | | 30.2 | 29.2 | 38.3 | 22.9 | 22.2 | 28.7 | 18.7 | 19.8 | 9.6 |
| De Kalb | 24.8 | | | 15.2 | 15.2 | -0- | 15.2 | 15.2 | -0- | 15.2 | 15.2 | -0- |
| Des Plaines | 28.6 | | | 25.3 | 25.3 | -0- | 18.4 | 18.4 | -0- | 10.3 | 10.3 | -0- |
| Dixon | 17.4 | | | 20.9 | 18.4 | 111.1 | 14.9 | 12.3 | 111.1 | 26.9 | 24.5 | 111.1 |
| Dolton | 38.9 | | | 15.2 | 15.3 | -0- | 11.4 | 11.5 | -0- | 13.3 | 13.4 | -0- |
| Downers Grove | 27.0 | | | 18.6 | 18.6 | -0- | 14.9 | 14.9 | -0- | 3.7 | 3.7 | -0- |
| East Moline | 22.7 | | | 8.5 | 9.2 | -0- | 5.6 | 6.1 | -0- | 5.6 | 6.1 | -0- |
| East St. Louis | 27.3 | | | 35.8 | 27.7 | 44.3 | 25.2 | 23.1 | 27.4 | 17.7 | 24.7 | 10.5 |
| Elgin | 20.0 | | | 14.4 | 15.1 | -0- | 11.3 | 11.8 | -0- | 12.3 | 12.9 | -0- |
| Elmhurst | 23.0 | | | 19.7 | 19.7 | -0- | 14.8 | 14.8 | -0- | 7.4 | 7.4 | -0- |
| Elmwood Park | 18.6 | | | 18.2 | 18.2 | -0- | 15.9 | 15.9 | -0- | 13.6 | 13.6 | -0- |
| Evanston | 21.4 | | | 15.8 | 13.1 | 29.1 | 12.1 | 10.2 | 21.8 | 15.8 | 16.0 | 14.5 |
| Evergreen Park | 22.6 | | | 15.8 | 15.8 | -0- | 9.9 | 9.9 | -0- | 13.8 | 13.8 | -0- |
| Forest Park | 23.2 | | | 7.9 | 7.9 | -0- | 5.3 | 5.3 | -0- | 15.9 | 15.9 | -0- |
| Franklin Park | 25.5 | | | 26.1 | 26.1 | -0- | 26.1 | 26.1 | -0- | 16.6 | 16.6 | -0- |
| Freeport | 22.4 | | | 31.1 | 34.5 | -0- | 24.2 | 26.9 | -0- | 17.3 | 15.4 | 34.5 |
| Galesburg | 23.3 | | | 22.5 | 22.5 | 22.7 | 15.0 | 14.5 | 22.7 | 8.7 | 9.2 | -0- |
| Glen Ellyn | 24.5 | | | 19.1 | 19.3 | -0- | 13.6 | 13.8 | -0- | 16.3 | 16.5 | -0- |
| Glenview | 34.0 | | | 21.4 | 21.5 | -0- | 17.5 | 17.6 | -0- | 15.6 | 15.6 | -0- |
| Granite City | 30.4 | | | 23.4 | 23.4 | -0- | 20.8 | 20.8 | -0- | 14.7 | 14.8 | -0- |
| Harrisburg | 13.3 | | | 42.3 | 44.1 | -0- | 42.3 | 44.1 | -0- | 21.1 | 14.7 | 166.7 |
| Harvey | 32.5 | | | 22.1 | 22.0 | 22.7 | 15.9 | 16.5 | 11.4 | 17.2 | 13.7 | 45.5 |
| Highland Park | 19.9 | | | 29.6 | 29.7 | -0- | 19.0 | 19.1 | -0- | 14.8 | 14.9 | -0- |
| Hinsdale | 16.9 | | | -0- | -0- | -0- | -0- | -0- | -0- | 16.8 | 16.9 | -0- |
| Homewood | 20.6 | | | 18.7 | 18.7 | -0- | 14.9 | 14.9 | -0- | 18.7 | 18.7 | -0- |
| Jacksonville | 15.4 | | | 27.5 | 29.2 | -0- | 21.4 | 22.7 | -0- | 12.2 | 9.7 | 52.6 |
| Joliet | 26.4 | | | 32.9 | 32.4 | 38.5 | 25.4 | 24.9 | 30.8 | 11.8 | 10.1 | 30.8 |
| Kankakee | 24.9 | | | 26.5 | 22.7 | 49.5 | 23.7 | 21.1 | 39.6 | 23.7 | 24.4 | 19.8 |
| Kewanee | 19.3 | | | 23.7 | 24.5 | -0- | 20.7 | 21.5 | -0- | 14.8 | 15.3 | -0- |
| La Grange | 25.0 | | | 16.1 | 11.9 | 55.6 | 13.4 | 11.9 | 27.8 | 16.1 | 17.9 | -0- |

[1]Population by color not estimated for individual cities.

Table 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued

(Live birth rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| City | Live births[1] | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| La Grange Park | 17.5 | | | 13.0 | 13.0 | -0- | 13.0 | 13.0 | -0- | 8.7 | 8.7 | -0- |
| Lansing | 25.4 | | | 28.2 | 28.2 | -0- | 25.8 | 25.8 | -0- | 4.7 | 4.7 | -0- |
| La Salle | 19.3 | | | 28.6 | 28.6 | -0- | 20.4 | 20.4 | -0- | 24.5 | 24.5 | -0- |
| Lincoln | 17.6 | | | 37.2 | 33.8 | 250.0 | 30.4 | 27.4 | 250.0 | 27.0 | 27.4 | -0- |
| Lincolnwood | 15.0 | | | 19.0 | 19.0 | -0- | 19.0 | 19.0 | -0- | 6.3 | 6.3 | -0- |
| Lombard | 36.5 | | | 18.5 | 18.5 | -0- | 11.4 | 11.4 | -0- | 15.6 | 15.7 | -0- |
| Macomb | 19.2 | | | 17.7 | 18.0 | -0- | 13.3 | 13.5 | -0- | 17.7 | 18.0 | -0- |
| Marion | 20.6 | | | 22.7 | 14.2 | 222.2 | 13.6 | 9.5 | 111.1 | 9.1 | 9.5 | -0- |
| Mattoon | 24.7 | | | 29.0 | 29.3 | -0- | 22.3 | 22.5 | -0- | 20.0 | 18.0 | 200.0 |
| Maywood | 23.4 | | | 13.3 | 9.6 | 26.3 | 13.3 | 9.6 | 26.3 | 16.3 | 11.5 | 32.9 |
| Melrose Park | 39.5 | | | 19.2 | 19.3 | -0- | 14.4 | 14.5 | -0- | 16.8 | 16.9 | -0- |
| Moline | 23.9 | | | 28.4 | 28.7 | -0- | 23.1 | 23.4 | -0- | 15.8 | 15.9 | -0- |
| Monmouth | 17.5 | | | 24.3 | 20.5 | 90.9 | 4.9 | 5.1 | -0- | 14.6 | 15.4 | -0- |
| Morton Grove | 26.0 | | | 9.2 | 9.2 | -0- | 4.6 | 4.6 | -0- | 9.2 | 9.2 | -0- |
| Mount Prospect | 31.3 | | | 26.2 | 26.2 | -0- | 26.2 | 26.2 | -0- | 12.1 | 12.1 | -0- |
| Mount Vernon | 21.6 | | | 33.2 | 36.0 | -0- | 27.7 | 30.0 | -0- | 16.6 | 15.0 | 35.7 |
| Niles | 28.5 | | | 14.8 | 14.8 | -0- | 9.9 | 9.9 | -0- | 4.9 | 4.9 | -0- |
| Normal | 20.7 | | | -0- | -0- | -0- | -0- | -0- | -0- | 11.7 | 11.7 | -0- |
| Northbrook | 38.9 | | | 11.9 | 11.9 | -0- | 9.5 | 9.5 | -0- | 16.7 | 16.7 | -0- |
| North Chicago | 26.9 | | | 24.2 | 19.9 | 31.1 | 16.2 | 13.2 | 20.7 | 14.1 | 9.9 | 20.7 |
| Northlake | 21.7 | | | 35.2 | 35.3 | -0- | 27.3 | 27.5 | -0- | 31.2 | 31.4 | -0- |
| Oak Lawn | 57.0 | | | 35.9 | 36.0 | -0- | 31.1 | 31.2 | -0- | 20.8 | 20.8 | -0- |
| Oak Park | 18.2 | | | 21.5 | 20.7 | 125.0 | 13.4 | 13.5 | -0- | 12.5 | 12.6 | -0- |
| Ottawa | 27.4 | | | 22.1 | 22.4 | -0- | 16.6 | 16.8 | -0- | 7.4 | 7.5 | -0- |
| Palatine | 28.1 | | | 24.9 | 24.9 | -0- | 24.9 | 24.9 | -0- | 17.8 | 17.8 | -0- |
| Park Forest | 34.4 | | | 11.1 | 11.1 | -0- | 9.1 | 9.1 | -0- | 17.1 | 17.2 | -0- |
| Park Ridge | 19.2 | | | 14.8 | 14.8 | -0- | 12.9 | 12.9 | -0- | 12.9 | 12.9 | -0- |
| Pekin | 26.1 | | | 20.5 | 20.5 | -0- | 13.2 | 13.2 | -0- | 8.8 | 8.8 | -0- |
| Peoria | 21.3 | | | 25.5 | 20.5 | 58.5 | 17.8 | 14.9 | 36.9 | 13.0 | 12.1 | 18.5 |
| Quincy | 20.3 | | | 23.0 | 21.6 | 55.6 | 19.5 | 18.0 | 55.6 | 12.6 | 12.0 | 27.8 |
| Rantoul | 7.8 | | | 34.9 | 29.4 | 500.0 | 29.1 | 29.4 | -0- | 5.8 | 5.9 | -0- |
| Riverdale | 18.5 | | | 29.7 | 24.8 | -0- | 24.8 | 19.8 | -0- | 24.8 | 24.8 | -0- |
| River Forest | 12.3 | | | 35.2 | 35.2 | -0- | 35.2 | 35.2 | -0- | 21.1 | 21.1 | -0- |
| Rock Falls | 30.5 | | | 27.9 | 27.9 | -0- | 24.8 | 24.8 | -0- | -0- | -0- | -0- |
| Rockford | 24.7 | | | 27.5 | 24.7 | 66.0 | 18.1 | 15.8 | 50.8 | 14.4 | 14.0 | 20.3 |
| Rock Island | 21.3 | | | 32.9 | 28.1 | 101.4 | 25.4 | 22.1 | 72.5 | 15.0 | 14.1 | 29.0 |
| Skokie | 21.0 | | | 18.2 | 18.3 | -0- | 10.9 | 11.0 | -0- | 10.0 | 10.1 | -0- |
| Springfield | 23.3 | | | 27.0 | 25.2 | 44.4 | 19.2 | 18.9 | 22.2 | 13.5 | 12.6 | 22.2 |
| Sterling | 26.6 | | | 19.7 | 19.7 | -0- | 17.2 | 17.2 | -0- | 24.6 | 24.6 | -0- |
| Streator | 21.0 | | | 16.2 | 16.6 | -0- | 13.5 | 13.8 | -0- | 5.4 | 5.5 | -0- |
| Urbana | 27.6 | | | 30.5 | 27.1 | 75.5 | 23.9 | 24.3 | 18.9 | 8.0 | 8.6 | -0- |
| Villa Park | 25.9 | | | 20.5 | 20.5 | -0- | 13.7 | 13.7 | -0- | 29.7 | 29.7 | -0- |
| Waukegan | 29.9 | | | 27.9 | 24.2 | 56.8 | 16.2 | 14.7 | 28.4 | 13.6 | 13.2 | 17.0 |
| Westchester | 23.0 | | | 8.9 | 8.9 | -0- | 5.9 | 5.9 | -0- | 17.8 | 17.8 | -0- |
| West Frankfort | 14.5 | | | 38.0 | 38.0 | -0- | 25.3 | 25.3 | -0- | 12.7 | 12.7 | -0- |
| Wheaton | 26.6 | | | 27.7 | 26.4 | 83.3 | 18.5 | 18.9 | -0- | 5.5 | 5.7 | -0- |
| Wilmette | 18.3 | | | 28.7 | 28.8 | -0- | 19.9 | 20.0 | -0- | 15.5 | 15.5 | -0- |
| Winnetka | 12.4 | | | 35.9 | 36.1 | -0- | 29.9 | 30.1 | -0- | 6.0 | 6.0 | -0- |
| Wood River | 22.7 | | | 12.0 | 12.0 | -0- | 8.0 | 8.0 | -0- | 24.0 | 24.0 | -0- |
| Zion | 32.7 | | | 36.1 | 32.5 | 90.9 | 30.6 | 26.6 | 90.9 | 5.6 | 5.9 | -0- |

[1]Population by color not estimated for individual cities.

Table 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958

| County | Total live births | Stillbirths | | | | | | | | | Infant deaths | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Gestation (in weeks) | | | | | | | | Total | Age | | |
| | | | Less than 20 | 20 to 23 | 24 to 27 | 28 to 31 | 32 to 35 | 36 to 40 | 40 and over | Not stated | | Less than 7 da. | 7-28 days | 1-11 mo. |
| ILLINOIS | 234,712 | 3,615 | 50 | 377 | 406 | 409 | 454 | 716 | 1,181 | 22 | 5,857 | 3,707 | 504 | 1,646 |
| Adams | 1,360 | 14 | 1 | 2 | -- | 1 | 2 | 5 | 2 | -- | 35 | 27 | 2 | 6 |
| Alexander | 310 | 5 | -- | -- | -- | -- | 1 | 2 | 2 | -- | 17 | 9 | 2 | 6 |
| Bond | 296 | 5 | -- | 1 | -- | 1 | -- | 1 | 2 | -- | 7 | 1 | 1 | 5 |
| Boone | 467 | 8 | 1 | 1 | 3 | -- | -- | 3 | -- | -- | 18 | 14 | -- | 4 |
| Brown | 106 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 3 | 1 | -- | 2 |
| Bureau | 782 | 8 | -- | -- | -- | -- | 2 | 3 | 3 | -- | 21 | 13 | 2 | 6 |
| Calhoun | 129 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 3 | 1 | 1 | 1 |
| Carroll | 407 | 8 | 1 | 1 | 2 | -- | -- | 2 | 2 | -- | 8 | 7 | -- | 1 |
| Cass | 295 | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | 10 | 7 | -- | 3 |
| Champaign | 2,953 | 28 | 1 | -- | 5 | 3 | 4 | 3 | 11 | 1 | 80 | 52 | 7 | 21 |
| Christian | 805 | 13 | -- | 1 | 3 | -- | 1 | 1 | 7 | -- | 20 | 14 | 1 | 5 |
| Clark | 308 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 4 | 1 | 2 | 1 |
| Clay | 325 | 4 | -- | 2 | -- | -- | -- | -- | 2 | -- | 5 | 3 | -- | 2 |
| Clinton | 652 | 12 | 1 | 1 | 1 | 1 | 1 | 5 | 1 | -- | 12 | 8 | 1 | 3 |
| Coles | 930 | 20 | -- | -- | -- | 3 | 4 | 7 | 6 | -- | 25 | 19 | 1 | 5 |
| Cook | 124,855 | 2,051 | 11 | 235 | 242 | 233 | 259 | 391 | 668 | 12 | 3,205 | 1,959 | 312 | 934 |
| Crawford | 350 | 3 | -- | -- | -- | 1 | -- | 2 | -- | -- | 6 | 5 | -- | 1 |
| Cumberland | 221 | 3 | -- | 1 | -- | -- | -- | 1 | 1 | -- | 4 | 2 | -- | 2 |
| De Kalb | 1,177 | 12 | -- | 3 | -- | 1 | 1 | 3 | 4 | -- | 17 | 13 | 1 | 3 |
| De Witt | 340 | 6 | 1 | -- | 2 | 1 | -- | -- | 2 | -- | 12 | 10 | 1 | 1 |
| Douglas | 487 | 9 | -- | -- | 1 | 3 | 1 | 2 | 2 | -- | 11 | 7 | 1 | 3 |
| Du Page | 6,929 | 78 | 2 | 6 | 10 | 13 | 9 | 16 | 22 | -- | 145 | 87 | 12 | 46 |
| Edgar | 412 | 9 | 1 | 1 | -- | -- | -- | 3 | 4 | -- | 9 | 6 | -- | 3 |
| Edwards | 163 | 3 | -- | -- | -- | -- | -- | 1 | 2 | -- | 2 | -- | -- | 2 |
| Effingham | 548 | 7 | -- | -- | 1 | -- | 1 | 2 | 3 | -- | 11 | 11 | -- | -- |
| Fayette | 384 | 6 | -- | -- | 1 | -- | -- | 4 | 1 | -- | 7 | 4 | 2 | 1 |
| Ford | 357 | 8 | -- | 1 | 1 | -- | 2 | 2 | 2 | -- | 8 | 6 | 1 | 1 |
| Franklin | 635 | 12 | -- | 1 | 1 | 1 | 3 | 1 | 5 | -- | 21 | 14 | -- | 7 |
| Fulton | 766 | 14 | 1 | 1 | -- | 1 | 2 | 1 | 8 | -- | 8 | 6 | 1 | 1 |
| Gallatin | 131 | 3 | -- | 2 | -- | -- | -- | -- | 1 | -- | 7 | 3 | -- | 4 |
| Greene | 308 | 5 | 1 | 2 | 1 | -- | -- | -- | 1 | -- | 7 | 6 | -- | 1 |
| Grundy | 485 | 6 | -- | 2 | -- | -- | -- | 2 | 2 | -- | 7 | 5 | 1 | 1 |
| Hamilton | 177 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | 1 |
| Hancock | 455 | 9 | -- | -- | 2 | -- | 1 | 2 | 3 | 1 | 16 | 15 | -- | 1 |
| Hardin | 111 | 2 | -- | -- | -- | -- | -- | 1 | 1 | -- | 5 | 3 | -- | 2 |
| Henderson | 171 | 2 | -- | 1 | -- | -- | 1 | -- | -- | -- | 2 | 1 | -- | 1 |
| Henry | 1,022 | 17 | -- | 1 | 2 | 2 | 1 | 2 | 9 | -- | 24 | 17 | -- | 7 |
| Iroquois | 725 | 7 | -- | -- | 1 | -- | 2 | 1 | 3 | -- | 14 | 8 | 3 | 3 |
| Jackson | 859 | 12 | -- | 2 | 1 | -- | 3 | 3 | 3 | -- | 26 | 19 | -- | 7 |
| Jasper | 229 | 4 | -- | -- | 1 | -- | 1 | 1 | 1 | -- | 2 | 2 | -- | -- |
| Jefferson | 682 | 10 | 1 | -- | -- | 1 | -- | 4 | 4 | -- | 19 | 10 | 3 | 6 |
| Jersey | 374 | 5 | -- | 2 | -- | 1 | 2 | -- | -- | -- | 10 | 8 | 1 | 1 |
| Jo Daviess | 524 | 9 | -- | 2 | 1 | 1 | 1 | 2 | 2 | -- | 6 | 5 | 1 | -- |
| Johnson | 115 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | -- | -- | -- | -- |
| Kane | 4,806 | 77 | 1 | 5 | 9 | 15 | 6 | 19 | 22 | -- | 125 | 82 | 7 | 36 |
| Kankakee | 1,994 | 32 | -- | 2 | 1 | 8 | 5 | 4 | 12 | -- | 44 | 36 | 1 | 7 |
| Kendall | 366 | 6 | -- | 1 | -- | -- | 2 | 1 | 2 | -- | 8 | 7 | -- | 1 |
| Knox | 1,258 | 14 | -- | -- | -- | -- | 3 | 5 | 6 | -- | 25 | 17 | -- | 8 |
| Lake | 7,108 | 89 | 2 | 15 | 3 | 11 | 14 | 14 | 30 | -- | 179 | 104 | 20 | 55 |
| La Salle | 2,562 | 33 | -- | 3 | 4 | 1 | 4 | 9 | 12 | -- | 54 | 41 | 3 | 10 |
| Lawrence | 349 | 2 | -- | -- | -- | 1 | 1 | -- | -- | -- | 9 | 5 | -- | 4 |
| Lee | 757 | 18 | 2 | 1 | 3 | 1 | 2 | 5 | 4 | -- | 17 | 8 | 2 | 7 |

**Table 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued**

| County | Total live births | Stillbirths | | | | | | | | | Infant deaths | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Gestation (in weeks) | | | | | | | | Total | Age | | |
| | | | Less than 20 | 20 to 23 | 24 to 27 | 28 to 31 | 32 to 35 | 36 to 40 | 40 and over | Not stated | | Less than 7 da. | 7-28 days | 1-11 mo. |
| Livingston | 820 | 11 | -- | -- | -- | 2 | 4 | 4 | 1 | -- | 17 | 8 | 2 | 7 |
| Logan | 615 | 14 | -- | -- | -- | 2 | -- | 5 | 7 | -- | 15 | 13 | -- | 2 |
| McDonough | 565 | 11 | 1 | 2 | 1 | 1 | -- | 5 | 1 | -- | 10 | 7 | -- | 3 |
| McHenry | 2,000 | 30 | 1 | -- | 5 | 4 | 4 | 7 | 9 | -- | 47 | 29 | 4 | 14 |
| McLean | 1,849 | 28 | -- | 3 | 8 | 4 | 3 | 2 | 8 | -- | 44 | 24 | 5 | 15 |
| Macon | 2,863 | 49 | 2 | 5 | 5 | 3 | 8 | 11 | 15 | -- | 81 | 53 | 8 | 20 |
| Macoupin | 782 | 18 | -- | 1 | 1 | 1 | 1 | 4 | 10 | -- | 26 | 19 | 2 | 5 |
| Madison | 5,328 | 87 | 5 | 13 | 7 | 11 | 9 | 16 | 26 | -- | 142 | 107 | 4 | 31 |
| Marion | 806 | 7 | 1 | 1 | 1 | 1 | -- | -- | 3 | -- | 27 | 20 | 3 | 4 |
| Marshall | 271 | 5 | -- | -- | -- | -- | -- | 2 | 3 | -- | 4 | 1 | 1 | 2 |
| Mason | 301 | 6 | -- | -- | -- | -- | 2 | 3 | -- | 1 | 7 | 3 | 1 | 3 |
| Massac | 267 | 5 | -- | -- | 2 | -- | -- | -- | 3 | -- | 4 | 4 | -- | -- |
| Menard | 182 | 2 | -- | 1 | -- | 1 | -- | -- | -- | -- | 6 | 4 | -- | 2 |
| Mercer | 314 | 5 | -- | -- | 1 | 3 | -- | -- | 1 | -- | 2 | 2 | -- | -- |
| Monroe | 322 | 3 | -- | -- | -- | -- | -- | -- | 3 | -- | 9 | 8 | 1 | -- |
| Montgomery | 617 | 11 | -- | -- | 1 | 2 | 2 | 2 | 4 | -- | 12 | 9 | -- | 3 |
| Morgan | 617 | 6 | -- | -- | 1 | 1 | -- | 2 | 2 | -- | 13 | 10 | 1 | 2 |
| Moultrie | 274 | 2 | -- | -- | -- | -- | 1 | -- | 1 | -- | 5 | 4 | -- | 1 |
| Ogle | 865 | 15 | -- | 1 | 3 | 3 | -- | 2 | 6 | -- | 19 | 13 | -- | 6 |
| Peoria | 4,417 | 54 | -- | 4 | 1 | 4 | 8 | 15 | 22 | -- | 96 | 61 | 7 | 28 |
| Perry | 351 | 9 | 1 | -- | 3 | 1 | 1 | 3 | -- | -- | 11 | 5 | 1 | 5 |
| Piatt | 298 | 7 | -- | 1 | 1 | -- | -- | 3 | 2 | -- | 6 | 4 | -- | 2 |
| Pike | 378 | 5 | -- | 1 | 1 | -- | 2 | -- | 1 | -- | 6 | 3 | -- | 3 |
| Pope | 67 | 2 | -- | 1 | -- | -- | -- | -- | 1 | -- | 1 | 1 | -- | -- |
| Pulaski | 210 | 10 | -- | 1 | 3 | 1 | 1 | 1 | 2 | 1 | 3 | 2 | -- | 1 |
| Putnam | 97 | 2 | -- | -- | 1 | -- | -- | -- | 1 | -- | 1 | 1 | -- | -- |
| Randolph | 594 | 10 | -- | 2 | 1 | 3 | 1 | 1 | 2 | -- | 12 | 10 | -- | 2 |
| Richland | 367 | 6 | -- | -- | -- | 1 | -- | 1 | 4 | -- | 8 | 6 | -- | 2 |
| Rock Island | 3,313 | 45 | -- | 7 | 3 | 6 | 3 | 7 | 17 | 2 | 85 | 60 | 7 | 18 |
| St. Clair | 6,816 | 100 | 2 | 7 | 11 | 12 | 13 | 18 | 36 | 1 | 172 | 116 | 9 | 47 |
| Saline | 441 | 6 | -- | 2 | -- | -- | -- | 3 | 1 | -- | 12 | 10 | -- | 2 |
| Sangamon | 3,396 | 39 | -- | 4 | 6 | 1 | 8 | 8 | 12 | -- | 86 | 61 | 4 | 21 |
| Schuyler | 170 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 4 | 2 | -- | 2 |
| Scott | 137 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | 5 | 4 | -- | 1 |
| Shelby | 495 | 12 | -- | -- | 1 | 4 | 3 | 3 | 1 | -- | 9 | 7 | -- | 2 |
| Stark | 161 | 2 | -- | 1 | 1 | -- | -- | -- | -- | -- | 4 | 4 | -- | -- |
| Stephenson | 1,005 | 13 | -- | -- | 1 | -- | 3 | 6 | 3 | -- | 27 | 14 | 5 | 8 |
| Tazewell | 2,330 | 31 | -- | 1 | 6 | 2 | 2 | 9 | 11 | -- | 43 | 29 | 5 | 9 |
| Union | 268 | 7 | -- | -- | 1 | 2 | 1 | 2 | 1 | -- | 11 | 6 | 1 | 4 |
| Vermilion | 2,109 | 33 | -- | 2 | 6 | 5 | 3 | 2 | 15 | -- | 56 | 35 | 6 | 15 |
| Wabash | 287 | 4 | -- | 1 | -- | -- | -- | 1 | 2 | -- | 5 | 1 | -- | 4 |
| Warren | 422 | 9 | -- | 1 | 2 | 1 | 2 | 1 | 2 | -- | 8 | 2 | 2 | 4 |
| Washington | 222 | 4 | -- | -- | -- | -- | 2 | 1 | 1 | -- | 3 | 2 | -- | 1 |
| Wayne | 339 | 3 | -- | -- | -- | -- | -- | -- | 3 | -- | 9 | 4 | 1 | 4 |
| White | 371 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 10 | 6 | 1 | 3 |
| Whiteside | 1,483 | 21 | 1 | 2 | 4 | 2 | 3 | 1 | 7 | 1 | 33 | 22 | 3 | 8 |
| Will | 4,516 | 55 | 5 | 4 | 6 | 11 | 8 | 10 | 11 | -- | 132 | 76 | 16 | 40 |
| Williamson | 812 | 8 | -- | -- | 1 | -- | 2 | 1 | 4 | -- | 17 | 10 | 2 | 5 |
| Winnebago | 5,253 | 62 | 1 | 3 | 6 | 5 | 8 | 13 | 26 | -- | 133 | 82 | 8 | 43 |
| Woodford | 605 | 5 | -- | -- | -- | -- | 1 | 1 | 3 | -- | 12 | 8 | 1 | 3 |
| Unspecified place in Illinois | 7 | 21 | 1 | 5 | 2 | 4 | 3 | 1 | 3 | 2 | 6 | 6 | -- | -- |

**Table 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958**

| City | Total live births | Stillbirths | | | | | | | | | Infant deaths | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Gestation (in weeks) | | | | | | | | Total | Age | | |
| | | | Less than 20 | 20 to 23 | 24 to 27 | 28 to 31 | 32 to 35 | 36 to 39 | 40 and over | Not stated | | Less than 7 da. | 7-28 days | 1-11 mo. |
| Alton | 777 | 13 | -- | 2 | 1 | 4 | -- | 4 | 2 | -- | 33 | 26 | 1 | 5 |
| Arlington Heights | 706 | 9 | -- | -- | -- | 2 | 1 | 2 | 4 | -- | 27 | 16 | 6 | 5 |
| Aurora | 1,612 | 30 | -- | 1 | 2 | 5 | 3 | 13 | 6 | -- | 52 | 36 | 2 | 14 |
| Belleville | 1,000 | 12 | -- | 1 | 2 | 2 | -- | 1 | 6 | -- | 24 | 19 | 1 | 4 |
| Bellwood | 462 | 9 | -- | 4 | -- | -- | 1 | 2 | 2 | -- | 10 | 8 | -- | 2 |
| Berwyn | 1,013 | 14 | -- | 1 | 1 | 3 | -- | 3 | 6 | -- | 18 | 14 | 1 | 3 |
| Bloomington | 883 | 14 | -- | 1 | 6 | 3 | -- | 1 | 3 | -- | 22 | 10 | 3 | 9 |
| Blue Island | 537 | 4 | -- | -- | 2 | -- | -- | 1 | 1 | -- | 13 | 10 | -- | 3 |
| Brookfield | 418 | 9 | -- | -- | 1 | 1 | 2 | 3 | 2 | -- | 9 | 7 | -- | 2 |
| Cairo | 176 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 7 | 4 | -- | 3 |
| Calumet City | 635 | 3 | -- | -- | -- | -- | -- | 2 | 1 | -- | 14 | 11 | 1 | 2 |
| Canton | 229 | 4 | 1 | -- | -- | -- | -- | -- | 3 | -- | 4 | 2 | 1 | 1 |
| Carbondale | 287 | 6 | -- | 1 | 1 | -- | 2 | 1 | 1 | -- | 13 | 9 | -- | 4 |
| Carpentersville | 459 | 8 | -- | 2 | -- | -- | -- | 2 | 4 | -- | 18 | 8 | 1 | 9 |
| Centralia | 297 | 4 | -- | -- | -- | 1 | -- | 1 | 2 | -- | 10 | 6 | 2 | 2 |
| Champaign | 1,299 | 16 | 1 | -- | 4 | 2 | 2 | 2 | 4 | 1 | 29 | 19 | 2 | 8 |
| Chicago | 90,391 | 1,583 | 4 | 177 | 190 | 181 | 218 | 279 | 525 | 9 | 2,449 | 1,455 | 243 | 751 |
| Chicago Heights | 1,113 | 17 | -- | 5 | 2 | 2 | -- | 2 | 6 | -- | 32 | 14 | 3 | 15 |
| Cicero | 1,387 | 16 | -- | 1 | 4 | 1 | 4 | 2 | 4 | -- | 24 | 16 | 3 | 5 |
| Collinsville | 374 | 7 | 1 | 2 | 1 | -- | 1 | -- | 2 | -- | 5 | 4 | 1 | -- |
| Danville | 1,139 | 18 | -- | 1 | 5 | 2 | 1 | -- | 8 | -- | 33 | 21 | 2 | 10 |
| Decatur | 1,923 | 36 | -- | 5 | 4 | 2 | 6 | 9 | 10 | -- | 58 | 38 | 6 | 14 |
| De Kalb | 394 | 6 | -- | -- | -- | 1 | 1 | 2 | 2 | -- | 6 | 6 | -- | -- |
| Des Plaines | 871 | 9 | -- | 2 | -- | 1 | 2 | 2 | 2 | -- | 22 | 15 | 1 | 6 |
| Dixon | 335 | 9 | 1 | 1 | 2 | -- | 1 | 3 | 1 | -- | 7 | 5 | -- | 2 |
| Dolton | 525 | 7 | -- | 1 | 1 | 1 | 2 | -- | 2 | -- | 8 | 5 | 1 | 2 |
| Downers Grove | 538 | 2 | -- | -- | -- | 2 | -- | -- | -- | -- | 10 | 6 | 2 | 2 |
| East Moline | 354 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 3 | 2 | -- | 1 |
| East St. Louis | 2,539 | 45 | 2 | 4 | 6 | 4 | 8 | 8 | 13 | -- | 91 | 58 | 6 | 27 |
| Elgin | 974 | 12 | 1 | 1 | 2 | 5 | -- | 2 | 1 | -- | 14 | 11 | -- | 3 |
| Elmhurst | 811 | 6 | -- | -- | 2 | 2 | -- | 1 | 1 | -- | 16 | 12 | -- | 4 |
| Elmwood Park | 440 | 6 | -- | 1 | 1 | -- | -- | 1 | 3 | -- | 8 | 7 | -- | 1 |
| Evanston | 1,647 | 26 | -- | 3 | 3 | 2 | 1 | 5 | 12 | -- | 26 | 17 | 3 | 6 |
| Evergreen Park | 507 | 7 | -- | 1 | 1 | 1 | -- | 3 | 1 | -- | 8 | 4 | 1 | 3 |
| Forest Park | 378 | 6 | -- | 2 | -- | 1 | 1 | -- | 2 | -- | 3 | 2 | -- | 1 |
| Franklin Park | 421 | 7 | -- | 3 | 1 | 1 | -- | 2 | -- | -- | 11 | 8 | 3 | -- |
| Freeport | 579 | 10 | -- | -- | 1 | -- | 2 | 5 | 2 | -- | 18 | 10 | 4 | 4 |
| Galesburg | 801 | 7 | -- | -- | -- | -- | 2 | 4 | 1 | -- | 18 | 12 | -- | 6 |
| Glen Ellyn | 367 | 6 | -- | -- | -- | 2 | -- | -- | 4 | -- | 7 | 5 | -- | 2 |
| Glenview | 514 | 8 | -- | -- | 2 | -- | 1 | 2 | 3 | -- | 11 | 7 | 2 | 2 |
| Granite City | 1,154 | 17 | 3 | 1 | 2 | 3 | 2 | 2 | 4 | -- | 27 | 23 | 1 | 3 |
| Harrisburg | 142 | 3 | -- | 1 | -- | -- | -- | 1 | 1 | -- | 6 | 6 | -- | -- |
| Harvey | 816 | 14 | -- | 1 | 2 | 2 | 1 | 4 | 4 | -- | 18 | 13 | -- | 5 |
| Highland Park | 473 | 7 | -- | 3 | -- | -- | 1 | 1 | 2 | -- | 14 | 7 | 2 | 5 |
| Hinsdale | 238 | 4 | -- | -- | -- | -- | 2 | 2 | -- | -- | -- | -- | -- | -- |
| Homewood | 268 | 5 | -- | 2 | -- | -- | 1 | 1 | 1 | -- | 5 | 3 | 1 | 1 |
| Jacksonville | 327 | 4 | -- | -- | 1 | 1 | -- | 2 | -- | -- | 9 | 6 | 1 | 2 |
| Joliet | 1,613 | 19 | 2 | -- | 4 | 4 | 2 | 3 | 4 | -- | 53 | 35 | 6 | 12 |
| Kankakee | 717 | 17 | -- | 1 | 1 | 1 | 4 | 3 | 7 | -- | 19 | 16 | 1 | 2 |
| Kewanee | 338 | 5 | -- | -- | -- | 1 | -- | 1 | 3 | -- | 8 | 7 | -- | 1 |
| La Grange | 372 | 6 | -- | -- | 2 | -- | -- | 1 | 3 | -- | 6 | 5 | -- | 1 |

Table 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued

| City | Total live births | Stillbirths | | | | | | | | | Infant deaths | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Gestation (in weeks) | | | | | | | | Total | Age | | |
| | | | Less than 20 | 20 to 23 | 24 to 27 | 28 to 31 | 32 to 35 | 36 to 39 | 40 and over | Not stated | | Less than 7 da. | 7-28 days | 1-11 mo. |
| La Grange Park | 231 | 2 | -- | -- | -- | 1 | -- | -- | 1 | -- | 3 | 3 | -- | -- |
| Lansing | 426 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 12 | 11 | -- | 1 |
| La Salle | 245 | 6 | -- | 1 | -- | -- | 1 | 2 | 2 | -- | 7 | 5 | -- | 2 |
| Lincoln | 296 | 8 | -- | -- | -- | 1 | -- | 1 | 6 | -- | 11 | 9 | -- | 2 |
| Lincolnwood | 158 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 3 | 3 | -- | -- |
| Lombard | 704 | 11 | -- | 2 | 1 | 3 | 2 | 3 | -- | -- | 13 | 6 | 2 | 5 |
| Macomb | 226 | 4 | -- | -- | -- | 1 | -- | 3 | -- | -- | 4 | 3 | -- | 1 |
| Marion | 220 | 2 | -- | -- | -- | -- | 1 | -- | 1 | -- | 5 | 3 | -- | 2 |
| Mattoon | 449 | 9 | -- | -- | -- | 1 | 2 | 3 | 3 | -- | 13 | 10 | -- | 3 |
| Maywood | 675 | 11 | 1 | 2 | 1 | 1 | -- | 2 | 4 | -- | 9 | 8 | 1 | -- |
| Melrose Park | 833 | 14 | -- | 1 | 6 | 1 | 1 | 2 | 3 | -- | 16 | 8 | 4 | 4 |
| Moline | 951 | 15 | -- | 2 | 1 | 1 | -- | 3 | 7 | 1 | 27 | 22 | -- | 5 |
| Monmouth | 206 | 3 | -- | -- | 1 | 1 | 1 | -- | -- | -- | 5 | -- | 1 | 4 |
| Morton Grove | 436 | 4 | -- | -- | -- | -- | -- | 2 | 2 | -- | 4 | 2 | -- | 2 |
| Mount Prospect | 497 | 6 | -- | 2 | -- | -- | -- | 3 | 1 | -- | 13 | 11 | 2 | -- |
| Mount Vernon | 361 | 6 | -- | -- | -- | 1 | -- | 2 | 3 | -- | 12 | 7 | 3 | 2 |
| Niles | 405 | 2 | -- | -- | 1 | 1 | -- | -- | -- | -- | 6 | 4 | -- | 2 |
| Normal | 257 | 3 | -- | 1 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| Northbrook | 420 | 7 | -- | 1 | -- | 1 | 1 | 1 | 3 | -- | 5 | 4 | -- | 1 |
| North Chicago | 495 | 7 | -- | 1 | -- | 1 | 1 | -- | 4 | -- | 12 | 6 | 2 | 4 |
| Northlake | 256 | 8 | 1 | 1 | -- | -- | 1 | 2 | 3 | -- | 9 | 6 | 1 | 2 |
| Oak Lawn | 1,253 | 26 | 1 | 3 | 1 | 7 | 3 | 5 | 5 | 1 | 45 | 34 | 5 | 6 |
| Oak Park | 1,117 | 14 | 1 | 1 | 1 | 1 | 1 | 5 | 4 | -- | 24 | 12 | 3 | 9 |
| Ottawa | 543 | 4 | -- | -- | -- | -- | 1 | -- | 3 | -- | 12 | 9 | -- | 3 |
| Palatine | 281 | 5 | -- | 2 | -- | 1 | -- | 1 | 1 | -- | 7 | 7 | -- | -- |
| Park Forest | 993 | 17 | -- | 1 | 1 | -- | 1 | 8 | 6 | -- | 11 | 8 | 1 | 2 |
| Park Ridge | 542 | 7 | -- | -- | -- | 1 | -- | 4 | 2 | -- | 8 | 5 | 2 | 1 |
| Pekin | 683 | 5 | -- | -- | -- | 1 | -- | 3 | 2 | -- | 14 | 9 | -- | 5 |
| Peoria | 2,467 | 32 | -- | 2 | -- | 3 | 6 | 10 | 11 | -- | 63 | 38 | 6 | 19 |
| Quincy | 871 | 11 | 1 | 2 | -- | 1 | 1 | 4 | 2 | -- | 20 | 16 | 1 | 3 |
| Rantoul | 172 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 6 | 4 | 1 | 1 |
| Riverdale | 202 | 5 | -- | -- | 2 | -- | 1 | -- | 2 | -- | 6 | 5 | -- | 1 |
| River Forest | 142 | 3 | 1 | -- | -- | 1 | -- | 1 | -- | -- | 5 | 4 | 1 | -- |
| Rock Falls | 323 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 9 | 8 | -- | 1 |
| Rockford | 2,986 | 43 | 1 | 2 | 5 | 4 | 5 | 9 | 17 | -- | 82 | 50 | 4 | 28 |
| Rock Island | 1,065 | 16 | -- | 3 | -- | 3 | 2 | 2 | 6 | -- | 35 | 23 | 4 | 8 |
| Skokie | 1,098 | 11 | -- | -- | -- | 3 | 1 | 3 | 4 | -- | 20 | 12 | -- | 8 |
| Springfield | 1,928 | 26 | -- | 2 | 4 | -- | 4 | 8 | 8 | -- | 52 | 34 | 3 | 15 |
| Sterling | 407 | 10 | -- | 2 | 2 | 1 | 3 | -- | 2 | -- | 8 | 5 | 2 | 1 |
| Streator | 370 | 2 | -- | -- | 1 | -- | -- | 1 | -- | -- | 6 | 3 | 2 | 1 |
| Urbana | 753 | 6 | -- | -- | 1 | 1 | 1 | -- | 3 | -- | 23 | 16 | 2 | 5 |
| Villa Park | 438 | 13 | -- | 1 | 2 | -- | -- | 3 | 7 | -- | 9 | 5 | 1 | 3 |
| Waukegan | 1,539 | 21 | 1 | 5 | 1 | 1 | 4 | 1 | 8 | -- | 43 | 21 | 4 | 18 |
| Westchester | 338 | 6 | -- | 1 | 1 | 2 | 1 | 1 | -- | -- | 3 | 2 | -- | 1 |
| West Frankfort | 158 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 6 | 4 | -- | 2 |
| Wheaton | 542 | 3 | 1 | -- | -- | -- | 1 | -- | 1 | -- | 15 | 9 | 1 | 5 |
| Wilmette | 453 | 7 | 1 | 3 | 2 | 1 | -- | -- | -- | -- | 13 | 7 | 2 | 4 |
| Winnetka | 167 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 6 | 4 | 1 | 1 |
| Wood River | 250 | 6 | -- | 1 | -- | -- | 2 | -- | 3 | -- | 3 | 2 | -- | 1 |
| Zion | 360 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 13 | 9 | 2 | 2 |

Table 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958

| County | Live births | | | | | Infant deaths by age[2] | | | | | | Maternal deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Premature births[1] | | Hospital births | | Under 7 days | | 7-28 days | | 1-11 months | | |
| | | Number | Percent of total | Number | Percent of total | No. | Rate[3] | No. | Rate[3] | No. | Rate[3] | |
| ILLINOIS | 234,712 | 17,410 | 7.42 | 229,838 | 97.92 | 3,707 | 15.8 | 504 | 2.1 | 1,646 | 7.0 | 74 |
| Adams | 1,360 | 64 | 4.71 | 1,354 | 99.56 | 27 | 19.9 | 2 | 1.5 | 6 | 4.4 | -- |
| Alexander | 310 | 30 | 9.68 | 212 | 68.39 | 9 | 29.0 | 2 | 6.5 | 6 | 19.4 | 1 |
| Bond | 296 | 19 | 6.42 | 290 | 97.97 | 1 | 3.4 | 1 | 3.4 | 5 | 16.9 | -- |
| Boone | 467 | 32 | 6.85 | 466 | 99.79 | 14 | 30.0 | -- | -0- | 4 | 8.6 | -- |
| Brown | 106 | 10 | 9.43 | 105 | 99.06 | 1 | 9.4 | -- | -0- | 2 | 18.9 | -- |
| Bureau | 782 | 45 | 5.75 | 775 | 99.10 | 13 | 16.6 | 2 | 2.6 | 6 | 7.7 | -- |
| Calhoun | 129 | 6 | 4.65 | 119 | 92.25 | 1 | 7.8 | 1 | 7.8 | 1 | 7.8 | -- |
| Carroll | 407 | 25 | 6.14 | 405 | 99.51 | 7 | 17.2 | -- | -0- | 1 | 2.5 | 1 |
| Cass | 295 | 18 | 6.10 | 294 | 99.66 | 7 | 23.7 | -- | -0- | 3 | 10.2 | -- |
| Champaign | 2,953 | 216 | 7.31 | 2,940 | 99.56 | 52 | 17.6 | 7 | 2.4 | 21 | 7.1 | -- |
| Christian | 805 | 55 | 6.83 | 799 | 99.25 | 14 | 17.4 | 1 | 1.2 | 5 | 6.2 | -- |
| Clark | 308 | 19 | 6.17 | 298 | 96.75 | 1 | 3.2 | 2 | 6.5 | 1 | 3.2 | -- |
| Clay | 325 | 25 | 7.69 | 309 | 95.08 | 3 | 9.2 | -- | -0- | 2 | 6.2 | 1 |
| Clinton | 652 | 28 | 4.29 | 648 | 99.39 | 8 | 12.3 | 1 | 1.5 | 3 | 4.6 | 1 |
| Coles | 930 | 67 | 7.20 | 925 | 99.46 | 19 | 20.4 | 1 | 1.1 | 5 | 5.4 | -- |
| Cook | 124,855 | 10,233 | 8.20 | 120,935 | 96.86 | 1,959 | 15.7 | 312 | 2.5 | 934 | 7.5 | 38 |
| Crawford | 350 | 15 | 4.29 | 346 | 98.86 | 5 | 14.3 | -- | -0- | 1 | 2.9 | -- |
| Cumberland | 221 | 12 | 5.43 | 217 | 98.19 | 2 | 9.0 | -- | -0- | 2 | 9.0 | -- |
| De Kalb | 1,177 | 49 | 4.16 | 1,175 | 99.83 | 13 | 11.0 | 1 | 0.8 | 3 | 2.5 | 1 |
| De Witt | 340 | 29 | 8.53 | 335 | 98.53 | 10 | 29.4 | 1 | 2.9 | 1 | 2.9 | -- |
| Douglas | 487 | 23 | 4.72 | 479 | 98.36 | 7 | 14.4 | 1 | 2.1 | 3 | 6.2 | -- |
| Du Page | 6,929 | 376 | 5.43 | 6,896 | 99.52 | 87 | 12.6 | 12 | 1.7 | 46 | 6.6 | -- |
| Edgar | 412 | 29 | 7.04 | 410 | 99.51 | 6 | 14.6 | -- | -0- | 3 | 7.3 | -- |
| Edwards | 163 | 5 | 3.07 | 160 | 98.16 | -- | -0- | -- | -0- | 2 | 12.3 | -- |
| Effingham | 548 | 32 | 5.84 | 537 | 97.99 | 11 | 20.1 | -- | -0- | -- | -0- | -- |
| Fayette | 384 | 20 | 5.21 | 382 | 99.48 | 4 | 10.4 | 2 | 5.2 | 1 | 2.6 | -- |
| Ford | 357 | 14 | 3.92 | 355 | 99.44 | 6 | 16.8 | 1 | 2.8 | 1 | 2.8 | 1 |
| Franklin | 635 | 29 | 4.57 | 621 | 97.80 | 14 | 22.0 | -- | -0- | 7 | 11.0 | -- |
| Fulton | 766 | 36 | 4.70 | 763 | 99.61 | 6 | 7.8 | 1 | 1.3 | 1 | 1.3 | 1 |
| Gallatin | 131 | 13 | 9.92 | 115 | 87.79 | 3 | 22.9 | -- | -0- | 4 | 30.5 | -- |
| Greene | 308 | 17 | 5.52 | 306 | 99.35 | 6 | 19.5 | -- | -0- | 1 | 3.2 | -- |
| Grundy | 485 | 17 | 3.51 | 479 | 98.76 | 5 | 10.3 | 1 | 2.1 | 1 | 2.1 | -- |
| Hamilton | 177 | 6 | 3.39 | 175 | 98.87 | -- | -0- | -- | -0- | 1 | 5.6 | -- |
| Hancock | 455 | 34 | 7.47 | 454 | 99.78 | 15 | 33.0 | -- | -0- | 1 | 2.2 | -- |
| Hardin | 111 | 3 | 2.70 | 108 | 97.30 | 3 | 27.0 | -- | -0- | 2 | 18.0 | -- |
| Henderson | 171 | 12 | 7.02 | 170 | 99.42 | 1 | 5.8 | -- | -0- | 1 | 5.8 | -- |
| Henry | 1,022 | 62 | 6.07 | 1,021 | 99.90 | 17 | 16.6 | -- | -0- | 7 | 6.8 | -- |
| Iroquois | 725 | 40 | 5.52 | 711 | 98.07 | 8 | 11.0 | 3 | 4.1 | 3 | 4.1 | 1 |
| Jackson | 859 | 62 | 7.22 | 853 | 99.30 | 19 | 22.1 | -- | -0- | 7 | 8.1 | -- |
| Jasper | 229 | 7 | 3.06 | 223 | 97.38 | 2 | 8.7 | -- | -0- | -- | -0- | -- |
| Jefferson | 682 | 47 | 6.89 | 680 | 99.71 | 10 | 14.7 | 3 | 4.4 | 6 | 8.8 | 1 |
| Jersey | 374 | 23 | 6.15 | 356 | 95.19 | 8 | 21.4 | 1 | 2.7 | 1 | 2.7 | -- |
| Jo Daviess | 524 | 36 | 6.87 | 522 | 99.62 | 5 | 9.5 | 1 | 1.9 | -- | -0- | -- |
| Johnson | 115 | 6 | 5.22 | 113 | 98.26 | -- | -0- | -- | -0- | -- | -0- | -- |
| Kane | 4,806 | 293 | 6.10 | 4,794 | 99.75 | 82 | 17.1 | 7 | 1.5 | 36 | 7.5 | 4 |
| Kankakee | 1,994 | 147 | 7.37 | 1,980 | 99.30 | 36 | 18.1 | 1 | 0.5 | 7 | 3.5 | -- |
| Kendall | 366 | 21 | 5.74 | 364 | 99.45 | 7 | 19.1 | -- | -0- | 1 | 2.7 | -- |
| Knox | 1,258 | 77 | 6.12 | 1,257 | 99.92 | 17 | 13.5 | -- | -0- | 8 | 6.4 | 1 |
| Lake | 7,108 | 535 | 7.53 | 7,044 | 99.10 | 104 | 14.6 | 20 | 2.8 | 55 | 7.7 | 7 |
| La Salle | 2,562 | 165 | 6.44 | 2,557 | 99.80 | 41 | 16.0 | 3 | 1.2 | 10 | 3.9 | -- |
| Lawrence | 349 | 20 | 5.73 | 346 | 99.14 | 5 | 14.3 | -- | -0- | 4 | 11.5 | -- |
| Lee | 757 | 47 | 6.21 | 750 | 99.08 | 8 | 10.6 | 2 | 2.6 | 7 | 9.2 | -- |

[1]Premature births are births of 2,500 grams weight and under.
[2]Numbers and rates for total infant deaths are given in Tables 2A and 2B.
[3]Rates per 1,000 live births.

Table 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued

| County | Live births | | | | | Infant deaths by age[2] | | | | | | Maternal deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Premature births[1] | | Hospital births | | Under 7 days | | 7-28 days | | 1-11 months | | |
| | | Number | Percent of total | Number | Percent of total | No. | Rate[3] | No. | Rate[3] | No. | Rate[3] | |
| Livingston | 820 | 42 | 5.12 | 817 | 99.63 | 8 | 9.8 | 2 | 2.4 | 7 | 8.5 | -- |
| Logan | 615 | 37 | 6.02 | 615 | 100.00 | 13 | 21.1 | -- | -0- | 2 | 3.3 | -- |
| McDonough | 565 | 28 | 4.96 | 559 | 98.94 | 7 | 12.4 | -- | -0- | 3 | 5.3 | -- |
| McHenry | 2,000 | 109 | 5.45 | 1,990 | 99.50 | 29 | 14.5 | 4 | 2.0 | 14 | 7.0 | 1 |
| McLean | 1,849 | 123 | 6.65 | 1,845 | 99.78 | 24 | 13.0 | 5 | 2.7 | 15 | 8.1 | -- |
| Macon | 2,863 | 219 | 7.65 | 2,854 | 99.69 | 53 | 18.5 | 8 | 2.8 | 20 | 7.0 | -- |
| Macoupin | 782 | 47 | 6.01 | 774 | 98.98 | 19 | 24.3 | 2 | 2.6 | 5 | 6.4 | -- |
| Madison | 5,328 | 378 | 7.09 | 5,280 | 99.10 | 107 | 20.1 | 4 | 0.8 | 31 | 5.8 | -- |
| Marion | 806 | 63 | 7.82 | 798 | 99.01 | 20 | 24.8 | 3 | 3.7 | 4 | 5.0 | -- |
| Marshall | 271 | 21 | 7.75 | 268 | 98.89 | 1 | 3.7 | 1 | 3.7 | 2 | 7.4 | -- |
| Mason | 301 | 11 | 3.65 | 298 | 99.00 | 3 | 10.0 | 1 | 3.3 | 3 | 10.0 | -- |
| Massac | 267 | 20 | 7.49 | 267 | 100.00 | 4 | 15.0 | -- | -0- | -- | -0- | -- |
| Menard | 182 | 16 | 8.79 | 181 | 99.45 | 4 | 22.0 | -- | -0- | 2 | 11.0 | -- |
| Mercer | 314 | 21 | 6.69 | 313 | 99.68 | 2 | 6.4 | -- | -0- | -- | -0- | -- |
| Monroe | 322 | 19 | 5.90 | 321 | 99.69 | 8 | 24.8 | 1 | 3.1 | -- | -0- | -- |
| Montgomery | 617 | 32 | 5.19 | 612 | 99.19 | 9 | 14.6 | -- | -0- | 3 | 4.9 | -- |
| Morgan | 617 | 35 | 5.67 | 616 | 99.84 | 10 | 16.2 | 1 | 1.6 | 2 | 3.2 | -- |
| Moultrie | 274 | 9 | 3.28 | 263 | 95.99 | 4 | 14.6 | -- | -0- | 1 | 3.6 | -- |
| Ogle | 865 | 45 | 5.20 | 859 | 99.31 | 13 | 15.0 | -- | -0- | 6 | 6.9 | -- |
| Peoria | 4,417 | 304 | 6.88 | 4,397 | 99.55 | 61 | 13.8 | 7 | 1.6 | 28 | 6.3 | 1 |
| Perry | 351 | 24 | 6.84 | 351 | 100.00 | 5 | 14.2 | 1 | 2.8 | 5 | 14.2 | -- |
| Piatt | 298 | 13 | 4.36 | 298 | 100.00 | 4 | 13.4 | -- | -0- | 2 | 6.7 | -- |
| Pike | 378 | 11 | 2.91 | 374 | 98.94 | 3 | 7.9 | -- | -0- | 3 | 7.9 | -- |
| Pope | 67 | 5 | 7.46 | 67 | 100.00 | 1 | 14.9 | -- | -0- | -- | -0- | -- |
| Pulaski | 210 | 26 | 12.38 | 145 | 69.05 | 2 | 9.5 | -- | -0- | 1 | 4.8 | -- |
| Putnam | 97 | 7 | 7.22 | 97 | 100.00 | 1 | 10.3 | -- | -0- | -- | -0- | -- |
| Randolph | 594 | 40 | 6.73 | 586 | 98.65 | 10 | 16.8 | -- | -0- | 2 | 3.4 | -- |
| Richland | 367 | 23 | 6.27 | 365 | 99.46 | 6 | 16.3 | -- | -0- | 2 | 5.4 | -- |
| Rock Island | 3,313 | 233 | 7.03 | 3,303 | 99.70 | 60 | 18.1 | 7 | 2.1 | 18 | 5.4 | 2 |
| St. Clair | 6,816 | 616 | 9.04 | 6,707 | 98.40 | 116 | 17.0 | 9 | 1.3 | 47 | 6.9 | 5 |
| Saline | 441 | 29 | 6.58 | 439 | 99.55 | 10 | 22.7 | -- | -0- | 2 | 4.5 | -- |
| Sangamon | 3,396 | 230 | 6.77 | 3,387 | 99.73 | 61 | 18.0 | 4 | 1.2 | 21 | 6.2 | -- |
| Schuyler | 170 | 4 | 2.35 | 169 | 99.41 | 2 | 11.8 | -- | -0- | 2 | 11.8 | 1 |
| Scott | 137 | 9 | 6.57 | 134 | 97.81 | 4 | 29.2 | -- | -0- | 1 | 7.3 | -- |
| Shelby | 495 | 37 | 7.47 | 491 | 99.19 | 7 | 14.1 | -- | -0- | 2 | 4.0 | -- |
| Stark | 161 | 5 | 3.11 | 161 | 100.00 | 4 | 24.8 | -- | -0- | -- | -0- | -- |
| Stephenson | 1,005 | 80 | 7.96 | 999 | 99.40 | 14 | 13.9 | 5 | 5.0 | 8 | 8.0 | -- |
| Tazewell | 2,330 | 130 | 5.58 | 2,321 | 99.61 | 29 | 12.4 | 5 | 2.1 | 9 | 3.9 | -- |
| Union | 268 | 15 | 5.60 | 265 | 98.88 | 6 | 22.4 | 1 | 3.7 | 4 | 14.9 | -- |
| Vermilion | 2,109 | 131 | 6.21 | 2,101 | 99.62 | 35 | 16.6 | 6 | 2.8 | 15 | 7.1 | -- |
| Wabash | 287 | 18 | 6.27 | 282 | 98.26 | 1 | 3.5 | -- | -0- | 4 | 13.9 | -- |
| Warren | 422 | 17 | 4.03 | 422 | 100.00 | 2 | 4.7 | 2 | 4.7 | 4 | 9.5 | -- |
| Washington | 222 | 7 | 3.15 | 214 | 96.40 | 2 | 9.0 | -- | -0- | 1 | 4.5 | -- |
| Wayne | 339 | 14 | 4.13 | 327 | 96.46 | 4 | 11.8 | 1 | 2.9 | 4 | 11.8 | -- |
| White | 371 | 20 | 5.39 | 367 | 98.92 | 6 | 16.2 | 1 | 2.7 | 3 | 8.1 | 1 |
| Whiteside | 1,483 | 87 | 5.87 | 1,475 | 99.46 | 22 | 14.8 | 3 | 2.0 | 8 | 5.4 | 1 |
| Will | 4,516 | 323 | 7.15 | 4,489 | 99.40 | 76 | 16.8 | 16 | 3.5 | 40 | 8.9 | 2 |
| Williamson | 812 | 49 | 6.03 | 808 | 99.51 | 10 | 12.3 | 2 | 2.5 | 5 | 6.2 | -- |
| Winnebago | 5,253 | 344 | 6.55 | 5,233 | 99.62 | 82 | 15.6 | 8 | 1.5 | 43 | 8.2 | 1 |
| Woodford | 605 | 32 | 5.29 | 603 | 99.67 | 8 | 13.2 | 1 | 1.7 | 3 | 5.0 | -- |
| Unspecified place in Illinois | 7 | 1 | | 3 | | 6 | | -- | | -- | | -- |

[1]Premature births are births of 2,500 grams weight and under.
[2]Numbers and rates for total infant deaths are given in Tables 2A and 2B.
[3]Rates per 1,000 live births.

Table 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS, AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958

| City | Live births | | | | | Infant deaths by age[2] | | | | | | Maternal deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Premature births[1] | | Hospital births | | Under 7 days | | 7-28 days | | 1-11 months | | |
| | | Number | Percent of total | Number | Percent of total | No. | Rate[3] | No. | Rate[3] | No. | Rate[3] | |
| Alton | 777 | 74 | 9.52 | 768 | 98.84 | 26 | 33.5 | 1 | 1.3 | 6 | 7.7 | -- |
| Arlington Heights | 706 | 41 | 5.81 | 703 | 99.58 | 16 | 22.7 | 6 | 8.5 | 5 | 7.1 | -- |
| Aurora | 1,612 | 101 | 6.27 | 1,610 | 99.88 | 36 | 22.3 | 2 | 1.2 | 14 | 8.7 | 2 |
| Belleville | 1,000 | 61 | 6.10 | 999 | 99.90 | 19 | 19.0 | 1 | 1.0 | 4 | 4.0 | -- |
| Bellwood | 462 | 35 | 7.58 | 462 | 100.00 | 8 | 17.3 | -- | -0- | 2 | 4.3 | 1 |
| Berwyn | 1,013 | 60 | 5.92 | 1,004 | 99.11 | 14 | 13.8 | 1 | 1.0 | 3 | 3.0 | -- |
| Bloomington | 883 | 66 | 7.47 | 883 | 100.00 | 10 | 11.3 | 3 | 3.4 | 9 | 10.2 | -- |
| Blue Island | 537 | 46 | 8.57 | 535 | 99.63 | 10 | 18.6 | -- | -0- | 3 | 5.6 | -- |
| Brookfield | 418 | 20 | 4.78 | 417 | 99.76 | 7 | 16.7 | -- | -0- | 2 | 4.8 | -- |
| Cairo | 176 | 16 | 9.09 | 111 | 63.07 | 4 | 22.7 | -- | -0- | 3 | 17.0 | -- |
| Calumet City | 635 | 46 | 7.24 | 633 | 99.69 | 11 | 17.3 | 1 | 1.6 | 2 | 3.1 | -- |
| Canton | 229 | 12 | 5.24 | 228 | 99.56 | 2 | 8.7 | 1 | 4.4 | 1 | 4.4 | 1 |
| Carbondale | 287 | 22 | 7.67 | 287 | 100.00 | 9 | 31.4 | -- | -0- | 4 | 13.9 | -- |
| Carpentersville | 459 | 32 | 6.97 | 458 | 99.78 | 8 | 17.4 | 1 | 2.2 | 9 | 19.6 | -- |
| Centralia | 297 | 30 | 10.10 | 293 | 98.65 | 6 | 20.2 | 2 | 6.7 | 2 | 6.7 | -- |
| Champaign | 1,299 | 96 | 7.39 | 1,296 | 99.77 | 19 | 14.6 | 2 | 1.5 | 8 | 6.2 | -- |
| Chicago | 90,391 | 8,106 | 8.97 | 86,684 | 95.90 | 1,455 | 16.1 | 243 | 2.7 | 751 | 8.3 | 25 |
| Chicago Heights | 1,113 | 90 | 8.09 | 1,093 | 98.20 | 14 | 12.6 | 3 | 2.7 | 15 | 13.5 | 2 |
| Cicero | 1,387 | 75 | 5.41 | 1,383 | 99.71 | 16 | 11.5 | 3 | 2.2 | 5 | 3.6 | -- |
| Collinsville | 374 | 27 | 7.22 | 372 | 99.47 | 4 | 10.7 | 1 | 2.7 | -- | -0- | -- |
| Danville | 1,139 | 86 | 7.55 | 1,135 | 99.65 | 21 | 18.4 | 2 | 1.8 | 10 | 8.8 | -- |
| Decatur | 1,923 | 149 | 7.75 | 1,919 | 99.79 | 38 | 19.8 | 6 | 3.1 | 14 | 7.3 | -- |
| De Kalb | 394 | 14 | 3.55 | 393 | 99.75 | 6 | 15.2 | -- | -0- | -- | -0- | -- |
| Des Plaines | 871 | 64 | 7.35 | 869 | 99.77 | 15 | 17.2 | 1 | 1.1 | 6 | 6.9 | -- |
| Dixon | 335 | 25 | 7.46 | 332 | 99.10 | 5 | 14.9 | -- | -0- | 2 | 6.0 | -- |
| Dolton | 525 | 25 | 4.76 | 522 | 99.43 | 5 | 9.5 | 1 | 1.9 | 2 | 3.8 | -- |
| Downers Grove | 538 | 34 | 6.32 | 537 | 99.81 | 6 | 11.2 | 2 | 3.7 | 2 | 3.7 | -- |
| East Moline | 354 | 24 | 6.78 | 353 | 99.72 | 2 | 5.6 | -- | -0- | 1 | 2.8 | 2 |
| East St. Louis | 2,539 | 296 | 11.66 | 2,448 | 96.42 | 58 | 22.8 | 6 | 2.4 | 27 | 10.6 | 3 |
| Elgin | 974 | 66 | 6.78 | 972 | 99.79 | 11 | 11.3 | -- | -0- | 3 | 3.1 | 1 |
| Elmhurst | 811 | 41 | 5.06 | 810 | 99.88 | 12 | 14.8 | -- | -0- | 4 | 4.9 | -- |
| Elmwood Park | 440 | 26 | 5.91 | 438 | 99.55 | 7 | 15.9 | -- | -0- | 1 | 2.3 | -- |
| Evanston | 1,647 | 124 | 7.53 | 1,641 | 99.64 | 17 | 10.3 | 3 | 1.8 | 6 | 3.6 | -- |
| Evergreen Park | 507 | 22 | 4.34 | 507 | 100.00 | 4 | 7.9 | 1 | 2.0 | 3 | 5.9 | -- |
| Forest Park | 378 | 12 | 3.17 | 374 | 98.94 | 2 | 5.3 | -- | -0- | 1 | 2.6 | 1 |
| Franklin Park | 421 | 22 | 5.23 | 419 | 99.52 | 8 | 19.0 | 3 | 7.1 | -- | -0- | -- |
| Freeport | 579 | 52 | 8.98 | 578 | 99.83 | 10 | 17.3 | 4 | 6.9 | 4 | 6.9 | -- |
| Galesburg | 801 | 60 | 7.49 | 800 | 99.88 | 12 | 15.0 | -- | -0- | 6 | 7.5 | 1 |
| Glen Ellyn | 367 | 14 | 3.81 | 366 | 99.73 | 5 | 13.6 | -- | -0- | 2 | 5.4 | -- |
| Glenview | 514 | 30 | 5.84 | 512 | 99.61 | 7 | 13.6 | 2 | 3.9 | 2 | 3.9 | -- |
| Granite City | 1,154 | 60 | 5.20 | 1,151 | 99.74 | 23 | 19.9 | 1 | 0.9 | 3 | 2.6 | -- |
| Harrisburg | 142 | 10 | 7.04 | 142 | 100.00 | 6 | 42.3 | -- | -0- | -- | -0- | -- |
| Harvey | 816 | 60 | 7.35 | 810 | 99.26 | 13 | 15.9 | -- | -0- | 5 | 6.1 | -- |
| Highland Park | 473 | 33 | 6.98 | 473 | 100.00 | 7 | 14.8 | 2 | 4.2 | 5 | 10.6 | -- |
| Hinsdale | 238 | 9 | 3.78 | 237 | 99.58 | -- | -0- | -- | -0- | -- | -0- | -- |
| Homewood | 268 | 13 | 4.85 | 268 | 100.00 | 3 | 11.2 | 1 | 3.7 | 1 | 3.7 | -- |
| Jacksonville | 327 | 21 | 6.42 | 327 | 100.00 | 6 | 18.3 | 1 | 3.1 | 2 | 6.1 | -- |
| Joliet | 1,613 | 121 | 7.50 | 1,610 | 99.81 | 35 | 21.7 | 6 | 3.7 | 12 | 7.4 | 1 |
| Kankakee | 717 | 49 | 6.83 | 713 | 99.44 | 16 | 22.3 | 1 | 1.4 | 2 | 2.8 | -- |
| Kewanee | 338 | 19 | 5.62 | 338 | 100.00 | 7 | 20.7 | -- | -0- | 1 | 3.0 | -- |
| La Grange | 372 | 21 | 5.65 | 370 | 99.46 | 5 | 13.4 | -- | -0- | 1 | 2.7 | -- |

[1]Premature births are births of 2,500 grams weight and under.
[2]Numbers and rates for total infant deaths are given in Tables 3A and 3B.
[3]Rates per 1,000 live births.

**Table 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS, AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued**

| City | Live births | | | | | Infant deaths by age[2] | | | | | | Maternal deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Premature births[1] | | Hospital births | | Under 7 days | | 7-28 days | | 1-11 months | | |
| | | Number | Percent of total | Number | Percent of total | No. | Rate[3] | No. | Rate[3] | No. | Rate[3] | |
| La Grange Park | 231 | 8 | 3.46 | 231 | 100.00 | 3 | 13.0 | -- | -0- | -- | -0- | -- |
| Lansing | 426 | 35 | 8.22 | 426 | 100.00 | 11 | 25.8 | -- | -0- | 1 | 2.3 | 1 |
| La Salle | 245 | 13 | 5.31 | 243 | 99.18 | 5 | 20.4 | -- | -0- | 2 | 8.2 | -- |
| Lincoln | 296 | 19 | 6.42 | 296 | 100.00 | 9 | 30.4 | -- | -0- | 2 | 6.8 | -- |
| Lincolnwood | 158 | 11 | 6.96 | 158 | 100.00 | 3 | 19.0 | -- | -0- | -- | -0- | -- |
| Lombard | 704 | 40 | 5.68 | 701 | 99.57 | 6 | 8.5 | 2 | 2.8 | 5 | 7.1 | -- |
| Macomb | 226 | 15 | 6.64 | 223 | 98.67 | 3 | 13.3 | -- | -0- | 1 | 4.4 | -- |
| Marion | 220 | 13 | 5.91 | 220 | 100.00 | 3 | 13.6 | -- | -0- | 2 | 9.1 | -- |
| Mattoon | 449 | 32 | 7.13 | 446 | 99.33 | 10 | 22.3 | -- | -0- | 3 | 6.7 | -- |
| Maywood | 675 | 53 | 7.85 | 673 | 99.70 | 8 | 11.9 | 1 | 1.5 | -- | -0- | -- |
| Melrose Park | 833 | 49 | 5.88 | 831 | 99.76 | 8 | 9.6 | 4 | 4.8 | 4 | 4.8 | -- |
| Moline | 951 | 59 | 6.20 | 950 | 99.89 | 22 | 23.1 | -- | -0- | 5 | 5.3 | -- |
| Monmouth | 206 | 4 | 1.94 | 206 | 100.00 | -- | -0- | 1 | 4.9 | 4 | 19.4 | -- |
| Morton Grove | 436 | 23 | 5.28 | 434 | 99.54 | 2 | 4.6 | -- | -0- | 2 | 4.6 | -- |
| Mount Prospect | 497 | 31 | 6.24 | 489 | 98.39 | 11 | 22.1 | 2 | 4.0 | -- | -0- | -- |
| Mount Vernon | 361 | 31 | 8.59 | 359 | 99.45 | 7 | 19.4 | 3 | 8.3 | 2 | 5.5 | 1 |
| Niles | 405 | 20 | 4.94 | 402 | 99.26 | 4 | 9.9 | -- | -0- | 2 | 4.9 | -- |
| Normal | 257 | 14 | 5.45 | 257 | 100.00 | -- | -0- | -- | -0- | -- | -0- | -- |
| Northbrook | 420 | 19 | 4.52 | 418 | 99.52 | 4 | 9.5 | -- | -0- | 1 | 2.4 | -- |
| North Chicago | 495 | 48 | 9.70 | 484 | 97.78 | 6 | 12.1 | 2 | 4.0 | 4 | 8.1 | -- |
| Northlake | 256 | 21 | 8.20 | 255 | 99.61 | 6 | 23.4 | 1 | 3.9 | 2 | 7.8 | -- |
| Oak Lawn | 1,253 | 83 | 6.62 | 1,244 | 99.28 | 34 | 27.1 | 5 | 4.0 | 6 | 4.8 | 1 |
| Oak Park | 1,117 | 52 | 4.66 | 1,111 | 99.46 | 12 | 10.7 | 3 | 2.7 | 9 | 8.1 | -- |
| Ottawa | 543 | 31 | 5.71 | 543 | 100.00 | 9 | 16.6 | -- | -0- | 3 | 5.5 | -- |
| Palatine | 281 | 19 | 6.76 | 280 | 99.64 | 7 | 24.9 | -- | -0- | -- | -0- | -- |
| Park Forest | 993 | 47 | 4.73 | 987 | 99.40 | 8 | 8.1 | 1 | 1.0 | 2 | 2.0 | -- |
| Park Ridge | 542 | 23 | 4.24 | 540 | 99.63 | 5 | 9.2 | 2 | 3.7 | 1 | 1.8 | -- |
| Pekin | 683 | 35 | 5.12 | 682 | 99.85 | 9 | 13.2 | -- | -0- | 5 | 7.3 | -- |
| Peoria | 2,467 | 204 | 8.27 | 2,452 | 99.39 | 38 | 15.4 | 6 | 2.4 | 19 | 7.7 | 1 |
| Quincy | 871 | 43 | 4.94 | 867 | 99.54 | 16 | 18.4 | 1 | 1.1 | 3 | 3.4 | -- |
| Rantoul | 172 | 9 | 5.23 | 171 | 99.42 | 4 | 23.3 | 1 | 5.8 | 1 | 5.8 | -- |
| Riverdale | 202 | 8 | 3.96 | 202 | 100.00 | 5 | 24.8 | -- | -0- | 1 | 5.0 | -- |
| River Forest | 142 | 8 | 5.63 | 141 | 99.30 | 4 | 28.2 | 1 | 7.0 | -- | -0- | -- |
| Rock Falls | 323 | 25 | 7.74 | 321 | 99.38 | 8 | 24.8 | -- | -0- | 1 | 3.1 | -- |
| Rockford | 2,986 | 211 | 7.07 | 2,975 | 99.63 | 50 | 16.7 | 4 | 1.3 | 28 | 9.4 | 1 |
| Rock Island | 1,065 | 87 | 8.17 | 1,062 | 99.72 | 23 | 21.6 | 4 | 3.8 | 8 | 7.5 | -- |
| Skokie | 1,098 | 65 | 5.92 | 1,090 | 99.27 | 12 | 10.9 | -- | -0- | 8 | 7.3 | -- |
| Springfield | 1,928 | 152 | 7.88 | 1,925 | 99.84 | 34 | 17.6 | 3 | 1.6 | 15 | 7.8 | -- |
| Sterling | 407 | 21 | 5.16 | 406 | 99.75 | 5 | 12.3 | 2 | 4.9 | 1 | 2.5 | -- |
| Streator | 370 | 35 | 9.46 | 368 | 99.46 | 3 | 8.1 | 2 | 5.4 | 1 | 2.7 | -- |
| Urbana | 753 | 59 | 7.84 | 749 | 99.47 | 16 | 21.2 | 2 | 2.7 | 5 | 6.6 | -- |
| Villa Park | 438 | 28 | 6.39 | 437 | 99.77 | 5 | 11.4 | 1 | 2.3 | 3 | 6.8 | -- |
| Waukegan | 1,539 | 119 | 7.73 | 1,525 | 99.09 | 21 | 13.6 | 4 | 2.6 | 18 | 11.7 | 4 |
| Westchester | 338 | 14 | 4.14 | 336 | 99.41 | 2 | 5.9 | -- | -0- | 1 | 3.0 | -- |
| West Frankfort | 158 | 8 | 5.06 | 158 | 100.00 | 4 | 25.3 | -- | -0- | 2 | 12.7 | -- |
| Wheaton | 542 | 33 | 6.09 | 536 | 98.89 | 9 | 16.6 | 1 | 1.8 | 5 | 9.2 | -- |
| Wilmette | 453 | 23 | 5.08 | 449 | 99.12 | 7 | 15.5 | 2 | 4.4 | 4 | 8.8 | -- |
| Winnetka | 167 | 9 | 5.39 | 166 | 99.40 | 4 | 24.0 | 1 | 6.0 | 1 | 6.0 | -- |
| Wood River | 250 | 13 | 5.20 | 249 | 99.60 | 2 | 8.0 | -- | -0- | 1 | 4.0 | -- |
| Zion | 360 | 32 | 8.89 | 352 | 97.78 | 9 | 25.0 | 2 | 5.6 | 2 | 5.6 | -- |

[1]Premature births are births of 2,500 grams weight and under.
[2]Numbers and rates for total infant deaths are given in Tables 3A and 3B.
[3]Rates per 1,000 live births.

Table 8A. -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1958

(Includes deaths of Illinois residents occurring outside the State)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| ILLINOIS, all causes | 101,729 | 6,803 | 866 | 1,285 | 6,161 | 26,288 | 60,326 |
| White | 91,680 | 5,186 | 757 | 1,054 | 4,766 | 22,835 | 57,082 |
| Nonwhite | 10,049 | 1,617 | 109 | 231 | 1,395 | 3,453 | 3,244 |
| 1. Heart disease | 44,067 | 26 | 14 | 55 | 1,494 | 11,552 | 30,926 |
| White | 40,650 | 19 | 13 | 36 | 1,144 | 10,083 | 29,355 |
| Nonwhite | 3,417 | 7 | 1 | 19 | 350 | 1,469 | 1,571 |
| a. Arteriosclerotic | 32,589 | 2 | -- | 10 | 880 | 8,921 | 22,776 |
| White | 30,423 | -- | -- | 6 | 733 | 7,976 | 21,708 |
| Nonwhite | 2,166 | 2 | -- | 4 | 147 | 945 | 1,068 |
| b. Other | 11,478 | 24 | 14 | 45 | 614 | 2,631 | 8,150 |
| White | 10,227 | 19 | 13 | 30 | 411 | 2,107 | 7,647 |
| Nonwhite | 1,251 | 5 | 1 | 15 | 203 | 524 | 503 |
| 2. Cancer | 16,141 | 118 | 109 | 108 | 1,193 | 6,139 | 8,474 |
| White | 14,798 | 105 | 99 | 103 | 1,011 | 5,466 | 8,014 |
| Nonwhite | 1,343 | 13 | 10 | 5 | 182 | 673 | 460 |
| 3. Vascular lesions affecting central nervous system | 11,049 | 8 | 8 | 19 | 279 | 2,000 | 8,735 |
| White | 10,078 | 8 | 8 | 18 | 188 | 1,603 | 8,253 |
| Nonwhite | 971 | -- | -- | 1 | 91 | 397 | 482 |
| 4. Congenital malformations and diseases of early infancy | 4,752 | 4,553 | 65 | 30 | 46 | 42 | 16 |
| White | 3,763 | 3,579 | 58 | 30 | 43 | 37 | 16 |
| Nonwhite | 989 | 974 | 7 | -- | 3 | 5 | -- |
| 5. Accidents | 4,668 | 390 | 385 | 661 | 952 | 1,002 | 1,278 |
| White | 4,159 | 297 | 335 | 587 | 811 | 901 | 1,228 |
| Nonwhite | 509 | 93 | 50 | 74 | 141 | 101 | 50 |
| a. Motor vehicle | 1,987 | 96 | 141 | 438 | 524 | 427 | 361 |
| White | 1,810 | 84 | 122 | 412 | 463 | 384 | 345 |
| Nonwhite | 177 | 12 | 19 | 26 | 61 | 43 | 16 |
| b. Other | 2,681 | 294 | 244 | 223 | 428 | 575 | 917 |
| White | 2,349 | 213 | 213 | 175 | 348 | 517 | 883 |
| Nonwhite | 332 | 81 | 31 | 48 | 80 | 58 | 34 |
| 6. Pneumonia and influenza | 4,019 | 947 | 53 | 36 | 253 | 734 | 1,996 |
| White | 3,254 | 586 | 42 | 26 | 174 | 600 | 1,826 |
| Nonwhite | 765 | 361 | 11 | 10 | 79 | 134 | 170 |
| 7. General arteriosclerosis | 1,962 | -- | -- | -- | 3 | 113 | 1,846 |
| White | 1,853 | -- | -- | -- | 2 | 91 | 1,760 |
| Nonwhite | 109 | -- | -- | -- | 1 | 22 | 86 |
| 8. Diabetes mellitus | 1,523 | 6 | 9 | 16 | 91 | 445 | 956 |
| White | 1,394 | 6 | 8 | 14 | 76 | 386 | 904 |
| Nonwhite | 129 | -- | 1 | 2 | 15 | 59 | 52 |
| 9. Cirrhosis of liver | 1,202 | 5 | 3 | 8 | 202 | 630 | 354 |
| White | 1,105 | 4 | 2 | 5 | 175 | 577 | 342 |
| Nonwhite | 97 | 1 | 1 | 3 | 27 | 53 | 12 |
| 10. Hypertension without mention of heart | 1,071 | 1 | -- | 5 | 62 | 231 | 772 |
| White | 909 | 1 | -- | 2 | 22 | 164 | 720 |
| Nonwhite | 162 | -- | -- | 3 | 40 | 67 | 52 |
| 11. Suicide | 1,024 | -- | 1 | 57 | 288 | 433 | 245 |
| White | 983 | -- | 1 | 50 | 273 | 420 | 239 |
| Nonwhite | 41 | -- | -- | 7 | 15 | 13 | 6 |
| 12. Nephritis not specified as acute, and renal sclerosis | 834 | 3 | 10 | 26 | 106 | 207 | 482 |
| White | 708 | 2 | 10 | 21 | 73 | 159 | 443 |
| Nonwhite | 126 | 1 | -- | 5 | 33 | 48 | 39 |

**Table 8A.** -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1958--Continued

(Includes deaths of Illinois residents occurring outside the State)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| CHICAGO, all causes | 42,177 | 2,833 | 340 | 491 | 3,058 | 12,930 | 22,525 |
| White | 34,390 | 1,584 | 256 | 297 | 1,903 | 10,193 | 20,157 |
| Nonwhite | 7,787 | 1,249 | 84 | 194 | 1,155 | 2,737 | 2,368 |
| 1. Heart disease | 18,869 | 12 | 3 | 41 | 824 | 5,894 | 12,095 |
| White | 16,203 | 9 | 2 | 25 | 530 | 4,708 | 10,929 |
| Nonwhite | 2,666 | 3 | 1 | 16 | 294 | 1,186 | 1,166 |
| a. Arteriosclerotic | 14,082 | 2 | -- | 9 | 421 | 4,411 | 9,239 |
| White | 12,400 | -- | -- | 5 | 304 | 3,651 | 8,440 |
| Nonwhite | 1,682 | 2 | -- | 4 | 117 | 760 | 799 |
| b. Other | 4,787 | 10 | 3 | 32 | 403 | 1,483 | 2,856 |
| White | 3,803 | 9 | 2 | 20 | 226 | 1,057 | 2,489 |
| Nonwhite | 984 | 1 | 1 | 12 | 177 | 426 | 367 |
| 2. Cancer | 6,873 | 37 | 39 | 42 | 526 | 2,861 | 3,368 |
| White | 5,805 | 27 | 30 | 39 | 372 | 2,320 | 3,017 |
| Nonwhite | 1,068 | 10 | 9 | 3 | 154 | 541 | 351 |
| 3. Vascular lesions affecting central nervous system | 3,857 | 3 | 2 | 7 | 151 | 975 | 2,719 |
| White | 3,127 | 3 | 2 | 6 | 82 | 658 | 2,376 |
| Nonwhite | 730 | -- | -- | 1 | 69 | 317 | 343 |
| 4. Congenital malformations and diseases of early infancy | 1,866 | 1,809 | 18 | 9 | 12 | 14 | 4 |
| White | 1,105 | 1,057 | 13 | 9 | 11 | 11 | 4 |
| Nonwhite | 761 | 752 | 5 | -- | 1 | 3 | -- |
| 5. Accidents | 1,542 | 124 | 179 | 162 | 307 | 383 | 387 |
| White | 1,178 | 63 | 144 | 105 | 200 | 314 | 352 |
| Nonwhite | 364 | 61 | 35 | 57 | 107 | 69 | 35 |
| a. Motor vehicle | 509 | 23 | 43 | 78 | 126 | 117 | 122 |
| White | 398 | 17 | 30 | 62 | 89 | 87 | 113 |
| Nonwhite | 111 | 6 | 13 | 16 | 37 | 30 | 9 |
| b. Other | 1,033 | 101 | 136 | 84 | 181 | 266 | 265 |
| White | 780 | 46 | 114 | 43 | 111 | 227 | 239 |
| Nonwhite | 253 | 55 | 22 | 41 | 70 | 39 | 26 |
| 6. Pneumonia and influenza | 1,973 | 535 | 25 | 18 | 164 | 416 | 815 |
| White | 1,344 | 234 | 14 | 10 | 96 | 305 | 685 |
| Nonwhite | 629 | 301 | 11 | 8 | 68 | 111 | 130 |
| 7. General arteriosclerosis | 651 | -- | -- | -- | 3 | 63 | 585 |
| White | 592 | -- | -- | -- | 2 | 50 | 540 |
| Nonwhite | 59 | -- | -- | -- | 1 | 13 | 45 |
| 8. Diabetes mellitus | 647 | 2 | 4 | 6 | 37 | 231 | 367 |
| White | 555 | 2 | 3 | 4 | 26 | 187 | 333 |
| Nonwhite | 92 | -- | 1 | 2 | 11 | 44 | 34 |
| 9. Cirrhosis of liver | 704 | 4 | 1 | 3 | 123 | 411 | 162 |
| White | 623 | 3 | -- | 1 | 99 | 368 | 152 |
| Nonwhite | 81 | 1 | 1 | 2 | 24 | 43 | 10 |
| 10. Hypertension without mention of heart | 457 | -- | -- | 4 | 49 | 125 | 279 |
| White | 325 | -- | -- | 2 | 12 | 73 | 238 |
| Nonwhite | 132 | -- | -- | 2 | 37 | 52 | 41 |
| 11. Suicide | 351 | -- | -- | 28 | 98 | 146 | 79 |
| White | 318 | -- | -- | 22 | 87 | 135 | 74 |
| Nonwhite | 33 | -- | -- | 6 | 11 | 11 | 5 |
| 12. Nephritis not specified as acute, and renal sclerosis | 331 | 1 | 2 | 14 | 54 | 95 | 165 |
| White | 249 | -- | 2 | 10 | 27 | 66 | 144 |
| Nonwhite | 82 | 1 | -- | 4 | 27 | 29 | 21 |

Table 8A. -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1958--Continued

(Includes deaths of Illinois residents occurring outside the State)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| DOWNSTATE, all causes | 59,552 | 3,970 | 526 | 794 | 3,103 | 13,358 | 37,801 |
| White | 57,290 | 3,602 | 501 | 757 | 2,863 | 12,642 | 36,925 |
| Nonwhite | 2,262 | 368 | 25 | 37 | 240 | 716 | 876 |
| 1. Heart disease | 25,198 | 14 | 11 | 14 | 670 | 5,658 | 18,831 |
| White | 24,447 | 10 | 11 | 11 | 614 | 5,375 | 18,426 |
| Nonwhite | 751 | 4 | -- | 3 | 56 | 283 | 405 |
| a. Arteriosclerotic | 18,507 | -- | -- | 1 | 459 | 4,510 | 13,537 |
| White | 18,023 | -- | -- | 1 | 429 | 4,325 | 13,268 |
| Nonwhite | 484 | -- | -- | -- | 30 | 185 | 269 |
| b. Other | 6,691 | 14 | 11 | 13 | 211 | 1,148 | 5,294 |
| White | 6,424 | 10 | 11 | 10 | 185 | 1,050 | 5,158 |
| Nonwhite | 267 | 4 | -- | 3 | 26 | 98 | 136 |
| 2. Cancer | 9,268 | 81 | 70 | 66 | 667 | 3,278 | 5,106 |
| White | 8,993 | 78 | 69 | 64 | 639 | 3,146 | 4,997 |
| Nonwhite | 275 | 3 | 1 | 2 | 28 | 132 | 109 |
| 3. Vascular lesions affecting central nervous system | 7,192 | 5 | 6 | 12 | 128 | 1,025 | 6,016 |
| White | 6,951 | 5 | 6 | 12 | 106 | 945 | 5,877 |
| Nonwhite | 241 | -- | -- | -- | 22 | 80 | 139 |
| 4. Congenital malformations and diseases of early infancy | 2,886 | 2,744 | 47 | 21 | 34 | 28 | 12 |
| White | 2,658 | 2,522 | 45 | 21 | 32 | 26 | 12 |
| Nonwhite | 228 | 222 | 2 | -- | 2 | 2 | -- |
| 5. Accidents | 3,126 | 266 | 206 | 499 | 645 | 619 | 891 |
| White | 2,981 | 234 | 191 | 482 | 611 | 587 | 876 |
| Nonwhite | 145 | 32 | 15 | 17 | 34 | 32 | 15 |
| a. Motor vehicle | 1,478 | 73 | 98 | 360 | 398 | 310 | 239 |
| White | 1,412 | 67 | 92 | 350 | 374 | 297 | 232 |
| Nonwhite | 66 | 6 | 6 | 10 | 24 | 13 | 7 |
| b. Other | 1,648 | 193 | 108 | 139 | 247 | 309 | 652 |
| White | 1,569 | 167 | 99 | 132 | 237 | 290 | 644 |
| Nonwhite | 79 | 26 | 9 | 7 | 10 | 19 | 8 |
| 6. Pneumonia and influenza | 2,046 | 412 | 28 | 18 | 89 | 318 | 1,181 |
| White | 1,910 | 352 | 28 | 16 | 78 | 295 | 1,141 |
| Nonwhite | 136 | 60 | -- | 2 | 11 | 23 | 40 |
| 7. General arteriosclerosis | 1,311 | -- | -- | -- | -- | 50 | 1,261 |
| White | 1,261 | -- | -- | -- | -- | 41 | 1,220 |
| Nonwhite | 50 | -- | -- | -- | -- | 9 | 41 |
| 8. Diabetes mellitus | 876 | 4 | 5 | 10 | 54 | 214 | 589 |
| White | 839 | 4 | 5 | 10 | 50 | 199 | 571 |
| Nonwhite | 37 | -- | -- | -- | 4 | 15 | 18 |
| 9. Cirrhosis of liver | 498 | 1 | 2 | 5 | 79 | 219 | 192 |
| White | 482 | 1 | 2 | 4 | 76 | 209 | 190 |
| Nonwhite | 16 | -- | -- | 1 | 3 | 10 | 2 |
| 10. Hypertension without mention of heart | 614 | 1 | -- | 1 | 13 | 106 | 493 |
| White | 584 | 1 | -- | -- | 10 | 91 | 482 |
| Nonwhite | 30 | -- | -- | 1 | 3 | 15 | 11 |
| 11. Suicide | 673 | -- | 1 | 29 | 190 | 287 | 166 |
| White | 665 | -- | 1 | 28 | 186 | 285 | 165 |
| Nonwhite | 8 | -- | -- | 1 | 4 | 2 | 1 |
| 12. Nephritis not specified as acute, and renal sclerosis | 503 | 2 | 8 | 12 | 52 | 112 | 317 |
| White | 459 | 2 | 8 | 11 | 46 | 93 | 299 |
| Nonwhite | 44 | -- | -- | 1 | 6 | 19 | 18 |

**Table 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1958**

(Rates per 100,000 estimated midyear population in each specific group)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| ILLINOIS, all causes | 1,028.7 | 637.0 | 50.9 | 119.2 | 213.4 | 1,181.5 | 6,489.5 |
| White | 1,021.8 | 556.8 | 49.1 | 109.6 | 184.3 | 1,107.0 | 6,432.5 |
| Nonwhite | 1,096.2 | 1,183.7 | 69.1 | 198.5 | 462.5 | 2,128.9 | 7,687.2 |
| 1. Heart disease | 445.6 | 2.4 | 0.8 | 5.1 | 51.7 | 519.2 | 3,326.8 |
| White | 453.1 | 2.0 | 0.8 | 3.7 | 44.2 | 488.8 | 3,308.0 |
| Nonwhite | 372.8 | 5.1 | 0.6 | 16.3 | 116.0 | 905.7 | 3,722.7 |
| a. Arteriosclerotic | 329.5 | 0.2 | -0- | 0.9 | 30.5 | 400.9 | 2,450.1 |
| White | 339.1 | -0- | -0- | 0.6 | 28.3 | 386.7 | 2,446.2 |
| Nonwhite | 236.3 | 1.5 | -0- | 3.4 | 48.7 | 582.6 | 2,530.8 |
| b. Other | 116.1 | 2.2 | 0.8 | 4.2 | 21.3 | 118.2 | 876.7 |
| White | 114.0 | 2.0 | 0.8 | 3.1 | 15.9 | 102.1 | 861.7 |
| Nonwhite | 136.5 | 3.7 | 0.6 | 12.9 | 67.3 | 323.1 | 1,191.9 |
| 2. Cancer | 163.2 | 11.0 | 6.4 | 10.0 | 41.3 | 275.9 | 911.6 |
| White | 164.9 | 11.3 | 6.4 | 10.7 | 39.1 | 265.0 | 903.1 |
| Nonwhite | 146.5 | 9.5 | 6.3 | 4.3 | 60.3 | 414.9 | 1,090.0 |
| 3. Vascular lesions affecting central nervous system | 111.7 | 0.7 | 0.5 | 1.8 | 9.7 | 89.9 | 939.7 |
| White | 112.3 | 0.9 | 0.5 | 1.9 | 7.3 | 77.7 | 930.0 |
| Nonwhite | 105.9 | -0- | -0- | 0.9 | 30.2 | 244.8 | 1,142.2 |
| 4. Congenital malformations and diseases of early infancy | 48.1 | 426.3 | 3.8 | 2.8 | 1.6 | 1.9 | 1.7 |
| White | 41.9 | 384.3 | 3.8 | 3.1 | 1.7 | 1.8 | 1.8 |
| Nonwhite | 107.9 | 713.0 | 4.4 | -0- | 1.0 | 3.1 | -0- |
| 5. Accidents | 47.2 | 36.5 | 22.6 | 61.3 | 33.0 | 45.0 | 137.5 |
| White | 46.4 | 31.9 | 21.7 | 61.1 | 31.4 | 43.7 | 138.4 |
| Nonwhite | 55.5 | 68.1 | 31.7 | 63.6 | 46.8 | 62.3 | 118.5 |
| a. Motor vehicle | 20.1 | 9.0 | 8.3 | 40.6 | 18.1 | 19.2 | 38.8 |
| White | 20.2 | 9.0 | 7.9 | 42.8 | 17.9 | 18.6 | 38.9 |
| Nonwhite | 19.3 | 8.8 | 12.0 | 22.3 | 20.2 | 26.5 | 37.9 |
| b. Other | 27.1 | 27.5 | 14.3 | 20.7 | 14.8 | 25.8 | 98.6 |
| White | 26.2 | 22.9 | 13.8 | 18.2 | 13.5 | 25.1 | 99.5 |
| Nonwhite | 36.2 | 59.3 | 19.7 | 41.2 | 26.5 | 35.8 | 80.6 |
| 6. Pneumonia and influenza | 40.6 | 88.7 | 3.1 | 3.3 | 8.8 | 33.0 | 214.7 |
| White | 36.3 | 62.9 | 2.7 | 2.7 | 6.7 | 29.1 | 205.8 |
| Nonwhite | 83.5 | 264.3 | 7.0 | 8.6 | 26.2 | 82.6 | 402.8 |
| 7. General arteriosclerosis | 19.8 | -0- | -0- | -0- | 0.1 | 5.1 | 198.6 |
| White | 20.7 | -0- | -0- | -0- | 0.1 | 4.4 | 198.3 |
| Nonwhite | 11.9 | -0- | -0- | -0- | 0.3 | 13.6 | 203.8 |
| 8. Diabetes mellitus | 15.4 | 0.6 | 0.5 | 1.5 | 3.2 | 20.0 | 102.8 |
| White | 15.5 | 0.6 | 0.5 | 1.5 | 2.9 | 18.7 | 101.9 |
| Nonwhite | 14.1 | -0- | 0.6 | 1.7 | 5.0 | 36.4 | 123.2 |
| 9. Cirrhosis of liver | 12.2 | 0.5 | 0.2 | 0.7 | 7.0 | 28.3 | 38.1 |
| White | 12.3 | 0.4 | 0.1 | 0.5 | 6.8 | 28.0 | 38.5 |
| Nonwhite | 10.6 | 0.7 | 0.6 | 2.6 | 9.0 | 32.7 | 28.4 |
| 10. Hypertension without mention of heart | 10.8 | 0.1 | -0- | 0.5 | 2.1 | 10.4 | 83.0 |
| White | 10.1 | 0.1 | -0- | 0.2 | 0.9 | 8.0 | 81.1 |
| Nonwhite | 17.7 | -0- | -0- | 2.6 | 13.3 | 41.3 | 123.2 |
| 11. Suicide | 10.4 | -0- | 0.1 | 5.3 | 10.0 | 19.5 | 26.4 |
| White | 11.0 | -0- | 0.1 | 5.2 | 10.6 | 20.4 | 26.9 |
| Nonwhite | 4.5 | -0- | -0- | 6.0 | 5.0 | 8.0 | 14.2 |
| 12. Nephritis not specified as acute, and renal sclerosis | 8.4 | 0.3 | 0.6 | 2.4 | 3.7 | 9.3 | 51.9 |
| White | 7.9 | 0.2 | 0.6 | 2.2 | 2.8 | 7.7 | 49.9 |
| Nonwhite | 13.7 | 0.7 | -0- | 4.3 | 10.9 | 29.6 | 92.4 |

Table 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1958--Continued

(Rates per 100,000 estimated midyear population in each specific group)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| CHICAGO, all causes | 1,118.9 | 689.5 | 58.2 | 117.4 | 265.1 | 1,478.6 | 6,869.5 |
| White | 1,140.4 | 534.6 | 56.1 | 91.2 | 211.6 | 1,374.1 | 6,802.9 |
| Nonwhite | 1,032.9 | 1,089.9 | 65.5 | 209.3 | 454.5 | 2,062.5 | 7,493.7 |
| 1. Heart disease | 500.6 | 2.9 | 0.5 | 9.8 | 71.4 | 674.0 | 3,688.6 |
| White | 537.3 | 3.0 | 0.4 | 7.7 | 58.9 | 634.7 | 3,688.5 |
| Nonwhite | 353.6 | 2.6 | 0.8 | 17.3 | 115.7 | 893.7 | 3,689.9 |
| a. Arteriosclerotic | 373.6 | 0.5 | -0- | 2.2 | 36.5 | 504.4 | 2,817.6 |
| White | 411.2 | -0- | -0- | 1.5 | 33.8 | 492.2 | 2,848.5 |
| Nonwhite | 223.1 | 1.7 | -0- | 4.3 | 46.0 | 572.7 | 2,528.5 |
| b. Other | 127.0 | 2.4 | 0.5 | 7.6 | 34.9 | 169.6 | 871.0 |
| White | 126.1 | 3.0 | 0.4 | 6.1 | 25.1 | 142.5 | 840.0 |
| Nonwhite | 130.5 | 0.9 | 0.8 | 12.9 | 69.7 | 321.0 | 1,161.4 |
| 2. Cancer | 182.3 | 9.0 | 6.7 | 10.0 | 45.6 | 327.2 | 1,027.1 |
| White | 192.5 | 9.1 | 6.6 | 12.0 | 41.4 | 312.8 | 1,018.2 |
| Nonwhite | 141.7 | 8.7 | 7.0 | 3.2 | 60.6 | 407.7 | 1,110.8 |
| 3. Vascular lesions affecting central nervous system | 102.3 | 0.7 | 0.3 | 1.7 | 13.1 | 111.5 | 829.2 |
| White | 103.7 | 1.0 | 0.4 | 1.8 | 9.1 | 88.7 | 801.9 |
| Nonwhite | 96.8 | -0- | -0- | 1.1 | 27.2 | 238.9 | 1,085.4 |
| 4. Congenital malformations and diseases of early infancy | 49.5 | 440.3 | 3.1 | 2.2 | 1.0 | 1.6 | 1.2 |
| White | 36.6 | 356.7 | 2.9 | 2.8 | 1.2 | 1.5 | 1.3 |
| Nonwhite | 100.9 | 656.2 | 3.9 | -0- | 0.4 | 2.3 | -0- |
| 5. Accidents | 40.9 | 30.2 | 30.6 | 38.7 | 26.6 | 43.8 | 118.0 |
| White | 39.1 | 21.3 | 31.6 | 32.2 | 22.2 | 42.3 | 118.8 |
| Nonwhite | 48.3 | 53.2 | 27.3 | 61.5 | 42.1 | 52.0 | 110.8 |
| a. Motor vehicle | 13.5 | 5.6 | 7.4 | 18.6 | 10.9 | 13.4 | 37.2 |
| White | 13.2 | 5.7 | 6.6 | 19.0 | 9.9 | 11.7 | 38.1 |
| Nonwhite | 14.7 | 5.2 | 10.1 | 17.3 | 14.6 | 22.6 | 28.5 |
| b. Other | 27.4 | 24.6 | 23.3 | 20.1 | 15.7 | 30.4 | 80.8 |
| White | 25.9 | 15.5 | 25.0 | 13.2 | 12.3 | 30.6 | 80.7 |
| Nonwhite | 33.6 | 48.0 | 17.2 | 44.2 | 27.5 | 29.4 | 82.3 |
| 6. Pneumonia and influenza | 52.3 | 130.2 | 4.3 | 4.3 | 14.2 | 47.6 | 248.6 |
| White | 44.6 | 79.0 | 3.1 | 3.1 | 10.7 | 41.1 | 231.2 |
| Nonwhite | 83.4 | 262.7 | 8.6 | 8.6 | 26.8 | 83.6 | 411.4 |
| 7. General arteriosclerosis | 17.3 | -0- | -0- | -0- | 0.3 | 7.2 | 178.4 |
| White | 19.6 | -0- | -0- | -0- | 0.2 | 6.7 | 182.2 |
| Nonwhite | 7.8 | -0- | -0- | -0- | 0.4 | 9.8 | 142.4 |
| 8. Diabetes mellitus | 17.2 | 0.5 | 0.7 | 1.4 | 3.2 | 26.4 | 111.9 |
| White | 18.4 | 0.7 | 0.7 | 1.2 | 2.9 | 25.2 | 112.4 |
| Nonwhite | 12.2 | -0- | 0.8 | 2.2 | 4.3 | 33.2 | 107.6 |
| 9. Cirrhosis of liver | 18.7 | 1.0 | 0.2 | 0.7 | 10.7 | 47.0 | 49.4 |
| White | 20.7 | 1.0 | -0- | 0.3 | 11.0 | 49.6 | 51.3 |
| Nonwhite | 10.7 | 0.9 | 0.8 | 2.2 | 9.4 | 32.4 | 31.6 |
| 10. Hypertension without mention of heart | 12.1 | -0- | -0- | 1.0 | 4.2 | 14.3 | 85.1 |
| White | 10.8 | -0- | -0- | 0.6 | 1.3 | 9.8 | 80.3 |
| Nonwhite | 17.5 | -0- | -0- | 2.2 | 14.6 | 39.2 | 129.7 |
| 11. Suicide | 9.3 | -0- | -0- | 6.7 | 8.5 | 16.7 | 24.1 |
| White | 10.5 | -0- | -0- | 6.8 | 9.7 | 18.2 | 25.0 |
| Nonwhite | 4.4 | -0- | -0- | 6.5 | 4.3 | 8.3 | 15.8 |
| 12. Nephritis not specified as acute, and renal sclerosis | 8.8 | 0.2 | 0.3 | 3.3 | 4.7 | 10.9 | 50.3 |
| White | 8.3 | -0- | 0.4 | 3.1 | 3.0 | 8.9 | 48.6 |
| Nonwhite | 10.9 | 0.9 | -0- | 4.3 | 10.6 | 21.9 | 66.5 |

**Table 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1958--Continued**

(Rates per 100,000 estimated midyear population in each specific group)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| DOWNSTATE, all causes | 973.2 | 604.2 | 47.1 | 120.4 | 178.9 | 989.1 | 6,282.4 |
| White | 961.8 | 567.2 | 46.1 | 119.1 | 169.7 | 957.0 | 6,246.8 |
| Nonwhite | 1,389.4 | 1,672.7 | 84.7 | 156.1 | 505.3 | 2,427.1 | 8,264.2 |
| 1. Heart disease | 411.8 | 2.1 | 1.0 | 2.1 | 38.6 | 419.0 | 3,129.6 |
| White | 410.4 | 1.6 | 1.0 | 1.7 | 36.4 | 406.9 | 3,117.2 |
| Nonwhite | 461.3 | 18.2 | -0- | 12.7 | 117.9 | 959.3 | 3,820.8 |
| a. Arteriosclerotic | 302.4 | -0- | -0- | 0.2 | 26.5 | 334.0 | 2,249.8 |
| White | 302.6 | -0- | -0- | 0.2 | 25.4 | 327.4 | 2,244.6 |
| Nonwhite | 297.3 | -0- | -0- | -0- | 63.2 | 627.1 | 2,537.7 |
| b. Other | 109.3 | 2.1 | 1.0 | 2.0 | 12.2 | 85.0 | 879.8 |
| White | 107.8 | 1.6 | 1.0 | 1.6 | 11.0 | 79.5 | 872.6 |
| Nonwhite | 164.0 | 18.2 | -0- | 12.7 | 54.7 | 332.2 | 1,283.0 |
| 2. Cancer | 151.5 | 12.3 | 6.3 | 10.0 | 38.5 | 242.7 | 848.6 |
| White | 151.0 | 12.3 | 6.3 | 10.1 | 37.9 | 238.2 | 845.4 |
| Nonwhite | 168.9 | 13.6 | 3.4 | 8.4 | 58.9 | 447.5 | 1,028.3 |
| 3. Vascular lesions affecting central nervous system | 117.5 | 0.8 | 0.5 | 1.8 | 7.4 | 75.9 | 999.8 |
| White | 116.7 | 0.8 | 0.6 | 1.9 | 6.3 | 71.5 | 994.2 |
| Nonwhite | 148.0 | -0- | -0- | -0- | 46.3 | 271.2 | 1,311.3 |
| 4. Congenital malformations and diseases of early infancy | 47.2 | 417.6 | 4.2 | 3.2 | 2.0 | 2.1 | 2.0 |
| White | 44.6 | 397.1 | 4.1 | 3.3 | 1.9 | 2.0 | 2.0 |
| Nonwhite | 140.0 | 1,009.1 | 6.8 | -0- | 4.2 | 6.8 | -0- |
| 5. Accidents | 51.1 | 40.5 | 18.4 | 75.7 | 37.2 | 45.8 | 148.1 |
| White | 50.0 | 36.8 | 17.6 | 75.8 | 36.2 | 44.4 | 148.2 |
| Nonwhite | 89.1 | 145.5 | 50.8 | 71.7 | 71.6 | 108.5 | 141.5 |
| a. Motor vehicle | 24.2 | 11.1 | 8.8 | 54.6 | 23.0 | 23.0 | 39.7 |
| White | 23.7 | 10.5 | 8.5 | 55.0 | 22.2 | 22.5 | 39.2 |
| Nonwhite | 40.5 | 27.3 | 20.3 | 42.2 | 50.5 | 44.1 | 66.0 |
| b. Other | 26.9 | 29.4 | 9.7 | 21.1 | 14.2 | 22.9 | 108.4 |
| White | 26.3 | 26.3 | 9.1 | 20.8 | 14.1 | 22.0 | 108.9 |
| Nonwhite | 48.5 | 118.2 | 30.5 | 29.5 | 21.1 | 64.4 | 75.5 |
| 6. Pneumonia and influenza | 33.4 | 62.7 | 2.5 | 2.7 | 5.1 | 23.5 | 196.3 |
| White | 32.1 | 55.4 | 2.6 | 2.5 | 4.6 | 22.3 | 193.0 |
| Nonwhite | 83.5 | 272.7 | -0- | 8.4 | 23.2 | 78.0 | 377.4 |
| 7. General arteriosclerosis | 21.4 | -0- | -0- | -0- | -0- | 3.7 | 209.6 |
| White | 21.2 | -0- | -0- | -0- | -0- | 3.1 | 206.4 |
| Nonwhite | 30.7 | -0- | -0- | -0- | -0- | 30.5 | 386.8 |
| 8. Diabetes mellitus | 14.3 | 0.6 | 0.4 | 1.5 | 3.1 | 15.8 | 97.9 |
| White | 14.1 | 0.6 | 0.5 | 1.6 | 3.0 | 15.1 | 96.6 |
| Nonwhite | 22.7 | -0- | -0- | -0- | 8.4 | 50.8 | 169.8 |
| 9. Cirrhosis of liver | 8.1 | 0.2 | 0.2 | 0.8 | 4.6 | 16.2 | 31.9 |
| White | 8.1 | 0.2 | 0.2 | 0.6 | 4.5 | 15.8 | 32.1 |
| Nonwhite | 9.8 | -0- | -0- | 4.2 | 6.3 | 33.9 | 18.9 |
| 10. Hypertension without mention of heart | 10.0 | 0.2 | -0- | 0.2 | 0.7 | 7.8 | 81.9 |
| White | 9.8 | 0.2 | -0- | -0- | 0.6 | 6.9 | 81.5 |
| Nonwhite | 18.4 | -0- | -0- | 4.2 | 6.3 | 50.8 | 103.8 |
| 11. Suicide | 11.0 | -0- | 0.1 | 4.4 | 11.0 | 21.3 | 27.6 |
| White | 11.2 | -0- | 0.1 | 4.4 | 11.0 | 21.6 | 27.9 |
| Nonwhite | 4.9 | -0- | -0- | 4.2 | 8.4 | 6.8 | 9.4 |
| 12. Nephritis not specified as acute, and renal sclerosis | 8.2 | 0.3 | 0.7 | 1.8 | 3.0 | 8.3 | 52.7 |
| White | 7.7 | 0.3 | 0.7 | 1.7 | 2.7 | 7.0 | 50.6 |
| Nonwhite | 27.0 | -0- | -0- | 4.2 | 12.6 | 64.4 | 169.8 |

Table 9A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958

(Includes deaths of Illinois residents occurring outside the State)

| County | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| ILLINOIS . . . | 101,729 | 44,067 | 32,589 | 11,478 | 16,141 | 11,049 | 4,752 |
| Adams. . . . . | 939 | 368 | 281 | 87 | 140 | 139 | 32 |
| Alexander . . . . | 286 | 110 | 79 | 31 | 33 | 32 | 14 |
| Bond . . . . . | 187 | 86 | 49 | 37 | 30 | 26 | 4 |
| Boone . . . . . | 197 | 87 | 66 | 21 | 31 | 31 | 15 |
| Brown . . . . . | 77 | 34 | 24 | 10 | 11 | 14 | 1 |
| Bureau . . . . . | 427 | 195 | 143 | 52 | 71 | 50 | 16 |
| Calhoun . . . . . | 69 | 32 | 17 | 15 | 5 | 11 | 3 |
| Carroll . . . . . | 215 | 97 | 73 | 24 | 28 | 26 | 8 |
| Cass . . . . . | 220 | 90 | 69 | 21 | 39 | 37 | 7 |
| Champaign . . . . | 850 | 341 | 258 | 83 | 114 | 98 | 66 |
| Christian . . . . . | 435 | 186 | 150 | 36 | 74 | 52 | 18 |
| Clark . . . . . | 214 | 83 | 45 | 38 | 23 | 37 | 4 |
| Clay . . . . . | 194 | 91 | 54 | 37 | 23 | 20 | 4 |
| Clinton . . . . . | 239 | 106 | 71 | 35 | 38 | 25 | 9 |
| Coles . . . . . | 503 | 194 | 138 | 56 | 76 | 74 | 21 |
| Cook . . . . . | 52,885 | 23,456 | 17,505 | 5,951 | 8,734 | 4,927 | 2,512 |
| Crawford . . . . . | 238 | 108 | 80 | 28 | 27 | 29 | 7 |
| Cumberland . . . | 131 | 46 | 40 | 6 | 20 | 20 | 3 |
| De Kalb . . . . . | 503 | 218 | 169 | 49 | 71 | 71 | 16 |
| De Witt . . . . . | 218 | 94 | 56 | 38 | 32 | 39 | 12 |
| Douglas . . . . . | 224 | 110 | 65 | 45 | 27 | 22 | 8 |
| Du Page. . . . . | 1,916 | 752 | 534 | 218 | 330 | 200 | 118 |
| Edgar . . . . . | 290 | 111 | 89 | 22 | 50 | 51 | 7 |
| Edwards . . . . . | 95 | 42 | 28 | 14 | 11 | 16 | -- |
| Effingham . . . . | 220 | 95 | 59 | 36 | 27 | 22 | 12 |
| Fayette . . . . . | 239 | 91 | 64 | 27 | 29 | 38 | 7 |
| Ford . . . . . | 182 | 82 | 62 | 20 | 16 | 19 | 7 |
| Franklin . . . . . | 612 | 298 | 243 | 55 | 93 | 50 | 17 |
| Fulton . . . . . | 478 | 203 | 157 | 46 | 83 | 70 | 12 |
| Gallatin . . . . . | 116 | 49 | 25 | 24 | 16 | 20 | 4 |
| Greene . . . . . | 226 | 96 | 58 | 38 | 40 | 23 | 6 |
| Grundy . . . . . | 235 | 92 | 75 | 17 | 41 | 29 | 6 |
| Hamilton . . . . . | 130 | 59 | 38 | 21 | 11 | 23 | -- |
| Hancock. . . . . | 335 | 165 | 113 | 52 | 38 | 46 | 17 |
| Hardin. . . . . | 74 | 29 | 23 | 6 | 12 | 13 | 5 |
| Henderson . . . . | 77 | 42 | 29 | 13 | 5 | 9 | 2 |
| Henry . . . . . | 612 | 272 | 224 | 48 | 82 | 79 | 18 |
| Iroquois. . . . . | 400 | 179 | 129 | 50 | 52 | 48 | 14 |
| Jackson . . . . . | 473 | 180 | 131 | 49 | 61 | 78 | 23 |
| Jasper. . . . . | 134 | 64 | 44 | 20 | 29 | 10 | 2 |
| Jefferson . . . . . | 374 | 147 | 102 | 45 | 52 | 45 | 12 |
| Jersey. . . . . | 164 | 66 | 36 | 30 | 35 | 12 | 10 |
| Jo Daviess . . . . | 241 | 102 | 70 | 32 | 31 | 44 | 6 |
| Johnson . . . . . | 110 | 41 | 37 | 4 | 14 | 23 | 1 |
| Kane . . . . . | 1,871 | 765 | 562 | 203 | 270 | 262 | 104 |
| Kankakee . . . . . | 750 | 329 | 265 | 64 | 114 | 76 | 44 |
| Kendall . . . . . | 135 | 49 | 37 | 12 | 22 | 20 | 7 |
| Knox . . . . . | 681 | 309 | 260 | 49 | 109 | 95 | 20 |
| Lake . . . . . | 2,066 | 838 | 635 | 203 | 329 | 241 | 150 |
| La Salle. . . . . | 1,190 | 527 | 372 | 155 | 171 | 179 | 47 |
| Lawrence. . . . . | 250 | 96 | 59 | 37 | 33 | 36 | 8 |
| Lee. . . . . | 371 | 153 | 110 | 43 | 44 | 47 | 13 |

Table 9A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued

(Includes deaths of Illinois residents occurring outside the State)

| County | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Nephritis not specified as acute, and renal sclerosis |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| ILLINOIS | 4,668 | 1,987 | 2,681 | 4,019 | 1,962 | 1,523 | 1,202 | 1,071 | 1,024 | 834 |
| Adams | 36 | 19 | 17 | 33 | 39 | 14 | 7 | 13 | 10 | 7 |
| Alexander | 19 | 6 | 13 | 10 | 19 | -- | 1 | 3 | 1 | 7 |
| Bond | 6 | 6 | -- | 11 | 4 | 1 | 2 | 1 | -- | 1 |
| Boone | 9 | 2 | 7 | 6 | 1 | 1 | 1 | 1 | 1 | 1 |
| Brown | 3 | 2 | 1 | 3 | 1 | -- | -- | -- | 3 | 1 |
| Bureau | 26 | 10 | 16 | 6 | 9 | 7 | 3 | 2 | 2 | 8 |
| Calhoun | 3 | 1 | 2 | 3 | -- | -- | -- | -- | 2 | -- |
| Carroll | 13 | 9 | 4 | 7 | 7 | 5 | 1 | 4 | 2 | -- |
| Cass | 10 | 4 | 6 | 9 | 4 | 1 | -- | 5 | 4 | 1 |
| Champaign | 48 | 27 | 21 | 34 | 15 | 17 | 8 | 11 | 8 | 10 |
| Christian | 28 | 16 | 12 | 16 | 4 | 3 | 4 | 7 | 1 | 2 |
| Clark | 20 | 12 | 8 | 3 | 9 | 5 | 1 | 5 | 2 | 2 |
| Clay | 11 | 3 | 8 | 9 | 4 | 4 | 2 | -- | 3 | 2 |
| Clinton | 14 | 10 | 4 | 10 | 4 | 5 | 1 | 1 | -- | 2 |
| Coles | 24 | 12 | 12 | 14 | 6 | 7 | 1 | 6 | 8 | 22 |
| Cook | 2,007 | 736 | 1,271 | 2,348 | 816 | 835 | 818 | 550 | 482 | 403 |
| Crawford | 11 | 3 | 8 | 10 | 2 | 4 | 3 | 1 | 3 | 5 |
| Cumberland | 13 | 7 | 6 | 7 | -- | 2 | 1 | 2 | 2 | 2 |
| De Kalb | 21 | 10 | 11 | 22 | 11 | 7 | 5 | 5 | 5 | 9 |
| De Witt | 11 | 8 | 3 | 5 | 4 | 3 | -- | 1 | 2 | 5 |
| Douglas | 9 | 5 | 4 | 8 | 2 | 6 | 1 | 3 | 5 | 6 |
| Du Page | 113 | 56 | 57 | 88 | 35 | 25 | 21 | 17 | 15 | 9 |
| Edgar | 17 | 7 | 10 | 6 | 4 | 4 | 2 | 1 | 2 | 6 |
| Edwards | 6 | 3 | 3 | 2 | 4 | -- | -- | 1 | 2 | -- |
| Effingham | 20 | 14 | 6 | 9 | 3 | 6 | 2 | 2 | 2 | 4 |
| Fayette | 14 | 5 | 9 | 11 | 13 | 5 | 1 | 7 | 2 | 3 |
| Ford | 11 | 7 | 4 | 3 | 7 | 4 | 1 | 5 | 5 | 4 |
| Franklin | 22 | 8 | 14 | 17 | 22 | 7 | 7 | 5 | 9 | 6 |
| Fulton | 21 | 12 | 9 | 13 | 4 | 11 | 5 | 11 | 4 | 1 |
| Gallatin | 7 | 4 | 3 | 2 | 2 | 1 | 2 | -- | -- | 2 |
| Greene | 14 | 11 | 3 | 5 | 5 | 5 | 1 | 2 | 7 | 1 |
| Grundy | 19 | 14 | 5 | 4 | 7 | 2 | 5 | 1 | 1 | 2 |
| Hamilton | 5 | 3 | 2 | 3 | 6 | 1 | -- | 3 | 1 | 2 |
| Hancock | 13 | 7 | 6 | 11 | 12 | 3 | -- | 2 | 5 | 1 |
| Hardin | 4 | -- | 4 | 1 | -- | 1 | -- | -- | 1 | 1 |
| Henderson | 7 | 5 | 2 | 3 | 1 | 1 | 2 | 2 | 1 | -- |
| Henry | 33 | 13 | 20 | 28 | 18 | 16 | 6 | 10 | 6 | 4 |
| Iroquois | 31 | 16 | 15 | 10 | 10 | 5 | 1 | 7 | 3 | 4 |
| Jackson | 36 | 18 | 18 | 13 | 18 | 8 | 2 | 11 | 8 | 7 |
| Jasper | 6 | 2 | 4 | 2 | 4 | -- | 1 | 1 | 2 | 1 |
| Jefferson | 17 | 10 | 7 | 10 | 10 | 4 | 5 | 2 | 4 | 2 |
| Jersey | 6 | 3 | 3 | 2 | 4 | 1 | 1 | 2 | 2 | 2 |
| Jo Daviess | 15 | 7 | 8 | 8 | 5 | 3 | -- | 2 | 1 | -- |
| Johnson | 6 | 5 | 1 | 1 | 10 | -- | 1 | -- | 1 | 3 |
| Kane | 92 | 39 | 53 | 86 | 32 | 29 | 18 | 22 | 24 | 13 |
| Kankakee | 53 | 29 | 24 | 26 | 13 | 13 | 9 | 5 | 2 | 7 |
| Kendall | 10 | 5 | 5 | 6 | 2 | 3 | 1 | 2 | 1 | 3 |
| Knox | 29 | 17 | 12 | 22 | 16 | 9 | 3 | 8 | 6 | 1 |
| Lake | 116 | 66 | 50 | 78 | 24 | 15 | 22 | 19 | 33 | 6 |
| La Salle | 65 | 25 | 40 | 28 | 16 | 18 | 7 | 8 | 15 | 11 |
| Lawrence | 11 | 4 | 7 | 20 | 9 | 5 | -- | 2 | 2 | 5 |
| Lee | 27 | 15 | 12 | 16 | 16 | 8 | 1 | 4 | 6 | 1 |

Table 9A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued

(Includes deaths of Illinois residents occurring outside the State)

| County | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| Livingston | 412 | 167 | 134 | 33 | 68 | 64 | 13 |
| Logan | 294 | 138 | 100 | 38 | 35 | 33 | 14 |
| McDonough | 361 | 148 | 107 | 41 | 60 | 49 | 9 |
| McHenry | 747 | 311 | 233 | 78 | 130 | 78 | 40 |
| McLean | 879 | 382 | 317 | 65 | 138 | 134 | 41 |
| Macon | 1,145 | 466 | 343 | 123 | 186 | 133 | 68 |
| Macoupin | 601 | 275 | 201 | 74 | 76 | 81 | 26 |
| Madison | 1,831 | 731 | 456 | 275 | 299 | 217 | 118 |
| Marion | 501 | 206 | 147 | 59 | 77 | 60 | 25 |
| Marshall | 136 | 58 | 40 | 18 | 22 | 22 | 4 |
| Mason | 188 | 92 | 71 | 21 | 28 | 24 | 4 |
| Massac | 197 | 69 | 53 | 16 | 30 | 32 | 5 |
| Menard | 139 | 69 | 43 | 26 | 20 | 14 | 5 |
| Mercer | 171 | 81 | 61 | 20 | 28 | 19 | 2 |
| Monroe | 179 | 73 | 63 | 10 | 33 | 18 | 10 |
| Montgomery | 435 | 192 | 140 | 52 | 53 | 65 | 9 |
| Morgan | 386 | 190 | 141 | 49 | 42 | 46 | 11 |
| Moultrie | 189 | 101 | 82 | 19 | 21 | 24 | 7 |
| Ogle | 347 | 167 | 123 | 44 | 48 | 40 | 15 |
| Peoria | 1,862 | 740 | 562 | 178 | 327 | 222 | 79 |
| Perry | 261 | 122 | 102 | 20 | 28 | 31 | 9 |
| Piatt | 155 | 70 | 40 | 30 | 23 | 20 | 4 |
| Pike | 296 | 134 | 114 | 20 | 43 | 44 | 5 |
| Pope | 74 | 39 | 32 | 7 | 3 | 7 | 1 |
| Pulaski | 165 | 62 | 49 | 13 | 28 | 22 | 3 |
| Putnam | 54 | 23 | 18 | 5 | 8 | 11 | 1 |
| Randolph | 375 | 175 | 130 | 45 | 52 | 59 | 12 |
| Richland | 185 | 86 | 69 | 17 | 23 | 21 | 9 |
| Rock Island | 1,435 | 591 | 487 | 104 | 227 | 167 | 73 |
| St. Clair | 2,497 | 1,027 | 684 | 343 | 411 | 263 | 139 |
| Saline | 413 | 190 | 123 | 67 | 51 | 53 | 11 |
| Sangamon | 1,653 | 719 | 550 | 169 | 274 | 221 | 76 |
| Schuyler | 108 | 54 | 39 | 15 | 17 | 9 | 3 |
| Scott | 83 | 38 | 28 | 10 | 13 | 4 | 5 |
| Shelby | 281 | 108 | 63 | 45 | 44 | 46 | 9 |
| Stark | 113 | 56 | 42 | 14 | 18 | 13 | 4 |
| Stephenson | 527 | 246 | 163 | 83 | 76 | 47 | 24 |
| Tazewell | 687 | 266 | 198 | 68 | 119 | 74 | 39 |
| Union | 213 | 81 | 56 | 25 | 35 | 30 | 8 |
| Vermilion | 1,108 | 468 | 343 | 125 | 191 | 115 | 52 |
| Wabash | 180 | 70 | 47 | 23 | 39 | 24 | 2 |
| Warren | 260 | 141 | 97 | 44 | 30 | 36 | 5 |
| Washington | 194 | 79 | 52 | 27 | 19 | 36 | 2 |
| Wayne | 208 | 108 | 72 | 36 | 23 | 18 | 6 |
| White | 245 | 91 | 79 | 12 | 28 | 37 | 8 |
| Whiteside | 533 | 234 | 162 | 72 | 81 | 60 | 27 |
| Will | 1,588 | 649 | 426 | 223 | 237 | 172 | 101 |
| Williamson | 616 | 270 | 218 | 52 | 81 | 85 | 15 |
| Winnebago | 1,640 | 626 | 492 | 134 | 263 | 216 | 101 |
| Woodford | 234 | 108 | 84 | 24 | 38 | 26 | 11 |
| Unspecified place in Illinois | 50 | 25 | 11 | 14 | -- | 3 | 3 |

Table 9A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued

(Includes deaths of Illinois residents occurring outside the State)

| County | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Nephritis not specified as acute, and renal sclerosis |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| Livingston | 28 | 5 | 23 | 14 | 5 | 5 | 3 | 6 | 2 | -- |
| Logan | 14 | 5 | 9 | 11 | 15 | 2 | 2 | 5 | 4 | 3 |
| McDonough | 16 | 8 | 8 | 8 | 9 | 7 | -- | 6 | 4 | 3 |
| McHenry | 42 | 18 | 24 | 27 | 13 | 10 | 6 | 5 | 7 | 6 |
| McLean | 48 | 20 | 28 | 18 | 23 | 3 | 4 | 9 | 12 | 4 |
| Macon | 57 | 28 | 29 | 31 | 17 | 21 | 16 | 11 | 24 | 5 |
| Macoupin | 24 | 11 | 13 | 20 | 11 | 16 | 6 | 3 | 8 | 1 |
| Madison | 127 | 61 | 66 | 69 | 32 | 28 | 5 | 11 | 17 | 15 |
| Marion | 31 | 11 | 20 | 25 | 12 | 5 | 5 | 1 | 4 | 7 |
| Marshall | 5 | 2 | 3 | 4 | 3 | 1 | -- | -- | 4 | -- |
| Mason | 6 | 3 | 3 | 10 | 2 | 1 | 2 | 5 | 3 | 1 |
| Massac | 15 | 7 | 8 | 6 | 6 | 3 | 2 | -- | 2 | 1 |
| Menard | 5 | 4 | 1 | 6 | 1 | 2 | -- | 3 | -- | 3 |
| Mercer | 7 | 3 | 4 | 6 | 7 | 1 | 1 | 1 | 4 | 3 |
| Monroe | 13 | 6 | 7 | 6 | 8 | 1 | 1 | 1 | 1 | 1 |
| Montgomery | 32 | 17 | 15 | 18 | 7 | 8 | 2 | 4 | 6 | -- |
| Morgan | 14 | 3 | 11 | 11 | 22 | 4 | 5 | 7 | 5 | 3 |
| Moultrie | 11 | 5 | 6 | 3 | 3 | 2 | -- | 2 | -- | 2 |
| Ogle | 17 | 6 | 11 | 11 | 5 | 9 | 2 | 1 | 6 | 4 |
| Peoria | 91 | 51 | 40 | 69 | 75 | 24 | 22 | 20 | 21 | 8 |
| Perry | 18 | 8 | 10 | 9 | 10 | 2 | 2 | 5 | 3 | 3 |
| Piatt | 7 | 3 | 4 | 7 | 7 | 3 | -- | -- | 1 | 3 |
| Pike | 22 | 10 | 12 | 5 | 4 | 2 | 2 | 6 | 5 | 1 |
| Pope | 12 | 1 | 11 | 1 | 1 | 1 | -- | 1 | 2 | -- |
| Pulaski | 7 | 3 | 4 | 3 | 6 | 4 | 3 | 2 | 4 | 3 |
| Putnam | 4 | 4 | -- | -- | 1 | 1 | -- | 1 | 2 | -- |
| Randolph | 20 | 4 | 16 | 8 | 9 | 6 | 2 | 3 | 1 | 2 |
| Richland | 10 | 3 | 7 | 4 | 7 | -- | 1 | 5 | 1 | -- |
| Rock Island | 92 | 41 | 51 | 44 | 50 | 24 | 13 | 19 | 17 | 12 |
| St. Clair | 138 | 62 | 76 | 80 | 31 | 28 | 28 | 21 | 26 | 32 |
| Saline | 20 | 10 | 10 | 8 | 12 | 10 | 8 | 2 | 1 | 5 |
| Sangamon | 63 | 24 | 39 | 43 | 29 | 20 | 11 | 13 | 19 | 7 |
| Schuyler | 9 | 2 | 7 | 2 | 2 | 1 | 1 | 2 | 1 | 1 |
| Scott | 6 | 3 | 3 | 5 | 2 | 1 | -- | 1 | -- | 1 |
| Shelby | 19 | 7 | 12 | 4 | 4 | 3 | 1 | 9 | 3 | 9 |
| Stark | 6 | -- | 6 | 5 | 4 | -- | -- | -- | -- | 1 |
| Stephenson | 22 | 9 | 13 | 21 | 7 | 10 | 3 | 5 | 9 | 9 |
| Tazewell | 37 | 17 | 20 | 28 | 17 | 15 | 1 | 14 | 6 | 5 |
| Union | 4 | 3 | 1 | 6 | 15 | 6 | 2 | 1 | -- | 1 |
| Vermilion | 44 | 15 | 29 | 38 | 19 | 16 | 7 | 14 | 8 | 21 |
| Wabash | 7 | 3 | 4 | 11 | 4 | 1 | -- | -- | 3 | 2 |
| Warren | 11 | 4 | 7 | 6 | 2 | 1 | 3 | 6 | 3 | 2 |
| Washington | 11 | 2 | 9 | 19 | 6 | 4 | 1 | 5 | 1 | 1 |
| Wayne | 10 | 4 | 6 | 8 | 5 | 5 | 3 | -- | 3 | 1 |
| White | 21 | 7 | 14 | 5 | 18 | 7 | 1 | 1 | 1 | 1 |
| Whiteside | 29 | 15 | 14 | 14 | 19 | 5 | 1 | 8 | 2 | 3 |
| Will | 92 | 43 | 49 | 60 | 38 | 26 | 19 | 13 | 14 | 11 |
| Williamson | 28 | 12 | 16 | 11 | 27 | 5 | 8 | 11 | 7 | 5 |
| Winnebago | 88 | 49 | 39 | 81 | 22 | 20 | 9 | 15 | 25 | 12 |
| Woodford | 11 | 7 | 4 | 2 | 15 | 3 | 1 | 2 | 1 | 2 |
| Unspecified place in Illinois | 10 | 1 | 9 | -- | -- | -- | -- | -- | 2 | -- |

Table 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF ILLINOIS COUNTIES: 1958

(Rates per 100,000 estimated midyear population)

| County | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| ILLINOIS | 1,028.7 | 445.6 | 329.5 | 116.1 | 163.2 | 111.7 | 48.1 |
| Adams | 1,429.2 | 560.1 | 427.7 | 132.4 | 213.1 | 211.6 | 48.7 |
| Alexander | 1,408.9 | 541.9 | 389.2 | 152.7 | 162.6 | 157.6 | 69.0 |
| Bond | 1,416.7 | 651.5 | 371.2 | 280.3 | 227.3 | 197.0 | 30.3 |
| Boone | 1,047.9 | 462.8 | 351.1 | 111.7 | 164.9 | 164.9 | 79.8 |
| Brown | 1,084.5 | 478.9 | 338.0 | 140.8 | 154.9 | 197.2 | 14.1 |
| Bureau | 1,031.4 | 471.0 | 345.4 | 125.6 | 171.5 | 120.8 | 38.6 |
| Calhoun | 985.7 | 457.1 | 242.9 | 214.3 | 71.4 | 157.1 | 42.9 |
| Carroll | 1,119.8 | 505.2 | 380.2 | 125.0 | 145.8 | 135.4 | 41.7 |
| Cass | 1,517.2 | 620.7 | 475.9 | 144.8 | 269.0 | 255.2 | 48.3 |
| Champaign | 695.0 | 278.8 | 211.0 | 67.9 | 93.2 | 80.1 | 54.0 |
| Christian | 1,109.7 | 474.5 | 382.7 | 91.8 | 188.8 | 132.7 | 45.9 |
| Clark | 1,229.9 | 477.0 | 258.6 | 218.4 | 132.2 | 212.6 | 23.0 |
| Clay | 1,089.9 | 511.2 | 303.4 | 207.9 | 129.2 | 112.4 | 22.5 |
| Clinton | 1,039.1 | 460.9 | 308.7 | 152.2 | 165.2 | 108.7 | 39.1 |
| Coles | 1,178.0 | 454.3 | 323.2 | 131.1 | 178.0 | 173.3 | 49.2 |
| Cook | 1,036.7 | 459.8 | 343.2 | 116.7 | 171.2 | 96.6 | 49.2 |
| Crawford | 1,117.4 | 507.0 | 375.6 | 131.5 | 126.8 | 136.2 | 32.9 |
| Cumberland | 1,247.6 | 438.1 | 381.0 | 57.1 | 190.5 | 190.5 | 28.6 |
| De Kalb | 1,088.7 | 471.9 | 365.8 | 106.1 | 153.7 | 153.7 | 34.6 |
| De Witt | 1,267.4 | 546.5 | 325.6 | 220.9 | 186.0 | 226.7 | 69.8 |
| Douglas | 1,131.3 | 555.6 | 328.3 | 227.3 | 136.4 | 111.1 | 40.4 |
| Du Page | 752.6 | 295.4 | 209.7 | 85.6 | 129.6 | 78.6 | 46.3 |
| Edgar | 1,234.0 | 472.3 | 378.7 | 93.6 | 212.8 | 217.0 | 29.8 |
| Edwards | 1,000.0 | 442.1 | 294.7 | 147.4 | 115.8 | 168.4 | -0- |
| Effingham | 1,000.0 | 431.8 | 268.2 | 163.6 | 122.7 | 100.0 | 54.5 |
| Fayette | 971.5 | 369.9 | 260.2 | 109.8 | 117.9 | 154.5 | 28.5 |
| Ford | 1,123.5 | 506.2 | 382.7 | 123.5 | 98.8 | 117.3 | 43.2 |
| Franklin | 1,423.3 | 693.0 | 565.1 | 127.9 | 216.3 | 116.3 | 39.5 |
| Fulton | 1,041.4 | 442.3 | 342.0 | 100.2 | 180.8 | 152.5 | 26.1 |
| Gallatin | 1,450.0 | 612.5 | 312.5 | 300.0 | 200.0 | 250.0 | 50.0 |
| Greene | 1,189.5 | 505.3 | 305.3 | 200.0 | 210.5 | 121.1 | 31.6 |
| Grundy | 971.1 | 380.2 | 309.9 | 70.2 | 169.4 | 119.8 | 24.8 |
| Hamilton | 1,181.8 | 536.4 | 345.5 | 190.9 | 100.0 | 209.1 | -0- |
| Hancock | 1,254.7 | 618.0 | 423.2 | 194.8 | 142.3 | 172.3 | 63.7 |
| Hardin | 1,193.5 | 467.7 | 371.0 | 96.8 | 193.5 | 209.7 | 80.6 |
| Henderson | 916.7 | 500.0 | 345.2 | 154.8 | 59.5 | 107.1 | 23.8 |
| Henry | 1,226.5 | 545.1 | 448.9 | 96.2 | 164.3 | 158.3 | 36.1 |
| Iroquois | 1,101.9 | 493.1 | 355.4 | 137.7 | 143.3 | 132.2 | 38.6 |
| Jackson | 1,215.9 | 462.7 | 336.8 | 126.0 | 156.8 | 200.5 | 59.1 |
| Jasper | 1,080.6 | 516.1 | 354.8 | 161.3 | 233.9 | 80.6 | 16.1 |
| Jefferson | 1,019.1 | 400.5 | 277.9 | 122.6 | 141.7 | 122.6 | 32.7 |
| Jersey | 953.5 | 383.7 | 209.3 | 174.4 | 203.5 | 69.8 | 58.1 |
| Jo Daviess | 1,105.5 | 467.9 | 321.1 | 146.8 | 142.2 | 201.8 | 27.5 |
| Johnson | 1,294.1 | 482.4 | 435.3 | 47.1 | 164.7 | 270.6 | 11.8 |
| Kane | 1,033.7 | 422.7 | 310.5 | 112.2 | 149.2 | 144.8 | 57.5 |
| Kankakee | 738.2 | 323.8 | 260.8 | 63.0 | 112.2 | 74.8 | 43.3 |
| Kendall | 937.5 | 340.3 | 256.9 | 83.3 | 152.8 | 138.9 | 48.6 |
| Knox | 1,205.3 | 546.9 | 460.2 | 86.7 | 192.9 | 168.1 | 35.4 |
| Lake | 804.8 | 326.5 | 247.4 | 79.1 | 128.2 | 93.9 | 58.4 |
| La Salle | 1,053.1 | 466.4 | 329.2 | 137.2 | 151.3 | 158.4 | 41.6 |
| Lawrence | 1,308.9 | 502.6 | 308.9 | 193.7 | 172.8 | 188.5 | 41.9 |
| Lee | 1,005.4 | 414.6 | 298.1 | 116.5 | 119.2 | 127.4 | 35.2 |

**Table 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued**

(Rates per 100,000 estimated midyear population)

| County | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Nephritis not specified as acute, and renal sclerosis |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| ILLINOIS. . . | 47.2 | 20.1 | 27.1 | 40.6 | 19.8 | 15.4 | 12.2 | 10.8 | 10.4 | 8.4 |
| Adams . . . . . | 54.8 | 28.9 | 25.9 | 50.2 | 59.4 | 21.3 | 10.7 | 19.8 | 15.2 | 10.7 |
| Alexander . . . . . | 93.6 | 29.6 | 64.0 | 49.3 | 93.6 | -0- | 4.9 | 14.8 | 4.9 | 34.5 |
| Bond. . . . . | 45.5 | 45.5 | -0- | 83.3 | 30.3 | 7.6 | 15.2 | 7.6 | -0- | 7.6 |
| Boone. . . . . | 47.9 | 10.6 | 37.2 | 31.9 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 |
| Brown . . . . . | 42.3 | 28.2 | 14.1 | 42.3 | 14.1 | -0- | -0- | -0- | 42.3 | 14.1 |
| Bureau . . . . . | 62.8 | 24.2 | 38.6 | 14.5 | 21.7 | 16.9 | 7.2 | 4.8 | 4.8 | 19.3 |
| Calhoun . . . . . | 42.9 | 14.3 | 28.6 | 42.9 | -0- | -0- | -0- | -0- | 28.6 | -0- |
| Carroll. . . . . | 67.7 | 46.9 | 20.8 | 36.5 | 36.5 | 26.0 | 5.2 | 20.8 | 10.4 | -0- |
| Cass. . . . . | 69.0 | 27.6 | 41.4 | 62.1 | 27.6 | 6.9 | -0- | 34.5 | 27.6 | 6.9 |
| Champaign . . . . | 39.2 | 22.1 | 17.2 | 27.8 | 12.3 | 13.9 | 6.5 | 9.0 | 6.5 | 8.2 |
| Christian . . . . . | 71.4 | 40.8 | 30.6 | 40.8 | 10.2 | 7.7 | 10.2 | 17.9 | 2.6 | 5.1 |
| Clark . . . . . | 114.9 | 69.0 | 46.0 | 17.2 | 51.7 | 28.7 | 5.7 | 28.7 | 11.5 | 11.5 |
| Clay . . . . . | 61.8 | 16.9 | 44.9 | 50.6 | 22.5 | 22.5 | 11.2 | -0- | 16.9 | 11.2 |
| Clinton . . . . . | 60.9 | 43.5 | 17.4 | 43.5 | 17.4 | 21.7 | 4.3 | 4.3 | -0- | 8.7 |
| Coles . . . . . | 56.2 | 28.1 | 28.1 | 32.8 | 14.1 | 16.4 | 2.3 | 14.1 | 18.7 | 51.5 |
| Cook . . . . . | 39.3 | 14.4 | 24.9 | 46.0 | 16.0 | 16.4 | 16.0 | 10.8 | 9.4 | 7.9 |
| Crawford . . . . . | 51.6 | 14.1 | 37.6 | 46.9 | 9.4 | 18.8 | 14.1 | 4.7 | 14.1 | 23.5 |
| Cumberland. . . . | 123.8 | 66.7 | 57.1 | 66.7 | -0- | 19.0 | 9.5 | 19.0 | 19.0 | 19.0 |
| De Kalb. . . . . | 45.5 | 21.6 | 23.8 | 47.6 | 23.8 | 15.2 | 10.8 | 10.8 | 10.8 | 19.5 |
| De Witt. . . . . | 64.0 | 46.5 | 17.4 | 29.1 | 23.3 | 17.4 | -0- | 5.8 | 11.6 | 29.1 |
| Douglas . . . . . | 45.5 | 25.3 | 20.2 | 40.4 | 10.1 | 30.3 | 5.1 | 15.2 | 25.3 | 30.3 |
| Du Page . . . . . | 44.4 | 22.0 | 22.4 | 34.6 | 13.7 | 9.8 | 8.2 | 6.7 | 5.9 | 3.5 |
| Edgar. . . . . | 72.3 | 29.8 | 42.6 | 25.5 | 17.0 | 17.0 | 8.5 | 4.3 | 8.5 | 25.5 |
| Edwards . . . . . | 63.2 | 31.6 | 31.6 | 21.1 | 42.1 | -0- | -0- | 10.5 | 21.1 | -0- |
| Effingham . . . . . | 90.9 | 63.6 | 27.3 | 40.9 | 13.6 | 27.3 | 9.1 | 9.1 | 9.1 | 18.2 |
| Fayette. . . . . | 56.9 | 20.3 | 36.6 | 44.7 | 52.8 | 20.3 | 4.1 | 28.5 | 8.1 | 12.2 |
| Ford. . . . . | 67.9 | 43.2 | 24.7 | 18.5 | 43.2 | 24.7 | 6.2 | 30.9 | 30.9 | 24.7 |
| Franklin . . . . . | 51.2 | 18.6 | 32.6 | 39.5 | 51.2 | 16.3 | 16.3 | 11.6 | 20.9 | 14.0 |
| Fulton . . . . . | 45.8 | 26.1 | 19.6 | 28.3 | 8.7 | 24.0 | 10.9 | 24.0 | 8.7 | 2.2 |
| Gallatin . . . . . | 87.5 | 50.0 | 37.5 | 25.0 | 25.0 | 12.5 | 25.0 | -0- | -0- | 25.0 |
| Greene . . . . . | 73.7 | 57.9 | 15.8 | 26.3 | 26.3 | 26.3 | 5.3 | 10.5 | 36.8 | 5.3 |
| Grundy . . . . . | 78.5 | 57.9 | 20.7 | 16.5 | 28.9 | 8.3 | 20.7 | 4.1 | 4.1 | 8.3 |
| Hamilton. . . . . | 45.5 | 27.3 | 18.2 | 27.3 | 54.5 | 9.1 | -0- | 27.3 | 9.1 | 18.2 |
| Hancock . . . . . | 48.7 | 26.2 | 22.5 | 41.2 | 44.9 | 11.2 | -0- | 7.5 | 18.7 | 3.7 |
| Hardin . . . . . | 64.5 | -0- | 64.5 | 16.1 | -0- | 16.1 | -0- | -0- | 16.1 | 16.1 |
| Henderson. . . . . | 83.3 | 59.5 | 23.8 | 35.7 | 11.9 | 11.9 | 23.8 | 23.8 | 11.9 | -0- |
| Henry. . . . . | 66.1 | 26.1 | 40.1 | 56.1 | 36.1 | 32.1 | 12.0 | 20.0 | 12.0 | 8.0 |
| Iroquois . . . . . | 85.4 | 44.1 | 41.3 | 27.5 | 27.5 | 13.8 | 2.8 | 19.3 | 8.3 | 11.0 |
| Jackson . . . . . | 92.5 | 46.3 | 46.3 | 33.4 | 46.3 | 20.6 | 5.1 | 28.3 | 20.6 | 18.0 |
| Jasper . . . . . | 48.4 | 16.1 | 32.3 | 16.1 | 32.3 | -0- | 8.1 | 8.1 | 16.1 | 8.1 |
| Jefferson . . . . . | 46.3 | 27.2 | 19.1 | 27.2 | 27.2 | 10.9 | 13.6 | 5.4 | 10.9 | 5.4 |
| Jersey . . . . . | 34.9 | 17.4 | 17.4 | 11.6 | 23.3 | 5.8 | 5.8 | 11.6 | 11.6 | 11.6 |
| Jo Daviess . . . . | 68.8 | 32.1 | 36.7 | 36.7 | 22.9 | 13.8 | -0- | 9.2 | 4.6 | -0- |
| Johnson . . . . . | 70.6 | 58.8 | 11.8 | 11.8 | 117.6 | -0- | 11.8 | -0- | 11.8 | 35.3 |
| Kane. . . . . | 50.8 | 21.5 | 29.3 | 47.5 | 17.7 | 16.0 | 9.9 | 12.2 | 13.3 | 7.2 |
| Kankakee . . . . . | 52.2 | 28.5 | 23.6 | 25.6 | 12.8 | 12.8 | 8.9 | 4.9 | 2.0 | 6.9 |
| Kendall. . . . . | 69.4 | 34.7 | 34.7 | 41.7 | 13.9 | 20.8 | 6.9 | 13.9 | 6.9 | 20.8 |
| Knox . . . . . | 51.3 | 30.1 | 21.2 | 38.9 | 28.3 | 15.9 | 5.3 | 14.2 | 10.6 | 1.8 |
| Lake. . . . . | 45.2 | 25.7 | 19.5 | 30.4 | 9.3 | 5.8 | 8.6 | 7.4 | 12.9 | 2.3 |
| La Salle . . . . . | 57.5 | 22.1 | 35.4 | 24.8 | 14.2 | 15.9 | 6.2 | 7.1 | 13.3 | 9.7 |
| Lawrence . . . . . | 57.6 | 20.9 | 36.6 | 104.7 | 47.1 | 26.2 | -0- | 10.5 | 10.5 | 26.2 |
| Lee . . . . . | 73.2 | 40.7 | 32.5 | 43.4 | 43.4 | 21.7 | 2.7 | 10.8 | 16.3 | 2.7 |

**Table 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued**

(Rates per 100,000 estimated midyear population)

| County | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| Livingston | 1,078.5 | 437.2 | 350.8 | 86.4 | 178.0 | 167.5 | 34.0 |
| Logan | 942.3 | 442.3 | 320.5 | 121.8 | 112.2 | 105.8 | 44.9 |
| McDonough | 1,253.5 | 513.9 | 371.5 | 142.4 | 208.3 | 170.1 | 31.2 |
| McHenry | 1,056.6 | 439.9 | 329.6 | 110.3 | 183.9 | 110.3 | 56.6 |
| McLean | 981.0 | 426.3 | 353.8 | 72.5 | 154.0 | 149.6 | 45.8 |
| Macon | 1,038.1 | 422.5 | 311.0 | 111.5 | 168.6 | 120.6 | 61.7 |
| Macoupin | 1,384.8 | 633.6 | 463.1 | 170.5 | 175.1 | 186.6 | 59.9 |
| Madison | 819.2 | 327.1 | 204.0 | 123.0 | 133.8 | 97.1 | 52.8 |
| Marion | 1,252.5 | 515.0 | 367.5 | 147.5 | 192.5 | 150.0 | 62.5 |
| Marshall | 1,014.9 | 432.8 | 298.5 | 134.3 | 164.2 | 164.2 | 29.9 |
| Mason | 1,189.9 | 582.3 | 449.4 | 132.9 | 177.2 | 151.9 | 25.3 |
| Massac | 1,172.6 | 410.7 | 315.5 | 95.2 | 178.6 | 190.5 | 29.8 |
| Menard | 1,447.9 | 718.7 | 447.9 | 270.8 | 208.3 | 145.8 | 52.1 |
| Mercer | 950.0 | 450.0 | 338.9 | 111.1 | 155.6 | 105.6 | 11.1 |
| Monroe | 1,169.9 | 477.1 | 411.8 | 65.4 | 215.7 | 117.6 | 65.4 |
| Montgomery | 1,372.2 | 605.7 | 441.6 | 164.0 | 167.2 | 205.0 | 28.4 |
| Morgan | 1,015.8 | 500.0 | 371.1 | 128.9 | 110.5 | 121.1 | 28.9 |
| Moultrie | 1,410.4 | 753.7 | 611.9 | 141.8 | 156.7 | 179.1 | 52.2 |
| Ogle | 932.8 | 448.9 | 330.6 | 118.3 | 129.0 | 107.5 | 40.3 |
| Peoria | 1,005.9 | 399.8 | 303.6 | 96.2 | 176.7 | 119.9 | 42.7 |
| Perry | 1,214.0 | 567.4 | 474.4 | 93.0 | 130.2 | 144.2 | 41.9 |
| Piatt | 939.4 | 424.2 | 242.4 | 181.8 | 139.4 | 121.2 | 24.2 |
| Pike | 1,333.3 | 603.6 | 513.5 | 90.1 | 193.7 | 198.2 | 22.5 |
| Pope | 1,396.2 | 735.8 | 603.8 | 132.1 | 56.6 | 132.1 | 18.9 |
| Pulaski | 1,375.0 | 516.7 | 408.3 | 108.3 | 233.3 | 183.3 | 25.0 |
| Putnam | 1,200.0 | 511.1 | 400.0 | 111.1 | 177.8 | 244.4 | 22.2 |
| Randolph | 1,190.5 | 555.6 | 412.7 | 142.9 | 165.1 | 187.3 | 38.1 |
| Richland | 1,094.7 | 508.9 | 408.3 | 100.6 | 136.1 | 124.3 | 53.3 |
| Rock Island | 948.4 | 390.6 | 321.9 | 68.7 | 150.0 | 110.4 | 48.2 |
| St. Clair | 989.3 | 406.9 | 271.0 | 135.9 | 162.8 | 104.2 | 55.1 |
| Saline | 1,507.3 | 693.4 | 448.9 | 244.5 | 186.1 | 193.4 | 40.1 |
| Sangamon | 1,170.7 | 509.2 | 389.5 | 119.7 | 194.1 | 156.5 | 53.8 |
| Schuyler | 1,148.9 | 574.5 | 414.9 | 159.6 | 180.9 | 95.7 | 31.9 |
| Scott | 1,185.7 | 542.9 | 400.0 | 142.9 | 185.7 | 57.1 | 71.4 |
| Shelby | 1,142.3 | 439.0 | 256.1 | 182.9 | 178.9 | 187.0 | 36.6 |
| Stark | 1,412.5 | 700.0 | 525.0 | 175.0 | 225.0 | 162.5 | 50.0 |
| Stephenson | 1,118.9 | 522.3 | 346.1 | 176.2 | 161.4 | 99.8 | 51.0 |
| Tazewell | 788.7 | 305.4 | 227.3 | 78.1 | 136.6 | 85.0 | 44.8 |
| Union | 1,145.2 | 435.5 | 301.1 | 134.4 | 188.2 | 161.3 | 43.0 |
| Vermilion | 1,171.2 | 494.7 | 362.6 | 132.1 | 201.9 | 121.6 | 55.0 |
| Wabash | 1,353.4 | 526.3 | 353.4 | 172.9 | 293.2 | 180.5 | 15.0 |
| Warren | 1,044.2 | 566.3 | 389.6 | 176.7 | 120.5 | 144.6 | 20.1 |
| Washington | 1,337.9 | 544.8 | 358.6 | 186.2 | 131.0 | 248.3 | 13.8 |
| Wayne | 1,055.8 | 548.2 | 365.5 | 182.7 | 116.8 | 91.4 | 30.5 |
| White | 1,166.7 | 433.3 | 376.2 | 57.1 | 133.3 | 176.2 | 38.1 |
| Whiteside | 1,003.8 | 440.7 | 305.1 | 135.6 | 152.5 | 113.0 | 50.8 |
| Will | 902.3 | 368.7 | 242.0 | 126.7 | 134.7 | 97.7 | 57.4 |
| Williamson | 1,446.0 | 633.8 | 511.7 | 122.1 | 190.1 | 199.5 | 35.2 |
| Winnebago | 824.9 | 314.9 | 247.5 | 67.4 | 132.3 | 108.7 | 50.8 |
| Woodford | 883.0 | 407.5 | 317.0 | 90.6 | 143.4 | 98.1 | 41.5 |

Table 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF ILLINOIS COUNTIES: 1958--Continued

(Rates per 100,000 estimated midyear population)

| County | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Nephritis not specified as acute, and renal sclerosis |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| Livingston | 73.3 | 13.1 | 60.2 | 36.6 | 13.1 | 13.1 | 7.9 | 15.7 | 5.2 | -0- |
| Logan | 44.9 | 16.0 | 28.8 | 35.3 | 48.1 | 6.4 | 6.4 | 16.0 | 12.8 | 9.6 |
| McDonough | 55.6 | 27.8 | 27.8 | 27.8 | 31.2 | 24.3 | -0- | 20.8 | 13.9 | 10.4 |
| McHenry | 59.4 | 25.5 | 33.9 | 38.2 | 18.4 | 14.1 | 8.5 | 7.1 | 9.9 | 8.5 |
| McLean | 53.6 | 22.3 | 31.2 | 20.1 | 25.7 | 3.3 | 4.5 | 10.0 | 13.4 | 4.5 |
| Macon | 51.7 | 25.4 | 26.3 | 28.1 | 15.4 | 19.0 | 14.5 | 10.0 | 21.8 | 4.5 |
| Macoupin | 55.3 | 25.3 | 30.0 | 46.1 | 25.3 | 36.9 | 13.8 | 6.9 | 18.4 | 2.3 |
| Madison | 56.8 | 27.3 | 29.5 | 30.9 | 14.3 | 12.5 | 2.2 | 4.9 | 7.6 | 6.7 |
| Marion | 77.5 | 27.5 | 50.0 | 62.5 | 30.0 | 12.5 | 12.5 | 2.5 | 10.0 | 17.5 |
| Marshall | 37.3 | 14.9 | 22.4 | 29.9 | 22.4 | 7.5 | -0- | -0- | 29.9 | -0- |
| Mason | 38.0 | 19.0 | 19.0 | 63.3 | 12.7 | 6.3 | 12.7 | 31.6 | 19.0 | 6.3 |
| Massac | 89.3 | 41.7 | 47.6 | 35.7 | 35.7 | 17.9 | 11.9 | -0- | 11.9 | 6.0 |
| Menard | 52.1 | 41.7 | 10.4 | 62.5 | 10.4 | 20.8 | -0- | 31.2 | -0- | 31.2 |
| Mercer | 38.9 | 16.7 | 22.2 | 33.3 | 38.9 | 5.6 | 5.6 | 5.6 | 22.2 | 16.7 |
| Monroe | 85.0 | 39.2 | 45.8 | 39.2 | 52.3 | 6.5 | 6.5 | 6.5 | 6.5 | 6.5 |
| Montgomery | 100.9 | 53.6 | 47.3 | 56.8 | 22.1 | 25.2 | 6.3 | 12.6 | 18.9 | -0- |
| Morgan | 36.8 | 7.9 | 28.9 | 28.9 | 57.9 | 10.5 | 13.2 | 18.4 | 13.2 | 7.9 |
| Moultrie | 82.1 | 37.3 | 44.8 | 22.4 | 22.4 | 14.9 | -0- | 14.9 | -0- | 14.9 |
| Ogle | 45.7 | 16.1 | 29.6 | 29.6 | 13.4 | 24.2 | 5.4 | 2.7 | 16.1 | 10.8 |
| Peoria | 49.2 | 27.6 | 21.6 | 37.3 | 40.5 | 13.0 | 11.9 | 10.8 | 11.3 | 4.3 |
| Perry | 83.7 | 37.2 | 46.5 | 41.9 | 46.5 | 9.3 | 9.3 | 23.3 | 14.0 | 14.0 |
| Piatt | 42.4 | 18.2 | 24.2 | 42.4 | 42.4 | 18.2 | -0- | -0- | 6.1 | 18.2 |
| Pike | 99.1 | 45.0 | 54.1 | 22.5 | 18.0 | 9.0 | 9.0 | 27.0 | 22.5 | 4.5 |
| Pope | 226.4 | 18.9 | 207.5 | 18.9 | 18.9 | 18.9 | -0- | 18.9 | 37.7 | -0- |
| Pulaski | 58.3 | 25.0 | 33.3 | 25.0 | 50.0 | 33.3 | 25.0 | 16.7 | 33.3 | 25.0 |
| Putnam | 88.9 | 88.9 | -0- | -0- | 22.2 | 22.2 | -0- | 22.2 | 44.4 | -0- |
| Randolph | 63.5 | 12.7 | 50.8 | 25.4 | 28.6 | 19.0 | 6.3 | 9.5 | 3.2 | 6.3 |
| Richland | 59.2 | 17.8 | 41.4 | 23.7 | 41.4 | -0- | 5.9 | 29.6 | 5.9 | -0- |
| Rock Island | 60.8 | 27.1 | 33.7 | 29.1 | 33.0 | 15.9 | 8.6 | 12.6 | 11.2 | 7.9 |
| St. Clair | 54.7 | 24.6 | 30.1 | 31.7 | 12.3 | 11.1 | 11.1 | 8.3 | 10.3 | 12.7 |
| Saline | 73.0 | 36.5 | 36.5 | 29.2 | 43.8 | 36.5 | 29.2 | 7.3 | 3.6 | 18.2 |
| Sangamon | 44.6 | 17.0 | 27.6 | 30.5 | 20.5 | 14.2 | 7.8 | 9.2 | 13.5 | 5.0 |
| Schuyler | 95.7 | 21.3 | 74.5 | 21.3 | 21.3 | 10.6 | 10.6 | 21.3 | 10.6 | 10.6 |
| Scott | 85.7 | 42.9 | 42.9 | 71.4 | 28.6 | 14.3 | -0- | 14.3 | -0- | 14.3 |
| Shelby | 77.2 | 28.5 | 48.8 | 16.3 | 16.3 | 12.2 | 4.1 | 36.6 | 12.2 | 36.6 |
| Stark | 75.0 | -0- | 75.0 | 62.5 | 50.0 | -0- | -0- | -0- | -0- | 12.5 |
| Stephenson | 46.7 | 19.1 | 27.6 | 44.6 | 14.9 | 21.2 | 6.4 | 10.6 | 19.1 | 19.1 |
| Tazewell | 42.5 | 19.5 | 23.0 | 32.1 | 19.5 | 17.2 | 1.1 | 16.1 | 6.9 | 5.7 |
| Union | 21.5 | 16.1 | 5.4 | 32.3 | 80.6 | 32.3 | 10.8 | 5.4 | -0- | 5.4 |
| Vermilion | 46.5 | 15.9 | 30.7 | 40.2 | 20.1 | 16.9 | 7.4 | 14.8 | 8.5 | 22.2 |
| Wabash | 52.6 | 22.6 | 30.1 | 82.7 | 30.1 | 7.5 | -0- | -0- | 22.6 | 15.0 |
| Warren | 44.2 | 16.1 | 28.1 | 24.1 | 8.0 | 4.0 | 12.0 | 24.1 | 12.0 | 8.0 |
| Washington | 75.9 | 13.8 | 62.1 | 131.0 | 41.4 | 27.6 | 6.9 | 34.5 | 6.9 | 6.9 |
| Wayne | 50.8 | 20.3 | 30.5 | 40.6 | 25.4 | 25.4 | 15.2 | -0- | 15.2 | 5.1 |
| White | 100.0 | 33.3 | 66.7 | 23.8 | 85.7 | 33.3 | 4.8 | 4.8 | 4.8 | 4.8 |
| Whiteside | 54.6 | 28.2 | 26.4 | 26.4 | 35.8 | 9.4 | 1.9 | 15.1 | 3.8 | 5.6 |
| Will | 52.3 | 24.4 | 27.8 | 34.1 | 21.6 | 14.8 | 10.8 | 7.4 | 8.0 | 6.2 |
| Williamson | 65.7 | 28.2 | 37.6 | 25.8 | 63.4 | 11.7 | 18.8 | 25.8 | 16.4 | 11.7 |
| Winnebago | 44.3 | 24.6 | 19.6 | 40.7 | 11.1 | 10.1 | 4.5 | 7.5 | 12.6 | 6.0 |
| Woodford | 41.5 | 26.4 | 15.1 | 7.5 | 56.6 | 11.3 | 3.8 | 7.5 | 3.8 | 7.5 |

**Table 10A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958**

(Includes deaths of Illinois residents occurring outside the State)

| City | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| Alton | 385 | 158 | 99 | 59 | 59 | 42 | 29 |
| Arlington Heights | 172 | 84 | 56 | 28 | 19 | 16 | 23 |
| Aurora | 730 | 300 | 218 | 82 | 110 | 97 | 42 |
| Belleville | 477 | 206 | 138 | 68 | 97 | 56 | 21 |
| Bellwood | 104 | 37 | 27 | 10 | 23 | 8 | 9 |
| Berwyn | 612 | 308 | 241 | 67 | 126 | 45 | 18 |
| Bloomington | 454 | 197 | 160 | 37 | 73 | 65 | 23 |
| Blue Island | 220 | 104 | 86 | 18 | 42 | 22 | 12 |
| Brookfield | 167 | 71 | 53 | 18 | 42 | 12 | 9 |
| Cairo | 184 | 78 | 54 | 24 | 21 | 19 | 4 |
| Calumet City | 175 | 74 | 64 | 10 | 37 | 12 | 14 |
| Canton | 154 | 66 | 50 | 16 | 24 | 26 | 4 |
| Carbondale | 144 | 56 | 46 | 10 | 24 | 26 | 10 |
| Carpentersville | 58 | 14 | 8 | 6 | 4 | 5 | 12 |
| Centralia | 199 | 80 | 61 | 19 | 33 | 22 | 9 |
| Champaign | 340 | 127 | 103 | 24 | 54 | 38 | 22 |
| Chicago | 42,177 | 18,869 | 14,082 | 4,787 | 6,873 | 3,857 | 1,866 |
| Chicago Heights | 313 | 108 | 79 | 29 | 42 | 47 | 22 |
| Cicero | 682 | 321 | 246 | 75 | 118 | 60 | 20 |
| Collinsville | 164 | 73 | 49 | 24 | 30 | 24 | 6 |
| Danville | 576 | 220 | 169 | 51 | 114 | 57 | 29 |
| Decatur | 890 | 349 | 259 | 90 | 143 | 114 | 50 |
| De Kalb | 156 | 63 | 50 | 13 | 23 | 22 | 8 |
| Des Plaines | 240 | 99 | 62 | 37 | 36 | 21 | 17 |
| Dixon | 174 | 67 | 51 | 16 | 20 | 19 | 5 |
| Dolton | 84 | 33 | 23 | 10 | 13 | 9 | 7 |
| Downers Grove | 166 | 67 | 49 | 18 | 31 | 17 | 8 |
| East Moline | 129 | 49 | 44 | 5 | 25 | 15 | 3 |
| East St. Louis | 1,192 | 466 | 312 | 154 | 171 | 134 | 68 |
| Elgin | 513 | 206 | 153 | 53 | 83 | 81 | 14 |
| Elmhurst | 253 | 93 | 65 | 28 | 59 | 25 | 12 |
| Elmwood Park | 176 | 78 | 51 | 27 | 31 | 18 | 9 |
| Evanston | 857 | 398 | 296 | 102 | 125 | 110 | 24 |
| Evergreen Park | 129 | 51 | 44 | 7 | 18 | 17 | 7 |
| Forest Park | 179 | 80 | 64 | 16 | 39 | 15 | 5 |
| Franklin Park | 89 | 41 | 32 | 9 | 20 | 5 | 11 |
| Freeport | 358 | 165 | 121 | 44 | 59 | 31 | 17 |
| Galesburg | 422 | 189 | 158 | 31 | 72 | 59 | 13 |
| Glen Ellyn | 117 | 48 | 39 | 9 | 21 | 16 | 7 |
| Glenview | 120 | 53 | 40 | 13 | 17 | 10 | 10 |
| Granite City | 308 | 118 | 71 | 47 | 69 | 31 | 24 |
| Harrisburg | 141 | 64 | 54 | 10 | 16 | 15 | 6 |
| Harvey | 234 | 83 | 70 | 13 | 43 | 28 | 14 |
| Highland Park | 211 | 75 | 58 | 17 | 38 | 37 | 10 |
| Hinsdale | 106 | 40 | 30 | 10 | 19 | 21 | 1 |
| Homewood | 99 | 41 | 28 | 13 | 15 | 16 | 5 |
| Jacksonville | 252 | 123 | 88 | 35 | 28 | 31 | 7 |
| Joliet | 751 | 328 | 213 | 115 | 113 | 77 | 43 |
| Kankakee | 328 | 145 | 118 | 27 | 52 | 32 | 18 |
| Kewanee | 247 | 102 | 83 | 19 | 43 | 29 | 6 |
| La Grange | 155 | 59 | 50 | 9 | 26 | 21 | 5 |

**Table 10A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued**

(Includes deaths of Illinois residents occurring outside the State)

| City | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Nephritis not specified as acute, and renal sclerosis |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| Alton | 29 | 15 | 14 | 15 | 7 | 5 | 2 | 1 | 2 | 1 |
| Arlington Heights | 4 | -- | 4 | 8 | 1 | 4 | 1 | 1 | 1 | 1 |
| Aurora | 26 | 14 | 12 | 37 | 11 | 17 | 9 | 6 | 9 | 10 |
| Belleville | 12 | 3 | 9 | 13 | 8 | 2 | 9 | 6 | 4 | 2 |
| Bellwood | 4 | 3 | 1 | 5 | 1 | 2 | 1 | 1 | -- | -- |
| Berwyn | 24 | 13 | 11 | 17 | 10 | 8 | 7 | 6 | 7 | 4 |
| Bloomington | 20 | 9 | 11 | 12 | 14 | 1 | 3 | 4 | 3 | 2 |
| Blue Island | 4 | 1 | 3 | 9 | 1 | 1 | 2 | 3 | 2 | 2 |
| Brookfield | 3 | 1 | 2 | 8 | 3 | 4 | 2 | 2 | 1 | 1 |
| Cairo | 14 | 4 | 10 | 7 | 15 | -- | 1 | 2 | -- | 3 |
| Calumet City | 10 | 5 | 5 | 3 | 1 | 5 | 3 | -- | 1 | 2 |
| Canton | 7 | 5 | 2 | 5 | 1 | 5 | 2 | 2 | 1 | -- |
| Carbondale | 10 | 5 | 5 | 6 | 1 | 4 | -- | 2 | 2 | -- |
| Carpentersville | 8 | 1 | 7 | 4 | -- | -- | -- | -- | 2 | -- |
| Centralia | 12 | 6 | 6 | 8 | 7 | 1 | 2 | -- | 2 | 3 |
| Champaign | 20 | 9 | 11 | 14 | 8 | 6 | 2 | 4 | 2 | 5 |
| Chicago | 1,542 | 509 | 1,033 | 1,973 | 651 | 647 | 704 | 457 | 351 | 331 |
| Chicago Heights | 15 | 9 | 6 | 16 | 8 | 17 | 1 | 2 | 2 | 2 |
| Cicero | 25 | 15 | 10 | 21 | 5 | 24 | 12 | 5 | 10 | 4 |
| Collinsville | 3 | 2 | 1 | 5 | 4 | 2 | 1 | 2 | 1 | 1 |
| Danville | 20 | 6 | 14 | 20 | 12 | 8 | 2 | 10 | 4 | 11 |
| Decatur | 46 | 23 | 23 | 26 | 15 | 15 | 16 | 10 | 17 | 3 |
| De Kalb | 9 | 5 | 4 | 9 | 1 | -- | 1 | -- | 1 | 5 |
| Des Plaines | 13 | 6 | 7 | 9 | 5 | 6 | 2 | 1 | 2 | 2 |
| Dixon | 9 | 4 | 5 | 12 | 11 | 4 | 1 | 1 | 3 | 1 |
| Dolton | 8 | 8 | -- | 1 | -- | 3 | -- | -- | 2 | -- |
| Downers Grove | 8 | 1 | 7 | 7 | 1 | 3 | 1 | 5 | -- | -- |
| East Moline | 9 | 4 | 5 | 4 | 5 | -- | 1 | -- | 2 | 1 |
| East St. Louis | 67 | 27 | 40 | 47 | 14 | 15 | 9 | 10 | 9 | 25 |
| Elgin | 21 | 8 | 13 | 22 | 15 | 4 | 4 | 8 | 10 | -- |
| Elmhurst | 10 | 5 | 5 | 10 | 5 | 4 | 5 | 3 | 3 | 2 |
| Elmwood Park | 5 | 3 | 2 | 10 | 1 | 4 | 2 | -- | 1 | 1 |
| Evanston | 19 | 11 | 8 | 31 | 26 | 12 | 10 | 10 | 9 | 5 |
| Evergreen Park | 10 | 2 | 8 | 4 | 1 | 1 | 3 | 1 | 2 | 2 |
| Forest Park | 6 | 2 | 4 | 5 | 2 | 4 | -- | 2 | 2 | 1 |
| Franklin Park | -- | -- | -- | 4 | -- | 2 | -- | -- | -- | -- |
| Freeport | 12 | 5 | 7 | 11 | 5 | 8 | 2 | 4 | 5 | 4 |
| Galesburg | 16 | 7 | 9 | 15 | 11 | 6 | -- | 4 | 3 | 1 |
| Glen Ellyn | 1 | -- | 1 | 4 | 1 | 1 | -- | 1 | 1 | 1 |
| Glenview | 9 | 4 | 5 | 3 | 2 | 1 | 2 | 1 | 2 | -- |
| Granite City | 21 | 12 | 9 | 6 | 4 | 5 | 1 | -- | 1 | 2 |
| Harrisburg | 9 | 6 | 3 | 4 | 3 | 5 | 4 | -- | -- | 4 |
| Harvey | 12 | 8 | 4 | 11 | 4 | 4 | 4 | 3 | 3 | 3 |
| Highland Park | 11 | 6 | 5 | 10 | 2 | 2 | -- | 1 | 4 | -- |
| Hinsdale | 9 | 7 | 2 | 2 | 1 | 1 | -- | -- | -- | -- |
| Homewood | 4 | 1 | 3 | 3 | -- | 3 | 1 | 1 | 4 | 1 |
| Jacksonville | 8 | 2 | 6 | 8 | 15 | 3 | 5 | 5 | 3 | 1 |
| Joliet | 35 | 15 | 20 | 31 | 15 | 14 | 9 | 6 | 5 | 6 |
| Kankakee | 17 | 6 | 11 | 14 | 9 | 6 | 6 | 2 | -- | 1 |
| Kewanee | 19 | 7 | 12 | 10 | 6 | 7 | 1 | 7 | -- | 1 |
| La Grange | 5 | 4 | 1 | 6 | 4 | 2 | 4 | 3 | 2 | 1 |

**Table 10A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued**

(Includes deaths of Illinois residents occurring outside the State)

| City | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| La Grange Park | 80 | 33 | 21 | 12 | 19 | 5 | 3 |
| Lansing | 88 | 31 | 26 | 5 | 16 | 8 | 11 |
| La Salle | 147 | 62 | 44 | 18 | 21 | 26 | 5 |
| Lincoln | 167 | 76 | 55 | 21 | 22 | 20 | 10 |
| Lincolnwood | 64 | 21 | 18 | 3 | 16 | 11 | 3 |
| Lombard | 157 | 67 | 46 | 21 | 31 | 8 | 11 |
| Macomb | 137 | 54 | 35 | 19 | 22 | 20 | 5 |
| Marion | 149 | 66 | 52 | 14 | 17 | 25 | 3 |
| Mattoon | 236 | 99 | 77 | 22 | 41 | 31 | 10 |
| Maywood | 297 | 134 | 102 | 32 | 55 | 30 | 9 |
| Melrose Park | 186 | 85 | 62 | 23 | 24 | 11 | 10 |
| Moline | 448 | 194 | 159 | 35 | 68 | 57 | 25 |
| Monmouth | 143 | 70 | 46 | 24 | 21 | 23 | 3 |
| Morton Grove | 76 | 28 | 21 | 7 | 21 | 4 | 3 |
| Mount Prospect | 88 | 30 | 25 | 5 | 19 | 7 | 12 |
| Mount Vernon | 198 | 82 | 54 | 28 | 26 | 25 | 9 |
| Niles | 117 | 58 | 45 | 13 | 17 | 7 | 5 |
| Normal | 75 | 30 | 24 | 6 | 13 | 17 | -- |
| Northbrook | 52 | 14 | 10 | 4 | 11 | 8 | 4 |
| North Chicago | 118 | 49 | 36 | 13 | 22 | 11 | 10 |
| Northlake | 78 | 39 | 24 | 15 | 10 | 2 | 9 |
| Oak Lawn | 248 | 80 | 59 | 21 | 43 | 16 | 44 |
| Oak Park | 723 | 343 | 241 | 102 | 128 | 83 | 19 |
| Ottawa | 257 | 115 | 78 | 37 | 37 | 34 | 12 |
| Palatine | 83 | 30 | 16 | 14 | 16 | 10 | 8 |
| Park Forest | 60 | 19 | 15 | 4 | 13 | 4 | 10 |
| Park Ridge | 207 | 83 | 69 | 14 | 49 | 25 | 8 |
| Pekin | 253 | 102 | 78 | 24 | 47 | 23 | 12 |
| Peoria | 1,263 | 518 | 390 | 128 | 221 | 141 | 50 |
| Quincy | 635 | 240 | 189 | 51 | 104 | 95 | 19 |
| Rantoul | 52 | 19 | 17 | 2 | 7 | 5 | 7 |
| Riverdale | 73 | 30 | 24 | 6 | 15 | 8 | 6 |
| River Forest | 115 | 52 | 35 | 17 | 23 | 18 | 5 |
| Rock Falls | 98 | 42 | 30 | 12 | 13 | 7 | 7 |
| Rockford | 1,171 | 448 | 346 | 102 | 207 | 158 | 62 |
| Rock Island | 571 | 244 | 200 | 44 | 96 | 56 | 28 |
| Skokie | 250 | 109 | 80 | 29 | 50 | 19 | 14 |
| Springfield | 1,162 | 528 | 401 | 127 | 185 | 155 | 46 |
| Sterling | 150 | 66 | 49 | 17 | 24 | 11 | 7 |
| Streator | 181 | 67 | 52 | 15 | 23 | 37 | 4 |
| Urbana | 186 | 80 | 61 | 19 | 20 | 23 | 21 |
| Villa Park | 103 | 50 | 36 | 14 | 13 | 8 | 10 |
| Waukegan | 454 | 175 | 124 | 51 | 89 | 43 | 33 |
| Westchester | 76 | 39 | 31 | 8 | 14 | 6 | 3 |
| West Frankfort | 154 | 75 | 64 | 11 | 30 | 9 | 4 |
| Wheaton | 139 | 51 | 35 | 16 | 17 | 11 | 11 |
| Wilmette | 209 | 77 | 57 | 20 | 39 | 32 | 9 |
| Winnetka | 100 | 38 | 26 | 12 | 12 | 16 | 4 |
| Wood River | 72 | 23 | 12 | 11 | 13 | 12 | 3 |
| Zion | 143 | 62 | 52 | 10 | 13 | 22 | 13 |

**Table 10A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued**

(Includes deaths of Illinois residents occurring outside the State)

| City | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Nephritis not specified as acute, and renal sclerosis |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| La Grange Park | 3 | 1 | 2 | 3 | 4 | -- | 1 | -- | 1 | -- |
| Lansing | 4 | 2 | 2 | 3 | 2 | -- | -- | -- | 3 | 1 |
| La Salle | 2 | -- | 2 | 2 | 1 | 4 | 1 | 1 | 2 | 3 |
| Lincoln | 7 | 3 | 4 | 3 | 10 | 1 | 1 | 4 | 1 | 1 |
| Lincolnwood | -- | -- | -- | 1 | 2 | -- | -- | 1 | -- | 1 |
| Lombard | 11 | 5 | 6 | 5 | 2 | 4 | 1 | 1 | 2 | 3 |
| Macomb | 5 | 4 | 1 | 3 | 2 | 3 | -- | 1 | 1 | 1 |
| Marion | 7 | 3 | 4 | 2 | 5 | 1 | -- | -- | 3 | 1 |
| Mattoon | 11 | 4 | 7 | 5 | -- | 2 | 1 | 2 | 3 | 3 |
| Maywood | 8 | 3 | 5 | 6 | 4 | 8 | 4 | 5 | 2 | -- |
| Melrose Park | 11 | 6 | 5 | 13 | -- | 3 | 3 | 2 | 2 | 1 |
| Moline | 27 | 13 | 14 | 8 | 12 | 10 | 5 | 5 | 5 | 6 |
| Monmouth | 7 | 2 | 5 | 3 | 1 | 1 | 3 | 3 | 1 | -- |
| Morton Grove | -- | -- | -- | 4 | 5 | 1 | 1 | 2 | -- | 1 |
| Mount Prospect | 3 | 1 | 2 | 2 | -- | -- | 1 | -- | -- | -- |
| Mount Vernon | 9 | 4 | 5 | 4 | 6 | 1 | 4 | 1 | 3 | 1 |
| Niles | 5 | 1 | 4 | 5 | 2 | 1 | -- | 2 | 1 | 2 |
| Normal | 3 | -- | 3 | -- | 2 | 1 | 1 | 3 | 3 | 1 |
| Northbrook | 2 | 1 | 1 | 2 | -- | 1 | -- | -- | 2 | -- |
| North Chicago | 6 | 4 | 2 | 3 | 1 | 1 | 2 | -- | 1 | 2 |
| Northlake | 4 | 2 | 2 | 7 | -- | 2 | 1 | 1 | 1 | -- |
| Oak Lawn | 13 | 7 | 6 | 8 | 1 | 1 | 5 | 4 | 4 | 3 |
| Oak Park | 27 | 6 | 21 | 14 | 17 | 7 | 6 | 4 | 7 | 5 |
| Ottawa | 14 | 6 | 8 | 8 | 4 | 3 | 3 | 2 | 3 | 3 |
| Palatine | 3 | 3 | -- | -- | 1 | 3 | 1 | 1 | 2 | 1 |
| Park Forest | 5 | 3 | 2 | 1 | -- | -- | -- | -- | 2 | 1 |
| Park Ridge | 7 | 4 | 3 | 6 | -- | 2 | 2 | 1 | 6 | 1 |
| Pekin | 12 | 4 | 8 | 14 | 4 | 5 | 1 | 6 | 3 | 3 |
| Peoria | 53 | 24 | 29 | 56 | 34 | 16 | 18 | 14 | 16 | 5 |
| Quincy | 24 | 14 | 10 | 26 | 26 | 10 | 5 | 10 | 7 | 5 |
| Rantoul | 7 | 5 | 2 | 2 | 1 | 1 | -- | -- | -- | -- |
| Riverdale | 2 | 1 | 1 | 4 | -- | -- | -- | 1 | -- | 2 |
| River Forest | 2 | 2 | -- | 3 | 1 | 1 | -- | 2 | 1 | 1 |
| Rock Falls | 10 | 5 | 5 | 1 | 3 | 2 | 1 | 1 | 1 | -- |
| Rockford | 57 | 33 | 24 | 62 | 14 | 14 | 7 | 14 | 13 | 8 |
| Rock Island | 27 | 14 | 19 | 20 | 20 | 10 | 6 | 8 | 7 | 3 |
| Skokie | 11 | 3 | 8 | 8 | 2 | 3 | 4 | 1 | 3 | 1 |
| Springfield | 39 | 14 | 25 | 34 | 18 | 8 | 7 | 8 | 11 | 5 |
| Sterling | 9 | 5 | 4 | 6 | 10 | 1 | -- | 2 | -- | 2 |
| Streator | 12 | 4 | 8 | 5 | 6 | 4 | 1 | 1 | 4 | -- |
| Urbana | 7 | 2 | 5 | 2 | 4 | 4 | 1 | 5 | 2 | 1 |
| Villa Park | 7 | 4 | 3 | 2 | -- | 1 | 3 | -- | -- | -- |
| Waukegan | 21 | 8 | 13 | 18 | 7 | 3 | 9 | -- | 9 | 2 |
| Westchester | 2 | 1 | 1 | 2 | 1 | 2 | -- | 1 | -- | -- |
| West Frankfort | 4 | 2 | 2 | 1 | 11 | 1 | 2 | -- | 1 | 2 |
| Wheaton | 8 | 4 | 4 | 13 | 6 | 1 | -- | 1 | -- | -- |
| Wilmette | 11 | 6 | 5 | 12 | 7 | 3 | 1 | 1 | -- | 2 |
| Winnetka | 3 | 1 | 2 | 5 | 2 | -- | 1 | 3 | 2 | 1 |
| Wood River | 3 | 1 | 2 | 3 | 3 | 2 | -- | -- | 1 | 2 |
| Zion | 11 | 7 | 4 | 5 | 5 | -- | 1 | 2 | -- | -- |

**Table 10B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958**

(Rates per 100,000 estimated midyear population)

| City | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| Alton | 1,132.4 | 464.7 | 291.2 | 173.5 | 173.5 | 123.5 | 85.3 |
| Arlington Heights | 741.4 | 362.1 | 241.4 | 120.7 | 81.9 | 69.0 | 99.1 |
| Aurora | 1,247.9 | 512.8 | 372.6 | 140.2 | 188.0 | 165.8 | 71.8 |
| Belleville | 1,248.7 | 539.3 | 361.3 | 178.0 | 253.9 | 146.6 | 55.0 |
| Bellwood | 568.3 | 202.2 | 147.5 | 54.6 | 125.7 | 43.7 | 49.2 |
| Berwyn | 1,152.5 | 580.0 | 453.9 | 126.2 | 237.3 | 84.7 | 33.9 |
| Bloomington | 1,240.4 | 538.3 | 437.2 | 101.1 | 199.5 | 177.6 | 62.8 |
| Blue Island | 1,145.8 | 541.7 | 447.9 | 93.7 | 218.7 | 114.6 | 62.5 |
| Brookfield | 822.7 | 349.8 | 261.1 | 88.7 | 206.9 | 59.1 | 44.3 |
| Cairo | 1,628.3 | 690.3 | 477.9 | 212.4 | 185.8 | 168.1 | 35.4 |
| Calumet City | 770.9 | 326.0 | 281.9 | 44.1 | 163.0 | 52.9 | 61.7 |
| Canton | 1,252.0 | 536.6 | 406.5 | 130.1 | 195.1 | 211.4 | 32.5 |
| Carbondale | 1,220.3 | 474.6 | 389.8 | 84.7 | 203.4 | 220.3 | 84.7 |
| Carpentersville | 460.3 | 111.1 | 63.5 | 47.6 | 31.7 | 39.7 | 95.2 |
| Centralia | 1,411.3 | 567.4 | 432.6 | 134.8 | 234.0 | 156.0 | 63.8 |
| Champaign | 686.9 | 256.6 | 208.1 | 48.5 | 109.1 | 76.8 | 44.4 |
| Chicago | 1,118.9 | 500.6 | 373.6 | 127.0 | 182.3 | 102.3 | 49.5 |
| Chicago Heights | 1,053.9 | 363.6 | 266.0 | 97.6 | 141.4 | 158.2 | 74.1 |
| Cicero | 991.3 | 466.6 | 357.6 | 109.0 | 171.5 | 87.2 | 29.1 |
| Collinsville | 1,108.1 | 493.2 | 331.1 | 162.2 | 202.7 | 162.2 | 40.5 |
| Danville | 1,398.1 | 534.0 | 410.2 | 123.8 | 276.7 | 138.3 | 70.4 |
| Decatur | 1,113.9 | 436.8 | 324.2 | 112.6 | 179.0 | 142.7 | 62.6 |
| De Kalb | 981.1 | 396.2 | 314.5 | 81.8 | 144.7 | 138.4 | 50.3 |
| Des Plaines | 786.9 | 324.6 | 203.3 | 121.3 | 118.0 | 68.9 | 55.7 |
| Dixon | 906.2 | 349.0 | 265.6 | 83.3 | 104.2 | 99.0 | 26.0 |
| Dolton | 622.2 | 244.4 | 170.4 | 74.1 | 96.3 | 66.7 | 51.9 |
| Downers Grove | 834.2 | 336.7 | 246.2 | 90.5 | 155.8 | 85.4 | 40.2 |
| East Moline | 826.9 | 314.1 | 282.1 | 32.1 | 160.3 | 96.2 | 19.2 |
| East St. Louis | 1,280.3 | 500.5 | 335.1 | 165.4 | 183.7 | 143.9 | 73.0 |
| Elgin | 1,053.4 | 423.0 | 314.2 | 108.8 | 170.4 | 166.3 | 28.7 |
| Elmhurst | 716.7 | 263.5 | 184.1 | 79.3 | 167.1 | 70.8 | 34.0 |
| Elmwood Park | 745.8 | 330.5 | 216.1 | 114.4 | 131.4 | 76.3 | 38.1 |
| Evanston | 1,113.0 | 516.9 | 384.4 | 132.5 | 162.3 | 142.9 | 31.2 |
| Evergreen Park | 575.9 | 227.7 | 196.4 | 31.2 | 80.4 | 75.9 | 31.2 |
| Forest Park | 1,098.2 | 490.8 | 392.6 | 98.2 | 239.3 | 92.0 | 30.7 |
| Franklin Park | 539.4 | 248.5 | 193.9 | 54.5 | 121.2 | 30.3 | 66.7 |
| Freeport | 1,387.6 | 639.5 | 469.0 | 170.5 | 228.7 | 120.2 | 65.9 |
| Galesburg | 1,226.7 | 549.4 | 459.3 | 90.1 | 209.3 | 171.5 | 37.8 |
| Glen Ellyn | 780.0 | 320.0 | 260.0 | 60.0 | 140.0 | 106.7 | 46.7 |
| Glenview | 794.7 | 351.0 | 264.9 | 86.1 | 112.6 | 66.2 | 66.2 |
| Granite City | 812.7 | 311.3 | 187.3 | 124.0 | 182.1 | 81.8 | 63.3 |
| Harrisburg | 1,317.8 | 598.1 | 504.7 | 93.5 | 149.5 | 140.2 | 56.1 |
| Harvey | 932.3 | 330.7 | 278.9 | 51.8 | 171.3 | 111.6 | 55.8 |
| Highland Park | 886.6 | 315.1 | 243.7 | 71.4 | 159.7 | 155.5 | 42.0 |
| Hinsdale | 751.8 | 283.7 | 212.8 | 70.9 | 134.8 | 148.9 | 7.1 |
| Homewood | 761.5 | 315.4 | 215.4 | 100.0 | 115.4 | 123.1 | 38.5 |
| Jacksonville | 1,188.7 | 580.2 | 415.1 | 165.1 | 132.1 | 146.2 | 33.0 |
| Joliet | 1,227.1 | 535.9 | 348.0 | 187.9 | 184.6 | 125.8 | 70.3 |
| Kankakee | 1,138.9 | 503.5 | 409.7 | 93.7 | 180.6 | 111.1 | 62.5 |
| Kewanee | 1,411.4 | 582.9 | 474.3 | 108.6 | 245.7 | 165.7 | 34.3 |
| La Grange | 1,040.3 | 396.0 | 335.6 | 60.4 | 174.5 | 140.9 | 33.6 |

**Table 10B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued**

(Rates per 100,000 estimated midyear population)

| City | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Nephritis not specified as acute, and renal sclerosis |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| Alton | 85.3 | 44.1 | 41.2 | 44.1 | 20.6 | 14.7 | 5.9 | 2.9 | 5.9 | 2.9 |
| Arlington Heights | 17.2 | -0- | 17.2 | 34.5 | 4.3 | 17.2 | 4.3 | 4.3 | 4.3 | 4.3 |
| Aurora | 44.4 | 23.9 | 20.5 | 63.2 | 18.8 | 29.1 | 15.4 | 10.3 | 15.4 | 17.1 |
| Belleville | 31.4 | 7.9 | 23.6 | 34.0 | 20.9 | 5.2 | 23.6 | 15.7 | 10.5 | 5.2 |
| Bellwood | 21.9 | 16.4 | 5.5 | 27.3 | 5.5 | 10.9 | 5.5 | 5.5 | -0- | -0- |
| Berwyn | 45.2 | 24.5 | 20.7 | 32.0 | 18.8 | 15.1 | 13.2 | 11.3 | 13.2 | 7.5 |
| Bloomington | 54.6 | 24.6 | 30.1 | 32.8 | 38.3 | 2.7 | 8.2 | 10.9 | 8.2 | 5.5 |
| Blue Island | 20.8 | 5.2 | 15.6 | 46.9 | 5.2 | 5.2 | 10.4 | 15.6 | 10.4 | 10.4 |
| Brookfield | 14.8 | 4.9 | 9.9 | 39.4 | 14.8 | 19.7 | 9.9 | 9.9 | 4.9 | 4.9 |
| Cairo | 123.9 | 35.4 | 88.5 | 61.9 | 132.7 | -0- | 8.8 | 17.7 | -0- | 26.5 |
| Calumet City | 44.1 | 22.0 | 22.0 | 13.2 | 4.4 | 22.0 | 13.2 | -0- | 4.4 | 8.8 |
| Canton | 56.9 | 40.7 | 16.3 | 40.7 | 8.1 | 40.7 | 16.3 | 16.3 | 8.1 | -0- |
| Carbondale | 84.7 | 42.4 | 42.4 | 50.8 | 8.5 | 33.9 | -0- | 16.9 | 16.9 | -0- |
| Carpentersville | 63.5 | 7.9 | 55.6 | 31.7 | -0- | -0- | -0- | -0- | 15.9 | -0- |
| Centralia | 85.1 | 42.6 | 42.6 | 56.7 | 49.6 | 7.1 | 14.2 | -0- | 14.2 | 21.3 |
| Champaign | 40.4 | 18.2 | 22.2 | 28.3 | 16.2 | 12.1 | 4.0 | 8.1 | 4.0 | 10.1 |
| Chicago | 40.9 | 13.5 | 27.4 | 52.3 | 17.3 | 17.2 | 18.7 | 12.1 | 9.3 | 8.8 |
| Chicago Heights | 50.5 | 30.3 | 20.2 | 53.9 | 26.9 | 57.2 | 3.4 | 6.7 | 6.7 | 6.7 |
| Cicero | 36.3 | 21.8 | 14.5 | 30.5 | 7.3 | 34.9 | 17.4 | 7.3 | 14.5 | 5.8 |
| Collinsville | 20.3 | 13.5 | 6.8 | 33.8 | 27.0 | 13.5 | 6.8 | 13.5 | 6.8 | 6.8 |
| Danville | 48.5 | 14.6 | 34.0 | 48.5 | 29.1 | 19.4 | 4.9 | 24.3 | 9.7 | 26.7 |
| Decatur | 57.6 | 28.8 | 28.8 | 32.5 | 18.8 | 18.8 | 20.0 | 12.5 | 21.3 | 3.8 |
| De Kalb | 56.6 | 31.4 | 25.2 | 56.6 | 6.3 | -0- | 6.3 | -0- | 6.3 | 31.4 |
| Des Plaines | 42.6 | 19.7 | 23.0 | 29.5 | 16.4 | 19.7 | 6.6 | 3.3 | 6.6 | 6.6 |
| Dixon | 46.9 | 20.8 | 26.0 | 62.5 | 57.3 | 20.8 | 5.2 | 5.2 | 15.6 | 5.2 |
| Dolton | 59.3 | 59.3 | -0- | 7.4 | -0- | 22.2 | -0- | -0- | 14.8 | -0- |
| Downers Grove | 40.2 | 5.0 | 35.2 | 35.2 | 5.0 | 15.1 | 5.0 | 25.1 | -0- | -0- |
| East Moline | 57.7 | 25.6 | 32.1 | 25.6 | 32.1 | -0- | 6.4 | -0- | 12.8 | 6.4 |
| East St. Louis | 72.0 | 29.0 | 43.0 | 50.5 | 15.0 | 16.1 | 9.7 | 10.7 | 9.7 | 26.9 |
| Elgin | 43.1 | 16.4 | 26.7 | 45.2 | 30.8 | 8.2 | 8.2 | 16.4 | 20.5 | -0- |
| Elmhurst | 28.3 | 14.2 | 14.2 | 28.3 | 14.2 | 11.3 | 14.2 | 8.5 | 8.5 | 5.7 |
| Elmwood Park | 21.2 | 12.7 | 8.5 | 42.4 | 4.2 | 16.9 | 8.5 | -0- | 4.2 | 4.2 |
| Evanston | 24.7 | 14.3 | 10.4 | 40.3 | 33.8 | 15.6 | 13.0 | 13.0 | 11.7 | 6.5 |
| Evergreen Park | 44.6 | 8.9 | 35.7 | 17.9 | 4.5 | 4.5 | 13.4 | 4.5 | 8.9 | 8.9 |
| Forest Park | 36.8 | 12.3 | 24.5 | 30.7 | 12.3 | 24.5 | -0- | 12.3 | 12.3 | 6.1 |
| Franklin Park | -0- | -0- | -0- | 24.2 | -0- | 12.1 | -0- | -0- | -0- | -0- |
| Freeport | 46.5 | 19.4 | 27.1 | 42.6 | 19.4 | 31.0 | 7.8 | 15.5 | 19.4 | 15.5 |
| Galesburg | 46.5 | 20.3 | 26.2 | 43.6 | 32.0 | 17.4 | -0- | 11.6 | 8.7 | 2.9 |
| Glen Ellyn | 6.7 | -0- | 6.7 | 26.7 | 6.7 | 6.7 | -0- | 6.7 | 6.7 | 6.7 |
| Glenview | 59.6 | 26.5 | 33.1 | 19.9 | 13.2 | 6.6 | 13.2 | 6.6 | 13.2 | -0- |
| Granite City | 55.4 | 31.7 | 23.7 | 15.8 | 10.6 | 13.2 | 2.6 | -0- | 2.6 | 5.3 |
| Harrisburg | 84.1 | 56.1 | 28.0 | 37.4 | 28.0 | 46.7 | 37.4 | -0- | -0- | 37.4 |
| Harvey | 47.8 | 31.9 | 15.9 | 43.8 | 15.9 | 15.9 | 15.9 | 12.0 | 12.0 | 12.0 |
| Highland Park | 46.2 | 25.2 | 21.0 | 42.0 | 8.4 | 8.4 | -0- | 4.2 | 16.8 | -0- |
| Hinsdale | 63.8 | 49.6 | 14.2 | 14.2 | 7.1 | 7.1 | -0- | -0- | -0- | -0- |
| Homewood | 30.8 | 7.7 | 23.1 | 23.1 | -0- | 23.1 | 7.7 | 7.7 | 30.8 | 7.7 |
| Jacksonville | 37.7 | 9.4 | 28.3 | 37.7 | 70.8 | 14.2 | 23.6 | 23.6 | 14.2 | 4.7 |
| Joliet | 57.2 | 24.5 | 32.7 | 50.7 | 24.5 | 22.9 | 14.7 | 9.8 | 8.2 | 9.8 |
| Kankakee | 59.0 | 20.8 | 38.2 | 48.6 | 31.2 | 20.8 | 20.8 | 6.9 | -0- | 3.5 |
| Kewanee | 108.6 | 40.0 | 68.6 | 57.1 | 34.3 | 40.0 | 5.7 | 40.0 | -0- | 5.7 |
| La Grange | 33.6 | 26.8 | 6.7 | 40.3 | 26.8 | 13.4 | 26.8 | 20.1 | 13.4 | 6.7 |

**Table 10B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued**

(Rates per 100,000 estimated midyear population)

| City | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| La Grange Park | 606.1 | 250.0 | 159.1 | 90.9 | 143.9 | 37.9 | 22.7 |
| Lansing | 523.8 | 184.5 | 154.8 | 29.8 | 95.2 | 47.6 | 65.5 |
| La Salle | 1,157.5 | 488.2 | 346.5 | 141.7 | 165.4 | 204.7 | 39.4 |
| Lincoln | 994.0 | 452.4 | 327.4 | 125.0 | 131.0 | 119.0 | 59.5 |
| Lincolnwood | 609.5 | 200.0 | 171.4 | 28.6 | 152.4 | 104.8 | 28.6 |
| Lombard | 813.5 | 347.2 | 238.3 | 108.8 | 160.6 | 41.5 | 57.0 |
| Macomb | 1,161.0 | 457.6 | 296.6 | 161.0 | 186.4 | 169.5 | 42.4 |
| Marion | 1,392.5 | 616.8 | 486.0 | 130.8 | 158.9 | 233.6 | 28.0 |
| Mattoon | 1,296.7 | 544.0 | 423.1 | 120.9 | 225.3 | 170.3 | 54.9 |
| Maywood | 1,027.7 | 463.7 | 352.9 | 110.7 | 190.3 | 103.8 | 31.1 |
| Melrose Park | 881.5 | 402.8 | 293.8 | 109.0 | 113.7 | 52.1 | 47.4 |
| Moline | 1,125.6 | 487.4 | 399.5 | 87.9 | 170.9 | 143.2 | 62.8 |
| Monmouth | 1,211.9 | 593.2 | 389.8 | 203.4 | 178.0 | 194.9 | 25.4 |
| Morton Grove | 452.4 | 166.7 | 125.0 | 41.7 | 125.0 | 23.8 | 17.9 |
| Mount Prospect | 553.5 | 188.7 | 157.2 | 31.4 | 119.5 | 44.0 | 75.5 |
| Mount Vernon | 1,185.6 | 491.0 | 323.4 | 167.7 | 155.7 | 149.7 | 53.9 |
| Niles | 823.9 | 408.5 | 316.9 | 91.5 | 119.7 | 49.3 | 35.2 |
| Normal | 604.8 | 241.9 | 193.5 | 48.4 | 104.8 | 137.1 | -0- |
| Northbrook | 481.5 | 129.6 | 92.6 | 37.0 | 101.9 | 74.1 | 37.0 |
| North Chicago | 641.3 | 266.3 | 195.7 | 70.7 | 119.6 | 59.8 | 54.3 |
| Northlake | 661.0 | 330.5 | 203.4 | 127.1 | 84.7 | 16.9 | 76.3 |
| Oak Lawn | 1,127.3 | 363.6 | 268.2 | 95.5 | 195.5 | 72.7 | 200.0 |
| Oak Park | 1,179.4 | 559.5 | 393.1 | 166.4 | 208.8 | 135.4 | 31.0 |
| Ottawa | 1,298.0 | 580.8 | 393.9 | 186.9 | 186.9 | 171.7 | 60.6 |
| Palatine | 830.0 | 300.0 | 160.0 | 140.0 | 160.0 | 100.0 | 80.0 |
| Park Forest | 207.6 | 65.7 | 51.9 | 13.8 | 45.0 | 13.8 | 34.6 |
| Park Ridge | 731.4 | 293.3 | 243.8 | 49.5 | 173.1 | 88.3 | 28.3 |
| Pekin | 965.6 | 389.3 | 297.7 | 91.6 | 179.4 | 87.8 | 45.8 |
| Peoria | 1,092.6 | 448.1 | 337.4 | 110.7 | 191.2 | 122.0 | 43.3 |
| Quincy | 1,480.2 | 559.4 | 440.6 | 118.9 | 242.4 | 221.4 | 44.3 |
| Rantoul | 236.4 | 86.4 | 77.3 | 9.1 | 31.8 | 22.7 | 31.8 |
| Riverdale | 669.7 | 275.2 | 220.2 | 55.0 | 137.6 | 73.4 | 55.0 |
| River Forest | 1,000.0 | 452.2 | 304.3 | 147.8 | 200.0 | 156.5 | 43.5 |
| Rock Falls | 924.5 | 396.2 | 283.0 | 113.2 | 122.6 | 66.0 | 66.0 |
| Rockford | 967.0 | 369.9 | 285.7 | 84.2 | 170.9 | 130.5 | 51.2 |
| Rock Island | 1,144.3 | 489.0 | 400.8 | 88.2 | 192.4 | 112.2 | 56.1 |
| Skokie | 478.9 | 208.8 | 153.3 | 55.6 | 95.8 | 36.4 | 26.8 |
| Springfield | 1,406.8 | 639.2 | 485.5 | 153.8 | 224.0 | 187.7 | 55.7 |
| Sterling | 980.4 | 431.4 | 320.3 | 111.1 | 156.9 | 71.9 | 45.8 |
| Streator | 1,028.4 | 380.7 | 295.5 | 85.2 | 130.7 | 210.2 | 22.7 |
| Urbana | 681.3 | 293.0 | 223.4 | 69.6 | 73.3 | 84.2 | 76.9 |
| Villa Park | 609.5 | 295.9 | 213.0 | 82.8 | 76.9 | 47.3 | 59.2 |
| Waukegan | 881.6 | 339.8 | 240.8 | 99.0 | 172.8 | 83.5 | 64.1 |
| Westchester | 517.0 | 265.3 | 210.9 | 54.4 | 95.2 | 40.8 | 20.4 |
| West Frankfort | 1,412.8 | 688.1 | 587.2 | 100.9 | 275.2 | 82.6 | 36.7 |
| Wheaton | 681.4 | 250.0 | 171.6 | 78.4 | 83.3 | 53.9 | 53.9 |
| Wilmette | 842.7 | 310.5 | 229.8 | 80.6 | 157.3 | 129.0 | 36.3 |
| Winnetka | 740.7 | 281.5 | 192.6 | 88.9 | 88.9 | 118.5 | 29.6 |
| Wood River | 654.5 | 209.1 | 109.1 | 100.0 | 118.2 | 109.1 | 27.3 |
| Zion | 1,300.0 | 563.6 | 472.7 | 90.9 | 118.2 | 200.0 | 118.2 |

**Table 10B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1958--Continued**

(Rates per 100,000 estimated midyear population)

| City | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Nephritis not specified as acute, and renal sclerosis |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| La Grange Park | 22.7 | 7.6 | 15.2 | 22.7 | 30.3 | -0- | 7.6 | -0- | 7.6 | -0- |
| Lansing | 23.8 | 11.9 | 11.9 | 17.9 | 11.9 | -0- | -0- | -0- | 17.9 | 6.0 |
| La Salle | 15.7 | -0- | 15.7 | 15.7 | 7.9 | 31.5 | 7.9 | 7.9 | 15.7 | 23.6 |
| Lincoln | 41.7 | 17.9 | 23.8 | 17.9 | 59.5 | 6.0 | 6.0 | 23.8 | 6.0 | 6.0 |
| Lincolnwood | -0- | -0- | -0- | 9.5 | 19.0 | -0- | -0- | 9.5 | -0- | 9.5 |
| Lombard | 57.0 | 25.9 | 31.1 | 25.9 | 10.4 | 20.7 | 5.2 | 5.2 | 10.4 | 15.5 |
| Macomb | 42.4 | 33.9 | 8.5 | 25.4 | 16.9 | 25.4 | -0- | 8.5 | 8.5 | 8.5 |
| Marion | 65.4 | 28.0 | 37.4 | 18.7 | 46.7 | 9.3 | -0- | -0- | 28.0 | 9.3 |
| Mattoon | 60.4 | 22.0 | 38.5 | 27.5 | -0- | 11.0 | 5.5 | 11.0 | 16.5 | 16.5 |
| Maywood | 27.7 | 10.4 | 17.3 | 20.8 | 13.8 | 27.7 | 13.8 | 17.3 | 6.9 | -0- |
| Melrose Park | 52.1 | 28.4 | 23.7 | 61.6 | -0- | 14.2 | 14.2 | 9.5 | 9.5 | 4.7 |
| Moline | 67.8 | 32.7 | 35.2 | 20.1 | 30.2 | 25.1 | 12.6 | 12.6 | 12.6 | 15.1 |
| Monmouth | 59.3 | 16.9 | 42.4 | 25.4 | 8.5 | 8.5 | 25.4 | 25.4 | 8.5 | -0- |
| Morton Grove | -0- | -0- | -0- | 23.8 | 29.8 | 6.0 | 6.0 | 11.9 | -0- | 6.0 |
| Mount Prospect | 18.9 | 6.3 | 12.6 | 12.6 | -0- | -0- | 6.3 | -0- | -0- | -0- |
| Mount Vernon | 53.9 | 24.0 | 29.9 | 24.0 | 35.9 | 6.0 | 24.0 | 6.0 | 18.0 | 6.0 |
| Niles | 35.2 | 7.0 | 28.2 | 35.2 | 14.1 | 7.0 | -0- | 14.1 | 7.0 | 14.1 |
| Normal | 24.2 | -0- | 24.2 | -0- | 16.1 | 8.1 | 8.1 | 24.2 | 24.2 | 8.1 |
| Northbrook | 18.5 | 9.3 | 9.3 | 18.5 | -0- | 9.3 | -0- | -0- | 18.5 | -0- |
| North Chicago | 32.6 | 21.7 | 10.9 | 16.3 | 5.4 | 5.4 | 10.9 | -0- | 5.4 | 10.9 |
| Northlake | 33.9 | 16.9 | 16.9 | 59.3 | -0- | 16.9 | 8.5 | 8.5 | 8.5 | -0- |
| Oak Lawn | 59.1 | 31.8 | 27.3 | 36.4 | 4.5 | 4.5 | 22.7 | 18.2 | 18.2 | 13.6 |
| Oak Park | 44.0 | 9.8 | 34.3 | 22.8 | 27.7 | 11.4 | 9.8 | 6.5 | 11.4 | 8.2 |
| Ottawa | 70.7 | 30.3 | 40.4 | 40.4 | 20.2 | 15.2 | 15.2 | 10.1 | 15.2 | 15.2 |
| Palatine | 30.0 | 30.0 | -0- | -0- | 10.0 | 30.0 | 10.0 | 10.0 | 20.0 | 10.0 |
| Park Forest | 17.3 | 10.4 | 6.9 | 3.5 | -0- | -0- | -0- | -0- | 6.9 | 3.5 |
| Park Ridge | 24.7 | 14.1 | 10.6 | 21.2 | -0- | 7.1 | 7.1 | 3.5 | 21.2 | 3.5 |
| Pekin | 45.8 | 15.3 | 30.5 | 53.4 | 15.3 | 19.1 | 3.8 | 22.9 | 11.5 | 11.5 |
| Peoria | 45.8 | 20.8 | 25.1 | 48.4 | 29.4 | 13.8 | 15.6 | 12.1 | 13.8 | 4.3 |
| Quincy | 55.9 | 32.6 | 23.3 | 60.6 | 60.6 | 23.3 | 11.7 | 23.3 | 16.3 | 11.7 |
| Rantoul | 31.8 | 22.7 | 9.1 | 9.1 | 4.5 | 4.5 | -0- | -0- | -0- | -0- |
| Riverdale | 18.3 | 9.2 | 9.2 | 36.7 | -0- | -0- | -0- | 9.2 | -0- | 18.3 |
| River Forest | 17.4 | 17.4 | -0- | 26.1 | 8.7 | 8.7 | -0- | 17.4 | 8.7 | 8.7 |
| Rock Falls | 94.3 | 47.2 | 47.2 | 9.4 | 28.3 | 18.9 | 9.4 | 9.4 | 9.4 | -0- |
| Rockford | 47.1 | 27.3 | 19.8 | 51.2 | 11.6 | 11.6 | 5.8 | 11.6 | 10.7 | 6.6 |
| Rock Island | 54.1 | 28.1 | 38.1 | 40.1 | 40.1 | 20.0 | 12.0 | 16.0 | 14.0 | 6.0 |
| Skokie | 21.1 | 5.7 | 15.3 | 15.3 | 3.8 | 5.7 | 7.7 | 1.9 | 5.7 | 1.9 |
| Springfield | 47.2 | 16.9 | 30.3 | 41.2 | 21.8 | 9.7 | 8.5 | 9.7 | 13.3 | 6.1 |
| Sterling | 58.8 | 32.7 | 26.1 | 39.2 | 65.4 | 6.5 | -0- | 13.1 | -0- | 13.1 |
| Streator | 68.2 | 22.7 | 45.5 | 28.4 | 34.1 | 22.7 | 5.7 | 5.7 | 22.7 | -0- |
| Urbana | 25.6 | 7.3 | 18.3 | 7.3 | 14.7 | 14.7 | 3.7 | 18.3 | 7.3 | 3.7 |
| Villa Park | 41.4 | 23.7 | 17.8 | 11.8 | -0- | 5.9 | 17.8 | -0- | -0- | -0- |
| Waukegan | 40.8 | 15.5 | 25.2 | 35.0 | 13.6 | 5.8 | 17.5 | -0- | 17.5 | 3.9 |
| Westchester | 13.6 | 6.8 | 6.8 | 13.6 | 6.8 | 13.6 | -0- | 6.8 | -0- | -0- |
| West Frankfort | 36.7 | 18.3 | 18.3 | 9.2 | 100.9 | 9.2 | 18.3 | -0- | 9.2 | 18.3 |
| Wheaton | 39.2 | 19.6 | 19.6 | 63.7 | 29.4 | 4.9 | -0- | 4.9 | -0- | -0- |
| Wilmette | 44.4 | 24.2 | 20.2 | 48.4 | 28.2 | 12.1 | 4.0 | 4.0 | -0- | 8.1 |
| Winnetka | 22.2 | 7.4 | 14.8 | 37.0 | 14.8 | -0- | 7.4 | 22.2 | 14.8 | 7.4 |
| Wood River | 27.3 | 9.1 | 18.2 | 27.3 | 27.3 | 18.2 | -0- | -0- | 9.1 | 18.2 |
| Zion | 100.0 | 63.6 | 36.4 | 45.5 | 45.5 | -0- | 9.1 | 18.2 | -0- | -0- |

## Table 11. -- TWELVE LEADING CAUSES OF DEATH IN SELECTED AGE GROUPS, ILLINOIS: 1958

### Age 1-4 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 946 |
| 1. | Accidents | E800-E962. . | 238 |
| | a. Motor vehicle accidents | (E810-E835,E960). . | (83) |
| | b. Other accidents . .(residue of | E800-E962). . | (155) |
| 2. | Influenza and pneumonia | 480-493. . | 183 |
| 3. | Malignant neoplasms | 140-205. . | 105 |
| 4. | Congenital malformations | 750-759. . | 103 |
| 5. | Bronchitis | 500-502. . | 31 |
| 6. | Gastro-enteritis, chronic enteritis, and colitis | 571-572. . | 30 |
| 7. | Measles | 085. . | 22 |
| 8. | Meningococcal infections | 057. . | 21 |
| 9. | Meningitis, except meningococcal and tuberculous | 340. . | 20 |
| 10. | Fibrocystic disease of pancreas | 587. 3 | 14 |
| 11. | Heart diseases | 410-443. . | 12 |
| 12. | Cerebral spastic infantile paralysis | 351. . | 10 |

### Age 5-14 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 866 |
| 1. | Accidents | E800-E962. . | 385 |
| | a. Motor vehicle accidents | (E810-E835,E960). . | (141) |
| | b. Other accidents . .(residue of | E800-E962). . | (244) |
| 2. | Malignant neoplasms | 140-205. . | 109 |
| 3. | Congenital malformations | 750-759. . | 65 |
| 4. | Influenza and pneumonia | 480-493. . | 53 |
| 5. | Cerebral spastic infantile paralysis | 351. . | 15 |
| 6. | Heart diseases | 410-443. . | 14 |
| 7. | Nephritis and nephrosis | 590-594. . | 12 |
| 7. | Acute infectious encephalitis | 082. . | 12 |
| 9. | Epilepsy | 353. . | 10 |
| 9. | Homicide | E964, E980-E985. . | 10 |
| 11. | Diabetes mellitus | 260. . | 9 |
| 11. | Benign neoplasms | 210-229. . | 9 |
| 11. | Fibrocystic disease of pancreas | 587. 3 | 9 |
| 11. | Meningitis, except meningococcal and tuberculous | 340. . | 9 |

### Age 15-24 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,285 |
| 1. | Accidents | E800-E962. . | 661 |
| | a. Motor vehicle accidents | (E810-E835,E960). . | (438) |
| | b. Other accidents . .(residue of | E800-E962). . | (223) |
| 2. | Malignant neoplasms | 140-205. . | 108 |
| 3. | Homicide | E964, E980-E985. . | 76 |
| 4. | Suicide | E963, E970-E979. . | 57 |
| 5. | Heart diseases | 410-443. . | 55 |
| 6. | Influenza and pneumonia | 480-493. . | 36 |
| 7. | Congenital malformations | 750-759. . | 30 |
| 7. | Nephritis and nephrosis | 590-594. . | 30 |
| 9. | Vascular lesions affecting central nervous system | 330-334. . | 19 |
| 9. | Maternal causes | 640-689. . | 19 |
| 11. | Epilepsy | 353. . | 17 |
| 12. | Diabetes mellitus | 260. . | 16 |

### Age 25-44 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 6,161 |
| 1. | Heart diseases | 410-443. . | 1,494 |
| 2. | Malignant neoplasms | 140-205. . | 1,193 |
| 3. | Accidents | E800-E962. . | 952 |
| | a. Motor vehicle accidents | (E810-E835,E960). . | (524) |
| | b. Other accidents . .(residue of | E800-E962). . | (428) |
| 4. | Suicide | E963, E970-E979. . | 288 |
| 5. | Vascular lesions affecting central nervous system | 330-334. . | 279 |
| 6. | Influenza and pneumonia | 480-493. . | 253 |
| 7. | Homicide | E964, E980-E985. . | 218 |
| 8. | Cirrhosis of liver | 581. . | 202 |
| 9. | Tuberculosis | 001-019. . | 175 |
| 10. | Nephritis and nephrosis | 590-594. . | 123 |
| 11. | Diabetes mellitus | 260. . | 91 |
| 12. | Hypertension without mention of heart disease | 444-447. . | 62 |

### Age 45-64 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 26,288 |
| 1. | Heart diseases | 410-443. . | 11,552 |
| 2. | Malignant neoplasms | 140-205. . | 6,139 |
| 3. | Vascular lesions affecting central nervous system | 330-334. . | 2,000 |
| 4. | Accidents | E800-E962. . | 1,002 |
| | a. Motor vehicle accidents | (E810-E835,E960). . | (427) |
| | b. Other accidents . .(residue of | E800-E962). . | (575) |
| 5. | Influenza and pneumonia | 480-493. . | 734 |
| 6. | Cirrhosis of liver | 581. . | 630 |
| 7. | Diabetes mellitus | 260. . | 445 |
| 8. | Suicide | E963, E970-E979. . | 433 |
| 9. | Tuberculosis | 001-019. . | 309 |
| 10. | Ulcer of stomach and duodenum | 540-541. . | 285 |
| 11. | Nephritis and nephrosis | 590-594. . | 240 |
| 12. | Hypertension without mention of heart disease | 444-447. . | 231 |

### Age 65 years and over

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 60,326 |
| 1. | Heart diseases | 410-443. . | 30,926 |
| 2. | Vascular lesions affecting central nervous system | 330-334. . | 8,735 |
| 3. | Malignant neoplasms | 140-205. . | 8,474 |
| 4. | Influenza and pneumonia | 480-493. . | 1,996 |
| 5. | General arteriosclerosis | 450. . | 1,846 |
| 6. | Accidents | E800-E962. . | 1,278 |
| | a. Motor vehicle accidents | (E810-E835,E960). . | (361) |
| | b. Other accidents . .(residue of | E800-E962). . | (917) |
| 7. | Diabetes mellitus | 260. . | 956 |
| 8. | Hypertension without mention of heart disease | 444-447. . | 772 |
| 9. | Nephritis and nephrosis | 590-594. . | 540 |
| 10. | Ulcer of stomach and duodenum | 540-541. . | 356 |
| 11. | Cirrhosis of liver | 581. . | 354 |
| 12. | Hernia and intestinal obstruction | 560, 561, 570. . | 324 |

[1]Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955 revision, World Health Organization.

# CRUDE MORTALITY RATES FOR SELECTED CAUSES OF DEATH: ILLINOIS, 1921-1958

Causes of death were classified by the 3rd revision of the International List of Causes of Death for the years 1921-29, by the 4th revision for the years 1930-39, by the 5th revision for the years 1940-53. Deaths for the years 1949-53 were also classified by the 6th revision (International Statistical Classification of Diseases, Injuries, and Causes of Death). For 1954 and subsequent years only the 6th revision is used. The dotted line indicates mortality classified by the 6th revision.

For 1921-1939 the rates are for deaths OCCURRING in Illinois, while for 1940 and subsequent years the data refer to deaths among RESIDENTS of Illinois, irrespective of the place of death. All rates are per 100,000 population estimated as of midyear.




These are RATIO charts, equal vertical distances represent equal PERCENTAGE changes in rate.


JO DAVIESS
STEPHENSON
WINNEBAGO
BOONE
MCHENRY
LAKE
ROCKFORD
CARROLL
OGLE
DE KALB
KANE
COOK
EVANSTON
DU PAGE
CHICAGO
WHITESIDE
LEE
KENDALL
WILL
LA SALLE
HENRY
BUREAU
GRUNDY
ROCK ISLAND
MERCER
KANKAKEE
PUTNAM
KNOX
STARK
MARSHALL
LIVINGSTON
WARREN
IROQUOIS
PEORIA
WOODFORD
PEORIA
HENDERSON
FULTON
McLEAN
HANCOCK
McDONOUGH
TAZEWELL
FORD
VERMILION
CHAMPAIGN
MASON
LOGAN
DE WITT
SCHUYLER
ADAMS
MENARD
PIATT
BROWN
CASS
MACON
DECATUR
DOUGLAS
EDGAR
PIKE
MORGAN
SANGAMON
SPRINGFIELD
MOULTRIE
SCOTT
COLES
CHRISTIAN
SHELBY
GREENE
MACOUPIN
CLARK
CAL-HOUN
CUMBERLAND
MONTGOMERY
JERSEY
FAYETTE
EFFINGHAM
JASPER
MADISON
BOND
CRAWFORD
CLAY
RICHLAND
LAWRENCE
MARION
CLINTON
ST. CLAIR
WAYNE
WABASH
EAST ST. LOUIS
WASHINGTON
JEFFERSON
EDWARDS
MONROE
HAMILTON
WHITE
RANDOLPH
PERRY
FRANKLIN
JACKSON
SALINE
GALLATIN
WILLIAMSON
UNION
JOHNSON
POPE
HARDIN
ALEX-ANDER
PULASKI
MASSAC
STATE
OF
ILLINOIS

Health Statistics
BULLETIN
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS
RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill.
Permit No. 10

4.1
611v
58 sup

# VITAL STATISTICS SUPPLEMENT

## COUNTIES AND LARGER CITIES OF ILLINOIS

## 19 58

THE LIBRARY OF THE
1959
UNIVERSITY OF ILLINOIS

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

# VITAL STATISTICS SUPPLEMENT

## ILLINOIS RESIDENT DATA

## 1958

County Data: pp. 2 to 28

City Data: pp. 29 to 53

Population Data: pp. 54 to 55

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois
November, 1959

# VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Illinois | Chicago | Downstate |
|---|---|---|---|
| Estimated population as of July 1 | 9,889,000 | 3,769,500 | 6,119,500 |
| Live births: | | | |
| Total | 234,712 | 90,391 | 144,321 |
| Hospital births | 229,838 | 86,684 | 143,154 |
| Non-hospital births | 4,874 | 3,707 | 1,167 |
| Attended by licensed practitioner | 4,705 | 3,672 | 1,033 |
| Other births | 169 | 35 | 134 |
| Premature births | 17,410 | 8,106 | 9,304 |
| Sex-race: | | | |
| White male | 101,782 | 31,201 | 70,581 |
| White female | 96,518 | 29,725 | 66,793 |
| Negro male | 17,921 | 14,529 | 3,392 |
| Negro female | 17,798 | 14,443 | 3,355 |
| Other races male | 383 | 273 | 110 |
| Other races female | 310 | 220 | 90 |
| Illegitimate births: | | | |
| White | 3,669 | 1,513 | 2,156 |
| Nonwhite | 8,957 | 7,542 | 1,415 |
| Fetal deaths: | | | |
| Total | 3,615 | 1,583 | 2,032 |
| Gestation: | | | |
| Under 20 weeks | 50 | 4 | 46 |
| 20 - 27 weeks | 785 | 367 | 418 |
| 28 weeks and over | 2,758 | 1,203 | 1,555 |
| Not reported | 22 | 9 | 13 |
| Deaths: | | | |
| All ages | 101,729 | 42,177 | 59,552 |
| Total infants | 5,857 | 2,449 | 3,408 |
| Under 28 days | 4,211 | 1,698 | 2,513 |
| Under 7 days | 3,707 | 1,455 | 2,252 |
| Children under 5 years | 6,803 | 2,833 | 3,970 |
| Cause of death: | | | |
| Total infective and parasitic diseases | 1,232 | 682 | 550 |
| Tuberculosis | 762 | 476 | 286 |
| Syphilis | 136 | 69 | 67 |
| Meningococcal infections | 43 | 22 | 21 |
| Poliomyelitis, acute | 12 | 2 | 10 |
| Infectious encephalitis, acute | 25 | 9 | 16 |
| Infectious hepatitis | 78 | 39 | 39 |
| Other infective and parasitic diseases | 176 | 65 | 111 |
| Malignant neoplasms | 16,141 | 6,873 | 9,268 |
| Benign and unspecified neoplasms | 223 | 96 | 127 |
| Vascular lesions of central nervous system | 11,049 | 3,857 | 7,192 |
| Rheumatic fever | 44 | 17 | 27 |
| Heart disease | 44,067 | 18,869 | 25,198 |
| Hypertension without heart involvement | 1,071 | 457 | 614 |
| General arteriosclerosis | 1,962 | 651 | 1,311 |
| Other circulatory diseases | 787 | 320 | 467 |
| Nephritis and nephrosis, acute | 119 | 48 | 71 |
| Nephritis and renal sclerosis, chronic | 834 | 331 | 503 |
| Asthma | 256 | 78 | 178 |
| Diabetes | 1,523 | 647 | 876 |
| Influenza | 137 | 12 | 125 |
| Pneumonia | 3,882 | 1,961 | 1,921 |
| Bronchitis | 241 | 80 | 161 |
| Ulcer of stomach and duodenum | 715 | 324 | 391 |
| Hernia, intestinal obstruction | 556 | 239 | 317 |
| Gastritis, duodenitis, enteritis, colitis | 438 | 175 | 263 |
| Cirrhosis of liver | 1,202 | 704 | 498 |
| Infections of kidney | 425 | 225 | 200 |
| Hyperplasia of prostate | 273 | 87 | 186 |
| Maternal causes | 74 | 25 | 49 |
| Congenital malformations | 1,161 | 375 | 786 |
| Diseases of early infancy | 3,591 | 1,491 | 2,100 |
| Senility and ill-defined causes | 208 | 48 | 160 |
| Accidents, motor vehicle | 1,987 | 509 | 1,478 |
| Accidents, other | 2,681 | 1,033 | 1,648 |
| Suicide | 1,024 | 351 | 673 |
| Homicide | 431 | 325 | 106 |
| All other causes | 3,395 | 1,287 | 2,108 |

| | Illinois rate* | Chicago rate* | Downstate rate* |
|---|---|---|---|
| **Live births:** | | | |
| Total | 23.7 | 24.0 | 23.6 |
| Hospital births | 979.2 | 959.0 | 991.9 |
| Non-hospital births | 20.8 | 41.0 | 8.1 |
| Attended by licensed practitioner | 20.0 | 40.6 | 7.2 |
| Other births | 0.7 | 0.4 | 0.9 |
| Premature births | 74.2 | 89.7 | 64.5 |
| **Illegitimate births:** | | | |
| White | 18.5 | 24.8 | 15.7 |
| Nonwhite | 246.0 | 256.0 | 203.7 |
| **Fetal deaths:** | | | |
| Total | 15.4 | 17.5 | 14.1 |
| Gestation | | | |
| Under 20 weeks | 0.2 | 0.0 | 0.3 |
| 20 - 27 weeks | 3.3 | 4.1 | 2.9 |
| 28 weeks and over | 11.8 | 13.3 | 10.8 |
| Not reported | 0.1 | 0.1 | 0.1 |
| **Deaths** | | | |
| All ages | 10.3 | 11.2 | 9.7 |
| Total infants | 25.0 | 27.1 | 23.6 |
| Under 28 days | 17.9 | 18.8 | 17.4 |
| Under 7 days | 15.8 | 16.1 | 15.6 |
| Cause of death | | | |
| Total infective and parasitic diseases | 12.5 | 18.1 | 9.0 |
| Tuberculosis | 7.7 | 12.6 | 4.7 |
| Syphilis | 1.4 | 1.8 | 1.1 |
| Meningococcal infections | 0.4 | 0.6 | 0.3 |
| Poliomyelitis, acute | 0.1 | 0.1 | 0.2 |
| Infectious encephalitis, acute | 0.3 | 0.2 | 0.3 |
| Infectious hepatitis | 0.8 | 1.0 | 0.6 |
| Other infective and parasitic diseases | 1.8 | 1.7 | 1.8 |
| Malignant neoplasms | 163.2 | 182.3 | 151.5 |
| Benign and unspecified neoplasms | 2.3 | 2.5 | 2.1 |
| Vascular lesions of central nervous system | 111.7 | 102.3 | 117.5 |
| Rheumatic fever | 0.4 | 0.5 | 0.4 |
| Heart disease | 445.6 | 500.6 | 411.8 |
| Hypertension without heart involvement | 10.8 | 12.1 | 10.0 |
| General arteriosclerosis | 19.8 | 17.3 | 21.4 |
| Other circulatory diseases | 8.0 | 8.5 | 7.6 |
| Nephritis and nephrosis, acute | 1.2 | 1.3 | 1.2 |
| Nephritis and renal sclerosis, chronic | 8.4 | 8.8 | 8.2 |
| Asthma | 2.6 | 2.1 | 2.9 |
| Diabetes | 15.4 | 17.2 | 14.3 |
| Influenza | 1.4 | 0.3 | 2.0 |
| Pneumonia | 39.3 | 52.0 | 31.4 |
| Bronchitis | 2.4 | 2.1 | 2.6 |
| Ulcer of stomach and duodenum | 7.2 | 8.6 | 6.4 |
| Hernia, intestinal obstruction | 5.6 | 6.3 | 5.2 |
| Gastritis, duodenitis, enteritis, colitis | 4.4 | 4.6 | 4.3 |
| Cirrhosis of liver | 12.2 | 18.7 | 8.1 |
| Infections of kidney | 4.3 | 6.0 | 3.3 |
| Hyperplasia of prostate | 2.8 | 2.3 | 3.0 |
| Maternal causes | 0.7 | 0.7 | 0.8 |
| Congenital malformations | 11.7 | 9.9 | 12.8 |
| Diseases of early infancy | 36.3 | 39.6 | 34.3 |
| Senility and ill-defined causes | 2.1 | 1.3 | 2.6 |
| Accidents, motor vehicle | 20.1 | 13.5 | 24.2 |
| Accidents, other | 27.1 | 27.4 | 26.9 |
| Suicide | 10.4 | 9.3 | 11.0 |
| Homicide | 4.4 | 8.6 | 1.7 |
| All other causes | 34.3 | 34.1 | 34.4 |

Rates for total live births and for total deaths per 1,000 estimated midyear population. Rates for causes of death per 100,000 estimated midyear population. All other rates per 1,000 live births.

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Adams | Alexander | Bond | Boone |
|---|---|---|---|---|
| Estimated population as of July 1 | 65,700 | 20,300 | 13,200 | 18,800 |
| Live births: | | | | |
| Total | 1,360 | 310 | 296 | 467 |
| Hospital births | 1,354 | 212 | 290 | 466 |
| Non-hospital births | 6 | 98 | 6 | 1 |
| Attended by licensed practitioner | 6 | 78 | 6 | -- |
| Other births | -- | 20 | -- | 1 |
| Premature births | 64 | 30 | 19 | 32 |
| Sex-race: | | | | |
| White male | 724 | 91 | 131 | 250 |
| White female | 599 | 90 | 164 | 216 |
| Negro male | 18 | 68 | -- | -- |
| Negro female | 17 | 60 | 1 | 1 |
| Other races male | 1 | -- | -- | -- |
| Other races female | 1 | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 24 | 7 | 3 | 5 |
| Nonwhite | 9 | 48 | -- | -- |
| Fetal deaths: | | | | |
| Total | 14 | 5 | 5 | 8 |
| Gestation: | | | | |
| Under 20 weeks | 1 | -- | -- | 1 |
| 20 - 27 weeks | 2 | -- | 1 | 4 |
| 28 weeks and over | 11 | 5 | 4 | 3 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 939 | 286 | 187 | 197 |
| Total infants | 35 | 17 | 7 | 18 |
| Under 28 days | 29 | 11 | 2 | 14 |
| Under 7 days | 27 | 9 | 1 | 14 |
| Children under 5 years | 39 | 19 | 8 | 18 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 12 | 7 | 1 | -- |
| Tuberculosis | 8 | 6 | 1 | -- |
| Syphilis | 1 | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | 1 | -- | -- | -- |
| Other infective and parasitic diseases | 2 | 1 | -- | -- |
| Malignant neoplasms | 140 | 33 | 30 | 31 |
| Benign and unspecified neoplasms | 5 | 1 | 1 | 1 |
| Vascular lesions of central nervous system | 139 | 32 | 26 | 31 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 368 | 110 | 86 | 87 |
| Hypertension without heart involvement | 13 | 3 | 1 | 1 |
| General arteriosclerosis | 39 | 19 | 4 | 1 |
| Other circulatory diseases | 12 | 1 | 1 | 1 |
| Nephritis and nephrosis, acute | 1 | 1 | -- | -- |
| Nephritis and renal sclerosis, chronic | 7 | 7 | 1 | 1 |
| Asthma | 8 | 2 | 1 | 1 |
| Diabetes | 14 | -- | 1 | 1 |
| Influenza | -- | 1 | -- | 1 |
| Pneumonia | 33 | 9 | 11 | 5 |
| Bronchitis | 4 | -- | -- | -- |
| Ulcer of stomach and duodenum | 9 | 2 | 2 | -- |
| Hernia, intestinal obstruction | 4 | 1 | 1 | 1 |
| Gastritis, duodenitis, enteritis, colitis | 1 | 2 | 1 | 1 |
| Cirrhosis of liver | 7 | 1 | 2 | 1 |
| Infections of kidney | 1 | -- | -- | -- |
| Hyperplasia of prostate | 3 | 2 | -- | 1 |
| Maternal causes | -- | 1 | -- | -- |
| Congenital malformations | 9 | 5 | 3 | -- |
| Diseases of early infancy | 23 | 9 | 1 | 15 |
| Senility and ill-defined causes | 4 | -- | 2 | -- |
| Accidents, motor vehicle | 19 | 6 | 6 | 2 |
| Accidents, other | 17 | 13 | -- | 7 |
| Suicide | 10 | 1 | -- | 1 |
| Homicide | -- | 3 | -- | -- |
| All other causes | 37 | 14 | 5 | 6 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Brown | Bureau | Calhoun | Carroll |
|---|---|---|---|---|
| Estimated population as of July 1 | 7,100 | 41,400 | 7,000 | 19,200 |
| Live births: | | | | |
| Total | 106 | 782 | 129 | 407 |
| Hospital births | 105 | 775 | 119 | 405 |
| Non-hospital births | 1 | 7 | 10 | 2 |
| Attended by licensed practitioner | 1 | 7 | 10 | 2 |
| Other births | -- | -- | -- | -- |
| Premature births | 10 | 45 | 6 | 25 |
| Sex-race: | | | | |
| White male | 60 | 412 | 74 | 206 |
| White female | 46 | 369 | 55 | 200 |
| Negro male | -- | -- | -- | -- |
| Negro female | -- | 1 | -- | 1 |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 1 | 12 | 3 | 8 |
| Nonwhite | -- | -- | -- | -- |
| Fetal deaths: | | | | |
| Total | 1 | 8 | -- | 8 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | 1 |
| 20 - 27 weeks | -- | -- | -- | 3 |
| 28 weeks and over | 1 | 8 | -- | 4 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 77 | 427 | 69 | 215 |
| Total infants | 3 | 21 | 3 | 8 |
| Under 28 days | 1 | 15 | 2 | 7 |
| Under 7 days | 1 | 13 | 1 | 7 |
| Children under 5 years | 4 | 29 | 3 | 9 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | -- | 3 | -- | 1 |
| Tuberculosis | -- | 1 | -- | -- |
| Syphilis | -- | 1 | -- | 1 |
| Meningococcal infections | -- | 1 | -- | 1 |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 11 | 71 | 5 | 28 |
| Benign and unspecified neoplasms | -- | 3 | -- | 1 |
| Vascular lesions of central nervous system | 14 | 50 | 11 | 26 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 34 | 195 | 32 | 97 |
| Hypertension without heart involvement | -- | 2 | -- | 4 |
| General arteriosclerosis | 1 | 9 | -- | 7 |
| Other circulatory diseases | 1 | 3 | 1 | 2 |
| Nephritis and nephrosis, acute | -- | 1 | -- | -- |
| Nephritis and renal sclerosis, chronic | 1 | 8 | -- | -- |
| Asthma | -- | 2 | -- | 1 |
| Diabetes | -- | 7 | -- | 5 |
| Influenza | 1 | 1 | -- | 3 |
| Pneumonia | 2 | 5 | 3 | 4 |
| Bronchitis | 1 | 3 | -- | 1 |
| Ulcer of stomach and duodenum | -- | 1 | 2 | 2 |
| Hernia, intestinal obstruction | -- | 2 | 1 | 2 |
| Gastritis, duodenitis, enteritis, colitis | -- | 3 | -- | 2 |
| Cirrhosis of liver | -- | 3 | -- | 1 |
| Infections of kidney | 1 | 2 | -- | -- |
| Hyperplasia of prostate | -- | 2 | 1 | -- |
| Maternal causes | -- | -- | -- | 1 |
| Congenital malformations | -- | 6 | 3 | 1 |
| Diseases of early infancy | 1 | 10 | -- | 7 |
| Senility and ill-defined causes | -- | 1 | -- | 1 |
| Accidents, motor vehicle | 2 | 10 | 1 | 9 |
| Accidents, other | 1 | 16 | 2 | 4 |
| Suicide | 3 | 2 | 2 | 2 |
| Homicide | -- | -- | -- | -- |
| All other causes | 3 | 5 | 5 | 3 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Cass | Champaign | Christian | Clark |
|---|---|---|---|---|
| Estimated population as of July 1 | 14,500 | 122,300 | 39,200 | 17,400 |
| Live births: | | | | |
| Total | 295 | 2,953 | 805 | 308 |
| Hospital births | 294 | 2,940 | 799 | 298 |
| Non-hospital births | 1 | 13 | 5 | 10 |
| Attended by licensed practitioner | 1 | 12 | 6 | 10 |
| Other births | -- | 1 | -- | -- |
| Premature births | 18 | 216 | 55 | 19 |
| Sex-race: | | | | |
| White male | 148 | 1,376 | 408 | 155 |
| White female | 147 | 1,366 | 396 | 153 |
| Negro male | -- | 88 | 1 | -- |
| Negro female | -- | 96 | -- | -- |
| Other races male | -- | 12 | -- | -- |
| Other races female | -- | 15 | -- | -- |
| Illegitimate births: | | | | |
| White | 8 | 30 | 16 | 4 |
| Nonwhite | -- | 36 | -- | -- |
| Fetal deaths: | | | | |
| Total | 1 | 28 | 13 | 1 |
| Gestation: | | | | |
| Under 20 weeks | 1 | 1 | -- | -- |
| 20 - 27 weeks | -- | 5 | 4 | -- |
| 28 weeks and over | -- | 21 | 9 | 1 |
| Not reported | -- | 1 | -- | -- |
| Deaths: | | | | |
| All ages | 220 | 850 | 435 | 214 |
| Total infants | 10 | 80 | 20 | 4 |
| Under 28 days | 7 | 59 | 15 | 3 |
| Under 7 days | 7 | 52 | 14 | 1 |
| Children under 5 years | 11 | 91 | 22 | 5 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | 3 | 7 | 3 |
| Tuberculosis | 1 | -- | 4 | 1 |
| Syphilis | -- | 1 | 1 | -- |
| Meningococcal infections | -- | 1 | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | 1 | 1 |
| Other infective and parasitic diseases | -- | 1 | 1 | 1 |
| Malignant neoplasms | 39 | 114 | 74 | 23 |
| Benign and unspecified neoplasms | -- | 2 | -- | 1 |
| Vascular lesions of central nervous system | 37 | 98 | 52 | 37 |
| Rheumatic fever | -- | 2 | -- | -- |
| Heart disease | 90 | 341 | 186 | 83 |
| Hypertension without heart involvement | 5 | 11 | 7 | 5 |
| General arteriosclerosis | 4 | 15 | 4 | 9 |
| Other circulatory diseases | 2 | 10 | 4 | 2 |
| Nephritis and nephrosis, acute | -- | -- | -- | 1 |
| Nephritis and renal sclerosis, chronic | 1 | 10 | 2 | 2 |
| Asthma | -- | 1 | 1 | -- |
| Diabetes | 1 | 17 | 3 | 5 |
| Influenza | -- | 4 | 1 | -- |
| Pneumonia | 9 | 30 | 15 | 3 |
| Bronchitis | 1 | 7 | 1 | -- |
| Ulcer of stomach and duodenum | 1 | 6 | 5 | -- |
| Hernia, intestinal obstruction | 1 | 1 | -- | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | 7 | 1 | 3 |
| Cirrhosis of liver | -- | 8 | 4 | 1 |
| Infections of kidney | 1 | 4 | 1 | -- |
| Hyperplasia of prostate | -- | 2 | -- | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 1 | 13 | 5 | 2 |
| Diseases of early infancy | 6 | 53 | 13 | 2 |
| Senility and ill-defined causes | -- | 1 | -- | -- |
| Accidents, motor vehicle | 4 | 27 | 16 | 12 |
| Accidents, other | 6 | 21 | 12 | 8 |
| Suicide | 4 | 8 | 1 | 2 |
| Homicide | -- | -- | 3 | -- |
| All other causes | 6 | 34 | 17 | 9 |

| | Clay | Clinton | Coles | Cook |
|---|---|---|---|---|
| Estimated population as of July 1 | 17,800 | 23,000 | 42,700 | 5,101,200 |
| Live births: | | | | |
| Total | 325 | 652 | 930 | 124,855 |
| Hospital births | 309 | 648 | 925 | 120,935 |
| Non-hospital births | 16 | 4 | 5 | 3,920 |
| Attended by licensed practitioner | 16 | 4 | 5 | 3,876 |
| Other births | -- | -- | -- | 44 |
| Premature births | 25 | 28 | 67 | 10,233 |
| Sex-race: | | | | |
| White male | 181 | 320 | 480 | 48,082 |
| White female | 144 | 331 | 444 | 45,759 |
| Negro male | -- | 1 | 3 | 15,266 |
| Negro female | -- | -- | 2 | 15,198 |
| Other races male | -- | -- | 1 | 308 |
| Other races female | -- | -- | -- | 242 |
| Illegitimate births: | | | | |
| White | 4 | 8 | 19 | 1,731 |
| Nonwhite | -- | -- | 2 | 7,773 |
| Fetal deaths: | | | | |
| Total | 4 | 12 | 20 | 2,051 |
| Gestation: | | | | |
| Under 20 weeks | -- | 1 | -- | 11 |
| 20 - 27 weeks | 2 | 2 | -- | 477 |
| 28 weeks and over | 2 | 9 | 20 | 1,551 |
| Not reported | -- | -- | -- | 12 |
| Deaths: | | | | |
| All ages | 194 | 239 | 503 | 52,885 |
| Total infants | 5 | 12 | 25 | 3,205 |
| Under 28 days | 3 | 9 | 20 | 2,271 |
| Under 7 days | 3 | 8 | 19 | 1,959 |
| Children under 5 years | 6 | 14 | 31 | 3,710 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | -- | 2 | 10 | 771 |
| Tuberculosis | -- | 1 | 4 | 520 |
| Syphilis | -- | -- | -- | 76 |
| Meningococcal infections | -- | -- | 1 | 24 |
| Poliomyelitis, acute | -- | -- | -- | 3 |
| Infectious encephalitis, acute | -- | -- | 2 | 10 |
| Infectious hepatitis | -- | -- | 1 | 50 |
| Other infective and parasitic diseases | -- | 1 | 2 | 88 |
| Malignant neoplasms | 23 | 38 | 76 | 8,734 |
| Benign and unspecified neoplasms | -- | 1 | 1 | 117 |
| Vascular lesions of central nervous system | 20 | 25 | 74 | 4,927 |
| Rheumatic fever | -- | -- | -- | 19 |
| Heart disease | 91 | 106 | 194 | 23,456 |
| Hypertension without heart involvement | -- | 1 | 6 | 550 |
| General arteriosclerosis | 4 | 4 | 6 | 816 |
| Other circulatory diseases | -- | 3 | 6 | 407 |
| Nephritis and nephrosis, acute | -- | -- | -- | 61 |
| Nephritis and renal sclerosis, chronic | 2 | 2 | 22 | 403 |
| Asthma | 1 | -- | 2 | 106 |
| Diabetes | 4 | 5 | 7 | 835 |
| Influenza | 2 | 2 | -- | 25 |
| Pneumonia | 7 | 8 | 14 | 2,323 |
| Bronchitis | 2 | 1 | -- | 110 |
| Ulcer of stomach and duodenum | -- | -- | 4 | 390 |
| Hernia, intestinal obstruction | 2 | -- | 5 | 301 |
| Gastritis, duodenitis, enteritis, colitis | 1 | 2 | 3 | 228 |
| Cirrhosis of liver | 2 | 1 | 1 | 818 |
| Infections of kidney | -- | 1 | -- | 260 |
| Hyperplasia of prostate | 1 | 3 | 3 | 113 |
| Maternal causes | 1 | 1 | -- | 38 |
| Congenital malformations | 2 | 1 | 3 | 558 |
| Diseases of early infancy | 2 | 8 | 18 | 1,954 |
| Senility and ill-defined causes | 1 | 2 | 3 | 58 |
| Accidents, motor vehicle | 3 | 10 | 12 | 736 |
| Accidents, other | 8 | 4 | 12 | 1,271 |
| Suicide | 3 | -- | 8 | 482 |
| Homicide | -- | -- | -- | 352 |
| All other causes | 12 | 8 | 13 | 1,666 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Crawford | Cumberland | De Kalb | De Witt |
|---|---|---|---|---|
| Estimated population as of July 1 | 21,300 | 10,500 | 46,200 | 17,200 |
| Live births: | | | | |
| Total | 350 | 221 | 1,177 | 340 |
| Hospital births | 346 | 217 | 1,175 | 335 |
| Non-hospital births | 4 | 4 | 2 | 5 |
| Attended by licensed practitioner | 4 | 4 | 2 | 5 |
| Other births | -- | -- | -- | -- |
| Premature births | 15 | 12 | 49 | 29 |
| Sex-race: | | | | |
| White male | 199 | 107 | 595 | 185 |
| White female | 151 | 114 | 579 | 155 |
| Negro male | -- | -- | 3 | -- |
| Negro female | -- | -- | -- | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 6 | 7 | 11 | 6 |
| Nonwhite | -- | -- | -- | -- |
| Fetal deaths: | | | | |
| Total | 3 | 3 | 12 | 6 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | 1 |
| 20 - 27 weeks | -- | 1 | 3 | 2 |
| 28 weeks and over | 3 | 2 | 9 | 3 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 238 | 131 | 503 | 218 |
| Total infants | 6 | 4 | 17 | 12 |
| Under 28 days | 5 | 2 | 14 | 11 |
| Under 7 days | 5 | 2 | 13 | 10 |
| Children under 5 years | 6 | 5 | 21 | 13 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | 2 | 1 | -- |
| Tuberculosis | -- | 1 | -- | -- |
| Syphilis | -- | 1 | 1 | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | 1 | -- | -- | -- |
| Malignant neoplasms | 27 | 20 | 71 | 32 |
| Benign and unspecified neoplasms | 1 | -- | -- | 1 |
| Vascular lesions of central nervous system | 29 | 20 | 71 | 39 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 108 | 46 | 218 | 94 |
| Hypertension without heart involvement | 1 | 2 | 5 | 1 |
| General arteriosclerosis | 2 | -- | 11 | 4 |
| Other circulatory diseases | 2 | 1 | 3 | 1 |
| Nephritis and nephrosis, acute | -- | 2 | 2 | -- |
| Nephritis and renal sclerosis, chronic | 5 | 2 | 9 | 5 |
| Asthma | -- | 1 | 2 | -- |
| Diabetes | 4 | 2 | 7 | 3 |
| Influenza | 1 | 1 | 1 | -- |
| Pneumonia | 9 | 6 | 21 | 5 |
| Bronchitis | 1 | -- | 1 | 1 |
| Ulcer of stomach and duodenum | 3 | -- | 3 | -- |
| Hernia, intestinal obstruction | 2 | -- | 3 | -- |
| Gastritis, duodenitis, enteritis, colitis | 1 | 1 | 4 | 1 |
| Cirrhosis of liver | 3 | 1 | 5 | -- |
| Infections of kidney | -- | -- | 4 | 2 |
| Hyperplasia of prostate | -- | -- | 3 | -- |
| Maternal causes | -- | -- | 1 | -- |
| Congenital malformations | 3 | 1 | 5 | 5 |
| Diseases of early infancy | 4 | 2 | 11 | 7 |
| Senility and ill-defined causes | 2 | -- | -- | -- |
| Accidents, motor vehicle | 3 | 7 | 10 | 8 |
| Accidents, other | 8 | 6 | 11 | 3 |
| Suicide | 3 | 2 | 5 | 2 |
| Homicide | -- | -- | -- | 1 |
| All other causes | 15 | 6 | 15 | 3 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Douglas | Du Page | Edgar | Edwards |
|---|---|---|---|---|
| Estimated population as of July 1 | 19,800 | 254,600 | 23,500 | 9,500 |
| Live births: | | | | |
| Total | 487 | 6,929 | 412 | 163 |
| Hospital births | 479 | 6,896 | 410 | 160 |
| Non-hospital births | 8 | 33 | 2 | 3 |
| Attended by licensed practitioner | 8 | 33 | 2 | 3 |
| Other births | -- | -- | -- | -- |
| Premature births | 23 | 376 | 29 | 5 |
| Sex-race | | | | |
| White male | 261 | 3,510 | 209 | 82 |
| White female | 224 | 3,395 | 201 | 81 |
| Negro male | 1 | 15 | -- | -- |
| Negro female | -- | 2 | 2 | -- |
| Other races male | -- | 4 | -- | -- |
| Other races female | 1 | 3 | -- | -- |
| Illegitimate births: | | | | |
| White | 7 | 52 | 7 | 5 |
| Nonwhite | -- | 4 | -- | -- |
| Fetal deaths: | | | | |
| Total | 9 | 78 | 9 | 3 |
| Gestation | | | | |
| Under 20 weeks | -- | 2 | 1 | -- |
| 20 - 27 weeks | 1 | 16 | 1 | -- |
| 28 weeks and over | 8 | 60 | 7 | 3 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 224 | 1,916 | 290 | 95 |
| Total infants | 11 | 145 | 9 | 2 |
| Under 28 days | 8 | 99 | 6 | -- |
| Under 7 days | 7 | 87 | 6 | -- |
| Children under 5 years | 12 | 174 | 11 | 2 |
| Cause of death | | | | |
| Total infective and parasitic diseases | 2 | 13 | 3 | 1 |
| Tuberculosis | 1 | 3 | 1 | 1 |
| Syphilis | -- | -- | 1 | -- |
| Meningococcal infections | -- | 2 | 1 | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | 1 | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | 1 | 7 | -- | -- |
| Malignant neoplasms | 27 | 330 | 50 | 11 |
| Benign and unspecified neoplasms | -- | 5 | 1 | -- |
| Vascular lesions of central nervous system | 22 | 200 | 51 | 16 |
| Rheumatic fever | -- | 1 | 1 | -- |
| Heart disease | 110 | 752 | 111 | 42 |
| Hypertension without heart involvement | 3 | 17 | 1 | 1 |
| General arteriosclerosis | 2 | 35 | 4 | 4 |
| Other circulatory diseases | 1 | 27 | -- | -- |
| Nephritis and nephrosis, acute | 2 | 3 | -- | -- |
| Nephritis and renal sclerosis, chronic | 6 | 9 | 6 | -- |
| Asthma | 1 | 6 | 2 | 1 |
| Diabetes | 6 | 25 | 4 | -- |
| Influenza | 2 | 4 | 1 | -- |
| Pneumonia | 6 | 84 | 5 | 2 |
| Bronchitis | 2 | 6 | -- | -- |
| Ulcer of stomach and duodenum | -- | 15 | 5 | 1 |
| Hernia, intestinal obstruction | 2 | 11 | 3 | -- |
| Gastritis, duodenitis, enteritis, colitis | 2 | 8 | -- | -- |
| Cirrhosis of liver | 1 | 21 | 2 | -- |
| Infections of kidney | 1 | 9 | 1 | 1 |
| Hyperplasia of prostate | -- | 4 | 3 | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 1 | 38 | 1 | -- |
| Diseases of early infancy | 7 | 80 | 6 | -- |
| Senility and ill-defined causes | -- | 5 | -- | -- |
| Accidents, motor vehicle | 5 | 56 | 7 | 3 |
| Accidents, other | 4 | 57 | 10 | 3 |
| Suicide | 5 | 15 | 2 | 2 |
| Homicide | -- | 5 | -- | -- |
| All other causes | 4 | 75 | 10 | 7 |

| | Effingham | Fayette | Ford | Franklin |
|---|---|---|---|---|
| Estimated population as of July 1 | 22,000 | 24,600 | 16,200 | 43,000 |
| Live births: | | | | |
| Total | 548 | 384 | 357 | 635 |
| Hospital births | 537 | 382 | 355 | 621 |
| Non-hospital births | 11 | 2 | 2 | 14 |
| Attended by licensed practitioner | 11 | 2 | 1 | 12 |
| Other births | -- | -- | 1 | 2 |
| Premature births | 32 | 20 | 14 | 29 |
| Sex-race: | | | | |
| White male | 287 | 190 | 181 | 323 |
| White female | 261 | 194 | 174 | 312 |
| Negro male | -- | -- | -- | -- |
| Negro female | -- | -- | 2 | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 5 | 4 | 4 | 17 |
| Nonwhite | -- | -- | 1 | -- |
| Fetal deaths: | | | | |
| Total | 7 | 6 | 8 | 12 |
| Gestation | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 1 | 1 | 2 | 2 |
| 28 weeks and over | 6 | 5 | 6 | 10 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 220 | 239 | 182 | 612 |
| Total infants | 11 | 7 | 8 | 21 |
| Under 28 days | 11 | 6 | 7 | 14 |
| Under 7 days | 11 | 4 | 6 | 14 |
| Children under 5 years | 11 | 7 | 10 | 27 |
| Cause of death | | | | |
| Total infective and parasitic diseases | 2 | 3 | 1 | 11 |
| Tuberculosis | 1 | 3 | 1 | 8 |
| Syphilis | 1 | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | 1 |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | 2 |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 27 | 29 | 16 | 93 |
| Benign and unspecified neoplasms | -- | -- | 1 | 2 |
| Vascular lesions of central nervous system | 22 | 38 | 19 | 50 |
| Rheumatic fever | 1 | -- | -- | -- |
| Heart disease | 95 | 91 | 82 | 298 |
| Hypertension without heart involvement | 2 | 7 | 5 | 5 |
| General arteriosclerosis | 3 | 13 | 7 | 22 |
| Other circulatory diseases | -- | 2 | 1 | 3 |
| Nephritis and nephrosis, acute | 3 | -- | -- | 1 |
| Nephritis and renal sclerosis, chronic | 4 | 3 | 4 | 6 |
| Asthma | -- | -- | 1 | -- |
| Diabetes | 6 | 5 | 4 | 7 |
| Influenza | 1 | 3 | 2 | -- |
| Pneumonia | 8 | 8 | 1 | 17 |
| Bronchitis | -- | -- | -- | 1 |
| Ulcer of stomach and duodenum | 1 | 1 | 3 | 2 |
| Hernia, intestinal obstruction | -- | -- | 1 | 6 |
| Gastritis, duodenitis, enteritis, colitis | 2 | -- | 1 | 2 |
| Cirrhosis of liver | 2 | 1 | 1 | 7 |
| Infections of kidney | -- | 1 | -- | 1 |
| Hyperplasia of prostate | 1 | -- | 1 | 1 |
| Maternal causes | -- | -- | 1 | -- |
| Congenital malformations | 1 | 2 | 3 | 5 |
| Diseases of early infancy | 11 | 5 | 4 | 12 |
| Senility and ill-defined causes | 1 | 1 | -- | 2 |
| Accidents, motor vehicle | 14 | 5 | 7 | 8 |
| Accidents, other | 6 | 9 | 4 | 14 |
| Suicide | 2 | 2 | 5 | 9 |
| Homicide | -- | -- | 1 | 1 |
| All other causes | 5 | 10 | 6 | 26 |

| | Fulton | Gallatin | Greene | Grundy |
|---|---|---|---|---|
| Estimated population as of July 1 | 45,900 | 8,000 | 19,000 | 24,200 |
| Live births: | | | | |
| Total | 766 | 131 | 308 | 485 |
| Hospital births | 763 | 115 | 306 | 479 |
| Non-hospital births | 3 | 16 | 2 | 6 |
| Attended by licensed practitioner | 3 | 15 | 2 | 5 |
| Other births | -- | 1 | -- | 1 |
| Premature births | 36 | 13 | 17 | 17 |
| Sex-race: | | | | |
| White male | 395 | 62 | 161 | 244 |
| White female | 371 | 68 | 147 | 239 |
| Negro male | -- | -- | -- | -- |
| Negro female | -- | -- | -- | -- |
| Other races male | -- | 1 | -- | -- |
| Other races female | -- | -- | -- | 2 |
| Illegitimate births: | | | | |
| White | 13 | 5 | 7 | 7 |
| Nonwhite | -- | -- | -- | -- |
| Fetal deaths: | | | | |
| Total | 14 | 3 | 5 | 6 |
| Gestation: | | | | |
| Under 20 weeks | 1 | -- | 1 | -- |
| 20 - 27 weeks | 1 | 2 | 3 | 2 |
| 28 weeks and over | 12 | 1 | 1 | 4 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 478 | 116 | 226 | 235 |
| Total infants | 8 | 7 | 7 | 7 |
| Under 28 days | 7 | 3 | 6 | 6 |
| Under 7 days | 6 | 3 | 6 | 5 |
| Children under 5 years | 8 | 8 | 10 | 10 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 2 | 2 | 4 | 2 |
| Tuberculosis | 2 | 2 | 3 | -- |
| Syphilis | -- | -- | -- | 1 |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | 1 | 1 |
| Malignant neoplasms | 83 | 16 | 40 | 41 |
| Benign and unspecified neoplasms | 2 | -- | -- | -- |
| Vascular lesions of central nervous system | 70 | 20 | 23 | 29 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 203 | 49 | 96 | 92 |
| Hypertension without heart involvement | 11 | -- | 2 | 1 |
| General arteriosclerosis | 4 | 2 | 5 | 7 |
| Other circulatory diseases | 2 | -- | 3 | -- |
| Nephritis and nephrosis, acute | -- | -- | 1 | 1 |
| Nephritis and renal sclerosis, chronic | 1 | 2 | 1 | 2 |
| Asthma | -- | 2 | -- | -- |
| Diabetes | 11 | 1 | 5 | 2 |
| Influenza | 1 | -- | 1 | -- |
| Pneumonia | 12 | 2 | 4 | 4 |
| Bronchitis | 4 | 1 | -- | 1 |
| Ulcer of stomach and duodenum | 6 | -- | 1 | 4 |
| Hernia, intestinal obstruction | 3 | 1 | -- | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | -- | -- | 2 |
| Cirrhosis of liver | 5 | 2 | 1 | 5 |
| Infections of kidney | 2 | -- | -- | -- |
| Hyperplasia of prostate | 3 | -- | 2 | -- |
| Maternal causes | 1 | -- | -- | -- |
| Congenital malformations | 9 | -- | 2 | 1 |
| Diseases of early infancy | 3 | 4 | 4 | 5 |
| Senility and ill-defined causes | 1 | 3 | -- | 1 |
| Accidents, motor vehicle | 12 | 4 | 11 | 4 |
| Accidents, other | 9 | 3 | 3 | 5 |
| Suicide | 4 | -- | 7 | 1 |
| Homicide | -- | -- | -- | -- |
| All other causes | 14 | 2 | 10 | 14 |

| | Hamilton | Hancock | Hardin | Henderson |
|---|---|---|---|---|
| Estimated population as of July 1 | 11,000 | 26,700 | 6,200 | 8,400 |
| Live births: | | | | |
| Total | 177 | 455 | 111 | 171 |
| Hospital births | 175 | 454 | 108 | 170 |
| Non-hospital births | 2 | 1 | 3 | 1 |
| Attended by licensed practitioner | 2 | 1 | 3 | 1 |
| Other births | -- | -- | -- | -- |
| Premature births | 6 | 34 | 3 | 12 |
| Sex-race: | | | | |
| White male | 96 | 230 | 59 | 94 |
| White female | 81 | 225 | 52 | 77 |
| Negro male | -- | -- | -- | -- |
| Negro female | -- | -- | -- | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 3 | 7 | 4 | 3 |
| Nonwhite | -- | -- | -- | -- |
| Fetal deaths: | | | | |
| Total | -- | 9 | 2 | 2 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | -- | 2 | -- | 1 |
| 28 weeks and over | -- | 6 | 2 | 1 |
| Not reported | -- | 1 | -- | -- |
| Deaths: | | | | |
| All ages | 130 | 335 | 74 | 77 |
| Total infants | 1 | 16 | 5 | 2 |
| Under 28 days | -- | 15 | 3 | 1 |
| Under 7 days | -- | 15 | 3 | 1 |
| Children under 5 years | 2 | 20 | 5 | 3 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 3 | -- | 1 | -- |
| Tuberculosis | 2 | -- | 1 | -- |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | 1 | -- | -- | -- |
| Malignant neoplasms | 11 | 38 | 12 | 5 |
| Benign and unspecified neoplasms | -- | -- | -- | -- |
| Vascular lesions of central nervous system | 23 | 46 | 13 | 9 |
| Rheumatic fever | -- | 1 | -- | -- |
| Heart disease | 59 | 165 | 29 | 42 |
| Hypertension without heart involvement | 3 | 2 | -- | 2 |
| General arteriosclerosis | 6 | 12 | -- | 1 |
| Other circulatory diseases | -- | 2 | 3 | -- |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 2 | 1 | 1 | -- |
| Asthma | -- | 3 | 1 | -- |
| Diabetes | 1 | 3 | 1 | 1 |
| Influenza | 1 | -- | -- | -- |
| Pneumonia | 2 | 11 | 1 | 3 |
| Bronchitis | 2 | 1 | -- | -- |
| Ulcer of stomach and duodenum | 1 | 3 | -- | -- |
| Hernia, intestinal obstruction | -- | 2 | -- | -- |
| Gastritis, duodenitis, enteritis, colitis | 3 | 1 | -- | -- |
| Cirrhosis of liver | -- | -- | -- | 2 |
| Infections of kidney | 2 | -- | -- | -- |
| Hyperplasia of prostate | 2 | 3 | 1 | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | -- | 2 | 2 | -- |
| Diseases of early infancy | -- | 15 | 3 | 2 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 3 | 7 | -- | 5 |
| Accidents, other | 2 | 6 | 4 | 2 |
| Suicide | 1 | 5 | 1 | 1 |
| Homicide | -- | -- | -- | -- |
| All other causes | 3 | 6 | 1 | 2 |

| | Henry | Iroquois | Jackson | Jasper |
|---|---|---|---|---|
| Estimated population as of July 1 | 49,900 | 36,300 | 38,900 | 12,400 |
| Live births: | | | | |
| Total | 1,022 | 725 | 859 | 229 |
| Hospital births | 1,021 | 711 | 853 | 223 |
| Non-hospital births | 1 | 14 | 6 | 6 |
| Attended by licensed practitioner | 1 | 14 | 6 | 6 |
| Other births | -- | -- | -- | -- |
| Premature births | 62 | 40 | 62 | 7 |
| Sex-race: | | | | |
| White male | 512 | 377 | 421 | 113 |
| White female | 498 | 344 | 373 | 116 |
| Negro male | 5 | 2 | 37 | -- |
| Negro female | 6 | 2 | 26 | -- |
| Other races male | -- | -- | 1 | -- |
| Other races female | -- | -- | 1 | -- |
| Illegitimate births: | | | | |
| White | 16 | 11 | 20 | 4 |
| Nonwhite | -- | -- | 11 | -- |
| Fetal deaths: | | | | |
| Total | 17 | 7 | 12 | 4 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 3 | 1 | 3 | 1 |
| 28 weeks and over | 14 | 6 | 9 | 3 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 612 | 400 | 473 | 134 |
| Total infants | 24 | 14 | 26 | 2 |
| Under 28 days | 17 | 11 | 19 | 2 |
| Under 7 days | 17 | 8 | 19 | 2 |
| Children under 5 years | 25 | 17 | 27 | 3 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 3 | 2 | 2 | -- |
| Tuberculosis | 2 | 1 | 2 | -- |
| Syphilis | 1 | 1 | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 92 | 52 | 61 | 29 |
| Benign and unspecified neoplasms | -- | 1 | 1 | -- |
| Vascular lesions of central nervous system | 79 | 48 | 78 | 10 |
| Rheumatic fever | 1 | -- | -- | -- |
| Heart disease | 272 | 179 | 180 | 64 |
| Hypertension without heart involvement | 10 | 7 | 11 | 1 |
| General arteriosclerosis | 18 | 10 | 18 | 4 |
| Other circulatory diseases | 3 | 4 | 3 | 1 |
| Nephritis and nephrosis, acute | -- | -- | -- | 1 |
| Nephritis and renal sclerosis, chronic | 4 | 4 | 7 | 1 |
| Asthma | 4 | 4 | 1 | -- |
| Diabetes | 16 | 5 | 8 | -- |
| Influenza | 5 | 1 | 1 | -- |
| Pneumonia | 23 | 9 | 12 | 2 |
| Bronchitis | 2 | -- | -- | -- |
| Ulcer of stomach and duodenum | 2 | 2 | 3 | 1 |
| Hernia, intestinal obstruction | 1 | 3 | 1 | -- |
| Gastritis, duodenitis, enteritis, colitis | -- | 2 | 2 | 1 |
| Cirrhosis of liver | 6 | 1 | 2 | 1 |
| Infections of kidney | -- | 1 | 1 | -- |
| Hyperplasia of prostate | -- | -- | 1 | 2 |
| Maternal causes | -- | 1 | -- | -- |
| Congenital malformations | 5 | 5 | 5 | 1 |
| Diseases of early infancy | 13 | 9 | 18 | 1 |
| Senility and ill-defined causes | 1 | — | 1 | -- |
| Accidents, motor vehicle | 13 | 16 | 18 | 2 |
| Accidents, other | 20 | 15 | 18 | 4 |
| Suicide | 6 | 3 | 8 | 2 |
| Homicide | -- | 2 | -- | -- |
| All other causes | 23 | 14 | 12 | 6 |

| | Jefferson | Jersey | Jo Daviess | Johnson |
|---|---|---|---|---|
| Estimated population as of July 1 | 36,700 | 17,200 | 21,800 | 8,500 |
| Live births: | | | | |
| Total | 682 | 374 | 524 | 115 |
| Hospital births | 680 | 356 | 522 | 113 |
| Non-hospital births | 2 | 18 | 2 | 2 |
| Attended by licensed practitioner | 2 | 17 | 2 | 2 |
| Other births | -- | 1 | -- | -- |
| Premature births | 47 | 23 | 36 | 6 |
| Sex-race: | | | | |
| White male | 325 | 192 | 278 | 54 |
| White female | 329 | 180 | 246 | 60 |
| Negro male | 15 | -- | -- | -- |
| Negro female | 13 | 2 | -- | 1 |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 17 | 7 | 6 | -- |
| Nonwhite | 6 | -- | -- | -- |
| Fetal deaths: | | | | |
| Total | 10 | 5 | 9 | 2 |
| Gestation: | | | | |
| Under 20 weeks | 1 | -- | -- | -- |
| 20 - 27 weeks | -- | 2 | 3 | -- |
| 28 weeks and over | 9 | 3 | 6 | 2 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 374 | 164 | 241 | 110 |
| Total infants | 19 | 10 | 8 | -- |
| Under 28 days | 13 | 9 | 6 | -- |
| Under 7 days | 10 | 8 | 5 | -- |
| Children under 5 years | 21 | 12 | 7 | 1 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 7 | 2 | 4 | 3 |
| Tuberculosis | 3 | 1 | 2 | 2 |
| Syphilis | 2 | -- | -- | -- |
| Meningococcal infections | -- | -- | 1 | -- |
| Poliomyelitis, acute | 1 | 1 | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | 1 | -- | 1 | -- |
| Other infective and parasitic diseases | -- | -- | -- | 1 |
| Malignant neoplasms | 52 | 35 | 31 | 14 |
| Benign and unspecified neoplasms | 1 | -- | 1 | -- |
| Vascular lesions of central nervous system | 45 | 12 | 44 | 23 |
| Rheumatic fever | -- | -- | -- | 1 |
| Heart disease | 147 | 66 | 102 | 41 |
| Hypertension without heart involvement | 2 | 2 | 2 | -- |
| General arteriosclerosis | 10 | 4 | 5 | 10 |
| Other circulatory diseases | 4 | 2 | -- | -- |
| Nephritis and nephrosis, acute | 1 | 2 | 1 | -- |
| Nephritis and renal sclerosis, chronic | 2 | 2 | -- | 3 |
| Asthma | 1 | -- | -- | -- |
| Diabetes | 4 | 1 | 3 | -- |
| Influenza | 2 | -- | 1 | -- |
| Pneumonia | 8 | 2 | 7 | 1 |
| Bronchitis | 2 | -- | -- | -- |
| Ulcer of stomach and duodenum | 5 | 4 | -- | 1 |
| Hernia, intestinal obstruction | 4 | 1 | 2 | 2 |
| Gastritis, duodenitis, enteritis, colitis | -- | 1 | 1 | -- |
| Cirrhosis of liver | 5 | 1 | -- | 1 |
| Infections of kidney | 1 | -- | 4 | -- |
| Hyperplasia of prostate | 3 | 2 | 1 | -- |
| Maternal causes | 1 | -- | -- | -- |
| Congenital malformations | 5 | -- | 1 | 1 |
| Diseases of early infancy | 7 | 10 | 5 | -- |
| Senility and ill-defined causes | 22 | 1 | -- | -- |
| Accidents, motor vehicle | 10 | 3 | 7 | 5 |
| Accidents, other | 7 | 3 | 8 | 1 |
| Suicide | 4 | 2 | 1 | 1 |
| Homicide | -- | -- | 1 | -- |
| All other causes | 12 | 6 | 9 | 2 |

| | Kane | Kankakee | Kendall | Knox |
|---|---|---|---|---|
| Estimated population as of July 1 | 181,000 | 101,600 | 14,400 | 56,500 |
| Live births: | | | | |
| Total | 4,806 | 1,994 | 366 | 1,258 |
| Hospital births | 4,794 | 1,980 | 364 | 1,257 |
| Non-hospital births | 12 | 14 | 2 | 1 |
| Attended by licensed practitioner | 11 | 14 | 2 | 1 |
| Other births | 1 | -- | -- | -- |
| Premature births | 293 | 147 | 21 | 77 |
| Sex-race: | | | | |
| White male | 2,407 | 923 | 189 | 623 |
| White female | 2,287 | 912 | 177 | 588 |
| Negro male | 60 | 81 | -- | 23 |
| Negro female | 44 | 76 | -- | 23 |
| Other races male | 4 | 1 | -- | 1 |
| Other races female | 4 | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 69 | 18 | 7 | 19 |
| Nonwhite | 15 | 29 | -- | 4 |
| Fetal deaths: | | | | |
| Total | 77 | 32 | 6 | 14 |
| Gestation | | | | |
| Under 20 weeks | 1 | -- | -- | -- |
| 20 - 27 weeks | 15 | 3 | 1 | -- |
| 28 weeks and over | 61 | 29 | 5 | 14 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 1,871 | 750 | 135 | 681 |
| Total infants | 125 | 44 | 8 | 25 |
| Under 28 days | 89 | 37 | 7 | 17 |
| Under 7 days | 82 | 36 | 7 | 17 |
| Children under 5 years | 145 | 56 | 9 | 34 |
| Cause of death | | | | |
| Total infective and parasitic diseases | 20 | 5 | -- | 9 |
| Tuberculosis | 8 | 2 | -- | 6 |
| Syphilis | 3 | 1 | -- | 2 |
| Meningococcal infections | 1 | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | 1 | -- | -- |
| Infectious hepatitis | 3 | -- | -- | 1 |
| Other infective and parasitic diseases | 5 | 1 | -- | -- |
| Malignant neoplasms | 270 | 114 | 22 | 109 |
| Benign and unspecified neoplasms | 1 | 3 | 1 | 1 |
| Vascular lesions of central nervous system | 262 | 76 | 20 | 95 |
| Rheumatic fever | 1 | -- | -- | -- |
| Heart disease | 765 | 329 | 49 | 309 |
| Hypertension without heart involvement | 22 | 5 | 2 | 8 |
| General arteriosclerosis | 32 | 13 | 2 | 16 |
| Other circulatory diseases | 8 | 3 | 1 | 5 |
| Nephritis and nephrosis, acute | 3 | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 13 | 7 | 3 | 1 |
| Asthma | 9 | 3 | 1 | 2 |
| Diabetes | 29 | 13 | 3 | 9 |
| Influenza | 3 | -- | 1 | 1 |
| Pneumonia | 83 | 26 | 5 | 21 |
| Bronchitis | 4 | 2 | 1 | 2 |
| Ulcer of stomach and duodenum | 11 | 5 | 2 | 5 |
| Hernia, intestinal obstruction | 6 | 1 | -- | 5 |
| Gastritis, duodenitis, enteritis, colitis | 11 | 4 | -- | -- |
| Cirrhosis of liver | 18 | 9 | 1 | 3 |
| Infections of kidney | 4 | 1 | 1 | 2 |
| Hyperplasia of prostate | 4 | -- | -- | 2 |
| Maternal causes | 4 | -- | -- | 1 |
| Congenital malformations | 26 | 10 | 1 | 6 |
| Diseases of early infancy | 78 | 34 | 6 | 14 |
| Senility and ill-defined causes | 2 | 1 | -- | -- |
| Accidents, motor vehicle | 39 | 29 | 5 | 17 |
| Accidents, other | 53 | 24 | 5 | 12 |
| Suicide | 24 | 2 | 1 | 6 |
| Homicide | 1 | 1 | -- | -- |
| All other causes | 65 | 30 | 2 | 20 |

| | Lake | La Salle | Lawrence | Lee |
|---|---|---|---|---|
| Estimated population as of July 1 | 256,700 | 113,000 | 19,100 | 36,900 |
| Live births: | | | | |
| Total | 7,108 | 2,562 | 349 | 757 |
| Hospital births | 7,044 | 2,557 | 346 | 750 |
| Non-hospital births | 64 | 5 | 3 | 7 |
| Attended by licensed practitioner | 30 | 5 | 3 | 7 |
| Other births | 34 | -- | -- | -- |
| Premature births | 535 | 165 | 20 | 47 |
| Sex-race: | | | | |
| White male | 3,412 | 1,310 | 177 | 385 |
| White female | 3,234 | 1,236 | 167 | 361 |
| Negro male | 208 | 10 | -- | 2 |
| Negro female | 220 | 4 | 5 | 8 |
| Other races male | 16 | 1 | -- | -- |
| Other races female | 18 | 1 | -- | 1 |
| Illegitimate births: | | | | |
| White | 91 | 24 | 9 | 16 |
| Nonwhite | 50 | 3 | 1 | -- |
| Fetal deaths: | | | | |
| Total | 89 | 33 | 2 | 18 |
| Gestation: | | | | |
| Under 20 weeks | 2 | -- | -- | 2 |
| 20 - 27 weeks | 18 | 7 | -- | 4 |
| 28 weeks and over | 69 | 26 | 2 | 12 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 2,066 | 1,190 | 250 | 371 |
| Total infants | 179 | 54 | 9 | 17 |
| Under 28 days | 124 | 44 | 5 | 10 |
| Under 7 days | 104 | 41 | 5 | 8 |
| Children under 5 years | 205 | 59 | 12 | 22 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 28 | 7 | 3 | 1 |
| Tuberculosis | 15 | 2 | 1 | -- |
| Syphilis | 4 | -- | -- | -- |
| Meningococcal infections | 2 | -- | 1 | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | 1 | -- | 1 |
| Infectious hepatitis | 1 | 1 | -- | -- |
| Other infective and parasitic diseases | 6 | 3 | 1 | -- |
| Malignant neoplasms | 329 | 171 | 33 | 44 |
| Benign and unspecified neoplasms | 5 | 2 | -- | 2 |
| Vascular lesions of central nervous system | 241 | 179 | 36 | 47 |
| Rheumatic fever | 1 | -- | -- | 2 |
| Heart disease | 838 | 527 | 96 | 153 |
| Hypertension without heart involvement | 19 | 8 | 2 | 4 |
| General arteriosclerosis | 24 | 16 | 9 | 16 |
| Other circulatory diseases | 23 | 11 | -- | 5 |
| Nephritis and nephrosis, acute | 2 | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 6 | 11 | 5 | 1 |
| Asthma | 2 | 3 | 1 | -- |
| Diabetes | 15 | 18 | 5 | 8 |
| Influenza | 3 | 2 | -- | -- |
| Pneumonia | 75 | 26 | 20 | 18 |
| Bronchitis | 5 | 2 | -- | -- |
| Ulcer of stomach and duodenum | 7 | 10 | 1 | 4 |
| Hernia, intestinal obstruction | 11 | 8 | 1 | 2 |
| Gastritis, duodenitis, enteritis, colitis | 13 | 3 | 1 | 2 |
| Cirrhosis of liver | 22 | 7 | -- | 1 |
| Infections of kidney | 3 | 6 | 3 | -- |
| Hyperplasia of prostate | 9 | 2 | 3 | 1 |
| Maternal causes | 7 | -- | -- | -- |
| Congenital malformations | 45 | 12 | 3 | 5 |
| Diseases of early infancy | 105 | 35 | 5 | 8 |
| Senility and ill-defined causes | 5 | -- | -- | 1 |
| Accidents, motor vehicle | 66 | 25 | 4 | 15 |
| Accidents, other | 50 | 40 | 7 | 12 |
| Suicide | 33 | 15 | 2 | 6 |
| Homicide | 3 | -- | -- | -- |
| All other causes | 71 | 44 | 10 | 15 |

| | Livingston | Logan | McDonough | McHenry |
|---|---|---|---|---|
| Estimated population as of July 1 | 38,200 | 31,200 | 28,800 | 70,700 |
| Live births: | | | | |
| Total | 820 | 615 | 565 | 2,000 |
| Hospital births | 817 | 615 | 559 | 1,990 |
| Non-hospital births | 3 | -- | 6 | 10 |
| Attended by licensed practitioner | 3 | -- | 6 | 10 |
| Other births | -- | -- | -- | -- |
| Premature births | 42 | 37 | 28 | 109 |
| Sex-race: | | | | |
| White male | 430 | 309 | 283 | 1,059 |
| White female | 387 | 302 | 278 | 940 |
| Negro male | -- | 3 | 1 | -- |
| Negro female | 1 | 1 | 1 | -- |
| Other races male | 2 | -- | 2 | -- |
| Other races female | -- | -- | -- | 1 |
| Illegitimate births: | | | | |
| White | 4 | 18 | 4 | 27 |
| Nonwhite | -- | 1 | 1 | -- |
| Fetal deaths: | | | | |
| Total | 11 | 14 | 11 | 30 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | 1 | 1 |
| 20 - 27 weeks | -- | -- | 3 | 5 |
| 28 weeks and over | 11 | 14 | 7 | 24 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 412 | 294 | 361 | 747 |
| Total infants | 17 | 15 | 10 | 47 |
| Under 28 days | 10 | 13 | 7 | 33 |
| Under 7 days | 8 | 13 | 7 | 29 |
| Children under 5 years | 20 | 18 | 13 | 55 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | -- | 2 | 3 | 6 |
| Tuberculosis | -- | -- | 2 | 1 |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | 3 |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | 1 |
| Infectious hepatitis | -- | 1 | -- | -- |
| Other infective and parasitic diseases | -- | 1 | 1 | 1 |
| Malignant neoplasms | 68 | 35 | 60 | 130 |
| Benign and unspecified neoplasms | -- | -- | 1 | 2 |
| Vascular lesions of central nervous system | 64 | 33 | 49 | 78 |
| Rheumatic fever | -- | -- | -- | 1 |
| Heart disease | 167 | 138 | 148 | 311 |
| Hypertension without heart involvement | 6 | 5 | 6 | 5 |
| General arteriosclerosis | 5 | 15 | 9 | 13 |
| Other circulatory diseases | 5 | 1 | 4 | 9 |
| Nephritis and nephrosis, acute | 1 | -- | -- | 2 |
| Nephritis and renal sclerosis, chronic | -- | 3 | 3 | 5 |
| Asthma | -- | -- | 2 | 3 |
| Diabetes | 5 | 2 | 7 | 10 |
| Influenza | -- | -- | -- | 1 |
| Pneumonia | 14 | 11 | 8 | 26 |
| Bronchitis | 2 | -- | 2 | 1 |
| Ulcer of stomach and duodenum | 3 | 3 | 2 | 3 |
| Hernia, intestinal obstruction | -- | 1 | 4 | 1 |
| Gastritis, duodenitis, enteritis, colitis | 2 | 2 | 1 | 4 |
| Cirrhosis of liver | 3 | 2 | -- | 6 |
| Infections of kidney | -- | 4 | 1 | 5 |
| Hyperplasia of prostate | 4 | -- | 1 | 3 |
| Maternal causes | -- | -- | -- | 1 |
| Congenital malformations | 7 | 4 | 2 | 14 |
| Diseases of early infancy | 6 | 10 | 7 | 26 |
| Senility and ill-defined causes | -- | -- | -- | 1 |
| Accidents, motor vehicle | 5 | 5 | 8 | 18 |
| Accidents, other | 23 | 9 | 8 | 24 |
| Suicide | 2 | 4 | 4 | 7 |
| Homicide | -- | -- | 1 | -- |
| All other causes | 20 | 5 | 20 | 30 |

| | McLean | Macon | Macoupin | Madison |
|---|---|---|---|---|
| Estimated population as of July 1 | 89,600 | 110,300 | 43,400 | 223,500 |
| Live births: | | | | |
| Total | 1,849 | 2,863 | 782 | 5,328 |
| Hospital births | 1,845 | 2,854 | 774 | 5,280 |
| Non-hospital births | 4 | 9 | 8 | 48 |
| Attended by licensed practitioner | 4 | 9 | 8 | 47 |
| Other births | -- | -- | -- | 1 |
| Premature births | 123 | 219 | 47 | 378 |
| Sex-race: | | | | |
| White male | 921 | 1,393 | 387 | 2,523 |
| White female | 885 | 1,259 | 395 | 2,408 |
| Negro male | 19 | 110 | -- | 191 |
| Negro female | 23 | 100 | -- | 200 |
| Other races male | 1 | 1 | -- | 4 |
| Other races female | -- | -- | -- | 2 |
| Illegitimate births: | | | | |
| White | 43 | 53 | 10 | 78 |
| Nonwhite | 7 | 59 | -- | 94 |
| Fetal deaths: | | | | |
| Total | 28 | 49 | 18 | 87 |
| Gestation: | | | | |
| Under 20 weeks | -- | 2 | -- | 5 |
| 20 - 27 weeks | 11 | 10 | 3 | 20 |
| 28 weeks and over | 17 | 37 | 15 | 62 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 879 | 1,145 | 601 | 1,831 |
| Total infants | 44 | 81 | 26 | 142 |
| Under 28 days | 29 | 61 | 21 | 111 |
| Under 7 days | 24 | 53 | 19 | 107 |
| Children under 5 years | 50 | 93 | 30 | 158 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 5 | 13 | 6 | 19 |
| Tuberculosis | 2 | 7 | 3 | 11 |
| Syphilis | -- | 2 | 1 | 3 |
| Meningococcal infections | -- | -- | -- | 1 |
| Poliomyelitis, acute | -- | 2 | -- | -- |
| Infectious encephalitis, acute | 1 | -- | 1 | -- |
| Infectious hepatitis | -- | -- | 1 | -- |
| Other infective and parasitic diseases | 2 | 2 | -- | 4 |
| Malignant neoplasms | 138 | 186 | 76 | 299 |
| Benign and unspecified neoplasms | 3 | 2 | 1 | 7 |
| Vascular lesions of central nervous system | 134 | 133 | 81 | 217 |
| Rheumatic fever | -- | 1 | -- | -- |
| Heart disease | 382 | 466 | 275 | 731 |
| Hypertension without heart involvement | 9 | 11 | 3 | 11 |
| General arteriosclerosis | 23 | 17 | 11 | 32 |
| Other circulatory diseases | 5 | 10 | 8 | 7 |
| Nephritis and nephrosis, acute | 1 | 1 | 1 | 1 |
| Nephritis and renal sclerosis, chronic | 4 | 5 | 1 | 15 |
| Asthma | -- | -- | 2 | 8 |
| Diabetes | 3 | 21 | 16 | 28 |
| Influenza | 1 | 1 | 2 | 2 |
| Pneumonia | 17 | 30 | 18 | 67 |
| Bronchitis | 2 | 4 | -- | 1 |
| Ulcer of stomach and duodenum | 10 | 7 | 4 | 11 |
| Hernia, intestinal obstruction | 4 | 7 | 2 | 3 |
| Gastritis, duodenitis, enteritis, colitis | 3 | 2 | 3 | 8 |
| Cirrhosis of liver | 4 | 16 | 6 | 5 |
| Infections of kidney | 2 | 5 | 2 | 4 |
| Hyperplasia of prostate | 1 | -- | 1 | 10 |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 16 | 20 | 9 | 20 |
| Diseases of early infancy | 25 | 48 | 17 | 98 |
| Senility and ill-defined causes | -- | 3 | 2 | 12 |
| Accidents, motor vehicle | 20 | 28 | 11 | 61 |
| Accidents, other | 28 | 29 | 13 | 66 |
| Suicide | 12 | 24 | 8 | 17 |
| Homicide | 1 | 4 | 1 | 5 |
| All other causes | 26 | 51 | 23 | 66 |

| | Marion | Marshall | Mason | Massac |
|---|---|---|---|---|
| Estimated population as of July 1 | 40,000 | 13,400 | 15,800 | 16,800 |
| Live births: | | | | |
| Total | 806 | 271 | 301 | 267 |
| Hospital births | 798 | 268 | 298 | 267 |
| Non-hospital births | 8 | 3 | 3 | -- |
| Attended by licensed practitioner | 8 | 3 | 2 | -- |
| Other births | -- | -- | 1 | -- |
| Premature births | 63 | 21 | 11 | 20 |
| Sex-race: | | | | |
| White male | 407 | 148 | 149 | 133 |
| White female | 358 | 122 | 152 | 116 |
| Negro male | 20 | -- | -- | 9 |
| Negro female | 20 | -- | -- | 9 |
| Other races male | 1 | -- | -- | -- |
| Other races female | -- | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 26 | 2 | 3 | 8 |
| Nonwhite | 9 | -- | -- | 6 |
| Fetal deaths: | | | | |
| Total | 7 | 5 | 6 | 5 |
| Gestation: | | | | |
| Under 20 weeks | 1 | -- | -- | -- |
| 20 - 27 weeks | 2 | -- | -- | 2 |
| 28 weeks and over | 4 | 5 | 5 | 3 |
| Not reported | -- | -- | 1 | -- |
| Deaths: | | | | |
| All ages | 501 | 136 | 188 | 197 |
| Total infants | 27 | 4 | 7 | 4 |
| Under 28 days | 23 | 2 | 4 | 4 |
| Under 7 days | 20 | 1 | 3 | 4 |
| Children under 5 years | 33 | 8 | 8 | 7 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 2 | 2 | 3 | 3 |
| Tuberculosis | 1 | -- | 2 | 2 |
| Syphilis | 1 | -- | -- | 1 |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | 1 | 1 | -- |
| Other infective and parasitic diseases | -- | 1 | -- | -- |
| Malignant neoplasms | 77 | 22 | 28 | 30 |
| Benign and unspecified neoplasms | 2 | 1 | 1 | 1 |
| Vascular lesions of central nervous system | 60 | 22 | 24 | 32 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 206 | 58 | 92 | 69 |
| Hypertension without heart involvement | 1 | -- | 5 | -- |
| General arteriosclerosis | 12 | 3 | 2 | 6 |
| Other circulatory diseases | 2 | 1 | -- | 1 |
| Nephritis and nephrosis, acute | 1 | -- | -- | 1 |
| Nephritis and renal sclerosis, chronic | 7 | -- | 1 | 1 |
| Asthma | 2 | -- | -- | 2 |
| Diabetes | 5 | 1 | 1 | 3 |
| Influenza | -- | -- | 1 | -- |
| Pneumonia | 25 | 4 | 9 | 6 |
| Bronchitis | -- | 1 | -- | 1 |
| Ulcer of stomach and duodenum | 4 | -- | -- | -- |
| Hernia, intestinal obstruction | 3 | 1 | 2 | 1 |
| Gastritis, duodenitis, enteritis, colitis | 2 | -- | 1 | 2 |
| Cirrhosis of liver | 5 | -- | 2 | 2 |
| Infections of kidney | 1 | -- | -- | -- |
| Hyperplasia of prostate | 2 | 1 | -- | 3 |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 6 | 2 | 1 | 2 |
| Diseases of early infancy | 19 | 2 | 3 | 3 |
| Senility and ill-defined causes | 4 | -- | -- | -- |
| Accidents, motor vehicle | 11 | 2 | 2 | 7 |
| Accidents, other | 20 | 3 | 3 | 8 |
| Suicide | 4 | 4 | 3 | 2 |
| Homicide | -- | -- | -- | 2 |
| All other causes | 18 | 6 | 4 | 9 |

| | Menard | Mercer | Monroe | Montgomery |
|---|---|---|---|---|
| Estimated population as of July 1 | 9,600 | 18,000 | 15,300 | 31,700 |
| Live births: | | | | |
| Total | 182 | 314 | 322 | 617 |
| Hospital births | 181 | 313 | 321 | 612 |
| Non-hospital births | 1 | 1 | 1 | 5 |
| Attended by licensed practitioner | 1 | 1 | 1 | 5 |
| Other births | -- | -- | -- | -- |
| Premature births | 16 | 21 | 19 | 32 |
| Sex-race: | | | | |
| White male | 95 | 159 | 149 | 328 |
| White female | 86 | 155 | 173 | 283 |
| Negro male | 1 | -- | -- | 3 |
| Negro female | -- | -- | -- | 3 |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 7 | 6 | 5 | 11 |
| Nonwhite | -- | -- | -- | 2 |
| Fetal deaths: | | | | |
| Total | 2 | 5 | 3 | 11 |
| Gestation | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 1 | 1 | -- | 1 |
| 28 weeks and over | 1 | 4 | 3 | 10 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 139 | 171 | 179 | 435 |
| Total infants | 6 | 2 | 9 | 12 |
| Under 28 days | 4 | 2 | 9 | 9 |
| Under 7 days | 4 | 2 | 8 | 9 |
| Children under 5 years | 7 | 2 | 12 | 16 |
| Cause of death | | | | |
| Total infective and parasitic diseases | 2 | 1 | 3 | 5 |
| Tuberculosis | -- | -- | 1 | 2 |
| Syphilis | -- | -- | -- | 3 |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | 1 | -- | -- |
| Other infective and parasitic diseases | 2 | -- | 2 | -- |
| Malignant neoplasms | 20 | 28 | 33 | 53 |
| Benign and unspecified neoplasms | -- | -- | -- | -- |
| Vascular lesions of central nervous system | 14 | 19 | 18 | 65 |
| Rheumatic fever | -- | 1 | -- | -- |
| Heart disease | 69 | 81 | 73 | 192 |
| Hypertension without heart involvement | 3 | 1 | 1 | 4 |
| General arteriosclerosis | 1 | 7 | 8 | 7 |
| Other circulatory diseases | 2 | 2 | -- | 2 |
| Nephritis and nephrosis, acute | -- | -- | -- | 2 |
| Nephritis and renal sclerosis, chronic | 3 | 3 | 1 | -- |
| Asthma | -- | 1 | -- | 2 |
| Diabetes | 2 | 1 | 1 | 8 |
| Influenza | -- | -- | -- | 3 |
| Pneumonia | 6 | 6 | 6 | 15 |
| Bronchitis | -- | -- | -- | 1 |
| Ulcer of stomach and duodenum | -- | 2 | -- | 3 |
| Hernia, intestinal obstruction | -- | 1 | 2 | 1 |
| Gastritis, duodenitis, enteritis, colitis | 1 | -- | 2 | 2 |
| Cirrhosis of liver | -- | 1 | 1 | 2 |
| Infections of kidney | -- | -- | -- | -- |
| Hyperplasia of prostate | -- | -- | -- | 1 |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 1 | -- | 2 | -- |
| Diseases of early infancy | 4 | 2 | 8 | 9 |
| Senility and ill-defined causes | 1 | -- | 2 | 5 |
| Accidents, motor vehicle | 4 | 3 | 6 | 17 |
| Accidents, other | 1 | 4 | 7 | 15 |
| Suicide | -- | 4 | 1 | 6 |
| Homicide | -- | -- | -- | 2 |
| All other causes | 5 | 3 | 4 | 13 |

| | Morgan | Moultrie | Ogle | Peoria |
|---|---|---|---|---|
| Estimated population as of July 1 | 38,000 | 13,400 | 37,200 | 185,100 |
| Live births: | | | | |
| Total | 617 | 274 | 865 | 4,417 |
| Hospital births | 616 | 263 | 859 | 4,397 |
| Non-hospital births | 1 | 11 | 6 | 20 |
| Attended by licensed practitioner | 1 | 11 | 6 | 20 |
| Other births | -- | -- | -- | -- |
| Premature births | 35 | 9 | 45 | 304 |
| Sex-race: | | | | |
| White male | 322 | 143 | 425 | 2,049 |
| White female | 276 | 131 | 440 | 2,031 |
| Negro male | 7 | -- | -- | 160 |
| Negro female | 12 | -- | -- | 173 |
| Other races male | -- | -- | -- | 2 |
| Other races female | -- | -- | -- | 2 |
| Illegitimate births: | | | | |
| White | 14 | 2 | 17 | 209 |
| Nonwhite | 3 | -- | -- | 68 |
| Fetal deaths: | | | | |
| Total | 6 | 2 | 15 | 54 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 1 | -- | 4 | 5 |
| 28 weeks and over | 5 | 2 | 11 | 49 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 386 | 189 | 347 | 1,862 |
| Total infants | 13 | 5 | 19 | 96 |
| Under 28 days | 11 | 4 | 13 | 68 |
| Under 7 days | 10 | 4 | 13 | 61 |
| Children under 5 years | 15 | 7 | 20 | 110 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 3 | 3 | 3 | 27 |
| Tuberculosis | 1 | 2 | 3 | 11 |
| Syphilis | -- | 1 | -- | 6 |
| Meningococcal infections | 1 | -- | -- | 1 |
| Poliomyelitis, acute | -- | -- | -- | 1 |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | 1 |
| Other infective and parasitic diseases | 1 | -- | -- | 7 |
| Malignant neoplasms | 42 | 21 | 48 | 327 |
| Benign and unspecified neoplasms | 1 | -- | 3 | 4 |
| Vascular lesions of central nervous system | 46 | 24 | 40 | 222 |
| Rheumatic fever | 1 | -- | -- | 2 |
| Heart disease | 190 | 101 | 167 | 740 |
| Hypertension without heart involvement | 7 | 2 | 1 | 20 |
| General arteriosclerosis | 22 | 3 | 5 | 75 |
| Other circulatory diseases | 3 | 2 | 2 | 9 |
| Nephritis and nephrosis, acute | -- | -- | -- | 2 |
| Nephritis and renal sclerosis, chronic | 3 | 2 | 4 | 8 |
| Asthma | -- | 1 | 3 | 7 |
| Diabetes | 4 | 2 | 9 | 24 |
| Influenza | 1 | -- | -- | 1 |
| Pneumonia | 10 | 3 | 11 | 68 |
| Bronchitis | -- | -- | -- | 1 |
| Ulcer of stomach and duodenum | 2 | 2 | 2 | 16 |
| Hernia, intestinal obstruction | -- | -- | -- | 18 |
| Gastritis, duodenitis, enteritis, colitis | 1 | -- | 2 | 8 |
| Cirrhosis of liver | 5 | -- | 2 | 22 |
| Infections of kidney | 1 | 1 | -- | 7 |
| Hyperplasia of prostate | 3 | 1 | -- | 8 |
| Maternal causes | -- | -- | -- | 1 |
| Congenital malformations | 2 | 4 | 7 | 16 |
| Diseases of early infancy | 9 | 3 | 8 | 63 |
| Senility and ill-defined causes | -- | 1 | -- | 2 |
| Accidents, motor vehicle | 3 | 5 | 6 | 51 |
| Accidents, other | 11 | 6 | 11 | 40 |
| Suicide | 5 | -- | 6 | 21 |
| Homicide | -- | -- | -- | 1 |
| All other causes | 11 | 2 | 7 | 51 |

| | Perry | Piatt | Pike | Pope |
|---|---|---|---|---|
| Estimated population as of July 1 | 21,500 | 16,500 | 22,200 | 5,300 |
| Live births: | | | | |
| Total | 351 | 298 | 378 | 67 |
| Hospital births | 351 | 298 | 374 | 67 |
| Non-hospital births | -- | -- | 4 | -- |
| Attended by licensed practitioner | -- | -- | 4 | -- |
| Other births | -- | -- | -- | -- |
| Premature births | 24 | 13 | 11 | 5 |
| Sex-race: | | | | |
| White male | 186 | 150 | 203 | 36 |
| White female | 160 | 148 | 175 | 30 |
| Negro male | 3 | -- | -- | 1 |
| Negro female | 2 | -- | -- | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 13 | 2 | 8 | 2 |
| Nonwhite | 1 | -- | -- | -- |
| Fetal deaths: | | | | |
| Total | 9 | 7 | 5 | 2 |
| Gestation: | | | | |
| Under 20 weeks | 1 | -- | -- | -- |
| 20 - 27 weeks | 3 | 2 | 2 | 1 |
| 28 weeks and over | 5 | 5 | 3 | 1 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 261 | 155 | 296 | 74 |
| Total infants | 11 | 6 | 6 | 1 |
| Under 28 days | 6 | 4 | 3 | 1 |
| Under 7 days | 5 | 4 | 3 | 1 |
| Children under 5 years | 15 | 6 | 10 | 2 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 2 | 2 | 1 | 1 |
| Tuberculosis | 2 | 1 | -- | -- |
| Syphilis | -- | 1 | -- | 1 |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | 1 | -- |
| Malignant neoplasms | 28 | 23 | 43 | 3 |
| Benign and unspecified neoplasms | 1 | -- | -- | -- |
| Vascular lesions of central nervous system | 31 | 20 | 44 | 7 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 122 | 70 | 134 | 39 |
| Hypertension without heart involvement | 5 | -- | 5 | 1 |
| General arteriosclerosis | 10 | 7 | 4 | 1 |
| Other circulatory diseases | 2 | -- | 8 | -- |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 3 | 3 | 1 | -- |
| Asthma | 1 | 1 | 1 | -- |
| Diabetes | 2 | 3 | 2 | 1 |
| Influenza | 1 | 1 | -- | -- |
| Pneumonia | 8 | 6 | 5 | 1 |
| Bronchitis | -- | -- | 1 | -- |
| Ulcer of stomach and duodenum | -- | 1 | -- | -- |
| Hernia, intestinal obstruction | 3 | -- | 1 | -- |
| Gastritis, duodenitis, enteritis, colitis | -- | -- | 2 | -- |
| Cirrhosis of liver | 2 | -- | 2 | -- |
| Infections of kidney | -- | -- | 1 | 1 |
| Hyperplasia of prostate | -- | -- | -- | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 4 | -- | 2 | -- |
| Diseases of early infancy | 5 | 4 | 3 | 1 |
| Senility and ill-defined causes | -- | 1 | -- | -- |
| Accidents, motor vehicle | 8 | 3 | 10 | 1 |
| Accidents, other | 10 | 4 | 12 | 11 |
| Suicide | 3 | 1 | 5 | 2 |
| Homicide | -- | -- | -- | -- |
| All other causes | 10 | 5 | 8 | 4 |

| | Pulaski | Putnam | Randolph | Richland |
|---|---|---|---|---|
| Estimated population as of July 1 | 12,000 | 4,500 | 31,500 | 16,900 |
| Live births: | | | | |
| Total | 210 | 97 | 594 | 367 |
| Hospital births | 145 | 97 | 586 | 365 |
| Non-hospital births | 65 | -- | 8 | 2 |
| Attended by licensed practitioner | 44 | -- | 7 | 2 |
| Other births | 21 | -- | 1 | -- |
| Premature births | 26 | 7 | 40 | 23 |
| Sex-race: | | | | |
| White male | 47 | 53 | 299 | 206 |
| White female | 61 | 43 | 285 | 161 |
| Negro male | 56 | -- | 7 | -- |
| Negro female | 46 | 1 | 3 | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 2 | -- | 10 | 13 |
| Nonwhite | 36 | -- | 3 | -- |
| Fetal deaths: | | | | |
| Total | 10 | 2 | 10 | 6 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 4 | 1 | 3 | -- |
| 28 weeks and over | 5 | 1 | 7 | 6 |
| Not reported | 1 | -- | -- | -- |
| Deaths: | | | | |
| All ages | 165 | 54 | 375 | 185 |
| Total infants | 3 | 1 | 12 | 8 |
| Under 28 days | 2 | 1 | 10 | 6 |
| Under 7 days | 2 | 1 | 10 | 6 |
| Children under 5 years | 3 | 1 | 14 | 9 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 5 | -- | 3 | 3 |
| Tuberculosis | 4 | -- | 2 | 3 |
| Syphilis | -- | -- | 1 | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | 1 | -- | -- | -- |
| Malignant neoplasms | 28 | 8 | 52 | 23 |
| Benign and unspecified neoplasms | 1 | -- | -- | -- |
| Vascular lesions of central nervous system | 22 | 11 | 59 | 21 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 62 | 23 | 175 | 86 |
| Hypertension without heart involvement | 2 | 1 | 3 | 5 |
| General arteriosclerosis | 5 | 1 | 9 | 7 |
| Other circulatory diseases | 2 | -- | 2 | -- |
| Nephritis and nephrosis, acute | 1 | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 3 | -- | 2 | -- |
| Asthma | 1 | -- | 1 | -- |
| Diabetes | 4 | 1 | 6 | -- |
| Influenza | 1 | -- | 1 | -- |
| Pneumonia | 2 | -- | 7 | 4 |
| Bronchitis | -- | -- | 1 | -- |
| Ulcer of stomach and duodenum | 1 | -- | 3 | 2 |
| Hernia, intestinal obstruction | 1 | -- | 2 | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | 1 | -- | -- |
| Cirrhosis of liver | 3 | -- | 2 | 1 |
| Infections of kidney | -- | -- | 4 | 1 |
| Hyperplasia of prostate | -- | -- | -- | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 1 | -- | 3 | 3 |
| Diseases of early infancy | 2 | 1 | 9 | 6 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 3 | 4 | 4 | 3 |
| Accidents, other | 4 | -- | 16 | 7 |
| Suicide | 4 | 2 | 1 | 1 |
| Homicide | -- | -- | -- | 1 |
| All other causes | 6 | 1 | 10 | 10 |

| | Rock Island | St. Clair | Saline | Sangamon |
|---|---|---|---|---|
| Estimated population as of July 1 | 151,300 | 252,400 | 27,400 | 141,200 |
| Live births: | | | | |
| Total | 3,313 | 6,816 | 441 | 3,396 |
| Hospital births | 3,303 | 6,707 | 439 | 3,387 |
| Non-hospital births | 10 | 109 | 2 | 9 |
| Attended by licensed practitioner | 9 | 78 | 2 | 9 |
| Other births | 1 | 31 | -- | -- |
| Premature births | 233 | 616 | 29 | 230 |
| Sex-race: | | | | |
| White male | 1,667 | 2,670 | 225 | 1,661 |
| White female | 1,540 | 2,588 | 200 | 1,547 |
| Negro male | 60 | 763 | 10 | 89 |
| Negro female | 45 | 782 | 6 | 94 |
| Other races male | -- | 6 | -- | 4 |
| Other races female | 1 | 7 | -- | 1 |
| Illegitimate births: | | | | |
| White | 76 | 82 | 15 | 127 |
| Nonwhite | 19 | 414 | 6 | 53 |
| Fetal deaths: | | | | |
| Total | 45 | 100 | 6 | 39 |
| Gestation: | | | | |
| Under 20 weeks | -- | 2 | -- | -- |
| 20 - 27 weeks | 10 | 18 | 2 | 10 |
| 28 weeks and over | 33 | 79 | 4 | 29 |
| Not reported | 2 | 1 | -- | -- |
| Deaths: | | | | |
| All ages | 1,435 | 2,497 | 413 | 1,653 |
| Total infants | 85 | 172 | 12 | 86 |
| Under 28 days | 67 | 125 | 10 | 65 |
| Under 7 days | 60 | 116 | 10 | 61 |
| Children under 5 years | 93 | 198 | 12 | 94 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 8 | 38 | 4 | 14 |
| Tuberculosis | 5 | 27 | 3 | 8 |
| Syphilis | 1 | 3 | -- | 3 |
| Meningococcal infections | 1 | 1 | -- | -- |
| Poliomyelitis, acute | -- | 2 | -- | -- |
| Infectious encephalitis, acute | -- | 1 | -- | -- |
| Infectious hepatitis | 1 | 1 | -- | 1 |
| Other infective and parasitic diseases | -- | 3 | 1 | 2 |
| Malignant neoplasms | 227 | 411 | 51 | 274 |
| Benign and unspecified neoplasms | -- | 7 | 1 | -- |
| Vascular lesions of central nervous system | 167 | 263 | 53 | 221 |
| Rheumatic fever | -- | 2 | -- | -- |
| Heart disease | 591 | 1,027 | 190 | 719 |
| Hypertension without heart involvement | 19 | 21 | 2 | 13 |
| General arteriosclerosis | 50 | 31 | 12 | 29 |
| Other circulatory diseases | 6 | 20 | 2 | 19 |
| Nephritis and nephrosis, acute | -- | 4 | -- | 1 |
| Nephritis and renal sclerosis, chronic | 12 | 32 | 5 | 7 |
| Asthma | 3 | 3 | 1 | 5 |
| Diabetes | 24 | 28 | 10 | 20 |
| Influenza | 1 | 8 | 4 | 2 |
| Pneumonia | 43 | 72 | 4 | 41 |
| Bronchitis | 2 | 15 | 2 | 8 |
| Ulcer of stomach and duodenum | 7 | 11 | 5 | 10 |
| Hernia, intestinal obstruction | 15 | 18 | 2 | 5 |
| Gastritis, duodenitis, enteritis, colitis | 5 | 13 | 1 | 6 |
| Cirrhosis of liver | 13 | 28 | 8 | 11 |
| Infections of kidney | 3 | 12 | 1 | 8 |
| Hyperplasia of prostate | 2 | 3 | 3 | 3 |
| Maternal causes | 2 | 5 | -- | -- |
| Congenital malformations | 17 | 30 | 2 | 19 |
| Diseases of early infancy | 56 | 109 | 9 | 57 |
| Senility and ill-defined causes | -- | 16 | 2 | 16 |
| Accidents, motor vehicle | 41 | 62 | 10 | 24 |
| Accidents, other | 51 | 76 | 10 | 39 |
| Suicide | 17 | 26 | 1 | 19 |
| Homicide | 5 | 15 | 1 | 2 |
| All other causes | 48 | 91 | 17 | 61 |

| | Schuyler | Scott | Shelby | Stark |
|---|---|---|---|---|
| Estimated population as of July 1 | 9,400 | 7,000 | 24,600 | 8,000 |
| Live births: | | | | |
| Total | 170 | 137 | 495 | 161 |
| Hospital births | 169 | 134 | 491 | 161 |
| Non-hospital births | 1 | 3 | 4 | -- |
| Attended by licensed practitioner | 1 | 3 | 4 | -- |
| Other births | -- | -- | -- | -- |
| Premature births | 4 | 9 | 37 | 5 |
| Sex-race: | | | | |
| White male | 91 | 82 | 261 | 82 |
| White female | 79 | 55 | 233 | 79 |
| Negro male | -- | -- | 1 | -- |
| Negro female | -- | -- | -- | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 4 | 3 | 5 | -- |
| Nonwhite | -- | -- | 1 | -- |
| Fetal deaths: | | | | |
| Total | 1 | 1 | 12 | 2 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | -- | 1 | 1 | 2 |
| 28 weeks and over | 1 | -- | 11 | -- |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 108 | 83 | 281 | 113 |
| Total infants | 4 | 5 | 9 | 4 |
| Under 28 days | 2 | 4 | 7 | 4 |
| Under 7 days | 2 | 4 | 7 | 4 |
| Children under 5 years | 4 | 5 | 9 | 5 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | -- | -- | 1 |
| Tuberculosis | 1 | -- | -- | -- |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | 1 |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 17 | 13 | 44 | 18 |
| Benign and unspecified neoplasms | -- | -- | 2 | -- |
| Vascular lesions of central nervous system | 9 | 4 | 46 | 13 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 54 | 38 | 108 | 56 |
| Hypertension without heart involvement | 2 | 1 | 9 | -- |
| General arteriosclerosis | 2 | 2 | 4 | 4 |
| Other circulatory diseases | -- | 1 | -- | -- |
| Nephritis and nephrosis, acute | -- | -- | 1 | -- |
| Nephritis and renal sclerosis, chronic | 1 | 1 | 9 | 1 |
| Asthma | -- | -- | -- | -- |
| Diabetes | 1 | 1 | 3 | -- |
| Influenza | -- | 1 | 1 | 2 |
| Pneumonia | 2 | 4 | 3 | 3 |
| Bronchitis | -- | -- | 1 | -- |
| Ulcer of stomach and duodenum | -- | -- | 1 | 1 |
| Hernia, intestinal obstruction | 1 | -- | 2 | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | -- | -- | -- |
| Cirrhosis of liver | 1 | -- | 1 | -- |
| Infections of kidney | -- | -- | 5 | -- |
| Hyperplasia of prostate | 1 | 1 | 3 | -- |
| Maternal causes | 1 | -- | -- | -- |
| Congenital malformations | 1 | 1 | 2 | 1 |
| Diseases of early infancy | 2 | 4 | 7 | 3 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 2 | 3 | 7 | -- |
| Accidents, other | 7 | 3 | 12 | 6 |
| Suicide | 1 | -- | 3 | -- |
| Homicide | -- | -- | -- | 1 |
| All other causes | 2 | 5 | 7 | 2 |

| | Stephenson | Tazewell | Union | Vermilion |
|---|---|---|---|---|
| Estimated population as of July 1 | 47,100 | 87,100 | 18,600 | 94,600 |
| Live births: | | | | |
| Total | 1,005 | 2,330 | 268 | 2,109 |
| Hospital births | 999 | 2,321 | 265 | 2,101 |
| Non-hospital births | 6 | 9 | 3 | 8 |
| Attended by licensed practitioner | 6 | 9 | 2 | 8 |
| Other births | -- | -- | 1 | -- |
| Premature births | 80 | 130 | 15 | 131 |
| Sex-race: | | | | |
| White male | 487 | 1,161 | 141 | 1,010 |
| White female | 458 | 1,169 | 127 | 940 |
| Negro male | 27 | -- | -- | 87 |
| Negro female | 31 | -- | -- | 71 |
| Other races male | 1 | -- | -- | 1 |
| Other races female | 1 | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 15 | 27 | 8 | 63 |
| Nonwhite | 11 | -- | -- | 34 |
| Fetal deaths: | | | | |
| Total | 13 | 31 | 7 | 33 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 1 | 7 | 1 | 8 |
| 28 weeks and over | 12 | 24 | 6 | 25 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 527 | 687 | 213 | 1,108 |
| Total infants | 27 | 43 | 11 | 56 |
| Under 28 days | 19 | 34 | 7 | 41 |
| Under 7 days | 14 | 29 | 6 | 35 |
| Children under 5 years | 35 | 53 | 12 | 69 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 2 | 7 | 2 | 15 |
| Tuberculosis | 1 | 4 | 1 | 5 |
| Syphilis | 1 | 1 | -- | 4 |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | 1 |
| Infectious encephalitis, acute | -- | -- | -- | 1 |
| Infectious hepatitis | -- | 1 | -- | 1 |
| Other infective and parasitic diseases | -- | 1 | 1 | 3 |
| Malignant neoplasms | 76 | 119 | 35 | 191 |
| Benign and unspecified neoplasms | 3 | 1 | 2 | 1 |
| Vascular lesions of central nervous system | 47 | 74 | 30 | 115 |
| Rheumatic fever | -- | 1 | 1 | -- |
| Heart disease | 246 | 266 | 81 | 468 |
| Hypertension without heart involvement | 5 | 14 | 1 | 14 |
| General arteriosclerosis | 7 | 17 | 15 | 19 |
| Other circulatory diseases | 3 | 4 | -- | 15 |
| Nephritis and nephrosis, acute | 1 | 1 | 1 | 1 |
| Nephritis and renal sclerosis, chronic | 9 | 5 | 1 | 21 |
| Asthma | -- | 3 | 1 | 4 |
| Diabetes | 10 | 15 | 6 | 16 |
| Influenza | 2 | 1 | 2 | 2 |
| Pneumonia | 19 | 27 | 4 | 36 |
| Bronchitis | -- | 3 | -- | 4 |
| Ulcer of stomach and duodenum | 3 | 5 | 3 | 8 |
| Hernia, intestinal obstruction | 1 | 11 | -- | 1 |
| Gastritis, duodenitis, enteritis, colitis | 2 | 1 | 1 | 6 |
| Cirrhosis of liver | 3 | 1 | 2 | 7 |
| Infections of kidney | 1 | 4 | 1 | 5 |
| Hyperplasia of prostate | 5 | 2 | 2 | 2 |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 10 | 11 | 2 | 14 |
| Diseases of early infancy | 14 | 28 | 5 | 38 |
| Senility and ill-defined causes | -- | 1 | 1 | 2 |
| Accidents, motor vehicle | 9 | 17 | 3 | 15 |
| Accidents, other | 13 | 20 | 1 | 29 |
| Suicide | 9 | 6 | -- | 8 |
| Homicide | 1 | 1 | -- | 4 |
| All other causes | 26 | 21 | 9 | 47 |

| | Wabash | Warren | Washington | Wayne | White |
|---|---|---|---|---|---|
| Estimated population as of July 1 | 13,300 | 24,900 | 14,500 | 19,700 | 21,000 |
| Live births: | | | | | |
| Total | 287 | 422 | 222 | 339 | 371 |
| Hospital births | 282 | 422 | 214 | 327 | 367 |
| Non-hospital births | 5 | -- | 8 | 12 | 4 |
| Attended by licensed practitioner | 5 | -- | 8 | 12 | 4 |
| Other births | -- | -- | -- | -- | -- |
| Premature births | 18 | 17 | 7 | 14 | 20 |
| Sex-race: | | | | | |
| White male | 135 | 214 | 115 | 190 | 184 |
| White female | 152 | 197 | 107 | 148 | 186 |
| Negro male | -- | 5 | -- | -- | -- |
| Negro female | -- | 5 | -- | 1 | 1 |
| Other races male | -- | 1 | -- | -- | -- |
| Other races female | -- | -- | -- | -- | -- |
| Illegitimate births: | | | | | |
| White | 4 | 12 | 2 | 6 | 7 |
| Nonwhite | -- | 4 | -- | 1 | -- |
| Fetal deaths: | | | | | |
| Total | 4 | 9 | 4 | 3 | -- |
| Gestation: | | | | | |
| Under 20 weeks | -- | -- | -- | -- | -- |
| 20 - 27 weeks | 1 | 3 | -- | -- | -- |
| 28 weeks and over | 3 | 6 | 4 | 3 | -- |
| Not reported | -- | -- | -- | -- | -- |
| Deaths: | | | | | |
| All ages | 180 | 260 | 194 | 208 | 245 |
| Total infants | 5 | 8 | 3 | 9 | 10 |
| Under 28 days | 1 | 4 | 2 | 5 | 7 |
| Under 7 days | 1 | 2 | 2 | 4 | 6 |
| Children under 5 years | 7 | 10 | 3 | 14 | 13 |
| Cause of death: | | | | | |
| Total infective and parasitic diseases | 1 | 1 | -- | 6 | 2 |
| Tuberculosis | -- | -- | -- | 5 | 1 |
| Syphilis | -- | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- | -- |
| Infectious encephalitis, acute | 1 | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | 1 | -- | 1 | 1 |
| Malignant neoplasms | 39 | 30 | 19 | 23 | 28 |
| Benign and unspecified neoplasms | -- | 1 | -- | -- | -- |
| Vascular lesions of central nervous system | 24 | 36 | 36 | 18 | 37 |
| Rheumatic fever | -- | 1 | -- | -- | -- |
| Heart disease | 70 | 141 | 79 | 108 | 91 |
| Hypertension without heart involvement | -- | 6 | 5 | -- | 1 |
| General arteriosclerosis | 4 | 2 | 6 | 5 | 18 |
| Other circulatory diseases | 1 | -- | -- | 1 | 7 |
| Nephritis and nephrosis, acute | 1 | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 2 | 2 | 1 | 1 | 1 |
| Asthma | 2 | 1 | -- | -- | 1 |
| Diabetes | 1 | 1 | 4 | 5 | 7 |
| Influenza | 3 | -- | 2 | 1 | -- |
| Pneumonia | 8 | 6 | 17 | 7 | 5 |
| Bronchitis | -- | -- | -- | -- | -- |
| Ulcer of stomach and duodenum | -- | -- | 1 | 2 | 1 |
| Hernia, intestinal obstruction | 2 | 2 | -- | -- | 3 |
| Gastritis, duodenitis, enteritis, colitis | -- | -- | -- | -- | 1 |
| Cirrhosis of liver | -- | 3 | 1 | 3 | 1 |
| Infections of kidney | -- | 2 | 1 | 1 | 2 |
| Hyperplasia of prostate | -- | 1 | -- | 1 | 2 |
| Maternal causes | -- | -- | -- | -- | 1 |
| Congenital malformations | 1 | 3 | -- | 4 | 3 |
| Diseases of early infancy | 1 | 2 | 2 | 2 | 5 |
| Senility and ill-defined causes | -- | -- | 1 | -- | -- |
| Accidents, motor vehicle | 3 | 4 | 2 | 4 | 7 |
| Accidents, other | 4 | 7 | 9 | 6 | 14 |
| Suicide | 3 | 3 | 1 | 3 | 1 |
| Homicide | -- | -- | -- | -- | -- |
| All other causes | 10 | 5 | 7 | 7 | 6 |

| | Whiteside | Will | Williamson | Winnebago | Woodford |
|---|---|---|---|---|---|
| Estimated population as of July 1 | 53,100 | 176,000 | 42,600 | 198,800 | 26,500 |
| Live births: | | | | | |
| Total | 1,483 | 4,516 | 812 | 5,253 | 605 |
| Hospital births | 1,475 | 4,489 | 808 | 5,233 | 603 |
| Non-hospital births | 8 | 27 | 4 | 20 | 2 |
| Attended by licensed practitioner | 8 | 27 | 4 | 19 | 2 |
| Other births | -- | -- | -- | 1 | -- |
| Premature births | 87 | 323 | 49 | 344 | 32 |
| Sex-race: | | | | | |
| White male | 795 | 2,126 | 417 | 2,481 | 326 |
| White female | 685 | 2,028 | 378 | 2,412 | 279 |
| Negro male | 1 | 185 | 12 | 181 | -- |
| Negro female | 1 | 172 | 5 | 176 | -- |
| Other races male | 1 | 4 | -- | 1 | -- |
| Other races female | -- | 1 | -- | 2 | -- |
| Illegitimate births: | | | | | |
| White | 43 | 62 | 17 | 89 | 3 |
| Nonwhite | -- | 51 | 4 | 76 | -- |
| Fetal deaths: | | | | | |
| Total | 21 | 55 | 8 | 62 | 5 |
| Gestation: | | | | | |
| Under 20 weeks | 1 | 5 | -- | 1 | -- |
| 20 - 27 weeks | 6 | 10 | 1 | 9 | -- |
| 28 weeks and over | 13 | 40 | 7 | 52 | 5 |
| Not reported | 1 | -- | -- | -- | -- |
| Deaths: | | | | | |
| All ages | 533 | 1,588 | 616 | 1,640 | 234 |
| Total infants | 33 | 132 | 17 | 133 | 12 |
| Under 28 days | 25 | 92 | 12 | 90 | 9 |
| Under 7 days | 22 | 76 | 10 | 82 | 8 |
| Children under 5 years | 46 | 149 | 21 | 150 | 14 |
| Cause of death: | | | | | |
| Total infective and parasitic diseases | 4 | 12 | 7 | 8 | -- |
| Tuberculosis | 2 | 6 | 3 | 3 | -- |
| Syphilis | -- | 1 | -- | 1 | -- |
| Meningococcal infections | -- | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | 2 | -- | 1 | -- |
| Infectious hepatitis | -- | -- | -- | 2 | -- |
| Other infective and parasitic diseases | 2 | 3 | 4 | 1 | -- |
| Malignant neoplasms | 81 | 237 | 81 | 263 | 38 |
| Benign and unspecified neoplasms | 1 | 4 | 2 | 1 | -- |
| Vascular lesions of central nervous system | 60 | 172 | 85 | 216 | 26 |
| Rheumatic fever | -- | 1 | -- | 1 | -- |
| Heart disease | 234 | 649 | 270 | 626 | 108 |
| Hypertension without heart involvement | 8 | 13 | 11 | 15 | 2 |
| General arteriosclerosis | 19 | 38 | 27 | 22 | 15 |
| Other circulatory diseases | 7 | 10 | 7 | 16 | 1 |
| Nephritis and nephrosis, acute | -- | 2 | 1 | 1 | -- |
| Nephritis and renal sclerosis, chronic | 3 | 11 | 5 | 12 | 2 |
| Asthma | 2 | 7 | 2 | 6 | -- |
| Diabetes | 5 | 26 | 5 | 20 | 3 |
| Influenza | -- | 4 | 2 | 2 | -- |
| Pneumonia | 14 | 56 | 9 | 79 | 2 |
| Bronchitis | 1 | 7 | 2 | 6 | -- |
| Ulcer of stomach and duodenum | 3 | 17 | 1 | 18 | 1 |
| Hernia, intestinal obstruction | 1 | 6 | 3 | 13 | 3 |
| Gastritis, duodenitis, enteritis, colitis | 4 | 9 | 6 | 6 | 4 |
| Cirrhosis of liver | 1 | 19 | 8 | 9 | 1 |
| Infections of kidney | 1 | 4 | 4 | 7 | 1 |
| Hyperplasia of prostate | 5 | 5 | 3 | 5 | -- |
| Maternal causes | 1 | 2 | -- | 1 | -- |
| Congenital malformations | 11 | 18 | 6 | 29 | 4 |
| Diseases of early infancy | 16 | 83 | 9 | 72 | 7 |
| Senility and ill-defined causes | 2 | 1 | 1 | 2 | 1 |
| Accidents, motor vehicle | 15 | 43 | 12 | 49 | 7 |
| Accidents, other | 14 | 49 | 16 | 39 | 4 |
| Suicide | 2 | 14 | 7 | 25 | 1 |
| Homicide | -- | 4 | -- | 4 | -- |
| All other causes | 18 | 65 | 24 | 67 | 3 |

| | Alton | Arlington Heights | Aurora | Belleville |
|---|---|---|---|---|
| Estimated population as of July 1 | 34,000 | 23,200 | 58,500 | 38,200 |
| Live births: | | | | |
| Total | 777 | 706 | 1,612 | 1,000 |
| Hospital births | 768 | 703 | 1,610 | 999 |
| Non-hospital births | 9 | 3 | 2 | 1 |
| Attended by licensed practitioner | 9 | 3 | 2 | 1 |
| Other births | -- | -- | -- | -- |
| Premature births | 74 | 41 | 101 | 61 |
| Sex-race: | | | | |
| White male | 313 | 348 | 794 | 512 |
| White female | 301 | 357 | 759 | 479 |
| Negro male | 72 | -- | 37 | 2 |
| Negro female | 88 | -- | 17 | 5 |
| Other races male | 3 | 1 | 2 | 2 |
| Other races female | -- | -- | 3 | -- |
| Illegitimate births: | | | | |
| White | 20 | 4 | 23 | 10 |
| Nonwhite | 40 | -- | 7 | -- |
| Fetal deaths: | | | | |
| Total | 13 | 9 | 30 | 12 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 3 | -- | 4 | 3 |
| 28 weeks and over | 10 | 9 | 26 | 9 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 385 | 172 | 730 | 477 |
| Total infants | 33 | 27 | 52 | 24 |
| Under 28 days | 27 | 22 | 38 | 20 |
| Under 7 days | 26 | 16 | 36 | 19 |
| Children under 5 years | 35 | 28 | 56 | 25 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 6 | 3 | 8 | 3 |
| Tuberculosis | 4 | 1 | 4 | 2 |
| Syphilis | 2 | -- | 1 | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | 1 | -- | -- |
| Other infective and parasitic diseases | -- | 1 | 3 | 1 |
| Malignant neoplasms | 59 | 19 | 110 | 97 |
| Benign and unspecified neoplasms | 1 | -- | -- | 3 |
| Vascular lesions of central nervous system | 42 | 16 | 97 | 56 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 158 | 84 | 300 | 206 |
| Hypertension without heart involvement | 1 | 1 | 6 | 6 |
| General arteriosclerosis | 7 | 1 | 11 | 8 |
| Other circulatory diseases | 1 | 1 | 6 | 2 |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 1 | 1 | 10 | 2 |
| Asthma | 1 | -- | 5 | -- |
| Diabetes | 5 | 4 | 17 | 2 |
| Influenza | -- | -- | 2 | -- |
| Pneumonia | 15 | 8 | 35 | 13 |
| Bronchitis | -- | -- | 1 | 1 |
| Ulcer of stomach and duodenum | 2 | -- | 2 | 2 |
| Hernia, intestinal obstruction | -- | 1 | 1 | 2 |
| Gastritis, duodenitis, enteritis, colitis | 1 | -- | 6 | 4 |
| Cirrhosis of liver | 2 | 1 | 9 | 9 |
| Infections of kidney | -- | 1 | 1 | 2 |
| Hyperplasia of prostate | 2 | -- | 1 | 1 |
| Maternal causes | -- | -- | 2 | -- |
| Congenital malformations | 4 | 9 | 8 | 2 |
| Diseases of early infancy | 25 | 14 | 34 | 19 |
| Senility and ill-defined causes | 5 | -- | 1 | 3 |
| Accidents, motor vehicle | 15 | -- | 14 | 3 |
| Accidents, other | 14 | 4 | 12 | 9 |
| Suicide | 2 | 1 | 9 | 4 |
| Homicide | 1 | -- | 1 | -- |
| All other causes | 15 | 3 | 21 | 18 |

| | Bellwood | Berwyn | Bloomington | Blue Island |
|---|---|---|---|---|
| Estimated population as of July 1 | 18,300 | 53,100 | 36,600 | 19,200 |
| Live births: | | | | |
| Total | 462 | 1,013 | 883 | 537 |
| Hospital births | 462 | 1,004 | 883 | 535 |
| Non-hospital births | -- | 9 | -- | 2 |
| Attended by licensed practitioner | -- | 8 | -- | 2 |
| Other births | -- | 1 | -- | -- |
| Premature births | 35 | 60 | 66 | 46 |
| Sex-race: | | | | |
| White male | 217 | 539 | 419 | 259 |
| White female | 244 | 473 | 423 | 262 |
| Negro male | -- | -- | 19 | 5 |
| Negro female | -- | -- | 22 | 10 |
| Other races male | 1 | 1 | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 1 | 4 | 24 | 9 |
| Nonwhite | -- | -- | 6 | 1 |
| Fetal deaths: | | | | |
| Total | 9 | 14 | 14 | 4 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 4 | 2 | 7 | 2 |
| 28 weeks and over | 5 | 12 | 7 | 2 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 104 | 612 | 454 | 220 |
| Total infants | 10 | 18 | 22 | 13 |
| Under 28 days | 8 | 15 | 13 | 10 |
| Under 7 days | 8 | 14 | 10 | 10 |
| Children under 5 years | 11 | 21 | 28 | 14 |
| Cause of death | | | | |
| Total infective and parasitic diseases | -- | 1 | 4 | -- |
| Tuberculosis | -- | -- | 2 | -- |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | 1 | 2 | -- |
| Malignant neoplasms | 23 | 126 | 73 | 42 |
| Benign and unspecified neoplasms | -- | 3 | 1 | 1 |
| Vascular lesions of central nervous system | 8 | 45 | 65 | 22 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 37 | 308 | 197 | 104 |
| Hypertension without heart involvement | 1 | 6 | 4 | 3 |
| General arteriosclerosis | 1 | 10 | 14 | 1 |
| Other circulatory diseases | 2 | 3 | 2 | 1 |
| Nephritis and nephrosis, acute | -- | 2 | 1 | -- |
| Nephritis and renal sclerosis, chronic | -- | 4 | 2 | 2 |
| Asthma | 2 | 1 | -- | 1 |
| Diabetes | 2 | 8 | 1 | 1 |
| Influenza | -- | -- | 1 | -- |
| Pneumonia | 5 | 17 | 11 | 9 |
| Bronchitis | 1 | -- | -- | 1 |
| Ulcer of stomach and duodenum | -- | 1 | 10 | 1 |
| Hernia, intestinal obstruction | -- | 1 | 1 | -- |
| Gastritis, duodenitis, enteritis, colitis | -- | 1 | 3 | 2 |
| Cirrhosis of liver | 1 | 7 | 3 | 2 |
| Infections of kidney | -- | 2 | 1 | -- |
| Hyperplasia of prostate | -- | -- | 1 | 1 |
| Maternal causes | 1 | -- | -- | -- |
| Congenital malformations | 2 | 3 | 14 | 4 |
| Diseases of early infancy | 7 | 15 | 9 | 8 |
| Senility and ill-defined causes | -- | -- | -- | 1 |
| Accidents, motor vehicle | 3 | 13 | 9 | 1 |
| Accidents, other | 1 | 11 | 11 | 3 |
| Suicide | -- | 7 | 3 | 2 |
| Homicide | 1 | -- | 1 | 2 |
| All other causes | 6 | 17 | 12 | 5 |

| | Brookfield | Cairo | Calumet City | Canton |
|---|---|---|---|---|
| Estimated population as of July 1 | 20,300 | 11,300 | 22,700 | 12,300 |
| Live births: | | | | |
| Total | 418 | 176 | 635 | 229 |
| Hospital births | 417 | 111 | 633 | 228 |
| Non-hospital births | 1 | 65 | 2 | 1 |
| Attended by licensed practitioner | 1 | 59 | 1 | -- |
| Other births | -- | 6 | 1 | -- |
| Premature births | 20 | 16 | 46 | 12 |
| Sex-race: | | | | |
| White male | 204 | 53 | 293 | 122 |
| White female | 213 | 38 | 342 | 107 |
| Negro male | -- | 45 | -- | -- |
| Negro female | -- | 39 | -- | -- |
| Other races male | 1 | -- | -- | -- |
| Other races female | -- | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 2 | 4 | 9 | 4 |
| Nonwhite | -- | 33 | -- | -- |
| Fetal deaths: | | | | |
| Total | 9 | 2 | 3 | 4 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | 1 |
| 20 - 27 weeks | 1 | -- | -- | -- |
| 28 weeks and over | 8 | 2 | 3 | 3 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 167 | 184 | 175 | 154 |
| Total infants | 9 | 7 | 14 | 4 |
| Under 28 days | 7 | 4 | 12 | 3 |
| Under 7 days | 7 | 4 | 11 | 2 |
| Children under 5 years | 11 | 8 | 18 | 4 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | 5 | 2 | 1 |
| Tuberculosis | -- | 5 | 1 | 1 |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | 1 | -- | 1 | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 42 | 21 | 37 | 24 |
| Benign and unspecified neoplasms | -- | -- | 1 | 1 |
| Vascular lesions of central nervous system | 12 | 19 | 12 | 26 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 71 | 78 | 74 | 66 |
| Hypertension without heart involvement | 2 | 2 | -- | 2 |
| General arteriosclerosis | 3 | 15 | 1 | 1 |
| Other circulatory diseases | 1 | -- | -- | -- |
| Nephritis and nephrosis, acute | -- | -- | 1 | -- |
| Nephritis and renal sclerosis, chronic | 1 | 3 | 2 | -- |
| Asthma | -- | -- | -- | -- |
| Diabetes | 4 | -- | 5 | 5 |
| Influenza | 1 | -- | -- | -- |
| Pneumonia | 7 | 7 | 3 | 5 |
| Bronchitis | -- | -- | -- | -- |
| Ulcer of stomach and duodenum | 1 | 1 | -- | 2 |
| Hernia, intestinal obstruction | 1 | 1 | 1 | -- |
| Gastritis, duodenitis, enteritis, colitis | -- | 2 | -- | -- |
| Cirrhosis of liver | 2 | 1 | 3 | 2 |
| Infections of kidney | -- | -- | 1 | -- |
| Hyperplasia of prostate | 1 | -- | -- | 1 |
| Maternal causes | -- | -- | -- | 1 |
| Congenital malformations | 3 | -- | 5 | 2 |
| Diseases of early infancy | 6 | 4 | 9 | 2 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 1 | 4 | 5 | 5 |
| Accidents, other | 2 | 10 | 5 | 2 |
| Suicide | 1 | -- | 1 | 1 |
| Homicide | -- | 3 | 1 | -- |
| All other causes | 4 | 8 | 6 | 5 |

| | Carbondale | Carpenters-ville | Centralia | Champaign |
|---|---|---|---|---|
| Estimated population as of July 1 | 11,800 | 12,600 | 14,100 | 49,500 |
| Live births: | | | | |
| Total | 287 | 459 | 297 | 1,299 |
| Hospital births | 287 | 458 | 293 | 1,296 |
| Non-hospital births | -- | 1 | 4 | 3 |
| Attended by licensed practitioner | -- | -- | 4 | 3 |
| Other births | -- | 1 | -- | -- |
| Premature births | 22 | 32 | 30 | 96 |
| Sex-race: | | | | |
| White male | 125 | 211 | 133 | 576 |
| White female | 116 | 248 | 125 | 568 |
| Negro male | 25 | -- | 20 | 73 |
| Negro female | 21 | -- | 19 | 71 |
| Other races male | -- | -- | -- | 8 |
| Other races female | -- | -- | -- | 3 |
| Illegitimate births: | | | | |
| White | 3 | 6 | 9 | 13 |
| Nonwhite | 6 | -- | 9 | 30 |
| Fetal deaths: | | | | |
| Total | 6 | 8 | 4 | 16 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | 1 |
| 20 - 27 weeks | 2 | 2 | -- | 4 |
| 28 weeks and over | 4 | 6 | 4 | 10 |
| Not reported | -- | -- | -- | 1 |
| Deaths: | | | | |
| All ages | 144 | 58 | 199 | 340 |
| Total infants | 13 | 18 | 10 | 29 |
| Under 28 days | 9 | 9 | 8 | 21 |
| Under 7 days | 9 | 8 | 6 | 19 |
| Children under 5 years | 13 | 21 | 13 | 34 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | -- | 2 | -- | 3 |
| Tuberculosis | -- | -- | -- | -- |
| Syphilis | -- | 1 | -- | 1 |
| Meningococcal infections | -- | 1 | -- | 1 |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | 1 |
| Malignant neoplasms | 24 | 4 | 33 | 54 |
| Benign and unspecified neoplasms | -- | -- | -- | 1 |
| Vascular lesions of central nervous system | 26 | 5 | 22 | 38 |
| Rheumatic fever | -- | -- | -- | 1 |
| Heart disease | 56 | 14 | 80 | 127 |
| Hypertension without heart involvement | 2 | -- | -- | 4 |
| General arteriosclerosis | 1 | -- | 7 | 8 |
| Other circulatory diseases | -- | -- | 1 | 4 |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | -- | -- | 3 | 5 |
| Asthma | -- | 1 | -- | 1 |
| Diabetes | 4 | -- | 1 | 6 |
| Influenza | -- | -- | -- | 3 |
| Pneumonia | 6 | 4 | 8 | 11 |
| Bronchitis | -- | -- | -- | 3 |
| Ulcer of stomach and duodenum | -- | -- | 3 | 4 |
| Hernia, intestinal obstruction | -- | -- | 2 | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | 1 | 2 | 2 |
| Cirrhosis of liver | -- | -- | 2 | 2 |
| Infections of kidney | -- | -- | -- | 1 |
| Hyperplasia of prostate | -- | -- | 1 | 1 |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 3 | 3 | 3 | 3 |
| Diseases of early infancy | 7 | 9 | 6 | 19 |
| Senility and ill-defined causes | 1 | -- | 2 | 1 |
| Accidents, motor vehicle | 5 | 1 | 6 | 9 |
| Accidents, other | 5 | 7 | 6 | 11 |
| Suicide | 2 | 2 | 2 | 2 |
| Homicide | -- | -- | -- | -- |
| All other causes | 2 | 5 | 9 | 15 |

| | Chicago | Chicago Heights | Cicero | Collinsville |
|---|---|---|---|---|
| Estimated population as of July 1 | 3,769,500 | 29,700 | 68,800 | 14,800 |
| Live births: | | | | |
| Total | 90,391 | 1,113 | 1,387 | 374 |
| Hospital births | 86,684 | 1,093 | 1,383 | 372 |
| Non-hospital births | 3,707 | 20 | 4 | 2 |
| Attended by licensed practitioner | 3,672 | 20 | 4 | 2 |
| Other births | 35 | -- | -- | -- |
| Premature births | 8,106 | 90 | 75 | 27 |
| Sex-race: | | | | |
| White male | 31,201 | 401 | 711 | 206 |
| White female | 29,725 | 425 | 675 | 158 |
| Negro male | 14,529 | 141 | -- | 5 |
| Negro female | 14,443 | 145 | -- | 5 |
| Other races male | 273 | -- | 1 | -- |
| Other races female | 220 | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 1,513 | 10 | 18 | 2 |
| Nonwhite | 7,542 | 51 | -- | 1 |
| Fetal deaths: | | | | |
| Total | 1,583 | 17 | 16 | 7 |
| Gestation: | | | | |
| Under 20 weeks | 4 | -- | -- | 1 |
| 20 - 27 weeks | 367 | 7 | 5 | 3 |
| 28 weeks and over | 1,203 | 10 | 11 | 3 |
| Not reported | 9 | -- | -- | -- |
| Deaths: | | | | |
| All ages | 42,177 | 313 | 682 | 164 |
| Total infants | 2,449 | 32 | 24 | 5 |
| Under 28 days | 1,698 | 17 | 19 | 5 |
| Under 7 days | 1,455 | 14 | 16 | 4 |
| Children under 5 years | 2,833 | 39 | 28 | 6 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 682 | 4 | 10 | 1 |
| Tuberculosis | 476 | 3 | 7 | -- |
| Syphilis | 69 | -- | -- | -- |
| Meningococcal infections | 22 | -- | -- | -- |
| Poliomyelitis, acute | 2 | -- | -- | -- |
| Infectious encephalitis, acute | 9 | -- | -- | -- |
| Infectious hepatitis | 39 | -- | -- | -- |
| Other infective and parasitic diseases | 65 | 1 | 3 | 1 |
| Malignant neoplasms | 6,873 | 42 | 118 | 30 |
| Benign and unspecified neoplasms | 96 | -- | 2 | 1 |
| Vascular lesions of central nervous system | 3,857 | 47 | 60 | 24 |
| Rheumatic fever | 17 | -- | -- | -- |
| Heart disease | 18,869 | 108 | 321 | 73 |
| Hypertension without heart involvement | 457 | 2 | 5 | 2 |
| General arteriosclerosis | 651 | 8 | 5 | 4 |
| Other circulatory diseases | 320 | 1 | 6 | 1 |
| Nephritis and nephrosis, acute | 48 | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 331 | 2 | 4 | 1 |
| Asthma | 78 | 2 | 2 | 1 |
| Diabetes | 647 | 17 | 24 | 2 |
| Influenza | 12 | 1 | 1 | -- |
| Pneumonia | 1,961 | 15 | 20 | 5 |
| Bronchitis | 80 | 1 | 2 | -- |
| Ulcer of stomach and duodenum | 324 | 2 | 3 | 1 |
| Hernia, intestinal obstruction | 239 | -- | 3 | -- |
| Gastritis, duodenitis, enteritis, colitis | 175 | 3 | 2 | -- |
| Cirrhosis of liver | 704 | 1 | 12 | 1 |
| Infections of kidney | 225 | 1 | 5 | -- |
| Hyperplasia of prostate | 87 | 1 | 1 | -- |
| Maternal causes | 25 | 2 | -- | -- |
| Congenital malformations | 375 | 9 | 7 | 2 |
| Diseases of early infancy | 1,491 | 13 | 13 | 4 |
| Senility and ill-defined causes | 48 | 1 | 1 | -- |
| Accidents, motor vehicle | 509 | 9 | 15 | 2 |
| Accidents, other | 1,033 | 6 | 10 | 1 |
| Suicide | 351 | 2 | 10 | 1 |
| Homicide | 325 | -- | -- | -- |
| All other causes | 1,287 | 13 | 20 | 7 |

| | Danville | Decatur | De Kalb | Des Plaines |
|---|---|---|---|---|
| Estimated population as of July 1 | 41,200 | 79,900 | 15,900 | 30,500 |
| Live births: | | | | |
| Total | 1,139 | 1,923 | 394 | 871 |
| Hospital births | 1,135 | 1,919 | 393 | 869 |
| Non-hospital births | 4 | 4 | 1 | 2 |
| Attended by licensed practitioner | 4 | 4 | 1 | 2 |
| Other births | -- | -- | -- | -- |
| Premature births | 86 | 149 | 14 | 64 |
| Sex-race: | | | | |
| White male | 520 | 892 | 207 | 442 |
| White female | 471 | 822 | 187 | 427 |
| Negro male | 81 | 109 | -- | -- |
| Negro female | 67 | 99 | -- | -- |
| Other races male | -- | 1 | -- | 2 |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 34 | 40 | 5 | 5 |
| Nonwhite | 33 | 59 | -- | -- |
| Fetal deaths: | | | | |
| Total | 18 | 36 | 6 | 9 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 7 | 9 | -- | 2 |
| 28 weeks and over | 11 | 27 | 6 | 7 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 576 | 890 | 156 | 240 |
| Total infants | 33 | 58 | 6 | 22 |
| Under 28 days | 23 | 44 | 6 | 16 |
| Under 7 days | 21 | 38 | 6 | 15 |
| Children under 5 years | 38 | 68 | 8 | 30 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 10 | 10 | 1 | 3 |
| Tuberculosis | 4 | 7 | -- | 2 |
| Syphilis | 2 | 1 | 1 | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | 1 | -- | -- | -- |
| Infectious hepatitis | 1 | -- | -- | 1 |
| Other infective and parasitic diseases | 2 | 2 | -- | -- |
| Malignant neoplasms | 114 | 143 | 23 | 36 |
| Benign and unspecified neoplasms | 1 | 2 | -- | 1 |
| Vascular lesions of central nervous system | 57 | 114 | 22 | 21 |
| Rheumatic fever | -- | 1 | -- | 1 |
| Heart disease | 220 | 349 | 63 | 99 |
| Hypertension without heart involvement | 10 | 10 | -- | 1 |
| General arteriosclerosis | 12 | 15 | 1 | 5 |
| Other circulatory diseases | 11 | 6 | 1 | 5 |
| Nephritis and nephrosis, acute | 1 | 1 | -- | -- |
| Nephritis and renal sclerosis, chronic | 11 | 3 | 5 | 2 |
| Asthma | 3 | -- | 1 | 1 |
| Diabetes | 8 | 15 | -- | 6 |
| Influenza | -- | 1 | 1 | -- |
| Pneumonia | 20 | 25 | 8 | 9 |
| Bronchitis | 1 | 3 | -- | 1 |
| Ulcer of stomach and duodenum | 5 | 6 | 2 | 3 |
| Hernia, intestinal obstruction | -- | 5 | 2 | 1 |
| Gastritis, duodenitis, enteritis, colitis | 3 | 1 | 1 | -- |
| Cirrhosis of liver | 2 | 16 | 1 | 2 |
| Infections of kidney | 4 | 4 | -- | 1 |
| Hyperplasia of prostate | 1 | -- | 2 | 1 |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 6 | 15 | 3 | 3 |
| Diseases of early infancy | 23 | 35 | 5 | 14 |
| Senility and ill-defined causes | 1 | 2 | -- | -- |
| Accidents, motor vehicle | 6 | 23 | 5 | 5 |
| Accidents, other | 14 | 23 | 4 | 7 |
| Suicide | 4 | 17 | 1 | 2 |
| Homicide | 3 | 4 | -- | 1 |
| All other causes | 25 | 40 | 4 | 8 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Dixon | Dolton | Downers Grove | East Moline |
|---|---|---|---|---|
| Estimated population as of July 1 | 91,200 | 13,500 | 19,900 | 15,600 |
| Live births: | | | | |
| Total | 335 | 525 | 538 | 354 |
| Hospital births | 332 | 522 | 537 | 353 |
| Non-hospital births | 3 | 3 | 1 | 1 |
| Attended by licensed practitioner | 3 | -- | 1 | 1 |
| Other births | -- | -- | -- | -- |
| Premature births | 25 | 25 | 34 | 24 |
| Sex-race: | | | | |
| White male | 168 | 249 | 252 | 161 |
| White female | 158 | 274 | 286 | 166 |
| Negro male | 2 | -- | -- | 16 |
| Negro female | 5 | 1 | -- | 11 |
| Other races male | -- | -- | -- | -- |
| Other races female | 1 | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 6 | 1 | 5 | 4 |
| Nonwhite | -- | 1 | -- | 6 |
| Fetal deaths: | | | | |
| Total | 9 | 7 | 2 | 2 |
| Gestation | | | | |
| Under 20 weeks | 1 | -- | -- | -- |
| 20 - 27 weeks | 3 | 2 | -- | -- |
| 28 weeks and over | 5 | 5 | 2 | 2 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 174 | 84 | 166 | 129 |
| Total infants | 7 | 8 | 10 | 3 |
| Under 28 days | 5 | 6 | 8 | 2 |
| Under 7 days | 5 | 5 | 6 | 2 |
| Children under 5 years | 9 | 10 | 11 | 3 |
| Cause of death | | | | |
| Total infective and parasitic diseases | 1 | -- | -- | -- |
| Tuberculosis | -- | -- | -- | -- |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | 1 | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 20 | 13 | 31 | 25 |
| Benign and unspecified neoplasms | 2 | -- | -- | -- |
| Vascular lesions of central nervous system | 19 | 9 | 17 | 15 |
| Rheumatic fever | 1 | -- | -- | -- |
| Heart disease | 67 | 33 | 67 | 49 |
| Hypertension without heart involvement | 1 | -- | 5 | -- |
| General arteriosclerosis | 11 | -- | 1 | 5 |
| Other circulatory diseases | 3 | -- | 1 | -- |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 1 | -- | -- | 1 |
| Asthma | -- | -- | 1 | -- |
| Diabetes | 4 | 3 | 3 | -- |
| Influenza | -- | -- | 1 | -- |
| Pneumonia | 12 | 1 | 6 | 4 |
| Bronchitis | -- | -- | 1 | 1 |
| Ulcer of stomach and duodenum | 2 | -- | 4 | 1 |
| Hernia, intestinal obstruction | 1 | 2 | -- | 3 |
| Gastritis, duodenitis, enteritis, colitis | 2 | 1 | -- | -- |
| Cirrhosis of liver | 1 | -- | 1 | 1 |
| Infections of kidney | -- | -- | 1 | -- |
| Hyperplasia of prostate | -- | 1 | -- | 1 |
| Maternal causes | -- | -- | -- | 2 |
| Congenital malformations | -- | 3 | 1 | 1 |
| Diseases of early infancy | 5 | 4 | 7 | 2 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 4 | 8 | 1 | 4 |
| Accidents, other | 5 | -- | 7 | 5 |
| Suicide | 3 | 2 | -- | 2 |
| Homicide | -- | 1 | -- | -- |
| All other causes | 9 | 3 | 10 | 7 |

| | East St. Louis | Elgin | Elmhurst | Elmwood Park |
|---|---|---|---|---|
| Estimated population as of July 1 | 93,100 | 48,700 | 35,300 | 23,600 |
| Live births: | | | | |
| Total | 2,539 | 974 | 811 | 440 |
| Hospital births | 2,448 | 972 | 810 | 438 |
| Non-hospital births | 91 | 2 | 1 | 2 |
| Attended by licensed practitioner | 67 | 2 | 1 | 2 |
| Other births | 24 | -- | -- | -- |
| Premature births | 296 | 66 | 41 | 26 |
| Sex-race: | | | | |
| White male | 652 | 500 | 402 | 248 |
| White female | 646 | 430 | 409 | 192 |
| Negro male | 610 | 17 | -- | -- |
| Negro female | 631 | 25 | -- | -- |
| Other races male | -- | 1 | -- | -- |
| Other races female | -- | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 56 | 21 | 3 | 2 |
| Nonwhite | 349 | 5 | -- | -- |
| Fetal deaths: | | | | |
| Total | 45 | 12 | 6 | 6 |
| Gestation: | | | | |
| Under 20 weeks | 2 | 1 | -- | -- |
| 20 - 27 weeks | 10 | 3 | 2 | 2 |
| 28 weeks and over | 33 | 8 | 4 | 4 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 1,192 | 513 | 253 | 176 |
| Total infants | 91 | 14 | 16 | 8 |
| Under 28 days | 64 | 11 | 12 | 7 |
| Under 7 days | 58 | 11 | 12 | 7 |
| Children under 5 years | 107 | 19 | 21 | 9 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 23 | 5 | 1 | -- |
| Tuberculosis | 20 | 3 | -- | -- |
| Syphilis | 1 | 1 | -- | -- |
| Meningococcal infections | 1 | -- | 1 | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | 1 | 1 | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 171 | 83 | 59 | 31 |
| Benign and unspecified neoplasms | 3 | 1 | -- | -- |
| Vascular lesions of central nervous system | 134 | 81 | 25 | 18 |
| Rheumatic fever | 2 | -- | -- | -- |
| Heart disease | 466 | 206 | 93 | 78 |
| Hypertension without heart involvement | 10 | 8 | 3 | -- |
| General arteriosclerosis | 14 | 15 | 5 | 1 |
| Other circulatory diseases | 14 | 2 | 5 | 4 |
| Nephritis and nephrosis, acute | 2 | 2 | -- | -- |
| Nephritis and renal sclerosis, chronic | 25 | -- | 2 | 1 |
| Asthma | 1 | -- | -- | -- |
| Diabetes | 15 | 4 | 4 | 4 |
| Influenza | 4 | 1 | -- | 1 |
| Pneumonia | 43 | 21 | 10 | 9 |
| Bronchitis | 10 | 1 | -- | 1 |
| Ulcer of stomach and duodenum | 6 | 5 | 3 | 1 |
| Hernia, intestinal obstruction | 12 | 2 | 1 | 1 |
| Gastritis, duodenitis, enteritis, colitis | 7 | 2 | -- | 1 |
| Cirrhosis of liver | 9 | 4 | 5 | 2 |
| Infections of kidney | 7 | 1 | -- | -- |
| Hyperplasia of prostate | 2 | 3 | 4 | 2 |
| Maternal causes | 3 | 1 | -- | -- |
| Congenital malformations | 12 | 5 | 1 | 2 |
| Diseases of early infancy | 56 | 9 | 11 | 7 |
| Senility and ill-defined causes | 7 | 1 | 1 | 1 |
| Accidents, motor vehicle | 27 | 8 | 5 | 3 |
| Accidents, other | 40 | 13 | 5 | 2 |
| Suicide | 9 | 10 | 3 | 1 |
| Homicide | 11 | -- | -- | -- |
| All other causes | 47 | 19 | 7 | 5 |

| | Evanston | Evergreen Park | Forest Park | Franklin Park |
|---|---|---|---|---|
| Estimated population as of July 1 | 77,000 | 22,400 | 16,300 | 16,500 |
| Live births: | | | | |
| Total | 1,647 | 507 | 378 | 421 |
| Hospital births | 1,641 | 507 | 374 | 419 |
| Non-hospital births | 6 | -- | 4 | 2 |
| Attended by licensed practitioner | 6 | -- | 4 | 2 |
| Other births | -- | -- | -- | -- |
| Premature births | 124 | 22 | 12 | 22 |
| Sex-race: | | | | |
| White male | 699 | 261 | 203 | 214 |
| White female | 673 | 246 | 175 | 207 |
| Negro male | 139 | -- | -- | -- |
| Negro female | 128 | -- | -- | -- |
| Other races male | 3 | -- | -- | -- |
| Other races female | 5 | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 18 | 1 | 1 | 1 |
| Nonwhite | 41 | -- | -- | -- |
| Fetal deaths: | | | | |
| Total | 26 | 7 | 6 | 7 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 6 | 2 | 2 | 4 |
| 28 weeks and over | 20 | 5 | 4 | 3 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 857 | 129 | 179 | 89 |
| Total infants | 26 | 8 | 3 | 11 |
| Under 28 days | 20 | 5 | 2 | 11 |
| Under 7 days | 17 | 4 | 2 | 8 |
| Children under 5 years | 29 | 10 | 6 | 12 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 3 | 1 | -- | -- |
| Tuberculosis | 2 | 1 | -- | -- |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | 1 | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 125 | 18 | 39 | 20 |
| Benign and unspecified neoplasms | -- | -- | 1 | -- |
| Vascular lesions of central nervous system | 110 | 17 | 15 | 5 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 398 | 51 | 80 | 41 |
| Hypertension without heart involvement | 10 | 1 | 2 | -- |
| General arteriosclerosis | 26 | 1 | 2 | -- |
| Other circulatory diseases | 10 | -- | 2 | 2 |
| Nephritis and nephrosis, acute | -- | 1 | -- | -- |
| Nephritis and renal sclerosis, chronic | 5 | 2 | 1 | -- |
| Asthma | 3 | -- | -- | -- |
| Diabetes | 12 | 1 | 4 | 2 |
| Influenza | 1 | -- | -- | -- |
| Pneumonia | 30 | 4 | 5 | 4 |
| Bronchitis | 1 | -- | -- | -- |
| Ulcer of stomach and duodenum | 8 | -- | 4 | -- |
| Hernia, intestinal obstruction | 3 | 2 | 1 | -- |
| Gastritis, duodenitis, enteritis, colitis | 7 | 2 | -- | -- |
| Cirrhosis of liver | 10 | 3 | -- | -- |
| Infections of kidney | 3 | -- | 1 | -- |
| Hyperplasia of prostate | 1 | 1 | -- | -- |
| Maternal causes | -- | -- | 1 | -- |
| Congenital malformations | 5 | 2 | 5 | 2 |
| Diseases of early infancy | 19 | 5 | -- | 9 |
| Senility and ill-defined causes | -- | -- | 1 | -- |
| Accidents, motor vehicle | 11 | 2 | 2 | -- |
| Accidents, other | 8 | 8 | 4 | -- |
| Suicide | 9 | 2 | 2 | -- |
| Homicide | 5 | -- | -- | -- |
| All other causes | 34 | 5 | 7 | 4 |

| | Freeport | Galesburg | Glen Ellyn | Glenview |
|---|---|---|---|---|
| Estimated population as of July 1 | 25,800 | 34,400 | 15,000 | 15,100 |
| Live births: | | | | |
| Total | 579 | 801 | 367 | 514 |
| Hospital births | 578 | 800 | 366 | 512 |
| Non-hospital births | 1 | 1 | 1 | 2 |
| Attended by licensed practitioner | 1 | 1 | 1 | 2 |
| Other births | -- | -- | -- | -- |
| Premature births | 52 | 60 | 14 | 30 |
| Sex-race: | | | | |
| White male | 277 | 369 | 173 | 255 |
| White female | 244 | 388 | 190 | 257 |
| Negro male | 26 | 21 | 2 | 1 |
| Negro female | 31 | 23 | 1 | -- |
| Other races male | -- | -- | 1 | 1 |
| Other races female | 1 | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 11 | 17 | 3 | 4 |
| Nonwhite | 11 | 4 | -- | -- |
| Fetal deaths: | | | | |
| Total | 10 | 7 | 6 | 8 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 1 | -- | -- | 2 |
| 28 weeks and over | 9 | 7 | 6 | 6 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 358 | 422 | 117 | 120 |
| Total infants | 18 | 18 | 7 | 11 |
| Under 28 days | 14 | 12 | 5 | 9 |
| Under 7 days | 10 | 12 | 5 | 7 |
| Children under 5 years | 22 | 20 | 10 | 11 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 2 | 6 | -- | 2 |
| Tuberculosis | 1 | 3 | -- | 1 |
| Syphilis | 1 | 2 | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | 1 |
| Infectious hepatitis | -- | 1 | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 59 | 72 | 21 | 17 |
| Benign and unspecified neoplasms | -- | -- | -- | -- |
| Vascular lesions of central nervous system | 31 | 59 | 16 | 10 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 165 | 189 | 48 | 53 |
| Hypertension without heart involvement | 4 | 4 | 1 | 1 |
| General arteriosclerosis | 5 | 11 | 1 | 2 |
| Other circulatory diseases | 2 | 3 | -- | -- |
| Nephritis and nephrosis, acute | 1 | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 4 | 1 | 1 | -- |
| Asthma | -- | 1 | 1 | -- |
| Diabetes | 8 | 6 | 1 | 1 |
| Influenza | 1 | 1 | -- | -- |
| Pneumonia | 10 | 14 | 4 | 3 |
| Bronchitis | -- | 2 | -- | 1 |
| Ulcer of stomach and duodenum | 3 | 3 | 1 | 1 |
| Hernia, intestinal obstruction | 1 | 4 | -- | -- |
| Gastritis, duodenitis, enteritis, colitis | 2 | -- | 1 | 2 |
| Cirrhosis of liver | 2 | -- | -- | 2 |
| Infections of kidney | -- | 2 | -- | -- |
| Hyperplasia of prostate | 5 | -- | -- | -- |
| Maternal causes | -- | 1 | -- | -- |
| Congenital malformations | 5 | 3 | 3 | 3 |
| Diseases of early infancy | 12 | 10 | 4 | 7 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 5 | 7 | -- | 4 |
| Accidents, other | 7 | 9 | 1 | 5 |
| Suicide | 5 | 3 | 1 | 2 |
| Homicide | 1 | -- | 1 | -- |
| All other causes | 18 | 11 | 11 | 4 |

| | Granite City | Harrisburg | Harvey | Highland Park |
|---|---|---|---|---|
| Estimated population as of July 1 | 37,900 | 10,700 | 25,100 | 23,800 |
| Live births: | | | | |
| Total | 1,154 | 142 | 816 | 473 |
| Hospital births | 1,151 | 142 | 810 | 473 |
| Non-hospital births | 3 | -- | 6 | -- |
| Attended by licensed practitioner | 3 | -- | 6 | -- |
| Other births | -- | -- | -- | -- |
| Premature births | 60 | 10 | 60 | 33 |
| Sex-race: | | | | |
| White male | 560 | 80 | 373 | 259 |
| White female | 592 | 56 | 355 | 212 |
| Negro male | -- | 4 | 43 | -- |
| Negro female | -- | 2 | 45 | -- |
| Other races male | 1 | -- | -- | 2 |
| Other races female | 1 | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 12 | 5 | 12 | 4 |
| Nonwhite | -- | 4 | 13 | -- |
| Fetal deaths: | | | | |
| Total | 17 | 3 | 14 | 7 |
| Gestation: | | | | |
| Under 20 weeks | 3 | -- | -- | -- |
| 20 - 27 weeks | 3 | 1 | 3 | 3 |
| 28 weeks and over | 11 | 2 | 11 | 4 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 308 | 141 | 234 | 211 |
| Total infants | 27 | 6 | 18 | 14 |
| Under 28 days | 24 | 6 | 13 | 9 |
| Under 7 days | 23 | 6 | 13 | 7 |
| Children under 5 years | 28 | 6 | 20 | 15 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 2 | -- | 4 | 1 |
| Tuberculosis | 2 | -- | 2 | 1 |
| Syphilis | -- | -- | 1 | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | 1 | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 69 | 16 | 43 | 38 |
| Benign and unspecified neoplasms | 3 | -- | -- | -- |
| Vascular lesions of central nervous system | 31 | 15 | 28 | 37 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 118 | 64 | 83 | 75 |
| Hypertension without heart involvement | -- | -- | 3 | 1 |
| General arteriosclerosis | 4 | 3 | 4 | 2 |
| Other circulatory diseases | 1 | -- | 1 | 4 |
| Nephritis and nephrosis, acute | 1 | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 2 | 4 | 3 | -- |
| Asthma | -- | -- | -- | -- |
| Diabetes | 5 | 5 | 4 | 2 |
| Influenza | 1 | 3 | 2 | -- |
| Pneumonia | 5 | 1 | 9 | 10 |
| Bronchitis | -- | -- | 1 | -- |
| Ulcer of stomach and duodenum | 2 | -- | -- | 1 |
| Hernia, intestinal obstruction | -- | -- | 2 | 2 |
| Gastritis, duodenitis, enteritis, colitis | 1 | -- | 2 | 3 |
| Cirrhosis of liver | 1 | 4 | 4 | -- |
| Infections of kidney | 2 | -- | -- | 1 |
| Hyperplasia of prostate | -- | 2 | -- | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 2 | -- | 1 | 2 |
| Diseases of early infancy | 22 | 6 | 13 | 8 |
| Senility and ill-defined causes | -- | 2 | -- | -- |
| Accidents, motor vehicle | 12 | 6 | 8 | 6 |
| Accidents, other | 9 | 3 | 4 | 5 |
| Suicide | 1 | -- | 3 | 4 |
| Homicide | -- | 1 | 1 | -- |
| All other causes | 14 | 6 | 11 | 9 |

| | Hinsdale | Homewood | Jacksonville | Joliet |
|---|---|---|---|---|
| Estimated population as of July 1 | 14,100 | 13,000 | 21,200 | 61,200 |
| Live births: | | | | |
| Total | 238 | 268 | 327 | 1,613 |
| Hospital births | 237 | 268 | 327 | 1,610 |
| Non-hospital births | 1 | -- | -- | 3 |
| Attended by licensed practitioner | 1 | -- | -- | 3 |
| Other births | -- | -- | -- | -- |
| Premature births | 9 | 13 | 21 | 121 |
| Sex-race: | | | | |
| White male | 123 | 153 | 179 | 733 |
| White female | 114 | 115 | 129 | 750 |
| Negro male | 1 | -- | 7 | 74 |
| Negro female | -- | -- | 12 | 54 |
| Other races male | -- | -- | -- | 2 |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 2 | 3 | 7 | 42 |
| Nonwhite | -- | -- | 3 | 22 |
| Fetal deaths: | | | | |
| Total | 4 | 5 | 4 | 19 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | 2 |
| 20 - 27 weeks | -- | 2 | 1 | 4 |
| 28 weeks and over | 4 | 3 | 3 | 13 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 106 | 99 | 252 | 751 |
| Total infants | -- | 5 | 9 | 53 |
| Under 28 days | -- | 4 | 7 | 41 |
| Under 7 days | -- | 3 | 6 | 35 |
| Children under 5 years | 1 | 6 | 10 | 59 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | -- | 2 | 6 |
| Tuberculosis | -- | -- | -- | 3 |
| Syphilis | -- | -- | -- | 1 |
| Meningococcal infections | -- | -- | 1 | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | 2 |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | 1 | -- | 1 | -- |
| Malignant neoplasms | 19 | 15 | 28 | 113 |
| Benign and unspecified neoplasms | -- | -- | 1 | 1 |
| Vascular lesions of central nervous system | 21 | 16 | 31 | 77 |
| Rheumatic fever | 1 | -- | 1 | -- |
| Heart disease | 40 | 41 | 123 | 328 |
| Hypertension without heart involvement | -- | 1 | 5 | 6 |
| General arteriosclerosis | 1 | -- | 15 | 15 |
| Other circulatory diseases | 4 | 2 | 2 | 6 |
| Nephritis and nephrosis, acute | -- | -- | -- | 1 |
| Nephritis and renal sclerosis, chronic | -- | 1 | 1 | 6 |
| Asthma | -- | -- | -- | 3 |
| Diabetes | 1 | 3 | 3 | 14 |
| Influenza | -- | -- | 1 | 2 |
| Pneumonia | 2 | 3 | 7 | 29 |
| Bronchitis | 1 | -- | -- | 4 |
| Ulcer of stomach and duodenum | 1 | -- | 2 | 7 |
| Hernia, intestinal obstruction | -- | 1 | -- | 4 |
| Gastritis, duodenitis, enteritis, colitis | -- | -- | -- | 3 |
| Cirrhosis of liver | -- | 1 | 5 | 9 |
| Infections of kidney | -- | -- | -- | 2 |
| Hyperplasia of prostate | -- | -- | -- | -- |
| Maternal causes | -- | -- | -- | 1 |
| Congenital malformations | 1 | 2 | 2 | 9 |
| Diseases of early infancy | -- | 3 | 5 | 34 |
| Senility and ill-defined causes | -- | -- | -- | 1 |
| Accidents, motor vehicle | 7 | 1 | 2 | 15 |
| Accidents, other | 2 | 3 | 6 | 20 |
| Suicide | -- | 4 | 3 | 5 |
| Homicide | 1 | -- | -- | 2 |
| All other causes | 3 | 2 | 7 | 28 |

VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Kankakee | Kewanee | La Grange | La Grange Park |
|---|---|---|---|---|
| Estimated population as of July 1 | 28,800 | 17,500 | 14,900 | 13,200 |
| Live births: | | | | |
| Total | 717 | 338 | 372 | 231 |
| Hospital births | 713 | 338 | 370 | 231 |
| Non-hospital births | 4 | -- | 2 | -- |
| Attended by licensed practitioner | 4 | -- | 2 | -- |
| Other births | -- | -- | -- | -- |
| Premature births | 49 | 19 | 21 | 8 |
| Sex-race: | | | | |
| White male | 312 | 175 | 169 | 126 |
| White female | 304 | 151 | 167 | 105 |
| Negro male | 48 | 6 | 16 | -- |
| Negro female | 52 | 6 | 20 | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | 1 | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 5 | 8 | 1 | -- |
| Nonwhite | 19 | -- | 10 | -- |
| Fetal deaths: | | | | |
| Total | 17 | 5 | 6 | 2 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 2 | -- | 2 | -- |
| 28 weeks and over | 15 | 5 | 4 | 2 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 328 | 247 | 155 | 80 |
| Total infants | 19 | 8 | 6 | 3 |
| Under 28 days | 17 | 7 | 5 | 3 |
| Under 7 days | 16 | 7 | 5 | 3 |
| Children under 5 years | 24 | 9 | 7 | 4 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 2 | 2 | -- | -- |
| Tuberculosis | -- | 2 | -- | -- |
| Syphilis | 1 | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | 1 | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 52 | 43 | 26 | 19 |
| Benign and unspecified neoplasms | 1 | -- | -- | -- |
| Vascular lesions of central nervous system | 32 | 29 | 21 | 5 |
| Rheumatic fever | -- | 1 | -- | -- |
| Heart disease | 145 | 102 | 59 | 33 |
| Hypertension without heart involvement | 2 | 7 | 3 | -- |
| General arteriosclerosis | 9 | 6 | 4 | 4 |
| Other circulatory diseases | 1 | 1 | 3 | 1 |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 1 | 1 | 1 | -- |
| Asthma | 3 | 1 | -- | -- |
| Diabetes | 6 | 7 | 2 | -- |
| Influenza | -- | 2 | -- | -- |
| Pneumonia | 14 | 8 | 6 | 3 |
| Bronchitis | 2 | 1 | -- | -- |
| Ulcer of stomach and duodenum | 2 | 2 | 1 | 1 |
| Hernia, intestinal obstruction | 1 | 1 | 2 | 1 |
| Gastritis, duodenitis, enteritis, colitis | 2 | -- | -- | -- |
| Cirrhosis of liver | 6 | 1 | 4 | 1 |
| Infections of kidney | 1 | -- | -- | 1 |
| Hyperplasia of prostate | -- | -- | -- | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 2 | 1 | -- | 1 |
| Diseases of early infancy | 16 | 5 | 5 | 2 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 5 | 7 | 4 | 1 |
| Accidents, other | 11 | 12 | 1 | 2 |
| Suicide | -- | -- | 2 | 1 |
| Homicide | -- | -- | 2 | -- |
| All other causes | 11 | 7 | 9 | 4 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Lansing | La Salle | Lincoln | Lincolnwood |
|---|---|---|---|---|
| Estimated population as of July 1 | 16,800 | 12,700 | 16,800 | 10,500 |
| Live births: | | | | |
| Total | 426 | 245 | 296 | 158 |
| Hospital births | 426 | 243 | 296 | 158 |
| Non-hospital births | -- | 2 | -- | -- |
| Attended by licensed practitioner | -- | 2 | -- | -- |
| Other births | -- | -- | -- | -- |
| Premature births | 35 | 13 | 19 | 11 |
| Sex-race: | | | | |
| White male | 209 | 126 | 145 | 72 |
| White female | 217 | 119 | 147 | 86 |
| Negro male | -- | -- | 3 | -- |
| Negro female | -- | -- | 1 | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 2 | 1 | 10 | 1 |
| Nonwhite | -- | -- | 1 | -- |
| Fetal deaths: | | | | |
| Total | 2 | 6 | 8 | 1 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | -- | 1 | -- | -- |
| 28 weeks and over | 2 | 5 | 8 | 1 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 88 | 147 | 167 | 64 |
| Total infants | 12 | 7 | 11 | 3 |
| Under 28 days | 11 | 5 | 9 | 3 |
| Under 7 days | 11 | 5 | 9 | 3 |
| Children under 5 years | 12 | 7 | 13 | 4 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | -- | -- | 2 | 2 |
| Tuberculosis | -- | -- | -- | -- |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | 1 | 2 |
| Other infective and parasitic diseases | -- | -- | 1 | -- |
| Malignant neoplasms | 16 | 21 | 22 | 16 |
| Benign and unspecified neoplasms | 1 | -- | -- | -- |
| Vascular lesions of central nervous system | 8 | 26 | 20 | 11 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 31 | 62 | 76 | 21 |
| Hypertension without heart involvement | -- | 1 | 4 | 1 |
| General arteriosclerosis | 2 | 1 | 10 | 2 |
| Other circulatory diseases | 1 | 2 | -- | -- |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 1 | 3 | 1 | 1 |
| Asthma | -- | 2 | -- | -- |
| Diabetes | -- | 4 | 1 | -- |
| Influenza | -- | -- | -- | -- |
| Pneumonia | 3 | 2 | 3 | 1 |
| Bronchitis | -- | -- | -- | -- |
| Ulcer of stomach and duodenum | -- | 2 | 1 | 2 |
| Hernia, intestinal obstruction | 1 | 1 | -- | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | 1 | 2 | -- |
| Cirrhosis of liver | -- | 1 | 1 | -- |
| Infections of kidney | 1 | 1 | 2 | -- |
| Hyperplasia of prostate | 1 | 1 | -- | 2 |
| Maternal causes | 1 | -- | -- | -- |
| Congenital malformations | 2 | 1 | 3 | 1 |
| Diseases of early infancy | 9 | 4 | 7 | 2 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 2 | -- | 3 | -- |
| Accidents, other | 2 | 2 | 4 | -- |
| Suicide | 3 | 2 | 1 | -- |
| Homicide | -- | -- | -- | -- |
| All other causes | 3 | 7 | 4 | 1 |

| | Lombard | Macomb | Marion | Mattoon |
|---|---|---|---|---|
| Estimated population as of July 1 | 19,300 | 11,800 | 10,700 | 18,200 |
| Live births: | | | | |
| Total | 704 | 226 | 220 | 449 |
| Hospital births | 701 | 223 | 220 | 446 |
| Non-hospital births | 3 | 3 | -- | 3 |
| Attended by licensed practitioner | 3 | 3 | -- | 3 |
| Other births | -- | -- | -- | -- |
| Premature births | 40 | 15 | 13 | 32 |
| Sex-race: | | | | |
| White male | 358 | 117 | 110 | 232 |
| White female | 344 | 105 | 101 | 212 |
| Negro male | 1 | 1 | 6 | 3 |
| Negro female | -- | 1 | 3 | 2 |
| Other races male | 1 | 2 | -- | -- |
| Other races female | -- | -- | -- | -- |
| Illegitimate births: | | | | |
| White | 1 | 2 | 7 | 12 |
| Nonwhite | -- | 1 | 2 | 2 |
| Fetal deaths: | | | | |
| Total | 11 | 4 | 2 | 9 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 3 | -- | -- | -- |
| 28 weeks and over | 8 | 4 | 2 | 9 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 157 | 137 | 149 | 236 |
| Total infants | 13 | 4 | 5 | 13 |
| Under 28 days | 8 | 3 | 3 | 10 |
| Under 7 days | 6 | 3 | 3 | 10 |
| Children under 5 years | 16 | 5 | 6 | 15 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | -- | 3 | 1 |
| Tuberculosis | -- | -- | 1 | 1 |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | 1 | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | 2 | -- |
| Malignant neoplasms | 31 | 22 | 17 | 41 |
| Benign and unspecified neoplasms | 2 | -- | -- | 1 |
| Vascular lesions of central nervous system | 8 | 20 | 25 | 31 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 67 | 54 | 66 | 99 |
| Hypertension without heart involvement | 1 | 1 | -- | 2 |
| General arteriosclerosis | 2 | 2 | 5 | -- |
| Other circulatory diseases | 4 | 2 | 4 | 4 |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 3 | 1 | 1 | 3 |
| Asthma | -- | 2 | 1 | 2 |
| Diabetes | 4 | 3 | 1 | 2 |
| Influenza | -- | -- | 1 | -- |
| Pneumonia | 5 | 3 | 1 | 5 |
| Bronchitis | -- | -- | -- | -- |
| Ulcer of stomach and duodenum | -- | 1 | -- | 4 |
| Hernia, intestinal obstruction | 1 | 1 | -- | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | -- | 2 | 3 |
| Cirrhosis of liver | 1 | -- | -- | 1 |
| Infections of kidney | -- | 1 | 2 | -- |
| Hyperplasia of prostate | -- | 1 | -- | 2 |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 5 | 2 | -- | 1 |
| Diseases of early infancy | 6 | 3 | 3 | 9 |
| Senility and ill-defined causes | -- | -- | -- | 2 |
| Accidents, motor vehicle | 5 | 4 | 3 | 4 |
| Accidents, other | 6 | 1 | 4 | 7 |
| Suicide | 2 | 1 | 3 | 3 |
| Homicide | -- | 1 | -- | -- |
| All other causes | 3 | 11 | 7 | 8 |

| | Maywood | Melrose Park | Moline | Monmouth |
|---|---|---|---|---|
| Estimated population as of July 1 | 28,900 | 21,100 | 39,800 | 11,800 |
| Live births: | | | | |
| Total | 675 | 833 | 951 | 206 |
| Hospital births | 673 | 831 | 950 | 206 |
| Non-hospital births | 2 | 2 | 1 | -- |
| Attended by licensed practitioner | 1 | 2 | 1 | -- |
| Other births | 1 | -- | -- | -- |
| Premature births | 53 | 49 | 59 | 4 |
| Sex-race: | | | | |
| White male | 265 | 431 | 489 | 94 |
| White female | 258 | 396 | 452 | 101 |
| Negro male | 75 | -- | 3 | 5 |
| Negro female | 75 | 1 | 6 | 5 |
| Other races male | -- | 2 | -- | 1 |
| Other races female | 2 | 3 | 1 | -- |
| Illegitimate births: | | | | |
| White | 2 | 3 | 23 | 5 |
| Nonwhite | 18 | -- | 1 | 4 |
| Fetal deaths: | | | | |
| Total | 11 | 14 | 15 | 3 |
| Gestation: | | | | |
| Under 20 weeks | 1 | -- | -- | -- |
| 20 - 27 weeks | 3 | 7 | 3 | 1 |
| 28 weeks and over | 7 | 7 | 11 | 2 |
| Not reported | -- | -- | 1 | -- |
| Deaths: | | | | |
| All ages | 297 | 186 | 448 | 143 |
| Total infants | 9 | 16 | 27 | 5 |
| Under 28 days | 9 | 12 | 22 | 1 |
| Under 7 days | 8 | 8 | 22 | -- |
| Children under 5 years | 12 | 17 | 28 | 7 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 3 | 2 | 1 | 1 |
| Tuberculosis | 2 | 1 | -- | -- |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | 1 | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | 1 | -- | -- |
| Other infective and parasitic diseases | 1 | -- | -- | 1 |
| Malignant neoplasms | 55 | 24 | 68 | 21 |
| Benign and unspecified neoplasms | 1 | 1 | -- | 1 |
| Vascular lesions of central nervous system | 30 | 11 | 57 | 23 |
| Rheumatic fever | -- | -- | -- | 1 |
| Heart disease | 134 | 85 | 194 | 70 |
| Hypertension without heart involvement | 5 | 2 | 5 | 3 |
| General arteriosclerosis | 4 | -- | 12 | 1 |
| Other circulatory diseases | 2 | 1 | 2 | -- |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | -- | 1 | 6 | -- |
| Asthma | 1 | -- | 1 | 1 |
| Diabetes | 8 | 3 | 10 | 1 |
| Influenza | -- | -- | -- | -- |
| Pneumonia | 6 | 13 | 8 | 3 |
| Bronchitis | -- | -- | -- | -- |
| Ulcer of stomach and duodenum | 1 | 1 | 2 | -- |
| Hernia, intestinal obstruction | 2 | 2 | 3 | -- |
| Gastritis, duodenitis, enteritis, colitis | 2 | 5 | 2 | -- |
| Cirrhosis of liver | 4 | 3 | 5 | 3 |
| Infections of kidney | 1 | 1 | -- | -- |
| Hyperplasia of prostate | 2 | -- | 1 | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 4 | 3 | 8 | 3 |
| Diseases of early infancy | 5 | 7 | 17 | -- |
| Senility and ill-defined causes | 1 | 1 | -- | -- |
| Accidents, motor vehicle | 3 | 6 | 13 | 2 |
| Accidents, other | 5 | 5 | 14 | 5 |
| Suicide | 2 | 2 | 5 | 1 |
| Homicide | 1 | -- | -- | -- |
| All other causes | 15 | 7 | 14 | 3 |

| | Morton Grove | Mount Prospect | Mount Vernon | Niles |
|---|---|---|---|---|
| Estimated population as of July 1 | 16,800 | 15,900 | 16,700 | 14,200 |
| Live births: | | | | |
| Total | 436 | 497 | 361 | 405 |
| Hospital births | 434 | 489 | 359 | 402 |
| Non-hospital births | 2 | 8 | 2 | 3 |
| Attended by licensed practitioner | 2 | 7 | 2 | 2 |
| Other births | -- | 1 | -- | 1 |
| Premature births | 23 | 31 | 31 | 20 |
| Sex-race: | | | | |
| White male | 227 | 268 | 165 | 201 |
| White female | 208 | 228 | 168 | 204 |
| Negro male | -- | -- | 15 | -- |
| Negro female | -- | -- | 13 | -- |
| Other races male | 1 | -- | -- | -- |
| Other races female | -- | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 1 | 1 | 8 | 2 |
| Nonwhite | -- | -- | 6 | -- |
| Fetal deaths: | | | | |
| Total | 4 | 6 | 6 | 2 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | -- | 2 | -- | 1 |
| 28 weeks and over | 4 | 4 | 6 | 1 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 76 | 88 | 198 | 117 |
| Total infants | 4 | 13 | 12 | 6 |
| Under 28 days | 2 | 13 | 10 | 4 |
| Under 7 days | 2 | 11 | 7 | 4 |
| Children under 5 years | 4 | 14 | 14 | 6 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | 2 | 2 | 1 |
| Tuberculosis | -- | -- | 1 | -- |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | 1 | -- |
| Other infective and parasitic diseases | 1 | 2 | -- | 1 |
| Malignant neoplasms | 21 | 19 | 26 | 17 |
| Benign and unspecified neoplasms | -- | -- | -- | 1 |
| Vascular lesions of central nervous system | 4 | 7 | 25 | 7 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 28 | 30 | 82 | 58 |
| Hypertension without heart involvement | 2 | -- | 1 | 2 |
| General arteriosclerosis | 5 | -- | 6 | 2 |
| Other circulatory diseases | 1 | 1 | 2 | 2 |
| Nephritis and nephrosis, acute | -- | 1 | -- | -- |
| Nephritis and renal sclerosis, chronic | 1 | -- | 1 | 2 |
| Asthma | -- | -- | 1 | 1 |
| Diabetes | 1 | -- | 1 | 1 |
| Influenza | -- | -- | 1 | -- |
| Pneumonia | 4 | 2 | 3 | 5 |
| Bronchitis | -- | 1 | 2 | -- |
| Ulcer of stomach and duodenum | -- | 1 | 3 | -- |
| Hernia, intestinal obstruction | -- | 1 | 1 | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | -- | -- | 1 |
| Cirrhosis of liver | 1 | 1 | 4 | -- |
| Infections of kidney | -- | -- | 1 | -- |
| Hyperplasia of prostate | -- | -- | -- | -- |
| Maternal causes | -- | -- | 1 | -- |
| Congenital malformations | 1 | 1 | 4 | 1 |
| Diseases of early infancy | 2 | 11 | 5 | 4 |
| Senility and ill-defined causes | -- | -- | 7 | -- |
| Accidents, motor vehicle | -- | 1 | 4 | 1 |
| Accidents, other | -- | 2 | 5 | 4 |
| Suicide | -- | -- | 3 | 1 |
| Homicide | -- | -- | -- | -- |
| All other causes | 4 | 7 | 7 | 5 |

| | Normal | Northbrook | North Chicago | North Lake |
|---|---|---|---|---|
| Estimated population as of July 1 | 12,400 | 10,800 | 18,400 | 11,800 |
| Live births: | | | | |
| Total | 257 | 420 | 495 | 256 |
| Hospital births | 257 | 418 | 484 | 255 |
| Non-hospital births | -- | 2 | 11 | 1 |
| Attended by licensed practitioner | -- | -- | 1 | 1 |
| Other births | -- | -- | 10 | -- |
| Premature births | 14 | 19 | 48 | 21 |
| Sex-race: | | | | |
| White male | 134 | 219 | 158 | 133 |
| White female | 123 | 201 | 144 | 122 |
| Negro male | -- | -- | 87 | -- |
| Negro female | -- | -- | 105 | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | -- | 1 | 1 |
| Illegitimate births: | | | | |
| White | 6 | 8 | 10 | 1 |
| Nonwhite | -- | -- | 23 | -- |
| Fetal deaths: | | | | |
| Total | 3 | 7 | 7 | 8 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | 1 |
| 20 - 27 weeks | 2 | 1 | 1 | 1 |
| 28 weeks and over | 1 | 6 | 6 | 6 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 75 | 52 | 118 | 78 |
| Total infants | -- | 5 | 12 | 9 |
| Under 28 days | -- | 4 | 8 | 7 |
| Under 7 days | -- | 4 | 6 | 6 |
| Children under 5 years | -- | 5 | 12 | 11 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | -- | 1 | 2 | -- |
| Tuberculosis | -- | -- | 1 | -- |
| Syphilis | -- | -- | 1 | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | 1 | -- | -- |
| Malignant neoplasms | 13 | 11 | 22 | 10 |
| Benign and unspecified neoplasms | -- | -- | -- | -- |
| Vascular lesions of central nervous system | 17 | 8 | 11 | 2 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 30 | 14 | 49 | 39 |
| Hypertension without heart involvement | 3 | -- | -- | 1 |
| General arteriosclerosis | 2 | -- | 1 | -- |
| Other circulatory diseases | -- | 1 | -- | -- |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 1 | -- | 2 | -- |
| Asthma | -- | -- | -- | -- |
| Diabetes | 1 | 1 | 1 | 2 |
| Influenza | -- | -- | -- | -- |
| Pneumonia | -- | 2 | 3 | 7 |
| Bronchitis | -- | -- | -- | 1 |
| Ulcer of stomach and duodenum | -- | 1 | -- | -- |
| Hernia, intestinal obstruction | -- | -- | -- | -- |
| Gastritis, duodenitis, enteritis, colitis | -- | -- | 2 | -- |
| Cirrhosis of liver | 1 | -- | 2 | 1 |
| Infections of kidney | -- | -- | -- | -- |
| Hyperplasia of prostate | -- | -- | -- | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | -- | -- | 4 | 4 |
| Diseases of early infancy | -- | 4 | 6 | 5 |
| Senility and ill-defined causes | -- | -- | 1 | -- |
| Accidents, motor vehicle | -- | 1 | 4 | 2 |
| Accidents, other | 3 | 1 | 2 | 2 |
| Suicide | 3 | 2 | 1 | 1 |
| Homicide | -- | -- | 2 | -- |
| All other causes | 1 | 5 | 3 | 1 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Oak Lawn | Oak Park | Ottawa | Palatine |
|---|---|---|---|---|
| Estimated population as of July 1 | 22,000 | 61,300 | 19,800 | 10,000 |
| Live births: | | | | |
| Total | 1,253 | 1,117 | 543 | 281 |
| Hospital births | 1,244 | 1,111 | 543 | 280 |
| Non-hospital births | 9 | 6 | -- | 1 |
| Attended by licensed practitioner | 9 | 6 | -- | -- |
| Other births | -- | -- | -- | -- |
| Premature births | 83 | 52 | 31 | 19 |
| Sex-race: | | | | |
| White male | 665 | 546 | 259 | 129 |
| White female | 584 | 563 | 277 | 152 |
| Negro male | -- | -- | 4 | -- |
| Negro female | -- | -- | 2 | -- |
| Other races male | 4 | 5 | -- | -- |
| Other races female | -- | 3 | 1 | -- |
| Illegitimate births: | | | | |
| White | 10 | 14 | 10 | -- |
| Nonwhite | -- | -- | 2 | -- |
| Fetal deaths: | | | | |
| Total | 26 | 14 | 4 | 5 |
| Gestation | | | | |
| Under 20 weeks | 1 | 1 | -- | -- |
| 20 - 27 weeks | 4 | 2 | -- | 2 |
| 28 weeks and over | 20 | 11 | 4 | 3 |
| Not reported | 1 | -- | -- | -- |
| Deaths: | | | | |
| All ages | 248 | 723 | 257 | 83 |
| Total infants | 45 | 24 | 12 | 7 |
| Under 28 days | 39 | 15 | 9 | 7 |
| Under 7 days | 34 | 12 | 9 | 7 |
| Children under 5 years | 51 | 26 | 14 | 7 |
| Cause of death | | | | |
| Total infective and parasitic diseases | 3 | 7 | 3 | -- |
| Tuberculosis | 2 | 5 | 2 | -- |
| Syphilis | 1 | 1 | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | 1 | -- |
| Infectious hepatitis | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | 1 | -- | -- |
| Malignant neoplasms | 43 | 128 | 37 | 16 |
| Benign and unspecified neoplasms | 1 | 1 | -- | -- |
| Vascular lesions of central nervous system | 16 | 83 | 34 | 10 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 80 | 343 | 115 | 30 |
| Hypertension without heart involvement | 4 | 4 | 2 | 1 |
| General arteriosclerosis | 1 | 17 | 4 | 1 |
| Other circulatory diseases | -- | 7 | -- | -- |
| Nephritis and nephrosis, acute | -- | 2 | -- | -- |
| Nephritis and renal sclerosis, chronic | 3 | 5 | 3 | 1 |
| Asthma | 2 | 2 | -- | -- |
| Diabetes | 1 | 7 | 3 | 3 |
| Influenza | -- | -- | 1 | -- |
| Pneumonia | 8 | 14 | 7 | -- |
| Bronchitis | 2 | 2 | -- | -- |
| Ulcer of stomach and duodenum | 1 | 3 | 4 | 1 |
| Hernia, intestinal obstruction | 2 | 8 | -- | 2 |
| Gastritis, duodenitis, enteritis, colitis | 1 | 2 | 1 | -- |
| Cirrhosis of liver | 5 | 6 | 3 | 1 |
| Infections of kidney | 2 | 3 | 1 | -- |
| Hyperplasia of prostate | -- | -- | -- | 2 |
| Maternal causes | 1 | -- | -- | -- |
| Congenital malformations | 10 | 6 | 3 | 1 |
| Diseases of early infancy | 34 | 13 | 9 | 7 |
| Senility and ill-defined causes | -- | 2 | -- | -- |
| Accidents, motor vehicle | 7 | 5 | 5 | 3 |
| Accidents, other | 6 | 21 | 8 | -- |
| Suicide | 4 | 7 | 3 | 2 |
| Homicide | 2 | 1 | -- | -- |
| All other causes | 9 | 23 | 10 | 2 |

| | Park Forest | Park Ridge | Pekin | Peoria |
|---|---|---|---|---|
| Estimated population as of July 1 | 28,900 | 28,300 | 26,200 | 115,600 |
| Live births: | | | | |
| Total | 993 | 542 | 683 | 2,467 |
| Hospital births | 987 | 540 | 682 | 2,452 |
| Non-hospital births | 6 | 2 | 1 | 15 |
| Attended by licensed practitioner | 6 | 2 | 1 | 15 |
| Other births | -- | -- | -- | -- |
| Premature births | 47 | 23 | 35 | 204 |
| Sex-race: | | | | |
| White male | 529 | 270 | 327 | 1,057 |
| White female | 458 | 272 | 356 | 1,085 |
| Negro male | -- | -- | -- | 155 |
| Negro female | -- | -- | -- | 166 |
| Other races male | 5 | -- | -- | 2 |
| Other races female | 1 | -- | -- | 2 |
| Illegitimate births: | | | | |
| White | -- | 3 | 13 | 78 |
| Nonwhite | -- | -- | -- | 65 |
| Fetal deaths: | | | | |
| Total | 17 | 7 | 6 | 32 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 2 | -- | -- | 2 |
| 28 weeks and over | 15 | 7 | 6 | 30 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 60 | 207 | 253 | 1,263 |
| Total infants | 11 | 8 | 14 | 63 |
| Under 28 days | 9 | 7 | 9 | 44 |
| Under 7 days | 8 | 5 | 9 | 38 |
| Children under 5 years | 13 | 8 | 18 | 71 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | 1 | 2 | 19 |
| Tuberculosis | -- | -- | 1 | 8 |
| Syphilis | -- | -- | -- | 5 |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | 1 |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | 1 | 1 |
| Other infective and parasitic diseases | 1 | 1 | -- | 4 |
| Malignant neoplasms | 13 | 49 | 47 | 221 |
| Benign and unspecified neoplasms | 1 | -- | -- | 4 |
| Vascular lesions of central nervous system | 4 | 25 | 23 | 141 |
| Rheumatic fever | -- | -- | 1 | 2 |
| Heart disease | 19 | 83 | 102 | 518 |
| Hypertension without heart involvement | -- | 1 | 6 | 14 |
| General arteriosclerosis | -- | -- | 4 | 34 |
| Other circulatory diseases | -- | 3 | -- | 6 |
| Nephritis and nephrosis, acute | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 1 | 1 | 3 | 5 |
| Asthma | -- | -- | 1 | 5 |
| Diabetes | -- | 2 | 5 | 16 |
| Influenza | -- | 1 | 1 | 1 |
| Pneumonia | 1 | 5 | 13 | 55 |
| Bronchitis | -- | -- | -- | 1 |
| Ulcer of stomach and duodenum | -- | 3 | 1 | 11 |
| Hernia, intestinal obstruction | -- | 2 | 2 | 10 |
| Gastritis, duodenitis, enteritis, colitis | 1 | -- | 1 | 8 |
| Cirrhosis of liver | -- | 2 | 1 | 18 |
| Infections of kidney | -- | -- | 1 | 6 |
| Hyperplasia of prostate | -- | 2 | 2 | 8 |
| Maternal causes | -- | -- | -- | 1 |
| Congenital malformations | 1 | 2 | 4 | 7 |
| Diseases of early infancy | 9 | 6 | 8 | 43 |
| Senility and ill-defined causes | -- | -- | -- | -- |
| Accidents, motor vehicle | 3 | 4 | 4 | 24 |
| Accidents, other | 2 | 3 | 8 | 29 |
| Suicide | 2 | 6 | 3 | 16 |
| Homicide | -- | 1 | -- | 1 |
| All other causes | 2 | 5 | 10 | 39 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Quincy | Rantoul | Riverdale | River Forest |
|---|---|---|---|---|
| Estimated population as of July 1 | 42,900 | 22,000 | 10,900 | 11,500 |
| Live births: | | | | |
| Total | 871 | 172 | 202 | 142 |
| Hospital births | 867 | 171 | 202 | 141 |
| Non-hospital births | 4 | 1 | -- | 1 |
| Attended by licensed practitioner | 4 | 1 | -- | 1 |
| Other births | -- | -- | -- | -- |
| Premature births | 43 | 9 | 8 | 8 |
| Sex-race: | | | | |
| White male | 469 | 71 | 102 | 81 |
| White female | 366 | 99 | 100 | 61 |
| Negro male | 18 | 1 | -- | -- |
| Negro female | 17 | -- | -- | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | 1 | 1 | -- | -- |
| Illegitimate births: | | | | |
| White | 17 | 1 | 2 | 2 |
| Nonwhite | 9 | -- | -- | -- |
| Fetal deaths: | | | | |
| Total | 11 | 1 | 5 | 3 |
| Gestation: | | | | |
| Under 20 weeks | 1 | -- | -- | 1 |
| 20 - 27 weeks | 2 | -- | 2 | -- |
| 28 weeks and over | 8 | 1 | 3 | 2 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 635 | 52 | 73 | 115 |
| Total infants | 20 | 6 | 6 | 5 |
| Under 28 days | 17 | 5 | 5 | 5 |
| Under 7 days | 16 | 4 | 5 | 4 |
| Children under 5 years | 23 | 7 | 8 | 7 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 8 | -- | -- | -- |
| Tuberculosis | 4 | -- | -- | -- |
| Syphilis | 1 | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | 1 | -- | -- | -- |
| Other infective and parasitic diseases | 2 | -- | -- | -- |
| Malignant neoplasms | 104 | 7 | 15 | 23 |
| Benign and unspecified neoplasms | 4 | -- | -- | -- |
| Vascular lesions of central nervous system | 95 | 5 | 8 | 18 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 240 | 19 | 30 | 52 |
| Hypertension without heart involvement | 10 | -- | 1 | 2 |
| General arteriosclerosis | 26 | 1 | -- | 1 |
| Other circulatory diseases | 9 | 1 | 1 | -- |
| Nephritis and nephrosis, acute | -- | -- | 1 | 1 |
| Nephritis and renal sclerosis, chronic | 5 | -- | 2 | 1 |
| Asthma | 5 | -- | -- | -- |
| Diabetes | 10 | 1 | -- | 1 |
| Influenza | -- | -- | -- | 1 |
| Pneumonia | 26 | 2 | 4 | 2 |
| Bronchitis | 4 | -- | -- | -- |
| Ulcer of stomach and duodenum | 3 | 2 | -- | -- |
| Hernia, intestinal obstruction | 3 | -- | -- | -- |
| Gastritis, duodenitis, enteritis, colitis | 1 | -- | -- | 2 |
| Cirrhosis of liver | 5 | -- | -- | -- |
| Infections of kidney | 1 | -- | -- | -- |
| Hyperplasia of prostate | 3 | -- | -- | -- |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 5 | 3 | 3 | 3 |
| Diseases of early infancy | 14 | 4 | 3 | 2 |
| Senility and ill-defined causes | 3 | -- | -- | -- |
| Accidents, motor vehicle | 14 | 5 | 1 | 2 |
| Accidents, other | 10 | 2 | 1 | -- |
| Suicide | 7 | -- | -- | 1 |
| Homicide | -- | -- | 1 | -- |
| All other causes | 19 | -- | 2 | 3 |

| | Rock Falls | Rockford | Rock Island | Skokie |
|---|---|---|---|---|
| Estimated population as of July 1 | 10,600 | 121,100 | 49,900 | 52,200 |
| Live births: | | | | |
| Total | 323 | 2,986 | 1,065 | 1,098 |
| Hospital births | 321 | 2,975 | 1,062 | 1,090 |
| Non-hospital births | 2 | 11 | 3 | 8 |
| Attended by licensed practitioner | 2 | 11 | 3 | 8 |
| Other births | -- | -- | -- | -- |
| Premature births | 25 | 211 | 87 | 65 |
| Sex-race: | | | | |
| White male | 177 | 1,398 | 527 | 564 |
| White female | 146 | 1,391 | 469 | 530 |
| Negro male | -- | 95 | 41 | -- |
| Negro female | -- | 100 | 28 | -- |
| Other races male | -- | 1 | -- | 3 |
| Other races female | -- | 1 | -- | 1 |
| Illegitimate births: | | | | |
| White | 12 | 60 | 35 | 2 |
| Nonwhite | -- | 47 | 12 | -- |
| Fetal deaths: | | | | |
| Total | -- | 43 | 16 | 11 |
| Gestation: | | | | |
| Under 20 weeks | -- | 1 | -- | -- |
| 20 - 27 weeks | -- | 7 | 3 | -- |
| 28 weeks and over | -- | 35 | 13 | 11 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 98 | 1,171 | 571 | 250 |
| Total infants | 9 | 82 | 35 | 20 |
| Under 28 days | 8 | 54 | 27 | 12 |
| Under 7 days | 8 | 50 | 23 | 12 |
| Children under 5 years | 10 | 93 | 37 | 21 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | 6 | 5 | 4 |
| Tuberculosis | 1 | 3 | 4 | 1 |
| Syphilis | -- | -- | 1 | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | -- | 2 | -- | 1 |
| Other infective and parasitic diseases | -- | 1 | -- | 2 |
| Malignant neoplasms | 13 | 207 | 96 | 50 |
| Benign and unspecified neoplasms | -- | 1 | -- | -- |
| Vascular lesions of central nervous system | 7 | 158 | 56 | 19 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 42 | 448 | 244 | 109 |
| Hypertension without heart involvement | 1 | 14 | 8 | 1 |
| General arteriosclerosis | 3 | 14 | 20 | 2 |
| Other circulatory diseases | 1 | 12 | 3 | -- |
| Nephritis and nephrosis, acute | -- | 1 | -- | -- |
| Nephritis and renal sclerosis, chronic | -- | 8 | 3 | 1 |
| Asthma | -- | 3 | 1 | 2 |
| Diabetes | 2 | 14 | 10 | 3 |
| Influenza | -- | 1 | -- | -- |
| Pneumonia | 1 | 61 | 20 | 8 |
| Bronchitis | -- | 4 | 1 | -- |
| Ulcer of stomach and duodenum | 1 | 10 | 2 | 5 |
| Hernia, intestinal obstruction | -- | 9 | 7 | 3 |
| Gastritis, duodenitis, enteritis, colitis | -- | 5 | 2 | 3 |
| Cirrhosis of liver | 1 | 7 | 6 | 4 |
| Infections of kidney | -- | 4 | -- | 1 |
| Hyperplasia of prostate | 2 | 3 | -- | -- |
| Maternal causes | -- | 1 | -- | -- |
| Congenital malformations | -- | 18 | 5 | 3 |
| Diseases of early infancy | 7 | 44 | 23 | 11 |
| Senility and ill-defined causes | -- | 1 | -- | -- |
| Accidents, motor vehicle | 5 | 33 | 14 | 3 |
| Accidents, other | 5 | 24 | 19 | 8 |
| Suicide | 1 | 13 | 7 | 3 |
| Homicide | -- | 4 | 5 | 2 |
| All other causes | 5 | 43 | 14 | 5 |

## VITAL STATISTICS SUMMARY -- RESIDENT DATA FOR 1958

| | Springfield | Sterling | Streator | Urbana |
|---|---|---|---|---|
| Estimated population as of July 1 | 82,600 | 15,300 | 17,600 | 27,300 |
| Live births: | | | | |
| Total | 1,928 | 407 | 370 | 753 |
| Hospital births | 1,925 | 406 | 368 | 749 |
| Non-hospital births | 3 | 1 | 2 | 4 |
| Attended by licensed practitioner | 3 | 1 | 2 | 4 |
| Other births | -- | -- | -- | -- |
| Premature births | 152 | 21 | 35 | 59 |
| Sex-race: | | | | |
| White male | 903 | 209 | 189 | 352 |
| White female | 845 | 197 | 173 | 348 |
| Negro male | 86 | 1 | 6 | 14 |
| Negro female | 90 | -- | 1 | 25 |
| Other races male | 4 | -- | 1 | 4 |
| Other races female | -- | -- | -- | 10 |
| Illegitimate births: | | | | |
| White | 116 | 15 | 3 | 7 |
| Nonwhite | 53 | -- | 1 | 6 |
| Fetal deaths: | | | | |
| Total | 26 | 10 | 2 | 6 |
| Gestation: | | | | |
| Under 20 weeks | -- | -- | -- | -- |
| 20 - 27 weeks | 6 | 4 | 1 | 1 |
| 28 weeks and over | 20 | 6 | 1 | 5 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 1,162 | 150 | 181 | 186 |
| Total infants | 52 | 8 | 6 | 23 |
| Under 28 days | 37 | 7 | 5 | 18 |
| Under 7 days | 34 | 5 | 3 | 16 |
| Children under 5 years | 58 | 15 | 6 | 24 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 11 | 2 | -- | -- |
| Tuberculosis | 7 | 1 | -- | -- |
| Syphilis | 2 | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- |
| Infectious hepatitis | 1 | -- | -- | -- |
| Other infective and parasitic diseases | 1 | 1 | -- | -- |
| Malignant neoplasms | 185 | 24 | 23 | 20 |
| Benign and unspecified neoplasms | -- | 1 | 1 | -- |
| Vascular lesions of central nervous system | 155 | 11 | 37 | 23 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 528 | 66 | 67 | 80 |
| Hypertension without heart involvement | 8 | 2 | 1 | 5 |
| General arteriosclerosis | 18 | 10 | 6 | 4 |
| Other circulatory diseases | 17 | 2 | 2 | 2 |
| Nephritis and nephrosis, acute | 1 | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | 5 | 2 | -- | 1 |
| Asthma | 2 | 1 | -- | -- |
| Diabetes | 8 | 1 | 4 | 4 |
| Influenza | 2 | -- | 1 | -- |
| Pneumonia | 32 | 6 | 4 | 2 |
| Bronchitis | 7 | 1 | 1 | 3 |
| Ulcer of stomach and duodenum | 9 | -- | 1 | -- |
| Hernia, intestinal obstruction | 3 | -- | 1 | -- |
| Gastritis, duodenitis, enteritis, colitis | 3 | 1 | 1 | 2 |
| Cirrhosis of liver | 7 | -- | 1 | 1 |
| Infections of kidney | 3 | -- | 3 | -- |
| Hyperplasia of prostate | 3 | 1 | -- | 1 |
| Maternal causes | -- | -- | -- | -- |
| Congenital malformations | 16 | 4 | 1 | 6 |
| Diseases of early infancy | 30 | 3 | 3 | 15 |
| Senility and ill-defined causes | 13 | -- | -- | -- |
| Accidents, motor vehicle | 14 | 5 | 4 | 2 |
| Accidents, other | 25 | 4 | 8 | 5 |
| Suicide | 11 | -- | 4 | 2 |
| Homicide | 2 | -- | -- | -- |
| All other causes | 44 | 3 | 7 | 8 |

| | Villa Park | Waukegan | Westchester | West Frankfort |
|---|---|---|---|---|
| Estimated population as of July 1 | 16,900 | 51,500 | 14,700 | 10,900 |
| Live births: | | | | |
| Total | 438 | 1,539 | 338 | 158 |
| Hospital births | 437 | 1,525 | 336 | 158 |
| Non-hospital births | 1 | 14 | 2 | -- |
| Attended by licensed practitioner | 1 | 1 | 2 | -- |
| Other births | -- | 13 | -- | -- |
| Premature births | 28 | 119 | 14 | 8 |
| Sex-race: | | | | |
| White male | 226 | 674 | 169 | 90 |
| White female | 212 | 689 | 169 | 68 |
| Negro male | -- | 86 | -- | -- |
| Negro female | -- | 86 | -- | -- |
| Other races male | -- | -- | -- | -- |
| Other races female | -- | 4 | -- | -- |
| Illegitimate births: | | | | |
| White | 4 | 33 | -- | 2 |
| Nonwhite | -- | 25 | -- | -- |
| Fetal deaths: | | | | |
| Total | 13 | 21 | 6 | 2 |
| Gestation: | | | | |
| Under 20 weeks | -- | 1 | -- | -- |
| 20 - 27 weeks | 3 | 6 | 2 | -- |
| 28 weeks and over | 10 | 14 | 4 | 2 |
| Not reported | -- | -- | -- | -- |
| Deaths: | | | | |
| All ages | 103 | 454 | 76 | 154 |
| Total infants | 9 | 43 | 3 | 6 |
| Under 28 days | 6 | 25 | 2 | 4 |
| Under 7 days | 5 | 21 | 2 | 4 |
| Children under 5 years | 10 | 48 | 3 | 6 |
| Cause of death: | | | | |
| Total infective and parasitic diseases | 1 | 7 | 1 | 3 |
| Tuberculosis | -- | 6 | 1 | 3 |
| Syphilis | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- |
| Infectious encephalitis, acute | 1 | -- | -- | -- |
| Infectious hepatitis | -- | 1 | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- |
| Malignant neoplasms | 13 | 89 | 14 | 30 |
| Benign and unspecified neoplasms | 1 | -- | -- | -- |
| Vascular lesions of central nervous system | 8 | 43 | 6 | 9 |
| Rheumatic fever | -- | -- | -- | -- |
| Heart disease | 50 | 175 | 39 | 75 |
| Hypertension without heart involvement | -- | -- | 1 | -- |
| General arteriosclerosis | -- | 7 | 1 | 11 |
| Other circulatory diseases | 3 | 6 | 1 | -- |
| Nephritis and nephrosis, acute | -- | 1 | -- | -- |
| Nephritis and renal sclerosis, chronic | -- | 2 | -- | 2 |
| Asthma | 1 | -- | 1 | -- |
| Diabetes | 1 | 3 | 2 | 1 |
| Influenza | -- | -- | -- | -- |
| Pneumonia | 2 | 18 | 2 | 1 |
| Bronchitis | -- | 1 | -- | -- |
| Ulcer of stomach and duodenum | -- | 2 | 1 | -- |
| Hernia, intestinal obstruction | -- | 3 | -- | 1 |
| Gastritis, duodenitis, enteritis, colitis | -- | 1 | -- | 1 |
| Cirrhosis of liver | 3 | 9 | -- | 2 |
| Infections of kidney | -- | -- | 1 | 1 |
| Hyperplasia of prostate | -- | 5 | -- | -- |
| Maternal causes | -- | 4 | -- | -- |
| Congenital malformations | 4 | 9 | 2 | 1 |
| Diseases of early infancy | 6 | 24 | 1 | 3 |
| Senility and ill-defined causes | -- | 1 | -- | 1 |
| Accidents, motor vehicle | 4 | 8 | 1 | 2 |
| Accidents, other | 3 | 13 | 1 | 2 |
| Suicide | -- | 9 | -- | 1 |
| Homicide | -- | 1 | -- | -- |
| All other causes | 3 | 13 | 1 | 7 |

| | Wheaton | Wilmette | Winnetka | Wood River | Zion |
|---|---|---|---|---|---|
| Estimated population as of July 1 | 20,400 | 24,800 | 13,500 | 11,000 | 11,000 |
| Live births: | | | | | |
| Total | 542 | 453 | 167 | 250 | 360 |
| Hospital births | 536 | 449 | 166 | 249 | 352 |
| Non-hospital births | 6 | 4 | 1 | 1 | 8 |
| Attended by licensed practitioner | 6 | 4 | 1 | 1 | 1 |
| Other births | -- | -- | -- | -- | 7 |
| Premature births | 33 | 23 | 9 | 13 | 32 |
| Sex-race: | | | | | |
| White male | 280 | 231 | 80 | 141 | 177 |
| White female | 250 | 220 | 86 | 109 | 161 |
| Negro male | 10 | -- | -- | -- | 10 |
| Negro female | 1 | 1 | 1 | -- | 12 |
| Other races male | 1 | 1 | -- | -- | -- |
| Other races female | -- | -- | -- | -- | -- |
| Illegitimate births: | | | | | |
| White | 2 | 6 | 3 | 4 | 2 |
| Nonwhite | 4 | -- | -- | -- | 2 |
| Fetal deaths: | | | | | |
| Total | 3 | 7 | 1 | 6 | 2 |
| Gestation: | | | | | |
| Under 20 weeks | 1 | 1 | -- | -- | -- |
| 20 - 27 weeks | -- | 5 | -- | 1 | -- |
| 28 weeks and over | 2 | 1 | 1 | 5 | 2 |
| Not reported | -- | -- | -- | -- | -- |
| Deaths: | | | | | |
| All ages | 139 | 209 | 100 | 72 | 143 |
| Total infants | 15 | 13 | 6 | 3 | 13 |
| Under 28 days | 10 | 9 | 5 | 2 | 11 |
| Under 7 days | 9 | 7 | 4 | 2 | 9 |
| Children under 5 years | 17 | 17 | 6 | 3 | 14 |
| Cause of death: | | | | | |
| Total infective and parasitic diseases | -- | 1 | -- | 2 | -- |
| Tuberculosis | -- | 1 | -- | 2 | -- |
| Syphilis | -- | -- | -- | -- | -- |
| Meningococcal infections | -- | -- | -- | -- | -- |
| Poliomyelitis, acute | -- | -- | -- | -- | -- |
| Infectious encephalitis, acute | -- | -- | -- | -- | -- |
| Infectious hepatitis | -- | -- | -- | -- | -- |
| Other infective and parasitic diseases | -- | -- | -- | -- | -- |
| Malignant neoplasms | 17 | 39 | 12 | 13 | 13 |
| Benign and unspecified neoplasms | -- | -- | 1 | -- | 1 |
| Vascular lesions of central nervous system | 11 | 32 | 16 | 12 | 22 |
| Rheumatic fever | -- | -- | -- | -- | 1 |
| Heart disease | 51 | 77 | 38 | 23 | 62 |
| Hypertension without heart involvement | 1 | 1 | 3 | -- | 2 |
| General arteriosclerosis | 6 | 7 | 2 | 3 | 5 |
| Other circulatory diseases | 4 | 2 | 2 | -- | 1 |
| Nephritis and nephrosis, acute | 1 | -- | -- | -- | -- |
| Nephritis and renal sclerosis, chronic | -- | 2 | 1 | 2 | -- |
| Asthma | 1 | -- | 1 | 2 | -- |
| Diabetes | 1 | 3 | -- | 2 | -- |
| Influenza | 1 | 1 | -- | 1 | 1 |
| Pneumonia | 12 | 11 | 5 | 2 | 4 |
| Bronchitis | 2 | 1 | 1 | -- | -- |
| Ulcer of stomach and duodenum | 1 | 2 | 1 | -- | -- |
| Hernia, intestinal obstruction | 2 | -- | -- | -- | 1 |
| Gastritis, duodenitis, enteritis, colitis | 1 | -- | -- | 1 | -- |
| Cirrhosis of liver | -- | 1 | 1 | -- | 1 |
| Infections of kidney | 1 | 1 | 1 | -- | -- |
| Hyperplasia of prostate | -- | 1 | -- | -- | -- |
| Maternal causes | -- | -- | -- | -- | -- |
| Congenital malformations | 4 | 2 | -- | 1 | 4 |
| Diseases of early infancy | 7 | 7 | 4 | 2 | 9 |
| Senility and ill-defined causes | -- | -- | -- | -- | -- |
| Accidents, motor vehicle | 4 | 6 | 1 | 1 | 7 |
| Accidents, other | 4 | 5 | 2 | 2 | 4 |
| Suicide | -- | -- | 2 | 1 | -- |
| Homicide | -- | -- | -- | -- | -- |
| All other causes | 7 | 7 | 6 | 2 | 5 |


JO DAVIESS
STEPHENSON
WINNEBAGO
BOONE
McHENRY
LAKE
ROCKFORD
CARROLL
OGLE
DE KALB
KANE
COOK
EVANSTON
DU PAGE
CHICAGO
WHITESIDE
LEE
KENDALL
WILL
HENRY
BUREAU
LA SALLE
GRUNDY
ROCK ISLAND
MERCER
KANKAKEE
PUTNAM
KNOX
STARK
MARSHALL
LIVINGSTON
WARREN
IROQUOIS
PEORIA
WOODFORD
PEORIA
HENDER-
SON
McLEAN
FULTON
FORD
HANCOCK
McDONOUGH
TAZEWELL
VERMILION
CHAMPAIGN
MASON
LOGAN
DE WITT
SCHUYLER
ADAMS
MENARD
PIATT
BROWN
CASS
MACON
DECATUR
DOUGLAS
EDGAR
MORGAN
SANGAMON
PIKE
SPRINGFIELD
MOULTRIE
SCOTT
COLES
CHRISTIAN
SHELBY
CLARK
GREENE
MACOUPIN
CUMBERLAND
CAL-
HOUN
MONTGOMERY
FAYETTE
EFFINGHAM
JASPER
JERSEY
BOND
MADISON
CRAWFORD
CLAY
RICHLAND
LAWRENCE
MARION
CLINTON
ST.CLAIR
WAYNE
WABASH
EAST ST. LOUIS
WASHINGTON
JEFFERSON
EDWARDS
MONROE
HAMILTON
WHITE
RANDOLPH
PERRY
FRANKLIN
JACKSON
SALINE
GALLATIN
WILLIAMSON
UNION
JOHNSON
POPE
HARDIN
ALEX-
ANDER
PULASKI
MASSAC
STATE
OF
ILLINOIS

# POPULATION ESTIMATES FOR THE COUNTIES OF ILLINOIS: JULY 1, 1958

| County | Population | County | Population |
|---|---|---|---|
| ILLINOIS | 9,889,000 | Lawrence | 19,100 |
| | | Lee | 36,900 |
| Adams | 65,700 | Livingston | 38,200 |
| Alexander | 20,300 | Logan | 31,200 |
| Bond | 13,200 | McDonough | 28,800 |
| Boone | 18,800 | McHenry | 70,700 |
| Brown | 7,100 | McLean | 89,600 |
| Bureau | 41,400 | Macon | 110,300 |
| Calhoun | 7,000 | Macoupin | 43,400 |
| Carroll | 19,200 | Madison | 223,500 |
| Cass | 14,500 | Marion | 40,000 |
| Champaign | 122,300 | Marshall | 13,400 |
| Christian | 39,200 | Mason | 15,800 |
| Clark | 17,400 | Massac | 16,800 |
| Clay | 17,800 | Menard | 9,600 |
| Clinton | 23,000 | Mercer | 18,000 |
| Coles | 42,700 | Monroe | 15,300 |
| Cook | 5,101,200 | Montgomery | 31,700 |
| Crawford | 21,300 | Morgan | 38,000 |
| Cumberland | 10,500 | Moultrie | 13,400 |
| De Kalb | 46,200 | Ogle | 37,200 |
| De Witt | 17,200 | Peoria | 185,100 |
| Douglas | 19,800 | Perry | 21,500 |
| Du Page | 254,600 | Piatt | 16,500 |
| Edgar | 23,500 | Pike | 22,200 |
| Edwards | 9,500 | Pope | 5,300 |
| Effingham | 22,000 | Pulaski | 12,000 |
| Fayette | 24,600 | Putnam | 4,500 |
| Ford | 16,200 | Randolph | 31,500 |
| Franklin | 43,000 | Richland | 16,900 |
| Fulton | 45,900 | Rock Island | 151,300 |
| Gallatin | 8,000 | St. Clair | 252,400 |
| Greene | 19,000 | Saline | 27,400 |
| Grundy | 24,200 | Sangamon | 141,200 |
| Hamilton | 11,000 | Schuyler | 9,400 |
| Hancock | 26,700 | Scott | 7,000 |
| Hardin | 6,200 | Shelby | 24,600 |
| Henderson | 8,400 | Stark | 8,000 |
| Henry | 49,900 | Stephenson | 47,100 |
| Iroquois | 36,300 | Tazewell | 87,100 |
| Jackson | 38,900 | Union | 18,600 |
| Jasper | 12,400 | Vermilion | 94,600 |
| Jefferson | 36,700 | Wabash | 13,300 |
| Jersey | 17,200 | Warren | 24,900 |
| Jo Daviess | 21,800 | Washington | 14,500 |
| Johnson | 8,500 | Wayne | 19,700 |
| Kane | 181,000 | White | 21,000 |
| Kankakee | 101,600 | Whiteside | 53,100 |
| Kendall | 14,400 | Will | 176,000 |
| Knox | 56,500 | Williamson | 42,600 |
| Lake | 256,700 | Winnebago | 198,800 |
| La Salle | 113,000 | Woodford | 26,500 |

## POPULATION ESTIMATES FOR THE LARGER CITIES OF ILLINOIS: JULY 1, 1958

| City | Population | City | Population |
|---|---|---|---|
| Alton | 34,000 | La Grange Park | 13,200 |
| Arlington Heights | 23,200 | Lansing | 16,800 |
| Aurora | 58,500 | La Salle | 12,700 |
| Belleville | 38,200 | Lincoln | 16,800 |
| Bellwood | 18,300 | Lincolnwood | 10,500 |
| Berwyn | 53,100 | Lombard | 19,300 |
| Bloomington | 36,600 | Macomb | 11,800 |
| Blue Island | 19,200 | Marion | 10,700 |
| Brookfield | 20,300 | Mattoon | 18,200 |
| Cairo | 11,300 | Maywood | 28,900 |
| Calumet City | 22,700 | Melrose Park | 21,100 |
| Canton | 12,300 | Moline | 39,800 |
| Carbondale | 11,800 | Monmouth | 11,800 |
| Carpentersville | 12,600 | Morton Grove | 16,800 |
| Centralia | 14,100 | Mount Prospect | 15,900 |
| Champaign | 49,500 | Mount Vernon | 16,700 |
| Chicago | 3,769,500 | Niles | 14,200 |
| Chicago Heights | 29,700 | Normal | 12,400 |
| Cicero | 68,800 | Northbrook | 10,800 |
| Collinsville | 14,800 | North Chicago | 18,400 |
| Danville | 41,200 | North Lake | 11,800 |
| Decatur | 79,900 | Oak Lawn | 22,000 |
| De Kalb | 15,900 | Oak Park | 61,300 |
| Des Plaines | 30,500 | Ottawa | 19,800 |
| Dixon | 19,200 | Palatine | 10,000 |
| Dolton | 13,500 | Park Forest | 28,900 |
| Downers Grove | 19,900 | Park Ridge | 28,300 |
| East Moline | 15,600 | Pekin | 26,200 |
| East St. Louis | 93,100 | Peoria | 115,600 |
| Elgin | 48,700 | Quincy | 42,900 |
| Elmhurst | 35,300 | Rantoul | 22,000 |
| Elmwood Park | 23,600 | Riverdale | 10,900 |
| Evanston | 77,000 | River Forest | 11,500 |
| Evergreen Park | 22,400 | Rock Falls | 10,600 |
| Forest Park | 16,300 | Rockford | 121,100 |
| Franklin Park | 16,500 | Rock Island | 49,900 |
| Freeport | 25,800 | Skokie | 52,200 |
| Galesburg | 34,400 | Springfield | 82,600 |
| Glen Ellyn | 15,000 | Sterling | 15,300 |
| Glenview | 15,100 | Streator | 17,600 |
| Granite City | 37,900 | Urbana | 27,300 |
| Harrisburg | 10,700 | Villa Park | 16,900 |
| Harvey | 25,100 | Waukegan | 51,500 |
| Highland Park | 23,800 | Westchester | 14,700 |
| Hinsdale | 14,100 | West Frankfort | 10,900 |
| Homewood | 13,000 | Wheaton | 20,400 |
| Jacksonville | 21,200 | Wilmette | 24,800 |
| Joliet | 61,200 | Winnetka | 13,500 |
| Kankakee | 28,800 | Wood River | 11,000 |
| Kewanee | 17,500 | Zion | 11,000 |
| La Grange | 14,900 | | |

l611v
959

# VITAL STATISTICS ILLINOIS

## VOL. I -- STATE SUMMARY DATA

19 59

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

THE LIBRARY OF THE
MAR 22 1961
UNIVERSITY OF ILLINOIS

# VITAL STATISTICS ILLINOIS

## VOL. I -- STATE SUMMARY DATA

19 59



ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

March, 1961

STATE OF ILLINOIS

Otto Kerner

Governor

DEPARTMENT OF PUBLIC HEALTH

L. L. Fatherree, M. D.

Director

BUREAU OF STATISTICS

Springfield, Illinois

March, 1961

TABLE OF CONTENTS


Page

PART I -- THE ILLINOIS STORY . . . . . 1

History . . . . . 1

Organization of Illinois Bureau of Statistics . . . . . 1

Responsibility for filing Illinois records . . . . . 2

Residence allocation . . . . . 3

Race classification . . . . . 3

Certification of cause of death . . . . . 3

PART II -- DESCRIPTION OF 1959 ILLINOIS VITAL EVENTS . . . . . 4

Live births . . . . . 4

Fetal deaths . . . . . 4

Perinatal mortality . . . . . 5

Infant deaths . . . . . 5

Maternal deaths . . . . . 6

Leading causes of death . . . . . 6

Other causes . . . . . 9


TEXT TABLES


Table — Page

A -- Resident live births by race classified by sex, legitimacy status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1959 . . . . . 4

B -- Causes of fetal death among infants born to Illinois mothers in 1959 . . . . . 5

C -- Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1959 . . . . . 5

D -- Ten leading causes of infant deaths occurring in Illinois by age: 1959 . . . . . 6

E -- Components of resident heart disease deaths, Illinois: 1959 . . . . . 7

F -- Resident cancer deaths by primary site and age, Illinois: 1959 . . . . . 7

G -- Resident deaths due to vascular lesions affecting the central nervous system, Illinois: 1959 . . . . . 8

H -- Accidental deaths among Illinois residents by type of accident and age of decedent: 1959 . . . . . 8

I -- Accidental deaths occurring in Illinois by type of accident and place where accident occurred by population class: 1959 . . . . . 9


MAP AND CHART


Map of Illinois, showing counties . . . . . 10

Crude mortality rates for selected causes of death, Illinois: 1921 - 1959 . . . . . 51

## TABULAR SECTION


| Table | | Page |
|---|---|---|
| 1. | -- Live births, total deaths, infant deaths, maternal deaths, and stillbirths, with rates for each, Illinois: 1918 - 1959 | 11 |
| 2A. | -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of Illinois counties: 1959 | 12 |
| 2B. | -- Live birth rates and infant death, neonatal death, and stillbirth race specific rates among residents of Illinois counties: 1959 | 14 |
| 3A. | -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of the larger cities of Illinois: 1959 | 16 |
| 3B. | -- Live birth rates and infant death, neonatal death, and stillbirth race specific rates among residents of the larger cities of Illinois: 1959 | 18 |
| 4. | -- Live births, stillbirths by gestation, and infant deaths by age among residents of Illinois counties: 1959 | 20 |
| 5. | -- Live births, stillbirths by gestation, and infant deaths by age among residents of the larger cities of Illinois: 1959 | 22 |
| 6. | -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 1959 | 24 |
| 7. | -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 1959 | 26 |
| 8A. | -- The twelve leading causes of death, by age and color, among residents of Illinois, Chicago, and Downstate: 1959 | 28 |
| 8B. | -- Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 1959 | 31 |
| 9A. | -- Deaths from the twelve leading causes among residents of Illinois counties: 1959 | 34 |
| 9B. | -- Death rates for the twelve leading causes among the residents of Illinois counties: 1959 | 38 |
| 10A. | -- Deaths from the twelve leading causes among the residents of the larger cities of Illinois: 1959 | 42 |
| 10B. | -- Death rates for the twelve leading causes among residents of the larger cities of Illinois: 1959 | 46 |
| 11. | -- Twelve leading causes of death in selected age groups, Illinois: 1959 | 50 |

## HISTORY

A vital statistics system consists of three closely interwoven parts: registration, tabulation, and analysis. The source data for the system are provided through registration of the facts at the time of the occurrence of the event. The registration process itself is governed by law. The facts are collected into tables. Analysis dictates what tables will appear in a report. Under the pressure of analysis, the facts gathered in the registration process gain content and meaning. The analytical process itself consists of the manipulation of the tabulated data by recognized procedures so as to make comparisons with other data or to examine a hypothesis concerning the social milieu. Thus, the same document that protects the rights of an individual also serves an equally valuable role in providing information needed to study the society of which the individual is a part. That all three parts are equally important is now recognized.

A few tables were prepared during the Middle Ages from the church and public registers and only a few isolated attempts at analysis, such as Halley's life table (1693), were made. Epidemics of plague, cholera, yellow fever, smallpox, and other diseases hastened the attempts to collect usable data. Thus began a concerted effort to develop satisfactory reporting procedures and forms.

Individual recording of family lines has been maintained for a long time. This recording responsibility has gradually shifted over the centuries from the master of the domicile to a church and later to a public agency. Most countries of the world now have a vital statistics system.

In the New World, registration procedures came with the early arrivals, first from Spain in the Sixteenth Century under royal decree (Puerto Rico in 1513), then from England and other countries. For a long time, local registration was incomplete and erratic. As additional facts were secured in successive United States decennial censuses, the need for data on births and deaths became apparent. In the 1850 Census questions on these matters were included. Then gradually the Bureau of the Census began obtaining data between censuses from selected cities, counties, and states.

During the nineteenth century, as a consequence of several sanitary surveys and through the efforts of health officers who were discovering the value of the data being collected, the act creating a state health department provided generally for a registration system.

After the 1900 Census, data on births and deaths were obtained entirely from those areas that were governed by a satisfactory state vital statistics law and that could show ninety percent or more registration completeness according to sample surveys. By 1933, all states had met these standards. The emphasis is now centered on improving quality.

The primary uses of vital records in this country have been in conquering disease and studying intercensal population changes. Not until the two world wars did the public at large begin to make serious demands for the improvement of the records as legal documents. With this last impetus all three parts are now recognized as essential to the success of any one of them.

In Illinois, the first official attempt to register vital events occurred in Chicago in 1842. This unsuccessful attempt, limited to deaths only, was followed in 1851 by a burial permit ordinance which improved registration. When the Chicago Board of Health reorganized in 1867, one of its first acts was to establish a regulation governing birth and death registration. However, it was not until 1898 that reasonably satisfactory reporting of births began.

The act creating the State Board of Health in 1877 provided for the state-wide registration of births and deaths. The original documents were retained by the county clerk of the county of occurrence of the event. The central registration of the original records of births and deaths in the Department of Public Health in Springfield began January 1, 1916. The local registrar of vital statistics now provides the county clerk of the county of occurrence with a copy. The Department of Public Health provides both the local registrar and the county clerk with copies of all legal changes made in the original document after it is filed. The basic law of 1916 has been amended frequently to reflect changing registration practices.

Illinois entered the United States death registration area in 1918 and the birth registration area in 1922. Table 1 on page 11 presents data on births and deaths since these dates. The completeness of registration has steadily improved until it is now virtually 100 percent. Likewise, the quality and promptness of recording have been improving.

## ORGANIZATION OF ILLINOIS BUREAU OF STATISTICS

The Illinois Department of Public Health has assigned the vital records operations to the

Bureau of Statistics.

The Bureau of Statistics is organized into three functional branches: Administrative Services; Registration and Records Services; and Research and Statistical Services.

The Administrative Services Section handles the personnel and administrative problems that arise in maintaining a staff of approximately 100 employees. The Section also microfilms the records for posterity and handles the publication of the reports prepared in the Bureau of Statistics.

The Registration and Records Services Section administers the local registration and enforcement provisions of the vital statistics act and regulations. For this purpose, the state is divided into 148 districts, each under the control of a local registrar of vital statistics appointed by the Director of Public Health and supervised by the Deputy State Registrar. Field investigators assist the local registration officials in carrying out their legal duties. The local registrar collects the original live birth, stillbirth, and death certificates, issues the burial and removal permits and generally serves as the legal registration representative in his district. This section also develops the registration forms used, makes the legally authorized changes in existing records, and issues copies as provided by law.

The Research and Statistical Services Section carries out the Bureau's statistical and service functions. These cover data processing, tabulating services, statistical analysis, publication of official statistics, research, special studies, population analyses and estimates. As the approximately 30,000 new vital records arrive each month, the data processing unit begins the intensive study of every item on each record to determine if it meets the established legal and statistical standards. Many inquiries are made daily to clarify various items. Live birth certificates, stillbirth certificates, and infant death certificates are compared to rule out duplication and each infant death record is cross-indexed with a matching birth record.

Some of the uses of vital records by other agencies are:

1. Copies of certificates of deaths attributed to venereal disease, tuberculosis, or to other communicable disease, maternal causes, or accidental poisoning in children are matched against existing registries to determine whether the case had been reported and to delete from active registries cases that have expired.

2. Copies of certificates of accidental poisoning deaths due to foods and/or drugs are transmitted to the U. S. Food and Drug Administration.

3. Copies of death certificates of physicians and dentists are transmitted monthly to the American Medical and American Dental Associations to keep their directories current.

4. Copies of birth records showing birth injuries and/or malformations are transmitted to the Division of Services for Crippled Children of the University of Illinois for follow-up.

5. Copies of certificates of all vital events occurring in Illinois to non-residents are transmitted to the place of residence by direct interchange with neighboring states and through the National Office of Vital Statistics.

6. A copy of the microfilm record of all vital events occurring in Illinois is purchased by the National Office of Vital Statistics at cost for national studies and reports.

## RESPONSIBILITY FOR FILING ILLINOIS RECORDS

Live birth: The attendant at the delivery is required by law to register the birth within three days in the local registration district in which the event occurred. This requirement falls on the actual attendant unless the birth occurs in a hospital in which case the manager or superintendent of the hospital or other institution is required to obtain the required information and file with the local registrar the completed certificate for a birth on the premises.

He is also requested to file a certificate for a newborn child brought to his premises if there is any doubt about a previous filing.

Stillbirth or fetal death: The funeral director or whoever proposes to transport, bury, incinerate, or otherwise dispose of a dead fetus in any manner is legally obligated to obtain the facts and to file within seventy-two hours after delivery the stillbirth certificate with the local registrar at the place of occurrence and to secure the permit authorizing him to proceed with the disposition. If a physician or midwife did not attend the delivery or if the body is found, the person responsible for filing the certificate must first inform the coroner. The coroner then completes the certificate.

Death: The funeral director is required to file a death certificate with the local registrar of vital statistics within seventy-two hours after

death in exchange for the permit to dispose of the body. The attending physician certifies the cause when the death is due to natural causes.

The coroner must investigate a sudden or violent death, a maternal or fetal death due to abortion, a death occurring under suspicious circumstances, a death where alcohol or drug addiction may have contributed, or a death without medical attendance.

## RESIDENCE ALLOCATION

The certificate forms provide for detailed information on the place of occurrence of the event and the place of residence of the person involved. Residence is interpreted as the actual geographic location, rather than a post office address. For a live birth or fetal death, the place where the mother is living at the time of the event is used as the child's residence. For a deceased child under one year of age, the residence of its mother, legal guardian, or custodial agency is used.

The residence of a decedent over a year old is considered to be the last place where he has lived a year or more prior to death. For a person living in a mental hospital, prison, tuberculosis sanatorium or a similar resident institution at the time of his death the residence at the time of admission is used. If a decedent has stayed a year or more in resident home (old age, convalescent or nursing home) prior to death, the home is his residence.

## RACE CLASSIFICATION

With the expanding metropolitian population has come major changes in the race composition of many communities. The demand for rather precise data by race is increasing. During the period between censuses, vital records provide one of the very few sources of data on race. For a live birth, the race of the child is inferred from the races reported for his parents. The general rules are 1) if both parents are of the same race, the child is classified to that race, 2) if one parent is white and the other is not, the child is classified to the specified nonwhite race, 3) if both parents are nonwhite of different races, the child is classified as Negro if one parent is Negro, otherwise the child is given the race of its father. By convention, Mexicans and Puerto Ricans are classified as white.

## CERTIFICATION OF CAUSE OF DEATH

The two parts into which the Standard Certificate of Death in use since 1949 is divided makes it possible for the certifying physician to enter unambiguously the morbid conditions or circumstances which led to the fatal outcome.

In Part I the immediate cause of death is reported on line (a). On lines (b) and (c) are given the antecedent conditions which gave rise to the cause on line (a), the underlying cause being stated last in the sequence of events. In a few cases, one disease may completely describe the chain of events.

In Part II is entered any other significant condition which influenced the morbid process and contributed to the fatal outcome. These causes must not be related to the disease or condition directly causing death.

In order to obtain uniformity of selection throughout the United States and elsewhere, the nosologists in the Bureau of Statistics use the International Statistical Classification of Diseases, Injuries, and Causes of Death (Seventh Revision), 1955, prepared by the World Health Organization and the Cause of Death Coding Instruction Manual and Nosology Guidelines, prepared by the United States National Office of Vital Statistics, to determine the underlying cause.

Only the underlying causes of death are shown in the tables in this report.

# PART II -- DESCRIPTION OF 1959 ILLINOIS VITAL EVENTS

## LIVE BIRTHS

During 1959, there were 239,871 live births to Illinois residents. As yet there is not sufficient evidence to predict a declining trend in the birth rate and, therefore, no alleviation in sight for the overcrowded schools. Table A shows a number of characteristics such as sex, legitimacy status, attendant at birth, and age of mother, each by race for these births for Illinois, Chicago, and for the state exclusive of the city of Chicago. Table 2A, page 12, and Table 3A, page 16, show the number of resident live births for each county and large city classified by race. This information, when compared with the same data for previous years, helps to depict the character of population changes.

According to criteria established by the American Academy of Pediatrics, children weighing less than five pounds and eight ounces (2501 grams) are classed as premature. Last year there were 18,072 premature babies amounting to 7.53 percent of all live births. The proportion of premature births by county of residence ranged from 2.89 percent in Stark to 10.24 percent in Gallatin.

Table 6, page 24, and Table 7, page 26, give the proportion of births in hospitals for each county and large city. For the state, 98.1 percent of the resident live births occurred in a hospital. There were ten counties in which every live birth occurred in a hospital. The three counties with less than 90.0 percent of births occurring in hospitals were Gallatin - 89.0, Alexander - 81.6, and Pulaski - 74.0. Chicago reported 96.0 percent.

Of the 91,206 live born children in Chicago, 6.9 percent were to foreign-born mothers and 49.9 percent were to Illinois-born mothers. The remaining 43.2 percent of the mothers were born in other states of the country. For the remainder of the state, 2.4 percent had foreign-born mothers and 67.7 percent had mothers who were born in Illinois.

## FETAL DEATHS

The number of fetal deaths for each 1,000 live births reached an all-time low in 1959. This ratio has been declining very slowly during the past decade. In 1959 there were 3,489 stillborn infants of mothers who were residents of Illinois. Of these, 3,429 were stated to be of 20 weeks' gestation or over, 44 were under 20 weeks' and 16 were of unknown period of gestation. The

Table A -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER, ILLINOIS, CHICAGO, AND DOWNSTATE: 1959

| | Illinois | | | | Chicago | | | | Downstate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Negro | Other | Total | White | Negro | Other | Total | White | Negro | Other |
| TOTAL | 239,871 | 201,955 | 37,125 | 791 | 91,206 | 60,433 | 30,242 | 531 | 148,665 | 141,522 | 6,883 | 260 |
| Sex: | | | | | | | | | | | | |
| Male | 122,758 | 103,666 | 18,713 | 379 | 46,592 | 31,109 | 15,226 | 257 | 76,166 | 72,557 | 3,487 | 122 |
| Female | 117,113 | 98,289 | 18,412 | 412 | 44,614 | 29,324 | 15,016 | 274 | 72,499 | 68,965 | 3,396 | 138 |
| Legitimacy: | | | | | | | | | | | | |
| Legitimate | 225,828 | 198,058 | 26,988 | 782 | 80,937 | 58,803 | 21,611 | 523 | 144,891 | 139,255 | 5,377 | 259 |
| Illegitimate | 14,043 | 3,897 | 10,137 | 9 | 10,269 | 1,630 | 8,631 | 8 | 3,774 | 2,267 | 1,506 | 1 |
| Place of birth and attendant: | | | | | | | | | | | | |
| In hospital | 235,231 | 200,024 | 34,424 | 783 | 87,531 | 59,220 | 27,787 | 524 | 147,700 | 140,804 | 6,637 | 259 |
| Other place | 4,640 | 1,931 | 2,701 | 8 | 3,675 | 1,213 | 2,455 | 7 | 965 | 718 | 246 | 1 |
| Physician | 4,453 | 1,841 | 2,605 | 7 | 3,621 | 1,187 | 2,427 | 7 | 832 | 654 | 178 | -- |
| Midwife | 41 | 6 | 35 | -- | 4 | 3 | 1 | -- | 37 | 3 | 34 | -- |
| Other | 146 | 84 | 61 | 1 | 50 | 23 | 27 | -- | 96 | 61 | 34 | 1 |
| Age of mother: | | | | | | | | | | | | |
| 10-14 years | 279 | 72 | 207 | -- | 183 | 20 | 163 | -- | 96 | 52 | 44 | -- |
| 15-19 years | 27,902 | 21,284 | 6,606 | 12 | 11,021 | 5,706 | 5,305 | 10 | 16,881 | 15,578 | 1,301 | 2 |
| 20-24 years | 78,892 | 66,314 | 12,413 | 165 | 31,301 | 20,992 | 10,206 | 103 | 47,591 | 45,322 | 2,207 | 62 |
| 25-29 years | 64,338 | 55,174 | 8,871 | 293 | 23,941 | 16,456 | 7,308 | 177 | 40,397 | 38,718 | 1,563 | 116 |
| 30-34 years | 41,844 | 35,879 | 5,755 | 210 | 15,082 | 10,276 | 4,655 | 151 | 26,762 | 25,603 | 1,100 | 59 |
| 35-39 years | 21,253 | 18,465 | 2,690 | 98 | 7,806 | 5,560 | 2,168 | 78 | 13,447 | 12,905 | 522 | 20 |
| 40-44 years | 5,065 | 4,500 | 553 | 12 | 1,774 | 1,347 | 416 | 11 | 3,291 | 3,153 | 137 | 1 |
| 45-49 years* | 278 | 253 | 24 | 1 | 96 | 74 | 21 | 1 | 182 | 179 | 3 | -- |
| Unstated | 20 | 14 | 6 | -- | 2 | 2 | -- | -- | 18 | 12 | 6 | -- |

*Age group 45-49 includes two white mothers, one each in Chicago and Downstate, aged 50 or over.

reporting of a fetal death under 20 weeks' gestation is mandatory only if a burial permit is needed for access to a final depository for the remains or if the fetus is one of a set of plural births having one or more members stillborn of at least 20 weeks' gestation or live born. With the increased medical interest in the study of prenatal losses the reporting of losses early in the gestation period needs to be encouraged.

Table B gives a summary of the reported causes of stillbirth. Causes in the mother accounted for 13.2 percent and placental and cord conditions, including prolapsed cord, accounted for 37.7 percent. On about 30.0 percent of the fetal death certificates the cause was either not specified or was an ill-defined condition.

The Chicago fetal death ratio for the nonwhite races was 21.8 per 1,000 live births as compared with 20.9 for the remainder of the state. The corresponding fetal death ratios for the white race were 14.7 in Chicago and 12.6 in the remainder of the state.

Table B -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS IN 1959

| Cause | Number | Percent |
|---|---|---|
| ALL CAUSES | 3,489 | 100.0 |
| Cause in the mother: | | |
| Chronic disease in mother | 79 | 2.3 |
| Acute disease in mother | 20 | 0.6 |
| Diseases and conditions of pregnancy and childbirth | 203 | 5.8 |
| Difficulties in labor | 146 | 4.2 |
| Other causes in mother | 12 | 0.3 |
| Placenta and cord conditions without mention of prolapsed cord | 1,182 | 33.9 |
| Placenta and prolapsed cord conditions | 134 | 3.8 |
| Birth injuries | 30 | 0.9 |
| Malformations of foetus | 219 | 6.3 |
| Disease of foetus | 403 | 11.5 |
| Ill-defined causes in mother and foetus | 779 | 22.3 |
| Cause unknown | 282 | 8.1 |

Source: Tabulations in Illinois Bureau of Statistics.

## PERINATAL MORTALITY

In Tables 4 and 5 are shown data by county and large city on live births, stillbirths by period of gestation, and infant deaths by selected ages under one year. These data provide the information needed to compute measures of perinatal loss for any of the counties and larger cities. Data were presented in this manner to allow for the changing methods of calculating rates to measure this loss.

The perinatal mortality rates shown in Table C have been computed by the following formula:

$$\frac{(\text{Fetal deaths} + \text{infant deaths under 1 week}) \times 1{,}000}{\text{Fetal deaths} + \text{live births}}$$

The male Negro children show the highest rate (44.9) and the female white children have the lowest rate (25.0). For those of the white race the rate is higher in Chicago; for the nonwhite it is higher downstate.

## INFANT DEATHS

There were 5,990 resident deaths of children under one year of age in Illinois in 1959. Of these, 4,318, or 72.1 percent, were in the neonatal classification (under the age of 28 days).

Table C -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE: 1959
(This table includes 44 fetal deaths of less than 20 weeks' gestation)

| | Illinois | | | | Chicago | | | | Downstate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Negro | Other | Total | White | Negro | Other | Total | White | Negro | Other |
| **Both sexes:** | | | | | | | | | | | | |
| Fetal deaths | 3,489 | 2,669 | 816 | 4 | 1,562 | 891 | 668 | 3 | 1,927 | 1,778 | 148 | 1 |
| Deaths under 1 week of age | 3,876 | 3,050 | 813 | 13 | 1,575 | 917 | 651 | 7 | 2,301 | 2,133 | 162 | 6 |
| Total | 7,365 | 5,719 | 1,629 | 17 | 3,137 | 1,808 | 1,319 | 10 | 4,228 | 3,911 | 310 | 7 |
| Live births and fetal deaths | 243,360 | 204,624 | 37,941 | 795 | 92,768 | 61,324 | 30,910 | 534 | 150,592 | 143,300 | 7,031 | 261 |
| Rate* | 30.3 | 27.9 | 42.9 | 21.4 | 33.8 | 29.5 | 42.7 | 18.7 | 28.1 | 27.3 | 44.1 | 26.8 |
| **Male:** | | | | | | | | | | | | |
| Fetal deaths | 1,871 | 1,451 | 419 | 1 | 836 | 495 | 340 | 1 | 1,035 | 956 | 79 | -- |
| Deaths under 1 week of age | 2,225 | 1,782 | 440 | 3 | 892 | 541 | 350 | 1 | 1,333 | 1,241 | 90 | 2 |
| Total | 4,096 | 3,233 | 859 | 4 | 1,728 | 1,036 | 690 | 2 | 2,368 | 2,197 | 169 | 2 |
| Live births and fetal deaths | 124,629 | 105,117 | 19,132 | 380 | 47,428 | 31,604 | 15,566 | 258 | 77,201 | 73,513 | 3,566 | 122 |
| Rate* | 32.9 | 30.8 | 44.9 | 10.5 | 36.4 | 32.8 | 44.3 | 7.8 | 30.7 | 29.9 | 47.4 | 16.4 |
| **Female:** | | | | | | | | | | | | |
| Fetal deaths | 1,618 | 1,218 | 397 | 3 | 726 | 396 | 328 | 2 | 892 | 822 | 69 | 1 |
| Deaths under 1 week of age | 1,651 | 1,268 | 373 | 10 | 683 | 376 | 301 | 6 | 968 | 892 | 72 | 4 |
| Total | 3,269 | 2,486 | 770 | 13 | 1,409 | 772 | 629 | 8 | 1,860 | 1,714 | 141 | 5 |
| Live births and fetal deaths | 118,731 | 99,507 | 18,809 | 415 | 45,340 | 29,720 | 15,344 | 276 | 73,391 | 69,787 | 3,465 | 139 |
| Rate* | 27.5 | 25.0 | 40.9 | 31.3 | 31.1 | 26.0 | 41.0 | 29.0 | 25.3 | 24.6 | 40.7 | 36.0 |

*Perinatal mortality ratio is the fetal deaths of 20 weeks' gestation and over plus deaths under one week of age per 1,000 live births plus fetal deaths of 20 weeks' gestation and over. See Table A for live births.

Table D, below, shows that the principal causes of death in the neonatal group differ greatly from those in the post-neonatal group; the neonatal causes are related primarily to conditions present at birth while causes in the post-neonatal period show the influence of both external and acquired conditions. Only congenital malformations appear among the first four causes in both groups. Beginning with the 28th day, influenza, pneumonia, and accidents become important as causes of death. These three causes accounted for 57.2 percent of the deaths during the period from 1 to 11 months of life.

In 1959, the infant death rate in Chicago was 28.4 per 1,000 live births as compared with 20.8 in Cook County exclusive of Chicago and 23.5 in the remainder of the state exclusive of Chicago and Cook County. The rate for the entire state was 25.0. There has been no significant change during the past decade in any of these four rates, either in their magnitudes or in their relative order.

## MATERNAL DEATHS

As shown in Table 1, deaths associated with maternity numbered 72 in 1959, the lowest number ever recorded in the state. This situation occurred in the same year that Illinois reported the greatest number of live births. The resulting maternal death rate was 3.0 per 10,000 live births. Tables 6 and 7 also give the number of maternal deaths by place of residence.

The principal causes of maternal death in 1959 in Illinois were hemorrhage with 24 deaths, sepsis with 17 deaths, and toxemias of pregnancy with 14 deaths.

During the decade 1950 to 1959 there were 889 maternal deaths and 2,183,476 live births among the residents of Illinois. The average maternal death rate was 4.1 per 10,000 live births. There were 14 counties with an aggregate of 37,748 live births that reported no resident maternal deaths during the past ten years. These counties were Calhoun, Cass, Cumberland, Henderson, Jasper, Jersey, Johnson, Marshall, Montgomery, Pope, Scott, Stark, Union, and Woodford. Maternal death rates by county were not computed for 1959 since at least five, preferably ten years, of data are needed to provide a reliable rate.

## LEADING CAUSES OF DEATH

The twelve leading causes accounted for 92,309 of the 101,406 deaths to Illinois residents in 1959. Tables 8A and 8B show these leading causes by color and age for Illinois, Chicago, and Downstate. These same causes are classified by county and large city in Tables 9A, 9B, 10A, and 10B. In Table 11, the twelve leading causes are given for each of six major age groups.

On page 51 trend charts are shown for ten important causes of death. These charts cover

Table D -- TEN LEADING CAUSES OF INFANT DEATHS OCCURRING IN ILLINOIS BY AGE: 1959

| Neonatal (under 28 days of age) | | | Ages 28 days to 1 year | | |
|---|---|---|---|---|---|
| Cause | Number | Percent | Cause | Number | Percent |
| ALL CAUSES | 4,269 | 100.0 | ALL CAUSES | 1,668 | 100.0 |
| 1. Postnatal asphyxia and atelectasis | 1,793 | 42.0 | 1. Influenza and pneumonia | 812 | 48.7 |
| 2. Immaturity, unqualified | 694 | 16.3 | 2. Congenital malformations | 280 | 16.8 |
| 3. Congenital malformations | 533 | 12.5 | a. Monstrosity | 1 | 1.0 |
| a. Monstrosity | 68 | 1.6 | b. Spina bifida and meningocele | 32 | 1.9 |
| b. Spina bifida and meningocele | 32 | 0.7 | 3. Accidents | 134 | 8.0 |
| 4. Birth injury | 523 | 12.3 | 4. Gastro-enteritis and colitis | 88 | 5.3 |
| 5. Pneumonia of newborn | 270 | 6.3 | 5. Bronchitis | 49 | 2.9 |
| 6. Ill-defined diseases of early infancy | 134 | 3.1 | 6. Meningitis, except meningococcal and tuberculous | 29 | 1.7 |
| a. Hyaline membrane disease | 79 | 1.9 | 7. Hernia, intestinal obstructions | 23 | 1.4 |
| 7. Erythroblastosis | 117 | 2.7 | 8. Meningococcal infections | 17 | 1.0 |
| 8. Hernia | 34 | 0.8 | 9. Postnatal asphyxia and atelectasis | 16 | 1.0 |
| 9. Disorders arising from certain diseases of mother during pregnancy | 25 | 0.6 | 10. Acquired hydrocephalus | 12 | 0.7 |
| 10. Hemorrhagic disease of newborn | 24 | 0.6 | 10. Nutritional maladjustment | 12 | 0.7 |

Source: Tabulations in Illinois Bureau of Statistics.

the period 1921 to 1959. The Sixth Revision of the International List, (1948), used to classify the causes of death and the revised certificate greatly changed the determination of underlying cause of death. The dotted lines, beginning with 1949, refer to deaths classified by the Sixth Revision. Nephritis, cirrhosis of the liver, and diabetes mellitus show major differences attributable to these revisions.

Table E shows the distribution of the 44,014 resident deaths from heart disease classified by age and principal components. Arteriosclerotic heart disease, including coronary artery disease, accounted for about three-fourths of the heart disease deaths. There were 90 deaths from heart disease under the age of 25 years, forty-two of these were caused by chronic rheumatic heart disease between the ages of 5 and 25.

In Table F, the 16,443 cancer deaths in 1959 are classified by age and primary site. Although only 46.9 percent of the deaths occurred under the age of 65 years, the disease was the second leading cause of death in the age range 5 to 64 years. It was the third ranking cause in each of the age groups 1 to 4 and 65 and over. By color, the nonwhite death rate from cancer was higher than the white for all ages 25 years and over. When consideration is given to productive years of life lost, cancer becomes an even more important national problem.

Table E -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1959

| Age | Heart diseases | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Chronic rheumatic | Arteriosclerotic including coronary | Degenerative heart | Acute and subacute bacterial endocarditis | Acute myocarditis not specified as rheumatic | Acute pericarditis specified as nonrheumatic | Functional disease | Congestive heart failure | Other and unspecified | Hypertensive |
| ALL AGES | 44,014 | 1,096 | 33,403 | 4,282 | 50 | 65 | 6 | 284 | 201 | 807 | 3,820 |
| Under 1 year | 7 | -- | -- | -- | 1 | 2 | -- | 2 | -- | 1 | 1 |
| 1-4 years | 5 | -- | -- | -- | -- | 2 | -- | 3 | -- | -- | -- |
| 5-14 years | 21 | 7 | 1 | 4 | 2 | -- | -- | 2 | -- | 5 | -- |
| 15-24 years | 57 | 35 | 8 | 1 | -- | 1 | -- | -- | 3 | 7 | 2 |
| 25-44 years | 1,474 | 196 | 890 | 116 | 10 | 6 | -- | 4 | 8 | 145 | 99 |
| 45-64 years | 11,361 | 528 | 8,942 | 537 | 19 | 14 | 2 | 41 | 35 | 408 | 835 |
| 65-84 years | 25,403 | 290 | 19,626 | 2,536 | 17 | 35 | 3 | 174 | 118 | 217 | 2,387 |
| 85 and over | 5,686 | 40 | 3,936 | 1,088 | 1 | 5 | 1 | 58 | 37 | 24 | 496 |

Source: Tabulations in Illinois Bureau of Statistics.

Table F -- RESIDENT CANCER DEATHS BY PRIMARY SITE AND AGE, ILLINOIS: 1959

| Age | Total | Primary site | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Buccal cavity and pharynx | Stomach | Digestive organs except stomach | Bronchus, lung, and pleura | Other sites, respiratory system* | Breast | Genital organs | Nervous system, incl. brain | Other and unspecified sites | Leukemia and aleukemia | Lymphosarcomas |
| ALL AGES | 16,443 | 394 | 1,346 | 4,600 | 1,028 | 1,444 | 1,542 | 2,375 | 398 | 1,762 | 734 | 820 |
| Under 1 year | 14 | -- | -- | -- | -- | -- | -- | -- | 3 | 2 | 9 | -- |
| 1-4 years | 90 | -- | -- | 5 | -- | 1 | -- | 2 | 16 | 24 | 40 | 2 |
| 5-14 years | 139 | 2 | 1 | 2 | -- | 2 | -- | 3 | 26 | 22 | 65 | 16 |
| 15-24 years | 119 | 1 | -- | 4 | -- | 2 | 1 | 14 | 16 | 25 | 26 | 30 |
| 25-44 years | 1,175 | 15 | 38 | 193 | 55 | 55 | 225 | 208 | 88 | 109 | 70 | 119 |
| 45-64 years | 6,176 | 167 | 402 | 1,608 | 517 | 673 | 682 | 817 | 185 | 583 | 213 | 329 |
| 65-84 years | 8,014 | 193 | 817 | 2,549 | 442 | 683 | 571 | 1,205 | 64 | 887 | 290 | 313 |
| 85 and over | 716 | 16 | 88 | 239 | 14 | 28 | 53 | 126 | -- | 110 | 21 | 11 |

*Includes 33 deaths from neoplasms of respiratory system, primary site unknown.
Source: Tabulations in Illinois Bureau of Statistics.

Death from vascular lesions of the central nervous system are shown in Table G. This group of diseases seldom causes death below the age of 45. Most of the deaths in this group that do occur to young people are due to subarachnoid hemorrhage.

Table G -- RESIDENT DEATHS DUE TO VASCULAR LESIONS AFFECTING THE CENTRAL NERVOUS SYSTEM, ILLINOIS: 1959

| Age | Total | Type of vascular lesion | | | | |
|---|---|---|---|---|---|---|
| | | Subarachnoid hemorrhage | Cerebral hemorrhage | Cerebral embolism and thrombosis | Spasm of cerebral arteries | Other |
| ALL AGES | 10,894 | 279 | 6,603 | 3,193 | -- | 819 |
| Under 1 year | 3 | -- | -- | 1 | -- | 2 |
| 1-4 years | 4 | 1 | 1 | -- | -- | 2 |
| 5-14 years | 9 | 5 | 4 | -- | -- | -- |
| 15-24 years | 22 | 14 | 8 | -- | -- | -- |
| 25-44 years | 230 | 82 | 123 | 19 | -- | 6 |
| 45-64 years | 1,970 | 127 | 1,292 | 460 | -- | 91 |
| 65-84 years | 6,976 | 47 | 4,297 | 2,097 | -- | 535 |
| 85 and over | 1,680 | 3 | 878 | 616 | -- | 183 |

Source: Tabulations in Illinois Bureau of Statistics.

Accidents are tabulated by age and type in Table H. Motor vehicle accidents to pedestrians, falls, and fire are highest among the aged. Among infants (under one year of age), suffocation by bedclothes and by other objects accounted for about one-third (56 of the 154) of the deaths due to accidents. Pedestrian - motor vehicle deaths led in the 5 to 14 age group, being closely followed by drownings. Collisions involving two or more motor vehicles led to 163 of the 409 motor vehicle deaths which comprised 68.7 percent of all accidental deaths in the age group 15 to 24. Of the 950 accidental deaths in the age range 25 to 44, motor vehicles accounted for 466 or about one-half.

Table I gives the principal type of accidental death by population class of location where accident occurred. The rural part of the state has almost twice as high a death rate as the city of Chicago. Motor vehicle deaths account for almost the entire difference.

Diseases of early infancy accounted for 3,690 of the 4,777 deaths listed in Tables 8A and 8B as the fourth leading cause; these conditions however are concentrated as causes of infant deaths.

Table H -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1959

| Age | Total | TRANSPORT ACCIDENTS | | | | | | | | | | | | | NON - TRANSPORT ACCIDENTS | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Motor vehicle | | | | | | | | | Other transport | | | | | | | | | | | |
| | | Collisions | | | | | | Non-collision | | | | | | | | | | | | | | |
| | | Pedestrian | Other motor vehicle | R. R. train | Bicycle | Animal or animal drawn vehicle | Fixed object | Running off road | Other traffic | Other motor vehicle accidents | Other road vehicle | Water transport | Aircraft | Railway | Poisonings | Falls | Fire | Firearms | Mechanical suffocation | Drowning | Other | Therapeutic and non-therapeutic complications |
| NUMBER | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 4,544 | 394 | 772 | 99 | 32 | 1 | 64 | 303 | 176 | 7 | 13 | 88 | 63 | 91 | 169 | 987 | 344 | 90 | 73 | 249 | 503 | 26 |
| Under 1 year | 154 | -- | 9 | -- | -- | -- | 1 | -- | 3 | -- | -- | -- | 2 | -- | 3 | 11 | 16 | -- | 56 | 2 | 51 | -- |
| 1-4 years | 221 | 42 | 14 | 4 | 1 | -- | -- | 1 | 1 | 1 | -- | 4 | -- | 1 | 30 | 23 | 37 | 1 | 4 | 20 | 37 | -- |
| 5-14 years | 321 | 64 | 31 | 4 | 28 | -- | -- | 5 | 4 | 1 | 7 | 8 | -- | 5 | 3 | 13 | 31 | 15 | 4 | 56 | 44 | -- |
| 15-24 years | 595 | 18 | 163 | 34 | 1 | -- | 25 | 98 | 69 | 1 | 1 | 15 | 8 | 5 | 17 | 10 | 10 | 20 | 2 | 52 | 44 | 2 |
| 25-44 years | 950 | 31 | 233 | 18 | -- | 1 | 21 | 121 | 39 | 2 | 1 | 33 | 42 | 24 | 53 | 73 | 59 | 26 | 5 | 50 | 111 | 7 |
| 45-64 years | 1,044 | 90 | 220 | 19 | 1 | -- | 13 | 53 | 39 | -- | 1 | 25 | 11 | 33 | 51 | 201 | 76 | 22 | 1 | 47 | 134 | 7 |
| 65-84 years | 1,028 | 139 | 98 | 20 | 1 | -- | 4 | 22 | 21 | 2 | 3 | 5 | -- | 20 | 12 | 473 | 99 | 6 | 1 | 21 | 71 | 10 |
| 85 and over | 231 | 10 | 4 | -- | -- | -- | -- | 3 | -- | -- | -- | -- | -- | 3 | -- | 183 | 16 | -- | -- | 1 | 11 | -- |
| RATE | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 45.8 | 4.0 | 7.8 | 1.0 | 0.3 | 0.0 | 0.6 | 3.1 | 1.8 | 0.1 | 0.1 | 0.9 | 0.6 | 0.9 | 1.7 | 10.0 | 3.5 | 0.9 | 0.7 | 2.5 | 5.1 | 0.3 |
| Under 5 years | 35.0 | 3.9 | 2.1 | 0.4 | 0.1 | -0- | 0.1 | 0.1 | 0.4 | 0.1 | -0- | 0.4 | 0.2 | 0.1 | 3.1 | 3.2 | 4.9 | 0.1 | 5.6 | 2.1 | 8.2 | -0- |
| 5-14 years | 18.8 | 3.8 | 1.8 | 0.2 | 1.6 | -0- | -0- | 0.3 | 0.2 | 0.1 | 0.4 | 0.4 | -0- | 0.3 | 0.2 | 0.8 | 1.8 | 0.9 | 0.2 | 3.3 | 2.6 | -0- |
| 15-24 years | 55.1 | 1.7 | 15.1 | 3.1 | 0.1 | -0- | 2.3 | 9.1 | 6.4 | 0.1 | 0.1 | 1.4 | 0.7 | 0.5 | 1.6 | 0.9 | 0.9 | 1.9 | 0.2 | 4.8 | 4.1 | 0.2 |
| 25-44 years | 32.8 | 1.1 | 8.0 | 0.6 | -0- | 0.0 | 0.7 | 4.2 | 1.3 | 0.1 | 0.0 | 1.1 | 1.5 | 0.8 | 1.8 | 2.5 | 2.0 | 0.9 | 0.2 | 1.7 | 3.8 | 0.2 |
| 45-64 years | 46.8 | 4.0 | 9.9 | 0.9 | 0.0 | -0- | 0.6 | 2.4 | 1.7 | -0- | 0.0 | 1.1 | 0.5 | 1.5 | 2.3 | 9.0 | 3.4 | 1.0 | 0.0 | 2.1 | 6.0 | 0.3 |
| 65 and over | 135.1 | 16.0 | 10.9 | 2.1 | 0.1 | -0- | 0.4 | 2.7 | 2.3 | 0.2 | 0.3 | 0.5 | -0- | 2.5 | 1.3 | 70.4 | 12.3 | 0.6 | 0.1 | 2.4 | 8.8 | 1.1 |

Source: Tabulations in Illinois Bureau of Statistics.

Among the other leading causes, the pneumonia and influenza death rate among the nonwhite population is much higher than among the white population. On the other hand, the suicide rate among the white population is more than twice as high as among the nonwhite.

## OTHER CAUSES

Diseases of the digestive tract, except cancer and cirrhosis of the liver, caused 1,644 deaths in 1959. Ulcers of the stomach and duodenum caused 734 of these. Tuberculosis - 645, syphilis - 93, meningococcal infections - 54, infectious hepatitis - 61, acute infectious encephalitis - 36, and acute anterior poliomyelitis - 21 were the principal causes of an infective and parasitic nature.

Table I -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1959

| PLACE OF INJURY | All accidents | MOTOR VEHICLE | | | | NON-MOTOR VEHICLE | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | Occupational | | Home | | | Public | | |
| | | Total | Pedestrian | Other vehicle | Other | Farm | Non-farm | Fire and explosion | Falls | Other | Drowning | Falls | Other |
| NUMBER: | | | | | | | | | | | | | |
| All accidents | 4,367* | 1,793 | 357 | 764 | 672 | 72 | 254 | 286 | 663 | 404 | 186 | 248 | 461 |
| Place by population class: | | | | | | | | | | | | | |
| Chicago | 1,162 | 307 | 173 | 67 | 67 | -- | 75 | 110 | 220 | 154 | 81 | 115 | 100 |
| Cities of 100,000-500,000 | 54 | 13 | 7 | 2 | 4 | -- | 5 | 1 | 18 | 6 | -- | 5 | 6 |
| Cities of 50,000- 99,999 | 237 | 67 | 26 | 17 | 24 | -- | 16 | 31 | 51 | 28 | 3 | 21 | 20 |
| Cities of 25,000- 49,999 | 214 | 65 | 24 | 27 | 14 | -- | 17 | 19 | 59 | 20 | 4 | 12 | 18 |
| Cities of 10,000- 24,999 | 253 | 61 | 16 | 18 | 27 | -- | 23 | 20 | 58 | 46 | 4 | 13 | 28 |
| Counties exclusive of cities of 10,000 and over | 2,091 | 1,229 | 110 | 611 | 508 | 72 | 114 | 102 | 160 | 127 | 89 | 25 | 173 |
| RATE PER 100,000 POPULATION: | | | | | | | | | | | | | |
| Place by population class: | | | | | | | | | | | | | |
| Chicago | 32.3 | 8.5 | 4.8 | 1.9 | 1.9 | -0- | 2.1 | 3.1 | 6.1 | 4.3 | 2.3 | 3.2 | 2.8 |
| Cities of 100,000-500,000 | 23.7 | 5.7 | 3.1 | 0.9 | 1.8 | -0- | 2.2 | 0.4 | 7.9 | 2.6 | -0- | 2.2 | 2.6 |
| Cities of 50,000- 99,999 | 28.2 | 8.0 | 3.1 | 2.0 | 2.9 | -0- | 1.9 | 3.7 | 6.1 | 3.3 | 0.4 | 2.5 | 2.4 |
| Cities of 25,000- 49,999 | 26.6 | 8.1 | 3.0 | 3.4 | 1.7 | -0- | 2.1 | 2.4 | 7.3 | 2.5 | 0.5 | 1.5 | 2.2 |
| Cities of 10,000- 24,999 | 23.1 | 5.6 | 1.5 | 1.6 | 2.5 | -0- | 2.1 | 1.8 | 5.3 | 4.2 | 0.4 | 1.2 | 2.6 |
| Counties exclusive of cities of 10,000 and over | 62.4 | 36.7 | 3.3 | 18.2 | 15.2 | 2.1 | 3.4 | 3.0 | 4.8 | 3.8 | 2.7 | 0.7 | 5.2 |

*Exclusive of 356 accidental deaths occurring in Illinois where the place of injury was either not stated or reported as Out-of-State.
Source: Tabulations in Illinois Bureau of Statistics.

JO DAVIESS
STEPHENSON
WINNEBAGO
BOONE
McHENRY
LAKE
CARROLL
OGLE
DE KALB
KANE
COOK
DU PAGE
WHITESIDE
LEE
KENDALL
WILL
HENRY
BUREAU
LA SALLE
GRUNDY
ROCK ISLAND
MERCER
PUTNAM
KANKAKEE
KNOX
STARK
MARSHALL
LIVINGSTON
WARREN
PEORIA
WOODFORD
IROQUOIS
HENDER-SON
FULTON
McLEAN
HANCOCK
McDONOUGH
TAZEWELL
FORD
VERMILION
MASON
CHAMPAIGN
LOGAN
DE WITT
SCHUYLER
ADAMS
MENARD
MACON
PIATT
BROWN
CASS
SANGAMON
DOUGLAS
EDGAR
PIKE
MORGAN
MOULTRIE
SCOTT
COLES
CHRISTIAN
SHELBY
GREENE
MACOUPIN
CLARK
CAL-HOUN
CUMBERLAND
MONTGOMERY
FAYETTE
EFFINGHAM
JASPER
JERSEY
MADISON
BOND
CRAWFORD
CLAY
RICHLAND
LAWRENCE
MARION
CLINTON
ST.CLAIR
WAYNE
WABASH
EDWARDS
WASHINGTON
JEFFERSON
MONROE
HAMILTON
WHITE
RANDOLPH
PERRY
FRANKLIN
JACKSON
SALINE
GALLATIN
WILLIAMSON
UNION
JOHNSON
POPE
HARDIN
ALEX-ANDER
PULASKI
MASSAC

Table 1. -- LIVE BIRTHS, TOTAL DEATHS, INFANT DEATHS, MATERNAL DEATHS, AND STILLBIRTHS, WITH RATES FOR EACH, ILLINOIS: 1918-1959

(Live birth rates and total death rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| Year | Estimated population | Live births | | Total deaths | | Infant deaths | | Maternal deaths | | Stillbirths | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| 1959* .... | 9,914,900 | 239,871 | 24.2 | 101,406 | 10.2 | 5,990 | 25.0 | 72 | 0.3 | 3,489 | 14.5 |
| 1958* .... | 9,889,000 | 234,712 | 23.7 | 101,729 | 10.3 | 5,857 | 25.0 | 74 | 0.3 | 3,615 | 15.4 |
| 1957* .... | 9,754,000 | 238,579 | 24.5 | 102,293 | 10.5 | 6,070 | 25.4 | 80 | 0.3 | 3,616 | 15.2 |
| 1956* .... | 9,487,000 | 229,571 | 24.2 | 96,956 | 10.2 | 5,642 | 24.6 | 77 | 0.3 | 3,399 | 14.8 |
| 1955* .... | 9,361,000 | 220,541 | 23.6 | 95,585 | 10.2 | 5,479 | 24.8 | 83 | 0.4 | 3,328 | 15.1 |
| 1954* .... | 9,193,000 | 217,229 | 23.6 | 92,307 | 10.0 | 5,442 | 25.1 | 92 | 0.4 | 3,233 | 14.9 |
| 1953* .... | 9,039,000 | 206,813 | 22.9 | 96,607 | 10.7 | 5,326 | 25.8 | 98 | 0.5 | 3,323 | 16.1 |
| 1952* .... | 8,913,000 | 205,438 | 23.0 | 94,173 | 10.6 | 5,115 | 24.9 | 92 | 0.4 | 3,239 | 15.8 |
| 1951* .... | 8,825,000 | 201,082 | 22.8 | 93,254 | 10.6 | 5,023 | 25.0 | 107 | 0.5 | 3,270 | 16.3 |
| 1950* .... | 8,753,000 | 189,640 | 21.7 | 92,260 | 10.5 | 4,855 | 25.6 | 114 | 0.6 | 3,084 | 16.3 |
| 1949* .... | 8,513,000 | 189,313 | 22.2 | 92,521 | 10.9 | 5,185 | 27.4 | 136 | 0.7 | 3,184 | 16.8 |
| 1948† .... | 8,552,000 | 184,871 | 21.6 | 91,328 | 10.7 | 5,123 | 27.7 | 151 | 0.8 | 3,284 | 17.8 |
| 1947† .... | 8,341,000 | 196,007 | 23.5 | 93,686 | 11.2 | 5,672 | 28.9 | 204 | 1.0 | 3,669 | 18.7 |
| 1946† .... | 8,155,000 | 174,825 | 21.4 | 89,566 | 11.0 | 5,316 | 30.4 | 237 | 1.4 | 3,667 | 21.0 |
| 1945† .... | 7,601,000 | 138,705 | 18.2 | 90,116 | 11.9 | 4,377 | 31.6 | 235 | 1.7 | 2,951 | 21.3 |
| 1944† .... | 7,719,000 | 142,005 | 18.4 | 88,180 | 11.4 | 4,602 | 32.4 | 254 | 1.8 | 3,158 | 22.2 |
| 1943† .... | 7,761,000 | 155,735 | 20.1 | 92,058 | 11.9 | 5,184 | 33.3 | 320 | 2.1 | 3,470 | 22.3 |
| 1942† .... | 8,057,000 | 156,232 | 19.4 | 87,777 | 10.9 | 5,176 | 33.1 | 326 | 2.1 | 3,445 | 22.1 |
| 1941† .... | 7,995,000 | 136,159 | 17.0 | 86,582 | 10.8 | 4,661 | 34.2 | 340 | 2.5 | 3,202 | 23.5 |
| 1940† .... | 7,905,000 | 124,615 | 15.8 | 89,099 | 11.3 | 4,398 | 35.3 | 369 | 3.0 | 3,152 | 25.3 |
| 1939† .... | 7,890,000 | 118,852 | 15.1 | 87,623 | 11.1 | 4,526 | 38.1 | 375 | 3.2 | 2,978 | 25.1 |
| 1938‡ .... | 7,866,000 | 122,562 | 15.6 | 84,769 | 10.8 | 5,016 | 40.9 | 412 | 3.4 | 3,207 | 26.2 |
| 1937‡ .... | 7,857,000 | 115,282 | 14.7 | 87,739 | 11.2 | 4,967 | 43.1 | 450 | 3.9 | 3,058 | 26.5 |
| 1936‡ .... | 7,840,000 | 112,167 | 14.3 | 92,806 | 11.8 | 5,246 | 46.8 | 500 | 4.5 | 3,099 | 27.6 |
| 1935‡ .... | 7,797,000 | 111,884 | 14.3 | 85,518 | 11.0 | 5,138 | 45.9 | 555 | 5.0 | 3,308 | 29.6 |
| 1934‡ .... | 7,772,000 | 110,226 | 14.2 | 87,205 | 11.2 | 5,825 | 52.8 | 568 | 5.2 | 3,333 | 30.2 |
| 1933‡ .... | 7,768,000 | 107,910 | 13.9 | 82,513 | 10.6 | 5,284 | 49.0 | 537 | 5.0 | 3,219 | 29.8 |
| 1932‡ .... | 7,736,000 | 111,512 | 14.4 | 83,180 | 10.8 | 5,884 | 52.8 | 625 | 5.6 | 3,446 | 30.9 |
| 1931‡ .... | 7,687,000 | 118,788 | 15.5 | 85,788 | 11.2 | 6,961 | 58.6 | 659 | 5.5 | 4,080 | 34.3 |
| 1930‡ .... | 7,644,000 | 128,121 | 16.8 | 83,591 | 10.9 | 7,152 | 55.8 | 699 | 5.5 | 4,311 | 33.6 |
| 1929‡ .... | 7,606,000 | 128,633 | 16.9 | 87,788 | 11.5 | 7,901 | 61.4 | 874 | 6.8 | 4,452 | 34.6 |
| 1928‡ .... | 7,576,000 | 129,667 | 17.1 | 90,195 | 11.9 | 8,326 | 64.2 | 743 | 5.7 | 4,677 | 36.1 |
| 1927‡ .... | 7,519,000 | 133,662 | 17.8 | 82,849 | 11.0 | 8,605 | 64.4 | 743 | 5.6 | 4,693 | 35.1 |
| 1926‡ .... | 7,395,000 | 133,939 | 18.1 | 85,331 | 11.5 | 9,294 | 69.4 | 871 | 6.5 | 4,879 | 36.4 |
| 1925‡ .... | 7,306,000 | 135,437 | 18.5 | 81,593 | 11.2 | 9,822 | 72.5 | 789 | 5.8 | 4,885 | 36.1 |
| 1924‡ .... | 7,215,000 | 137,118 | 19.0 | 77,133 | 10.7 | 9,734 | 71.0 | 844 | 6.2 | 5,290 | 38.6 |
| 1923‡ .... | 7,068,000 | 131,920 | 18.7 | 81,753 | 11.6 | 10,809 | 81.9 | 846 | 6.4 | 5,157 | 39.1 |
| 1922‡ .... | 6,958,000 | 134,050 | 19.3 | 75,771 | 10.9 | 10,195 | 76.1 | 847 | 6.3 | 4,826 | 36.0 |
| 1921‡ .... | 6,858,000 | -- | -- | 73,424 | 10.7 | 10,674 | -- | 944 | -- | -- | -- |
| 1920‡ .... | 6,663,000 | -- | -- | 82,296 | 12.4 | 11,641 | -- | 1,141 | -- | -- | -- |
| 1919‡ .... | 6,392,000 | -- | -- | 77,256 | 12.1 | 11,148 | -- | 960 | -- | -- | -- |
| 1918‡ .... | 6,275,000 | -- | -- | 100,396 | 16.0 | 13,109 | -- | 1,160 | -- | -- | -- |

*Data for the years 1949-1959, incl., are resident data from tabulations of the Illinois Department of Public Health.
†Data for the years 1939-1948, incl., are resident data as published by the National Office of Vital Statistics.
‡Data for the years 1918-1938, incl., are Illinois occurrences as published by the National Office of Vital Statistics.

Table 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959

| County | Live births | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| ILLINOIS . . | 239,871 | 201,955 | 37,916 | 5,990 | 4,509 | 1,481 | 4,318 | 3,370 | 948 | 3,489 | 2,669 | 820 |
| Adams . . . . . | 1,399 | 1,356 | 43 | 37 | 36 | 1 | 32 | 31 | 1 | 12 | 12 | -- |
| Alexander . . . . | 282 | 193 | 89 | 13 | 5 | 8 | 10 | 3 | 7 | 10 | 3 | 7 |
| Bond . . . . . | 296 | 294 | 2 | 4 | 3 | 1 | 3 | 2 | 1 | 5 | 5 | -- |
| Boone . . . . . | 450 | 449 | 1 | 12 | 12 | -- | 9 | 9 | -- | 6 | 6 | -- |
| Brown . . . . . | 121 | 121 | -- | 2 | 2 | -- | 2 | 2 | -- | 1 | 1 | -- |
| Bureau . . . . . | 757 | 757 | -- | 14 | 14 | -- | 9 | 9 | -- | 15 | 15 | -- |
| Calhoun . . . . . | 120 | 120 | -- | 4 | 4 | -- | 3 | 3 | -- | 4 | 4 | -- |
| Carroll . . . . . | 427 | 426 | 1 | 9 | 9 | -- | 8 | 8 | -- | 8 | 8 | -- |
| Cass . . . . . | 270 | 270 | -- | 10 | 10 | -- | 8 | 8 | -- | 9 | 9 | -- |
| Champaign . . . . | 3,128 | 2,896 | 232 | 80 | 72 | 8 | 62 | 59 | 3 | 44 | 36 | 8 |
| Christian . . . . . | 791 | 789 | 2 | 16 | 16 | -- | 12 | 12 | -- | 16 | 16 | -- |
| Clark . . . . . | 345 | 345 | -- | 6 | 6 | -- | 4 | 4 | -- | -- | -- | -- |
| Clay . . . . . | 306 | 306 | -- | 9 | 9 | -- | 6 | 6 | -- | 1 | 1 | -- |
| Clinton . . . . . | 627 | 624 | 3 | 12 | 12 | -- | 9 | 9 | -- | 8 | 8 | -- |
| Coles . . . . . | 924 | 917 | 7 | 16 | 16 | -- | 12 | 12 | -- | 9 | 9 | -- |
| Cook . . . . . | 127,153 | 94,824 | 32,329 | 3,343 | 2,096 | 1,247 | 2,342 | 1,542 | 800 | 2,044 | 1,339 | 705 |
| Crawford . . . . . | 392 | 391 | 1 | 6 | 6 | -- | 6 | 6 | -- | 1 | 1 | -- |
| Cumberland . . . | 223 | 223 | -- | 4 | 4 | -- | 2 | 2 | -- | 3 | 3 | -- |
| De Kalb . . . . . | 1,147 | 1,144 | 3 | 23 | 23 | -- | 15 | 15 | -- | 14 | 14 | -- |
| De Witt . . . . . | 368 | 368 | -- | 9 | 9 | -- | 5 | 5 | -- | 7 | 7 | -- |
| Douglas . . . . . | 462 | 461 | 1 | 10 | 10 | -- | 8 | 8 | -- | 2 | 2 | -- |
| Du Page . . . . . | 7,196 | 7,163 | 33 | 142 | 142 | -- | 101 | 101 | -- | 75 | 75 | -- |
| Edgar . . . . . | 452 | 450 | 2 | 8 | 8 | -- | 5 | 5 | -- | 7 | 7 | -- |
| Edwards . . . . . | 151 | 148 | 3 | 2 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | -- |
| Effingham . . . . | 578 | 577 | 1 | 11 | 11 | -- | 10 | 10 | -- | 8 | 8 | -- |
| Fayette . . . . . | 413 | 413 | -- | 9 | 9 | -- | 5 | 5 | -- | 3 | 3 | -- |
| Ford . . . . . | 353 | 351 | 2 | 8 | 8 | -- | 7 | 7 | -- | 5 | 5 | -- |
| Franklin . . . . . | 632 | 630 | 2 | 22 | 22 | -- | 18 | 18 | -- | 8 | 8 | -- |
| Fulton . . . . . | 801 | 792 | 9 | 20 | 20 | -- | 14 | 14 | -- | 11 | 11 | -- |
| Gallatin . . . . . | 127 | 127 | -- | 7 | 7 | -- | 7 | 7 | -- | 5 | 5 | -- |
| Greene . . . . . | 357 | 357 | -- | 11 | 11 | -- | 9 | 9 | -- | 3 | 3 | -- |
| Grundy . . . . . | 529 | 529 | -- | 14 | 14 | -- | 11 | 11 | -- | 9 | 9 | -- |
| Hamilton . . . . . | 158 | 158 | -- | 2 | 2 | -- | 2 | 2 | -- | -- | -- | -- |
| Hancock . . . . . | 498 | 497 | 1 | 11 | 11 | -- | 9 | 9 | -- | 6 | 6 | -- |
| Hardin . . . . . | 89 | 89 | -- | 3 | 3 | -- | 2 | 2 | -- | 2 | 2 | -- |
| Henderson . . . . | 205 | 205 | -- | 5 | 5 | -- | 4 | 4 | -- | -- | -- | -- |
| Henry . . . . . | 1,025 | 1,007 | 18 | 20 | 19 | 1 | 11 | 10 | 1 | 23 | 23 | -- |
| Iroquois . . . . . | 736 | 735 | 1 | 15 | 15 | -- | 12 | 12 | -- | 8 | 8 | -- |
| Jackson . . . . . | 870 | 786 | 84 | 20 | 16 | 4 | 11 | 10 | 1 | 13 | 13 | -- |
| Jasper . . . . . | 245 | 245 | -- | 5 | 5 | -- | 4 | 4 | -- | 4 | 4 | -- |
| Jefferson . . . . . | 687 | 652 | 35 | 22 | 20 | 2 | 18 | 17 | 1 | 15 | 14 | 1 |
| Jersey . . . . . | 405 | 403 | 2 | 2 | 2 | -- | 2 | 2 | -- | 13 | 13 | -- |
| Jo Daviess . . . . | 538 | 534 | 4 | 10 | 10 | -- | 9 | 9 | -- | 5 | 5 | -- |
| Johnson . . . . . | 132 | 131 | 1 | 1 | 1 | -- | -- | -- | -- | -- | -- | -- |
| Kane . . . . . | 5,207 | 5,065 | 142 | 125 | 113 | 12 | 97 | 88 | 9 | 56 | 54 | 2 |
| Kankakee . . . . . | 2,037 | 1,873 | 164 | 53 | 43 | 10 | 39 | 33 | 6 | 27 | 24 | 3 |
| Kendall . . . . . | 407 | 407 | -- | 13 | 13 | -- | 7 | 7 | -- | 4 | 4 | -- |
| Knox . . . . . | 1,291 | 1,252 | 39 | 36 | 35 | 1 | 22 | 21 | 1 | 15 | 14 | 1 |
| Lake . . . . . | 7,209 | 6,754 | 455 | 148 | 137 | 11 | 110 | 100 | 10 | 94 | 89 | 5 |
| La Salle . . . . . | 2,566 | 2,548 | 18 | 55 | 54 | 1 | 41 | 41 | -- | 22 | 21 | 1 |
| Lawrence . . . . . | 374 | 368 | 6 | 12 | 12 | -- | 6 | 6 | -- | 2 | 2 | -- |
| Lee . . . . . | 770 | 760 | 10 | 22 | 22 | -- | 19 | 19 | -- | 12 | 11 | 1 |

Table 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

| County | Live births | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Livingston | 925 | 920 | 5 | 20 | 20 | -- | 13 | 13 | -- | 10 | 10 | -- |
| Logan | 639 | 636 | 3 | 12 | 11 | 1 | 10 | 10 | -- | 5 | 5 | -- |
| McDonough | 592 | 589 | 3 | 17 | 17 | -- | 15 | 15 | -- | 5 | 5 | -- |
| McHenry | 1,998 | 1,994 | 4 | 58 | 58 | -- | 40 | 40 | -- | 27 | 26 | 1 |
| McLean | 1,853 | 1,811 | 42 | 26 | 26 | -- | 19 | 19 | -- | 24 | 23 | 1 |
| Macon | 2,715 | 2,494 | 221 | 68 | 59 | 9 | 56 | 51 | 5 | 34 | 29 | 5 |
| Macoupin | 823 | 823 | -- | 14 | 14 | -- | 12 | 12 | -- | 15 | 15 | -- |
| Madison | 5,427 | 5,057 | 370 | 141 | 126 | 15 | 111 | 106 | 5 | 74 | 63 | 11 |
| Marion | 787 | 745 | 42 | 18 | 18 | -- | 13 | 13 | -- | 11 | 10 | 1 |
| Marshall | 296 | 294 | 2 | 8 | 8 | -- | 5 | 5 | -- | 4 | 4 | -- |
| Mason | 313 | 313 | -- | 8 | 8 | -- | 5 | 5 | -- | 3 | 3 | -- |
| Massac | 268 | 243 | 25 | 2 | 2 | -- | 1 | 1 | -- | 3 | 3 | -- |
| Menard | 188 | 188 | -- | 1 | 1 | -- | 1 | 1 | -- | 8 | 8 | -- |
| Mercer | 343 | 342 | 1 | 6 | 6 | -- | 3 | 3 | -- | 1 | 1 | -- |
| Monroe | 354 | 353 | 1 | 7 | 7 | -- | 6 | 6 | -- | 2 | 2 | -- |
| Montgomery | 639 | 636 | 3 | 18 | 18 | -- | 14 | 14 | -- | 14 | 13 | 1 |
| Morgan | 626 | 604 | 22 | 13 | 12 | 1 | 11 | 10 | 1 | 7 | 7 | -- |
| Moultrie | 317 | 315 | 2 | 8 | 8 | -- | 6 | 6 | -- | 6 | 6 | -- |
| Ogle | 921 | 920 | 1 | 23 | 23 | -- | 16 | 16 | -- | 8 | 8 | -- |
| Peoria | 4,569 | 4,206 | 363 | 100 | 88 | 12 | 77 | 69 | 8 | 48 | 39 | 9 |
| Perry | 352 | 340 | 12 | 6 | 6 | -- | 5 | 5 | -- | 6 | 6 | -- |
| Piatt | 324 | 324 | -- | 7 | 7 | -- | 7 | 7 | -- | 3 | 3 | -- |
| Pike | 409 | 409 | -- | 10 | 10 | -- | 7 | 7 | -- | 3 | 3 | -- |
| Pope | 61 | 61 | -- | 1 | 1 | -- | 1 | 1 | -- | -- | -- | -- |
| Pulaski | 242 | 142 | 100 | 12 | 5 | 7 | 5 | 1 | 4 | 9 | 2 | 7 |
| Putnam | 77 | 77 | -- | 1 | 1 | -- | -- | -- | -- | 2 | 2 | -- |
| Randolph | 529 | 518 | 11 | 16 | 15 | 1 | 12 | 11 | 1 | 9 | 9 | -- |
| Richland | 349 | 348 | 1 | 10 | 10 | -- | 6 | 6 | -- | 3 | 3 | -- |
| Rock Island | 3,558 | 3,426 | 132 | 98 | 88 | 10 | 80 | 73 | 7 | 53 | 48 | 5 |
| St. Clair | 6,721 | 5,148 | 1,573 | 171 | 113 | 58 | 119 | 81 | 38 | 67 | 48 | 19 |
| Saline | 404 | 386 | 18 | 12 | 11 | 1 | 7 | 6 | 1 | 4 | 4 | -- |
| Sangamon | 3,462 | 3,259 | 203 | 86 | 74 | 12 | 68 | 59 | 9 | 50 | 46 | 4 |
| Schuyler | 167 | 167 | -- | 5 | 5 | -- | 5 | 5 | -- | 5 | 5 | -- |
| Scott | 119 | 119 | -- | 3 | 3 | -- | 1 | 1 | -- | -- | -- | -- |
| Shelby | 479 | 477 | 2 | 5 | 5 | -- | 4 | 4 | -- | 6 | 6 | -- |
| Stark | 173 | 173 | -- | 1 | 1 | -- | 1 | 1 | -- | 2 | 2 | -- |
| Stephenson | 1,047 | 996 | 51 | 16 | 16 | -- | 10 | 10 | -- | 13 | 11 | 2 |
| Tazewell | 2,453 | 2,452 | 1 | 43 | 43 | -- | 32 | 32 | -- | 33 | 33 | -- |
| Union | 270 | 267 | 3 | 9 | 9 | -- | 7 | 7 | -- | 8 | 8 | -- |
| Vermilion | 2,202 | 2,030 | 172 | 58 | 55 | 3 | 49 | 46 | 3 | 27 | 27 | -- |
| Wabash | 281 | 280 | 1 | 5 | 5 | -- | 4 | 4 | -- | 5 | 5 | -- |
| Warren | 450 | 438 | 12 | 8 | 8 | -- | 7 | 7 | -- | 2 | 2 | -- |
| Washington | 241 | 241 | -- | 9 | 9 | -- | 9 | 9 | -- | 3 | 3 | -- |
| Wayne | 389 | 389 | -- | 13 | 13 | -- | 11 | 11 | -- | 10 | 10 | -- |
| White | 386 | 386 | -- | 2 | 2 | -- | 2 | 2 | -- | 7 | 7 | -- |
| Whiteside | 1,522 | 1,518 | 4 | 35 | 35 | -- | 24 | 24 | -- | 28 | 28 | -- |
| Will | 4,772 | 4,395 | 377 | 108 | 87 | 21 | 76 | 65 | 11 | 63 | 55 | 8 |
| Williamson | 865 | 840 | 25 | 21 | 21 | -- | 15 | 15 | -- | 15 | 13 | 2 |
| Winnebago | 5,377 | 5,018 | 359 | 163 | 143 | 20 | 117 | 105 | 12 | 50 | 41 | 9 |
| Woodford | 562 | 561 | 1 | 9 | 9 | -- | 7 | 7 | -- | 7 | 7 | -- |
| Unspecified place in Illinois | 9 | 7 | 2 | 6 | 4 | 2 | 5 | 4 | 1 | 12 | 11 | 1 |

Table 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959

(Live birth rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| County | Live births | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| ILLINOIS | 24.2 | 25.0 | 22.3 | 39.1 | 18.0 | 16.7 | 25.0 | 14.5 | 13.2 | 21.6 |
| Adams | 20.6 | 26.4 | 26.5 | 23.3 | 22.9 | 22.9 | 23.3 | 8.6 | 8.8 | -0- |
| Alexander | 17.7 | 46.1 | 25.9 | 89.9 | 35.5 | 15.5 | 78.7 | 35.5 | 15.5 | 78.7 |
| Bond | 21.0 | 13.5 | 10.2 | 500.0 | 10.1 | 6.8 | 500.0 | 16.9 | 17.0 | -0- |
| Boone | 22.5 | 26.7 | 26.7 | -0- | 20.0 | 20.0 | -0- | 13.3 | 13.4 | -0- |
| Brown | 19.2 | 16.5 | 16.5 | -0- | 16.5 | 16.5 | -0- | 8.3 | 8.3 | -0- |
| Bureau | 20.4 | 18.5 | 18.5 | -0- | 11.9 | 11.9 | -0- | 19.8 | 19.8 | -0- |
| Calhoun | 20.0 | 33.3 | 33.3 | -0- | 25.0 | 25.0 | -0- | 33.3 | 33.3 | -0- |
| Carroll | 22.1 | 21.1 | 21.1 | -0- | 18.7 | 18.8 | -0- | 18.7 | 18.8 | -0- |
| Cass | 18.6 | 37.0 | 37.0 | -0- | 29.6 | 29.6 | -0- | 33.3 | 33.3 | -0- |
| Champaign | 24.0 | 25.6 | 24.9 | 34.5 | 19.8 | 20.4 | 12.9 | 14.1 | 12.4 | 34.5 |
| Christian | 21.3 | 20.2 | 20.3 | -0- | 15.2 | 15.2 | -0- | 20.2 | 20.3 | -0- |
| Clark | 20.8 | 17.4 | 17.4 | -0- | 11.6 | 11.6 | -0- | -0- | -0- | -0- |
| Clay | 19.2 | 29.4 | 29.4 | -0- | 19.6 | 19.6 | -0- | 3.3 | 3.3 | -0- |
| Clinton | 26.2 | 19.1 | 19.2 | -0- | 14.4 | 14.4 | -0- | 12.8 | 12.8 | -0- |
| Coles | 21.7 | 17.3 | 17.4 | -0- | 13.0 | 13.1 | -0- | 9.7 | 9.8 | -0- |
| Cook | 25.2 | 26.3 | 22.1 | 38.6 | 18.4 | 16.3 | 24.7 | 16.1 | 14.1 | 21.8 |
| Crawford | 18.9 | 15.3 | 15.3 | -0- | 15.3 | 15.3 | -0- | 2.6 | 2.6 | -0- |
| Cumberland | 22.5 | 17.9 | 17.9 | -0- | 9.0 | 9.0 | -0- | 13.5 | 13.5 | -0- |
| De Kalb | 22.7 | 20.1 | 20.1 | -0- | 13.1 | 13.1 | -0- | 12.2 | 12.2 | -0- |
| De Witt | 21.5 | 24.5 | 24.5 | -0- | 13.6 | 13.6 | -0- | 19.0 | 19.0 | -0- |
| Douglas | 24.3 | 21.6 | 21.7 | -0- | 17.3 | 17.4 | -0- | 4.3 | 4.3 | -0- |
| Du Page | 23.9 | 19.7 | 19.8 | -0- | 14.0 | 14.1 | -0- | 10.4 | 10.5 | -0- |
| Edgar | 20.1 | 17.7 | 17.8 | -0- | 11.1 | 11.1 | -0- | 15.5 | 15.6 | -0- |
| Edwards | 18.9 | 13.2 | 6.8 | 333.3 | 13.2 | 6.8 | 333.3 | 6.6 | 6.8 | -0- |
| Effingham | 25.0 | 19.0 | 19.1 | -0- | 17.3 | 17.3 | -0- | 13.8 | 13.9 | -0- |
| Fayette | 18.8 | 21.8 | 21.8 | -0- | 12.1 | 12.1 | -0- | 7.3 | 7.3 | -0- |
| Ford | 21.4 | 22.7 | 22.8 | -0- | 19.8 | 19.9 | -0- | 14.2 | 14.2 | -0- |
| Franklin | 16.0 | 34.8 | 34.9 | -0- | 28.5 | 28.6 | -0- | 12.7 | 12.7 | -0- |
| Fulton | 19.1 | 25.0 | 25.3 | -0- | 17.5 | 17.7 | -0- | 13.7 | 13.9 | -0- |
| Gallatin | 16.3 | 55.1 | 55.1 | -0- | 55.1 | 55.1 | -0- | 39.4 | 39.4 | -0- |
| Greene | 20.4 | 30.8 | 30.8 | -0- | 25.2 | 25.2 | -0- | 8.4 | 8.4 | -0- |
| Grundy | 23.9 | 26.5 | 26.5 | -0- | 20.8 | 20.8 | -0- | 17.0 | 17.0 | -0- |
| Hamilton | 15.6 | 12.7 | 12.7 | -0- | 12.7 | 12.7 | -0- | -0- | -0- | -0- |
| Hancock | 10.3 | 22.1 | 22.1 | -0- | 18.1 | 18.1 | -0- | 12.0 | 12.1 | -0- |
| Hardin | 14.8 | 33.7 | 33.7 | -0- | 22.5 | 22.5 | -0- | 22.5 | 22.5 | -0- |
| Henderson | 25.0 | 24.4 | 24.4 | -0- | 19.5 | 19.5 | -0- | -0- | -0- | -0- |
| Henry | 21.0 | 19.5 | 18.9 | 55.6 | 10.7 | 9.9 | 55.6 | 22.4 | 22.8 | -0- |
| Iroquois | 22.0 | 20.4 | 20.4 | -0- | 16.3 | 16.3 | -0- | 10.9 | 10.9 | -0- |
| Jackson | 20.7 | 23.0 | 20.4 | 47.6 | 12.6 | 12.7 | 11.9 | 14.9 | 16.5 | -0- |
| Jasper | 21.7 | 20.4 | 20.4 | -0- | 16.3 | 16.3 | -0- | 16.3 | 16.3 | -0- |
| Jefferson | 21.1 | 32.0 | 30.7 | 57.1 | 26.2 | 26.1 | 28.6 | 21.8 | 21.5 | 28.6 |
| Jersey | 23.8 | 4.9 | 5.0 | -0- | 4.9 | 5.0 | -0- | 32.1 | 32.3 | -0- |
| Jo Daviess | 24.8 | 18.6 | 18.7 | -0- | 16.7 | 16.9 | -0- | 9.3 | 9.4 | -0- |
| Johnson | 18.9 | 7.6 | 7.6 | -0- | -0- | -0- | -0- | -0- | -0- | -0- |
| Kane | 25.6 | 24.0 | 22.3 | 84.5 | 18.6 | 17.4 | 63.4 | 10.8 | 10.7 | 14.1 |
| Kankakee | 22.9 | 26.0 | 23.0 | 61.0 | 19.1 | 17.6 | 36.6 | 13.3 | 12.8 | 18.3 |
| Kendall | 23.8 | 31.9 | 31.9 | -0- | 17.2 | 17.2 | -0- | 9.8 | 9.8 | -0- |
| Knox | 21.3 | 27.9 | 28.0 | 25.6 | 17.0 | 16.8 | 25.6 | 11.6 | 11.2 | 25.6 |
| Lake | 25.5 | 20.5 | 20.3 | 24.2 | 15.3 | 14.8 | 22.0 | 13.0 | 13.2 | 11.0 |
| La Salle | 23.5 | 21.4 | 21.2 | 55.6 | 16.0 | 16.1 | -0- | 8.6 | 8.2 | 55.6 |
| Lawrence | 20.1 | 32.1 | 32.6 | -0- | 16.0 | 16.3 | -0- | 5.3 | 5.4 | -0- |
| Lee | 19.9 | 28.6 | 28.9 | -0- | 24.7 | 25.0 | -0- | 15.6 | 14.5 | 100.0 |

Table 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

(Live birth rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| County | Live birtns | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Total | White | Non-whit | Total | White | Non-white | Total | White | Non-white |
| Livingston | 23.2 | 21.6 | 21.7 | -0- | 14.1 | 14.1 | -0- | 10.8 | 10.9 | -0- |
| Logan | 19.2 | 18.8 | 17.3 | 333.3 | 15.6 | 15.7 | -0- | 7.8 | 7.9 | -0- |
| McDonough | 20.6 | 28.7 | 28.9 | -0- | 25.3 | 25.5 | -0- | 8.4 | 8.5 | -0- |
| McHenry | 24.9 | 29.0 | 29.1 | -0- | 20.0 | 20.1 | -0- | 13.5 | 13.0 | 250.0 |
| McLean | 22.4 | 14.0 | 14.4 | -0- | 10.3 | 10.5 | -0- | 13.0 | 12.7 | 23.8 |
| Macon | 23.4 | 25.0 | 23.7 | 40.7 | 20.6 | 20.4 | 22.6 | 12.5 | 11.6 | 22.6 |
| Macoupin | 19.1 | 17.0 | 17.0 | -0- | 14.6 | 14.6 | -0- | 18.2 | 18.2 | -0- |
| Madison | 24.6 | 26.0 | 24.9 | 40.5 | 20.5 | 21.0 | 13.5 | 13.6 | 12.5 | 29.7 |
| Marion | 20.1 | 22.9 | 24.2 | -0- | 16.5 | 17.4 | -0- | 14.0 | 13.4 | 23.8 |
| Marshall | 22.3 | 27.0 | 27.2 | -0- | 16.9 | 17.0 | -0- | 13.5 | 13.6 | -0- |
| Mason | 20.6 | 25.6 | 25.6 | -0- | 16.0 | 16.0 | -0- | 9.6 | 9.6 | -0- |
| Massac | 19.0 | 7.5 | 8.2 | -0- | 3.7 | 4.1 | -0- | 11.2 | 12.3 | -0- |
| Menard | 20.2 | 5.3 | 5.3 | -0- | 5.3 | 5.3 | -0- | 42.6 | 42.6 | -0- |
| Mercer | 20.1 | 17.5 | 17.5 | -0- | 8.7 | 8.8 | -0- | 2.9 | 2.9 | -0- |
| Monroe | 23.3 | 19.8 | 19.8 | -0- | 16.9 | 17.0 | -0- | 5.6 | 5.7 | -0- |
| Montgomery | 20.5 | 28.2 | 28.3 | -0- | 21.9 | 22.0 | -0- | 21.9 | 20.4 | 333.3 |
| Morgan | 17.2 | 20.8 | 19.9 | 45.5 | 17.6 | 16.6 | 45.5 | 11.2 | 11.6 | -0- |
| Moultrie | 23.5 | 25.2 | 25.4 | -0- | 18.9 | 19.0 | -0- | 18.9 | 19.0 | -0- |
| Ogle | 24.5 | 25.0 | 25.0 | -0- | 17.4 | 17.4 | -0- | 8.7 | 8.7 | -0- |
| Peoria | 24.4 | 21.9 | 20.9 | 33.1 | 16.9 | 16.4 | 22.0 | 10.5 | 9.3 | 24.8 |
| Perry | 18.2 | 17.0 | 17.6 | -0- | 14.2 | 14.7 | -0- | 17.0 | 17.6 | -0- |
| Piatt | 21.7 | 21.6 | 21.6 | -0- | 21.6 | 21.6 | -0- | 9.3 | 9.3 | -0- |
| Pike | 19.7 | 24.4 | 24.4 | -0- | 17.1 | 17.1 | -0- | 7.3 | 7.3 | -0- |
| Pope | 14.9 | 16.4 | 16.4 | -0- | 16.4 | 16.4 | -0- | -0- | -0- | -0- |
| Pulaski | 22.6 | 49.6 | 35.2 | 70.0 | 20.7 | 7.0 | 40.0 | 37.2 | 14.1 | 70.0 |
| Putnam | 16.7 | 13.0 | 13.0 | -0- | -0- | -0- | -0- | 26.0 | 26.0 | -0- |
| Randolph | 17.7 | 30.2 | 29.0 | 90.9 | 22.7 | 21.2 | 90.9 | 17.0 | 17.4 | -0- |
| Richland | 21.5 | 28.7 | 28.7 | -0- | 17.2 | 17.2 | -0- | 8.6 | 8.6 | -0- |
| Rock Island | 24.1 | 27.5 | 25.7 | 75.8 | 22.5 | 21.3 | 53.0 | 14.9 | 14.0 | 37.9 |
| St. Clair | 25.9 | 25.4 | 22.0 | 36.9 | 17.7 | 15.7 | 24.2 | 10.0 | 9.3 | 12.1 |
| Saline | 15.2 | 29.7 | 28.5 | 55.6 | 17.3 | 15.5 | 55.6 | 9.9 | 10.4 | -0- |
| Sangamon | 23.9 | 24.8 | 22.7 | 59.1 | 19.6 | 18.1 | 44.3 | 14.4 | 14.1 | 19.7 |
| Schuyler | 19.0 | 29.9 | 29.9 | -0- | 29.9 | 29.9 | -0- | 29.9 | 29.9 | -0- |
| Scott | 18.6 | 25.2 | 25.2 | -0- | 8.4 | 8.4 | -0- | -0- | -0- | -0- |
| Shelby | 20.5 | 10.4 | 10.5 | -0- | 8.4 | 8.4 | -0- | 12.5 | 12.6 | -0- |
| Stark | 20.6 | 5.8 | 5.8 | -0- | 5.8 | 5.8 | -0- | 11.6 | 11.6 | -0- |
| Stephenson | 23.0 | 15.3 | 16.1 | -0- | 9.6 | 10.0 | -0- | 12.4 | 11.0 | 39.2 |
| Tazewell | 25.2 | 17.5 | 17.5 | -0- | 13.0 | 13.1 | -0- | 13.5 | 13.5 | -0- |
| Union | 15.2 | 33.3 | 33.7 | -0- | 25.9 | 26.2 | -0- | 29.6 | 30.0 | -0- |
| Vermilion | 23.2 | 26.3 | 27.1 | 17.4 | 22.3 | 22.7 | 17.4 | 12.3 | 13.3 | -0- |
| Wabash | 19.9 | 17.8 | 17.9 | -0- | 14.2 | 14.3 | -0- | 17.8 | 17.9 | -0- |
| Warren | 20.8 | 17.8 | 18.3 | -0- | 15.6 | 16.0 | -0- | 4.4 | 4.6 | -0- |
| Washington | 17.7 | 37.3 | 37.3 | -0- | 37.3 | 37.3 | -0- | 12.4 | 12.4 | -0- |
| Wayne | 20.5 | 33.4 | 33.4 | -0- | 28.3 | 28.3 | -0- | 25.7 | 25.7 | -0- |
| White | 20.0 | 5.2 | 5.2 | -0- | 5.2 | 5.2 | -0- | 18.1 | 18.1 | -0- |
| Whiteside | 25.8 | 23.0 | 23.1 | -0- | 15.8 | 15.8 | -0- | 18.4 | 18.4 | -0- |
| Will | 25.6 | 22.6 | 19.8 | 55.7 | 15.9 | 14.8 | 29.2 | 13.2 | 12.5 | 21.2 |
| Williamson | 18.8 | 24.3 | 25.0 | -0- | 17.3 | 17.9 | -0- | 17.3 | 15.5 | 80.0 |
| Winnebago | 26.3 | 30.3 | 28.5 | 55.7 | 21.8 | 20.9 | 33.4 | 9.3 | 8.2 | 25.1 |
| Woodford | 23.2 | 16.0 | 16.0 | -0- | 12.5 | 12.5 | -0- | 12.5 | 12.5 | -0- |

Table 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959

| City | Live births | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Alton | 805 | 651 | 154 | 22 | 17 | 5 | 13 | 12 | 1 | 13 | 8 | 5 |
| Arlington Heights | 749 | 749 | -- | 15 | 15 | -- | 13 | 13 | -- | 10 | 10 | -- |
| Aurora | 1,802 | 1,707 | 95 | 58 | 48 | 10 | 45 | 37 | 8 | 20 | 19 | 1 |
| Belleville | 909 | 902 | 7 | 20 | 20 | -- | 14 | 14 | -- | 8 | 8 | -- |
| Bellwood | 488 | 487 | 1 | 7 | 7 | -- | 6 | 6 | -- | 9 | 9 | -- |
| Berwyn | 1,046 | 1,044 | 2 | 17 | 17 | -- | 14 | 14 | -- | 15 | 15 | -- |
| Bloomington | 870 | 834 | 36 | 13 | 13 | -- | 10 | 10 | -- | 15 | 14 | 1 |
| Blue Island | 577 | 556 | 21 | 13 | 11 | 2 | 9 | 8 | 1 | 10 | 10 | -- |
| Brookfield | 394 | 394 | -- | 5 | 5 | -- | 4 | 4 | -- | 9 | 9 | -- |
| Cairo | 156 | 100 | 56 | 7 | 4 | 3 | 6 | 3 | 3 | 3 | 1 | 2 |
| Calumet City | 658 | 658 | -- | 7 | 7 | -- | 6 | 6 | -- | 3 | 3 | -- |
| Canton | 254 | 247 | 7 | 1 | 1 | -- | 1 | 1 | -- | 4 | 4 | -- |
| Carbondale | 295 | 243 | 52 | 8 | 5 | 3 | 4 | 3 | 1 | 2 | 2 | -- |
| Carpentersville | 513 | 511 | 2 | 14 | 14 | -- | 9 | 9 | -- | 5 | 5 | -- |
| Centralia | 329 | 287 | 42 | 6 | 6 | -- | 5 | 5 | -- | 4 | 3 | 1 |
| Champaign | 1,351 | 1,192 | 159 | 29 | 22 | 7 | 22 | 19 | 3 | 20 | 13 | 7 |
| Charleston | 238 | 237 | 1 | 2 | 2 | -- | 2 | 2 | -- | 2 | 2 | -- |
| Chicago | 91,206 | 60,433 | 30,773 | 2,594 | 1,413 | 1,181 | 1,775 | 1,017 | 758 | 1,562 | 891 | 671 |
| Chicago Heights | 1,151 | 881 | 270 | 35 | 16 | 19 | 23 | 11 | 12 | 21 | 16 | 5 |
| Cicero | 1,397 | 1,397 | -- | 34 | 34 | -- | 23 | 23 | -- | 13 | 13 | -- |
| Collinsville | 330 | 321 | 9 | 10 | 10 | -- | 8 | 8 | -- | 4 | 4 | -- |
| Danville | 1,096 | 935 | 161 | 35 | 32 | 3 | 32 | 29 | 3 | 10 | 10 | -- |
| Decatur | 1,889 | 1,669 | 220 | 53 | 44 | 9 | 43 | 38 | 5 | 23 | 18 | 5 |
| De Kalb | 400 | 400 | -- | 4 | 4 | -- | 3 | 3 | -- | 8 | 8 | -- |
| Des Plaines | 930 | 928 | 2 | 23 | 23 | -- | 17 | 17 | -- | 13 | 13 | -- |
| Dixon | 355 | 347 | 8 | 9 | 9 | -- | 7 | 7 | -- | 4 | 4 | -- |
| Dolton | 562 | 560 | 2 | 9 | 9 | -- | 7 | 7 | -- | 6 | 6 | -- |
| Downers Grove | 539 | 538 | 1 | 8 | 8 | -- | 8 | 8 | -- | 3 | 3 | -- |
| East Moline | 403 | 370 | 33 | 16 | 13 | 3 | 13 | 11 | 2 | 7 | 5 | 2 |
| East Peoria | 316 | 316 | -- | 13 | 13 | -- | 12 | 12 | -- | 2 | 2 | -- |
| East St. Louis | 2,669 | 1,361 | 1,308 | 79 | 31 | 48 | 50 | 18 | 32 | 30 | 14 | 16 |
| Elgin | 1,071 | 1,026 | 45 | 23 | 22 | 1 | 18 | 18 | -- | 14 | 14 | -- |
| Elmhurst | 776 | 774 | 2 | 16 | 16 | -- | 14 | 14 | -- | 11 | 11 | -- |
| Elmwood Park | 465 | 464 | 1 | 15 | 15 | -- | 10 | 10 | -- | 4 | 4 | -- |
| Evanston | 1,664 | 1,380 | 284 | 34 | 27 | 7 | 30 | 24 | 6 | 22 | 12 | 10 |
| Evergreen Park | 480 | 480 | -- | 8 | 8 | -- | 5 | 5 | -- | 1 | 1 | -- |
| Forest Park | 351 | 349 | 2 | 12 | 12 | -- | 12 | 12 | -- | -- | -- | -- |
| Franklin Park | 480 | 480 | -- | 9 | 9 | -- | 7 | 7 | -- | 4 | 4 | -- |
| Freeport | 611 | 560 | 51 | 11 | 11 | -- | 5 | 5 | -- | 8 | 6 | 2 |
| Galesburg | 780 | 745 | 35 | 20 | 19 | 1 | 13 | 12 | 1 | 7 | 7 | -- |
| Glen Ellyn | 369 | 365 | 4 | 8 | 8 | -- | 5 | 5 | -- | 3 | 3 | -- |
| Glenview | 559 | 555 | 4 | 8 | 7 | 1 | 8 | 7 | 1 | 12 | 12 | -- |
| Granite City | 1,176 | 1,171 | 5 | 32 | 32 | -- | 27 | 27 | -- | 10 | 10 | -- |
| Harrisburg | 151 | 142 | 9 | 5 | 4 | 1 | 3 | 2 | 1 | 1 | 1 | -- |
| Harvey | 820 | 738 | 82 | 27 | 22 | 5 | 19 | 15 | 4 | 12 | 12 | -- |
| Highland Park | 494 | 490 | 4 | 8 | 8 | -- | 7 | 7 | -- | 5 | 5 | -- |
| Hinsdale | 235 | 233 | 2 | 6 | 6 | -- | 3 | 3 | -- | 3 | 3 | -- |
| Homewood | 251 | 251 | -- | 5 | 5 | -- | 4 | 4 | -- | 7 | 7 | -- |
| Jacksonville | 314 | 292 | 22 | 6 | 5 | 1 | 6 | 5 | 1 | 3 | 3 | -- |
| Joliet | 1,618 | 1,486 | 132 | 43 | 32 | 11 | 34 | 26 | 8 | 27 | 24 | 3 |
| Kankakee | 681 | 569 | 112 | 27 | 21 | 6 | 20 | 16 | 4 | 8 | 7 | 1 |
| Kewanee | 331 | 313 | 18 | 8 | 7 | 1 | 3 | 2 | 1 | 6 | 6 | -- |
| La Grange | 393 | 342 | 51 | 7 | 5 | 2 | 5 | 4 | 1 | 2 | 1 | 1 |

Table 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

| City | Live births | | | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| La Grange Park | 191 | 190 | 1 | 4 | 4 | -- | 4 | 4 | -- | 2 | 2 | -- |
| Lansing | 441 | 441 | -- | 6 | 6 | -- | 4 | 4 | -- | 3 | 3 | -- |
| La Salle | 243 | 243 | -- | 9 | 9 | -- | 6 | 6 | -- | 1 | 1 | -- |
| Lincoln | 323 | 321 | 2 | 5 | 4 | 1 | 3 | 3 | -- | 3 | 3 | -- |
| Lincolnwood | 114 | 114 | -- | 5 | 5 | -- | 4 | 4 | -- | 1 | 1 | -- |
| Lombard | 685 | 682 | 3 | 16 | 16 | -- | 12 | 12 | -- | 10 | 10 | -- |
| Macomb | 237 | 234 | 3 | 6 | 6 | -- | 5 | 5 | -- | 2 | 2 | -- |
| Marion | 236 | 221 | 15 | 11 | 11 | -- | 7 | 7 | -- | 5 | 3 | 2 |
| Mattoon | 395 | 391 | 4 | 10 | 10 | -- | 7 | 7 | -- | 5 | 5 | -- |
| Maywood | 671 | 499 | 172 | 16 | 11 | 5 | 9 | 6 | 3 | 5 | 2 | 3 |
| Melrose Park | 862 | 858 | 4 | 27 | 27 | -- | 21 | 21 | -- | 8 | 8 | -- |
| Moline | 977 | 967 | 10 | 27 | 27 | -- | 23 | 23 | -- | 12 | 12 | -- |
| Monmouth | 235 | 223 | 12 | 4 | 4 | -- | 4 | 4 | -- | 1 | 1 | -- |
| Morton Grove | 423 | 420 | 3 | 4 | 3 | 1 | 4 | 3 | 1 | 5 | 5 | -- |
| Mount Prospect | 480 | 480 | -- | 9 | 9 | -- | 8 | 8 | -- | 8 | 8 | -- |
| Mount Vernon | 402 | 367 | 35 | 14 | 12 | 2 | 11 | 10 | 1 | 8 | 7 | 1 |
| Naperville | 327 | 327 | -- | 8 | 8 | -- | 6 | 6 | -- | 3 | 3 | -- |
| Niles | 415 | 413 | 2 | 5 | 5 | -- | 3 | 3 | -- | 5 | 5 | -- |
| Normal | 239 | 234 | 5 | -- | -- | -- | -- | -- | -- | 2 | 2 | -- |
| Norridge | 280 | 280 | -- | 2 | 2 | -- | 1 | 1 | -- | 3 | 3 | -- |
| Northbrook | 405 | 405 | -- | 8 | 8 | -- | 7 | 7 | -- | 3 | 3 | -- |
| North Chicago | 471 | 292 | 179 | 10 | 5 | 5 | 9 | 5 | 4 | 7 | 5 | 2 |
| Northlake | 264 | 264 | -- | 4 | 4 | -- | 4 | 4 | -- | 2 | 2 | -- |
| Oak Lawn | 1,299 | 1,296 | 3 | 34 | 34 | -- | 29 | 29 | -- | 37 | 37 | -- |
| Oak Park | 1,110 | 1,107 | 3 | 22 | 22 | -- | 17 | 17 | -- | 10 | 10 | -- |
| Ottawa | 562 | 555 | 7 | 6 | 6 | -- | 4 | 4 | -- | 7 | 6 | 1 |
| Palatine | 353 | 353 | -- | 4 | 4 | -- | 2 | 2 | -- | 3 | 3 | -- |
| Park Forest | 1,010 | 1,008 | 2 | 27 | 27 | -- | 19 | 19 | -- | 14 | 14 | -- |
| Park Ridge | 570 | 570 | -- | 11 | 11 | -- | 8 | 8 | -- | 10 | 10 | -- |
| Pekin | 712 | 711 | 1 | 10 | 10 | -- | 6 | 6 | -- | 9 | 9 | -- |
| Peoria | 2,515 | 2,172 | 343 | 61 | 49 | 12 | 52 | 44 | 8 | 25 | 17 | 8 |
| Quincy | 930 | 889 | 41 | 30 | 29 | 1 | 26 | 25 | 1 | 10 | 10 | -- |
| Rantoul | 163 | 159 | 4 | 16 | 16 | -- | 11 | 11 | -- | 4 | 4 | -- |
| Riverdale | 212 | 212 | -- | 2 | 2 | -- | 2 | 2 | -- | 5 | 5 | -- |
| River Forest | 163 | 163 | -- | 1 | 1 | -- | 1 | 1 | -- | 4 | 4 | -- |
| Rock Falls | 312 | 312 | -- | 6 | 6 | -- | 3 | 3 | -- | 6 | 6 | -- |
| Rockford | 3,125 | 2,929 | 196 | 94 | 81 | 13 | 69 | 59 | 10 | 29 | 24 | 5 |
| Rock Island | 1,169 | 1,082 | 87 | 34 | 27 | 7 | 29 | 24 | 5 | 24 | 21 | 3 |
| Rolling Meadows | 421 | 420 | 1 | 5 | 5 | -- | 5 | 5 | -- | 5 | 5 | -- |
| Skokie | 1,164 | 1,162 | 2 | 21 | 21 | -- | 17 | 17 | -- | 13 | 13 | -- |
| Springfield | 1,946 | 1,748 | 198 | 53 | 41 | 12 | 40 | 31 | 9 | 25 | 21 | 4 |
| Sterling | 412 | 409 | 3 | 9 | 9 | -- | 8 | 8 | -- | 4 | 4 | -- |
| Streator | 376 | 368 | 8 | 8 | 7 | 1 | 6 | 6 | -- | 3 | 3 | -- |
| Urbana | 844 | 775 | 69 | 16 | 15 | 1 | 13 | 13 | -- | 11 | 10 | 1 |
| Villa Park | 502 | 502 | -- | 10 | 10 | -- | 6 | 6 | -- | 2 | 2 | -- |
| Waukegan | 1,626 | 1,427 | 199 | 35 | 31 | 4 | 26 | 22 | 4 | 24 | 21 | 3 |
| Westchester | 332 | 332 | -- | 7 | 7 | -- | 6 | 6 | -- | 2 | 2 | -- |
| West Frankfort | 144 | 143 | 1 | 6 | 6 | -- | 4 | 4 | -- | 2 | 2 | -- |
| Wheaton | 579 | 562 | 17 | 13 | 13 | -- | 10 | 10 | -- | 8 | 8 | -- |
| Wilmette | 441 | 441 | -- | 9 | 9 | -- | 6 | 6 | -- | 4 | 4 | -- |
| Winnetka | 160 | 159 | 1 | 4 | 4 | -- | 3 | 3 | -- | 2 | 2 | -- |
| Wood River | 294 | 294 | -- | 5 | 5 | -- | 5 | 5 | -- | 3 | 3 | -- |
| Zion | 332 | 324 | 8 | 7 | 7 | -- | 5 | 5 | -- | 7 | 7 | -- |

Table 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959

(Live birth rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| City | Live births | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Alton | 18.1 | 27.3 | 26.1 | 32.5 | 16.1 | 18.4 | 6.5 | 16.1 | 12.3 | 32.5 |
| Arlington Heights | 24.6 | 20.0 | 20.0 | -0- | 17.4 | 17.4 | -0- | 13.4 | 13.4 | -0- |
| Aurora | 30.5 | 32.2 | 28.1 | 105.3 | 25.0 | 21.7 | 84.2 | 11.1 | 11.1 | 10.5 |
| Belleville | 24.0 | 22.0 | 22.2 | -0- | 15.4 | 15.5 | -0- | 8.8 | 8.9 | -0- |
| Bellwood | 25.7 | 14.3 | 14.4 | -0- | 12.3 | 12.3 | -0- | 18.4 | 18.5 | -0- |
| Berwyn | 19.7 | 16.3 | 16.3 | -0- | 13.4 | 13.4 | -0- | 14.3 | 14.4 | -0- |
| Bloomington | 23.9 | 14.9 | 15.6 | -0- | 11.5 | 12.0 | -0- | 17.2 | 16.8 | 27.8 |
| Blue Island | 30.9 | 22.5 | 19.8 | 95.2 | 15.6 | 14.4 | 47.6 | 17.3 | 18.0 | -0- |
| Brookfield | 19.2 | 12.7 | 12.7 | -0- | 10.2 | 10.2 | -0- | 22.8 | 22.8 | -0- |
| Cairo | 13.9 | 44.9 | 40.0 | 53.6 | 38.5 | 30.0 | 53.6 | 19.2 | 10.0 | 35.7 |
| Calumet City | 29.5 | 10.6 | 10.6 | -0- | 9.1 | 9.1 | -0- | 4.6 | 4.6 | -0- |
| Canton | 19.7 | 3.9 | 4.0 | -0- | 3.9 | 4.0 | -0- | 15.7 | 16.2 | -0- |
| Carbondale | 21.5 | 27.1 | 20.6 | 57.7 | 13.6 | 12.3 | 19.2 | 6.8 | 8.2 | -0- |
| Carpentersville | 38.9 | 27.3 | 27.4 | -0- | 17.5 | 17.6 | -0- | 9.7 | 9.8 | -0- |
| Centralia | 24.2 | 18.2 | 20.9 | -0- | 15.2 | 17.4 | -0- | 12.2 | 10.5 | 23.8 |
| Champaign | 26.9 | 21.5 | 18.5 | 44.0 | 16.3 | 15.9 | 18.9 | 14.8 | 10.9 | 44.0 |
| Charleston | 23.6 | 8.4 | 8.4 | -0- | 8.4 | 8.4 | -0- | 8.4 | 8.4 | -0- |
| Chicago | 25.4 | 28.4 | 23.4 | 38.4 | 19.5 | 16.8 | 24.6 | 17.1 | 14.7 | 21.8 |
| Chicago Heights | 38.5 | 30.4 | 18.2 | 70.4 | 20.0 | 12.5 | 44.4 | 18.2 | 18.2 | 18.5 |
| Cicero | 20.4 | 24.3 | 24.3 | -0- | 16.5 | 16.5 | -0- | 9.3 | 9.3 | -0- |
| Collinsville | 22.9 | 30.3 | 31.2 | -0- | 24.2 | 24.9 | -0- | 12.1 | 12.5 | -0- |
| Danville | 26.3 | 31.9 | 34.2 | 18.6 | 29.2 | 31.0 | 18.6 | 9.1 | 10.7 | -0- |
| Decatur | 24.2 | 28.1 | 26.4 | 40.9 | 22.8 | 22.8 | 22.7 | 12.2 | 10.8 | 22.7 |
| De Kalb | 24.2 | 10.0 | 10.0 | -0- | 7.5 | 7.5 | -0- | 20.0 | 20.0 | -0- |
| Des Plaines | 27.7 | 24.7 | 24.8 | -0- | 18.3 | 18.3 | -0- | 14.0 | 14.0 | -0- |
| Dixon | 18.9 | 25.4 | 25.9 | -0- | 19.7 | 20.2 | -0- | 11.3 | 11.5 | -0- |
| Dolton | 32.3 | 16.0 | 16.1 | -0- | 12.5 | 12.5 | -0- | 10.7 | 10.7 | -0- |
| Downers Grove | 26.6 | 14.8 | 14.9 | -0- | 14.8 | 14.9 | -0- | 5.6 | 5.6 | -0- |
| East Moline | 23.4 | 39.7 | 35.1 | 90.9 | 32.3 | 29.7 | 60.6 | 17.4 | 13.5 | 60.6 |
| East Peoria | 24.1 | 41.1 | 41.1 | -0- | 38.0 | 38.0 | -0- | 6.3 | 6.3 | -0- |
| East St. Louis | 30.9 | 29.6 | 22.8 | 36.7 | 18.7 | 13.2 | 24.5 | 11.2 | 10.3 | 12.2 |
| Elgin | 21.8 | 21.5 | 21.4 | 22.2 | 16.8 | 17.5 | -0- | 13.1 | 13.6 | -0- |
| Elmhurst | 21.4 | 20.6 | 20.7 | -0- | 18.0 | 18.1 | -0- | 14.2 | 14.2 | -0- |
| Elmwood Park | 19.5 | 32.3 | 32.3 | -0- | 21.5 | 21.6 | -0- | 8.6 | 8.6 | -0- |
| Evanston | 21.7 | 20.4 | 19.6 | 24.7 | 18.0 | 17.4 | 21.1 | 13.2 | 8.7 | 35.2 |
| Evergreen Park | 18.3 | 16.7 | 16.7 | -0- | 10.4 | 10.4 | -0- | 2.1 | 2.1 | -0- |
| Forest Park | 21.8 | 34.2 | 34.4 | -0- | 34.2 | 34.4 | -0- | -0- | -0- | -0- |
| Franklin Park | 26.7 | 18.8 | 18.8 | -0- | 14.6 | 14.6 | -0- | 8.3 | 8.3 | -0- |
| Freeport | 23.9 | 18.0 | 19.6 | -0- | 8.2 | 8.9 | -0- | 13.1 | 10.7 | 39.2 |
| Galesburg | 21.8 | 25.6 | 25.5 | 28.6 | 16.7 | 16.1 | 28.6 | 9.0 | 9.4 | -0- |
| Glen Ellyn | 24.1 | 21.7 | 21.9 | -0- | 13.6 | 13.7 | -0- | 8.1 | 8.2 | -0- |
| Glenview | 34.5 | 14.3 | 12.6 | 250.0 | 14.3 | 12.6 | 250.0 | 21.5 | 21.6 | -0- |
| Granite City | 31.0 | 27.2 | 27.3 | -0- | 23.0 | 23.1 | -0- | 8.5 | 8.5 | -0- |
| Harrisburg | 15.1 | 33.1 | 28.2 | 111.1 | 19.9 | 14.1 | 111.1 | 6.6 | 7.0 | -0- |
| Harvey | 32.2 | 32.9 | 29.8 | 61.0 | 23.2 | 20.3 | 48.8 | 14.6 | 16.3 | -0- |
| Highland Park | 19.8 | 16.2 | 16.3 | -0- | 14.2 | 14.3 | -0- | 10.1 | 10.2 | -0- |
| Hinsdale | 17.5 | 25.5 | 25.8 | -0- | 12.8 | 12.9 | -0- | 12.8 | 12.9 | -0- |
| Homewood | 17.8 | 19.9 | 19.9 | -0- | 15.9 | 15.9 | -0- | 27.9 | 27.9 | -0- |
| Jacksonville | 13.9 | 19.1 | 17.1 | 45.5 | 19.1 | 17.1 | 45.5 | 9.6 | 10.3 | -0- |
| Joliet | 25.4 | 26.6 | 21.5 | 83.3 | 21.0 | 17.5 | 60.6 | 16.7 | 16.2 | 22.7 |
| Kankakee | 24.7 | 39.7 | 36.9 | 53.6 | 29.4 | 28.1 | 35.7 | 11.7 | 12.3 | 8.9 |
| Kewanee | 18.3 | 24.2 | 22.4 | 55.6 | 9.1 | 6.4 | 55.6 | 18.1 | 19.2 | -0- |
| La Grange | 28.1 | 17.8 | 14.6 | 39.2 | 12.7 | 11.7 | 19.6 | 5.1 | 2.9 | 19.6 |

Table 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

(Live birth rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| City | Live births | Infant deaths | | | Neonatal deaths | | | Stillbirths | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| La Grange Park | 13.7 | 20.9 | 21.1 | -0- | 20.9 | 21.1 | -0- | 10.5 | 10.5 | -0- |
| Lansing | 25.5 | 13.6 | 13.6 | -0- | 9.1 | 9.1 | -0- | 6.8 | 6.8 | -0- |
| La Salle | 18.8 | 37.0 | 37.0 | -0- | 24.7 | 24.7 | -0- | 4.1 | 4.1 | -0- |
| Lincoln | 19.5 | 15.5 | 12.5 | 500.0 | 9.3 | 9.3 | -0- | 9.3 | 9.3 | -0- |
| Lincolnwood | 9.5 | 43.9 | 43.9 | -0- | 35.1 | 35.1 | -0- | 8.8 | 8.8 | -0- |
| Lombard | 30.7 | 23.4 | 23.5 | -0- | 17.5 | 17.6 | -0- | 14.6 | 14.7 | -0- |
| Macomb | 19.3 | 25.3 | 25.6 | -0- | 21.1 | 21.4 | -0- | 8.4 | 8.5 | -0- |
| Marion | 20.7 | 46.6 | 49.8 | -0- | 29.7 | 31.7 | -0- | 21.2 | 13.6 | 133.3 |
| Mattoon | 20.5 | 25.3 | 25.6 | -0- | 17.7 | 17.9 | -0- | 12.7 | 12.8 | -0- |
| Maywood | 23.1 | 23.8 | 22.0 | 29.1 | 13.4 | 12.0 | 17.4 | 7.5 | 4.0 | 17.4 |
| Melrose Park | 38.5 | 31.3 | 31.5 | -0- | 24.4 | 24.5 | -0- | 9.3 | 9.3 | -0- |
| Moline | 22.2 | 27.6 | 27.9 | -0- | 23.5 | 23.8 | -0- | 12.3 | 12.4 | -0- |
| Monmouth | 20.3 | 17.0 | 17.9 | -0- | 17.0 | 17.9 | -0- | 4.3 | 4.5 | -0- |
| Morton Grove | 23.5 | 9.5 | 7.1 | 333.3 | 9.5 | 7.1 | 333.3 | 11.8 | 11.9 | -0- |
| Mount Prospect | 27.4 | 18.8 | 18.8 | -0- | 16.7 | 16.7 | -0- | 16.7 | 16.7 | -0- |
| Mount Vernon | 24.1 | 34.8 | 32.7 | 57.1 | 27.4 | 27.2 | 28.6 | 19.9 | 19.1 | 28.6 |
| Naperville | 27.7 | 24.5 | 24.5 | -0- | 18.3 | 18.3 | -0- | 9.2 | 9.2 | -0- |
| Niles | 22.0 | 12.0 | 12.1 | -0- | 7.2 | 7.3 | -0- | 12.0 | 12.1 | -0- |
| Normal | 18.4 | -0- | -0- | -0- | -0- | -0- | -0- | 8.4 | 8.5 | -0- |
| Norridge | 27.7 | 7.1 | 7.1 | -0- | 3.6 | 3.6 | -0- | 10.7 | 10.7 | -0- |
| Northbrook | 33.8 | 19.8 | 19.8 | -0- | 17.3 | 17.3 | -0- | 7.4 | 7.4 | -0- |
| North Chicago | 26.5 | 21.2 | 17.1 | 27.9 | 19.1 | 17.1 | 22.3 | 14.9 | 17.1 | 11.2 |
| Northlake | 19.6 | 15.2 | 15.2 | -0- | 15.2 | 15.2 | -0- | 7.6 | 7.6 | -0- |
| Oak Lawn | 49.4 | 26.2 | 26.2 | -0- | 22.3 | 22.4 | -0- | 28.5 | 28.5 | -0- |
| Oak Park | 18.1 | 19.8 | 19.9 | -0- | 15.3 | 15.4 | -0- | 9.0 | 9.0 | -0- |
| Ottawa | 29.3 | 10.7 | 10.8 | -0- | 7.1 | 7.2 | -0- | 12.5 | 10.8 | 142.9 |
| Palatine | 33.6 | 11.3 | 11.3 | -0- | 5.7 | 5.7 | -0- | 8.5 | 8.5 | -0- |
| Park Forest | 35.3 | 26.7 | 26.8 | -0- | 18.8 | 18.8 | -0- | 13.9 | 13.9 | -0- |
| Park Ridge | 18.4 | 19.3 | 19.3 | -0- | 14.0 | 14.0 | -0- | 17.5 | 17.5 | -0- |
| Pekin | 27.1 | 14.0 | 14.1 | -0- | 8.4 | 8.4 | -0- | 12.6 | 12.7 | -0- |
| Peoria | 24.1 | 24.3 | 22.6 | 35.0 | 20.7 | 20.3 | 23.3 | 9.9 | 7.8 | 23.3 |
| Quincy | 20.9 | 32.3 | 32.6 | 24.4 | 28.0 | 28.1 | 24.4 | 10.8 | 11.2 | -0- |
| Rantoul | 7.2 | 98.2 | 100.6 | -0- | 67.5 | 69.2 | -0- | 24.5 | 25.2 | -0- |
| Riverdale | 17.7 | 9.4 | 9.4 | -0- | 9.4 | 9.4 | -0- | 23.6 | 23.6 | -0- |
| River Forest | 13.7 | 6.1 | 6.1 | -0- | 6.1 | 6.1 | -0- | 24.5 | 24.5 | -0- |
| Rock Falls | 28.9 | 19.2 | 19.2 | -0- | 9.6 | 9.6 | -0- | 19.2 | 19.2 | -0- |
| Rockford | 25.4 | 30.1 | 27.7 | 66.3 | 22.1 | 20.1 | 51.0 | 9.3 | 8.2 | 25.5 |
| Rock Island | 23.2 | 29.1 | 25.0 | 80.5 | 24.8 | 22.2 | 57.5 | 20.5 | 19.4 | 34.5 |
| Rolling Meadows | 42.1 | 11.9 | 11.9 | -0- | 11.9 | 11.9 | -0- | 11.9 | 11.9 | -0- |
| Skokie | 20.7 | 18.0 | 18.1 | -0- | 14.6 | 14.6 | -0- | 11.2 | 11.2 | -0- |
| Springfield | 22.9 | 27.2 | 23.5 | 60.6 | 20.6 | 17.7 | 45.5 | 12.8 | 12.0 | 20.2 |
| Sterling | 27.1 | 21.8 | 22.0 | -0- | 19.4 | 19.6 | -0- | 9.7 | 9.8 | -0- |
| Streator | 21.0 | 21.3 | 19.0 | 125.0 | 16.0 | 16.3 | -0- | 8.0 | 8.2 | -0- |
| Urbana | 30.4 | 19.0 | 19.4 | 14.5 | 15.4 | 16.8 | -0- | 13.0 | 12.9 | 14.5 |
| Villa Park | 27.0 | 19.9 | 19.9 | -0- | 12.0 | 12.0 | -0- | 4.0 | 4.0 | -0- |
| Waukegan | 31.1 | 21.5 | 21.7 | 20.1 | 16.0 | 15.4 | 20.1 | 14.8 | 14.7 | 15.1 |
| Westchester | 22.1 | 21.1 | 21.1 | -0- | 18.1 | 18.1 | -0- | 6.0 | 6.0 | -0- |
| West Frankfort | 13.8 | 41.7 | 42.0 | -0- | 27.8 | 28.0 | -0- | 13.9 | 14.0 | -0- |
| Wheaton | 26.6 | 22.5 | 23.1 | -0- | 17.3 | 17.8 | -0- | 13.8 | 14.2 | -0- |
| Wilmette | 16.1 | 20.4 | 20.4 | -0- | 13.6 | 13.6 | -0- | 9.1 | 9.1 | -0- |
| Winnetka | 11.8 | 25.0 | 25.2 | -0- | 18.8 | 18.9 | -0- | 12.5 | 12.6 | -0- |
| Wood River | 24.7 | 17.0 | 17.0 | -0- | 17.0 | 17.0 | -0- | 10.2 | 10.2 | -0- |
| Zion | 27.9 | 21.1 | 21.6 | -0- | 15.1 | 15.4 | -0- | 21.1 | 21.6 | -0- |

Table 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959

| County | Total live births | Stillbirths | | | | | | | | | Infant deaths | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Gestation (in weeks) | | | | | | | | Total | Age | | |
| | | | Less than 20 | 20 to 23 | 24 to 27 | 28 to 31 | 32 to 35 | 36 to 39 | 40 and over | Not stated | | Less than 7 da. | 7-28 days | 1-11 mo. |
| ILLINOIS . . . | 239,871 | 3,489 | 44 | 380 | 441 | 352 | 483 | 628 | 1,145 | 16 | 5,990 | 3,876 | 442 | 1,672 |
| Adams . . . . . | 1,399 | 12 | -- | 2 | 1 | 1 | 3 | 2 | 3 | -- | 37 | 27 | 5 | 5 |
| Alexander . . . . | 282 | 10 | -- | -- | 3 | 1 | 1 | 1 | 4 | -- | 13 | 7 | 3 | 3 |
| Bond . . . . . | 296 | 5 | -- | -- | -- | 1 | -- | 1 | 3 | -- | 4 | 3 | -- | 1 |
| Boone . . . . . | 450 | 6 | -- | 1 | 1 | 2 | -- | 1 | 1 | -- | 12 | 9 | -- | 3 |
| Brown . . . . . | 121 | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | 2 | 2 | -- | -- |
| Bureau . . . . . | 757 | 15 | -- | -- | 2 | 4 | 1 | 1 | 7 | -- | 14 | 9 | -- | 5 |
| Calhoun . . . . . | 120 | 4 | -- | 1 | -- | -- | 2 | 1 | -- | -- | 4 | 3 | -- | 1 |
| Carroll . . . . . | 427 | 8 | -- | -- | 1 | -- | 1 | 3 | 3 | -- | 9 | 8 | -- | 1 |
| Cass . . . . . | 270 | 9 | -- | 1 | -- | -- | -- | 2 | 6 | -- | 10 | 8 | -- | 2 |
| Champaign . . . . | 3,128 | 44 | -- | 6 | 3 | 5 | 4 | 13 | 13 | -- | 80 | 57 | 5 | 18 |
| Christian . . . . . | 791 | 16 | -- | 1 | 1 | 2 | 4 | 5 | 3 | -- | 16 | 11 | 1 | 4 |
| Clark . . . . . | 345 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 6 | 4 | -- | 2 |
| Clay . . . . . | 306 | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | 9 | 5 | 1 | 3 |
| Clinton . . . . . | 627 | 8 | -- | 1 | -- | -- | 2 | 4 | 1 | -- | 12 | 9 | -- | 3 |
| Coles . . . . . | 924 | 9 | -- | -- | 2 | 1 | 1 | 2 | 3 | -- | 16 | 11 | 1 | 4 |
| Cook . . . . . | 127,153 | 2,044 | 18 | 225 | 297 | 192 | 292 | 346 | 667 | 7 | 3,343 | 2,088 | 254 | 1,001 |
| Crawford . . . . . | 392 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 6 | 5 | 1 | -- |
| Cumberland . . . | 223 | 3 | -- | -- | -- | -- | -- | 3 | -- | -- | 4 | 1 | 1 | 2 |
| De Kalb . . . . . | 1,147 | 14 | 1 | 1 | 1 | -- | 4 | 2 | 5 | -- | 23 | 13 | 2 | 8 |
| De Witt . . . . . | 368 | 7 | 2 | 1 | -- | 1 | 1 | 1 | 1 | -- | 9 | 5 | -- | 4 |
| Douglas . . . . . | 462 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 10 | 7 | 1 | 2 |
| Du Page . . . . . | 7,196 | 75 | 1 | 7 | 6 | 12 | 16 | 12 | 20 | 1 | 142 | 93 | 8 | 41 |
| Edgar . . . . . | 452 | 7 | 1 | -- | 2 | -- | -- | -- | 4 | -- | 8 | 5 | -- | 3 |
| Edwards . . . . . | 151 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 2 | 2 | -- | -- |
| Effingham . . . . | 578 | 8 | -- | 1 | -- | 1 | 1 | 3 | 2 | -- | 11 | 9 | 1 | 1 |
| Fayette . . . . . | 413 | 3 | -- | -- | 1 | -- | 1 | -- | 1 | -- | 9 | 4 | 1 | 4 |
| Ford . . . . . | 353 | 5 | -- | -- | -- | 1 | 1 | -- | 3 | -- | 8 | 6 | 1 | 1 |
| Franklin . . . . . | 632 | 8 | -- | 1 | 1 | -- | 2 | -- | 4 | -- | 22 | 18 | -- | 4 |
| Fulton . . . . . | 801 | 11 | -- | 2 | 1 | -- | 1 | 2 | 5 | -- | 20 | 13 | 1 | 6 |
| Gallatin . . . . . | 127 | 5 | -- | -- | -- | 1 | -- | -- | 3 | 1 | 7 | 7 | -- | -- |
| Greene . . . . . | 357 | 3 | -- | -- | -- | 1 | 1 | -- | 1 | -- | 11 | 8 | 1 | 2 |
| Grundy . . . . . | 529 | 9 | 2 | 1 | 2 | -- | 1 | 2 | 1 | -- | 14 | 10 | 1 | 3 |
| Hamilton . . . . . | 158 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 2 | -- | -- |
| Hancock . . . . . | 498 | 6 | -- | -- | 1 | 1 | 2 | 1 | 1 | -- | 11 | 8 | 1 | 2 |
| Hardin . . . . . | 89 | 2 | -- | -- | -- | -- | 1 | -- | 1 | -- | 3 | 2 | -- | 1 |
| Henderson . . . . | 205 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 5 | 3 | 1 | 1 |
| Henry . . . . . | 1,025 | 23 | -- | 1 | 3 | 1 | 3 | 3 | 12 | -- | 20 | 9 | 2 | 9 |
| Iroquois . . . . . | 736 | 8 | -- | 1 | -- | 1 | 1 | 3 | 2 | -- | 15 | 10 | 2 | 3 |
| Jackson . . . . . | 870 | 13 | -- | 1 | -- | 3 | 2 | 2 | 5 | -- | 20 | 10 | 1 | 9 |
| Jasper . . . . . | 245 | 4 | -- | -- | -- | -- | -- | 2 | 2 | -- | 5 | 4 | -- | 1 |
| Jefferson . . . . . | 687 | 15 | -- | 2 | 3 | 1 | 2 | -- | 7 | -- | 22 | 16 | 2 | 4 |
| Jersey . . . . . | 405 | 13 | -- | 3 | -- | 2 | 1 | 4 | 3 | -- | 2 | 2 | -- | -- |
| Jo Daviess . . . . | 538 | 5 | -- | 1 | -- | -- | -- | 1 | 3 | -- | 10 | 9 | -- | 1 |
| Johnson . . . . . | 132 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | 1 |
| Kane . . . . . | 5,207 | 56 | 2 | 8 | 6 | 7 | 8 | 8 | 15 | 2 | 125 | 93 | 4 | 28 |
| Kankakee . . . . . | 2,037 | 27 | 1 | 3 | 1 | 1 | 4 | 9 | 8 | -- | 53 | 38 | 1 | 14 |
| Kendall . . . . . | 407 | 4 | -- | -- | -- | -- | -- | 3 | 1 | -- | 13 | 7 | -- | 6 |
| Knox . . . . . | 1,291 | 15 | -- | -- | -- | 3 | 1 | 5 | 6 | -- | 36 | 18 | 4 | 14 |
| Lake . . . . . | 7,209 | 94 | 3 | 14 | 14 | 8 | 13 | 22 | 20 | -- | 148 | 91 | 19 | 38 |
| La Salle . . . . . | 2,566 | 22 | -- | 1 | 2 | 3 | 4 | 7 | 5 | -- | 55 | 36 | 5 | 14 |
| Lawrence . . . . . | 374 | 2 | -- | 1 | -- | -- | -- | -- | 1 | -- | 12 | 6 | -- | 6 |
| Lee . . . . . | 770 | 12 | -- | 1 | -- | 3 | 1 | 3 | 4 | -- | 22 | 18 | 1 | 3 |

Table 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

| County | Total live births | Stillbirths | | | | | | | | | Infant deaths | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Gestation (in weeks) | | | | | | | | Total | Age | | |
| | | | Less than 20 | 20 to 23 | 24 to 27 | 28 to 31 | 32 to 35 | 36 to 39 | 40 and over | Not stated | | Less than 7 da. | 7-28 days | 1-11 mo. |
| Livingston | 925 | 10 | -- | 1 | -- | 1 | 2 | 1 | 5 | -- | 20 | 9 | 4 | 7 |
| Logan | 639 | 5 | -- | 2 | 1 | -- | -- | 1 | 1 | -- | 12 | 8 | 2 | 2 |
| McDonough | 592 | 5 | -- | 1 | 1 | -- | -- | -- | 3 | -- | 17 | 12 | 3 | 2 |
| McHenry | 1,998 | 27 | 2 | 5 | 4 | 5 | 3 | -- | 8 | -- | 58 | 38 | 2 | 18 |
| McLean | 1,853 | 24 | 1 | 2 | 4 | 3 | 1 | 10 | 2 | 1 | 26 | 19 | -- | 7 |
| Macon | 2,715 | 34 | 2 | 8 | 6 | 3 | 4 | 2 | 9 | -- | 68 | 53 | 3 | 12 |
| Macoupin | 823 | 15 | -- | 4 | 2 | -- | 5 | 1 | 3 | -- | 14 | 10 | 2 | 2 |
| Madison | 5,427 | 74 | 1 | 12 | 7 | 8 | 9 | 16 | 21 | -- | 141 | 99 | 12 | 30 |
| Marion | 787 | 11 | -- | -- | 3 | 1 | 2 | 1 | 4 | -- | 18 | 10 | 3 | 5 |
| Marshall | 296 | 4 | -- | -- | -- | -- | 1 | -- | 3 | -- | 8 | 4 | 1 | 3 |
| Mason | 313 | 3 | -- | -- | 1 | 1 | -- | 1 | -- | -- | 8 | 4 | 1 | 3 |
| Massac | 268 | 3 | -- | -- | -- | 1 | -- | -- | 2 | -- | 2 | 1 | -- | 1 |
| Menard | 188 | 8 | -- | 1 | 1 | -- | -- | 3 | 3 | -- | 1 | 1 | -- | -- |
| Mercer | 343 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 6 | 3 | -- | 3 |
| Monroe | 354 | 2 | -- | -- | -- | -- | -- | 1 | 1 | -- | 7 | 6 | -- | 1 |
| Montgomery | 639 | 14 | -- | -- | 1 | 1 | 1 | 4 | 7 | -- | 18 | 14 | -- | 4 |
| Morgan | 626 | 7 | -- | -- | 1 | 1 | -- | 1 | 4 | -- | 13 | 11 | -- | 2 |
| Moultrie | 317 | 6 | -- | -- | -- | -- | 1 | -- | 4 | 1 | 8 | 5 | 1 | 2 |
| Ogle | 921 | 8 | -- | 1 | -- | -- | -- | -- | 7 | -- | 23 | 15 | 1 | 7 |
| Peoria | 4,569 | 48 | 1 | 2 | 2 | 9 | 4 | 10 | 20 | -- | 100 | 71 | 6 | 23 |
| Perry | 352 | 6 | -- | 1 | -- | 2 | 1 | 2 | -- | -- | 6 | 4 | 1 | 1 |
| Piatt | 324 | 3 | -- | -- | -- | -- | 1 | 1 | 1 | -- | 7 | 7 | -- | -- |
| Pike | 409 | 3 | -- | -- | -- | 1 | 1 | 1 | -- | -- | 10 | 6 | 1 | 3 |
| Pope | 61 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | -- | -- |
| Pulaski | 242 | 9 | -- | -- | 1 | 1 | -- | 2 | 5 | -- | 12 | 4 | 1 | 7 |
| Putnam | 77 | 2 | -- | -- | -- | -- | -- | 2 | -- | -- | 1 | -- | -- | 1 |
| Randolph | 529 | 9 | -- | 1 | -- | -- | 2 | 5 | 1 | -- | 16 | 12 | -- | 4 |
| Richland | 349 | 3 | -- | -- | -- | 1 | -- | -- | 2 | -- | 10 | 6 | -- | 4 |
| Rock Island | 3,558 | 53 | -- | 4 | 7 | 7 | 11 | 4 | 19 | 1 | 98 | 74 | 6 | 18 |
| St. Clair | 6,721 | 67 | -- | 6 | 8 | 8 | 10 | 13 | 22 | -- | 171 | 108 | 11 | 52 |
| Saline | 404 | 4 | -- | -- | 1 | -- | -- | 1 | 2 | -- | 12 | 5 | 2 | 5 |
| Sangamon | 3,462 | 50 | 1 | -- | 5 | 5 | 6 | 9 | 24 | -- | 86 | 62 | 6 | 18 |
| Schuyler | 167 | 5 | -- | -- | 1 | -- | 1 | -- | 3 | -- | 5 | 5 | -- | -- |
| Scott | 119 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 3 | 1 | -- | 2 |
| Shelby | 479 | 6 | -- | -- | 2 | -- | 2 | 2 | -- | -- | 5 | 4 | -- | 1 |
| Stark | 173 | 2 | -- | 1 | -- | -- | -- | 1 | -- | -- | 1 | 1 | -- | -- |
| Stephenson | 1,047 | 13 | -- | 1 | -- | 3 | 2 | 1 | 6 | -- | 16 | 8 | 2 | 6 |
| Tazewell | 2,453 | 33 | -- | 4 | 1 | 3 | 4 | 6 | 15 | -- | 43 | 29 | 3 | 11 |
| Union | 270 | 8 | -- | -- | 1 | 1 | 2 | 1 | 3 | -- | 9 | 7 | -- | 2 |
| Vermilion | 2,202 | 27 | -- | 3 | 6 | 3 | 3 | 6 | 6 | -- | 58 | 44 | 5 | 9 |
| Wabash | 281 | 5 | 1 | -- | 1 | 2 | -- | -- | 1 | -- | 5 | 3 | 1 | 1 |
| Warren | 450 | 2 | -- | -- | -- | -- | -- | 2 | -- | -- | 8 | 3 | 4 | 1 |
| Washington | 241 | 3 | -- | 1 | -- | -- | 1 | -- | 1 | -- | 9 | 8 | 1 | -- |
| Wayne | 389 | 10 | -- | 3 | -- | 1 | 2 | 1 | 3 | -- | 13 | 10 | 1 | 2 |
| White | 386 | 7 | -- | -- | -- | 2 | -- | 1 | 4 | -- | 2 | 2 | -- | -- |
| Whiteside | 1,522 | 28 | -- | 5 | -- | 6 | 2 | 4 | 11 | -- | 35 | 21 | 3 | 11 |
| Will | 4,772 | 63 | 3 | 8 | 8 | 3 | 8 | 14 | 18 | 1 | 108 | 69 | 7 | 32 |
| Williamson | 865 | 15 | -- | -- | 1 | 1 | 1 | 3 | 9 | -- | 21 | 15 | -- | 6 |
| Winnebago | 5,377 | 50 | -- | 6 | 7 | 5 | 4 | 11 | 17 | -- | 163 | 105 | 12 | 46 |
| Woodford | 562 | 7 | -- | 1 | -- | 1 | -- | 3 | 2 | -- | 9 | 5 | 1 | 2 |
| Unspecified place in Illinois | 9 | 12 | -- | 7 | 2 | 1 | 1 | -- | -- | 1 | 6 | 4 | 1 | 1 |

Table 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959

| City | Total live births | Stillbirths | | | | | | | | | Infant deaths | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Gestation (in weeks) | | | | | | | | Total | Age | | |
| | | | Less than 20 | 20 to 23 | 24 to 27 | 28 to 31 | 32 to 35 | 36 to 39 | 40 and over | Not stated | | Less than 7 da. | 7-28 days | 1-11 mo. |
| Alton | 805 | 13 | -- | 1 | 2 | -- | 3 | 2 | 5 | -- | 22 | 12 | 1 | 9 |
| Arlington Heights | 749 | 10 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | -- | 15 | 12 | 1 | 2 |
| Aurora | 1,802 | 20 | 1 | 4 | 2 | 1 | -- | 4 | 6 | 2 | 58 | 44 | 1 | 13 |
| Belleville | 909 | 8 | -- | -- | 2 | -- | 2 | 1 | 3 | -- | 20 | 14 | -- | 6 |
| Bellwood | 488 | 9 | -- | -- | 1 | 1 | -- | 2 | 5 | -- | 7 | 5 | 1 | 1 |
| Berwyn | 1,046 | 15 | -- | 2 | 3 | 1 | -- | 2 | 7 | -- | 17 | 12 | 2 | 3 |
| Bloomington | 870 | 15 | 1 | 2 | 3 | 3 | -- | 4 | 1 | 1 | 13 | 10 | -- | 3 |
| Blue Island | 577 | 10 | -- | -- | 1 | 5 | -- | 2 | 2 | -- | 13 | 9 | -- | 4 |
| Brookfield | 394 | 9 | -- | 3 | -- | 1 | 3 | -- | 2 | -- | 5 | 4 | -- | 1 |
| Cairo | 156 | 3 | -- | -- | 1 | 1 | 1 | -- | -- | -- | 7 | 5 | 1 | 1 |
| Calumet City | 658 | 3 | -- | -- | -- | 1 | -- | -- | 2 | -- | 7 | 6 | -- | 1 |
| Canton | 254 | 4 | -- | 2 | -- | -- | 1 | -- | 1 | -- | 1 | 1 | -- | -- |
| Carbondale | 295 | 2 | -- | 1 | -- | -- | -- | -- | 1 | -- | 8 | 4 | -- | 4 |
| Carpentersville | 513 | 5 | -- | -- | 1 | 1 | -- | 2 | 1 | -- | 14 | 8 | 1 | 5 |
| Centralia | 329 | 4 | -- | 1 | -- | -- | -- | 1 | 2 | -- | 6 | 5 | -- | 1 |
| Champaign | 1,351 | 20 | -- | 4 | -- | 3 | 2 | 9 | 2 | -- | 29 | 20 | 2 | 7 |
| Charleston | 238 | 2 | -- | -- | 1 | -- | -- | -- | 1 | -- | 2 | 2 | -- | -- |
| Chicago | 91,206 | 1,562 | 11 | 170 | 231 | 148 | 230 | 240 | 527 | 5 | 2,594 | 1,575 | 200 | 819 |
| Chicago Heights | 1,151 | 21 | 1 | 3 | 3 | 1 | 2 | 4 | 6 | 1 | 35 | 18 | 5 | 12 |
| Cicero | 1,397 | 13 | -- | 2 | 3 | 1 | 2 | 3 | 2 | -- | 34 | 21 | 2 | 11 |
| Collinsville | 330 | 4 | -- | -- | -- | -- | 1 | -- | 3 | -- | 10 | 7 | 1 | 2 |
| Danville | 1,096 | 10 | -- | 1 | 1 | 1 | 1 | 2 | 4 | -- | 35 | 27 | 5 | 3 |
| Decatur | 1,889 | 23 | 2 | 7 | 3 | 3 | 1 | 2 | 5 | -- | 53 | 40 | 3 | 10 |
| De Kalb | 400 | 8 | 1 | -- | -- | -- | 2 | 1 | 4 | -- | 4 | 3 | -- | 1 |
| Des Plaines | 930 | 13 | -- | -- | -- | 1 | 3 | 6 | 3 | -- | 23 | 12 | 5 | 6 |
| Dixon | 355 | 4 | -- | -- | -- | 1 | 1 | 1 | 1 | -- | 9 | 6 | 1 | 2 |
| Dolton | 562 | 6 | -- | 1 | -- | 1 | 3 | -- | 1 | -- | 9 | 6 | 1 | 2 |
| Downers Grove | 539 | 3 | -- | -- | -- | -- | 1 | -- | 2 | -- | 8 | 7 | 1 | -- |
| East Moline | 403 | 7 | -- | -- | 2 | -- | 2 | -- | 3 | -- | 16 | 12 | 1 | 3 |
| East Peoria | 316 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 13 | 12 | -- | 1 |
| East St. Louis | 2,669 | 30 | -- | 3 | 4 | 6 | 5 | 6 | 6 | -- | 79 | 44 | 6 | 29 |
| Elgin | 1,071 | 14 | 1 | 2 | 1 | 1 | 5 | 2 | 2 | -- | 23 | 16 | 2 | 5 |
| Elmhurst | 776 | 11 | -- | 1 | -- | 4 | 3 | 1 | 1 | 1 | 16 | 13 | 1 | 2 |
| Elmwood Park | 465 | 4 | -- | -- | 1 | 1 | -- | -- | 2 | -- | 15 | 9 | 1 | 5 |
| Evanston | 1,664 | 22 | -- | 2 | 6 | -- | 4 | 7 | 3 | -- | 34 | 27 | 3 | 4 |
| Evergreen Park | 480 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 8 | 5 | -- | 3 |
| Forest Park | 351 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 12 | 12 | -- | -- |
| Franklin Park | 480 | 4 | -- | -- | -- | -- | 2 | 1 | 1 | -- | 9 | 6 | 1 | 2 |
| Freeport | 611 | 8 | -- | 1 | -- | 3 | 1 | -- | 3 | -- | 11 | 5 | -- | 6 |
| Galesburg | 780 | 7 | -- | -- | -- | 1 | 1 | 2 | 3 | -- | 20 | 11 | 2 | 7 |
| Glen Ellyn | 369 | 3 | -- | -- | -- | -- | -- | -- | 3 | -- | 8 | 5 | -- | 3 |
| Glenview | 559 | 12 | -- | 3 | 1 | -- | 1 | 5 | 2 | -- | 8 | 7 | 1 | -- |
| Granite City | 1,176 | 10 | -- | 3 | 1 | 2 | 2 | 1 | 1 | -- | 32 | 25 | 2 | 5 |
| Harrisburg | 151 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 5 | 1 | 2 | 2 |
| Harvey | 820 | 12 | 1 | 1 | 3 | -- | 1 | 1 | 5 | -- | 27 | 17 | 2 | 8 |
| Highland Park | 494 | 5 | -- | 2 | -- | 1 | 1 | 1 | -- | -- | 8 | 7 | -- | 1 |
| Hinsdale | 235 | 3 | -- | 1 | -- | 1 | -- | -- | 1 | -- | 6 | 3 | -- | 3 |
| Homewood | 251 | 7 | 1 | -- | -- | 2 | -- | 1 | 3 | -- | 5 | 3 | 1 | 1 |
| Jacksonville | 314 | 3 | -- | -- | -- | -- | -- | 1 | 2 | -- | 6 | 6 | -- | -- |
| Joliet | 1,618 | 27 | 3 | 2 | 4 | 2 | 4 | 5 | 6 | 1 | 43 | 31 | 3 | 9 |
| Kankakee | 681 | 8 | 1 | 2 | -- | 1 | -- | 2 | 2 | -- | 27 | 20 | -- | 7 |
| Kewanee | 331 | 6 | -- | 1 | -- | 1 | -- | 1 | 3 | -- | 8 | 2 | 1 | 5 |
| La Grange | 393 | 2 | -- | -- | -- | -- | -- | 1 | 1 | -- | 7 | 3 | 2 | 2 |

Table 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

| City | Total live births | Stillbirths | | | | | | | | | Infant deaths | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Gestation (in weeks) | | | | | | | | Total | Age | | |
| | | | Less than 20 | 20 to 23 | 24 to 27 | 28 to 31 | 32 to 35 | 36 to 39 | 40 and over | Not stated | | Less than 7 da. | 7-28 days | 1-11 mo. |
| La Grange Park | 191 | 2 | -- | -- | -- | 1 | 1 | -- | -- | -- | 4 | 4 | -- | -- |
| Lansing | 441 | 3 | -- | -- | -- | 1 | -- | 1 | 1 | -- | 6 | 3 | 1 | 2 |
| La Salle | 243 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 9 | 5 | 1 | 3 |
| Lincoln | 323 | 3 | -- | -- | 1 | -- | -- | 1 | 1 | -- | 5 | 2 | 1 | 2 |
| Lincolnwood | 114 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 5 | 4 | -- | 1 |
| Lombard | 685 | 10 | -- | 1 | -- | 2 | 3 | 2 | 2 | -- | 16 | 10 | 2 | 4 |
| Macomb | 237 | 2 | -- | -- | 1 | -- | -- | -- | 1 | -- | 6 | 5 | -- | 1 |
| Marion | 236 | 5 | -- | -- | -- | -- | -- | 1 | 4 | -- | 11 | 7 | -- | 4 |
| Mattoon | 395 | 5 | -- | -- | -- | 1 | 1 | 2 | 1 | -- | 10 | 6 | 1 | 3 |
| Maywood | 671 | 5 | -- | -- | -- | 1 | -- | -- | 4 | -- | 16 | 8 | 1 | 7 |
| Melrose Park | 862 | 8 | -- | -- | 1 | -- | 1 | 3 | 3 | -- | 27 | 19 | 2 | 6 |
| Moline | 977 | 12 | -- | 2 | 1 | 1 | 3 | 1 | 4 | -- | 27 | 22 | 1 | 4 |
| Monmouth | 235 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 4 | 2 | 2 | -- |
| Morton Grove | 423 | 5 | -- | -- | -- | -- | 1 | 4 | -- | -- | 4 | 3 | 1 | -- |
| Mount Prospect | 480 | 8 | -- | -- | 1 | 1 | 1 | 1 | 4 | -- | 9 | 8 | -- | 1 |
| Mount Vernon | 402 | 8 | -- | 2 | 1 | 1 | 2 | -- | 2 | -- | 14 | 10 | 1 | 3 |
| Naperville | 327 | 3 | -- | -- | -- | -- | -- | 2 | 1 | -- | 8 | 6 | -- | 2 |
| Niles | 415 | 5 | -- | 1 | 1 | 1 | 1 | -- | 1 | -- | 5 | 3 | -- | 2 |
| Normal | 239 | 2 | -- | -- | 1 | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| Norridge | 280 | 3 | -- | 1 | 1 | -- | -- | 1 | -- | -- | 2 | 1 | -- | 1 |
| Northbrook | 405 | 3 | -- | -- | 1 | 1 | -- | -- | 1 | -- | 8 | 7 | -- | 1 |
| North Chicago | 471 | 7 | 1 | -- | 1 | -- | 1 | 1 | 3 | -- | 10 | 9 | -- | 1 |
| Northlake | 264 | 2 | -- | -- | -- | -- | 1 | 1 | -- | -- | 4 | 4 | -- | -- |
| Oak Lawn | 1,299 | 37 | -- | 4 | 5 | 7 | 6 | 8 | 7 | -- | 34 | 25 | 4 | 5 |
| Oak Park | 1,110 | 10 | -- | -- | 2 | -- | 3 | 4 | 1 | -- | 22 | 15 | 2 | 5 |
| Ottawa | 562 | 7 | -- | -- | 1 | -- | 2 | 1 | 3 | -- | 6 | 3 | 1 | 2 |
| Palatine | 353 | 3 | -- | -- | 2 | -- | 1 | -- | -- | -- | 4 | 2 | -- | 2 |
| Park Forest | 1,010 | 14 | -- | 4 | 4 | -- | 1 | 2 | 3 | -- | 27 | 18 | 1 | 8 |
| Park Ridge | 570 | 10 | -- | 1 | 1 | -- | 1 | 3 | 4 | -- | 11 | 7 | 1 | 3 |
| Pekin | 712 | 9 | -- | 1 | -- | -- | 1 | 2 | 5 | -- | 10 | 5 | 1 | 4 |
| Peoria | 2,515 | 25 | 1 | 1 | 1 | 5 | 1 | 4 | 12 | -- | 61 | 50 | 2 | 9 |
| Quincy | 930 | 10 | -- | 1 | 1 | 1 | 3 | 2 | 2 | -- | 30 | 21 | 5 | 4 |
| Rantoul | 163 | 4 | -- | 1 | 1 | -- | 1 | -- | 1 | -- | 16 | 11 | -- | 5 |
| Riverdale | 212 | 5 | -- | -- | 2 | -- | -- | 2 | 1 | -- | 2 | 2 | -- | -- |
| River Forest | 163 | 4 | -- | -- | -- | -- | 2 | 1 | 1 | -- | 1 | 1 | -- | -- |
| Rock Falls | 312 | 6 | -- | -- | -- | 3 | -- | 2 | 1 | -- | 6 | 3 | -- | 3 |
| Rockford | 3,125 | 29 | -- | 2 | 4 | 3 | 2 | 6 | 12 | -- | 94 | 65 | 4 | 25 |
| Rock Island | 1,169 | 24 | -- | -- | 4 | 4 | 5 | 1 | 9 | 1 | 34 | 26 | 3 | 5 |
| Rolling Meadows | 421 | 5 | -- | -- | -- | -- | -- | 2 | 3 | -- | 5 | 4 | 1 | -- |
| Skokie | 1,164 | 13 | -- | 3 | 3 | -- | -- | 2 | 5 | -- | 21 | 17 | -- | 4 |
| Springfield | 1,946 | 25 | 1 | -- | 3 | 1 | 2 | 7 | 11 | -- | 53 | 35 | 5 | 13 |
| Sterling | 412 | 4 | -- | 2 | -- | -- | -- | 1 | 1 | -- | 9 | 6 | 2 | 1 |
| Streator | 376 | 3 | -- | -- | -- | 1 | -- | 2 | -- | -- | 8 | 4 | 2 | 2 |
| Urbana | 844 | 11 | -- | 1 | 2 | 2 | -- | 2 | 4 | -- | 16 | 12 | 1 | 3 |
| Villa Park | 502 | 2 | -- | -- | -- | 1 | -- | -- | 1 | -- | 10 | 6 | -- | 4 |
| Waukegan | 1,626 | 24 | 1 | 4 | 6 | 3 | 1 | 4 | 5 | -- | 35 | 20 | 6 | 9 |
| Westchester | 332 | 2 | -- | -- | -- | 1 | -- | 1 | -- | -- | 7 | 6 | -- | 1 |
| West Frankfort | 144 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 6 | 4 | -- | 2 |
| Wheaton | 579 | 8 | -- | -- | 2 | 2 | 2 | 1 | 1 | -- | 13 | 9 | 1 | 3 |
| Wilmette | 441 | 4 | -- | -- | 1 | -- | 1 | 2 | -- | -- | 9 | 6 | -- | 3 |
| Winnetka | 160 | 2 | -- | -- | -- | -- | -- | 1 | 1 | -- | 4 | 3 | -- | 1 |
| Wood River | 294 | 3 | -- | 1 | -- | -- | -- | -- | 2 | -- | 5 | 5 | -- | -- |
| Zion | 332 | 7 | -- | -- | -- | -- | 1 | 4 | 2 | -- | 7 | 5 | -- | 2 |

Table 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959

| County | Live births | | | | | Infant deaths by age[2] | | | | | | Maternal deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Premature births[1] | | Hospital births | | Under 7 days | | 7-28 days | | 1-11 months | | |
| | | Number | Percent of total | Number | Percent of total | No. | Rate[3] | No. | Rate[3] | No. | Rate[3] | |
| ILLINOIS . . . | 239,871 | 18,072 | 7.53 | 235,227 | 98.06 | 3,876 | 16.2 | 442 | 1.8 | 1,672 | 7.0 | 72 |
| Adams . . . . . | 1,399 | 89 | 6.36 | 1,399 | 100.00 | 27 | 19.3 | 5 | 3.6 | 5 | 3.6 | -- |
| Alexander . . . . | 282 | 27 | 9.57 | 230 | 81.56 | 7 | 24.8 | 3 | 10.6 | 3 | 10.6 | -- |
| Bond . . . . . | 296 | 24 | 8.11 | 291 | 98.31 | 3 | 10.1 | -- | -0- | 1 | 3.4 | -- |
| Boone . . . . . | 450 | 27 | 6.00 | 450 | 100.00 | 9 | 20.0 | -- | -0- | 3 | 6.7 | -- |
| Brown . . . . . | 121 | 11 | 9.09 | 121 | 100.00 | 2 | 16.5 | -- | -0- | -- | -0- | -- |
| Bureau . . . . . | 757 | 40 | 5.28 | 750 | 99.08 | 9 | 11.9 | -- | -0- | 5 | 6.6 | -- |
| Calhoun . . . . . | 120 | 6 | 5.00 | 119 | 99.17 | 3 | 25.0 | -- | -0- | 1 | 8.3 | -- |
| Carroll . . . . . | 427 | 25 | 5.85 | 425 | 99.53 | 8 | 18.7 | -- | -0- | 1 | 2.3 | -- |
| Cass . . . . . | 270 | 12 | 4.44 | 268 | 99.26 | 8 | 29.6 | -- | -0- | 2 | 7.4 | -- |
| Champaign . . . . | 3,128 | 216 | 6.91 | 3,120 | 99.74 | 57 | 18.2 | 5 | 1.6 | 18 | 5.8 | -- |
| Christian . . . . . | 791 | 53 | 6.70 | 788 | 99.62 | 11 | 13.9 | 1 | 1.3 | 4 | 5.1 | -- |
| Clark . . . . . | 345 | 22 | 6.38 | 333 | 96.52 | 4 | 11.6 | -- | -0- | 2 | 5.8 | -- |
| Clay . . . . . | 306 | 10 | 3.27 | 296 | 96.73 | 5 | 16.3 | 1 | 3.3 | 3 | 9.8 | -- |
| Clinton . . . . . | 627 | 31 | 4.94 | 623 | 99.36 | 9 | 14.4 | -- | -0- | 3 | 4.8 | -- |
| Coles . . . . . | 924 | 71 | 7.68 | 923 | 99.89 | 11 | 11.9 | 1 | 1.1 | 4 | 4.3 | -- |
| Cook . . . . . | 127,153 | 10,731 | 8.44 | 123,257 | 96.94 | 2,088 | 16.4 | 254 | 2.0 | 1,001 | 7.9 | 37 |
| Crawford . . . . . | 392 | 30 | 7.65 | 391 | 99.74 | 5 | 12.8 | 1 | 2.6 | -- | -0- | 1 |
| Cumberland . . . | 223 | 12 | 5.38 | 219 | 98.21 | 1 | 4.5 | 1 | 4.5 | 2 | 9.0 | -- |
| De Kalb . . . . . | 1,147 | 64 | 5.58 | 1,141 | 99.48 | 13 | 11.3 | 2 | 1.7 | 8 | 7.0 | -- |
| De Witt . . . . . | 368 | 18 | 4.89 | 365 | 99.18 | 5 | 13.6 | -- | -0- | 4 | 10.9 | 1 |
| Douglas . . . . . | 462 | 32 | 6.93 | 456 | 98.70 | 7 | 15.2 | 1 | 2.2 | 2 | 4.3 | -- |
| Du Page . . . . . | 7,196 | 375 | 5.21 | 7,165 | 99.57 | 93 | 12.9 | 8 | 1.1 | 41 | 5.7 | 3 |
| Edgar . . . . . | 452 | 33 | 7.30 | 447 | 98.89 | 5 | 11.1 | -- | -0- | 3 | 6.6 | 1 |
| Edwards . . . . . | 151 | 2 | 5.96 | 150 | 99.34 | 2 | 13.2 | -- | -0- | -- | -0- | -- |
| Effingham . . . . | 578 | 37 | 6.40 | 572 | 98.96 | 9 | 15.6 | 1 | 1.7 | 1 | 1.7 | -- |
| Fayette . . . . . | 413 | 18 | 4.36 | 411 | 99.52 | 4 | 9.7 | 1 | 2.4 | 4 | 9.7 | -- |
| Ford . . . . . | 353 | 15 | 4.25 | 351 | 99.43 | 6 | 17.0 | 1 | 2.8 | 1 | 2.8 | 1 |
| Franklin . . . . . | 632 | 48 | 7.59 | 627 | 99.21 | 18 | 28.5 | -- | -0- | 4 | 6.3 | -- |
| Fulton . . . . . | 801 | 46 | 5.74 | 793 | 99.00 | 13 | 16.2 | 1 | 1.3 | 6 | 7.5 | -- |
| Gallatin . . . . . | 127 | 13 | 10.24 | 113 | 88.98 | 7 | 55.1 | -- | -0- | -- | -0- | -- |
| Greene . . . . . | 357 | 26 | 7.28 | 356 | 99.72 | 8 | 22.4 | 1 | 2.8 | 2 | 5.6 | -- |
| Grundy . . . . . | 529 | 31 | 5.86 | 527 | 99.62 | 10 | 18.9 | 1 | 1.9 | 3 | 5.7 | 1 |
| Hamilton . . . . . | 158 | 7 | 4.43 | 155 | 98.10 | 2 | 12.7 | -- | -0- | -- | -0- | -- |
| Hancock . . . . . | 498 | 21 | 4.22 | 498 | 100.00 | 8 | 16.1 | 1 | 2.0 | 2 | 4.0 | -- |
| Hardin . . . . . | 89 | 6 | 6.74 | 86 | 96.63 | 2 | 22.5 | -- | -0- | 1 | 11.2 | -- |
| Henderson . . . . | 205 | 9 | 4.39 | 203 | 99.02 | 3 | 14.6 | 1 | 4.9 | 1 | 4.9 | -- |
| Henry . . . . . | 1,025 | 51 | 4.98 | 1,023 | 99.80 | 9 | 8.8 | 2 | 2.0 | 9 | 8.8 | -- |
| Iroquois . . . . . | 736 | 42 | 5.71 | 730 | 99.18 | 10 | 13.6 | 2 | 2.7 | 3 | 4.1 | -- |
| Jackson . . . . . | 870 | 57 | 6.55 | 870 | 100.00 | 10 | 11.5 | 1 | 1.1 | 9 | 10.3 | -- |
| Jasper . . . . . | 245 | 13 | 5.31 | 242 | 98.78 | 4 | 16.3 | -- | -0- | 1 | 4.1 | -- |
| Jefferson . . . . . | 687 | 47 | 6.84 | 683 | 99.42 | 16 | 23.3 | 2 | 2.9 | 4 | 5.8 | -- |
| Jersey . . . . . | 405 | 21 | 5.19 | 389 | 96.05 | 2 | 4.9 | -- | -0- | -- | -0- | -- |
| Jo Daviess . . . . | 538 | 32 | 5.95 | 532 | 98.88 | 9 | 16.7 | -- | -0- | 1 | 1.9 | -- |
| Johnson . . . . . | 132 | 4 | 3.03 | 130 | 98.48 | -- | -0- | -- | -0- | 1 | 7.6 | -- |
| Kane . . . . . | 5,207 | 364 | 6.99 | 5,191 | 99.69 | 93 | 17.9 | 4 | 0.8 | 28 | 5.4 | 2 |
| Kankakee . . . . . | 2,037 | 151 | 7.41 | 2,025 | 99.41 | 38 | 18.7 | 1 | 0.5 | 14 | 6.9 | -- |
| Kendall . . . . . | 407 | 21 | 5.16 | 403 | 99.02 | 7 | 17.2 | -- | -0- | 6 | 14.7 | -- |
| Knox . . . . . | 1,291 | 79 | 6.12 | 1,289 | 99.85 | 18 | 13.9 | 4 | 3.1 | 14 | 10.8 | 1 |
| Lake . . . . . | 7,209 | 490 | 6.80 | 7,153 | 99.22 | 91 | 12.6 | 19 | 2.6 | 38 | 5.3 | 2 |
| La Salle . . . . . | 2,566 | 155 | 6.04 | 2,555 | 99.57 | 36 | 14.0 | 5 | 1.9 | 14 | 5.5 | 1 |
| Lawrence . . . . . | 374 | 24 | 6.42 | 367 | 98.13 | 6 | 16.0 | -- | -0- | 6 | 16.0 | -- |
| Lee . . . . . | 770 | 51 | 6.62 | 763 | 99.09 | 18 | 23.4 | 1 | 1.3 | 3 | 3.9 | -- |

[1]Premature births are births of 2,500 grams weight and under.
[2]Numbers and rates for total infant deaths are given in Tables 2A and 2B.
[3]Rates per 1,000 live births.

Table 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

| County | Live births | | | | | Infant deaths by age[2] | | | | | | Maternal deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Premature births[1] | | Hospital births | | Under 7 days | | 7-28 days | | 1-11 months | | |
| | | Number | Percent of total | Number | Percent of total | No. | Rate[3] | No. | Rate[3] | No. | Rate[3] | |
| Livingston | 925 | 53 | 5.73 | 922 | 99.68 | 9 | 9.7 | 4 | 4.3 | 7 | 7.6 | -- |
| Logan | 639 | 29 | 4.54 | 636 | 99.53 | 8 | 12.5 | 2 | 3.1 | 2 | 3.1 | -- |
| McDonough | 592 | 34 | 5.74 | 589 | 99.49 | 12 | 20.3 | 3 | 5.1 | 2 | 3.4 | -- |
| McHenry | 1,998 | 132 | 6.61 | 1,992 | 99.70 | 38 | 19.0 | 2 | 1.0 | 18 | 9.0 | -- |
| McLean | 1,853 | 106 | 5.72 | 1,849 | 99.78 | 19 | 10.3 | -- | -0- | 7 | 3.8 | -- |
| Macon | 2,715 | 179 | 6.59 | 2,711 | 99.85 | 53 | 19.5 | 3 | 1.1 | 12 | 4.4 | 1 |
| Macoupin | 823 | 33 | 4.01 | 820 | 99.64 | 10 | 12.2 | 2 | 2.4 | 2 | 2.4 | -- |
| Madison | 5,427 | 439 | 8.09 | 5,393 | 99.37 | 99 | 18.2 | 12 | 2.2 | 30 | 5.5 | 5 |
| Marion | 787 | 46 | 5.84 | 776 | 98.60 | 10 | 12.7 | 3 | 3.8 | 5 | 6.4 | -- |
| Marshall | 296 | 14 | 4.73 | 291 | 98.31 | 4 | 13.5 | 1 | 3.4 | 3 | 10.1 | -- |
| Mason | 313 | 15 | 4.79 | 312 | 99.68 | 4 | 12.8 | 1 | 3.2 | 3 | 9.6 | -- |
| Massac | 268 | 11 | 4.10 | 266 | 99.25 | 1 | 3.7 | -- | -0- | 1 | 3.7 | -- |
| Menard | 188 | 8 | 4.26 | 188 | 100.00 | 1 | 5.3 | -- | -0- | -- | -0- | 1 |
| Mercer | 343 | 21 | 6.12 | 341 | 99.42 | 3 | 8.7 | -- | -0- | 3 | 8.7 | -- |
| Monroe | 354 | 15 | 4.24 | 352 | 99.44 | 6 | 16.9 | -- | -0- | 1 | 2.8 | -- |
| Montgomery | 639 | 36 | 5.63 | 633 | 99.06 | 14 | 21.9 | -- | -0- | 4 | 6.3 | -- |
| Morgan | 626 | 42 | 6.71 | 624 | 99.68 | 11 | 17.6 | -- | -0- | 2 | 3.2 | -- |
| Moultrie | 317 | 17 | 5.36 | 310 | 97.79 | 5 | 15.8 | 1 | 3.2 | 2 | 6.3 | -- |
| Ogle | 921 | 51 | 5.54 | 917 | 99.57 | 15 | 16.3 | 1 | 1.1 | 7 | 7.6 | -- |
| Peoria | 4,569 | 362 | 7.92 | 4,543 | 99.43 | 71 | 15.5 | 6 | 1.3 | 23 | 5.0 | 1 |
| Perry | 352 | 21 | 7.97 | 352 | 100.00 | 4 | 11.4 | 1 | 2.8 | 1 | 2.8 | -- |
| Piatt | 324 | 19 | 5.86 | 323 | 99.69 | 7 | 21.6 | -- | -0- | -- | -0- | -- |
| Pike | 409 | 19 | 4.65 | 409 | 100.00 | 6 | 14.7 | 1 | 2.4 | 3 | 7.3 | -- |
| Pope | 61 | 3 | 4.92 | 59 | 96.72 | 1 | 16.4 | -- | -0- | -- | -0- | -- |
| Pulaski | 242 | 15 | 6.20 | 179 | 73.97 | 4 | 16.5 | 1 | 4.1 | 7 | 28.9 | 1 |
| Putnam | 77 | 5 | 6.49 | 74 | 96.10 | -- | -0- | -- | -0- | 1 | 13.0 | -- |
| Randolph | 529 | 50 | 9.45 | 529 | 100.00 | 12 | 22.7 | -- | -0- | 4 | 7.6 | -- |
| Richland | 349 | 19 | 5.44 | 349 | 100.00 | 6 | 17.2 | -- | -0- | 4 | 11.5 | -- |
| Rock Island | 3,558 | 253 | 7.11 | 3,548 | 99.72 | 74 | 20.8 | 6 | 1.7 | 18 | 5.1 | 1 |
| St. Clair | 6,721 | 561 | 8.35 | 6,667 | 99.20 | 108 | 16.1 | 11 | 1.6 | 52 | 7.7 | 5 |
| Saline | 404 | 41 | 10.15 | 399 | 98.76 | 5 | 12.4 | 2 | 5.0 | 5 | 12.4 | -- |
| Sangamon | 3,462 | 248 | 7.16 | 3,454 | 99.77 | 62 | 17.9 | 6 | 1.7 | 18 | 5.2 | 1 |
| Schuyler | 167 | 14 | 8.38 | 165 | 98.80 | 5 | 29.9 | -- | -0- | -- | -0- | -- |
| Scott | 119 | 6 | 5.04 | 118 | 99.16 | 1 | 8.4 | -- | -0- | 2 | 16.8 | -- |
| Shelby | 479 | 26 | 5.43 | 473 | 98.75 | 4 | 8.4 | -- | -0- | 1 | 2.1 | -- |
| Stark | 173 | 5 | 2.89 | 167 | 96.53 | 1 | 5.8 | -- | -0- | -- | -0- | -- |
| Stephenson | 1,047 | 55 | 5.25 | 1,043 | 99.62 | 8 | 7.6 | 2 | 1.9 | 6 | 5.7 | 1 |
| Tazewell | 2,453 | 114 | 4.65 | 2,443 | 99.59 | 29 | 11.8 | 3 | 1.2 | 11 | 4.5 | -- |
| Union | 270 | 20 | 7.41 | 265 | 98.15 | 7 | 25.9 | -- | -0- | 2 | 7.4 | -- |
| Vermilion | 2,202 | 178 | 8.08 | 2,197 | 99.77 | 44 | 20.0 | 5 | 2.3 | 9 | 4.1 | -- |
| Wabash | 281 | 20 | 7.12 | 280 | 99.64 | 3 | 10.7 | 1 | 3.6 | 1 | 3.6 | -- |
| Warren | 450 | 23 | 5.11 | 449 | 99.78 | 3 | 6.7 | 4 | 8.9 | 1 | 2.2 | -- |
| Washington | 241 | 12 | 4.98 | 235 | 97.51 | 8 | 33.2 | 1 | 4.1 | -- | -0- | -- |
| Wayne | 389 | 28 | 7.20 | 383 | 98.46 | 10 | 25.7 | 1 | 2.6 | 2 | 5.1 | -- |
| White | 386 | 23 | 5.96 | 383 | 99.22 | 2 | 5.2 | -- | -0- | -- | -0- | 1 |
| Whiteside | 1,522 | 77 | 5.06 | 1,519 | 99.80 | 21 | 13.8 | 3 | 2.0 | 11 | 7.2 | -- |
| Will | 4,772 | 308 | 6.45 | 4,758 | 99.71 | 69 | 14.5 | 7 | 1.5 | 32 | 6.7 | 2 |
| Williamson | 865 | 59 | 6.82 | 862 | 99.65 | 15 | 17.3 | -- | -0- | 6 | 6.9 | 1 |
| Winnebago | 5,377 | 341 | 6.34 | 5,359 | 99.67 | 105 | 19.5 | 12 | 2.2 | 46 | 8.6 | -- |
| Woodford | 562 | 19 | 3.38 | 557 | 99.11 | 6 | 10.7 | 1 | 1.8 | 2 | 3.6 | -- |
| Unspecified place in Illinois | 9 | -- | | 4 | | 4 | | 1 | | 1 | | -- |

[1]Premature births are births of 2,500 grams weight and under.
[2]Numbers and rates for total infant deaths are given in Tables 2A and 2B.
[3]Rates per 1,000 live births.

Table 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS, AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959

| City | Live births | | | | | Infant deaths by age[2] | | | | | | Maternal deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Premature births[1] | | Hospital births | | Under 7 days | | 7-28 days | | 1-11 months | | |
| | | Number | Percent of total | Number | Percent of total | No. | Rate[3] | No. | Rate[3] | No. | Rate[3] | |
| Alton | 805 | 70 | 8.70 | 791 | 98.26 | 12 | 14.9 | 1 | 1.2 | 9 | 11.2 | -- |
| Arlington Heights | 749 | 46 | 6.14 | 740 | 98.80 | 12 | 16.0 | 1 | 1.3 | 2 | 2.7 | -- |
| Aurora | 1,802 | 141 | 7.82 | 1,797 | 99.72 | 44 | 24.4 | 1 | 0.6 | 13 | 7.2 | -- |
| Belleville | 909 | 62 | 6.82 | 904 | 99.45 | 14 | 15.4 | -- | -0- | 6 | 6.6 | -- |
| Bellwood | 488 | 36 | 7.38 | 484 | 99.18 | 5 | 10.2 | 1 | 2.0 | 1 | 2.0 | -- |
| Berwyn | 1,046 | 53 | 5.07 | 1,043 | 99.71 | 12 | 11.5 | 2 | 1.9 | 3 | 2.9 | -- |
| Bloomington | 870 | 54 | 6.21 | 869 | 99.89 | 10 | 11.5 | -- | -0- | 3 | 3.4 | -- |
| Blue Island | 577 | 43 | 7.45 | 575 | 99.65 | 9 | 15.6 | -- | -0- | 4 | 6.9 | -- |
| Brookfield | 394 | 24 | 6.09 | 390 | 98.98 | 4 | 10.2 | -- | -0- | 1 | 2.5 | -- |
| Cairo | 156 | 17 | 10.90 | 124 | 79.49 | 5 | 32.1 | 1 | 6.4 | 1 | 6.4 | -- |
| Calumet City | 658 | 36 | 5.47 | 656 | 99.70 | 6 | 9.1 | -- | -0- | 1 | 1.5 | -- |
| Canton | 254 | 9 | 3.54 | 252 | 99.21 | 1 | 3.9 | -- | -0- | -- | -0- | -- |
| Carbondale | 295 | 24 | 8.14 | 295 | 100.00 | 4 | 13.6 | -- | -0- | 4 | 13.6 | -- |
| Carpentersville | 513 | 34 | 6.63 | 512 | 99.81 | 8 | 15.6 | 1 | 1.9 | 5 | 9.7 | -- |
| Centralia | 329 | 21 | 6.38 | 324 | 98.48 | 5 | 15.2 | -- | -0- | 1 | 3.0 | -- |
| Champaign | 1,351 | 105 | 7.77 | 1,347 | 99.70 | 20 | 14.8 | 2 | 1.5 | 7 | 5.2 | -- |
| Charleston | 238 | 15 | 6.30 | 238 | 100.00 | 2 | 8.4 | -- | -0- | -- | -0- | -- |
| Chicago | 91,206 | 8,434 | 9.25 | 87,531 | 95.97 | 1,575 | 17.3 | 200 | 2.2 | 819 | 9.0 | 32 |
| Chicago Heights | 1,151 | 114 | 9.90 | 1,132 | 98.35 | 18 | 15.6 | 5 | 4.3 | 12 | 10.4 | -- |
| Cicero | 1,397 | 90 | 6.44 | 1,393 | 99.71 | 21 | 15.0 | 2 | 1.4 | 11 | 7.9 | 1 |
| Collinsville | 330 | 28 | 8.48 | 329 | 99.70 | 7 | 21.2 | 1 | 3.0 | 2 | 6.1 | -- |
| Danville | 1,096 | 107 | 9.76 | 1,096 | 100.00 | 27 | 24.6 | 5 | 4.6 | 3 | 2.7 | -- |
| Decatur | 1,889 | 138 | 7.31 | 1,887 | 99.89 | 40 | 21.2 | 3 | 1.6 | 10 | 5.3 | 1 |
| De Kalb | 400 | 22 | 5.50 | 398 | 99.50 | 3 | 7.5 | -- | -0- | 1 | 2.5 | -- |
| Des Plaines | 930 | 48 | 5.16 | 924 | 99.35 | 12 | 12.9 | 5 | 5.4 | 6 | 6.5 | -- |
| Dixon | 355 | 25 | 7.04 | 354 | 99.72 | 6 | 16.9 | 1 | 2.8 | 2 | 5.6 | -- |
| Dolton | 562 | 37 | 6.58 | 560 | 99.64 | 6 | 10.7 | 1 | 1.8 | 2 | 3.6 | -- |
| Downers Grove | 539 | 29 | 5.38 | 537 | 99.63 | 7 | 13.0 | 1 | 1.9 | -- | -0- | -- |
| East Moline | 403 | 45 | 11.17 | 403 | 100.00 | 12 | 29.8 | 1 | 2.5 | 3 | 7.4 | -- |
| East Peoria | 316 | 21 | 6.65 | 315 | 99.68 | 12 | 38.0 | -- | -0- | 1 | 3.2 | -- |
| East St. Louis | 2,669 | 269 | 10.08 | 2,629 | 98.50 | 44 | 16.5 | 6 | 2.2 | 29 | 10.9 | 3 |
| Elgin | 1,071 | 75 | 7.00 | 1,066 | 99.53 | 16 | 14.9 | 2 | 1.9 | 5 | 4.7 | 1 |
| Elmhurst | 776 | 34 | 4.38 | 774 | 99.74 | 13 | 16.8 | 1 | 1.3 | 2 | 2.6 | -- |
| Elmwood Park | 465 | 36 | 7.74 | 463 | 99.57 | 9 | 19.4 | 1 | 2.2 | 5 | 10.8 | -- |
| Evanston | 1,664 | 116 | 6.97 | 1,656 | 99.52 | 27 | 16.2 | 3 | 1.8 | 4 | 2.4 | -- |
| Evergreen Park | 480 | 32 | 6.67 | 480 | 100.00 | 5 | 10.4 | -- | -0- | 3 | 6.3 | -- |
| Forest Park | 351 | 33 | 9.40 | 349 | 99.43 | 12 | 34.2 | -- | -0- | -- | -0- | -- |
| Franklin Park | 480 | 25 | 5.21 | 475 | 98.96 | 6 | 12.5 | 1 | 2.1 | 2 | 4.2 | -- |
| Freeport | 611 | 39 | 6.38 | 610 | 99.84 | 5 | 8.2 | -- | -0- | 6 | 9.8 | 1 |
| Galesburg | 780 | 49 | 6.28 | 780 | 100.00 | 11 | 14.1 | 2 | 2.6 | 7 | 9.0 | -- |
| Glen Ellyn | 369 | 18 | 4.88 | 368 | 99.73 | 5 | 13.6 | -- | -0- | 3 | 8.1 | -- |
| Glenview | 559 | 33 | 5.90 | 557 | 99.64 | 7 | 12.5 | 1 | 1.8 | -- | -0- | -- |
| Granite City | 1,176 | 88 | 7.48 | 1,174 | 99.83 | 25 | 21.3 | 2 | 1.7 | 5 | 4.3 | 3 |
| Harrisburg | 151 | 17 | 11.26 | 148 | 98.01 | 1 | 6.6 | 2 | 13.2 | 2 | 13.2 | -- |
| Harvey | 820 | 58 | 7.07 | 819 | 99.88 | 17 | 20.7 | 2 | 2.4 | 8 | 9.8 | -- |
| Highland Park | 494 | 38 | 7.69 | 489 | 98.99 | 7 | 14.3 | -- | -0- | 1 | 2.0 | -- |
| Hinsdale | 235 | 13 | 5.53 | 234 | 99.57 | 3 | 12.8 | -- | -0- | 3 | 12.8 | -- |
| Homewood | 251 | 13 | 5.18 | 250 | 99.60 | 3 | 12.0 | 1 | 4.0 | 1 | 4.0 | -- |
| Jacksonville | 314 | 20 | 6.37 | 313 | 99.68 | 6 | 19.1 | -- | -0- | -- | -0- | -- |
| Joliet | 1,618 | 121 | 7.48 | 1,616 | 99.88 | 31 | 19.2 | 3 | 1.9 | 9 | 5.6 | 2 |
| Kankakee | 681 | 69 | 10.13 | 679 | 99.71 | 20 | 29.4 | -- | -0- | 7 | 10.3 | -- |
| Kewanee | 331 | 18 | 5.44 | 331 | 100.00 | 2 | 6.0 | 1 | 3.0 | 5 | 15.1 | -- |
| La Grange | 393 | 24 | 6.11 | 392 | 99.75 | 3 | 7.6 | 2 | 5.1 | 2 | 5.1 | -- |

[1]Premature births are births of 2,500 grams weight and under.
[2]Numbers and rates for total infant deaths are given in Tables 3A and 3B.
[3]Rates per 1,000 live births.

Table 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS, AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

| City | Live births | | | | | Infant deaths by age[2] | | | | | | Maternal deaths |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Premature births[1] | | Hospital births | | Under 7 days | | 7-28 days | | 1-11 months | | |
| | | Number | Percent of total | Number | Percent of total | No. | Rate[3] | No. | Rate[3] | No. | Rate[3] | |
| La Grange Park | 191 | 8 | 4.19 | 191 | 100.00 | 4 | 20.9 | -- | -0- | -- | -0- | -- |
| Lansing | 441 | 18 | 4.08 | 437 | 99.09 | 3 | 6.8 | 1 | 2.3 | 2 | 4.5 | -- |
| La Salle | 243 | 16 | 6.58 | 241 | 99.18 | 5 | 20.6 | 1 | 4.1 | 3 | 12.3 | -- |
| Lincoln | 323 | 17 | 5.26 | 322 | 99.69 | 2 | 6.2 | 1 | 3.1 | 2 | 6.2 | -- |
| Lincolnwood | 114 | 8 | 7.02 | 114 | 100.00 | 4 | 35.1 | -- | -0- | 1 | 8.8 | -- |
| Lombard | 685 | 40 | 5.84 | 680 | 99.27 | 10 | 14.6 | 2 | 2.9 | 4 | 5.8 | -- |
| Macomb | 237 | 14 | 5.91 | 235 | 99.16 | 5 | 21.1 | -- | -0- | 1 | 4.2 | -- |
| Marion | 236 | 24 | 10.17 | 235 | 99.58 | 7 | 29.7 | -- | -0- | 4 | 16.9 | 1 |
| Mattoon | 395 | 34 | 8.61 | 395 | 100.00 | 6 | 15.2 | 1 | 2.5 | 3 | 7.6 | -- |
| Maywood | 671 | 49 | 7.30 | 665 | 99.11 | 8 | 11.9 | 1 | 1.5 | 7 | 10.4 | -- |
| Melrose Park | 862 | 63 | 7.31 | 860 | 99.77 | 19 | 22.0 | 2 | 2.3 | 6 | 7.0 | 1 |
| Moline | 977 | 63 | 6.45 | 974 | 99.69 | 22 | 22.5 | 1 | 1.0 | 4 | 4.1 | -- |
| Monmouth | 235 | 15 | 6.38 | 234 | 99.57 | 2 | 8.5 | 2 | 8.5 | -- | -0- | -- |
| Morton Grove | 423 | 22 | 5.20 | 422 | 99.76 | 3 | 7.1 | 1 | 2.4 | -- | -0- | -- |
| Mount Prospect | 480 | 23 | 4.79 | 477 | 99.38 | 8 | 16.7 | -- | -0- | 1 | 2.1 | -- |
| Mount Vernon | 402 | 33 | 8.21 | 402 | 100.00 | 10 | 24.9 | 1 | 2.5 | 3 | 7.5 | -- |
| Naperville | 327 | 20 | 6.12 | 327 | 100.00 | 6 | 18.3 | -- | -0- | 2 | 6.1 | -- |
| Niles | 415 | 18 | 4.34 | 415 | 100.00 | 3 | 7.2 | -- | -0- | 2 | 4.8 | -- |
| Normal | 239 | 13 | 5.44 | 239 | 100.00 | -- | -0- | -- | -0- | -- | -0- | -- |
| Norridge | 280 | 16 | 5.71 | 277 | 98.93 | 1 | 3.6 | -- | -0- | 1 | 3.6 | -- |
| Northbrook | 405 | 23 | 5.68 | 400 | 98.77 | 7 | 17.3 | -- | -0- | 1 | 2.5 | 1 |
| North Chicago | 471 | 34 | 7.22 | 464 | 98.51 | 9 | 19.1 | -- | -0- | 1 | 2.1 | -- |
| Northlake | 264 | 16 | 6.06 | 262 | 99.24 | 4 | 15.2 | -- | -0- | -- | -0- | -- |
| Oak Lawn | 1,299 | 77 | 5.93 | 1,296 | 99.77 | 25 | 19.2 | 4 | 3.1 | 5 | 3.9 | -- |
| Oak Park | 1,110 | 71 | 6.40 | 1,105 | 99.55 | 15 | 13.5 | 2 | 1.8 | 5 | 4.5 | 1 |
| Ottawa | 562 | 28 | 4.98 | 560 | 99.64 | 3 | 5.3 | 1 | 1.8 | 2 | 3.6 | -- |
| Palatine | 353 | 14 | 3.97 | 350 | 99.15 | 2 | 5.7 | -- | -0- | 2 | 5.7 | -- |
| Park Forest | 1,010 | 55 | 5.45 | 1,008 | 99.80 | 18 | 17.8 | 1 | 1.0 | 8 | 7.9 | -- |
| Park Ridge | 570 | 34 | 5.96 | 568 | 99.65 | 7 | 12.3 | 1 | 1.8 | 3 | 5.3 | -- |
| Pekin | 712 | 31 | 4.35 | 711 | 99.86 | 5 | 7.0 | 1 | 1.4 | 4 | 5.6 | -- |
| Peoria | 2,515 | 223 | 8.87 | 2,498 | 99.32 | 50 | 19.9 | 2 | 0.8 | 9 | 3.6 | 1 |
| Quincy | 930 | 64 | 6.88 | 930 | 100.00 | 21 | 22.6 | 5 | 5.4 | 4 | 4.3 | -- |
| Rantoul | 163 | 9 | 5.52 | 161 | 98.77 | 11 | 67.5 | -- | -0- | 5 | 30.7 | -- |
| Riverdale | 212 | 12 | 5.66 | 212 | 100.00 | 2 | 9.4 | -- | -0- | -- | -0- | -- |
| River Forest | 163 | 9 | 5.52 | 161 | 98.77 | 1 | 6.1 | -- | -0- | -- | -0- | -- |
| Rock Falls | 312 | 16 | 5.13 | 312 | 100.00 | 3 | 9.6 | -- | -0- | 3 | 9.6 | -- |
| Rockford | 3,125 | 193 | 6.18 | 3,115 | 99.68 | 65 | 20.8 | 4 | 1.3 | 25 | 8.0 | -- |
| Rock Island | 1,169 | 94 | 8.04 | 1,165 | 99.66 | 26 | 22.2 | 3 | 2.6 | 5 | 4.3 | 1 |
| Rolling Meadows | 421 | 21 | 4.99 | 421 | 100.00 | 4 | 9.5 | 1 | 2.4 | -- | -0- | -- |
| Skokie | 1,164 | 97 | 8.33 | 1,160 | 99.66 | 17 | 14.6 | -- | -0- | 4 | 3.4 | 1 |
| Springfield | 1,946 | 167 | 8.58 | 1,939 | 99.64 | 35 | 18.0 | 5 | 2.6 | 13 | 6.7 | 1 |
| Sterling | 412 | 24 | 5.83 | 412 | 100.00 | 6 | 14.6 | 2 | 4.9 | 1 | 2.4 | -- |
| Streator | 376 | 30 | 7.98 | 374 | 99.47 | 4 | 10.6 | 2 | 5.3 | 2 | 5.3 | 1 |
| Urbana | 844 | 59 | 6.99 | 844 | 100.00 | 12 | 14.2 | 1 | 1.2 | 3 | 3.6 | -- |
| Villa Park | 502 | 22 | 4.38 | 500 | 99.60 | 6 | 12.0 | -- | -0- | 4 | 8.0 | -- |
| Waukegan | 1,626 | 129 | 7.93 | 1,614 | 99.26 | 20 | 12.3 | 6 | 3.7 | 9 | 5.5 | 1 |
| Westchester | 332 | 26 | 7.83 | 331 | 99.70 | 6 | 18.1 | -- | -0- | 1 | 3.0 | -- |
| West Frankfort | 144 | 11 | 7.64 | 143 | 99.31 | 4 | 27.8 | -- | -0- | 2 | 13.9 | -- |
| Wheaton | 579 | 24 | 4.15 | 575 | 99.31 | 9 | 15.5 | 1 | 1.7 | 3 | 5.2 | -- |
| Wilmette | 441 | 30 | 6.80 | 439 | 99.55 | 6 | 13.6 | -- | -0- | 3 | 6.8 | -- |
| Winnetka | 160 | 12 | 7.50 | 160 | 100.00 | 3 | 18.8 | -- | -0- | 1 | 6.2 | -- |
| Wood River | 294 | 31 | 10.54 | 293 | 99.66 | 5 | 17.0 | -- | -0- | -- | -0- | -- |
| Zion | 332 | 22 | 6.63 | 325 | 97.89 | 5 | 15.1 | -- | -0- | 2 | 6.0 | -- |

[1]Premature births are births of 2,500 grams weight and under.
[2]Numbers and rates for total infant deaths are given in Tables 3A and 3B.
[3]Rates per 1,000 live births.

Table 8A. -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1959

(Includes deaths of Illinois residents occurring outside the State)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| ILLINOIS, all causes | 101,406 | 6,830 | 839 | 1,220 | 6,001 | 25,941 | 60,575 |
| White | 91,271 | 5,134 | 730 | 1,056 | 4,661 | 22,533 | 57,157 |
| Nonwhite | 10,135 | 1,696 | 109 | 164 | 1,340 | 3,408 | 3,418 |
| 1. Heart disease | 44,014 | 12 | 21 | 57 | 1,474 | 11,361 | 31,089 |
| White | 40,484 | 9 | 15 | 43 | 1,104 | 9,921 | 29,392 |
| Nonwhite | 3,530 | 3 | 6 | 14 | 370 | 1,440 | 1,697 |
| a. Arteriosclerotic | 33,403 | -- | 1 | 8 | 890 | 8,942 | 23,562 |
| White | 31,069 | -- | 1 | 6 | 737 | 7,963 | 22,362 |
| Nonwhite | 2,334 | -- | -- | 2 | 153 | 979 | 1,200 |
| b. Other | 10,611 | 12 | 20 | 49 | 584 | 2,419 | 7,527 |
| White | 9,415 | 9 | 14 | 37 | 367 | 1,958 | 7,030 |
| Nonwhite | 1,196 | 3 | 6 | 12 | 217 | 461 | 497 |
| 2. Cancer | 16,443 | 104 | 139 | 119 | 1,175 | 6,176 | 8,730 |
| White | 15,159 | 94 | 133 | 109 | 1,001 | 5,581 | 8,241 |
| Nonwhite | 1,284 | 10 | 6 | 10 | 174 | 595 | 489 |
| 3. Vascular lesions affecting central nervous system | 10,894 | 7 | 9 | 22 | 230 | 1,970 | 8,656 |
| White | 9,892 | 6 | 8 | 20 | 152 | 1,558 | 8,148 |
| Nonwhite | 1,002 | 1 | 1 | 2 | 78 | 412 | 508 |
| 4. Congenital malformations and diseases of early infancy | 4,777 | 4,587 | 67 | 27 | 44 | 41 | 11 |
| White | 3,786 | 3,605 | 64 | 26 | 40 | 40 | 11 |
| Nonwhite | 991 | 982 | 3 | 1 | 4 | 1 | -- |
| 5. Accidents | 4,544 | 375 | 321 | 595 | 950 | 1,044 | 1,259 |
| White | 4,081 | 277 | 279 | 559 | 830 | 927 | 1,209 |
| Nonwhite | 463 | 98 | 42 | 36 | 120 | 117 | 50 |
| a. Motor vehicle | 1,848 | 77 | 137 | 409 | 466 | 435 | 324 |
| White | 1,700 | 70 | 119 | 389 | 419 | 390 | 313 |
| Nonwhite | 148 | 7 | 18 | 20 | 47 | 45 | 11 |
| b. Other | 2,696 | 298 | 184 | 186 | 484 | 609 | 935 |
| White | 2,381 | 207 | 160 | 170 | 411 | 537 | 896 |
| Nonwhite | 315 | 91 | 24 | 16 | 73 | 72 | 39 |
| 6. Pneumonia and influenza | 3,869 | 1,016 | 59 | 34 | 229 | 649 | 1,882 |
| White | 2,914 | 565 | 39 | 24 | 123 | 471 | 1,692 |
| Nonwhite | 955 | 451 | 20 | 10 | 106 | 178 | 190 |
| 7. General arteriosclerosis | 2,069 | -- | -- | -- | 2 | 132 | 1,935 |
| White | 1,963 | -- | -- | -- | 2 | 114 | 1,847 |
| Nonwhite | 106 | -- | -- | -- | -- | 18 | 88 |
| 8. Diabetes mellitus | 1,576 | 3 | 7 | 8 | 94 | 417 | 1,047 |
| White | 1,440 | 3 | 7 | 6 | 76 | 359 | 989 |
| Nonwhite | 136 | -- | -- | 2 | 18 | 58 | 58 |
| 9. Cirrhosis of liver | 1,265 | 2 | 2 | 5 | 219 | 670 | 367 |
| White | 1,160 | 2 | 1 | 3 | 189 | 609 | 356 |
| Nonwhite | 105 | -- | 1 | 2 | 30 | 61 | 11 |
| 10. Hypertension without mention of heart | 1,004 | -- | 1 | 2 | 80 | 221 | 700 |
| White | 862 | -- | 1 | 1 | 37 | 166 | 657 |
| Nonwhite | 142 | -- | -- | 1 | 43 | 55 | 43 |
| 11. Suicide | 982 | -- | 4 | 67 | 261 | 387 | 263 |
| White | 942 | -- | 3 | 63 | 242 | 376 | 258 |
| Nonwhite | 40 | -- | 1 | 4 | 19 | 11 | 5 |
| 12. Other circulatory diseases | 872 | 1 | 3 | 2 | 55 | 268 | 543 |
| White | 801 | 1 | 3 | 2 | 46 | 233 | 516 |
| Nonwhite | 71 | -- | -- | -- | 9 | 35 | 27 |

Table 8A. -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1959--Continued

(Includes deaths of Illinois residents occurring outside the State)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| CHICAGO, all causes | 41,872 | 2,959 | 299 | 417 | 2,893 | 12,603 | 22,701 |
| White | 33,878 | 1,600 | 218 | 292 | 1,763 | 9,836 | 20,169 |
| Nonwhite | 7,994 | 1,359 | 81 | 125 | 1,130 | 2,767 | 2,532 |
| 1. Heart disease | 18,855 | 3 | 12 | 27 | 814 | 5,735 | 12,264 |
| White | 16,054 | 1 | 8 | 18 | 490 | 4,541 | 10,996 |
| Nonwhite | 2,801 | 2 | 4 | 9 | 324 | 1,194 | 1,268 |
| a. Arteriosclerotic | 14,436 | -- | -- | 1 | 421 | 4,351 | 9,663 |
| White | 12,575 | -- | -- | -- | 295 | 3,539 | 8,741 |
| Nonwhite | 1,861 | -- | -- | 1 | 126 | 812 | 922 |
| b. Other | 4,419 | 3 | 12 | 26 | 393 | 1,384 | 2,601 |
| White | 3,479 | 1 | 8 | 18 | 195 | 1,002 | 2,255 |
| Nonwhite | 940 | 2 | 4 | 8 | 198 | 382 | 346 |
| 2. Cancer | 6,782 | 35 | 48 | 45 | 470 | 2,772 | 3,412 |
| White | 5,759 | 26 | 43 | 37 | 322 | 2,290 | 3,041 |
| Nonwhite | 1,023 | 9 | 5 | 8 | 148 | 482 | 371 |
| 3. Vascular lesions affecting central nervous system | 3,766 | 5 | 3 | 5 | 124 | 983 | 2,646 |
| White | 3,024 | 4 | 2 | 4 | 58 | 669 | 2,287 |
| Nonwhite | 742 | 1 | 1 | 1 | 66 | 314 | 359 |
| 4. Congenital malformations and diseases of early infancy | 1,920 | 1,862 | 22 | 9 | 15 | 11 | 1 |
| White | 1,128 | 1,077 | 19 | 8 | 13 | 10 | 1 |
| Nonwhite | 792 | 785 | 3 | 1 | 2 | 1 | -- |
| 5. Accidents | 1,442 | 131 | 103 | 118 | 284 | 411 | 395 |
| White | 1,113 | 61 | 72 | 96 | 198 | 323 | 363 |
| Nonwhite | 329 | 70 | 31 | 22 | 86 | 88 | 32 |
| a. Motor vehicle | 445 | 19 | 44 | 61 | 94 | 132 | 95 |
| White | 348 | 14 | 29 | 54 | 62 | 100 | 89 |
| Nonwhite | 97 | 5 | 15 | 7 | 32 | 32 | 6 |
| b. Other | 997 | 112 | 59 | 57 | 190 | 279 | 300 |
| White | 765 | 47 | 43 | 42 | 136 | 223 | 274 |
| Nonwhite | 232 | 65 | 16 | 15 | 54 | 56 | 26 |
| 6. Pneumonia and influenza | 2,127 | 627 | 31 | 23 | 155 | 425 | 866 |
| White | 1,307 | 249 | 12 | 13 | 59 | 270 | 704 |
| Nonwhite | 820 | 378 | 19 | 10 | 96 | 155 | 162 |
| 7. General arteriosclerosis | 639 | -- | -- | -- | -- | 62 | 577 |
| White | 569 | -- | -- | -- | -- | 50 | 519 |
| Nonwhite | 70 | -- | -- | -- | -- | 12 | 58 |
| 8. Diabetes mellitus | 651 | -- | 4 | 6 | 45 | 197 | 399 |
| White | 545 | -- | 4 | 5 | 28 | 149 | 359 |
| Nonwhite | 106 | -- | -- | 1 | 17 | 48 | 40 |
| 9. Cirrhosis of liver | 769 | 2 | 1 | 4 | 160 | 403 | 199 |
| White | 670 | 2 | -- | 2 | 130 | 347 | 189 |
| Nonwhite | 99 | -- | 1 | 2 | 30 | 56 | 10 |
| 10. Hypertension without mention of heart | 394 | -- | 1 | 1 | 47 | 113 | 232 |
| White | 279 | -- | 1 | -- | 11 | 65 | 202 |
| Nonwhite | 115 | -- | -- | 1 | 36 | 48 | 30 |
| 11. Suicide | 354 | -- | 1 | 22 | 104 | 141 | 86 |
| White | 323 | -- | 1 | 18 | 88 | 133 | 83 |
| Nonwhite | 31 | -- | -- | 4 | 16 | 8 | 3 |
| 12. Other circulatory diseases | 307 | -- | 1 | 1 | 22 | 103 | 180 |
| White | 256 | -- | 1 | 1 | 13 | 77 | 164 |
| Nonwhite | 51 | -- | -- | -- | 9 | 26 | 16 |

Table 8A. -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1959--Continued

(Includes deaths of Illinois residents occurring outside the State)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| DOWNSTATE, all causes | 59,534 | 3,871 | 540 | 803 | 3,108 | 13,338 | 37,874 |
| White | 57,393 | 3,534 | 512 | 764 | 2,898 | 12,697 | 36,988 |
| Nonwhite | 2,141 | 337 | 28 | 39 | 210 | 641 | 886 |
| 1. Heart disease | 25,159 | 9 | 9 | 30 | 660 | 5,626 | 18,825 |
| White | 24,430 | 8 | 7 | 25 | 614 | 5,380 | 18,396 |
| Nonwhite | 729 | 1 | 2 | 5 | 46 | 246 | 429 |
| a. Arteriosclerotic | 18,967 | -- | 1 | 7 | 469 | 4,591 | 13,899 |
| White | 18,494 | -- | 1 | 6 | 442 | 4,424 | 13,621 |
| Nonwhite | 473 | -- | -- | 1 | 27 | 167 | 278 |
| b. Other | 6,192 | 9 | 8 | 23 | 191 | 1,035 | 4,926 |
| White | 5,936 | 8 | 6 | 19 | 172 | 956 | 4,775 |
| Nonwhite | 256 | 1 | 2 | 4 | 19 | 79 | 151 |
| 2. Cancer | 9,661 | 69 | 91 | 74 | 705 | 3,404 | 5,318 |
| White | 9,400 | 68 | 90 | 72 | 679 | 3,291 | 5,200 |
| Nonwhite | 261 | 1 | 1 | 2 | 26 | 113 | 118 |
| 3. Vascular lesions affecting central nervous system | 7,128 | 2 | 6 | 17 | 106 | 987 | 6,010 |
| White | 6,868 | 2 | 6 | 16 | 94 | 889 | 5,861 |
| Nonwhite | 260 | -- | -- | 1 | 12 | 98 | 149 |
| 4. Congenital malformations and diseases of early infancy | 2,857 | 2,725 | 45 | 18 | 29 | 30 | 10 |
| White | 2,658 | 2,528 | 45 | 18 | 27 | 30 | 10 |
| Nonwhite | 199 | 197 | -- | -- | 2 | -- | -- |
| 5. Accidents | 3,102 | 244 | 218 | 477 | 666 | 633 | 864 |
| White | 2,968 | 216 | 207 | 463 | 632 | 604 | 846 |
| Nonwhite | 134 | 28 | 11 | 14 | 34 | 29 | 18 |
| a. Motor vehicle | 1,403 | 58 | 93 | 348 | 372 | 303 | 229 |
| White | 1,352 | 56 | 90 | 335 | 357 | 290 | 224 |
| Nonwhite | 51 | 2 | 3 | 13 | 15 | 13 | 5 |
| b. Other | 1,699 | 186 | 125 | 129 | 294 | 330 | 635 |
| White | 1,616 | 160 | 117 | 128 | 275 | 314 | 622 |
| Nonwhite | 83 | 26 | 8 | 1 | 19 | 16 | 13 |
| 6. Pneumonia and influenza | 1,742 | 389 | 28 | 11 | 74 | 224 | 1,016 |
| White | 1,607 | 316 | 27 | 11 | 64 | 201 | 988 |
| Nonwhite | 135 | 73 | 1 | -- | 10 | 23 | 28 |
| 7. General arteriosclerosis | 1,430 | -- | -- | -- | 2 | 70 | 1,358 |
| White | 1,394 | -- | -- | -- | 2 | 64 | 1,328 |
| Nonwhite | 36 | -- | -- | -- | -- | 6 | 30 |
| 8. Diabetes mellitus | 925 | 3 | 3 | 2 | 49 | 220 | 648 |
| White | 895 | 3 | 3 | 1 | 48 | 210 | 630 |
| Nonwhite | 30 | -- | -- | 1 | 1 | 10 | 18 |
| 9. Cirrhosis of liver | 496 | -- | 1 | 1 | 59 | 267 | 168 |
| White | 490 | -- | 1 | 1 | 59 | 262 | 167 |
| Nonwhite | 6 | -- | -- | -- | -- | 5 | 1 |
| 10. Hypertension without mention of heart | 610 | -- | -- | 1 | 33 | 108 | 468 |
| White | 583 | -- | -- | 1 | 26 | 101 | 455 |
| Nonwhite | 27 | -- | -- | -- | 7 | 7 | 13 |
| 11. Suicide | 628 | -- | 3 | 45 | 157 | 246 | 177 |
| White | 619 | -- | 2 | 45 | 154 | 243 | 175 |
| Nonwhite | 9 | -- | 1 | -- | 3 | 3 | 2 |
| 12. Other circulatory diseases | 565 | 1 | 2 | 1 | 33 | 165 | 363 |
| White | 545 | 1 | 2 | 1 | 33 | 156 | 352 |
| Nonwhite | 20 | -- | -- | -- | -- | 9 | 11 |

Table 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1959

(Rates per 100,000 estimated midyear population in each specific group)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| ILLINOIS, all causes | 1,022.8 | 637.8 | 49.2 | 112.9 | 207.3 | 1,162.8 | 6,499.5 |
| White | 1,014.8 | 549.8 | 47.2 | 109.5 | 179.8 | 1,090.0 | 6,431.5 |
| Nonwhite | 1,100.3 | 1,238.0 | 68.9 | 140.5 | 443.3 | 2,081.9 | 7,893.8 |
| 1. Heart disease | 443.9 | 1.1 | 1.2 | 5.3 | 50.9 | 509.3 | 3,335.7 |
| White | 450.1 | 1.0 | 1.0 | 4.5 | 42.6 | 479.9 | 3,307.3 |
| Nonwhite | 383.2 | 2.2 | 3.8 | 12.0 | 122.4 | 879.7 | 3,919.2 |
| a. Arteriosclerotic | 336.9 | -0- | 0.1 | 0.7 | 30.7 | 400.8 | 2,528.1 |
| White | 345.4 | -0- | 0.1 | 0.6 | 28.4 | 385.2 | 2,516.3 |
| Nonwhite | 253.4 | -0- | -0- | 1.7 | 50.6 | 598.0 | 2,771.4 |
| b. Other | 107.0 | 1.1 | 1.2 | 4.5 | 20.2 | 108.4 | 807.6 |
| White | 104.7 | 1.0 | 0.9 | 3.8 | 14.2 | 94.7 | 791.0 |
| Nonwhite | 129.8 | 2.2 | 3.8 | 10.3 | 71.8 | 281.6 | 1,147.8 |
| 2. Cancer | 165.8 | 9.7 | 8.2 | 11.0 | 40.6 | 276.8 | 936.7 |
| White | 168.5 | 10.1 | 8.6 | 11.3 | 38.6 | 270.0 | 927.3 |
| Nonwhite | 139.4 | 7.3 | 3.8 | 8.6 | 57.6 | 363.5 | 1,129.3 |
| 3. Vascular lesions affecting central nervous system | 109.9 | 0.7 | 0.5 | 2.0 | 7.9 | 88.3 | 928.8 |
| White | 110.0 | 0.6 | 0.5 | 2.1 | 5.9 | 75.4 | 916.8 |
| Nonwhite | 108.8 | 0.7 | 0.6 | 1.7 | 25.8 | 251.7 | 1,173.2 |
| 4. Congenital malformations and diseases of early infancy | 48.2 | 428.4 | 3.9 | 2.5 | 1.5 | 1.8 | 1.2 |
| White | 42.1 | 386.1 | 4.1 | 2.7 | 1.5 | 1.9 | 1.2 |
| Nonwhite | 107.6 | 716.8 | 1.9 | 0.9 | 1.3 | 0.6 | -0- |
| 5. Accidents | 45.8 | 35.0 | 18.8 | 55.1 | 32.8 | 46.8 | 135.1 |
| White | 45.4 | 29.7 | 18.0 | 58.0 | 32.0 | 44.8 | 136.0 |
| Nonwhite | 50.3 | 71.5 | 26.6 | 30.8 | 39.7 | 71.5 | 115.5 |
| a. Motor vehicle | 18.6 | 7.2 | 8.0 | 37.8 | 16.1 | 19.5 | 34.8 |
| White | 18.9 | 7.5 | 7.7 | 40.4 | 16.2 | 18.9 | 35.2 |
| Nonwhite | 16.1 | 5.1 | 11.4 | 17.1 | 15.5 | 27.5 | 25.4 |
| b. Other | 27.2 | 27.8 | 10.8 | 17.2 | 16.7 | 27.3 | 100.3 |
| White | 26.5 | 22.2 | 10.3 | 17.6 | 15.9 | 26.0 | 100.8 |
| Nonwhite | 34.2 | 66.4 | 15.2 | 13.7 | 24.1 | 44.0 | 90.1 |
| 6. Pneumonia and influenza | 39.0 | 94.9 | 3.5 | 3.1 | 7.9 | 29.1 | 201.9 |
| White | 32.4 | 60.5 | 2.5 | 2.5 | 4.7 | 22.8 | 190.4 |
| Nonwhite | 103.7 | 329.2 | 12.7 | 8.6 | 35.1 | 108.7 | 438.8 |
| 7. General arteriosclerosis | 20.9 | -0- | -0- | -0- | 0.1 | 5.9 | 207.6 |
| White | 21.8 | -0- | -0- | -0- | 0.1 | 5.5 | 207.8 |
| Nonwhite | 11.5 | -0- | -0- | -0- | -0- | 11.0 | 203.2 |
| 8. Diabetes mellitus | 15.9 | 0.3 | 0.4 | 0.7 | 3.2 | 18.7 | 112.3 |
| White | 16.0 | 0.3 | 0.5 | 0.6 | 2.9 | 17.4 | 111.3 |
| Nonwhite | 14.8 | -0- | -0- | 1.7 | 6.0 | 35.4 | 133.8 |
| 9. Cirrhosis of liver | 12.8 | 0.2 | 0.1 | 0.5 | 7.6 | 30.0 | 39.4 |
| White | 12.9 | 0.2 | 0.1 | 0.3 | 7.3 | 29.5 | 40.1 |
| Nonwhite | 11.4 | -0- | 0.6 | 1.7 | 9.9 | 37.3 | 25.4 |
| 10. Hypertension without mention of heart | 10.1 | -0- | 0.1 | 0.2 | 2.8 | 9.9 | 75.1 |
| White | 9.6 | -0- | 0.1 | 0.1 | 1.4 | 8.0 | 73.9 |
| Nonwhite | 15.4 | -0- | -0- | 0.9 | 14.2 | 33.6 | 99.3 |
| 11. Suicide | 9.9 | -0- | 0.2 | 6.2 | 9.0 | 17.3 | 28.2 |
| White | 10.5 | -0- | 0.2 | 6.5 | 9.3 | 18.2 | 29.0 |
| Nonwhite | 4.3 | -0- | 0.6 | 3.4 | 6.3 | 6.7 | 11.5 |
| 12. Other circulatory diseases | 8.8 | 0.1 | 0.2 | 0.2 | 1.9 | 12.0 | 58.3 |
| White | 8.9 | 0.1 | 0.2 | 0.2 | 1.8 | 11.3 | 58.1 |
| Nonwhite | 7.7 | -0- | -0- | -0- | 3.0 | 21.4 | 62.4 |

Table 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1959--Continued

(Rates per 100,000 estimated midyear population in each specific group)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| CHICAGO, all causes | 1,188.2 | 764.6 | 55.8 | 106.8 | 266.3 | 1,539.8 | 7,425.9 |
| White | 1,223.3 | 583.7 | 53.4 | 98.0 | 212.1 | 1,436.8 | 7,382.5 |
| Nonwhite | 1,059.2 | 1,203.7 | 63.5 | 135.0 | 442.8 | 2,066.5 | 7,790.8 |
| 1. Heart disease | 535.0 | 0.8 | 2.2 | 6.9 | 74.9 | 700.7 | 4,011.8 |
| White | 579.7 | 0.4 | 2.0 | 6.0 | 58.9 | 663.3 | 4,024.9 |
| Nonwhite | 371.1 | 1.8 | 3.1 | 9.7 | 127.0 | 891.7 | 3,901.5 |
| a. Arteriosclerotic | 409.6 | -0- | -0- | 0.3 | 38.7 | 531.6 | 3,160.9 |
| White | 454.1 | -0- | -0- | -0- | 35.5 | 516.9 | 3,199.5 |
| Nonwhite | 246.6 | -0- | -0- | 1.1 | 49.4 | 606.4 | 2,836.9 |
| b. Other | 125.4 | 0.8 | 2.2 | 6.7 | 36.2 | 169.1 | 850.8 |
| White | 125.6 | 0.4 | 2.0 | 6.0 | 23.5 | 146.4 | 825.4 |
| Nonwhite | 124.6 | 1.8 | 3.1 | 8.6 | 77.6 | 285.3 | 1,064.6 |
| 2. Cancer | 192.4 | 9.0 | 9.0 | 11.5 | 43.3 | 338.7 | 1,116.1 |
| White | 208.0 | 9.5 | 10.5 | 12.4 | 38.7 | 334.5 | 1,113.1 |
| Nonwhite | 135.6 | 8.0 | 3.9 | 8.6 | 58.0 | 360.0 | 1,141.5 |
| 3. Vascular lesions affecting central nervous system | 106.9 | 1.3 | 0.6 | 1.3 | 11.4 | 120.1 | 865.6 |
| White | 109.2 | 1.5 | 0.5 | 1.3 | 7.0 | 97.7 | 837.1 |
| Nonwhite | 98.3 | 0.9 | 0.8 | 1.1 | 25.9 | 234.5 | 1,104.6 |
| 4. Congenital malformations and diseases of early infancy | 54.5 | 481.1 | 4.1 | 2.3 | 1.4 | 1.3 | 0.3 |
| White | 40.7 | 392.9 | 4.7 | 2.7 | 1.6 | 1.5 | 0.4 |
| Nonwhite | 104.9 | 695.3 | 2.4 | 1.1 | 0.8 | 0.7 | -0- |
| 5. Accidents | 40.9 | 33.9 | 19.2 | 30.2 | 26.1 | 50.2 | 129.2 |
| White | 40.2 | 22.3 | 17.6 | 32.2 | 23.8 | 47.2 | 132.9 |
| Nonwhite | 43.6 | 62.0 | 24.3 | 23.8 | 33.7 | 65.7 | 98.5 |
| a. Motor vehicle | 12.6 | 4.9 | 8.2 | 15.6 | 8.7 | 16.1 | 31.1 |
| White | 12.6 | 5.1 | 7.1 | 18.1 | 7.5 | 14.6 | 32.6 |
| Nonwhite | 12.9 | 4.4 | 11.8 | 7.6 | 12.5 | 23.9 | 18.5 |
| b. Other | 28.3 | 28.9 | 11.0 | 14.6 | 17.5 | 34.1 | 98.1 |
| White | 27.6 | 17.1 | 10.5 | 14.1 | 16.4 | 32.6 | 100.3 |
| Nonwhite | 30.7 | 57.6 | 12.5 | 16.2 | 21.2 | 41.8 | 80.0 |
| 6. Pneumonia and influenza | 60.4 | 162.0 | 5.8 | 5.9 | 14.3 | 51.9 | 283.3 |
| White | 47.2 | 90.8 | 2.9 | 4.4 | 7.1 | 39.4 | 257.7 |
| Nonwhite | 108.7 | 334.8 | 14.9 | 10.8 | 37.6 | 115.8 | 498.5 |
| 7. General arteriosclerosis | 18.1 | -0- | -0- | -0- | -0- | 7.6 | 188.7 |
| White | 20.5 | -0- | -0- | -0- | -0- | 7.3 | 190.0 |
| Nonwhite | 9.3 | -0- | -0- | -0- | -0- | 9.0 | 178.5 |
| 8. Diabetes mellitus | 18.5 | -0- | 0.7 | 1.5 | 4.1 | 24.1 | 130.5 |
| White | 19.7 | -0- | 1.0 | 1.7 | 3.4 | 21.8 | 131.4 |
| Nonwhite | 14.0 | -0- | -0- | 1.1 | 6.7 | 35.8 | 123.1 |
| 9. Cirrhosis of liver | 21.8 | 0.5 | 0.2 | 1.0 | 14.7 | 49.2 | 65.1 |
| White | 24.2 | 0.7 | -0- | 0.7 | 15.6 | 50.7 | 69.2 |
| Nonwhite | 13.1 | -0- | 0.8 | 2.2 | 11.8 | 41.8 | 30.8 |
| 10. Hypertension without mention of heart | 11.2 | -0- | 0.2 | 0.3 | 4.3 | 13.8 | 75.9 |
| White | 10.1 | -0- | 0.2 | -0- | 1.3 | 9.5 | 73.9 |
| Nonwhite | 15.2 | -0- | -0- | 1.1 | 14.1 | 35.8 | 92.3 |
| 11. Suicide | 10.0 | -0- | 0.2 | 5.6 | 9.6 | 17.2 | 28.1 |
| White | 11.7 | -0- | 0.2 | 6.0 | 10.6 | 19.4 | 30.4 |
| Nonwhite | 4.1 | -0- | -0- | 4.3 | 6.3 | 6.0 | 9.2 |
| 12. Other circulatory diseases | 8.7 | -0- | 0.2 | 0.3 | 2.0 | 12.6 | 58.9 |
| White | 9.2 | -0- | 0.2 | 0.3 | 1.6 | 11.2 | 60.0 |
| Nonwhite | 6.8 | -0- | -0- | -0- | 3.5 | 19.4 | 49.2 |

Table 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1959--Continued

(Rates per 100,000 estimated midyear population in each specific group)

| Cause and race | All ages | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and over |
|---|---|---|---|---|---|---|---|
| DOWNSTATE, all causes | 931.6 | 566.1 | 46.2 | 116.3 | 171.8 | 944.4 | 6,047.3 |
| White | 922.1 | 535.7 | 45.0 | 114.7 | 164.5 | 918.3 | 6,009.4 |
| Nonwhite | 1,286.7 | 1,398.3 | 91.8 | 161.8 | 445.9 | 2,151.0 | 8,203.7 |
| 1. Heart disease | 393.7 | 1.3 | 0.8 | 4.3 | 36.5 | 398.3 | 3,005.7 |
| White | 392.5 | 1.2 | 0.6 | 3.8 | 34.9 | 389.1 | 2,988.8 |
| Nonwhite | 438.1 | 4.1 | 6.6 | 20.7 | 97.7 | 825.5 | 3,972.2 |
| a. Arteriosclerotic | 296.8 | -0- | 0.1 | 1.0 | 25.9 | 325.0 | 2,219.2 |
| White | 297.1 | -0- | 0.1 | 0.9 | 25.1 | 320.0 | 2,213.0 |
| Nonwhite | 284.3 | -0- | -0- | 4.1 | 57.3 | 560.4 | 2,574.1 |
| b. Other | 96.9 | 1.3 | 0.7 | 3.3 | 10.6 | 73.3 | 786.5 |
| White | 95.4 | 1.2 | 0.5 | 2.9 | 9.8 | 69.1 | 775.8 |
| Nonwhite | 153.8 | 4.1 | 6.6 | 16.6 | 40.3 | 265.1 | 1,398.1 |
| 2. Cancer | 151.2 | 10.1 | 7.8 | 10.7 | 39.0 | 241.0 | 849.1 |
| White | 151.0 | 10.3 | 7.9 | 10.8 | 38.5 | 238.0 | 844.8 |
| Nonwhite | 156.9 | 4.1 | 3.3 | 8.3 | 55.2 | 379.2 | 1,092.6 |
| 3. Vascular lesions affecting central nervous system | 111.5 | 0.3 | 0.5 | 2.5 | 5.9 | 69.9 | 959.6 |
| White | 110.3 | 0.3 | 0.5 | 2.4 | 5.3 | 64.3 | 952.2 |
| Nonwhite | 156.2 | -0- | -0- | 4.1 | 25.5 | 328.9 | 1,379.6 |
| 4. Congenital malformations and diseases of early infancy | 44.7 | 398.5 | 3.8 | 2.6 | 1.6 | 2.1 | 1.6 |
| White | 42.7 | 383.2 | 4.0 | 2.7 | 1.5 | 2.2 | 1.6 |
| Nonwhite | 119.6 | 817.4 | -0- | -0- | 4.2 | -0- | -0- |
| 5. Accidents | 48.5 | 35.7 | 18.6 | 69.1 | 36.8 | 44.8 | 138.0 |
| White | 47.7 | 32.7 | 18.2 | 69.5 | 35.9 | 43.7 | 137.4 |
| Nonwhite | 80.5 | 116.2 | 36.1 | 58.1 | 72.2 | 97.3 | 166.7 |
| a. Motor vehicle | 22.0 | 8.5 | 8.0 | 50.4 | 20.6 | 21.5 | 36.6 |
| White | 21.7 | 8.5 | 7.9 | 50.3 | 20.3 | 21.0 | 36.4 |
| Nonwhite | 30.6 | 8.3 | 9.8 | 53.9 | 31.8 | 43.6 | 46.3 |
| b. Other | 26.6 | 27.2 | 10.7 | 18.7 | 16.3 | 23.4 | 101.4 |
| White | 26.0 | 24.3 | 10.3 | 19.2 | 15.6 | 22.7 | 101.1 |
| Nonwhite | 49.9 | 107.9 | 26.2 | 4.1 | 40.3 | 53.7 | 120.4 |
| 6. Pneumonia and influenza | 27.3 | 56.9 | 2.4 | 1.6 | 4.1 | 15.9 | 162.2 |
| White | 25.8 | 47.9 | 2.4 | 1.7 | 3.6 | 14.5 | 160.5 |
| Nonwhite | 81.1 | 302.9 | 3.3 | -0- | 21.2 | 77.2 | 259.3 |
| 7. General arteriosclerosis | 22.4 | -0- | -0- | -0- | 0.1 | 5.0 | 216.8 |
| White | 22.4 | -0- | -0- | -0- | 0.1 | 4.6 | 215.8 |
| Nonwhite | 21.6 | -0- | -0- | -0- | -0- | 20.1 | 277.8 |
| 8. Diabetes mellitus | 14.5 | 0.4 | 0.3 | 0.3 | 2.7 | 15.6 | 103.5 |
| White | 14.4 | 0.5 | 0.3 | 0.2 | 2.7 | 15.2 | 102.4 |
| Nonwhite | 18.0 | -0- | -0- | 4.1 | 2.1 | 33.6 | 166.7 |
| 9. Cirrhosis of liver | 7.8 | -0- | 0.1 | 0.1 | 3.3 | 18.9 | 26.8 |
| White | 7.9 | -0- | 0.1 | 0.2 | 3.3 | 18.9 | 27.1 |
| Nonwhite | 3.6 | -0- | -0- | -0- | -0- | 16.8 | 9.3 |
| 10. Hypertension without mention of heart | 9.5 | -0- | -0- | 0.1 | 1.8 | 7.6 | 74.7 |
| White | 9.4 | -0- | -0- | 0.2 | 1.5 | 7.3 | 73.9 |
| Nonwhite | 16.2 | -0- | -0- | -0- | 14.9 | 23.5 | 120.4 |
| 11. Suicide | 9.8 | -0- | 0.3 | 6.5 | 8.7 | 17.4 | 28.3 |
| White | 9.9 | -0- | 0.2 | 6.8 | 8.7 | 17.6 | 28.4 |
| Nonwhite | 5.4 | -0- | 3.3 | -0- | 6.4 | 10.1 | 18.5 |
| 12. Other circulatory diseases | 8.8 | 0.1 | 0.2 | 0.1 | 1.8 | 11.7 | 58.0 |
| White | 8.8 | 0.2 | 0.2 | 0.2 | 1.9 | 11.3 | 57.2 |
| Nonwhite | 12.0 | -0- | -0- | -0- | -0- | 30.2 | 101.9 |

Table 9A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959

(Includes deaths of Illinois residents occurring outside the State)

| County | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| ILLINOIS ... | 101,406 | 44,014 | 33,403 | 10,611 | 16,443 | 10,894 | 4,777 |
| Adams ..... | 925 | 418 | 343 | 75 | 132 | 104 | 36 |
| Alexander ..... | 248 | 112 | 95 | 17 | 36 | 34 | 9 |
| Bond ..... | 183 | 98 | 66 | 32 | 24 | 19 | 4 |
| Boone ..... | 195 | 79 | 68 | 11 | 33 | 29 | 11 |
| Brown ..... | 92 | 42 | 26 | 16 | 16 | 11 | 3 |
| Bureau ..... | 440 | 170 | 124 | 46 | 91 | 61 | 10 |
| Calhoun ..... | 73 | 34 | 27 | 7 | 9 | 11 | 4 |
| Carroll ..... | 231 | 100 | 82 | 18 | 38 | 34 | 9 |
| Cass ..... | 174 | 69 | 52 | 17 | 26 | 31 | 9 |
| Champaign .... | 873 | 336 | 256 | 80 | 124 | 102 | 63 |
| Christian ..... | 411 | 175 | 139 | 36 | 48 | 53 | 12 |
| Clark ..... | 215 | 80 | 44 | 36 | 40 | 40 | 5 |
| Clay ..... | 182 | 89 | 60 | 29 | 28 | 26 | 6 |
| Clinton ..... | 218 | 92 | 57 | 35 | 34 | 32 | 10 |
| Coles ..... | 495 | 204 | 151 | 53 | 72 | 69 | 13 |
| Cook ..... | 52,732 | 23,434 | 17,950 | 5,484 | 8,802 | 4,887 | 2,568 |
| Crawford ..... | 254 | 117 | 80 | 37 | 40 | 24 | 7 |
| Cumberland .... | 123 | 59 | 48 | 11 | 18 | 10 | 3 |
| De Kalb ..... | 442 | 179 | 133 | 46 | 77 | 49 | 18 |
| De Witt ..... | 212 | 108 | 58 | 50 | 31 | 24 | 5 |
| Douglas ..... | 222 | 97 | 60 | 37 | 36 | 34 | 9 |
| Du Page ..... | 1,891 | 745 | 561 | 184 | 348 | 221 | 123 |
| Edgar ..... | 281 | 112 | 79 | 33 | 50 | 44 | 5 |
| Edwards ..... | 105 | 55 | 41 | 14 | 15 | 18 | 2 |
| Effingham ..... | 204 | 83 | 58 | 25 | 38 | 26 | 10 |
| Fayette ..... | 253 | 105 | 69 | 36 | 36 | 40 | 7 |
| Ford ..... | 185 | 88 | 65 | 23 | 22 | 16 | 6 |
| Franklin ..... | 575 | 281 | 234 | 47 | 84 | 47 | 20 |
| Fulton ..... | 540 | 246 | 176 | 70 | 64 | 68 | 17 |
| Gallatin ..... | 108 | 47 | 25 | 22 | 14 | 15 | 8 |
| Greene ..... | 248 | 105 | 69 | 36 | 39 | 23 | 9 |
| Grundy ..... | 228 | 94 | 75 | 19 | 39 | 36 | 14 |
| Hamilton ..... | 127 | 77 | 45 | 32 | 18 | 15 | 2 |
| Hancock ..... | 316 | 136 | 105 | 31 | 50 | 50 | 9 |
| Hardin ..... | 72 | 24 | 19 | 5 | 12 | 13 | 3 |
| Henderson .... | 84 | 50 | 40 | 10 | 8 | 5 | 4 |
| Henry ..... | 558 | 230 | 183 | 47 | 88 | 82 | 14 |
| Iroquois ..... | 376 | 188 | 133 | 55 | 53 | 46 | 15 |
| Jackson ..... | 432 | 190 | 137 | 53 | 71 | 65 | 14 |
| Jasper ..... | 146 | 63 | 54 | 9 | 17 | 18 | 7 |
| Jefferson ..... | 376 | 138 | 88 | 50 | 56 | 51 | 22 |
| Jersey ..... | 175 | 79 | 46 | 33 | 26 | 11 | 3 |
| Jo Daviess .... | 259 | 117 | 86 | 31 | 27 | 39 | 9 |
| Johnson ..... | 97 | 47 | 41 | 6 | 11 | 13 | 1 |
| Kane ..... | 1,832 | 762 | 568 | 194 | 325 | 194 | 101 |
| Kankakee ..... | 724 | 292 | 242 | 50 | 111 | 76 | 45 |
| Kendall ..... | 176 | 58 | 46 | 12 | 25 | 22 | 8 |
| Knox ..... | 655 | 267 | 226 | 41 | 96 | 100 | 34 |
| Lake ..... | 1,996 | 832 | 644 | 188 | 323 | 212 | 129 |
| La Salle ..... | 1,167 | 484 | 377 | 107 | 208 | 174 | 43 |
| Lawrence ..... | 263 | 93 | 63 | 30 | 30 | 40 | 8 |
| Lee ..... | 383 | 165 | 119 | 46 | 64 | 37 | 19 |

Table 9A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

(Includes deaths of Illinois residents occurring outside the State)

| County | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Other circu-latory diseases |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| ILLINOIS . . . | 4,544 | 1,848 | 2,696 | 3,869 | 2,069 | 1,576 | 1,265 | 1,004 | 982 | 872 |
| Adams . . . . . | 49 | 18 | 31 | 27 | 36 | 11 | 7 | 11 | 11 | 6 |
| Alexander . . . . . | 13 | 7 | 6 | 1 | 12 | 5 | 1 | 2 | 2 | -- |
| Bond . . . . . | 6 | 4 | 2 | 4 | 2 | 8 | -- | 1 | 3 | 1 |
| Boone . . . . . | 7 | 4 | 3 | 10 | 3 | 3 | -- | 1 | 2 | 1 |
| Brown . . . . . | 4 | 1 | 3 | 2 | 3 | 3 | -- | -- | 1 | 1 |
| Bureau . . . . . | 21 | 12 | 9 | 14 | 9 | 10 | 2 | 3 | 6 | 3 |
| Calhoun . . . . . | 5 | 1 | 4 | 1 | 1 | 1 | 1 | -- | 1 | 1 |
| Carroll . . . . . | 10 | 3 | 7 | 6 | 6 | 2 | 1 | 3 | -- | 3 |
| Cass . . . . . | 6 | 1 | 5 | 2 | 9 | 3 | 1 | 1 | -- | 1 |
| Champaign . . . . | 46 | 19 | 27 | 17 | 23 | 19 | 8 | 11 | 12 | 12 |
| Christian . . . . . | 20 | 9 | 11 | 12 | 15 | 11 | 4 | 3 | 7 | 2 |
| Clark . . . . . | 12 | 4 | 8 | 1 | 9 | 5 | 1 | 2 | 1 | 5 |
| Clay . . . . . | 4 | 3 | 1 | 4 | 3 | 1 | -- | -- | 3 | 2 |
| Clinton . . . . . | 19 | 9 | 10 | 4 | 2 | 2 | 2 | 2 | -- | 1 |
| Coles . . . . . | 23 | 10 | 13 | 8 | 20 | 10 | 4 | 8 | -- | 3 |
| Cook . . . . . | 1,877 | 628 | 1,249 | 2,462 | 823 | 840 | 906 | 481 | 481 | 406 |
| Crawford . . . . . | 19 | 11 | 8 | 3 | 4 | 2 | -- | 1 | 4 | 3 |
| Cumberland . . . | 3 | 2 | 1 | 4 | 4 | 3 | 3 | 2 | 1 | 2 |
| De Kalb . . . . . | 29 | 15 | 14 | 14 | 9 | 11 | 1 | 3 | 3 | 2 |
| De Witt . . . . . | 13 | 7 | 6 | 9 | -- | 5 | 1 | 3 | -- | 1 |
| Douglas . . . . . | 11 | 5 | 6 | 3 | 4 | 3 | -- | 3 | -- | -- |
| Du Page . . . . . | 98 | 45 | 53 | 59 | 45 | 31 | 17 | 13 | 26 | 25 |
| Edgar . . . . . | 13 | 8 | 5 | 3 | 14 | 5 | -- | 2 | -- | 2 |
| Edwards . . . . . | 5 | 4 | 1 | -- | 1 | 3 | -- | -- | -- | 1 |
| Effingham . . . . . | 13 | 7 | 6 | 8 | 2 | 4 | 1 | -- | 1 | 3 |
| Fayette . . . . . | 8 | 5 | 3 | 11 | 19 | 3 | 1 | 4 | 3 | 4 |
| Ford . . . . . | 17 | 13 | 4 | 5 | 5 | 2 | -- | 3 | 1 | 2 |
| Franklin . . . . . | 28 | 13 | 15 | 15 | 13 | 8 | 2 | 10 | 7 | 4 |
| Fulton . . . . . | 37 | 19 | 18 | 15 | 12 | 7 | -- | 11 | 8 | 2 |
| Gallatin . . . . . | 7 | 2 | 5 | 1 | 1 | 1 | 1 | 1 | -- | -- |
| Greene . . . . . | 17 | 9 | 8 | 9 | 7 | 5 | -- | 3 | 6 | 1 |
| Grundy . . . . . | 9 | 4 | 5 | 2 | 4 | 2 | 2 | 3 | 1 | 1 |
| Hamilton . . . . . | 4 | 1 | 3 | 1 | 2 | 2 | -- | -- | -- | 1 |
| Hancock . . . . . | 16 | 5 | 11 | 4 | 17 | 3 | -- | 3 | 1 | 3 |
| Hardin . . . . . | 4 | 2 | 2 | 2 | -- | 1 | -- | -- | -- | 2 |
| Henderson . . . . | 4 | 3 | 1 | -- | 1 | -- | -- | 3 | 1 | -- |
| Henry . . . . . | 29 | 13 | 16 | 20 | 16 | 13 | 2 | 9 | 5 | 3 |
| Iroquois . . . . . | 20 | 10 | 10 | 7 | 7 | 3 | 2 | 2 | 2 | 4 |
| Jackson . . . . . | 20 | 7 | 13 | 12 | 12 | 2 | -- | 7 | 3 | 5 |
| Jasper . . . . . | 10 | 1 | 9 | 4 | 3 | 4 | 1 | 2 | 2 | 5 |
| Jefferson . . . . . | 22 | 12 | 10 | 12 | 7 | 4 | 3 | 4 | 1 | 1 |
| Jersey . . . . . | 20 | 8 | 12 | 5 | 2 | 6 | 1 | -- | 2 | 5 |
| Jo Daviess . . . . | 8 | 4 | 4 | 11 | 9 | 3 | 4 | 4 | 2 | 4 |
| Johnson . . . . . | 4 | -- | 4 | 2 | 8 | 2 | -- | 3 | -- | -- |
| Kane . . . . . | 117 | 55 | 62 | 79 | 24 | 23 | 18 | 23 | 15 | 15 |
| Kankakee . . . . . | 41 | 18 | 23 | 31 | 23 | 14 | 4 | 4 | 7 | 7 |
| Kendall . . . . . | 17 | 10 | 7 | 9 | 7 | 5 | -- | 3 | -- | 1 |
| Knox . . . . . | 30 | 15 | 15 | 22 | 20 | 8 | 5 | 7 | 3 | 7 |
| Lake . . . . . | 124 | 59 | 65 | 53 | 29 | 30 | 25 | 19 | 22 | 15 |
| La Salle . . . . . | 67 | 36 | 31 | 23 | 22 | 18 | 12 | 12 | 16 | 8 |
| Lawrence . . . . . | 15 | 5 | 10 | 15 | 8 | 2 | 1 | -- | 4 | 3 |
| Lee . . . . . | 22 | 12 | 10 | 7 | 11 | 1 | 3 | 6 | 4 | 3 |

Table 9A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

(Includes deaths of Illinois residents occurring outside the State)

| County | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| Livingston | 400 | 148 | 117 | 31 | 77 | 72 | 14 |
| Logan | 333 | 133 | 98 | 35 | 48 | 45 | 11 |
| McDonough | 330 | 139 | 109 | 30 | 52 | 46 | 15 |
| McHenry | 757 | 298 | 223 | 75 | 138 | 84 | 43 |
| McLean | 868 | 359 | 307 | 52 | 142 | 119 | 19 |
| Macon | 1,096 | 420 | 320 | 100 | 175 | 155 | 60 |
| Macoupin | 568 | 255 | 190 | 65 | 77 | 89 | 13 |
| Madison | 1,875 | 759 | 506 | 253 | 285 | 216 | 119 |
| Marion | 503 | 215 | 154 | 61 | 78 | 63 | 16 |
| Marshall | 151 | 63 | 49 | 14 | 21 | 27 | 7 |
| Mason | 190 | 76 | 61 | 15 | 27 | 29 | 7 |
| Massac | 188 | 76 | 59 | 17 | 29 | 27 | 2 |
| Menard | 107 | 41 | 24 | 17 | 24 | 16 | 1 |
| Mercer | 202 | 100 | 80 | 20 | 30 | 25 | 3 |
| Monroe | 162 | 72 | 63 | 9 | 31 | 14 | 6 |
| Montgomery | 459 | 190 | 132 | 58 | 71 | 73 | 15 |
| Morgan | 466 | 229 | 174 | 55 | 67 | 55 | 12 |
| Moultrie | 187 | 78 | 68 | 10 | 26 | 30 | 6 |
| Ogle | 370 | 150 | 115 | 35 | 57 | 47 | 17 |
| Peoria | 1,832 | 720 | 575 | 145 | 307 | 194 | 88 |
| Perry | 243 | 114 | 92 | 22 | 38 | 37 | 6 |
| Piatt | 159 | 59 | 29 | 30 | 30 | 14 | 7 |
| Pike | 262 | 114 | 86 | 28 | 36 | 44 | 7 |
| Pope | 74 | 37 | 27 | 10 | 11 | 9 | 1 |
| Pulaski | 143 | 57 | 47 | 10 | 16 | 24 | 4 |
| Putnam | 37 | 19 | 12 | 7 | 7 | 2 | 1 |
| Randolph | 347 | 161 | 116 | 45 | 48 | 56 | 13 |
| Richland | 187 | 93 | 77 | 16 | 27 | 22 | 8 |
| Rock Island | 1,480 | 626 | 523 | 103 | 242 | 173 | 82 |
| St. Clair | 2,463 | 1,078 | 747 | 331 | 374 | 264 | 130 |
| Saline | 472 | 234 | 164 | 70 | 66 | 70 | 6 |
| Sangamon | 1,686 | 738 | 575 | 163 | 296 | 207 | 80 |
| Schuyler | 123 | 66 | 37 | 29 | 20 | 11 | 5 |
| Scott | 93 | 45 | 37 | 8 | 12 | 20 | 1 |
| Shelby | 314 | 123 | 81 | 42 | 55 | 52 | 5 |
| Stark | 99 | 44 | 31 | 13 | 14 | 15 | 1 |
| Stephenson | 532 | 238 | 163 | 75 | 89 | 69 | 11 |
| Tazewell | 721 | 284 | 202 | 82 | 122 | 66 | 36 |
| Union | 227 | 100 | 76 | 24 | 35 | 25 | 7 |
| Vermilion | 1,148 | 492 | 361 | 131 | 159 | 140 | 56 |
| Wabash | 164 | 78 | 51 | 27 | 23 | 18 | 4 |
| Warren | 290 | 129 | 82 | 47 | 44 | 33 | 7 |
| Washington | 187 | 77 | 67 | 10 | 23 | 27 | 8 |
| Wayne | 195 | 90 | 65 | 25 | 23 | 25 | 13 |
| White | 245 | 103 | 94 | 9 | 36 | 41 | 2 |
| Whiteside | 527 | 229 | 167 | 62 | 77 | 56 | 25 |
| Will | 1,590 | 688 | 494 | 194 | 244 | 164 | 90 |
| Williamson | 587 | 275 | 232 | 43 | 77 | 61 | 17 |
| Winnebago | 1,704 | 630 | 519 | 111 | 277 | 193 | 135 |
| Woodford | 238 | 108 | 79 | 29 | 37 | 28 | 7 |
| Unspecified place in Illinois | 53 | 19 | 13 | 6 | -- | 1 | 2 |

Table 9A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

(Includes deaths of Illinois residents occurring outside the State)

| County | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Other circu-latory diseases |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| Livingston | 18 | 7 | 11 | 8 | 9 | 5 | 3 | 4 | 5 | 3 |
| Logan | 17 | 9 | 8 | 9 | 24 | 4 | 1 | 5 | 6 | 2 |
| McDonough | 16 | 8 | 8 | 9 | 8 | 5 | 2 | 1 | 5 | 3 |
| McHenry | 56 | 30 | 26 | 27 | 14 | 16 | 3 | 7 | 6 | 12 |
| McLean | 52 | 14 | 38 | 22 | 16 | 5 | 7 | 26 | 15 | 9 |
| Macon | 67 | 34 | 33 | 25 | 28 | 17 | 7 | 9 | 15 | 16 |
| Macoupin | 31 | 15 | 16 | 14 | 16 | 8 | 2 | 5 | 5 | 6 |
| Madison | 115 | 49 | 66 | 58 | 36 | 37 | 17 | 14 | 21 | 16 |
| Marion | 37 | 13 | 24 | 14 | 12 | 3 | 3 | 1 | 5 | 5 |
| Marshall | 8 | 2 | 6 | 7 | 5 | -- | -- | -- | 2 | 1 |
| Mason | 12 | 5 | 7 | 9 | 1 | -- | 2 | 4 | 3 | 1 |
| Massac | 9 | 3 | 6 | 6 | 7 | 7 | 1 | -- | 4 | -- |
| Menard | 3 | 1 | 2 | 1 | 4 | -- | 1 | 1 | 1 | 1 |
| Mercer | 14 | 10 | 4 | 6 | 3 | 2 | -- | 2 | 3 | 3 |
| Monroe | 7 | -- | 7 | -- | 13 | 1 | 2 | 1 | 3 | 2 |
| Montgomery | 32 | 16 | 16 | 9 | 10 | 3 | 2 | 7 | 8 | 4 |
| Morgan | 12 | 7 | 5 | 16 | 21 | 4 | 6 | 4 | 3 | 7 |
| Moultrie | 11 | 6 | 5 | 12 | 3 | 3 | 1 | 7 | 1 | 2 |
| Ogle | 16 | 12 | 4 | 12 | 16 | 12 | 1 | 2 | 4 | 6 |
| Peoria | 80 | 32 | 48 | 69 | 84 | 27 | 24 | 19 | 16 | 24 |
| Perry | 9 | 3 | 6 | 4 | 9 | 2 | -- | 1 | -- | 3 |
| Piatt | 10 | 5 | 5 | 3 | 4 | 3 | -- | 6 | 2 | 2 |
| Pike | 15 | 7 | 8 | 8 | 4 | 1 | 1 | 5 | 4 | 1 |
| Pope | 3 | -- | 3 | 2 | 4 | 1 | -- | -- | 1 | -- |
| Pulaski | 11 | 5 | 6 | 5 | 5 | 3 | 1 | -- | 1 | -- |
| Putnam | 2 | 1 | 1 | 2 | 1 | -- | -- | -- | -- | -- |
| Randolph | 24 | 8 | 16 | 5 | 6 | 2 | 4 | 2 | 4 | 1 |
| Richland | 7 | 1 | 6 | 3 | -- | 1 | 1 | 1 | 4 | 1 |
| Rock Island | 80 | 33 | 47 | 43 | 51 | 22 | 7 | 21 | 11 | 10 |
| St. Clair | 127 | 48 | 79 | 81 | 32 | 31 | 32 | 21 | 25 | 28 |
| Saline | 16 | 7 | 9 | 8 | 15 | 9 | 4 | 7 | 2 | 4 |
| Sangamon | 54 | 25 | 29 | 36 | 26 | 27 | 17 | 16 | 13 | 20 |
| Schuyler | 3 | 1 | 2 | -- | 7 | 2 | -- | -- | 3 | -- |
| Scott | 3 | 1 | 2 | 5 | 1 | -- | -- | -- | 1 | -- |
| Shelby | 21 | 13 | 8 | 8 | 9 | 5 | 1 | 3 | 1 | 3 |
| Stark | 6 | 2 | 4 | -- | 6 | 1 | -- | 1 | 1 | -- |
| Stephenson | 28 | 16 | 12 | 9 | 12 | 10 | 6 | 7 | 4 | 12 |
| Tazewell | 41 | 22 | 19 | 31 | 23 | 8 | 9 | 6 | 13 | 8 |
| Union | 24 | 12 | 12 | 3 | 11 | 1 | -- | 2 | 4 | 1 |
| Vermilion | 64 | 29 | 35 | 52 | 32 | 9 | 5 | 15 | 11 | 9 |
| Wabash | 5 | -- | 5 | 4 | 6 | 2 | 1 | 1 | 1 | -- |
| Warren | 23 | 16 | 7 | 5 | 5 | 1 | 1 | 10 | 6 | 3 |
| Washington | 10 | 5 | 5 | 17 | 1 | 2 | -- | 1 | 1 | 1 |
| Wayne | 14 | 2 | 12 | 4 | 5 | 3 | 2 | 2 | 2 | -- |
| White | 21 | 16 | 5 | 3 | 11 | 4 | 2 | -- | 1 | 2 |
| Whiteside | 29 | 18 | 11 | 14 | 15 | 14 | 3 | 5 | 8 | 4 |
| Will | 97 | 45 | 52 | 33 | 37 | 32 | 15 | 17 | 19 | 12 |
| Williamson | 28 | 9 | 19 | 6 | 15 | 8 | 6 | 16 | 5 | 5 |
| Winnebago | 83 | 37 | 46 | 80 | 29 | 33 | 13 | 14 | 20 | 25 |
| Woodford | 14 | 9 | 5 | 6 | 8 | 7 | 1 | 2 | -- | 1 |
| Unspecified place in Illinois | 16 | 1 | 15 | 1 | 1 | -- | -- | -- | 2 | -- |

Table 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF ILLINOIS COUNTIES: 1959

(Rates per 100,000 estimated midyear population)

| County | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| ILLINOIS . . . | 1,022.8 | 443.9 | 336.9 | 107.0 | 165.8 | 109.9 | 48.2 |
| Adams . . . . . | 1,364.3 | 616.5 | 505.9 | 110.6 | 194.7 | 153.4 | 53.1 |
| Alexander . . . . . | 1,559.7 | 704.4 | 597.5 | 106.9 | 226.4 | 213.8 | 56.6 |
| Bond . . . . . | 1,297.9 | 695.0 | 468.1 | 226.0 | 170.2 | 134.8 | 28.4 |
| Boone . . . . . | 975.0 | 385.0 | 340.0 | 55.0 | 165.0 | 145.0 | 55.0 |
| Brown . . . . . | 1,460.3 | 666.7 | 412.7 | 254.0 | 254.0 | 174.6 | 47.6 |
| Bureau . . . . . | 1,186.0 | 458.2 | 334.2 | 124.0 | 245.3 | 164.4 | 27.0 |
| Calhoun . . . . . | 1,216.7 | 566.7 | 450.0 | 116.7 | 150.0 | 183.3 | 66.7 |
| Carroll . . . . . | 1,196.9 | 518.1 | 424.9 | 93.3 | 196.9 | 176.2 | 46.6 |
| Cass . . . . . | 1,200.0 | 475.9 | 358.6 | 117.2 | 179.3 | 213.8 | 62.1 |
| Champaign . . . . | 670.5 | 258.1 | 196.6 | 61.4 | 95.2 | 78.3 | 48.4 |
| Christian . . . . . | 1,104.8 | 470.4 | 373.7 | 96.8 | 129.0 | 142.5 | 32.3 |
| Clark . . . . . | 1,295.2 | 481.9 | 265.1 | 216.9 | 241.0 | 241.0 | 36.1 |
| Clay . . . . . | 1,144.7 | 559.7 | 377.4 | 182.4 | 176.1 | 163.5 | 37.7 |
| Clinton . . . . . | 912.1 | 384.9 | 238.5 | 146.4 | 142.3 | 133.9 | 41.8 |
| Coles . . . . . | 1,164.7 | 480.0 | 355.3 | 124.7 | 169.4 | 162.4 | 30.6 |
| Cook . . . . . | 1,045.5 | 464.6 | 355.9 | 108.7 | 174.5 | 96.9 | 50.9 |
| Crawford . . . . . | 1,227.1 | 565.2 | 386.5 | 178.7 | 193.2 | 115.9 | 33.8 |
| Cumberland . . . | 1,242.4 | 596.0 | 484.8 | 111.1 | 181.8 | 101.0 | 30.3 |
| De Kalb . . . . . | 873.5 | 353.8 | 262.8 | 90.9 | 152.2 | 96.8 | 35.6 |
| De Witt . . . . . | 1,239.8 | 631.6 | 339.2 | 292.4 | 181.3 | 140.4 | 29.2 |
| Douglas . . . . . | 1,168.4 | 510.5 | 315.8 | 194.7 | 189.5 | 178.9 | 47.4 |
| Du Page . . . . . | 626.8 | 246.9 | 185.9 | 61.0 | 115.3 | 73.3 | 40.8 |
| Edgar . . . . . | 1,248.9 | 497.8 | 351.1 | 146.7 | 222.2 | 195.6 | 22.2 |
| Edwards . . . . . | 1,312.5 | 687.5 | 512.5 | 175.0 | 187.5 | 225.0 | 25.0 |
| Effingham . . . . . | 883.1 | 359.3 | 251.1 | 108.2 | 164.5 | 112.6 | 43.3 |
| Fayette . . . . . | 1,150.0 | 477.3 | 313.6 | 163.6 | 163.6 | 181.8 | 31.8 |
| Ford . . . . . | 1,121.2 | 533.3 | 393.9 | 139.4 | 133.3 | 97.0 | 36.4 |
| Franklin . . . . . | 1,452.0 | 709.6 | 590.9 | 118.7 | 212.1 | 118.7 | 50.5 |
| Fulton . . . . . | 1,288.8 | 587.1 | 420.0 | 167.1 | 152.7 | 162.3 | 40.6 |
| Gallatin . . . . . | 1,384.6 | 802.6 | 320.5 | 282.1 | 179.5 | 192.3 | 102.6 |
| Greene . . . . . | 1,417.1 | 600.0 | 394.3 | 205.7 | 222.9 | 131.4 | 51.4 |
| Grundy . . . . . | 1,031.7 | 425.3 | 339.4 | 86.0 | 176.5 | 162.9 | 63.3 |
| Hamilton . . . . . | 1,257.4 | 762.4 | 445.5 | 316.8 | 178.2 | 148.5 | 19.8 |
| Hancock . . . . . | 1,289.8 | 555.1 | 428.6 | 126.5 | 204.1 | 204.1 | 36.7 |
| Hardin . . . . . | 1,200.0 | 400.0 | 316.7 | 83.3 | 200.0 | 216.7 | 50.0 |
| Henderson . . . . | 1,024.4 | 609.8 | 487.8 | 122.0 | 97.6 | 61.0 | 48.8 |
| Henry . . . . . | 1,141.1 | 470.3 | 374.2 | 96.1 | 180.0 | 167.7 | 28.6 |
| Iroquois . . . . . | 1,125.7 | 562.9 | 398.2 | 164.7 | 158.7 | 137.7 | 44.9 |
| Jackson . . . . . | 1,028.6 | 452.4 | 326.2 | 126.2 | 169.0 | 154.8 | 33.3 |
| Jasper . . . . . | 1,292.0 | 557.5 | 477.9 | 79.6 | 150.4 | 159.3 | 61.9 |
| Jefferson . . . . . | 1,156.9 | 424.6 | 270.8 | 153.8 | 172.3 | 156.9 | 67.7 |
| Jersey . . . . . | 1,029.4 | 464.7 | 270.6 | 194.1 | 152.9 | 64.7 | 17.6 |
| Jo Daviess . . . . | 1,193.5 | 539.2 | 396.3 | 142.9 | 124.4 | 179.7 | 41.5 |
| Johnson . . . . . | 1,385.7 | 671.4 | 585.7 | 85.7 | 157.1 | 185.7 | 14.3 |
| Kane . . . . . | 901.6 | 375.0 | 279.5 | 95.5 | 159.9 | 95.5 | 49.7 |
| Kankakee . . . . . | 815.3 | 328.8 | 272.5 | 56.3 | 125.0 | 85.6 | 50.7 |
| Kendall . . . . . | 1,029.2 | 339.2 | 269.0 | 70.2 | 146.2 | 128.7 | 46.8 |
| Knox . . . . . | 1,082.6 | 441.3 | 373.6 | 67.8 | 158.7 | 165.3 | 56.2 |
| Lake . . . . . | 706.5 | 294.5 | 228.0 | 66.5 | 114.3 | 75.0 | 45.7 |
| La Salle . . . . . | 1,066.7 | 442.4 | 344.6 | 97.8 | 190.1 | 159.0 | 39.3 |
| Lawrence . . . . . | 1,414.0 | 500.0 | 338.7 | 161.3 | 161.3 | 215.1 | 43.0 |
| Lee . . . . . | 992.2 | 427.5 | 308.3 | 119.2 | 165.8 | 95.9 | 49.2 |

Table 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

(Rates per 100,000 estimated midyear population)

| County | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Other circu-latory diseases |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| ILLINOIS . . . | 45.8 | 18.6 | 27.2 | 39.0 | 20.9 | 15.9 | 12.8 | 10.1 | 9.9 | 8.8 |
| Adams. . . . . | 72.3 | 26.5 | 45.7 | 39.8 | 53.1 | 16.2 | 10.3 | 16.2 | 16.2 | 8.8 |
| Alexander . . . . | 81.8 | 44.0 | 37.7 | 6.3 | 75.5 | 31.4 | 6.3 | 12.6 | 12.6 | -0- |
| Bond . . . . . | 42.6 | 28.4 | 14.2 | 28.4 | 14.2 | 56.7 | -0- | 7.1 | 21.3 | 7.1 |
| Boone . . . . . | 35.0 | 20.0 | 15.0 | 50.0 | 15.0 | 15.0 | -0- | 5.0 | 10.0 | 5.0 |
| Brown . . . . . | 63.5 | 15.9 | 47.6 | 31.7 | 47.6 | 47.6 | -0- | -0- | 15.9 | 15.9 |
| Bureau . . . . . | 56.6 | 32.3 | 24.3 | 37.7 | 24.3 | 27.0 | 5.4 | 8.1 | 16.2 | 8.1 |
| Calhoun . . . . . | 83.3 | 16.7 | 66.7 | 16.7 | 16.7 | 16.7 | 16.7 | -0- | 16.7 | 16.7 |
| Carroll . . . . . | 51.8 | 15.5 | 36.3 | 31.1 | 31.1 | 10.4 | 5.2 | 15.5 | -0- | 15.5 |
| Cass . . . . . | 41.4 | 6.9 | 34.5 | 13.8 | 62.1 | 20.7 | 6.9 | 6.9 | -0- | 6.9 |
| Champaign . . . . | 35.3 | 14.6 | 20.7 | 13.1 | 17.7 | 14.6 | 6.1 | 8.4 | 9.2 | 9.2 |
| Christian . . . . . | 53.8 | 24.2 | 29.6 | 32.3 | 40.3 | 29.6 | 10.8 | 8.1 | 18.8 | 5.4 |
| Clark . . . . . | 72.3 | 24.1 | 48.2 | 6.0 | 54.2 | 30.1 | 6.0 | 12.0 | 6.0 | 30.1 |
| Clay . . . . . | 25.2 | 18.9 | 6.3 | 25.2 | 18.9 | 6.3 | -0- | -0- | 18.9 | 12.6 |
| Clinton . . . . . | 79.5 | 37.7 | 41.8 | 16.7 | 8.4 | 8.4 | 8.4 | 8.4 | -0- | 4.2 |
| Coles . . . . . | 54.1 | 23.5 | 30.6 | 18.8 | 47.1 | 23.5 | 9.4 | 18.8 | -0- | 7.1 |
| Cook . . . . . | 37.2 | 12.5 | 24.8 | 48.8 | 16.3 | 16.7 | 18.0 | 9.5 | 9.5 | 8.0 |
| Crawford . . . . . | 91.8 | 53.1 | 38.6 | 14.5 | 19.3 | 9.7 | -0- | 4.8 | 19.3 | 14.5 |
| Cumberland . . . | 30.3 | 20.2 | 10.1 | 40.4 | 40.4 | 30.3 | 30.3 | 20.2 | 10.1 | 20.2 |
| De Kalb . . . . . | 57.3 | 29.6 | 27.7 | 27.7 | 17.8 | 21.7 | 2.0 | 5.9 | 5.9 | 4.0 |
| De Witt . . . . . | 76.0 | 40.9 | 35.1 | 52.6 | -0- | 29.2 | 5.8 | 17.5 | -0- | 5.8 |
| Douglas . . . . . | 57.9 | 26.3 | 31.6 | 15.8 | 21.1 | 15.8 | -0- | 15.8 | -0- | -0- |
| Du Page. . . . . | 32.5 | 14.9 | 17.6 | 19.6 | 14.9 | 10.3 | 5.6 | 4.3 | 8.6 | 8.3 |
| Edgar . . . . . | 57.8 | 35.6 | 22.2 | 13.3 | 62.2 | 22.2 | -0- | 8.9 | -0- | 8.9 |
| Edwards . . . . . | 62.5 | 50.0 | 12.5 | -0- | 12.5 | 37.5 | -0- | -0- | -0- | 12.5 |
| Effingham . . . . | 56.3 | 30.3 | 26.0 | 34.6 | 8.7 | 17.3 | 4.3 | -0- | 4.3 | 13.0 |
| Fayette . . . . . | 36.4 | 22.7 | 13.6 | 50.0 | 86.4 | 13.6 | 4.5 | 18.2 | 13.6 | 18.2 |
| Ford . . . . . | 103.0 | 78.8 | 24.2 | 30.3 | 30.3 | 12.1 | -0- | 18.2 | 6.1 | 12.1 |
| Franklin . . . . . | 70.7 | 32.8 | 37.9 | 37.9 | 32.8 | 20.2 | 5.1 | 25.3 | 17.7 | 10.1 |
| Fulton . . . . . | 88.3 | 45.3 | 43.0 | 35.8 | 28.6 | 16.7 | -0- | 26.3 | 19.1 | 4.8 |
| Gallatin . . . . . | 89.7 | 25.6 | 64.1 | 12.8 | 12.8 | 12.8 | 12.8 | 12.8 | -0- | -0- |
| Greene . . . . . | 97.1 | 51.4 | 45.7 | 51.4 | 40.0 | 28.6 | -0- | 17.1 | 34.3 | 5.7 |
| Grundy . . . . . | 40.7 | 18.1 | 22.6 | 9.0 | 18.1 | 9.0 | 9.0 | 13.6 | 4.5 | 4.5 |
| Hamilton . . . . . | 39.6 | 9.9 | 29.7 | 9.9 | 19.8 | 19.8 | -0- | -0- | -0- | 9.9 |
| Hancock. . . . . | 65.3 | 20.4 | 44.9 | 16.3 | 69.4 | 12.2 | -0- | 12.2 | 4.1 | 12.2 |
| Hardin. . . . . | 66.7 | 33.3 | 33.3 | 33.3 | -0- | 16.7 | -0- | -0- | -0- | 33.3 |
| Henderson . . . . | 48.8 | 36.6 | 12.2 | -0- | 12.2 | -0- | -0- | 36.6 | 12.2 | -0- |
| Henry . . . . . | 59.3 | 26.6 | 32.7 | 40.9 | 32.7 | 26.6 | 4.1 | 18.4 | 10.2 | 6.1 |
| Iroquois. . . . . | 59.9 | 29.9 | 29.9 | 21.0 | 21.0 | 9.0 | 6.0 | 6.0 | 6.0 | 12.0 |
| Jackson . . . . . | 47.6 | 16.7 | 31.0 | 28.6 | 28.6 | 4.8 | -0- | 16.7 | 7.1 | 11.9 |
| Jasper. . . . . | 88.5 | 8.8 | 79.6 | 35.4 | 26.5 | 35.4 | 8.8 | 17.7 | 17.7 | 44.2 |
| Jefferson . . . . . | 67.7 | 36.9 | 30.8 | 36.9 | 21.5 | 12.3 | 9.2 | 12.3 | 3.1 | 3.1 |
| Jersey . . . . . | 117.6 | 47.1 | 70.6 | 29.4 | 11.8 | 35.3 | 5.9 | -0- | 11.8 | 29.4 |
| Jo Daviess . . . . | 36.9 | 18.4 | 18.4 | 50.7 | 41.5 | 13.8 | 18.4 | 18.4 | 9.2 | 18.4 |
| Johnson . . . . . | 57.1 | -0- | 57.1 | 28.6 | 114.3 | 28.6 | -0- | 42.9 | -0- | -0- |
| Kane . . . . . | 57.6 | 27.1 | 30.5 | 38.9 | 11.8 | 11.3 | 8.9 | 11.3 | 7.4 | 7.4 |
| Kankakee . . . . . | 46.2 | 20.3 | 25.9 | 34.9 | 25.9 | 15.8 | 4.5 | 4.5 | 7.9 | 7.9 |
| Kendall . . . . . | 99.4 | 58.5 | 40.9 | 52.6 | 40.9 | 29.2 | -0- | 17.5 | -0- | 5.8 |
| Knox . . . . . | 49.6 | 24.8 | 24.8 | 36.4 | 33.1 | 13.2 | 8.3 | 11.6 | 5.0 | 11.6 |
| Lake . . . . . | 43.9 | 20.9 | 23.0 | 18.8 | 10.3 | 10.6 | 8.8 | 6.7 | 7.8 | 5.3 |
| La Salle. . . . . | 61.2 | 32.9 | 28.3 | 21.0 | 20.1 | 16.5 | 11.0 | 11.0 | 14.6 | 7.3 |
| Lawrence. . . . . | 80.6 | 26.9 | 53.8 | 80.6 | 43.0 | 10.8 | 5.4 | -0- | 21.5 | 16.1 |
| Lee. . . . . | 57.0 | 31.1 | 25.9 | 18.1 | 28.5 | 2.6 | 7.8 | 15.5 | 10.4 | 7.8 |

Table 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

(Rates per 100,000 estimated midyear population)

| County | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| Livingston | 1,002.5 | 370.9 | 293.2 | 77.7 | 193.0 | 180.5 | 35.1 |
| Logan | 1,000.0 | 399.4 | 294.3 | 105.1 | 144.1 | 135.1 | 33.0 |
| McDonough | 1,149.8 | 484.3 | 379.8 | 104.5 | 181.2 | 160.3 | 52.3 |
| McHenry | 942.7 | 371.1 | 277.7 | 93.4 | 171.9 | 104.6 | 53.5 |
| McLean | 1,049.5 | 434.1 | 371.2 | 62.9 | 171.7 | 143.9 | 23.0 |
| Macon | 945.6 | 362.4 | 276.1 | 86.3 | 151.0 | 133.7 | 51.8 |
| Macoupin | 1,314.8 | 590.3 | 439.8 | 150.5 | 178.2 | 206.0 | 30.1 |
| Madison | 851.1 | 344.5 | 229.7 | 114.8 | 129.4 | 98.0 | 54.0 |
| Marion | 1,283.2 | 548.5 | 392.9 | 155.6 | 199.0 | 160.7 | 40.8 |
| Marshall | 1,135.3 | 473.7 | 368.4 | 105.3 | 157.9 | 203.0 | 52.6 |
| Mason | 1,250.0 | 500.0 | 401.3 | 98.7 | 177.6 | 190.8 | 46.1 |
| Massac | 1,333.3 | 539.0 | 418.4 | 120.6 | 205.7 | 191.5 | 14.2 |
| Menard | 1,150.5 | 440.9 | 258.1 | 182.8 | 258.1 | 172.0 | 10.8 |
| Mercer | 1,181.3 | 584.8 | 467.8 | 117.0 | 175.4 | 146.2 | 17.5 |
| Monroe | 1,065.8 | 473.7 | 414.5 | 59.2 | 203.9 | 92.1 | 39.5 |
| Montgomery | 1,471.2 | 609.0 | 423.1 | 185.9 | 227.6 | 234.0 | 48.1 |
| Morgan | 1,280.2 | 629.1 | 478.0 | 151.1 | 184.1 | 151.1 | 33.0 |
| Moultrie | 1,385.2 | 577.8 | 503.7 | 74.1 | 192.6 | 222.2 | 44.4 |
| Ogle | 984.0 | 398.9 | 305.9 | 93.1 | 151.6 | 125.0 | 45.2 |
| Peoria | 979.2 | 384.8 | 307.3 | 77.5 | 164.1 | 103.7 | 47.0 |
| Perry | 1,259.1 | 590.7 | 476.7 | 114.0 | 196.9 | 191.7 | 31.1 |
| Piatt | 1,067.1 | 396.0 | 194.6 | 201.3 | 201.3 | 94.0 | 47.0 |
| Pike | 1,259.6 | 548.1 | 413.5 | 134.6 | 173.1 | 211.5 | 33.7 |
| Pope | 1,804.9 | 902.4 | 658.5 | 243.9 | 268.3 | 219.5 | 24.4 |
| Pulaski | 1,336.4 | 532.7 | 439.3 | 93.5 | 149.5 | 224.3 | 37.4 |
| Putnam | 804.3 | 413.0 | 260.9 | 152.2 | 152.2 | 43.5 | 21.7 |
| Randolph | 1,160.5 | 538.5 | 388.0 | 150.5 | 160.5 | 187.3 | 43.5 |
| Richland | 1,154.3 | 574.1 | 475.3 | 98.8 | 166.7 | 135.8 | 49.4 |
| Rock Island | 1,002.7 | 424.1 | 354.3 | 69.8 | 164.0 | 117.2 | 55.6 |
| St. Clair | 949.1 | 415.4 | 287.9 | 127.6 | 144.1 | 101.7 | 50.1 |
| Saline | 1,774.4 | 879.7 | 616.5 | 263.2 | 248.1 | 263.2 | 22.6 |
| Sangamon | 1,162.8 | 509.0 | 396.6 | 112.4 | 204.1 | 142.8 | 55.2 |
| Schuyler | 1,397.7 | 750.0 | 420.5 | 329.5 | 227.3 | 125.0 | 56.8 |
| Scott | 1,453.1 | 703.1 | 578.1 | 125.0 | 187.5 | 312.5 | 15.6 |
| Shelby | 1,341.9 | 525.6 | 346.2 | 179.5 | 235.0 | 222.2 | 21.4 |
| Stark | 1,178.6 | 523.8 | 369.0 | 154.8 | 166.7 | 178.6 | 11.9 |
| Stephenson | 1,166.7 | 521.9 | 357.5 | 164.5 | 195.2 | 151.3 | 24.1 |
| Tazewell | 741.0 | 291.9 | 207.6 | 84.3 | 125.4 | 67.8 | 37.0 |
| Union | 1,275.3 | 561.8 | 427.0 | 134.8 | 196.6 | 140.4 | 39.3 |
| Vermilion | 1,208.4 | 517.9 | 380.0 | 137.9 | 167.4 | 147.4 | 58.9 |
| Wabash | 1,163.1 | 553.2 | 361.7 | 191.5 | 163.1 | 127.7 | 28.4 |
| Warren | 1,342.6 | 597.2 | 379.6 | 217.6 | 203.7 | 152.8 | 32.4 |
| Washington | 1,375.0 | 566.2 | 492.6 | 73.5 | 169.1 | 198.5 | 58.8 |
| Wayne | 1,026.3 | 473.7 | 342.1 | 131.6 | 121.1 | 131.6 | 68.4 |
| White | 1,269.4 | 533.7 | 487.0 | 46.6 | 186.5 | 212.4 | 10.4 |
| Whiteside | 894.7 | 388.8 | 283.5 | 105.3 | 130.7 | 95.1 | 42.4 |
| Will | 853.9 | 369.5 | 265.3 | 104.2 | 131.0 | 88.1 | 48.3 |
| Williamson | 1,278.9 | 599.1 | 505.4 | 93.7 | 167.8 | 132.9 | 37.0 |
| Winnebago | 833.3 | 308.1 | 253.8 | 54.3 | 135.5 | 94.4 | 66.0 |
| Woodford | 983.5 | 446.3 | 326.4 | 119.8 | 152.9 | 115.7 | 28.9 |

Table 9B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF ILLINOIS COUNTIES: 1959--Continued

(Rates per 100,000 estimated midyear population)

| County | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Other circu-latory diseases |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| Livingston | 45.1 | 17.5 | 27.6 | 20.1 | 22.6 | 12.5 | 7.5 | 10.0 | 12.5 | 7.5 |
| Logan | 51.1 | 27.0 | 24.0 | 27.0 | 72.1 | 12.0 | 3.0 | 15.0 | 18.0 | 6.0 |
| McDonough | 55.7 | 27.9 | 27.9 | 31.4 | 27.9 | 17.4 | 7.0 | 3.5 | 17.4 | 10.5 |
| McHenry | 69.7 | 37.4 | 32.4 | 33.6 | 17.4 | 19.9 | 3.7 | 8.7 | 7.5 | 14.9 |
| McLean | 62.9 | 16.9 | 45.9 | 26.6 | 19.3 | 6.0 | 8.5 | 31.4 | 18.1 | 10.9 |
| Macon | 57.8 | 29.3 | 28.5 | 21.6 | 24.2 | 14.7 | 6.0 | 7.8 | 12.9 | 13.8 |
| Macoupin | 71.8 | 34.7 | 37.0 | 32.4 | 37.0 | 18.5 | 4.6 | 13.9 | 11.6 | 13.9 |
| Madison | 52.2 | 22.2 | 30.0 | 26.3 | 16.3 | 16.8 | 7.7 | 6.4 | 9.5 | 7.3 |
| Marion | 94.4 | 33.2 | 61.2 | 35.7 | 30.6 | 7.7 | 7.7 | 2.6 | 12.8 | 12.8 |
| Marshall | 60.2 | 15.0 | 45.1 | 52.6 | 37.6 | -0- | -0- | -0- | 15.0 | 7.5 |
| Mason | 78.9 | 32.9 | 46.1 | 59.2 | 6.6 | -0- | 13.2 | 26.3 | 19.7 | 6.6 |
| Massac | 63.8 | 21.3 | 42.6 | 42.6 | 49.6 | 49.6 | 7.1 | -0- | 28.4 | -0- |
| Menard | 32.3 | 10.8 | 21.5 | 10.8 | 43.0 | -0- | 10.8 | 10.8 | 10.8 | 10.8 |
| Mercer | 81.9 | 58.5 | 23.4 | 35.1 | 17.5 | 11.7 | -0- | 11.7 | 17.5 | 17.5 |
| Monroe | 46.1 | -0- | 46.1 | -0- | 85.5 | 6.6 | 13.2 | 6.6 | 19.7 | 13.2 |
| Montgomery | 102.6 | 51.3 | 51.3 | 28.8 | 32.1 | 9.6 | 6.4 | 22.4 | 25.6 | 12.8 |
| Morgan | 33.0 | 19.2 | 13.7 | 44.0 | 57.7 | 11.0 | 16.5 | 11.0 | 8.2 | 19.2 |
| Moultrie | 81.5 | 44.4 | 37.0 | 88.9 | 22.2 | 22.2 | 7.4 | 51.9 | 7.4 | 14.8 |
| Ogle | 42.6 | 31.9 | 10.6 | 31.9 | 42.6 | 31.9 | 2.7 | 5.3 | 10.6 | 16.0 |
| Peoria | 42.8 | 17.1 | 25.7 | 36.9 | 44.9 | 14.4 | 12.8 | 10.2 | 8.6 | 12.8 |
| Perry | 46.6 | 15.5 | 31.1 | 20.7 | 46.6 | 10.4 | -0- | 5.2 | -0- | 15.5 |
| Piatt | 67.1 | 33.6 | 33.6 | 20.1 | 26.8 | 20.1 | -0- | 40.3 | 13.4 | 13.4 |
| Pike | 72.1 | 33.7 | 38.5 | 38.5 | 19.2 | 4.8 | 4.8 | 24.0 | 19.2 | 4.8 |
| Pope | 73.2 | -0- | 73.2 | 48.8 | 97.6 | 24.4 | -0- | -0- | 24.4 | -0- |
| Pulaski | 102.8 | 46.7 | 56.1 | 46.7 | 46.7 | 28.0 | 9.3 | -0- | 9.3 | -0- |
| Putnam | 43.5 | 21.7 | 21.7 | 43.5 | 21.7 | -0- | -0- | -0- | -0- | -0- |
| Randolph | 80.3 | 26.8 | 53.5 | 16.7 | 20.1 | 6.7 | 13.4 | 6.7 | 13.4 | 3.3 |
| Richland | 43.2 | 6.2 | 37.0 | 18.5 | -0- | 6.2 | 6.2 | 6.2 | 24.7 | 6.2 |
| Rock Island | 54.2 | 22.4 | 31.8 | 29.1 | 34.6 | 14.9 | 4.7 | 14.2 | 7.5 | 6.8 |
| St. Clair | 48.9 | 18.5 | 30.4 | 31.2 | 12.3 | 11.9 | 12.3 | 8.1 | 9.6 | 10.8 |
| Saline | 60.2 | 26.3 | 33.8 | 30.1 | 56.4 | 33.8 | 15.0 | 26.3 | 7.5 | 15.0 |
| Sangamon | 37.2 | 17.2 | 20.0 | 24.8 | 17.9 | 18.6 | 11.7 | 11.0 | 9.0 | 13.8 |
| Schuyler | 34.1 | 11.4 | 22.7 | -0- | 79.5 | 22.7 | -0- | -0- | 34.1 | -0- |
| Scott | 46.9 | 15.6 | 31.3 | 78.1 | 15.6 | -0- | -0- | -0- | 15.6 | -0- |
| Shelby | 89.7 | 55.6 | 34.2 | 34.2 | 38.5 | 21.4 | 4.3 | 12.8 | 4.3 | 12.8 |
| Stark | 71.4 | 23.8 | 47.6 | -0- | 71.4 | 11.9 | -0- | 11.9 | 11.9 | -0- |
| Stephenson | 61.4 | 35.1 | 26.3 | 19.7 | 26.3 | 21.9 | 13.2 | 15.4 | 8.8 | 26.3 |
| Tazewell | 42.1 | 22.6 | 19.5 | 31.9 | 23.6 | 8.2 | 9.2 | 6.2 | 13.4 | 8.2 |
| Union | 134.8 | 67.4 | 67.4 | 16.9 | 61.8 | 5.6 | -0- | 11.2 | 22.5 | 5.6 |
| Vermilion | 67.4 | 30.5 | 36.8 | 54.7 | 33.7 | 9.5 | 5.3 | 15.8 | 11.6 | 9.5 |
| Wabash | 35.5 | -0- | 35.5 | 28.4 | 42.6 | 14.2 | 7.1 | 7.1 | 7.1 | -0- |
| Warren | 106.5 | 74.1 | 32.4 | 23.1 | 23.1 | 4.6 | 4.6 | 46.3 | 27.8 | 13.9 |
| Washington | 73.5 | 36.8 | 36.8 | 125.0 | 7.4 | 14.7 | -0- | 7.4 | 7.4 | 7.4 |
| Wayne | 73.7 | 10.5 | 63.2 | 21.1 | 26.3 | 15.8 | 10.5 | 10.5 | 10.5 | -0- |
| White | 108.8 | 82.9 | 25.9 | 15.5 | 57.0 | 20.7 | 10.4 | -0- | 5.2 | 10.4 |
| Whiteside | 49.2 | 30.6 | 18.7 | 23.8 | 25.5 | 23.8 | 5.1 | 8.5 | 13.6 | 6.8 |
| Will | 52.1 | 24.2 | 27.9 | 17.7 | 19.9 | 17.2 | 8.1 | 9.1 | 10.2 | 6.4 |
| Williamson | 61.0 | 19.6 | 41.4 | 13.1 | 32.7 | 17.4 | 13.1 | 34.9 | 10.9 | 10.9 |
| Winnebago | 40.6 | 18.1 | 22.5 | 39.1 | 14.2 | 16.1 | 6.4 | 6.8 | 9.8 | 12.2 |
| Woodford | 57.9 | 37.2 | 20.7 | 24.8 | 33.1 | 28.9 | 4.1 | 8.3 | -0- | 4.1 |

Table 10A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959

(Includes deaths of Illinois residents occurring outside the State)

| City | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| Alton | 401 | 168 | 124 | 44 | 56 | 53 | 14 |
| Arlington Heights | 178 | 68 | 44 | 24 | 37 | 19 | 16 |
| Aurora | 710 | 285 | 223 | 62 | 142 | 76 | 46 |
| Belleville | 468 | 212 | 169 | 43 | 77 | 62 | 16 |
| Bellwood | 107 | 32 | 27 | 5 | 24 | 9 | 7 |
| Berwyn | 589 | 277 | 222 | 55 | 108 | 57 | 15 |
| Bloomington | 458 | 192 | 167 | 25 | 79 | 64 | 11 |
| Blue Island | 214 | 95 | 76 | 19 | 39 | 13 | 10 |
| Brookfield | 190 | 92 | 61 | 31 | 36 | 21 | 5 |
| Cairo | 171 | 73 | 61 | 12 | 24 | 23 | 5 |
| Calumet City | 163 | 58 | 49 | 9 | 37 | 21 | 8 |
| Canton | 185 | 90 | 64 | 26 | 24 | 31 | 2 |
| Carbondale | 116 | 48 | 35 | 13 | 18 | 24 | 4 |
| Carpentersville | 47 | 9 | 8 | 1 | 8 | 3 | 10 |
| Centralia | 190 | 83 | 49 | 34 | 31 | 22 | 6 |
| Champaign | 358 | 137 | 110 | 27 | 59 | 39 | 22 |
| Charleston | 127 | 51 | 40 | 11 | 15 | 20 | 2 |
| Chicago | 41,872 | 18,855 | 14,436 | 4,419 | 6,782 | 3,766 | 1,920 |
| Chicago Heights | 297 | 98 | 73 | 25 | 46 | 26 | 23 |
| Cicero | 673 | 321 | 280 | 41 | 119 | 61 | 28 |
| Collinsville | 157 | 79 | 52 | 27 | 31 | 15 | 8 |
| Danville | 578 | 244 | 183 | 61 | 84 | 70 | 34 |
| Decatur | 834 | 325 | 241 | 84 | 129 | 121 | 46 |
| De Kalb | 134 | 55 | 33 | 22 | 30 | 15 | 4 |
| Des Plaines | 235 | 101 | 71 | 30 | 38 | 21 | 24 |
| Dixon | 176 | 85 | 57 | 28 | 26 | 18 | 7 |
| Dolton | 79 | 33 | 26 | 7 | 16 | 7 | 8 |
| Downers Grove | 136 | 61 | 44 | 17 | 21 | 18 | 8 |
| East Moline | 139 | 56 | 48 | 8 | 25 | 15 | 13 |
| East Peoria | 107 | 38 | 26 | 12 | 17 | 5 | 13 |
| East St. Louis | 1,132 | 497 | 325 | 172 | 164 | 121 | 55 |
| Elgin | 522 | 241 | 184 | 57 | 88 | 61 | 16 |
| Elmhurst | 262 | 94 | 77 | 17 | 64 | 31 | 15 |
| Elmwood Park | 176 | 76 | 60 | 16 | 32 | 27 | 11 |
| Evanston | 866 | 350 | 250 | 100 | 165 | 121 | 32 |
| Evergreen Park | 150 | 72 | 54 | 18 | 28 | 7 | 7 |
| Forest Park | 186 | 88 | 69 | 19 | 26 | 32 | 12 |
| Franklin Park | 97 | 39 | 33 | 6 | 21 | 5 | 8 |
| Freeport | 367 | 158 | 113 | 45 | 61 | 51 | 6 |
| Galesburg | 407 | 161 | 134 | 27 | 56 | 69 | 21 |
| Glen Ellyn | 125 | 45 | 33 | 12 | 21 | 22 | 6 |
| Glenview | 100 | 31 | 28 | 3 | 23 | 13 | 9 |
| Granite City | 317 | 128 | 76 | 52 | 53 | 23 | 28 |
| Harrisburg | 146 | 72 | 56 | 16 | 15 | 22 | 2 |
| Harvey | 229 | 95 | 81 | 14 | 34 | 29 | 22 |
| Highland Park | 189 | 74 | 64 | 10 | 43 | 21 | 8 |
| Hinsdale | 118 | 58 | 37 | 21 | 25 | 10 | 5 |
| Homewood | 93 | 39 | 29 | 10 | 15 | 13 | 4 |
| Jacksonville | 292 | 144 | 109 | 35 | 38 | 34 | 7 |
| Joliet | 751 | 330 | 224 | 106 | 113 | 91 | 36 |
| Kankakee | 352 | 144 | 126 | 18 | 51 | 40 | 23 |
| Kewanee | 239 | 92 | 71 | 21 | 36 | 37 | 3 |
| La Grange | 166 | 75 | 63 | 12 | 27 | 19 | 6 |

Table 10A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

(Includes deaths of Illinois residents occurring outside the State)

| City | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Other circu-latory diseases |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| Alton | 34 | 9 | 25 | 14 | 7 | 10 | 2 | 3 | 3 | 4 |
| Arlington Heights | 5 | 4 | 1 | 3 | 1 | 4 | 3 | 1 | -- | 2 |
| Aurora | 36 | 15 | 21 | 29 | 9 | 9 | 8 | 7 | 9 | 4 |
| Belleville | 16 | 6 | 10 | 14 | 6 | 6 | 6 | 6 | 3 | 6 |
| Bellwood | 4 | 2 | 2 | 1 | 5 | 5 | 1 | 1 | 1 | 2 |
| Berwyn | 15 | 5 | 10 | 12 | 9 | 13 | 7 | 2 | 19 | 8 |
| Bloomington | 23 | 5 | 18 | 13 | 6 | 2 | 6 | 15 | 6 | 8 |
| Blue Island | 9 | 1 | 8 | 12 | 3 | 3 | 4 | 3 | -- | 3 |
| Brookfield | 7 | 2 | 5 | 5 | 3 | 1 | 3 | 1 | -- | 1 |
| Cairo | 8 | 4 | 4 | -- | 11 | 5 | 1 | 2 | 2 | -- |
| Calumet City | 12 | 3 | 9 | 7 | -- | 3 | 3 | 1 | 2 | -- |
| Canton | 9 | 6 | 3 | 3 | 4 | 4 | -- | 2 | -- | -- |
| Carbondale | 4 | 2 | 2 | 5 | 3 | -- | -- | 2 | 1 | 1 |
| Carpentersville | 5 | 2 | 3 | 4 | -- | -- | -- | 1 | -- | -- |
| Centralia | 14 | 5 | 9 | 5 | 4 | 3 | 2 | 1 | -- | 1 |
| Champaign | 19 | 6 | 13 | 7 | 9 | 8 | 4 | 4 | 5 | 6 |
| Charleston | 8 | 2 | 6 | 2 | 10 | 4 | 2 | 2 | -- | -- |
| Chicago | 1,442 | 445 | 997 | 2,127 | 639 | 651 | 769 | 394 | 354 | 307 |
| Chicago Heights | 19 | 9 | 10 | 13 | 12 | 6 | 5 | 5 | 2 | 4 |
| Cicero | 25 | 13 | 12 | 13 | 15 | 13 | 15 | 3 | 3 | 3 |
| Collinsville | 2 | 1 | 1 | 1 | 2 | 1 | 5 | -- | 2 | -- |
| Danville | 27 | 10 | 17 | 31 | 14 | 2 | 3 | 7 | 6 | 4 |
| Decatur | 40 | 15 | 25 | 19 | 22 | 15 | 5 | 7 | 13 | 12 |
| De Kalb | 12 | 7 | 5 | 3 | 5 | 2 | -- | 1 | 1 | 1 |
| Des Plaines | 8 | 6 | 2 | 9 | 5 | 4 | 3 | 3 | 3 | 2 |
| Dixon | 5 | 3 | 2 | 5 | 7 | -- | 1 | -- | 1 | 1 |
| Dolton | 4 | 3 | 1 | 2 | -- | 1 | -- | -- | 2 | 2 |
| Downers Grove | 5 | 3 | 2 | 3 | 2 | 1 | -- | 1 | -- | 3 |
| East Moline | 6 | 1 | 5 | 4 | 1 | 3 | 1 | -- | -- | 1 |
| East Peoria | 12 | 4 | 8 | 4 | 4 | -- | 2 | -- | 2 | 2 |
| East St. Louis | 62 | 21 | 41 | 39 | 14 | 11 | 15 | 8 | 10 | 10 |
| Elgin | 25 | 17 | 8 | 25 | 8 | 8 | 3 | 6 | 2 | 5 |
| Elmhurst | 9 | 3 | 6 | 7 | 6 | 4 | 5 | 2 | 4 | 1 |
| Elmwood Park | 4 | 2 | 2 | 4 | 3 | 3 | 4 | -- | 3 | -- |
| Evanston | 26 | 3 | 23 | 29 | 16 | 10 | 12 | 9 | 16 | 9 |
| Evergreen Park | 12 | 5 | 7 | 4 | 4 | 3 | 1 | 1 | 1 | 1 |
| Forest Park | 2 | 1 | 1 | 3 | 1 | 5 | 1 | 1 | 3 | 2 |
| Franklin Park | 6 | 2 | 4 | 2 | 5 | 2 | 2 | 2 | 1 | 1 |
| Freeport | 16 | 9 | 7 | 7 | 12 | 8 | 4 | 4 | 1 | 9 |
| Galesburg | 18 | 8 | 10 | 15 | 12 | 5 | 3 | 4 | 3 | 3 |
| Glen Ellyn | 14 | 5 | 9 | 2 | 3 | -- | 1 | -- | 2 | 1 |
| Glenview | 2 | 2 | -- | 1 | 3 | 2 | 2 | -- | 2 | -- |
| Granite City | 17 | 11 | 6 | 12 | 3 | 9 | 4 | 1 | 3 | 3 |
| Harrisburg | 7 | 3 | 4 | 6 | 3 | 1 | 1 | 4 | 1 | 2 |
| Harvey | 7 | 2 | 5 | 13 | 1 | 6 | 1 | 2 | 1 | 1 |
| Highland Park | 10 | 1 | 9 | 9 | 3 | 1 | 1 | 4 | 3 | 4 |
| Hinsdale | 3 | -- | 3 | 3 | 1 | 1 | -- | 1 | 1 | 4 |
| Homewood | 3 | -- | 3 | 3 | -- | 3 | -- | 1 | 2 | 1 |
| Jacksonville | 6 | 4 | 2 | 11 | 16 | 2 | 4 | 2 | 2 | 5 |
| Joliet | 30 | 7 | 23 | 14 | 18 | 13 | 12 | 10 | 3 | 6 |
| Kankakee | 14 | 7 | 7 | 15 | 15 | 7 | 3 | 4 | 4 | 4 |
| Kewanee | 16 | 9 | 7 | 11 | 6 | 6 | 1 | 2 | 3 | 1 |
| La Grange | 5 | 1 | 4 | 9 | -- | 3 | 2 | 4 | 2 | 3 |

Table 10A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

(Includes deaths of Illinois residents occurring outside the State)

| City | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| La Grange Park. | 81 | 34 | 25 | 9 | 15 | 9 | 4 |
| Lansing ..... | 83 | 30 | 21 | 9 | 21 | 5 | 5 |
| La Salle ..... | 145 | 69 | 50 | 19 | 22 | 16 | 6 |
| Lincoln ..... | 191 | 76 | 53 | 23 | 32 | 25 | 4 |
| Lincolnwood ... | 66 | 27 | 23 | 4 | 17 | 4 | 5 |
| Lombard ..... | 133 | 51 | 38 | 13 | 25 | 12 | 14 |
| Macomb ..... | 124 | 51 | 37 | 14 | 19 | 17 | 6 |
| Marion..... | 146 | 58 | 53 | 5 | 25 | 17 | 9 |
| Mattoon ..... | 236 | 99 | 70 | 29 | 37 | 33 | 7 |
| Maywood ..... | 299 | 140 | 111 | 29 | 52 | 35 | 9 |
| Melrose Park .. | 197 | 67 | 49 | 18 | 35 | 10 | 23 |
| Moline ..... | 481 | 211 | 184 | 27 | 88 | 51 | 24 |
| Monmouth..... | 157 | 73 | 47 | 26 | 17 | 24 | 4 |
| Morton Grove .. | 76 | 29 | 25 | 4 | 19 | 11 | 4 |
| Mount Prospect. | 101 | 30 | 25 | 5 | 25 | 11 | 10 |
| Mount Vernon .. | 232 | 87 | 57 | 30 | 33 | 37 | 13 |
| Naperville .... | 73 | 39 | 29 | 10 | 10 | 2 | 8 |
| Niles ..... | 116 | 54 | 44 | 10 | 27 | 13 | 4 |
| Normal ..... | 75 | 30 | 23 | 7 | 16 | 12 | -- |
| Norridge ..... | 83 | 41 | 29 | 12 | 19 | 7 | 2 |
| Northbrook .... | 72 | 24 | 18 | 6 | 15 | 4 | 8 |
| North Chicago .. | 111 | 44 | 32 | 12 | 14 | 9 | 9 |
| Northlake ..... | 66 | 30 | 22 | 8 | 9 | 4 | 4 |
| Oak Lawn ..... | 286 | 119 | 83 | 36 | 57 | 13 | 34 |
| Oak Park ..... | 762 | 340 | 238 | 102 | 174 | 88 | 17 |
| Ottawa ..... | 243 | 107 | 85 | 22 | 33 | 40 | 5 |
| Palatine ..... | 93 | 33 | 21 | 12 | 20 | 10 | 3 |
| Park Forest ... | 90 | 21 | 16 | 5 | 16 | 5 | 24 |
| Park Ridge .... | 185 | 95 | 76 | 19 | 30 | 15 | 10 |
| Pekin..... | 255 | 100 | 66 | 34 | 46 | 22 | 8 |
| Peoria ..... | 1,230 | 504 | 407 | 97 | 212 | 114 | 57 |
| Quincy ..... | 613 | 271 | 216 | 55 | 84 | 70 | 28 |
| Rantoul ..... | 66 | 17 | 14 | 3 | 8 | 6 | 14 |
| Riverdale ..... | 74 | 40 | 34 | 6 | 16 | 6 | 2 |
| River Forest... | 111 | 47 | 31 | 16 | 23 | 15 | 1 |
| Rock Falls .... | 81 | 37 | 28 | 9 | 14 | 2 | 5 |
| Rockford..... | 1,210 | 460 | 376 | 84 | 211 | 147 | 80 |
| Rock Island.... | 534 | 219 | 177 | 42 | 83 | 64 | 30 |
| Rolling Meadows | 29 | 8 | 6 | 2 | 7 | 2 | 5 |
| Skokie ..... | 248 | 107 | 92 | 15 | 36 | 23 | 21 |
| Springfield .... | 1,161 | 506 | 394 | 112 | 213 | 144 | 48 |
| Sterling ..... | 162 | 71 | 55 | 16 | 26 | 20 | 8 |
| Streator ..... | 182 | 62 | 54 | 8 | 31 | 40 | 6 |
| Urbana..... | 212 | 84 | 64 | 20 | 21 | 30 | 13 |
| Villa Park .... | 118 | 45 | 30 | 15 | 19 | 15 | 6 |
| Waukegan ..... | 484 | 191 | 149 | 42 | 86 | 47 | 33 |
| Westchester ... | 79 | 32 | 25 | 7 | 17 | 8 | 7 |
| West Frankfort . | 157 | 82 | 73 | 9 | 24 | 11 | 5 |
| Wheaton ..... | 131 | 47 | 40 | 7 | 28 | 13 | 11 |
| Wilmette ..... | 207 | 89 | 67 | 22 | 32 | 34 | 8 |
| Winnetka ..... | 128 | 51 | 39 | 12 | 22 | 16 | 4 |
| Wood River.... | 97 | 38 | 28 | 10 | 15 | 11 | 5 |
| Zion ..... | 124 | 57 | 39 | 18 | 17 | 20 | 6 |

Table 10A. -- DEATHS FROM THE TWELVE LEADING CAUSES AMONG THE RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

(Includes deaths of Illinois residents occurring outside the State)

| City | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Other circu-latory diseases |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| La Grange Park. | 4 | -- | 4 | 1 | 2 | 3 | 1 | 1 | 2 | 1 |
| Lansing | 6 | 4 | 2 | 2 | 2 | 1 | 1 | -- | 1 | 1 |
| La Salle | 5 | 3 | 2 | 1 | 1 | 4 | 1 | -- | -- | 2 |
| Lincoln | 8 | 5 | 3 | 6 | 14 | 2 | 1 | 3 | 4 | 1 |
| Lincolnwood | 2 | 2 | -- | 1 | 1 | 3 | 1 | -- | 1 | -- |
| Lombard | 9 | 2 | 7 | 5 | 2 | 4 | -- | 2 | -- | 1 |
| Macomb | 8 | 3 | 5 | 3 | 3 | -- | 2 | -- | 2 | 2 |
| Marion | 4 | 2 | 2 | 3 | 7 | 2 | -- | 1 | 1 | 1 |
| Mattoon | 12 | 7 | 5 | 6 | 3 | 4 | 2 | 3 | -- | 1 |
| Maywood | 9 | 2 | 7 | 8 | 6 | 3 | 1 | 1 | 2 | 4 |
| Melrose Park | 15 | 1 | 14 | 8 | 4 | 9 | 3 | 1 | -- | 1 |
| Moline | 19 | 8 | 11 | 16 | 16 | 5 | 2 | 8 | 1 | 2 |
| Monmouth | 6 | 3 | 3 | 2 | 3 | -- | 1 | 6 | 2 | -- |
| Morton Grove | -- | -- | -- | 1 | 3 | -- | -- | -- | 2 | -- |
| Mount Prospect | 6 | 4 | 2 | 3 | 1 | 1 | -- | 1 | -- | -- |
| Mount Vernon | 11 | 5 | 6 | 6 | 3 | 3 | 2 | 2 | -- | -- |
| Naperville | 2 | -- | 2 | 1 | 2 | 2 | -- | -- | -- | -- |
| Niles | 1 | -- | 1 | 1 | -- | 3 | -- | 1 | 2 | 2 |
| Normal | 3 | 1 | 2 | 2 | 1 | 1 | -- | -- | -- | -- |
| Norridge | -- | -- | -- | 1 | 1 | 2 | 2 | 1 | 1 | 1 |
| Northbrook | 1 | -- | 1 | 3 | -- | 2 | -- | -- | 2 | 1 |
| North Chicago | 7 | 2 | 5 | 3 | 1 | 1 | 4 | 2 | 1 | -- |
| Northlake | 2 | 1 | 1 | 2 | 1 | 2 | 1 | -- | 5 | 1 |
| Oak Lawn | 6 | 2 | 4 | 9 | 5 | 2 | 7 | 2 | 1 | 2 |
| Oak Park | 15 | 4 | 11 | 23 | 13 | 14 | 11 | 4 | 2 | 4 |
| Ottawa | 17 | 10 | 7 | 5 | 6 | 2 | 2 | 1 | 3 | 3 |
| Palatine | 4 | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 4 |
| Park Forest | 8 | 5 | 3 | 5 | 1 | 1 | 1 | 1 | 1 | -- |
| Park Ridge | 6 | 3 | 3 | 2 | 2 | 3 | 2 | 4 | 6 | 1 |
| Pekin | 13 | 6 | 7 | 11 | 6 | 2 | 4 | 2 | 6 | 3 |
| Peoria | 45 | 18 | 27 | 45 | 45 | 17 | 16 | 14 | 11 | 17 |
| Quincy | 29 | 12 | 17 | 19 | 27 | 7 | 5 | 8 | 9 | 4 |
| Rantoul | 5 | 2 | 3 | 2 | -- | 1 | 2 | -- | 2 | -- |
| Riverdale | 2 | 2 | -- | 3 | -- | -- | -- | 1 | -- | -- |
| River Forest | 6 | 5 | 1 | -- | 6 | -- | -- | 1 | 1 | -- |
| Rock Falls | 9 | 5 | 4 | 3 | 2 | 1 | 1 | 1 | 1 | -- |
| Rockford | 34 | 10 | 24 | 62 | 20 | 27 | 7 | 14 | 16 | 18 |
| Rock Island | 35 | 9 | 26 | 12 | 20 | 9 | 2 | 10 | 7 | 2 |
| Rolling Meadows | 2 | 1 | 1 | 2 | -- | -- | -- | -- | -- | -- |
| Skokie | 10 | 5 | 5 | 5 | 5 | 6 | 2 | 5 | 2 | 2 |
| Springfield | 30 | 11 | 19 | 26 | 22 | 18 | 12 | 14 | 8 | 14 |
| Sterling | 4 | 3 | 1 | 4 | 9 | 2 | 1 | 2 | 2 | 1 |
| Streator | 12 | 7 | 5 | 3 | 6 | 3 | 2 | 1 | 2 | 1 |
| Urbana | 9 | 4 | 5 | 5 | 11 | 5 | -- | 3 | 2 | 2 |
| Villa Park | 5 | 1 | 4 | 2 | 1 | 5 | -- | -- | 2 | 3 |
| Waukegan | 28 | 15 | 13 | 16 | 5 | 10 | 5 | 4 | 6 | 2 |
| Westchester | 1 | -- | 1 | 1 | 1 | 3 | 2 | -- | -- | -- |
| West Frankfort | 6 | 3 | 3 | 6 | 2 | 1 | 2 | -- | 1 | 2 |
| Wheaton | 6 | 3 | 3 | 5 | 2 | 1 | 1 | 2 | 1 | 3 |
| Wilmette | 8 | 2 | 6 | 6 | 4 | 4 | 2 | 2 | 1 | 2 |
| Winnetka | 7 | 3 | 4 | 2 | 4 | 2 | 2 | 1 | 2 | 3 |
| Wood River | 7 | 2 | 5 | 3 | 1 | 1 | -- | 1 | -- | -- |
| Zion | 6 | 4 | 2 | 3 | 4 | 2 | -- | 2 | -- | 1 |

Table 10B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959

(Rates per 100,000 estimated midyear population)

| City | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| Alton | 901.1 | 377.5 | 278.7 | 98.9 | 125.8 | 119.1 | 31.5 |
| Arlington Heights | 583.6 | 223.0 | 144.3 | 78.7 | 121.3 | 62.3 | 52.5 |
| Aurora | 1,203.4 | 483.1 | 378.0 | 105.1 | 240.7 | 128.8 | 78.0 |
| Belleville | 1,238.1 | 560.8 | 447.1 | 113.8 | 203.7 | 164.0 | 42.3 |
| Bellwood | 563.2 | 168.4 | 142.1 | 26.3 | 126.3 | 47.4 | 36.8 |
| Berwyn | 1,109.2 | 521.7 | 418.1 | 103.6 | 203.4 | 107.3 | 28.2 |
| Bloomington | 1,258.2 | 527.5 | 458.8 | 68.7 | 217.0 | 175.8 | 30.2 |
| Blue Island | 1,144.4 | 505.0 | 406.4 | 101.6 | 208.6 | 69.5 | 53.5 |
| Brookfield | 926.8 | 448.8 | 297.6 | 151.2 | 175.6 | 102.4 | 24.4 |
| Cairo | 1,526.8 | 651.8 | 544.6 | 107.1 | 214.3 | 205.4 | 44.6 |
| Calumet City | 730.9 | 260.1 | 219.7 | 40.4 | 165.9 | 94.2 | 35.9 |
| Canton | 1,434.1 | 697.7 | 496.1 | 201.6 | 186.0 | 240.3 | 15.5 |
| Carbondale | 846.7 | 350.4 | 255.5 | 94.9 | 131.4 | 175.2 | 29.2 |
| Carpentersville | 356.1 | 68.2 | 60.6 | 7.6 | 60.6 | 22.7 | 75.8 |
| Centralia | 1,397.1 | 610.3 | 360.3 | 250.0 | 227.9 | 161.8 | 44.1 |
| Champaign | 713.1 | 272.9 | 219.1 | 53.8 | 117.5 | 77.7 | 43.8 |
| Charleston | 1,257.4 | 504.6 | 396.0 | 108.9 | 148.5 | 198.0 | 19.8 |
| Chicago | 1,164.4 | 524.3 | 401.5 | 122.9 | 188.6 | 104.7 | 53.4 |
| Chicago Heights | 993.3 | 327.8 | 244.1 | 83.6 | 153.8 | 87.0 | 76.9 |
| Cicero | 981.0 | 467.9 | 408.2 | 59.8 | 173.5 | 88.9 | 40.8 |
| Collinsville | 1,090.3 | 548.6 | 361.1 | 187.5 | 215.3 | 104.2 | 55.6 |
| Danville | 1,389.4 | 586.5 | 439.9 | 146.6 | 201.9 | 168.3 | 81.7 |
| Decatur | 1,070.6 | 417.2 | 309.4 | 107.8 | 165.6 | 155.3 | 59.1 |
| De Kalb | 812.1 | 333.3 | 200.0 | 133.3 | 181.8 | 90.9 | 24.2 |
| Des Plaines | 699.4 | 300.6 | 211.3 | 89.3 | 113.1 | 62.5 | 71.4 |
| Dixon | 936.2 | 452.1 | 303.2 | 148.9 | 138.3 | 95.7 | 37.2 |
| Dolton | 454.0 | 189.7 | 149.4 | 40.2 | 92.0 | 40.2 | 46.0 |
| Downers Grove | 670.0 | 300.5 | 216.7 | 83.7 | 103.4 | 88.7 | 39.4 |
| East Moline | 808.1 | 325.6 | 279.1 | 46.5 | 145.3 | 87.2 | 75.6 |
| East Peoria | 816.8 | 290.1 | 198.5 | 91.6 | 129.8 | 38.2 | 99.2 |
| East St. Louis | 1,310.2 | 575.2 | 376.2 | 199.1 | 189.8 | 140.0 | 63.7 |
| Elgin | 1,061.0 | 489.8 | 374.0 | 115.9 | 178.9 | 124.0 | 32.5 |
| Elmhurst | 723.8 | 259.7 | 212.7 | 47.0 | 176.8 | 85.6 | 41.4 |
| Elmwood Park | 736.4 | 318.0 | 251.0 | 66.9 | 133.9 | 113.0 | 46.0 |
| Evanston | 1,127.6 | 455.7 | 325.5 | 130.2 | 214.8 | 157.6 | 41.7 |
| Evergreen Park | 570.3 | 273.8 | 205.3 | 68.4 | 106.5 | 26.6 | 26.6 |
| Forest Park | 1,155.3 | 546.6 | 428.6 | 118.0 | 161.5 | 198.8 | 74.5 |
| Franklin Park | 538.9 | 216.7 | 183.3 | 33.3 | 116.7 | 27.8 | 44.4 |
| Freeport | 1,433.6 | 617.2 | 441.4 | 175.8 | 238.3 | 199.2 | 23.4 |
| Galesburg | 1,136.9 | 449.7 | 374.3 | 75.4 | 156.4 | 192.7 | 58.7 |
| Glen Ellyn | 817.0 | 294.1 | 215.7 | 78.4 | 137.3 | 143.8 | 39.2 |
| Glenview | 617.3 | 191.4 | 172.8 | 18.5 | 142.0 | 80.2 | 55.6 |
| Granite City | 836.4 | 337.7 | 200.5 | 137.2 | 139.8 | 60.7 | 73.9 |
| Harrisburg | 1,460.0 | 720.0 | 560.0 | 160.0 | 150.0 | 220.0 | 20.0 |
| Harvey | 898.0 | 372.5 | 317.6 | 54.9 | 133.3 | 113.7 | 86.3 |
| Highland Park | 759.0 | 297.2 | 257.0 | 40.2 | 172.7 | 84.3 | 32.1 |
| Hinsdale | 880.6 | 432.8 | 276.1 | 156.7 | 186.6 | 74.6 | 37.3 |
| Homewood | 659.6 | 276.6 | 205.7 | 70.9 | 106.4 | 92.2 | 28.4 |
| Jacksonville | 1,292.0 | 637.2 | 482.3 | 154.9 | 168.1 | 150.4 | 31.0 |
| Joliet | 1,177.1 | 517.2 | 351.1 | 166.1 | 177.1 | 142.6 | 56.4 |
| Kankakee | 1,275.4 | 521.7 | 456.5 | 65.2 | 184.8 | 144.9 | 83.3 |
| Kewanee | 1,320.4 | 508.3 | 392.3 | 116.0 | 198.9 | 204.4 | 16.6 |
| La Grange | 1,185.7 | 535.7 | 450.0 | 85.7 | 192.9 | 135.7 | 42.9 |

Table 10B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

(Rates per 100,000 estimated midyear population)

| City | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Other circu-latory diseases |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| Alton | 76.4 | 20.2 | 56.2 | 31.5 | 15.7 | 22.5 | 4.5 | 6.7 | 6.7 | 9.0 |
| Arlington Heights | 16.4 | 13.1 | 3.3 | 9.8 | 3.3 | 13.1 | 9.8 | 3.3 | -0- | 6.6 |
| Aurora | 61.0 | 25.4 | 35.6 | 49.2 | 15.3 | 15.3 | 13.6 | 11.9 | 15.3 | 6.8 |
| Belleville | 42.3 | 15.9 | 26.5 | 37.0 | 15.9 | 15.9 | 15.9 | 15.9 | 7.9 | 15.9 |
| Bellwood | 21.1 | 10.5 | 10.5 | 5.3 | 26.3 | 26.3 | 5.3 | 5.3 | 5.3 | 10.5 |
| Berwyn | 28.2 | 9.4 | 18.8 | 22.6 | 16.9 | 24.5 | 13.2 | 3.8 | 35.8 | 15.1 |
| Bloomington | 63.2 | 13.7 | 49.5 | 35.7 | 16.5 | 5.5 | 16.5 | 41.2 | 16.5 | 22.0 |
| Blue Island | 48.1 | 5.3 | 42.8 | 64.2 | 16.0 | 16.0 | 21.4 | 16.0 | -0- | 16.0 |
| Brookfield | 34.1 | 9.8 | 24.4 | 24.4 | 14.6 | 4.9 | 14.6 | 4.9 | -0- | 4.9 |
| Cairo | 71.4 | 35.7 | 35.7 | -0- | 98.2 | 44.6 | 8.9 | 17.9 | 17.9 | -0- |
| Calumet City | 53.8 | 13.5 | 40.4 | 31.4 | -0- | 13.5 | 13.5 | 4.5 | 9.0 | -0- |
| Canton | 69.8 | 46.5 | 23.3 | 23.3 | 31.0 | 31.0 | -0- | 15.5 | -0- | -0- |
| Carbondale | 29.2 | 14.6 | 14.6 | 36.5 | 21.9 | -0- | -0- | 14.6 | 7.3 | 7.3 |
| Carpentersville | 37.9 | 15.2 | 22.7 | 30.3 | -0- | -0- | -0- | 7.6 | -0- | -0- |
| Centralia | 102.9 | 36.8 | 66.2 | 36.8 | 29.4 | 22.1 | 14.7 | 7.4 | -0- | 7.4 |
| Champaign | 37.8 | 12.0 | 25.9 | 13.9 | 17.9 | 15.9 | 8.0 | 8.0 | 10.0 | 12.0 |
| Charleston | 79.2 | 19.8 | 59.4 | 19.8 | 99.0 | 39.6 | 19.8 | 19.8 | -0- | -0- |
| Chicago | 40.1 | 12.4 | 27.7 | 59.2 | 17.8 | 18.1 | 21.4 | 11.0 | 9.8 | 8.5 |
| Chicago Heights | 63.5 | 30.1 | 33.4 | 43.5 | 40.1 | 20.1 | 16.7 | 16.7 | 6.7 | 13.4 |
| Cicero | 36.4 | 19.0 | 17.5 | 19.0 | 21.9 | 19.0 | 21.9 | 4.4 | 4.4 | 4.4 |
| Collinsville | 13.9 | 6.9 | 6.9 | 6.9 | 13.9 | 6.9 | 34.7 | -0- | 13.9 | -0- |
| Danville | 64.9 | 24.0 | 40.9 | 74.5 | 33.7 | 4.8 | 7.2 | 16.8 | 14.4 | 9.6 |
| Decatur | 51.3 | 19.3 | 32.1 | 24.4 | 28.2 | 19.3 | 6.4 | 9.0 | 16.7 | 15.4 |
| De Kalb | 72.7 | 42.4 | 30.3 | 18.2 | 30.3 | 12.1 | -0- | 6.1 | 6.1 | 6.1 |
| Des Plaines | 23.8 | 17.9 | 6.0 | 26.8 | 14.9 | 11.9 | 8.9 | 8.9 | 8.9 | 6.0 |
| Dixon | 26.6 | 16.0 | 10.6 | 26.6 | 37.2 | -0- | 5.3 | -0- | 5.3 | 5.3 |
| Dolton | 23.0 | 17.2 | 5.7 | 11.5 | -0- | 5.7 | -0- | -0- | 11.5 | 11.5 |
| Downers Grove | 24.6 | 14.8 | 9.9 | 14.8 | 9.9 | 4.9 | -0- | 4.9 | -0- | 14.8 |
| East Moline | 34.9 | 5.8 | 29.1 | 23.3 | 5.8 | 17.4 | 5.8 | -0- | -0- | 5.8 |
| East Peoria | 91.6 | 30.5 | 61.1 | 30.5 | 30.5 | -0- | 15.3 | -0- | 15.3 | 15.3 |
| East St. Louis | 71.8 | 24.3 | 47.5 | 45.1 | 16.2 | 12.7 | 17.4 | 9.3 | 11.6 | 11.6 |
| Elgin | 50.8 | 34.6 | 16.3 | 50.8 | 16.3 | 16.3 | 6.1 | 12.2 | 4.1 | 10.2 |
| Elmhurst | 24.9 | 8.3 | 16.6 | 19.3 | 16.6 | 11.0 | 13.8 | 5.5 | 11.0 | 2.8 |
| Elmwood Park | 16.7 | 8.4 | 8.4 | 16.7 | 12.6 | 12.6 | 16.7 | -0- | 12.6 | -0- |
| Evanston | 33.9 | 3.9 | 29.9 | 37.8 | 20.8 | 13.0 | 15.6 | 11.7 | 20.8 | 11.7 |
| Evergreen Park | 45.6 | 19.0 | 26.6 | 15.2 | 15.2 | 11.4 | 3.8 | 3.8 | 3.8 | 3.8 |
| Forest Park | 12.4 | 6.2 | 6.2 | 18.6 | 6.2 | 31.1 | 6.2 | 6.2 | 18.6 | 12.4 |
| Franklin Park | 33.3 | 11.1 | 22.2 | 11.1 | 27.8 | 11.1 | 11.1 | 11.1 | 5.6 | 5.6 |
| Freeport | 62.5 | 35.2 | 27.3 | 27.3 | 46.9 | 31.3 | 15.6 | 15.6 | 3.9 | 35.2 |
| Galesburg | 50.3 | 22.3 | 27.9 | 41.9 | 33.5 | 14.0 | 8.4 | 11.2 | 8.4 | 8.4 |
| Glen Ellyn | 91.5 | 32.7 | 58.8 | 13.1 | 19.6 | -0- | 6.5 | -0- | 13.1 | 6.5 |
| Glenview | 12.3 | 12.3 | -0- | 6.2 | 18.5 | 12.3 | 12.3 | -0- | 12.3 | -0- |
| Granite City | 44.9 | 29.0 | 15.8 | 31.7 | 7.9 | 23.7 | 10.6 | 2.6 | 7.9 | 7.9 |
| Harrisburg | 70.0 | 30.0 | 40.0 | 60.0 | 30.0 | 10.0 | 10.0 | 40.0 | 10.0 | 20.0 |
| Harvey | 27.5 | 7.8 | 19.6 | 51.0 | 3.9 | 23.5 | 3.9 | 7.8 | 3.9 | 3.9 |
| Highland Park | 40.2 | 4.0 | 36.1 | 36.1 | 12.0 | 4.0 | 4.0 | 16.1 | 12.0 | 16.1 |
| Hinsdale | 22.4 | -0- | 22.4 | 22.4 | 7.5 | 7.5 | -0- | 7.5 | 7.5 | 29.9 |
| Homewood | 21.3 | -0- | 21.3 | 21.3 | -0- | 21.3 | -0- | 7.1 | 14.2 | 7.1 |
| Jacksonville | 26.5 | 17.7 | 8.8 | 48.7 | 70.8 | 8.8 | 17.7 | 8.8 | 8.8 | 22.1 |
| Joliet | 47.0 | 11.0 | 36.1 | 21.9 | 28.2 | 20.4 | 18.8 | 15.7 | 4.7 | 9.4 |
| Kankakee | 50.7 | 25.4 | 25.4 | 54.3 | 54.3 | 25.4 | 10.9 | 14.5 | 14.5 | 14.5 |
| Kewanee | 88.4 | 49.7 | 38.7 | 60.8 | 33.1 | 33.1 | 5.5 | 11.0 | 16.6 | 5.5 |
| La Grange | 35.7 | 7.1 | 28.6 | 64.3 | -0- | 21.4 | 14.3 | 28.6 | 14.3 | 21.4 |

Table 10B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

(Rates per 100,000 estimated midyear population)

| City | All causes | Heart diseases | | | Cancer | Vascular lesions of central nervous system | Congenital malformations and diseases of early infancy |
|---|---|---|---|---|---|---|---|
| | | Total | Arterio-sclerotic | Other | | | |
| La Grange Park. | 582.7 | 244.6 | 179.9 | 64.7 | 107.9 | 64.7 | 28.8 |
| Lansing . . . . . | 479.8 | 173.4 | 121.4 | 52.0 | 121.4 | 28.9 | 28.9 |
| La Salle . . . . . | 1,124.0 | 534.9 | 387.6 | 147.3 | 170.5 | 124.0 | 46.5 |
| Lincoln . . . . . | 1,150.6 | 457.8 | 319.3 | 138.6 | 192.8 | 150.6 | 24.1 |
| Lincolnwood . . . | 550.0 | 225.0 | 191.7 | 33.3 | 141.7 | 33.3 | 41.7 |
| Lombard . . . . . | 596.4 | 228.7 | 170.4 | 58.3 | 112.1 | 53.8 | 62.8 |
| Macomb . . . . . | 1,008.1 | 414.6 | 300.8 | 113.8 | 154.5 | 136.2 | 48.8 |
| Marion . . . . . | 1,280.7 | 508.8 | 464.9 | 43.9 | 219.3 | 149.1 | 78.9 |
| Mattoon . . . . . | 1,222.8 | 513.0 | 362.7 | 150.3 | 191.7 | 171.0 | 36.3 |
| Maywood . . . . . | 1,027.5 | 481.1 | 381.4 | 99.7 | 178.7 | 120.3 | 30.9 |
| Melrose Park . . | 879.5 | 299.1 | 218.7 | 80.4 | 156.2 | 44.6 | 102.7 |
| Moline . . . . . | 1,090.7 | 478.5 | 417.2 | 61.2 | 199.5 | 115.6 | 54.4 |
| Monmouth. . . . . | 1,353.4 | 629.3 | 405.2 | 224.1 | 146.6 | 206.9 | 34.5 |
| Morton Grove . . | 422.2 | 161.1 | 138.9 | 22.2 | 105.6 | 61.1 | 22.2 |
| Mount Prospect . | 577.1 | 171.4 | 142.9 | 28.6 | 142.9 | 62.9 | 57.1 |
| Mount Vernon . . | 1,389.2 | 521.0 | 341.3 | 179.6 | 197.6 | 221.6 | 77.8 |
| Naperville . . . . | 618.6 | 330.5 | 245.8 | 84.7 | 84.7 | 16.9 | 67.8 |
| Niles . . . . . | 613.8 | 285.7 | 232.8 | 52.9 | 142.9 | 68.8 | 21.2 |
| Normal . . . . . | 576.9 | 230.8 | 176.9 | 53.8 | 123.1 | 92.3 | -0- |
| Norridge . . . . . | 821.8 | 405.9 | 287.1 | 118.8 | 188.1 | 69.3 | 19.8 |
| Northbrook . . . . | 600.0 | 200.0 | 150.0 | 50.0 | 125.0 | 33.3 | 66.7 |
| North Chicago . . | 623.6 | 247.2 | 179.8 | 67.4 | 78.7 | 50.6 | 50.6 |
| Northlake . . . . . | 488.9 | 222.2 | 163.0 | 59.3 | 66.7 | 29.6 | 29.6 |
| Oak Lawn . . . . . | 1,087.5 | 452.5 | 315.6 | 136.9 | 216.7 | 49.4 | 129.3 |
| Oak Park . . . . . | 1,245.1 | 555.6 | 388.9 | 166.7 | 284.3 | 143.8 | 27.8 |
| Ottawa . . . . . | 1,265.6 | 557.3 | 442.7 | 114.6 | 171.9 | 208.3 | 26.0 |
| Palatine . . . . . | 885.7 | 314.3 | 200.0 | 114.3 | 190.5 | 95.2 | 28.6 |
| Park Forest . . . | 314.7 | 73.4 | 55.9 | 17.5 | 55.9 | 17.5 | 83.9 |
| Park Ridge . . . . | 596.8 | 306.5 | 245.2 | 61.3 | 96.8 | 48.4 | 32.3 |
| Pekin. . . . . | 969.6 | 380.2 | 251.0 | 129.3 | 174.9 | 83.7 | 30.4 |
| Peoria . . . . . | 1,177.0 | 482.3 | 389.5 | 92.8 | 202.9 | 109.1 | 54.5 |
| Quincy . . . . . | 1,380.6 | 610.4 | 486.5 | 123.9 | 189.2 | 157.7 | 63.1 |
| Rantoul. . . . . | 293.3 | 75.6 | 62.2 | 13.3 | 35.6 | 26.7 | 62.2 |
| Riverdale . . . . . | 616.7 | 333.3 | 283.3 | 50.0 | 133.3 | 50.0 | 16.7 |
| River Forest. . . | 932.8 | 395.0 | 260.5 | 134.5 | 193.3 | 126.1 | 8.4 |
| Rock Falls . . . . | 750.0 | 342.6 | 259.3 | 83.3 | 129.6 | 18.5 | 46.3 |
| Rockford . . . . . | 983.7 | 374.0 | 305.7 | 68.3 | 171.5 | 119.5 | 65.0 |
| Rock Island. . . . | 1,059.5 | 434.5 | 351.2 | 83.3 | 164.7 | 127.0 | 59.5 |
| Rolling Meadows | 290.0 | 80.0 | 60.0 | 20.0 | 70.0 | 20.0 | 50.0 |
| Skokie . . . . . | 440.5 | 190.1 | 163.4 | 26.6 | 63.9 | 40.9 | 37.3 |
| Springfield . . . . | 1,369.1 | 596.7 | 464.6 | 132.1 | 251.2 | 169.8 | 56.6 |
| Sterling . . . . . | 1,065.8 | 467.1 | 361.8 | 105.3 | 171.1 | 131.6 | 52.6 |
| Streator . . . . . | 1,016.8 | 346.4 | 301.7 | 44.7 | 173.2 | 223.5 | 33.5 |
| Urbana. . . . . | 762.6 | 302.2 | 230.2 | 71.9 | 75.5 | 107.9 | 46.8 |
| Villa Park . . . . | 634.4 | 241.9 | 161.3 | 80.6 | 102.2 | 80.6 | 32.3 |
| Waukegan . . . . . | 925.4 | 365.2 | 284.9 | 80.3 | 164.4 | 89.9 | 63.1 |
| Westchester . . . | 526.7 | 213.3 | 166.7 | 46.7 | 113.3 | 53.3 | 46.7 |
| West Frankfort . | 1,509.6 | 788.5 | 701.9 | 86.5 | 230.8 | 105.8 | 48.1 |
| Wheaton . . . . . | 600.9 | 215.6 | 183.5 | 32.1 | 128.4 | 59.6 | 50.5 |
| Wilmette . . . . . | 755.5 | 324.8 | 244.5 | 80.3 | 116.8 | 124.1 | 29.2 |
| Winnetka . . . . . | 941.2 | 375.0 | 286.8 | 88.2 | 161.8 | 117.6 | 29.4 |
| Wood River. . . . | 815.1 | 319.3 | 235.3 | 84.0 | 126.1 | 92.4 | 42.0 |
| Zion . . . . . | 1,042.0 | 479.0 | 327.7 | 151.3 | 142.9 | 168.1 | 50.4 |

Table 10B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1959--Continued

(Rates per 100,000 estimated midyear population)

| City | Accidents | | | Pneumonia and influenza | General arterio-sclerosis | Diabetes mellitus | Cirrhosis of the liver | Hyper-tension without mention of heart | Suicide | Other circu-latory diseases |
|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Motor vehicle | Other | | | | | | | |
| La Grange Park | 28.8 | -0- | 28.8 | 7.2 | 14.4 | 21.6 | 7.2 | 7.2 | 14.4 | 7.2 |
| Lansing | 34.7 | 23.1 | 11.6 | 11.6 | 11.6 | 5.8 | 5.8 | -0- | 5.8 | 5.8 |
| La Salle | 38.8 | 23.3 | 15.5 | 7.8 | 7.8 | 31.0 | 7.8 | -0- | -0- | 15.5 |
| Lincoln | 48.2 | 30.1 | 18.1 | 36.1 | 84.3 | 12.0 | 6.0 | 18.1 | 24.1 | 6.0 |
| Lincolnwood | 16.7 | 16.7 | -0- | 8.3 | 8.3 | 25.0 | 8.3 | -0- | 8.3 | -0- |
| Lombard | 40.4 | 9.0 | 31.4 | 22.4 | 9.0 | 17.9 | -0- | 9.0 | -0- | 4.5 |
| Macomb | 65.0 | 24.4 | 40.7 | 24.4 | 24.4 | -0- | 16.3 | -0- | 16.3 | 16.3 |
| Marion | 35.1 | 17.5 | 17.5 | 26.3 | 61.4 | 17.5 | -0- | 8.8 | 8.8 | 8.8 |
| Mattoon | 62.2 | 36.3 | 25.9 | 31.1 | 15.5 | 20.7 | 10.4 | 15.5 | -0- | 5.2 |
| Maywood | 30.9 | 6.9 | 24.1 | 27.5 | 20.6 | 10.3 | 3.4 | 3.4 | 6.9 | 13.7 |
| Melrose Park | 67.0 | 4.5 | 62.5 | 35.7 | 17.9 | 40.2 | 13.4 | 4.5 | -0- | 4.5 |
| Moline | 43.1 | 18.1 | 24.9 | 36.3 | 36.3 | 11.3 | 4.5 | 18.1 | 2.3 | 4.5 |
| Monmouth | 51.7 | 25.9 | 25.9 | 17.2 | 25.9 | -0- | 8.6 | 51.7 | 7.2 | -0- |
| Morton Grove | -0- | -0- | -0- | 5.6 | 16.7 | -0- | -0- | -0- | 11.1 | -0- |
| Mount Prospect | 34.3 | 22.9 | 11.4 | 17.1 | 5.7 | 5.7 | -0- | 5.7 | -0- | -0- |
| Mount Vernon | 65.9 | 29.9 | 35.9 | 35.9 | 18.0 | 18.0 | 12.0 | 12.0 | -0- | -0- |
| Naperville | 16.9 | -0- | 16.9 | 8.5 | 16.9 | 16.9 | -0- | -0- | -0- | -0- |
| Niles | 5.3 | -0- | 5.3 | 5.3 | -0- | 15.9 | -0- | 5.3 | 10.6 | 10.6 |
| Normal | 23.1 | 7.7 | 15.4 | 15.4 | 7.7 | 7.7 | -0- | -0- | -0- | -0- |
| Norridge | -0- | -0- | -0- | 9.9 | 9.9 | 19.8 | 19.8 | 9.9 | 9.9 | 9.9 |
| Northbrook | 8.3 | -0- | 8.3 | 25.0 | -0- | 16.7 | -0- | -0- | 16.7 | 8.3 |
| North Chicago | 39.3 | 11.2 | 28.1 | 16.9 | 5.6 | 5.6 | 22.5 | 11.2 | 5.6 | -0- |
| Northlake | 14.8 | 7.4 | 7.4 | 14.8 | 7.4 | 14.8 | 7.4 | -0- | 37.0 | 7.4 |
| Oak Lawn | 22.8 | 7.6 | 15.2 | 34.2 | 19.0 | 7.6 | 26.6 | 7.6 | 3.8 | 7.6 |
| Oak Park | 24.5 | 6.5 | 18.0 | 37.6 | 21.2 | 22.9 | 18.0 | 6.5 | 3.3 | 6.5 |
| Ottawa | 88.5 | 52.1 | 36.5 | 26.0 | 31.2 | 10.4 | 10.4 | 5.2 | 15.6 | 15.6 |
| Palatine | 38.1 | 19.0 | 19.0 | 9.5 | 9.5 | 19.0 | 19.0 | 19.0 | 9.5 | 38.1 |
| Park Forest | 28.0 | 17.5 | 10.5 | 17.5 | 3.5 | 3.5 | 3.5 | 3.5 | 3.5 | -0- |
| Park Ridge | 19.4 | 9.7 | 9.7 | 6.5 | 6.5 | 9.7 | 6.5 | 12.9 | 19.4 | 3.2 |
| Pekin | 49.4 | 22.8 | 26.6 | 41.8 | 22.8 | 7.6 | 15.2 | 7.6 | 22.8 | 11.4 |
| Peoria | 43.1 | 17.2 | 25.8 | 43.1 | 43.1 | 16.3 | 15.3 | 13.4 | 10.5 | 16.3 |
| Quincy | 65.3 | 27.0 | 38.3 | 42.8 | 60.8 | 15.8 | 11.3 | 18.0 | 20.3 | 9.0 |
| Rantoul | 22.2 | 8.9 | 13.3 | 8.9 | -0- | 4.4 | 8.9 | -0- | 8.9 | -0- |
| Riverdale | 16.7 | 16.7 | -0- | 25.0 | -0- | -0- | -0- | 8.3 | -0- | -0- |
| River Forest | 50.4 | 42.0 | 8.4 | -0- | 50.4 | -0- | -0- | 8.4 | 8.4 | -0- |
| Rock Falls | 83.3 | 46.3 | 37.0 | 27.8 | 18.5 | 9.3 | 9.3 | 9.3 | 9.3 | -0- |
| Rockford | 27.6 | 8.1 | 19.5 | 50.4 | 16.3 | 22.0 | 5.7 | 11.4 | 13.0 | 14.6 |
| Rock Island | 69.4 | 17.9 | 51.6 | 23.8 | 39.7 | 17.9 | 4.0 | 19.8 | 13.9 | 4.0 |
| Rolling Meadows | 20.0 | 10.0 | 10.0 | 20.0 | -0- | -0- | -0- | -0- | -0- | -0- |
| Skokie | 17.8 | 8.9 | 8.9 | 8.9 | 8.9 | 10.7 | 3.6 | 8.9 | 3.6 | 3.6 |
| Springfield | 35.4 | 13.0 | 22.4 | 30.7 | 25.9 | 21.2 | 14.2 | 16.5 | 9.4 | 16.5 |
| Sterling | 26.3 | 19.7 | 6.6 | 26.3 | 59.2 | 13.2 | 6.6 | 13.2 | 13.2 | 6.6 |
| Streator | 67.0 | 39.1 | 27.9 | 16.8 | 33.5 | 16.8 | 11.2 | 5.6 | 11.2 | 5.6 |
| Urbana | 32.4 | 14.4 | 18.0 | 18.0 | 39.6 | 18.0 | -0- | 10.8 | 7.2 | 7.2 |
| Villa Park | 26.9 | 5.4 | 21.5 | 10.8 | 5.4 | 26.9 | -0- | -0- | 10.8 | 16.1 |
| Waukegan | 53.5 | 28.7 | 24.9 | 30.6 | 9.6 | 19.1 | 9.6 | 7.6 | 11.5 | 3.8 |
| Westchester | 6.7 | -0- | 6.7 | 6.7 | 6.7 | 20.0 | 13.3 | -0- | -0- | -0- |
| West Frankfort | 57.7 | 28.8 | 28.8 | 57.7 | 19.2 | 9.6 | 19.2 | -0- | 9.6 | 19.2 |
| Wheaton | 27.5 | 13.8 | 13.8 | 22.9 | 9.2 | 4.6 | 4.6 | 9.2 | 4.6 | 13.8 |
| Wilmette | 29.2 | 7.3 | 21.9 | 21.9 | 14.6 | 14.6 | 7.3 | 7.3 | 3.6 | 7.3 |
| Winnetka | 51.5 | 22.1 | 29.4 | 14.7 | 29.4 | 14.7 | 14.7 | 7.4 | 14.7 | 22.1 |
| Wood River | 58.8 | 16.8 | 42.0 | 25.2 | 8.4 | 8.4 | -0- | 8.4 | -0- | -0- |
| Zion | 50.4 | 33.6 | 16.8 | 25.2 | 33.6 | 16.8 | -0- | 16.8 | -0- | 8.4 |

Table 11. -- TWELVE LEADING CAUSES OF DEATH IN SELECTED AGE GROUPS, ILLINOIS: 1959

Age 1-4 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 840 |
| 1. | Accidents | E800-E962 | 221 |
| | a. Motor vehicle | (E810-E835, E960) | (64) |
| | b. Other | (residue of E800-E962) | (157) |
| 2. | Influenza and pneumonia | 480-493 | 201 |
| 3. | Malignant neoplasms | 140-205 | 90 |
| 4. | Congenital malformations | 750-759 | 81 |
| 5. | Bronchitis | 500-502 | 28 |
| 6. | Gastro-enteritis, chronic enteritis and colitis | 571-572 | 23 |
| 7. | Meningitis, except meningococcal and tuberculous | 340 | 20 |
| 8. | Meningococcal infections | 057 | 18 |
| 9. | Tuberculosis | 001-019 | 9 |
| 9. | Cerebral spastic infantile paralysis | 351 | 9 |
| 11. | Homicide | E964, E980-E985 | 8 |
| 12. | Measles | 085 | 7 |
| 12. | Acute infectious encephalitis | 082, 083 | 7 |

Age 5-14 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 839 |
| 1. | Accidents | E800-E962 | 321 |
| | a. Motor vehicle | (E810-E835, E960) | (137) |
| | b. Other | (residue of E800-E962) | (184) |
| 2. | Malignant neoplasms | 140-205 | 139 |
| 3. | Congenital malformations | 750-759 | 67 |
| 4. | Influenza and pneumonia | 480-493 | 59 |
| 5. | Heart diseases | 410-443 | 21 |
| 6. | Cerebral spastic infantile paralysis | 351 | 13 |
| 7. | Nephritis, acute and chronic | 590-594 | 12 |
| 8. | Fibrocystic disease of pancreas | 587.3 | 11 |
| 9. | Vascular lesions affecting central nervous system | 330-334 | 9 |
| 10. | Acute infectious encephalitis | 082, 083 | 8 |
| 10. | Bronchitis | 500-502 | 8 |
| 12. | Diabetes mellitus | 260 | 7 |
| 12. | Meningococcal infections | 057 | 7 |

Age 15-24 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,220 |
| 1. | Accidents | E800-E962 | 595 |
| | a. Motor vehicle | (E810-E835, E960) | (409) |
| | b. Other | (residue of E800-E962) | (186) |
| 2. | Malignant neoplasms | 140-205 | 119 |
| 3. | Homicide | E964, E980-E985 | 73 |
| 4. | Suicide | E963, E970-E979 | 67 |
| 5. | Heart diseases | 410-443 | 57 |
| 6. | Influenza and pneumonia | 480-493 | 34 |
| 7. | Congenital malformations | 750-759 | 27 |
| 8. | Maternal causes | 640-689 | 23 |
| 9. | Vascular lesions affecting central nervous system | 330-334 | 22 |
| 10. | Nephritis, acute and chronic | 590-594 | 20 |
| 11. | Epilepsy | 353 | 10 |
| 12. | Tuberculosis | 001-019 | 9 |

Age 25-44 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 6,001 |
| 1. | Heart diseases | 410-443 | 1,474 |
| 2. | Malignant neoplasms | 140-205 | 1,175 |
| 3. | Accidents | E800-E962 | 950 |
| | a. Motor vehicle | (E810-E835, E960) | (466) |
| | b. Other | (residue of E800-E962) | (484) |
| 4. | Suicide | E963, E970-E979 | 261 |
| 5. | Vascular lesions affecting central nervous system | 330-334 | 230 |
| 6. | Influenza and pneumonia | 480-493 | 229 |
| 7. | Cirrhosis of liver | 581 | 219 |
| 8. | Homicide | E964, E980-E985 | 216 |
| 9. | Tuberculosis | 001-019 | 106 |
| 10. | Nephritis, acute and chronic | 590-594 | 105 |
| 11. | Diabetes mellitus | 260 | 94 |
| 12. | Hypertension without mention of heart disease | 444-447 | 80 |

Age 45-64 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 25,941 |
| 1. | Heart diseases | 410-443 | 11,361 |
| 2. | Malignant neoplasms | 140-205 | 6,176 |
| 3. | Vascular lesions affecting central nervous system | 330-334 | 1,970 |
| 4. | Accidents | E800-E962 | 1,044 |
| | a. Motor vehicle | (E810-E835, E960) | (435) |
| | b. Other | (residue of E800-E962) | (609) |
| 5. | Cirrhosis of liver | 581 | 670 |
| 6. | Influenza and pneumonia | 480-493 | 649 |
| 7. | Diabetes mellitus | 260 | 417 |
| 8. | Suicide | E963, E970-E979 | 387 |
| 9. | Tuberculosis | 001-019 | 277 |
| 10. | Ulcers of stomach and duodenum | 540, 541 | 261 |
| 11. | Nephritis, acute and chronic | 590-594 | 254 |
| 12. | Hypertension without mention of heart disease | 444-447 | 221 |

Age 65 years and over

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 60,575 |
| 1. | Heart diseases | 410-443 | 31,089 |
| 2. | Malignant neoplasms | 140-205 | 8,730 |
| 3. | Vascular lesions affecting central nervous system | 330-334 | 8,656 |
| 4. | General arteriosclerosis | 450 | 1,935 |
| 5. | Influenza and pneumonia | 480-493 | 1,882 |
| 6. | Accidents | E800-E962 | 1,259 |
| | a. Motor vehicle | (E810-E835, E960) | (324) |
| | b. Other | (residue of E800-E962) | (935) |
| 7. | Diabetes mellitus | 260 | 1,047 |
| 8. | Hypertension without mention of heart disease | 440-447 | 700 |
| 9. | Nephritis, acute and chronic | 590-594 | 457 |
| 10. | Ulcers of stomach and duodenum | 540-541 | 404 |
| 11. | Cirrhosis of liver | 581 | 367 |
| 12. | Other diseases of arteries | 451-456 | 322 |

[1]Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955 revision, World Health Organization.

# CRUDE MORTALITY RATES FOR SELECTED CAUSES OF DEATH: ILLINOIS, 1921-1959

Causes of death were classified by the 3rd revision of the International List of Causes of Death for the years 1921-29, by the 4th revision for the years 1930-39, by the 5th revision for the years 1940-53. Deaths for the years 1949-53 were also classified by the 6th revision (International Statistical Classification of Diseases, Injuries, and Causes of Death). For 1954 and subsequent years only the 6th revision is used. The dotted line indicates mortality classified by the 6th revision.

For 1921-1939 the rates are for deaths OCCURRING in Illinois, while for 1940 and subsequent years the data refer to deaths among RESIDENTS OF Illinois, irrespective of the place of death. All rates are per 100,000 population estimated as of midyear.




These are RATIO charts, equal vertical distances represent equal PERCENTAGE changes in rate.

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill.
Permit No. 101

.1
611v
9

2

# VITAL STATISTICS ILLINOIS

## VOL. II -- COUNTY SUMMARIES
## Part 1 -- NATALITY

1950 1959

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

THE LIBRARY OF THE
NOV 17 1960
UNIVERSITY OF ILLINOIS

# VITAL STATISTICS ILLINOIS

## VOL. II -- COUNTY SUMMARIES
## Part 1 -- NATALITY

1950 1959

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS
October, 1960

STATE OF ILLINOIS

William G. Stratton
Governor

DEPARTMENT OF PUBLIC HEALTH

L. L. Fatherree, M. D.
Director

BUREAU OF STATISTICS

Springfield, Illinois
October, 1960

VOL. 1 -- STATE SUMMARY DATA: 1959

VOL. 11 -- COUNTY SUMMARIES

Part 1 -- Natality statistics: 1950-1959
Part 2 -- Mortality statistics: 1950-1959
Part 3 -- Morbidity statistics: 1950-1959

# INTRODUCTION

For the year 1959 Illinois had a larger number of live births than for any previous year since records have been kept on a statewide basis. The proportion of births occurring in hospitals also increased to a high of 98 percent. There were, however, three counties in the State with less than 90 percent of the births occurring in hospitals. They are Alexander 81.56 percent, Gallatin 88.98 percent, and Pulaski 73.97 percent.

The problem of premature infants is still a pressing one since not only were a larger number of infants born prematurely in 1959 but the rate was also higher.

The fetal death (stillbirth) rate in 1959 for the State was lower (14.5 per 1,000 live births) than for any year since 1922 when central registration of births was established on a statewide basis.

The tables in this volume were designed primarily to provide uniform short-term trend data on a county basis for use by local areas in program planning and evaluation.

The trend tables in this report contain the following information on live births:

a) live birth data include count of births by attendant, number of premature births, a sex-race distribution, and the number of illegitimate births by race.

b) fetal deaths are tabulated by period of gestation only.

Data were selected for publication on the basis of an analysis of requests received in the Bureau of Statistics.

Table 1. -- LIVE BIRTHS, TOTAL DEATHS, INFANT DEATHS, MATERNAL DEATHS, AND STILLBIRTHS, WITH RATES FOR EACH, ILLINOIS 1918-1959

(Live birth rates and total death rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| Year | Estimated population | Live births | | Total deaths | | Infant deaths | | Maternal deaths | | Stillbirths | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| 1959* .... | 9,914,900 | 239,871 | 24.2 | 101,406 | 10.2 | 5,990 | 25.0 | 72 | 0.3 | 3,489 | 14.5 |
| 1958* .... | 9,889,000 | 234,712 | 23.7 | 101,729 | 10.3 | 5,857 | 25.0 | 74 | 0.3 | 3,615 | 15.4 |
| 1957* .... | 9,754,000 | 238,579 | 24.5 | 102,293 | 10.5 | 6,070 | 25.4 | 80 | 0.3 | 3,616 | 15.2 |
| 1956* .... | 9,487,000 | 229,571 | 24.2 | 96,956 | 10.2 | 5,642 | 24.6 | 77 | 0.3 | 3,399 | 14.8 |
| 1955* .... | 9,361,000 | 220,541 | 23.6 | [illegible] | 10.2 | 5,479 | 24.8 | 83 | 0.4 | 3,328 | 15.1 |
| 1954* .... | 9,193,000 | 217,229 | 23.6 | 92,307 | 10.0 | 5,442 | 25.1 | 92 | 0.4 | 3,233 | 14.9 |
| 1953* .... | 9,039,000 | 206,813 | 22.9 | 96,607 | 10.7 | 5,326 | 25.8 | 98 | 0.5 | 3,323 | 16.1 |
| 1952* .... | 8,913,000 | 205,438 | 23.0 | 94,173 | 10.6 | 5,115 | 24.9 | 92 | 0.4 | 3,239 | 15.8 |
| 1951* .... | 8,825,000 | 201,082 | 22.8 | 93,254 | 10.6 | 5,023 | 25.0 | 107 | 0.5 | 3,270 | 16.3 |
| 1950* .... | 8,753,000 | 189,640 | 21.7 | 92,260 | 10.5 | 4,855 | 25.6 | 114 | 0.6 | 3,084 | 16.3 |
| 1949* .... | 8,513,000 | 189,313 | 22.2 | 92,521 | 10.9 | 5,185 | 27.4 | 136 | 0.7 | 3,184 | 16.8 |
| 1948† .... | 8,552,000 | 184,871 | 21.6 | 91,328 | 10.7 | 5,123 | 27.7 | 151 | 0.8 | 3,284 | 17.8 |
| 1947† .... | 8,341,000 | 196,007 | 23.5 | 93,686 | 11.2 | 5,672 | 28.9 | 204 | 1.0 | 3,669 | 18.7 |
| 1946† .... | 8,155,000 | 174,825 | 21.4 | 89,566 | 11.0 | 5,316 | 30.4 | 237 | 1.4 | 3,667 | 21.0 |
| 1945† .... | 7,601,000 | 138,705 | 18.2 | 90,116 | 11.9 | 4,377 | 31.6 | 235 | 1.7 | 2,951 | 21.3 |
| 1944† .... | 7,719,000 | 142,005 | 18.4 | 88,180 | 11.4 | 4,602 | 32.4 | 254 | 1.8 | 3,158 | 22.2 |
| 1943† .... | 7,761,000 | 155,735 | 20.1 | 92,058 | 11.9 | 5,184 | 33.3 | 320 | 2.1 | 3,470 | 22.3 |
| 1942† .... | 8,057,000 | 156,232 | 19.4 | 87,777 | 10.9 | 5,176 | 33.1 | 326 | 2.1 | 3,445 | 22.1 |
| 1941† .... | 7,995,000 | 136,159 | 17.0 | 86,582 | 10.8 | 4,661 | 34.2 | 340 | 2.5 | 3,202 | 23.5 |
| 1940† .... | 7,905,000 | 124,615 | 15.8 | 89,099 | 11.3 | 4,398 | 35.3 | 369 | 3.0 | 3,152 | 25.3 |
| 1939† .... | 7,890,000 | 118,852 | 15.1 | 87,623 | 11.1 | 4,526 | 38.1 | 375 | 3.2 | 2,978 | 25.1 |
| 1938‡ .... | 7,866,000 | 122,562 | 15.6 | 84,769 | 10.8 | 5,016 | 40.9 | 412 | 3.4 | 3,207 | 26.2 |
| 1937‡ .... | 7,857,000 | 115,282 | 14.7 | 87,739 | 11.2 | 4,967 | 43.1 | 450 | 3.9 | 3,058 | 26.5 |
| 1936‡ .... | 7,840,000 | 112,167 | 14.3 | 92,806 | 11.8 | 5,246 | 46.8 | 500 | 4.5 | 3,099 | 27.6 |
| 1935‡ .... | 7,797,000 | 111,884 | 14.3 | 85,518 | 11.0 | 5,138 | 45.9 | 555 | 5.0 | 3,308 | 29.6 |
| 1934‡ .... | 7,772,000 | 110,226 | 14.2 | 87,205 | 11.2 | 5,825 | 52.8 | 568 | 5.2 | 3,333 | 30.2 |
| 1933‡ .... | 7,768,000 | 107,910 | 13.9 | 82,513 | 10.6 | 5,284 | 49.0 | 537 | 5.0 | 3,219 | 29.8 |
| 1932‡ .... | 7,736,000 | 111,512 | 14.4 | 83,180 | 10.8 | 5,884 | 52.8 | 625 | 5.6 | 3,446 | 30.9 |
| 1931‡ .... | 7,687,000 | 118,788 | 15.5 | 85,788 | 11.2 | 6,961 | 58.6 | 659 | 5.5 | 4,080 | 34.3 |
| 1930‡ .... | 7,644,000 | 128,121 | 16.8 | 83,591 | 10.9 | 7,152 | 55.8 | 699 | 5.5 | 4,311 | 33.6 |
| 1929‡ .... | 7,606,000 | 128,633 | 16.9 | 87,788 | 11.5 | 7,901 | 61.4 | 874 | 6.8 | 4,452 | 34.6 |
| 1928‡ .... | 7,576,000 | 129,667 | 17.1 | 90,195 | 11.9 | 8,326 | 64.2 | 743 | 5.7 | 4,677 | 36.1 |
| 1927‡ .... | 7,519,000 | 133,662 | 17.8 | 82,849 | 11.0 | 8,605 | 64.4 | 743 | 5.6 | 4,693 | 35.1 |
| 1926‡ .... | 7,395,000 | 133,939 | 18.1 | 85,331 | 11.5 | 9,294 | 69.4 | 871 | 6.5 | 4,879 | 36.4 |
| 1925‡ .... | 7,306,000 | 135,437 | 18.5 | 81,593 | 11.2 | 9,822 | 72.5 | 789 | 5.8 | 4,885 | 36.1 |
| 1924‡ .... | 7,215,000 | 137,118 | 19.0 | 77,133 | 10.7 | 9,734 | 71.0 | 844 | 6.2 | 5,290 | 38.6 |
| 1923‡ .... | 7,068,000 | 131,920 | 18.7 | 81,753 | 11.6 | 10,809 | 81.9 | 846 | 6.4 | 5,157 | 39.1 |
| 1922‡ .... | 6,958,000 | 134,050 | 19.3 | 75,771 | 10.9 | 10,195 | 76.1 | 847 | 6.3 | 4,826 | 36.0 |
| 1921‡ .... | 6,858,000 | -- | -- | 73,424 | 10.7 | 10,674 | -- | 944 | -- | -- | -- |
| 1920‡ .... | 6,663,000 | -- | -- | 82,296 | 12.4 | 11,641 | -- | 1,141 | -- | -- | -- |
| 1919‡ .... | 6,392,000 | -- | -- | 77,256 | 12.1 | 11,148 | -- | 960 | -- | -- | -- |
| 1918‡ .... | 6,275,000 | -- | -- | 100,396 | 16.0 | 13,109 | -- | 1,160 | -- | -- | -- |

*Data for the years 1949-1959, incl., are resident data from tabulations of the Illinois Department of Public Health.
†Data for the years 1939-1948, incl., are resident data as published by the National Office of Vital Statistics.
‡Data for the years 1918-1938, incl., are Illinois occurrences as published by the National Office of Vital Statistics.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| ILLINOIS | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 239871 | 234712 | 238579 | 229571 | 220541 | 217229 | 206813 | 205438 | 201082 | 189640 |
| HOSPITAL | 235231 | 229838 | 233537 | 224153 | 214527 | 211277 | 200710 | 198696 | 193322 | 180553 |
| NON HOSPITAL | 4640 | 4874 | 5042 | 5418 | 6014 | 5952 | 6103 | 6742 | 7760 | 9087 |
| ATTENDED BY MD DO | 4453 | 4705 | 4856 | 4871 | 5725 | 5572 | 5813 | 6388 | 7361 | 8813 |
| OTHER | 187 | 169 | 186 | 547 | 289 | 380 | 290 | 354 | 399 | 274 |
| PREMATURE BIRTHS | 18072 | 17410 | 17690 | 16710 | 15973 | 15443 | 15124 | 14635 | 14446 | 12701 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 103666 | 101782 | 104118 | 100732 | 97375 | 96409 | 93260 | 93605 | 91957 | 87275 |
| WHITE FEMALE | 98289 | 96518 | 98915 | 95714 | 92274 | 91890 | 88033 | 88231 | 87290 | 82404 |
| NEGRO MALE | 18713 | 17921 | 17598 | 16270 | 15121 | 14245 | 12559 | 11547 | 10662 | 10079 |
| NEGRO FEMALE | 18412 | 17798 | 17199 | 16008 | 15028 | 13905 | 12272 | 11390 | 10488 | 9882 |
| OTHER RACES MALE | 379 | 383 | 399 | 471 | 388 | 410 | 344 | 324 | 339 | * |
| OTHER RACES FEMALE | 412 | 310 | 350 | 376 | 355 | 370 | 345 | 341 | 346 | * |
| ILLEGITIMATE BIRTHS | 14043 | 12626 | 12055 | 11312 | 10625 | 9809 | 8742 | 7916 | 7425 | 6836 |
| WHITE | 3897 | 3669 | 3624 | 3526 | 3368 | 3295 | 3129 | 2979 | 2814 | 2666 |
| NON WHITE | 10146 | 8957 | 8431 | 7786 | 7257 | 6514 | 5613 | 4937 | 4611 | 4170 |
| FETAL DEATHS TOTAL | 3489 | 3615 | 3653 | 3399 | 3328 | 3291 | 3323 | 3239 | 3273 | 3083 |
| GESTATION 20 WEEKS | 44 | 50 | 37 | 45 | 40 | 29 | 44 | 32 | 35 | 21 |
| 20 27 WEEKS | 821 | 783 | 791 | 686 | 654 | 639 | 634 | 662 | 689 | 620 |
| 28 WEEKS AND OVER | 2608 | 2760 | 2808 | 2639 | 2623 | 2615 | 2630 | 2534 | 2525 | 2417 |
| NOT REPORTED | 16 | 22 | 17 | 29 | 11 | 8 | 15 | 11 | 24 | 25 |

| DOWNSTATE | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 148665 | 144321 | 146091 | 140564 | 133722 | 130410 | 125179 | 122717 | 119281 | 111386 |
| HOSPITAL | 147700 | 143154 | 144954 | 139101 | 131893 | 128430 | 122808 | 120011 | 115518 | 106821 |
| NON HOSPITAL | 965 | 1167 | 1137 | 1463 | 1829 | 1980 | 2371 | 2706 | 3763 | 4565 |
| ATTENDED BY MD DO | 832 | 1033 | 1013 | 1296 | 1653 | 1759 | 2181 | 2494 | 3479 | 4394 |
| OTHER | 133 | 134 | 124 | 167 | 176 | 221 | 190 | 212 | 284 | 171 |
| PREMATURE BIRTHS | 9638 | 9304 | 9457 | 8950 | 8613 | 8272 | 8267 | 7913 | 7716 | 6710 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 72557 | 70581 | 71340 | 68805 | 65274 | 63843 | 61698 | 60611 | 58968 | 80565 |
| WHITE FEMALE | 68965 | 66793 | 67876 | 65160 | 62257 | 60713 | 58202 | 57194 | 55821 | 52123 |
| NEGRO MALE | 3487 | 3392 | 3390 | 3182 | 2951 | 2896 | 2660 | 2386 | 2173 | 2065 |
| NEGRO FEMALE | 3396 | 3355 | 3283 | 3234 | 3092 | 2813 | 2488 | 2428 | 2235 | 2022 |
| OTHER RACES MALE | 122 | 110 | 100 | 93 | 65 | 76 | 66 | 49 | 37 | * |
| OTHER RACES FEMALE | 138 | 90 | 102 | 90 | 83 | 69 | 65 | 49 | 47 | * |
| ILLEGITIMATE BIRTHS | 3774 | 3571 | 3277 | 3040 | 2742 | 2661 | 2355 | 2164 | 2213 | 2037 |
| WHITE | 2267 | 2156 | 1999 | 1852 | 1646 | 1654 | 1532 | 1443 | 1508 | 1375 |
| NON WHITE | 1507 | 1415 | 1278 | 1188 | 1096 | 1007 | 823 | 721 | 705 | 662 |
| FETAL DEATHS TOTAL | 1927 | 2032 | 2013 | 1921 | 1925 | 1819 | 1956 | 1848 | 1853 | 1671 |
| GESTATION 20 WEEKS | 33 | 46 | 33 | 38 | 35 | 28 | 38 | 30 | 27 | 16 |
| 20 27 WEEKS | 420 | 416 | 414 | 380 | 359 | 350 | 379 | 396 | 401 | 314 |
| 28 WEEKS AND OVER | 1463 | 1557 | 1554 | 1493 | 1525 | 1435 | 1527 | 1412 | 1404 | 1320 |
| NOT REPORTED | 11 | 13 | 12 | 10 | 6 | 6 | 12 | 10 | 21 | 21 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CHICAGO CITY | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 91206 | 90391 | 92488 | 89007 | 86819 | 86819 | 81634 | 82721 | 81801 | 78254 |
| HOSPITAL | 87531 | 86684 | 88583 | 85052 | 82634 | 82847 | 77902 | 78685 | 77804 | 73732 |
| NON HOSPITAL | 3675 | 3707 | 3905 | 3955 | 4185 | 3972 | 3732 | 4036 | 3997 | 4522 |
| ATTENDED BY MD DO | 3621 | 3672 | 3843 | 3575 | 4072 | 3813 | 3632 | 3894 | 3882 | 4419 |
| OTHER | 54 | 35 | 62 | 380 | 113 | 159 | 100 | 142 | 115 | 103 |
| PREMATURE BIRTHS | 8434 | 8106 | 8233 | 7760 | 7360 | 7171 | 6857 | 6722 | 6730 | 5991 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 31109 | 31201 | 32778 | 31927 | 32101 | 32566 | 31562 | 32994 | 32989 | 32099 |
| WHITE FEMALE | 29324 | 29725 | 31039 | 30554 | 30017 | 31177 | 29831 | 31037 | 31469 | 30281 |
| NEGRO MALE | 15226 | 14529 | 14208 | 13088 | 12170 | 11349 | 9899 | 9161 | 8489 | 8014 |
| NEGRO FEMALE | 15016 | 14443 | 13916 | 12774 | 11936 | 11092 | 9784 | 8962 | 8253 | 7860 |
| OTHER RACES MALE | 257 | 273 | 299 | 378 | 323 | 334 | 278 | 275 | 302 | * |
| OTHER RACES FEMALE | 274 | 220 | 248 | 286 | 272 | 301 | 280 | 292 | 299 | * |
| ILLEGITIMATE BIRTHS | 10269 | 9055 | 8778 | 8272 | 7883 | 7148 | 6387 | 5752 | 5212 | 4799 |
| WHITE | 1630 | 1513 | 1625 | 1674 | 1722 | 1641 | 1597 | 1536 | 1306 | 1291 |
| NON WHITE | 8639 | 7542 | 7153 | 6598 | 6161 | 5507 | 4790 | 4216 | 3906 | 3508 |
| FETAL DEATHS TOTAL | 1562 | 1583 | 1640 | 1478 | 1403 | 1472 | 1367 | 1391 | 1420 | 1412 |
| GESTATION 20 WEEKS | 11 | 4 | 4 | 7 | 5 | 1 | 6 | 2 | 8 | 5 |
| 20 27 WEEKS | 401 | 367 | 377 | 306 | 295 | 289 | 255 | 266 | 288 | 306 |
| 28 WEEKS AND OVER | 1145 | 1203 | 1254 | 1146 | 1098 | 1180 | 1103 | 1122 | 1121 | 1097 |
| NOT REPORTED | 5 | 9 | 5 | 19 | 5 | 2 | 3 | 1 | 3 | 4 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| ADAMS COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 1399 | 1360 | 1472 | 1463 | 1379 | 1369 | 1337 | 1360 | 1380 | 1331 |
| HOSPITAL | 1399 | 1354 | 1467 | 1457 | 1370 | 1365 | 1325 | 1353 | 1362 | 1307 |
| NON HOSPITAL | | 6 | 5 | 6 | 9 | 4 | 12 | 7 | 18 | 24 |
| ATTENDED BY MD DO | | 6 | 5 | 4 | 8 | 2 | 12 | 7 | 16 | 22 |
| OTHER | | | | 2 | 1 | 2 | | | 2 | 2 |
| PREMATURE BIRTHS | 89 | 64 | 95 | 87 | 92 | 93 | 79 | 76 | 94 | 84 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 683 | 724 | 763 | 762 | 683 | 711 | 620 | 704 | 712 | 670 |
| WHITE FEMALE | 673 | 599 | 667 | 660 | 652 | 614 | 676 | 624 | 634 | 624 |
| NEGRO MALE | 24 | 18 | 20 | 21 | 19 | 23 | 22 | 15 | 17 | 17 |
| NEGRO FEMALE | 19 | 17 | 21 | 18 | 24 | 21 | 18 | 16 | 16 | 20 |
| OTHER RACES MALE | | 1 | | 1 | | | 1 | | | * |
| OTHER RACES FEMALE | | 1 | 1 | 1 | 1 | | | 1 | 1 | * |
| ILLEGITIMATE BIRTHS | 33 | 33 | 39 | 30 | 31 | 32 | 33 | 28 | 25 | 31 |
| WHITE | 22 | 24 | 30 | 23 | 22 | 19 | 19 | 20 | 21 | 22 |
| NON WHITE | 11 | 9 | 9 | 7 | 9 | 13 | 14 | 8 | 4 | 9 |
| FETAL DEATHS TOTAL | 12 | 14 | 19 | 22 | 25 | 16 | 14 | 13 | 24 | 17 |
| GESTATION 20 WEEKS | | 1 | | | | | | | | |
| 20 27 WEEKS | 3 | 2 | 4 | 3 | 9 | 1 | 2 | 3 | 8 | 1 |
| 28 WEEKS AND OVER | 9 | 11 | 15 | 19 | 16 | 15 | 12 | 10 | 16 | 16 |
| NOT REPORTED | | | | | | | | | | |

| ALEXANDER COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 282 | 310 | 295 | 365 | 366 | 422 | 415 | 420 | 382 | 371 |
| HOSPITAL | 230 | 212 | 221 | 246 | 239 | 287 | 318 | 320 | 282 | 262 |
| NON HOSPITAL | 52 | 98 | 74 | 119 | 127 | 135 | 97 | 100 | 100 | 109 |
| ATTENDED BY MD DO | 35 | 78 | 67 | 101 | 104 | 86 | 51 | 29 | 37 | 42 |
| OTHER | 17 | 20 | 7 | 18 | 23 | 49 | 46 | 71 | 63 | 67 |
| PREMATURE BIRTHS | 27 | 30 | 27 | 25 | 35 | 30 | 41 | 30 | 46 | 25 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 96 | 91 | 89 | 123 | 126 | 147 | 145 | 165 | 146 | 141 |
| WHITE FEMALE | 97 | 90 | 94 | 101 | 101 | 126 | 151 | 141 | 131 | 121 |
| NEGRO MALE | 44 | 68 | 59 | 65 | 62 | 62 | 64 | 62 | 55 | 60 |
| NEGRO FEMALE | 45 | 60 | 53 | 74 | 76 | 86 | 55 | 50 | 50 | 49 |
| OTHER RACES MALE | | | | 1 | | | | 2 | | * |
| OTHER RACES FEMALE | | 1 | | 1 | 1 | 1 | | | | * |
| ILLEGITIMATE BIRTHS | 32 | 55 | 44 | 59 | 45 | 61 | 38 | 30 | 39 | 34 |
| WHITE | 3 | 7 | 4 | 3 | 5 | 4 | 7 | 6 | 3 | 2 |
| NON WHITE | 29 | 48 | 40 | 56 | 40 | 57 | 31 | 24 | 36 | 32 |
| FETAL DEATHS TOTAL | 10 | 5 | 7 | 8 | 4 | 7 | 20 | 10 | 10 | 17 |
| GESTATION 20 WEEKS | | | | | | | 1 | | | |
| 20 27 WEEKS | 3 | | 2 | | 1 | | 3 | 3 | 2 | 2 |
| 28 WEEKS AND OVER | 7 | 5 | 5 | 8 | 3 | 7 | 16 | 7 | 8 | 14 |
| NOT REPORTED | | | | | | | | | | 1 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| BOND COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 296 | 296 | 270 | 268 | 311 | 293 | 283 | 301 | 293 | 285 |
| HOSPITAL | 291 | 290 | 265 | 258 | 298 | 292 | 277 | 298 | 291 | 277 |
| NON HOSPITAL | 5 | 6 | 5 | 10 | 13 | 1 | 6 | 3 | 2 | 8 |
| ATTENDED BY MD DO | 4 | 6 | 5 | 9 | 12 | 1 | 5 | 3 | 2 | 8 |
| OTHER | 1 | | | 1 | 1 | | 1 | | | |
| PREMATURE BIRTHS | 24 | 19 | 13 | 19 | 17 | 12 | 15 | 7 | 15 | 10 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 139 | 131 | 143 | 126 | 152 | 145 | 136 | 160 | 160 | 147 |
| WHITE FEMALE | 155 | 164 | 126 | 140 | 157 | 146 | 145 | 140 | 132 | 138 |
| NEGRO MALE | | | | 1 | 2 | 2 | 2 | 1 | | |
| NEGRO FEMALE | 1 | 1 | | | | | | | 1 | |
| OTHER RACES MALE | | | 1 | | | | | | | * |
| OTHER RALES FEMALE | 1 | | | 1 | | | | | | * |
| ILLEGITIMATE BIRTHS | 7 | 3 | 3 | 4 | 6 | 3 | 1 | 2 | 2 | 1 |
| WHITE | 7 | 3 | 3 | 4 | 5 | 3 | 1 | 2 | 2 | 1 |
| NON WHITE | | | | | 1 | | | | | |
| FETAL DEATHS TOTAL | 5 | 5 | | 5 | 3 | | 3 | 3 | 6 | 5 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 1 | | 1 | 1 | | 2 | | | 2 |
| 28 WEEKS AND OVER | 5 | 4 | | 4 | 2 | | 1 | 3 | 6 | 3 |
| NOT REPORTED | | | | | | | | | | |

| BOONE COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 450 | 467 | 434 | 453 | 413 | 409 | 424 | 421 | 402 | 360 |
| HOSPITAL | 450 | 466 | 432 | 452 | 413 | 409 | 422 | 419 | 402 | 359 |
| NON HOSPITAL | | 1 | 2 | 1 | | | 2 | 2 | | 1 |
| ATTENDED BY MD DO | | | 2 | 1 | | | 2 | 2 | | 1 |
| OTHER | | 1 | | | | | | | | |
| PREMATURE BIRTHS | 27 | 32 | 35 | 37 | 24 | 31 | 29 | 28 | 24 | 26 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 213 | 250 | 219 | 220 | 217 | 208 | 213 | 204 | 204 | 175 |
| WHITE FEMALE | 236 | 216 | 211 | 233 | 193 | 199 | 208 | 217 | 198 | 183 |
| NEGRO MALE | | | 1 | | 2 | 1 | 2 | | | 1 |
| NEGRO FEMALE | 1 | 1 | 2 | | 1 | | 1 | | | 1 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | 1 | | | 1 | | | | * |
| ILLEGITIMATE BIRTHS | 6 | 5 | 8 | 6 | 4 | 6 | 4 | 7 | 6 | 2 |
| WHITE | 6 | 5 | 7 | 6 | 4 | 6 | 4 | 7 | 6 | 2 |
| NON WHITE | | | 1 | | | | | | | |
| FETAL DEATHS TOTAL | 6 | 8 | 4 | 8 | 3 | 9 | 11 | 3 | 6 | 4 |
| GESTATION 20 WEEKS | | 1 | | | | | 1 | | 1 | |
| 20 27 WEEKS | 2 | 4 | 2 | 4 | 1 | 1 | 2 | | | |
| 28 WEEKS AND OVER | 4 | 3 | 2 | 4 | 2 | 8 | 8 | 3 | 4 | 4 |
| NOT REPORTED | | | | | | | | | 1 | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| BROWN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 121 | 106 | 118 | 124 | 111 | 125 | 115 | 142 | 159 | 125 |
| HOSPITAL | 121 | 105 | 116 | 120 | 108 | 119 | 106 | 126 | 135 | 101 |
| NON HOSPITAL | | 1 | 2 | 4 | 3 | 6 | 9 | 16 | 24 | 24 |
| ATTENDED BY MD DO | | 1 | 2 | 4 | 3 | 6 | 9 | 16 | 24 | 24 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 11 | 10 | 8 | 7 | 4 | 6 | 8 | 6 | 7 | 10 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 60 | 60 | 56 | 60 | 61 | 59 | 66 | 68 | 80 | 72 |
| WHITE FEMALE | 61 | 46 | 62 | 64 | 50 | 66 | 49 | 74 | 79 | 53 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 3 | 1 | 5 | 3 | 1 | | 5 | 4 | 4 | 4 |
| WHITE | 3 | 1 | 5 | 3 | 1 | | 5 | 4 | 4 | 4 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 1 | 1 | 2 | 4 | | 2 | 3 | | 3 | |
| GESTATION 20 WEEKS | 1 | | | | | | | | | |
| 20 27 WEEKS | | | 1 | 1 | | 1 | | | | |
| 28 WEEKS AND OVER | | 1 | 1 | 3 | | 1 | 3 | | 2 | |
| NOT REPORTED | | | | | | | | | 1 | |

| BUREAU COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 757 | 782 | 811 | 760 | 801 | 813 | 754 | 823 | 795 | 700 |
| HOSPITAL | 750 | 775 | 804 | 751 | 794 | 807 | 748 | 815 | 780 | 697 |
| NON HOSPITAL | 7 | 7 | 7 | 9 | 7 | 6 | 6 | 8 | 15 | 3 |
| ATTENDED BY MD DO | 7 | 7 | 7 | 8 | 7 | 6 | 5 | 7 | 15 | 3 |
| OTHER | | | | 1 | | | 1 | 1 | | |
| PREMATURE BIRTHS | 40 | 45 | 53 | 52 | 39 | 44 | 47 | 56 | 50 | 33 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 374 | 412 | 398 | 403 | 393 | 405 | 383 | 420 | 386 | 361 |
| WHITE FEMALE | 383 | 369 | 412 | 357 | 407 | 406 | 370 | 402 | 408 | 339 |
| NEGRO MALE | | | | | 1 | | | 1 | | |
| NEGRO FEMALE | | 1 | | | | | | | 1 | |
| OTHER RALES MALE | | | | | | 2 | 1 | | | * |
| OTHER RACES FEMALE | | | 1 | | | | | | | * |
| ILLEGITIMATE BIRTHS | 13 | 12 | 11 | 13 | 12 | 6 | 8 | 7 | 9 | 8 |
| WHITE | 13 | 12 | 11 | 13 | 12 | 6 | 8 | 7 | 9 | 8 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 15 | 8 | 19 | 17 | 9 | 12 | 7 | 14 | 15 | 16 |
| GESTATION 20 WEEKS | | | 1 | | | | | | | |
| 20 27 WEEKS | 2 | | 3 | 2 | 2 | 3 | 1 | 4 | 1 | 2 |
| 28 WEEKS AND OVER | 13 | 8 | 15 | 15 | 7 | 9 | 6 | 10 | 14 | 13 |
| NOT REPORTED | | | | | | | | | | 1 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| CALHOUN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 120 | 129 | 129 | 128 | 126 | 140 | 114 | 137 | 144 | 131 |
| HOSPITAL | 119 | 119 | 124 | 115 | 113 | 132 | 96 | 108 | 113 | 106 |
| NON HOSPITAL | 1 | 10 | 5 | 13 | 13 | 8 | 18 | 29 | 31 | 25 |
| ATTENDED BY MD DO | 1 | 10 | 5 | 13 | 13 | 8 | 18 | 29 | 31 | 25 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 6 | 6 | 10 | 5 | 7 | 8 | 8 | 5 | 4 | 2 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 64 | 74 | 65 | 67 | 70 | 75 | 49 | 66 | 83 | 69 |
| WHITE FEMALE | 56 | 55 | 63 | 61 | 56 | 65 | 65 | 71 | 61 | 62 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | 1 | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 1 | 3 | 1 | 6 | 4 | 2 | 3 | 5 | 4 | 3 |
| WHITE | 1 | 3 | 1 | 6 | 4 | 2 | 3 | 5 | 4 | 3 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 4 | | 4 | 2 | 4 | 2 | 1 | 3 | 2 | 1 |
| GESTATION 20 WEEKS | | | | | 2 | | | | | |
| 20 27 WEEKS | 1 | | 1 | | | 1 | | 1 | 1 | |
| 28 WEEKS AND OVER | 3 | | 3 | 2 | 2 | 1 | 1 | 2 | 1 | 1 |
| NOT REPORTED | | | | | | | | | | |

| CARROLL COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 427 | 407 | 383 | 381 | 403 | 464 | 470 | 465 | 499 | 412 |
| HOSPITAL | 425 | 405 | 382 | 380 | 395 | 458 | 461 | 457 | 489 | 399 |
| NON HOSPITAL | 2 | 2 | 1 | 1 | 8 | 6 | 9 | 8 | 10 | 13 |
| ATTENDED BY MD DO | 2 | 2 | 1 | 1 | 8 | 6 | 9 | 8 | 8 | 13 |
| OTHER | | | | | | | | | 2 | |
| PREMATURE BIRTHS | 25 | 25 | 22 | 20 | 25 | 43 | 27 | 22 | 32 | 29 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 235 | 206 | 189 | 190 | 212 | 236 | 235 | 248 | 256 | 218 |
| WHITE FEMALE | 191 | 200 | 192 | 188 | 187 | 224 | 230 | 214 | 238 | 189 |
| NEGRO MALE | | | | 2 | | 2 | 1 | 1 | 2 | 1 |
| NEGRO FEMALE | | 1 | 1 | 1 | 2 | 2 | 3 | 2 | 3 | 4 |
| OTHER RACES MALE | 1 | | 1 | | 1 | | | | | * |
| OTHER RACES FEMALE | | | | | 1 | | 1 | | | * |
| ILLEGITIMATE BIRTHS | 4 | 8 | 4 | 6 | 6 | 6 | 12 | 7 | 7 | 3 |
| WHITE | 4 | 8 | 4 | 6 | 6 | 6 | 10 | 7 | 6 | 3 |
| NON WHITE | | | | | | | 2 | | 1 | |
| FETAL DEATHS TOTAL | 8 | 8 | 5 | 11 | 5 | 8 | 10 | 7 | 10 | 8 |
| GESTATION 20 WEEKS | | 1 | | 1 | | | 1 | | | |
| 20 27 WEEKS | 1 | 3 | | 4 | 1 | 3 | 1 | 2 | 5 | |
| 28 WEEKS AND OVER | 7 | 4 | 5 | 6 | 4 | 5 | 8 | 5 | 5 | 8 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| CASS COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 270 | 295 | 293 | 294 | 294 | 345 | 270 | 302 | 361 | 314 |
| HOSPITAL | 268 | 294 | 291 | 292 | 291 | 342 | 267 | 298 | 355 | 300 |
| NON HOSPITAL | 2 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 6 | 14 |
| ATTENDED BY MD DO | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 4 | 6 | 14 |
| OTHER | 1 | | | | 1 | | | | | |
| PREMATURE BIRTHS | 12 | 18 | 19 | 15 | 19 | 24 | 19 | 22 | 21 | 20 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 145 | 148 | 158 | 138 | 152 | 181 | 141 | 137 | 188 | 166 |
| WHITE FEMALE | 125 | 147 | 135 | 155 | 142 | 163 | 129 | 165 | 173 | 148 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | 1 | | | | * |
| OTHER RACES FEMALE | | | | 1 | | | | | | * |
| ILLEGITIMATE BIRTHS | 6 | 8 | 8 | 11 | 3 | 10 | 7 | 5 | 5 | 10 |
| WHITE | 6 | 8 | 8 | 11 | 3 | 10 | 7 | 5 | 5 | 10 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 9 | 1 | 7 | 3 | 5 | 6 | 3 | 1 | 5 | 2 |
| GESTATION 20 WEEKS | | 1 | | | | | | | | |
| 20 27 WEEKS | 1 | | 3 | 2 | 3 | | | 1 | 2 | |
| 28 WEEKS AND OVER | 8 | | 4 | 1 | 2 | 6 | 3 | | 3 | 2 |
| NOT REPORTED | | | | | | | | | | |

| CHAMPAIGN COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 3128 | 2953 | 3014 | 2794 | 2617 | 2670 | 2494 | 2508 | 2425 | 2389 |
| HOSPITAL | 3120 | 2940 | 3005 | 2790 | 2606 | 2661 | 2489 | 2493 | 2412 | 2372 |
| NON HOSPITAL | 8 | 13 | 9 | 4 | 11 | 9 | 5 | 15 | 13 | 17 |
| ATTENDED BY MD DO | 6 | 12 | 8 | 3 | 10 | 9 | 5 | 14 | 12 | 17 |
| OTHER | 2 | 1 | 1 | 1 | 1 | | | 1 | 1 | |
| PREMATURE BIRTHS | 216 | 216 | 204 | 181 | 169 | 199 | 145 | 173 | 162 | 137 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 1506 | 1376 | 1388 | 1313 | 1292 | 1266 | 1201 | 1220 | 1136 | 1131 |
| WHITE FEMALE | 1390 | 1366 | 1404 | 1272 | 1161 | 1209 | 1139 | 1130 | 1154 | 1146 |
| NEGRO MALE | 113 | 88 | 96 | 99 | 83 | 88 | 74 | 71 | 62 | 63 |
| NEGRO FEMALE | 89 | 96 | 104 | 91 | 74 | 95 | 66 | 79 | 65 | 49 |
| OTHER RACES MALE | 19 | 12 | 11 | 7 | 2 | 5 | 8 | 4 | 6 | * |
| OTHER RACES FEMALE | 11 | 15 | 11 | 12 | 5 | 7 | 6 | 4 | 2 | * |
| ILLEGITIMATE BIRTHS | 79 | 66 | 55 | 45 | 57 | 45 | 49 | 55 | 54 | 32 |
| WHITE | 41 | 30 | 27 | 18 | 34 | 23 | 27 | 35 | 29 | 18 |
| NON WHITE | 38 | 36 | 28 | 27 | 23 | 22 | 22 | 20 | 25 | 14 |
| FETAL DEATHS TOTAL | 44 | 28 | 31 | 42 | 35 | 42 | 31 | 41 | 44 | 41 |
| GESTATION 20 WEEKS | | 1 | 2 | | 1 | | 3 | | 1 | |
| 20 27 WEEKS | 9 | 5 | 4 | 7 | 9 | 12 | 6 | 12 | 12 | 14 |
| 28 WEEKS AND OVER | 35 | 21 | 25 | 34 | 25 | 30 | 22 | 29 | 30 | 27 |
| NOT REPORTED | | 1 | | 1 | | | | | 1 | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| CHRISTIAN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 791 | 805 | 872 | 831 | 801 | 812 | 780 | 880 | 875 | 821 |
| HOSPITAL | 788 | 799 | 871 | 827 | 796 | 807 | 769 | 878 | 864 | 812 |
| NON HOSPITAL | 3 | 6 | 1 | 4 | 5 | 5 | 11 | 2 | 11 | 9 |
| ATTENDED BY MD DO | 3 | 6 | 1 | 4 | 5 | 4 | 9 | 2 | 11 | 9 |
| OTHER | | | | | | 1 | 2 | | | |
| PREMATURE BIRTHS | 53 | 55 | 54 | 51 | 51 | 61 | 54 | 54 | 64 | 49 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 418 | 408 | 469 | 435 | 390 | 425 | 404 | 446 | 450 | 398 |
| WHITE FEMALE | 371 | 396 | 402 | 395 | 410 | 387 | 376 | 432 | 424 | 423 |
| NEGRO MALE | 1 | 1 | 1 | 1 | 1 | | | 1 | | |
| NEGRO FEMALE | 1 | | | | | | | 1 | 1 | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 10 | 16 | 17 | 16 | 13 | 13 | 12 | 15 | 16 | 15 |
| WHITE | 10 | 16 | 17 | 16 | 13 | 13 | 12 | 15 | 16 | 15 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 16 | 13 | 9 | 15 | 16 | 17 | 20 | 12 | 16 | 11 |
| GESTATION 20 WEEKS | | | | 2 | 1 | | 1 | 1 | | |
| 20 27 WEEKS | 2 | 4 | 1 | 3 | 2 | 3 | 2 | 3 | 2 | 2 |
| 28 WEEKS AND OVER | 14 | 9 | 8 | 10 | 13 | 14 | 17 | 8 | 13 | 8 |
| NOT REPORTED | | | | | | | | | 1 | 1 |

| CLARK COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 345 | 308 | 342 | 324 | 359 | 309 | 344 | 320 | 375 | 356 |
| HOSPITAL | 333 | 298 | 319 | 307 | 337 | 283 | 312 | 289 | 334 | 316 |
| NON HOSPITAL | 12 | 10 | 23 | 17 | 22 | 26 | 32 | 31 | 41 | 40 |
| ATTENDED BY MD DO | 11 | 10 | 22 | 17 | 22 | 25 | 31 | 31 | 40 | 40 |
| OTHER | 1 | | 1 | | | 1 | 1 | | 1 | |
| PREMATURE BIRTHS | 22 | 19 | 17 | 22 | 13 | 21 | 26 | 25 | 22 | 26 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 177 | 155 | 176 | 173 | 182 | 160 | 175 | 167 | 182 | 185 |
| WHITE FEMALE | 168 | 153 | 166 | 151 | 177 | 149 | 168 | 153 | 193 | 171 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | 1 | | | * |
| ILLEGITIMATE BIRTHS | 13 | 4 | 6 | 9 | 4 | 11 | 7 | 2 | 3 | 6 |
| WHITE | 13 | 4 | 6 | 9 | 4 | 11 | 7 | 2 | 3 | 6 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | | 1 | 1 | 1 | 1 | 3 | 2 | 1 | 1 | 3 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | | | 1 | | | | | | |
| 28 WEEKS AND OVER | | 1 | 1 | | 1 | 3 | 2 | 1 | 1 | 3 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| CLAY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 306 | 325 | 347 | 379 | 364 | 345 | 301 | 370 | 346 | 404 |
| HOSPITAL | 296 | 309 | 328 | 358 | 338 | 321 | 262 | 334 | 283 | 253 |
| NON HOSPITAL | 10 | 16 | 19 | 21 | 26 | 24 | 39 | 36 | 63 | 151 |
| ATTENDED BY MD DO | 10 | 16 | 19 | 21 | 26 | 24 | 38 | 35 | 63 | 151 |
| OTHER | | | | | | | 1 | 1 | | |
| PREMATURE BIRTHS | 10 | 25 | 19 | 25 | 25 | 15 | 18 | 33 | 19 | 25 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 171 | 181 | 171 | 196 | 187 | 170 | 156 | 196 | 178 | 212 |
| WHITE FEMALE | 135 | 144 | 176 | 183 | 177 | 174 | 145 | 173 | 168 | 192 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | 1 | | |
| OTHER RACES MALE | | | | | | 1 | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 7 | 4 | 6 | 9 | 6 | 9 | 2 | 12 | 6 | 7 |
| WHITE | 7 | 4 | 6 | 9 | 6 | 9 | 2 | 12 | 6 | 7 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 1 | 4 | 3 | 1 | 3 | 7 | 2 | 8 | 2 | 6 |
| GESTATION 20 WEEKS | | | | | 1 | | | | | |
| 20 27 WEEKS | | 2 | | | | | | | | 2 |
| 28 WEEKS AND OVER | 1 | 2 | 3 | 1 | 2 | 7 | 2 | 8 | 2 | 4 |
| NOT REPORTED | | | | | | | | | | |

| CLINTON COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 627 | 652 | 626 | 608 | 624 | 602 | 556 | 598 | 544 | 554 |
| HOSPITAL | 623 | 648 | 624 | 605 | 621 | 592 | 548 | 594 | 538 | 539 |
| NON HOSPITAL | 4 | 4 | 2 | 3 | 3 | 10 | 8 | 4 | 6 | 15 |
| ATTENDED BY MD DO | 4 | 4 | 2 | 3 | 3 | 10 | 8 | 4 | 6 | 15 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 31 | 28 | 33 | 32 | 29 | 40 | 29 | 27 | 39 | 26 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 302 | 320 | 319 | 332 | 293 | 307 | 313 | 301 | 276 | 274 |
| WHITE FEMALE | 322 | 331 | 305 | 273 | 329 | 295 | 241 | 296 | 265 | 278 |
| NEGRO MALE | 1 | 1 | 2 | 1 | 1 | | 1 | | 1 | 1 |
| NEGRO FEMALE | 2 | | | 1 | | | | | 1 | 1 |
| OTHER RACES MALE | | | | | 1 | | | | | * |
| OTHER RACES FEMALE | | | | 1 | | | 1 | 1 | 1 | * |
| ILLEGITIMATE BIRTHS | 7 | 8 | 9 | 8 | 6 | 5 | 4 | 6 | 4 | 5 |
| WHITE | 7 | 8 | 9 | 7 | 6 | 5 | 4 | 6 | 4 | 5 |
| NON WHITE | | | | 1 | | | | | | |
| FETAL DEATHS TOTAL | 8 | 12 | 13 | 9 | 6 | 10 | 14 | 5 | 10 | 13 |
| GESTATION 20 WEEKS | | 1 | | | 1 | | | | | |
| 20 27 WEEKS | 1 | 2 | 4 | 1 | 3 | 3 | 1 | 3 | 1 | 3 |
| 28 WEEKS AND OVER | 7 | 9 | 9 | 8 | 2 | 7 | 13 | 2 | 9 | 10 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **COLES COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 924 | 930 | 1023 | 912 | 951 | 925 | 904 | 833 | 890 | 891 |
| HOSPITAL | 923 | 925 | 1019 | 906 | 948 | 921 | 894 | 818 | 870 | 856 |
| NON HOSPITAL | 1 | 5 | 4 | 6 | 3 | 4 | 10 | 15 | 20 | 35 |
| ATTENDED BY MD DO | | 5 | 4 | 5 | 2 | 4 | 9 | 15 | 20 | 35 |
| OTHER | 1 | | | 1 | 1 | | 1 | | | |
| PREMATURE BIRTHS | 71 | 67 | 53 | 53 | 55 | 44 | 53 | 48 | 57 | 47 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 455 | 480 | 512 | 454 | 457 | 470 | 445 | 424 | 465 | 437 |
| WHITE FEMALE | 462 | 444 | 505 | 454 | 488 | 446 | 455 | 403 | 420 | 451 |
| NEGRO MALE | 1 | 3 | 1 | 1 | 3 | 7 | 2 | 4 | 4 | 1 |
| NEGRO FEMALE | 3 | 2 | 5 | 3 | 3 | 2 | 1 | 2 | 1 | 2 |
| OTHER RACES MALE | 1 | 1 | | | | | 1 | | | * |
| OTHER RACES FEMALE | 2 | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 10 | 21 | 23 | 11 | 7 | 13 | 8 | 13 | 18 | 10 |
| WHITE | 9 | 19 | 23 | 11 | 7 | 13 | 8 | 13 | 18 | 9 |
| NON WHITE | 1 | 2 | | | | | | | | 1 |
| FETAL DEATHS TOTAL | 9 | 20 | 11 | 7 | 10 | 11 | 8 | 19 | 12 | 14 |
| GESTATION 20 WEEKS | | | | | | | 1 | | 1 | |
| 20 27 WEEKS | 2 | | | | | 2 | 3 | 4 | | 3 |
| 28 WEEKS AND OVER | 7 | 20 | 11 | 7 | 10 | 8 | 4 | 15 | 11 | 11 |
| NOT REPORTED | | | | | | 1 | | | | |
| **COOK COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 127153 | 124855 | 126363 | 120398 | 115592 | 113938 | 105898 | 105765 | 103386 | 97698 |
| HOSPITAL | 123257 | 120935 | 122285 | 116247 | 111112 | 109727 | 101923 | 101500 | 99164 | 92998 |
| NON HOSPITAL | 3896 | 3920 | 4078 | 4151 | 4480 | 4211 | 3975 | 4265 | 4222 | 4700 |
| ATTENDED BY MD DO | 3821 | 3876 | 4009 | 3753 | 4340 | 4021 | 3847 | 4112 | 4089 | 4587 |
| OTHER | 75 | 44 | 69 | 398 | 140 | 190 | 128 | 153 | 133 | 113 |
| PREMATURE BIRTHS | 10731 | 10233 | 10415 | 9742 | 9226 | 8827 | 8393 | 8164 | 8116 | 7152 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 48774 | 48082 | 49240 | 47312 | 46254 | 45730 | 43545 | 44373 | 43593 | 41635 |
| WHITE FEMALE | 46050 | 45759 | 46920 | 45141 | 43356 | 43882 | 41058 | 41718 | 41473 | 39304 |
| NEGRO MALE | 15960 | 15266 | 14969 | 13774 | 12778 | 11981 | 10430 | 9636 | 8981 | 8463 |
| NEGRO FEMALE | 15770 | 15198 | 14642 | 13459 | 12570 | 11680 | 10278 | 9452 | 8711 | 8296 |
| OTHER RACES MALE | 292 | 308 | 314 | 407 | 344 | 351 | 293 | 284 | 316 | * |
| OTHER RACES FEMALE | 307 | 242 | 278 | 305 | 290 | 314 | 294 | 302 | 312 | * |
| ILLEGITIMATE BIRTHS | 10743 | 9504 | 9207 | 8642 | 8260 | 7521 | 6709 | 6042 | 5489 | 5080 |
| WHITE | 1881 | 1731 | 1816 | 1858 | 1903 | 1831 | 1750 | 1690 | 1445 | 1439 |
| NON WHITE | 8862 | 7773 | 7391 | 6784 | 6357 | 5690 | 4959 | 4352 | 4044 | 3641 |
| FETAL DEATHS TOTAL | 2044 | 2051 | 2095 | 1880 | 1801 | 1772 | 1722 | 1718 | 1720 | 1698 |
| GESTATION 20 WEEKS | 18 | 11 | 9 | 14 | 14 | 6 | 11 | 9 | 11 | 8 |
| 20 27 WEEKS | 522 | 477 | 468 | 379 | 371 | 363 | 328 | 329 | 357 | 351 |
| 28 WEEKS AND OVER | 1497 | 1551 | 1612 | 1466 | 1409 | 1400 | 1379 | 1378 | 1346 | 1332 |
| NOT REPORTED | 7 | 12 | 6 | 21 | 7 | 3 | 4 | 2 | 6 | 7 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| CRAWFORD COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 392 | 350 | 352 | 393 | 407 | 371 | 430 | 399 | 396 | 419 |
| HOSPITAL | 391 | 346 | 349 | 383 | 403 | 360 | 405 | 356 | 343 | 363 |
| NON HOSPITAL | 1 | 4 | 3 | 10 | 4 | 11 | 25 | 43 | 53 | 56 |
| ATTENDED BY MD DO | 1 | 4 | 3 | 9 | 3 | 10 | 25 | 43 | 53 | 56 |
| OTHER | | | | 1 | 1 | 1 | | | | |
| PREMATURE BIRTHS | 30 | 15 | 22 | 26 | 22 | 21 | 20 | 14 | 20 | 29 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 200 | 199 | 164 | 198 | 214 | 194 | 222 | 216 | 206 | 206 |
| WHITE FEMALE | 191 | 151 | 188 | 195 | 193 | 177 | 206 | 183 | 190 | 213 |
| NEGRO MALE | 1 | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | 1 | | | * |
| OTHER RACES FEMALE | | | | | | | 1 | | | * |
| ILLEGITIMATE BIRTHS | 7 | 6 | 4 | 5 | 7 | 6 | 6 | 6 | 5 | 3 |
| WHITE | 7 | 6 | 4 | 5 | 7 | 6 | 6 | 6 | 5 | 3 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 1 | 3 | 8 | 8 | 4 | 3 | 4 | 4 | 8 | 6 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | | 2 | 2 | 1 | | | | | 1 |
| 28 WEEKS AND OVER | 1 | 3 | 6 | 6 | 3 | 3 | 4 | 4 | 8 | 5 |
| NOT REPORTED | | | | | | | | | | |



| CUMBERLAND COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 223 | 221 | 180 | 246 | 185 | 223 | 214 | 226 | 191 | 214 |
| HOSPITAL | 219 | 217 | 176 | 236 | 182 | 207 | 184 | 192 | 142 | 148 |
| NON HOSPITAL | 4 | 4 | 4 | 10 | 3 | 16 | 30 | 34 | 49 | 66 |
| ATTENDED BY MD DO | 4 | 4 | 4 | 10 | 3 | 16 | 30 | 34 | 49 | 66 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 12 | 12 | 16 | 13 | 7 | 13 | 6 | 16 | 1 | 15 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 114 | 107 | 91 | 113 | 93 | 106 | 109 | 114 | 100 | 127 |
| WHITE FEMALE | 109 | 114 | 89 | 133 | 92 | 117 | 105 | 112 | 91 | 87 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 2 | 7 | 2 | 6 | 1 | 3 | 6 | 4 | 3 | 1 |
| WHITE | 2 | 7 | 2 | 6 | 1 | 3 | 6 | 4 | 3 | 1 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 3 | 3 | 4 | 4 | 4 | 4 | 2 | | 1 | 2 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 1 | 1 | | | 2 | 2 | | | |
| 28 WEEKS AND OVER | 3 | 2 | 3 | 4 | 4 | 2 | | | 1 | 2 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| DE KALB COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 1147 | 1177 | 1119 | 1055 | 1064 | 1023 | 957 | 950 | 1024 | 988 |
| HOSPITAL | 1141 | 1175 | 1118 | 1049 | 1057 | 1017 | 951 | 942 | 1014 | 978 |
| NON HOSPITAL | 6 | 2 | 1 | 6 | 7 | 6 | 6 | 8 | 10 | 10 |
| ATTENDED BY MD DO | 6 | 2 | 1 | 6 | 7 | 6 | 6 | 8 | 10 | 10 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 64 | 49 | 67 | 48 | 48 | 48 | 46 | 45 | 50 | 58 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 571 | 595 | 594 | 537 | 551 | 532 | 493 | 498 | 543 | 493 |
| WHITE FEMALE | 573 | 579 | 521 | 518 | 508 | 488 | 460 | 451 | 479 | 494 |
| NEGRO MALE | | 3 | 3 | | 4 | 1 | 2 | 1 | 2 | 1 |
| NEGRO FEMALE | 3 | | | | 1 | 2 | 1 | | | |
| OTHER RACES MALE | | | 1 | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | 1 | | | * |
| ILLEGITIMATE BIRTHS | 14 | 11 | 12 | 14 | 13 | 12 | 6 | 9 | 9 | 9 |
| WHITE | 14 | 11 | 12 | 14 | 12 | 12 | 6 | 9 | 9 | 9 |
| NON WHITE | | | | | 1 | | | | | |
| FETAL DEATHS TOTAL | 14 | 12 | 17 | 8 | 12 | 12 | 22 | 14 | 17 | 13 |
| GESTATION 20 WEEKS | 1 | | | 2 | | | 1 | 1 | | |
| 20 27 WEEKS | 2 | 3 | 6 | 3 | | 1 | 6 | 6 | 6 | 1 |
| 28 WEEKS AND OVER | 11 | 9 | 11 | 3 | 12 | 11 | 15 | 7 | 11 | 12 |
| NOT REPORTED | | | | | | | | | | |

| DE WITT COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 368 | 340 | 329 | 370 | 387 | 384 | 328 | 389 | 372 | 328 |
| HOSPITAL | 365 | 335 | 328 | 367 | 384 | 377 | 325 | 383 | 368 | 322 |
| NON HOSPITAL | 3 | 5 | 1 | 3 | 3 | 7 | 3 | 6 | 4 | 6 |
| ATTENDED BY MD DO | 3 | 5 | 1 | 3 | 3 | 7 | 3 | 5 | 4 | 6 |
| OTHER | | | | | | | | 1 | | |
| PREMATURE BIRTHS | 18 | 29 | 18 | 25 | 33 | 17 | 26 | 20 | 25 | 21 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 199 | 185 | 167 | 193 | 192 | 182 | 157 | 191 | 198 | 162 |
| WHITE FEMALE | 169 | 155 | 162 | 177 | 195 | 201 | 170 | 196 | 173 | 166 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | 1 | | 1 | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | 1 | | 2 | | * |
| ILLEGITIMATE BIRTHS | 12 | 6 | 13 | 3 | 3 | 7 | 4 | 5 | 7 | 2 |
| WHITE | 12 | 6 | 13 | 3 | 3 | 7 | 4 | 5 | 7 | 2 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 7 | 6 | 5 | 2 | 8 | 8 | 6 | 4 | | 4 |
| GESTATION 20 WEEKS | 2 | 1 | | | | | | | | |
| 20 27 WEEKS | 1 | 2 | | | 1 | 1 | 1 | | | |
| 28 WEEKS AND OVER | 4 | 3 | 5 | 2 | 7 | 7 | 5 | 4 | | 4 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **DOUGLAS COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 462 | 487 | 458 | 424 | 438 | 431 | 408 | 371 | 379 | 377 |
| HOSPITAL | 456 | 479 | 448 | 414 | 428 | 417 | 400 | 354 | 358 | 360 |
| NON HOSPITAL | 6 | 8 | 10 | 10 | 10 | 14 | 8 | 17 | 21 | 17 |
| ATTENDED BY MD DO | 6 | 8 | 10 | 10 | 10 | 12 | 8 | 15 | 20 | 17 |
| OTHER | | | | | | 2 | | 2 | 1 | |
| PREMATURE BIRTHS | 32 | 23 | 23 | 26 | 24 | 28 | 15 | 19 | 26 | 21 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 231 | 261 | 240 | 223 | 219 | 230 | 211 | 196 | 194 | 201 |
| WHITE FEMALE | 230 | 224 | 218 | 200 | 219 | 201 | 197 | 175 | 185 | 176 |
| NEGRO MALE | | 1 | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | 1 | | | | | | * |
| OTHER RACES FEMALE | 1 | 1 | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 4 | 7 | 4 | 5 | 6 | 6 | 4 | 2 | 7 | 11 |
| WHITE | 4 | 7 | 4 | 5 | 6 | 6 | 4 | 2 | 7 | 11 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 2 | 9 | 8 | 6 | 7 | 9 | 14 | 6 | 7 | 9 |
| GESTATION 20 WEEKS | | | | | | | | | | 1 |
| 20 27 WEEKS | | 1 | 3 | 2 | 2 | 2 | 3 | 1 | 4 | 1 |
| 28 WEEKS AND OVER | 2 | 8 | 4 | 4 | 5 | 7 | 11 | 5 | 3 | 7 |
| NOT REPORTED | | | 1 | | | | | | | |
| **DU PAGE COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 7196 | 6929 | 6536 | 6039 | 5410 | 5053 | 4495 | 4227 | 3929 | 3389 |
| HOSPITAL | 7165 | 6896 | 6508 | 6016 | 5378 | 5032 | 4481 | 4200 | 3905 | 3374 |
| NON HOSPITAL | 31 | 33 | 28 | 23 | 32 | 21 | 14 | 27 | 24 | 15 |
| ATTENDED BY MD DO | 30 | 33 | 28 | 22 | 32 | 21 | 14 | 26 | 21 | 15 |
| OTHER | 1 | | | 1 | | | | 1 | 3 | |
| PREMATURE BIRTHS | 375 | 376 | 382 | 289 | 315 | 270 | 240 | 219 | 194 | 192 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 3730 | 3510 | 3334 | 3086 | 2723 | 2602 | 2297 | 2179 | 2006 | 1747 |
| WHITE FEMALE | 3433 | 3395 | 3178 | 2936 | 2670 | 2426 | 2183 | 2039 | 1913 | 1630 |
| NEGRO MALE | 14 | 15 | 5 | 7 | 7 | 11 | 5 | 4 | 4 | 5 |
| NEGRO FEMALE | 7 | 2 | 8 | 3 | 6 | 7 | 7 | 2 | 3 | 7 |
| OTHER RACES MALE | 5 | 4 | 6 | 3 | 3 | 4 | 2 | 2 | 3 | * |
| OTHER RACES FEMALE | 7 | 3 | 5 | 4 | 1 | 3 | 1 | 1 | | * |
| ILLEGITIMATE BIRTHS | 49 | 56 | 38 | 35 | 23 | 29 | 17 | 25 | 20 | 31 |
| WHITE | 45 | 52 | 36 | 35 | 22 | 25 | 16 | 25 | 20 | 29 |
| NON WHITE | 4 | 4 | 2 | | 1 | 4 | 1 | | | 2 |
| FETAL DEATHS TOTAL | 75 | 78 | 77 | 80 | 68 | 59 | 60 | 61 | 50 | 42 |
| GESTATION 20 WEEKS | 1 | 2 | 1 | 3 | 1 | 1 | | | | |
| 20 27 WEEKS | 13 | 16 | 26 | 19 | 14 | 13 | 10 | 9 | 11 | 5 |
| 28 WEEKS AND OVER | 60 | 60 | 50 | 57 | 53 | 45 | 49 | 51 | 39 | 37 |
| NOT REPORTED | 1 | | | 1 | | | 1 | 1 | . | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **EDGAR COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 452 | 412 | 423 | 500 | 493 | 494 | 537 | 497 | 519 | 459 |
| HOSPITAL | 447 | 410 | 415 | 495 | 485 | 489 | 527 | 489 | 509 | 442 |
| NON HOSPITAL | 5 | 2 | 8 | 5 | 8 | 5 | 10 | 8 | 10 | 17 |
| ATTENDED BY MD DO | 5 | 2 | 8 | 5 | 8 | 5 | 8 | 8 | 10 | 16 |
| OTHER | | | | | | | 2 | | | 1 |
| PREMATURE BIRTHS | 33 | 29 | 25 | 27 | 35 | 24 | 34 | 33 | 30 | 32 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 237 | 209 | 225 | 271 | 257 | 243 | 275 | 273 | 274 | 233 |
| WHITE FEMALE | 213 | 201 | 197 | 227 | 233 | 248 | 261 | 224 | 243 | 223 |
| NEGRO MALE | 1 | | 1 | | 2 | 3 | 1 | | 1 | |
| NEGRO FEMALE | | 2 | | | | | | | 1 | 3 |
| OTHER RACES MALE | 1 | | | 1 | 1 | | | | | * |
| OTHER RACES FEMALE | | | | 1 | | | | | | * |
| ILLEGITIMATE BIRTHS | 12 | 7 | 10 | 12 | 5 | 14 | 8 | 9 | 9 | 9 |
| WHITE | 12 | 7 | 10 | 12 | 5 | 14 | 8 | 9 | 9 | 9 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 7 | 9 | 11 | 11 | 6 | 11 | 16 | 11 | 12 | 4 |
| GESTATION 20 WEEKS | 1 | 1 | | | 1 | | | | 2 | |
| 20 27 WEEKS | 2 | 1 | 1 | 4 | | 2 | | | 1 | 2 |
| 28 WEEKS AND OVER | 4 | 7 | 10 | 7 | 5 | 9 | 16 | 11 | 9 | 2 |
| NOT REPORTED | | | | | | | | | | |
| **EDWARDS COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 151 | 163 | 140 | 171 | 193 | 153 | 173 | 160 | 185 | 170 |
| HOSPITAL | 150 | 160 | 136 | 162 | 174 | 133 | 142 | 128 | 131 | 108 |
| NON HOSPITAL | 1 | 3 | 4 | 9 | 19 | 20 | 31 | 32 | 54 | 62 |
| ATTENDED BY MD DO | 1 | 3 | 4 | 9 | 19 | 20 | 31 | 32 | 54 | 62 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 9 | 5 | 6 | 6 | 8 | 13 | 9 | 10 | 11 | 12 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 77 | 82 | 72 | 92 | 99 | 83 | 95 | 84 | 89 | 86 |
| WHITE FEMALE | 71 | 81 | 66 | 78 | 94 | 69 | 78 | 76 | 96 | 83 |
| NEGRO MALE | 2 | | | | | | | | | 1 |
| NEGRO FEMALE | 1 | | 2 | 1 | | 1 | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 5 | 5 | 2 | 2 | | 1 | 5 | 3 | 4 | 1 |
| WHITE | 5 | 5 | 2 | 2 | | 1 | 5 | 3 | 4 | 1 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 1 | 3 | 2 | 1 | 2 | 3 | 3 | 3 | | 2 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | | | | | | | 2 | | |
| 28 WEEKS AND OVER | 1 | 3 | 2 | 1 | 2 | 3 | 3 | 1 | | 2 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| EFFINGHAM COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 578 | 548 | 526 | 566 | 542 | 569 | 561 | 554 | 561 | 530 |
| HOSPITAL | 572 | 537 | 518 | 556 | 521 | 530 | 441 | 427 | 199 | 263 |
| NON HOSPITAL | 6 | 11 | 8 | 10 | 21 | 39 | 120 | 127 | 362 | 267 |
| ATTENDED BY MD DO | 6 | 11 | 8 | 10 | 21 | 39 | 120 | 126 | 362 | 267 |
| OTHER | | | | | | | | 1 | | |
| PREMATURE BIRTHS | 37 | 32 | 30 | 23 | 38 | 37 | 38 | 18 | 29 | 22 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 288 | 287 | 267 | 306 | 266 | 309 | 291 | 309 | 299 | 282 |
| WHITE FEMALE | 289 | 261 | 258 | 260 | 276 | 260 | 270 | 245 | 262 | 248 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | 1 | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | 1 | | | | | | | * |
| ILLEGITIMATE BIRTHS | 18 | 5 | 9 | 7 | 5 | 11 | 8 | 3 | 2 | 7 |
| WHITE | 17 | 5 | 9 | 7 | 5 | 11 | 8 | 3 | 2 | 7 |
| NON WHITE | 1 | | | | | | | | | |
| FETAL DEATHS TOTAL | 8 | 7 | 4 | 8 | 10 | 3 | 5 | 6 | 14 | 10 |
| GESTATION 20 WEEKS | | | | | 1 | | | | | |
| 20 27 WEEKS | 1 | 1 | 1 | | 1 | | 2 | | 1 | 4 |
| 28 WEEKS AND OVER | 7 | 6 | 3 | 8 | 8 | 3 | 3 | 6 | 13 | 6 |
| NOT REPORTED | | | | | | | | | | |

| FAYETTE COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 413 | 384 | 444 | 427 | 460 | 420 | 463 | 487 | 460 | 478 |
| HOSPITAL | 411 | 382 | 439 | 413 | 448 | 409 | 445 | 461 | 422 | 416 |
| NON HOSPITAL | 2 | 2 | 5 | 14 | 12 | 11 | 18 | 26 | 38 | 62 |
| ATTENDED BY MD DO | 2 | 2 | 5 | 14 | 12 | 11 | 18 | 26 | 38 | 62 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 18 | 20 | 22 | 27 | 23 | 27 | 27 | 28 | 31 | 22 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 202 | 190 | 237 | 241 | 251 | 214 | 237 | 255 | 249 | 241 |
| WHITE FEMALE | 211 | 194 | 207 | 185 | 208 | 205 | 226 | 232 | 211 | 237 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | 1 | | | | |
| OTHER RACES MALE | | | | 1 | 1 | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 2 | 4 | 6 | 12 | 9 | 7 | 6 | 8 | 19 | 15 |
| WHITE | 2 | 4 | 6 | 12 | 9 | 7 | 6 | 8 | 19 | 15 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 3 | 6 | 7 | 3 | 4 | 12 | 8 | 10 | 19 | 4 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | 1 | 1 | | | | 1 | 2 | 4 | 2 |
| 28 WEEKS AND OVER | 2 | 5 | 6 | 3 | 4 | 12 | 7 | 7 | 15 | 2 |
| NOT REPORTED | | | | | | | | 1 | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **FORD COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 353 | 357 | 385 | 357 | 341 | 382 | 323 | 385 | 359 | 359 |
| HOSPITAL | 351 | 355 | 381 | 356 | 339 | 379 | 320 | 381 | 356 | 349 |
| NON HOSPITAL | 2 | 2 | 4 | 1 | 2 | 3 | 3 | 4 | 3 | 10 |
| ATTENDED BY MD DO | 2 | 1 | 4 | 1 | 2 | 2 | 3 | 4 | 3 | 10 |
| OTHER | | 1 | | | | 1 | | | | |
| PREMATURE BIRTHS | 15 | 14 | 17 | 12 | 11 | 9 | 23 | 19 | 26 | 17 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 174 | 181 | 186 | 184 | 169 | 203 | 173 | 215 | 193 | 197 |
| WHITE FEMALE | 177 | 174 | 196 | 171 | 168 | 176 | 148 | 167 | 165 | 160 |
| NEGRO MALE | 1 | | 2 | 1 | 1 | 1 | 1 | | | 2 |
| NEGRO FEMALE | 1 | 2 | 1 | 1 | 3 | 2 | | 2 | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | 1 | 1 | 1 | * |
| ILLEGITIMATE BIRTHS | 2 | 5 | 9 | 6 | 5 | 4 | 1 | 8 | 4 | 4 |
| WHITE | 2 | 4 | 7 | 5 | 4 | 4 | 1 | 7 | 4 | 3 |
| NON WHITE | | 1 | 2 | 1 | 1 | | | 1 | | 1 |
| FETAL DEATHS TOTAL | 5 | 8 | 9 | 6 | 6 | 3 | 2 | 2 | 2 | 3 |
| GESTATION 20 WEEKS | | | | 1 | | | | | | 1 |
| 20 27 WEEKS | | 2 | | 1 | 1 | 1 | | 1 | | |
| 28 WEEKS AND OVER | 5 | 6 | 9 | 4 | 5 | 2 | 2 | 1 | 2 | 2 |
| NOT REPORTED | | | | | | | | | | |
| **FRANKLIN COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 632 | 635 | 565 | 629 | 662 | 646 | 708 | 795 | 828 | 858 |
| HOSPITAL | 627 | 621 | 556 | 606 | 629 | 610 | 654 | 734 | 738 | 726 |
| NON HOSPITAL | 5 | 14 | 9 | 23 | 33 | 36 | 54 | 61 | 90 | 132 |
| ATTENDED BY MD DO | 5 | 12 | 9 | 22 | 33 | 36 | 54 | 61 | 88 | 132 |
| OTHER | | 2 | | 1 | | | | | 2 | |
| PREMATURE BIRTHS | 48 | 29 | 41 | 34 | 39 | 31 | 35 | 39 | 41 | 40 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 318 | 323 | 290 | 330 | 343 | 336 | 368 | 413 | 421 | 458 |
| WHITE FEMALE | 312 | 312 | 275 | 299 | 319 | 307 | 339 | 381 | 407 | 399 |
| NEGRO MALE | | | | | | 1 | | | | 1 |
| NEGRO FEMALE | | | | | | | 1 | | | |
| OTHER RACES MALE | 1 | | | | | 1 | | 1 | | * |
| OTHER RACES FEMALE | 1 | | | | | 1 | | | | * |
| ILLEGITIMATE BIRTHS | 17 | 17 | 16 | 14 | 10 | 7 | 13 | 20 | 19 | 9 |
| WHITE | 17 | 17 | 16 | 14 | 10 | 6 | 13 | 20 | 19 | 8 |
| NON WHITE | | | | | | 1 | | | | 1 |
| FETAL DEATHS TOTAL | 8 | 12 | 7 | 14 | 13 | 11 | 11 | 4 | 11 | 16 |
| GESTATION 20 WEEKS | | | 1 | | | | | | | |
| 20 27 WEEKS | 2 | 2 | 2 | 3 | 2 | 2 | | 2 | 2 | 1 |
| 28 WEEKS AND OVER | 6 | 10 | 4 | 11 | 11 | 9 | 11 | 2 | 9 | 14 |
| NOT REPORTED | | | | | | | | | | 1 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| FULTON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 801 | 766 | 818 | 826 | 856 | 807 | 852 | 894 | 945 | 884 |
| HOSPITAL | 793 | 763 | 813 | 823 | 851 | 797 | 848 | 878 | 926 | 857 |
| NON HOSPITAL | 8 | 3 | 5 | 3 | 5 | 10 | 4 | 16 | 19 | 27 |
| ATTENDED BY MD DO | 6 | 3 | 5 | 3 | 4 | 10 | 4 | 16 | 16 | 27 |
| OTHER | 2 | | | | 1 | | | | 3 | |
| PREMATURE BIRTHS | 46 | 36 | 44 | 54 | 46 | 50 | 47 | 51 | 56 | 46 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 423 | 395 | 435 | 415 | 423 | 389 | 442 | 485 | 478 | 465 |
| WHITE FEMALE | 369 | 371 | 380 | 410 | 429 | 414 | 405 | 404 | 464 | 418 |
| NEGRO MALE | 4 | | | | 3 | | 2 | 3 | 1 | |
| NEGRO FEMALE | 3 | | 1 | 1 | 1 | 3 | 1 | 1 | 2 | 1 |
| OTHER RACES MALE | | | 1 | | | 1 | | 1 | | * |
| OTHER RACES FEMALE | 2 | | 1 | | | | 2 | | | * |
| ILLEGITIMATE BIRTHS | 16 | 13 | 14 | 11 | 6 | 8 | 13 | 5 | 16 | 5 |
| WHITE | 16 | 13 | 14 | 11 | 6 | 7 | 13 | 5 | 16 | 5 |
| NON WHITE | | | | | | 1 | | | | |
| FETAL DEATHS TOTAL | 11 | 14 | 10 | 7 | 6 | 8 | 17 | 9 | 10 | 9 |
| GESTATION 20 WEEKS | | 1 | | | | | 1 | 1 | | |
| 20 27 WEEKS | 3 | 1 | | 1 | 3 | 2 | 3 | | | 1 |
| 28 WEEKS AND OVER | 8 | 12 | 10 | 6 | 3 | 6 | 13 | 8 | 10 | 8 |
| NOT REPORTED | | | | | | | | | | |

| GALLATIN COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 127 | 131 | 139 | 149 | 158 | 166 | 170 | 164 | 198 | 203 |
| HOSPITAL | 113 | 115 | 127 | 127 | 136 | 145 | 141 | 138 | 154 | 162 |
| NON HOSPITAL | 14 | 16 | 12 | 22 | 22 | 21 | 29 | 26 | 44 | 41 |
| ATTENDED BY MD DO | 13 | 15 | 10 | 22 | 19 | 16 | 27 | 25 | 42 | 40 |
| OTHER | 1 | 1 | 2 | | 3 | 5 | 2 | 1 | 2 | 1 |
| PREMATURE BIRTHS | 13 | 13 | 9 | 8 | 13 | 7 | 9 | 8 | 10 | 12 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 75 | 62 | 77 | 76 | 78 | 85 | 93 | 79 | 92 | 113 |
| WHITE FEMALE | 52 | 68 | 61 | 69 | 79 | 77 | 75 | 84 | 103 | 89 |
| NEGRO MALE | | | | 1 | | 1 | | | 1 | |
| NEGRO FEMALE | | | | 3 | 1 | 1 | 1 | 1 | 2 | 1 |
| OTHER RACES MALE | | 1 | 1 | | | 2 | 1 | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 8 | 5 | 4 | 8 | 4 | 5 | 4 | 5 | 5 | 6 |
| WHITE | 8 | 5 | 4 | 7 | 4 | 5 | 4 | 4 | 3 | 6 |
| NON WHITE | | | | 1 | | | | 1 | 2 | |
| FETAL DEATHS TOTAL | 5 | 3 | 2 | 4 | 3 | 3 | 5 | 3 | 4 | 4 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 2 | 1 | 2 | | 1 | 2 | | | |
| 28 WEEKS AND OVER | 4 | 1 | 1 | 2 | 3 | 2 | 3 | 2 | 4 | 4 |
| NOT REPORTED | 1 | | | | | | | 1 | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| GREENE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 357 | 308 | 349 | 380 | 393 | 356 | 370 | 388 | 395 | 372 |
| HOSPITAL | 356 | 306 | 343 | 378 | 388 | 350 | 365 | 382 | 389 | 362 |
| NON HOSPITAL | 1 | 2 | 6 | 2 | 5 | 6 | 5 | 6 | 6 | 10 |
| ATTENDED BY MD DO | 1 | 2 | 5 | 2 | 4 | 6 | 5 | 6 | 5 | 10 |
| OTHER | | | 1 | | 1 | | | | 1 | |
| PREMATURE BIRTHS | 26 | 17 | 17 | 25 | 24 | 30 | 24 | 25 | 21 | 19 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 186 | 161 | 188 | 199 | 216 | 179 | 198 | 194 | 218 | 194 |
| WHITE FEMALE | 171 | 147 | 161 | 181 | 177 | 177 | 171 | 194 | 177 | 178 |
| NEGRO MALE | | | | | | | 1 | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 16 | 7 | 11 | 9 | 11 | 10 | 5 | 5 | 9 | 11 |
| WHITE | 16 | 7 | 11 | 9 | 11 | 10 | 5 | 5 | 9 | 11 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 3 | 5 | 6 | 2 | 6 | 7 | 5 | 4 | 9 | 7 |
| GESTATION 20 WEEKS | | 1 | | | | 2 | 2 | | 1 | |
| 20 27 WEEKS | | 3 | | | 4 | 1 | | 1 | 2 | 2 |
| 28 WEEKS AND OVER | 3 | 1 | 6 | 2 | 2 | 4 | 3 | 3 | 6 | 5 |
| NOT REPORTED | | | | | | | | | | |

| GRUNDY COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 529 | 485 | 512 | 514 | 504 | 522 | 496 | 497 | 453 | 444 |
| HOSPITAL | 527 | 479 | 507 | 511 | 499 | 520 | 493 | 492 | 447 | 439 |
| NON HOSPITAL | 2 | 6 | 5 | 3 | 5 | 2 | 3 | 5 | 6 | 5 |
| ATTENDED BY MD DO | 2 | 5 | 5 | 3 | 5 | 2 | 2 | 4 | 6 | 5 |
| OTHER | | 1 | | | | | 1 | 1 | | |
| PREMATURE BIRTHS | 31 | 17 | 32 | 34 | 20 | 29 | 30 | 29 | 26 | 27 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 285 | 244 | 254 | 259 | 255 | 244 | 236 | 255 | 243 | 240 |
| WHITE FEMALE | 244 | 239 | 258 | 255 | 249 | 278 | 260 | 242 | 209 | 202 |
| NEGRO MALE | | | | | | | | | | 1 |
| NEGRO FEMALE | | | | | | | | | 1 | 1 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | 2 | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 5 | 7 | 3 | 4 | 9 | 8 | 7 | 4 | 5 | 3 |
| WHITE | 5 | 7 | 3 | 4 | 9 | 8 | 7 | 4 | 5 | 3 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 9 | 6 | 7 | 9 | 3 | 7 | 5 | 7 | 8 | 9 |
| GESTATION 20 WEEKS | 2 | | | | | 1 | | | | |
| 20 27 WEEKS | 3 | 2 | 3 | 4 | | 2 | | 3 | 2 | 3 |
| 28 WEEKS AND OVER | 4 | 4 | 4 | 5 | 3 | 4 | 5 | 4 | 6 | 6 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| HAMILTON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 158 | 177 | 158 | 192 | 167 | 205 | 195 | 194 | 226 | 227 |
| HOSPITAL | 155 | 175 | 156 | 192 | 167 | 203 | 193 | 192 | 200 | 178 |
| NON HOSPITAL | 3 | 2 | 2 | | | 2 | 2 | 2 | 26 | 49 |
| ATTENDED BY MD DO | 3 | 2 | 2 | | | 2 | 2 | 2 | 26 | 49 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 7 | 6 | 8 | 9 | 6 | 14 | 8 | 13 | 10 | 13 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 81 | 96 | 81 | 107 | 78 | 106 | 95 | 108 | 112 | 109 |
| WHITE FEMALE | 77 | 81 | 77 | 85 | 89 | 99 | 100 | 86 | 114 | 118 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 1 | 3 | 6 | | 3 | 5 | 5 | 6 | 2 | 3 |
| WHITE | 1 | 3 | 6 | | 3 | 5 | 5 | 6 | 2 | 3 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | | | | 2 | 5 | | 8 | | 3 | 3 |
| GESTATION 20 WEEKS | | | | | 1 | | 1 | | | |
| 20 27 WEEKS | | | | 1 | | | 1 | | | 1 |
| 28 WEEKS AND OVER | | | | 1 | 4 | | 6 | | 3 | 2 |
| NOT REPORTED | | | | | | | | | | |

| HANCOCK COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 498 | 455 | 500 | 469 | 496 | 538 | 494 | 546 | 574 | 533 |
| HOSPITAL | 498 | 454 | 496 | 468 | 495 | 530 | 488 | 536 | 566 | 506 |
| NON HOSPITAL | | 1 | 4 | 1 | 1 | 8 | 6 | 10 | 8 | 27 |
| ATTENDED BY MD DO | | 1 | 4 | 1 | 1 | 7 | 6 | 10 | 4 | 27 |
| OTHER | | | | | | 1 | | | 4 | |
| PREMATURE BIRTHS | 21 | 34 | 22 | 26 | 25 | 32 | 23 | 36 | 36 | 24 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 240 | 230 | 245 | 246 | 255 | 289 | 260 | 300 | 287 | 280 |
| WHITE FEMALE | 257 | 225 | 254 | 222 | 241 | 249 | 234 | 246 | 286 | 253 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | 1 | 1 | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | 1 | | | | | | | | 1 | * |
| ILLEGITIMATE BIRTHS | 5 | 7 | 10 | 6 | 8 | 13 | 10 | 6 | 11 | 15 |
| WHITE | 5 | 7 | 10 | 6 | 8 | 13 | 10 | 6 | 11 | 15 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 6 | 9 | 6 | 8 | 6 | 5 | 11 | 6 | 7 | 3 |
| GESTATION 20 WEEKS | | | | | 2 | | | | | |
| 20 27 WEEKS | 1 | 2 | | 1 | | 1 | 3 | 2 | | 1 |
| 28 WEEKS AND OVER | 5 | 6 | 6 | 6 | 4 | 4 | 8 | 4 | 7 | 2 |
| NOT REPORTED | | 1 | | 1 | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **HARDIN COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 89 | 111 | 114 | 111 | 129 | 123 | 161 | 150 | 127 | 154 |
| HOSPITAL | 86 | 108 | 112 | 103 | 114 | 97 | 133 | 117 | 105 | 95 |
| NON HOSPITAL | 3 | 3 | 2 | 8 | 15 | 26 | 28 | 33 | 22 | 59 |
| ATTENDED BY MD DO | 2 | 3 | 2 | 8 | 15 | 26 | 28 | 31 | 22 | 59 |
| OTHER | 1 | | | | | | | 2 | | |
| PREMATURE BIRTHS | 6 | 3 | 5 | 7 | 11 | 6 | 13 | 11 | 5 | 7 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 52 | 59 | 48 | 61 | 70 | 70 | 77 | 66 | 52 | 68 |
| WHITE FEMALE | 37 | 52 | 66 | 50 | 59 | 53 | 84 | 84 | 75 | 86 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 5 | 4 | 7 | 4 | 1 | 1 | 7 | 2 | 4 | 2 |
| WHITE | 5 | 4 | 7 | 4 | 1 | 1 | 7 | 2 | 4 | 2 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 2 | 2 | 1 | 2 | 3 | 2 | 6 | 6 | 3 | 5 |
| GESTATION 20 WEEKS | | | | | 1 | 1 | | | | |
| 20 27 WEEKS | | | | 1 | 1 | | 1 | | | 1 |
| 28 WEEKS AND OVER | 2 | 2 | 1 | 1 | 1 | 1 | 5 | 6 | 3 | 4 |
| NOT REPORTED | | | | | | | | | | |
| **HENDERSON COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 205 | 171 | 204 | 166 | 176 | 186 | 189 | 198 | 173 | 163 |
| HOSPITAL | 203 | 170 | 202 | 166 | 175 | 185 | 185 | 194 | 166 | 155 |
| NON HOSPITAL | 2 | 1 | 2 | | 1 | 1 | 4 | 4 | 7 | 8 |
| ATTENDED BY MD DO | 2 | 1 | 2 | | | 1 | 4 | 4 | 7 | 8 |
| OTHER | | | | | 1 | | | | | |
| PREMATURE BIRTHS | 9 | 12 | 11 | 8 | 4 | 6 | 5 | 10 | 9 | 13 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 104 | 94 | 98 | 79 | 106 | 91 | 110 | 103 | 81 | 88 |
| WHITE FEMALE | 101 | 77 | 106 | 87 | 70 | 95 | 79 | 94 | 92 | 75 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | 1 | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 4 | 3 | 4 | 1 | 1 | 1 | 2 | 1 | 1 | 2 |
| WHITE | 4 | 3 | 4 | 1 | 1 | 1 | 2 | 1 | 1 | 2 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | | 2 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 1 | 1 | 1 | | | 1 | | | |
| 28 WEEKS AND OVER | | 1 | 1 | | 1 | 2 | 1 | 2 | | |
| NOT REPORTED | | | | | | | | | 1 | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| HENRY COUNTY | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 1025 | 1022 | 1050 | 1027 | 989 | 1047 | 1000 | 1071 | 1085 | 996 |
| HOSPITAL | 1023 | 1021 | 1046 | 1023 | 987 | 1044 | 992 | 1063 | 1078 | 987 |
| NON HOSPITAL | 2 | 1 | 4 | 4 | 2 | 3 | 8 | 8 | 7 | 9 |
| ATTENDED BY MD DO | 2 | 1 | 3 | 4 | 2 | 2 | 8 | 8 | 7 | 9 |
| OTHER | | | 1 | | | 1 | | | | |
| PREMATURE BIRTHS | 51 | 62 | 63 | 50 | 45 | 52 | 54 | 74 | 63 | 59 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 519 | 512 | 551 | 515 | 498 | 547 | 509 | 559 | 559 | 491 |
| WHITE FEMALE | 488 | 498 | 473 | 492 | 474 | 480 | 480 | 499 | 514 | 489 |
| NEGRO MALE | 10 | 6 | 12 | 12 | 6 | 7 | 7 | 5 | 6 | 4 |
| NEGRO FEMALE | 8 | 6 | 13 | 8 | 11 | 13 | 4 | 8 | 6 | 12 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | 1 | | | | | | | * |
| ILLEGITIMATE BIRTHS | 14 | 16 | 18 | 16 | 12 | 12 | 11 | 11 | 15 | 14 |
| WHITE | 13 | 16 | 18 | 15 | 12 | 10 | 11 | 8 | 15 | 13 |
| NON WHITE | 1 | | | 1 | | 2 | | 3 | | 1 |
| FETAL DEATHS TOTAL | 23 | 17 | 12 | 18 | 19 | 9 | 26 | 14 | 14 | 22 |
| GESTATION 20 WEEKS | | | | | 1 | | | | | |
| 20 27 WEEKS | 4 | 3 | 2 | 6 | 3 | 1 | 4 | 5 | 3 | 3 |
| 28 WEEKS AND OVER | 24 | 14 | 10 | 12 | 15 | 8 | 22 | 9 | 11 | 19 |
| NOT REPORTED | | | | | | | | | | |
| IROQUOIS COUNTY | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 736 | 725 | 741 | 788 | 668 | 716 | 691 | 737 | 755 | 692 |
| HOSPITAL | 730 | 711 | 729 | 774 | 655 | 709 | 681 | 723 | 731 | 655 |
| NON HOSPITAL | 6 | 14 | 12 | 14 | 13 | 7 | 10 | 14 | 24 | 37 |
| ATTENDED BY MD DO | 6 | 14 | 12 | 14 | 13 | 6 | 10 | 13 | 24 | 37 |
| OTHER | | | | | | 1 | | 1 | | |
| PREMATURE BIRTHS | 42 | 40 | 55 | 52 | 32 | 35 | 42 | 48 | 52 | 39 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 365 | 377 | 374 | 409 | 317 | 369 | 347 | 367 | 410 | 347 |
| WHITE FEMALE | 370 | 344 | 363 | 375 | 348 | 343 | 342 | 369 | 345 | 345 |
| NEGRO MALE | | 2 | 3 | 1 | 3 | | 1 | 1 | | |
| NEGRO FEMALE | | 2 | 1 | 3 | | 4 | 1 | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | 1 | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 11 | 11 | 14 | 14 | 9 | 8 | 11 | 10 | 6 | 9 |
| WHITE | 11 | 11 | 13 | 13 | 9 | 7 | 11 | 10 | 6 | 9 |
| NON WHITE | | | 1 | 1 | | 1 | | | | |
| FETAL DEATHS TOTAL | 8 | 7 | 5 | 9 | 10 | 15 | 10 | 15 | 20 | 15 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | 1 | 2 | 2 | | 3 | 2 | 5 | 7 | 2 |
| 28 WEEKS AND OVER | 7 | 6 | 3 | 7 | 10 | 12 | 8 | 10 | 13 | 12 |
| NOT REPORTED | | | | | | | | | | 1 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **JACKSON COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 870 | 859 | 780 | 794 | 804 | 774 | 785 | 779 | 784 | 767 |
| HOSPITAL | 870 | 853 | 774 | 789 | 798 | 769 | 766 | 757 | 732 | 700 |
| NON HOSPITAL | | 6 | 6 | 5 | 6 | 5 | 19 | 22 | 52 | 67 |
| ATTENDED BY MD DO | | 6 | 6 | 5 | 5 | 4 | 18 | 21 | 51 | 67 |
| OTHER | | | | | 1 | 1 | 1 | 1 | 1 | |
| PREMATURE BIRTHS | 57 | 62 | 53 | 61 | 50 | 47 | 62 | 53 | 52 | 51 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 397 | 421 | 371 | 388 | 396 | 354 | 377 | 364 | 346 | 342 |
| WHITE FEMALE | 389 | 373 | 347 | 342 | 337 | 352 | 341 | 357 | 372 | 353 |
| NEGRO MALE | 44 | 37 | 36 | 31 | 36 | 31 | 41 | 24 | 31 | 32 |
| NEGRO FEMALE | 38 | 26 | 23 | 32 | 34 | 37 | 26 | 34 | 35 | 40 |
| OTHER RACES MALE | 1 | 1 | 2 | | 1 | | | | | * |
| OTHER RACES FEMALE | 1 | 1 | 1 | 1 | | | | | | * |
| ILLEGITIMATE BIRTHS | 24 | 31 | 26 | 27 | 28 | 30 | 21 | 21 | 23 | 26 |
| WHITE | 10 | 20 | 13 | 11 | 12 | 8 | 11 | 11 | 11 | 13 |
| NON WHITE | 14 | 11 | 13 | 16 | 16 | 22 | 10 | 10 | 12 | 13 |
| FETAL DEATHS TOTAL | 13 | 12 | 7 | 6 | 9 | 10 | 15 | 17 | 14 | 5 |
| GESTATION 20 WEEKS | | | | | | | | 1 | | 1 |
| 20 27 WEEKS | 1 | 3 | 1 | 3 | | 1 | | 6 | 4 | |
| 28 WEEKS AND OVER | 12 | 9 | 6 | 3 | 9 | 9 | 15 | 10 | 10 | 4 |
| NOT REPORTED | | | | | | | | | | |
| **JASPER COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 245 | 229 | 245 | 210 | 245 | 263 | 245 | 282 | 267 | 264 |
| HOSPITAL | 242 | 223 | 241 | 203 | 236 | 253 | 231 | 257 | 125 | 187 |
| NON HOSPITAL | 3 | 6 | 4 | 7 | 9 | 10 | 14 | 25 | 142 | 77 |
| ATTENDED BY MD DO | 3 | 6 | 4 | 7 | 9 | 10 | 14 | 25 | 142 | 75 |
| OTHER | | | | | | | | | | 2 |
| PREMATURE BIRTHS | 13 | 7 | 11 | 19 | 16 | 12 | 13 | 9 | 12 | 14 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 125 | 113 | 125 | 103 | 117 | 130 | 124 | 144 | 143 | 139 |
| WHITE FEMALE | 120 | 116 | 120 | 106 | 127 | 133 | 121 | 138 | 124 | 125 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | 1 | | | | | | * |
| OTHER RACES FEMALE | | | | | 1 | | | | | * |
| ILLEGITIMATE BIRTHS | 2 | 4 | 5 | 6 | 3 | 2 | 4 | 1 | 1 | 7 |
| WHITE | 2 | 4 | 5 | 6 | 3 | 2 | 4 | 1 | 1 | 7 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 4 | 4 | 4 | 2 | 6 | 4 | 6 | 2 | 1 | 2 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 1 | | | 1 | | 1 | | | |
| 28 WEEKS AND OVER | 4 | 3 | 4 | 2 | 5 | 4 | 5 | 2 | 1 | 2 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **JEFFERSON COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 687 | 682 | 647 | 638 | 688 | 720 | 707 | 729 | 808 | 776 |
| HOSPITAL | 683 | 680 | 642 | 634 | 684 | 706 | 687 | 691 | 734 | 681 |
| NON HOSPITAL | 4 | 2 | 5 | 4 | 4 | 14 | 20 | 38 | 74 | 95 |
| ATTENDED BY MD DO | 4 | 2 | 5 | 4 | 3 | 14 | 20 | 37 | 73 | 93 |
| OTHER | | | | | 1 | | | 1 | 1 | 2 |
| PREMATURE BIRTHS | 47 | 47 | 51 | 58 | 51 | 58 | 46 | 60 | 54 | 57 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 357 | 325 | 313 | 302 | 338 | 367 | 333 | 350 | 434 | 404 |
| WHITE FEMALE | 295 | 329 | 310 | 308 | 314 | 325 | 342 | 350 | 351 | 351 |
| NEGRO MALE | 16 | 15 | 12 | 15 | 19 | 13 | 13 | 17 | 10 | 10 |
| NEGRO FEMALE | 19 | 13 | 12 | 13 | 16 | 15 | 18 | 11 | 13 | 11 |
| OTHER RACES MALE | | | | | 1 | | 1 | | | * |
| OTHER RACES FEMALE | | | | | | | | 1 | | * |
| ILLEGITIMATE BIRTHS | 27 | 23 | 19 | 19 | 24 | 24 | 24 | 13 | 12 | 30 |
| WHITE | 12 | 17 | 13 | 10 | 13 | 13 | 18 | 6 | 7 | 24 |
| NON WHITE | 15 | 6 | 6 | 9 | 11 | 11 | 6 | 7 | 5 | 6 |
| FETAL DEATHS TOTAL | 15 | 10 | 10 | 10 | 11 | 8 | 7 | 11 | 12 | 8 |
| GESTATION 20 WEEKS | | 1 | | | | | | | | |
| 20 27 WEEKS | 5 | | 1 | 3 | 3 | 1 | 2 | 4 | 3 | |
| 28 WEEKS AND OVER | 10 | 9 | 9 | 7 | 7 | 7 | 5 | 7 | 9 | 7 |
| NOT REPORTED | | | | | 1 | | | | | 1 |
| **JERSEY COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 405 | 374 | 401 | 384 | 382 | 374 | 359 | 353 | 360 | 362 |
| HOSPITAL | 389 | 356 | 388 | 368 | 367 | 356 | 329 | 324 | 319 | 315 |
| NON HOSPITAL | 16 | 18 | 13 | 16 | 15 | 18 | 30 | 29 | 41 | 47 |
| ATTENDED BY MD DO | 16 | 17 | 13 | 16 | 15 | 18 | 30 | 28 | 40 | 47 |
| OTHER | | 1 | | | | | | 1 | 1 | |
| PREMATURE BIRTHS | 21 | 23 | 35 | 15 | 23 | 28 | 26 | 13 | 24 | 16 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 218 | 192 | 204 | 199 | 192 | 178 | 180 | 178 | 180 | 199 |
| WHITE FEMALE | 185 | 180 | 196 | 184 | 190 | 196 | 179 | 174 | 180 | 162 |
| NEGRO MALE | 1 | | 1 | | | | | | | 1 |
| NEGRO FEMALE | 1 | 2 | | | | | | 1 | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | 1 | | | | | | * |
| ILLEGITIMATE BIRTHS | 7 | 7 | 7 | 6 | 3 | 7 | 6 | 6 | 4 | 7 |
| WHITE | 7 | 7 | 6 | 6 | 3 | 7 | 6 | 6 | 4 | 7 |
| NON WHITE | | | 1 | | | | | | | |
| FETAL DEATHS TOTAL | 13 | 5 | 5 | 7 | 6 | 10 | 9 | 6 | 2 | 3 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 3 | 2 | 2 | 1 | | 2 | 1 | 2 | | 1 |
| 28 WEEKS AND OVER | 10 | 3 | 3 | 6 | 6 | 8 | 8 | 4 | 2 | 2 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **JO DAVIESS COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 538 | 524 | 519 | 515 | 519 | 490 | 495 | 535 | 519 | 446 |
| HOSPITAL | 532 | 522 | 514 | 508 | 514 | 479 | 486 | 526 | 507 | 423 |
| NON HOSPITAL | 6 | 2 | 5 | 7 | 5 | 11 | 9 | 9 | 12 | 23 |
| ATTENDED BY MD DO | 4 | 2 | 5 | 7 | 4 | 10 | 9 | 9 | 11 | 23 |
| OTHER | 2 | | | | 1 | 1 | | | 1 | |
| PREMATURE BIRTHS | 32 | 36 | 27 | 35 | 28 | 28 | 40 | 36 | 25 | 18 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 268 | 278 | 259 | 243 | 270 | 256 | 265 | 273 | 245 | 236 |
| WHITE FEMALE | 266 | 246 | 259 | 271 | 249 | 232 | 229 | 262 | 273 | 210 |
| NEGRO MALE | 1 | | 1 | 1 | | 2 | 1 | | | |
| NEGRO FEMALE | 2 | | | | | | | | 1 | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | 1 | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 10 | 6 | 6 | 9 | 6 | 4 | 3 | 1 | 6 | 4 |
| WHITE | 9 | 6 | 6 | 9 | 6 | 4 | 3 | 1 | 6 | 4 |
| NON WHITE | 1 | | | | | | | | | |
| FETAL DEATHS TOTAL | 5 | 9 | 6 | 4 | 6 | 2 | 5 | 4 | 7 | 4 |
| GESTATION 20 WEEKS | | | | | | | | 1 | | |
| 20 27 WEEKS | 1 | 3 | 1 | 1 | 2 | | 2 | 1 | 1 | |
| 28 WEEKS AND OVER | 4 | 6 | 5 | 3 | 4 | 2 | 3 | 2 | 6 | 4 |
| NOT REPORTED | | | | | | | | | | |
| **JOHNSON COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 132 | 115 | 84 | 108 | 146 | 159 | 166 | 168 | 142 | 144 |
| HOSPITAL | 130 | 113 | 77 | 83 | 103 | 122 | 118 | 113 | 89 | 72 |
| NON HOSPITAL | 2 | 2 | 7 | 25 | 43 | 37 | 48 | 55 | 53 | 72 |
| ATTENDED BY MD DO | 2 | 2 | 7 | 25 | 42 | 37 | 48 | 54 | 53 | 72 |
| OTHER | | | | | 1 | | | 1 | | |
| PREMATURE BIRTHS | 4 | 6 | | 3 | 11 | 9 | 10 | 16 | 6 | 6 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 69 | 54 | 36 | 59 | 75 | 76 | 91 | 96 | 76 | 68 |
| WHITE FEMALE | 62 | 60 | 46 | 49 | 69 | 82 | 71 | 71 | 63 | 74 |
| NEGRO MALE | | | 1 | | 1 | | 2 | | 1 | 1 |
| NEGRO FEMALE | 1 | 1 | 1 | | 1 | 1 | 2 | 1 | 2 | 1 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 2 | | 1 | | 3 | 2 | 3 | 2 | 2 | 1 |
| WHITE | 2 | | 1 | | 3 | 2 | 2 | 2 | 1 | |
| NON WHITE | | | | | | | 1 | | 1 | 1 |
| FETAL DEATHS TOTAL | | 2 | 3 | | | 3 | 2 | 2 | 4 | 4 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | | 2 | | | | | | 1 | |
| 28 WEEKS AND OVER | | 2 | 1 | | | 3 | 2 | 2 | 3 | 4 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| KANE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 5207 | 4806 | 4983 | 4496 | 4238 | 3938 | 3736 | 3663 | 3448 | 3273 |
| HOSPITAL | 5191 | 4794 | 4968 | 4476 | 4227 | 3920 | 3717 | 3645 | 3436 | 3261 |
| NON HOSPITAL | 16 | 12 | 15 | 20 | 11 | 18 | 19 | 18 | 12 | 12 |
| ATTENDED BY MD DO | 16 | 11 | 15 | 20 | 10 | 15 | 18 | 17 | 11 | 12 |
| OTHER | | 1 | | | 1 | 3 | 1 | 1 | 1 | |
| PREMATURE BIRTHS | 364 | 293 | 318 | 305 | 286 | 235 | 258 | 236 | 202 | 219 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 2595 | 2407 | 2515 | 2253 | 2181 | 1939 | 1913 | 1776 | 1794 | 1632 |
| WHITE FEMALE | 2470 | 2287 | 2345 | 2144 | 1970 | 1906 | 1734 | 1795 | 1575 | 1592 |
| NEGRO MALE | 76 | 60 | 52 | 48 | 32 | 43 | 44 | 43 | 42 | 25 |
| NEGRO FEMALE | 63 | 44 | 62 | 49 | 53 | 48 | 39 | 46 | 34 | 24 |
| OTHER RACES MALE | 3 | 4 | 7 | 2 | 2 | 2 | 3 | 2 | | * |
| OTHER RACES FEMALE | | 4 | 2 | | | | 3 | 1 | 3 | * |
| ILLEGITIMATE BIRTHS | 106 | 84 | 73 | 64 | 66 | 54 | 60 | 51 | 39 | 44 |
| WHITE | 84 | 69 | 66 | 49 | 56 | 50 | 54 | 44 | 33 | 39 |
| NON WHITE | 22 | 15 | 7 | 15 | 10 | 4 | 6 | 7 | 6 | 5 |
| FETAL DEATHS TOTAL | 56 | 77 | 77 | 74 | 67 | 60 | 49 | 51 | 50 | 53 |
| GESTATION 20 WEEKS | 2 | 1 | 5 | 4 | | 1 | | 1 | 2 | |
| 20 27 WEEKS | 14 | 15 | 13 | 20 | 9 | 12 | 11 | 9 | 13 | 14 |
| 28 WEEKS AND OVER | 38 | 61 | 58 | 50 | 58 | 47 | 38 | 41 | 34 | 37 |
| NOT REPORTED | 2 | | 1 | | | | | | 1 | 2 |

| KANKAKEE COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 2037 | 1994 | 2025 | 1958 | 1816 | 1856 | 1776 | 1640 | 1684 | 1397 |
| HOSPITAL | 2025 | 1980 | 2006 | 1921 | 1785 | 1817 | 1737 | 1608 | 1629 | 1342 |
| NON HOSPITAL | 12 | 14 | 19 | 37 | 31 | 39 | 39 | 32 | 55 | 55 |
| ATTENDED BY MD DO | 12 | 14 | 18 | 35 | 29 | 36 | 37 | 30 | 46 | 49 |
| OTHER | | | 1 | 2 | 2 | 3 | 2 | 2 | 9 | 6 |
| PREMATURE BIRTHS | 151 | 147 | 137 | 134 | 135 | 112 | 133 | 101 | 127 | 89 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 918 | 923 | 977 | 896 | 836 | 877 | 798 | 819 | 795 | 708 |
| WHITE FEMALE | 955 | 912 | 881 | 911 | 834 | 855 | 849 | 748 | 806 | 631 |
| NEGRO MALE | 72 | 81 | 89 | 81 | 75 | 61 | 56 | 39 | 45 | 36 |
| NEGRO FEMALE | 91 | 76 | 77 | 69 | 69 | 62 | 72 | 34 | 38 | 22 |
| OTHER RACES MALE | 1 | 1 | | 1 | 2 | | | | | * |
| OTHER RACES FEMALE | | 1 | 1 | | | 1 | 1 | | | * |
| ILLEGITIMATE BIRTHS | 50 | 47 | 45 | 41 | 37 | 40 | 30 | 33 | 24 | 24 |
| WHITE | 19 | 18 | 14 | 15 | 12 | 16 | 10 | 15 | 5 | 15 |
| NON WHITE | 31 | 29 | 31 | 26 | 25 | 24 | 20 | 18 | 19 | 9 |
| FETAL DEATHS TOTAL | 27 | 32 | 23 | 18 | 34 | 31 | 24 | 27 | 23 | 18 |
| GESTATION 20 WEEKS | 1 | | 1 | | 1 | | 1 | | | 1 |
| 20 27 WEEKS | 4 | 3 | 4 | 1 | 5 | 3 | 3 | 9 | 3 | 2 |
| 28 WEEKS AND OVER | 22 | 29 | 18 | 17 | 28 | 28 | 20 | 18 | 20 | 15 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| KENDALL COUNTY | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 407 | 366 | 326 | 335 | 277 | 261 | 315 | 294 | 270 | 283 |
| HOSPITAL | 403 | 364 | 323 | 334 | 270 | 258 | 312 | 290 | 268 | 280 |
| NON HOSPITAL | 4 | 2 | 3 | 1 | 7 | 3 | 3 | 4 | 2 | 3 |
| ATTENDED BY MD DO | 3 | 2 | 3 | 1 | 7 | 3 | 3 | 4 | 2 | 3 |
| OTHER | 1 | | | | | | | | | |
| PREMATURE BIRTHS | 21 | 21 | 23 | 27 | 12 | 18 | 15 | 18 | 11 | 13 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 203 | 189 | 158 | 155 | 147 | 128 | 168 | 140 | 142 | 149 |
| WHITE FEMALE | 204 | 177 | 168 | 180 | 129 | 132 | 147 | 154 | 128 | 134 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | 1 | | | | | * |
| OTHER RALES FEMALE | | | | | | 1 | | | | * |
| ILLEGITIMATE BIRTHS | 5 | 7 | 3 | 2 | 2 | 2 | 2 | 1 | 2 | 4 |
| WHITE | 5 | 7 | 3 | 2 | 2 | 2 | 2 | 1 | 2 | 4 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 4 | 6 | 4 | 8 | 5 | 4 | 5 | 4 | 5 | 4 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 1 | 2 | | 2 | 1 | 1 | 1 | | 1 |
| 28 WEEKS AND OVER | 4 | 5 | 2 | 8 | 3 | 3 | 4 | 3 | 4 | 3 |
| NOT REPORTED | | | | | | | | | 1 | |
| KNOX COUNTY | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 1291 | 1258 | 1297 | 1247 | 1256 | 1210 | 1160 | 1176 | 1213 | 1140 |
| HOSPITAL | 1289 | 1257 | 1294 | 1244 | 1253 | 1204 | 1154 | 1171 | 1209 | 1130 |
| NON HOSPITAL | 2 | 1 | 3 | 3 | 3 | 6 | 6 | 5 | 4 | 10 |
| ATTENDED BY MD DO | 2 | 1 | 3 | 3 | 3 | 6 | 5 | 4 | 4 | 10 |
| OTHER | | | | | | | 1 | 1 | | |
| PREMATURE BIRTHS | 79 | 77 | 73 | 81 | 71 | 81 | 68 | 67 | 75 | 74 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 647 | 623 | 644 | 629 | 629 | 591 | 589 | 562 | 586 | 595 |
| WHITE FEMALE | 605 | 588 | 612 | 571 | 575 | 570 | 527 | 568 | 592 | 514 |
| NEGRO MALE | 17 | 23 | 20 | 21 | 24 | 28 | 24 | 24 | 15 | 18 |
| NEGRO FEMALE | 19 | 23 | 20 | 24 | 25 | 20 | 16 | 21 | 17 | 13 |
| OTHER RACES MALE | 1 | 1 | 1 | | 1 | | 1 | | | * |
| OTHER RACES FEMALE | 2 | | | 2 | 2 | 1 | 3 | 1 | 3 | * |
| ILLEGITIMATE BIRTHS | 29 | 23 | 27 | 22 | 19 | 17 | 25 | 9 | 16 | 11 |
| WHITE | 21 | 19 | 21 | 16 | 15 | 11 | 20 | 8 | 11 | 5 |
| NON WHITE | 8 | 4 | 6 | 6 | 4 | 6 | 5 | 1 | 5 | 6 |
| FETAL DEATHS TOTAL | 15 | 14 | 14 | 13 | 11 | 16 | 25 | 16 | 15 | 15 |
| GESTATION 20 WEEKS | | | | | | | 1 | | | |
| 20 27 WEEKS | | | 3 | | 2 | 3 | 6 | 3 | 4 | 1 |
| 28 WEEKS AND OVER | 15 | 14 | 11 | 13 | 9 | 13 | 18 | 13 | 11 | 14 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| LAKE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 7209 | 7108 | 7006 | 6721 | 6245 | 5973 | 5410 | 5233 | 4653 | 4353 |
| HOSPITAL | 7153 | 7044 | 6935 | 6661 | 6214 | 5900 | 5347 | 5182 | 4597 | 4298 |
| NON HOSPITAL | 56 | 64 | 71 | 60 | 31 | 73 | 63 | 51 | 56 | 55 |
| ATTENDED BY MD DO | 36 | 30 | 34 | 28 | 24 | 24 | 32 | 22 | 25 | 25 |
| OTHER | 20 | 34 | 37 | 32 | 7 | 49 | 31 | 29 | 31 | 30 |
| PREMATURE BIRTHS | 490 | 535 | 467 | 484 | 435 | 400 | 386 | 357 | 336 | 279 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 3500 | 3412 | 3384 | 3249 | 3000 | 2834 | 2623 | 2538 | 2250 | 2138 |
| WHITE FEMALE | 3254 | 3234 | 3173 | 3035 | 2889 | 2809 | 2492 | 2423 | 2179 | 2023 |
| NEGRO MALE | 206 | 208 | 201 | 192 | 168 | 144 | 133 | 129 | 96 | 106 |
| NEGRO FEMALE | 191 | 220 | 213 | 218 | 169 | 162 | 146 | 132 | 119 | 86 |
| OTHER RACES MALE | 26 | 16 | 12 | 19 | 7 | 13 | 9 | 8 | 4 | * |
| OTHER RACES FEMALE | 32 | 18 | 23 | 8 | 12 | 11 | 7 | 3 | 5 | * |
| ILLEGITIMATE BIRTHS | 153 | 141 | 128 | 119 | 93 | 110 | 91 | 89 | 82 | 66 |
| WHITE | 89 | 91 | 71 | 77 | 58 | 68 | 61 | 57 | 62 | 51 |
| NON WHITE | 64 | 50 | 57 | 42 | 35 | 42 | 30 | 32 | 20 | 15 |
| FETAL DEATHS TOTAL | 94 | 89 | 88 | 94 | 93 | 76 | 76 | 94 | 90 | 73 |
| GESTATION 20 WEEKS | 3 | 2 | | 2 | 2 | 1 | | | 3 | |
| 20 27 WEEKS | 28 | 18 | 15 | 19 | 18 | 14 | 19 | 22 | 22 | 17 |
| 28 WEEKS AND OVER | 63 | 69 | 71 | 72 | 73 | 61 | 57 | 72 | 65 | 55 |
| NOT REPORTED | | | 2 | 1 | | | | | | 1 |



| LA SALLE COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 2566 | 2562 | 2626 | 2511 | 2509 | 2448 | 2462 | 2363 | 2373 | 2356 |
| HOSPITAL | 2555 | 2557 | 2617 | 2507 | 2498 | 2444 | 2453 | 2350 | 2365 | 2336 |
| NON HOSPITAL | 11 | 5 | 9 | 4 | 11 | 4 | 9 | 13 | 8 | 20 |
| ATTENDED BY MD DO | 11 | 5 | 9 | 4 | 10 | 4 | 9 | 11 | 8 | 20 |
| OTHER | | | | | 1 | | | 2 | | |
| PREMATURE BIRTHS | 155 | 165 | 170 | 154 | 194 | 156 | 171 | 114 | 158 | 122 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 1280 | 1310 | 1333 | 1286 | 1289 | 1259 | 1282 | 1213 | 1183 | 1234 |
| WHITE FEMALE | 1268 | 1236 | 1278 | 1214 | 1210 | 1176 | 1166 | 1139 | 1186 | 1117 |
| NEGRO MALE | 9 | 10 | 7 | 7 | 2 | 6 | 8 | 7 | | 3 |
| NEGRO FEMALE | 3 | 4 | 7 | 4 | 7 | 6 | 4 | 3 | 4 | 2 |
| OTHER RACES MALE | 2 | 1 | | | | 1 | 2 | | | * |
| OTHER RACES FEMALE | 4 | 1 | 1 | | 1 | | | 1 | | * |
| ILLEGITIMATE BIRTHS | 32 | 27 | 28 | 16 | 13 | 23 | 26 | 15 | 27 | 25 |
| WHITE | 31 | 24 | 25 | 15 | 13 | 23 | 26 | 14 | 27 | 24 |
| NON WHITE | 1 | 3 | 3 | 1 | | | | 1 | | 1 |
| FETAL DEATHS TOTAL | 22 | 33 | 34 | 44 | 51 | 41 | 34 | 26 | 35 | 27 |
| GESTATION 20 WEEKS | | | | 3 | 1 | 1 | 2 | | 1 | |
| 20 27 WEEKS | 3 | 7 | 7 | 13 | 11 | 8 | 6 | 5 | 2 | 4 |
| 28 WEEKS AND OVER | 19 | 26 | 27 | 28 | 39 | 31 | 26 | 20 | 32 | 23 |
| NOT REPORTED | | | | | | 1 | | 1 | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **LAWRENCE COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 374 | 349 | 387 | 373 | 371 | 365 | 378 | 366 | 444 | 424 |
| HOSPITAL | 367 | 346 | 380 | 362 | 361 | 359 | 361 | 349 | 424 | 349 |
| NON HOSPITAL | 7 | 3 | 7 | 11 | 10 | 6 | 17 | 17 | 20 | 75 |
| ATTENDED BY MD DO | 7 | 3 | 7 | 9 | 9 | 6 | 17 | 16 | 20 | 75 |
| OTHER | | | | 2 | 1 | | | 1 | | |
| PREMATURE BIRTHS | 24 | 20 | 29 | 21 | 18 | 31 | 39 | 23 | 33 | 21 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 195 | 177 | 184 | 184 | 184 | 186 | 178 | 198 | 223 | 201 |
| WHITE FEMALE | 173 | 167 | 195 | 188 | 185 | 178 | 197 | 165 | 221 | 219 |
| NEGRO MALE | 2 | | 7 | 1 | | 1 | 3 | 2 | | 2 |
| NEGRO FEMALE | 2 | 5 | | | 1 | | | 1 | | 2 |
| OTHER RACES MALE | | | 1 | | | | | | | * |
| OTHER RALES FEMALE | 2 | | | | 1 | | | | | * |
| ILLEGITIMATE BIRTHS | 6 | 10 | 11 | 4 | 2 | 8 | 5 | 8 | 12 | 8 |
| WHITE | 6 | 9 | 11 | 3 | 2 | 8 | 5 | 8 | 12 | 8 |
| NON WHITE | | 1 | | 1 | | | | | | |
| FETAL DEATHS TOTAL | 2 | 2 | 1 | 7 | 5 | 7 | 11 | 6 | 4 | 5 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | | | 2 | 1 | 2 | 1 | | | 1 |
| 28 WEEKS AND OVER | 1 | 2 | 1 | 5 | 4 | 5 | 10 | 6 | 4 | 4 |
| NOT REPORTED | | | | | | | | | | |
| **LEE COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 770 | 757 | 752 | 760 | 756 | 773 | 798 | 723 | 737 | 738 |
| HOSPITAL | 763 | 750 | 747 | 755 | 754 | 770 | 794 | 716 | 731 | 732 |
| NON HOSPITAL | 7 | 7 | 5 | 5 | 2 | 3 | 4 | 7 | 6 | 6 |
| ATTENDED BY MD DO | 6 | 7 | 5 | 4 | 2 | 3 | 4 | 5 | 6 | 6 |
| OTHER | 1 | | | 1 | | | | 2 | | |
| PREMATURE BIRTHS | 51 | 47 | 40 | 43 | 54 | 44 | 51 | 48 | 43 | 40 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 391 | 385 | 383 | 399 | 379 | 407 | 427 | 347 | 365 | 395 |
| WHITE FEMALE | 369 | 361 | 364 | 353 | 369 | 356 | 364 | 369 | 363 | 339 |
| NEGRO MALE | 4 | 2 | 1 | 5 | 3 | 4 | 4 | 4 | 2 | 2 |
| NEGRO FEMALE | 6 | 8 | 3 | 3 | 5 | 6 | 3 | 3 | 6 | 2 |
| OTHER RACES MALE | | | 1 | | | | | | | * |
| OTHER RALES FEMALE | | 1 | | | | | | | 1 | * |
| ILLEGITIMATE BIRTHS | 12 | 16 | 8 | 19 | 13 | 12 | 12 | 16 | 10 | 8 |
| WHITE | 8 | 16 | 8 | 18 | 12 | 9 | 11 | 15 | 7 | 6 |
| NON WHITE | 4 | | | 1 | 1 | 3 | 1 | 1 | 3 | 2 |
| FETAL DEATHS TOTAL | 12 | 18 | 17 | 14 | 5 | 10 | 17 | 7 | 11 | 8 |
| GESTATION 20 WEEKS | | 2 | 4 | 1 | 1 | | | | | |
| 20 27 WEEKS | 1 | 4 | 2 | 1 | | 3 | 2 | 1 | 2 | 2 |
| 28 WEEKS AND OVER | 11 | 12 | 11 | 12 | 4 | 7 | 15 | 6 | 9 | 6 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| LIVINGSTON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 925 | 820 | 906 | 849 | 858 | 871 | 813 | 833 | 828 | 756 |
| HOSPITAL | 922 | 817 | 903 | 845 | 854 | 865 | 802 | 825 | 811 | 746 |
| NON HOSPITAL | 3 | 3 | 3 | 4 | 4 | 6 | 11 | 8 | 17 | 10 |
| ATTENDED BY MD DO | 3 | 3 | 3 | 4 | 4 | 6 | 9 | 7 | 11 | 10 |
| OTHER | | | | | | | 2 | 1 | 6 | |
| PREMATURE BIRTHS | 53 | 42 | 44 | 53 | 47 | 44 | 32 | 42 | 43 | 34 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 474 | 430 | 485 | 433 | 437 | 444 | 421 | 451 | 446 | 386 |
| WHITE FEMALE | 446 | 387 | 418 | 410 | 421 | 427 | 391 | 379 | 382 | 370 |
| NEGRO MALE | 2 | | 1 | 1 | | | 1 | 1 | | |
| NEGRO FEMALE | 2 | 1 | 2 | 3 | | | | | | |
| OTHER RACES MALE | | 2 | | 1 | | | | 2 | | * |
| OTHER RACES FEMALE | 1 | | | 1 | | | | | | * |
| ILLEGITIMATE BIRTHS | 17 | 4 | 11 | 10 | 4 | 14 | 8 | 6 | 10 | 7 |
| WHITE | 16 | 4 | 11 | 9 | 4 | 14 | 8 | 6 | 10 | 7 |
| NON WHITE | 1 | | | 1 | | | | | | |
| FETAL DEATHS TOTAL | 10 | 11 | 17 | 13 | 14 | 11 | 16 | 8 | 10 | 12 |
| GESTATION 20 WEEKS | | | | | | 1 | | 2 | | |
| 20 27 WEEKS | 1 | | 2 | 3 | 1 | 1 | 3 | 1 | 5 | 5 |
| 28 WEEKS AND OVER | 9 | 11 | 15 | 10 | 13 | 9 | 13 | 5 | 5 | 7 |
| NOT REPORTED | | | | | | | | | | |

| LOGAN COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 639 | 615 | 557 | 561 | 547 | 573 | 561 | 565 | 552 | 521 |
| HOSPITAL | 636 | 615 | 555 | 561 | 546 | 570 | 557 | 561 | 539 | 515 |
| NON HOSPITAL | 3 | | 2 | | 1 | 3 | 4 | 4 | 13 | 6 |
| ATTENDED BY MD DO | 2 | | 2 | | 1 | 3 | 4 | 4 | 12 | 6 |
| OTHER | 1 | | | | | | | | 1 | |
| PREMATURE BIRTHS | 29 | 37 | 24 | 26 | 38 | 24 | 25 | 25 | 38 | 26 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 335 | 309 | 279 | 292 | 283 | 288 | 296 | 296 | 290 | 270 |
| WHITE FEMALE | 301 | 302 | 278 | 265 | 258 | 284 | 261 | 266 | 260 | 250 |
| NEGRO MALE | 1 | 3 | | 3 | 4 | 1 | | 2 | 1 | |
| NEGRO FEMALE | 2 | 1 | | | 1 | | 1 | 1 | 1 | 1 |
| OTHER RACES MALE | | | | | | | 2 | | | * |
| OTHER RACES FEMALE | | | | 1 | 1 | | 1 | | | * |
| ILLEGITIMATE BIRTHS | 9 | 19 | 13 | 16 | 15 | 8 | 13 | 5 | 6 | 12 |
| WHITE | 9 | 18 | 13 | 16 | 14 | 8 | 13 | 5 | 6 | 12 |
| NON WHITE | | 1 | | | 1 | | | | | |
| FETAL DEATHS TOTAL | 5 | 14 | 9 | 9 | 7 | 8 | 3 | 13 | 11 | 10 |
| GESTATION 20 WEEKS | | | 1 | | | | 1 | | 1 | |
| 20 27 WEEKS | 3 | | 2 | 5 | 1 | | 1 | 2 | 2 | 2 |
| 28 WEEKS AND OVER | 2 | 14 | 5 | 4 | 6 | 8 | 1 | 11 | 7 | 8 |
| NOT REPORTED | | | 1 | | | | | | 1 | |

*Races classified only as white and nonwhite in 1950.

SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| MC DONOUGH COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 592 | 565 | 599 | 608 | 576 | 593 | 570 | 570 | 589 | 611 |
| HOSPITAL | 589 | 559 | 597 | 600 | 572 | 587 | 559 | 562 | 573 | 591 |
| NON HOSPITAL | 3 | 6 | 2 | 8 | 4 | 6 | 11 | 8 | 16 | 20 |
| ATTENDED BY MD DO | 2 | 6 | 2 | 8 | 4 | 6 | 11 | 8 | 6 | 20 |
| OTHER | 1 | | | | | | | | 10 | |
| PREMATURE BIRTHS | 34 | 28 | 35 | 38 | 22 | 31 | 31 | 32 | 27 | 32 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 311 | 283 | 307 | 287 | 281 | 283 | 284 | 297 | 283 | 313 |
| WHITE FEMALE | 278 | 278 | 286 | 316 | 290 | 301 | 281 | 267 | 300 | 293 |
| NEGRO MALE | | 1 | 3 | 3 | 1 | 3 | 3 | 3 | 3 | 3 |
| NEGRO FEMALE | 2 | 1 | 3 | 2 | 4 | 4 | 1 | 3 | 2 | 2 |
| OTHER RACES MALE | 1 | 2 | | | | | | | | * |
| OTHER RALES FEMALE | | | | | | 2 | 1 | | 1 | * |
| ILLEGITIMATE BIRTHS | 14 | 5 | 8 | 16 | 13 | 19 | 15 | 19 | 17 | 22 |
| WHITE | 14 | 4 | 8 | 15 | 10 | 17 | 14 | 17 | 15 | 20 |
| NON WHITE | | 1 | | 1 | 3 | 2 | 1 | 2 | 2 | 2 |
| FETAL DEATHS TOTAL | 5 | 11 | 5 | 3 | 9 | 13 | 7 | 19 | 13 | 6 |
| GESTATION 20 WEEKS | | 1 | | | | 1 | | | | |
| 20 27 WEEKS | 2 | 3 | 1 | 1 | 3 | 3 | | 1 | 5 | 1 |
| 28 WEEKS AND OVER | 3 | 7 | 4 | 2 | 6 | 9 | 7 | 18 | 8 | 5 |
| NOT REPORTED | | | | | | | | | | |

| MC HENRY COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 1998 | 2000 | 1887 | 1672 | 1623 | 1505 | 1417 | 1320 | 1300 | 1199 |
| HOSPITAL | 1992 | 1990 | 1876 | 1664 | 1603 | 1496 | 1402 | 1307 | 1295 | 1185 |
| NON HOSPITAL | 6 | 10 | 11 | 8 | 20 | 9 | 15 | 13 | 5 | 14 |
| ATTENDED BY MD DO | 6 | 10 | 11 | 8 | 20 | 8 | 12 | 13 | 5 | 14 |
| OTHER | | | | | | 1 | 3 | | | |
| PREMATURE BIRTHS | 132 | 109 | 115 | 107 | 88 | 101 | 85 | 93 | 74 | 72 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 1031 | 1059 | 944 | 856 | 826 | 753 | 743 | 672 | 644 | 626 |
| WHITE FEMALE | 963 | 940 | 940 | 813 | 797 | 751 | 673 | 648 | 655 | 573 |
| NEGRO MALE | | | | 1 | | | | | 1 | |
| NEGRO FEMALE | | | | | | | 1 | | | |
| OTHER RACES MALE | | | 1 | 1 | | | | | | * |
| OTHER RACES FEMALE | 4 | 1 | 2 | 1 | | 1 | | | | * |
| ILLEGITIMATE BIRTHS | 23 | 27 | 21 | 18 | 11 | 15 | 11 | 9 | 17 | 10 |
| WHITE | 22 | 27 | 21 | 18 | 11 | 15 | 11 | 9 | 17 | 10 |
| NON WHITE | 1 | | | | | | | | | |
| FETAL DEATHS TOTAL | 27 | 30 | 31 | 21 | 21 | 11 | 21 | 28 | 19 | 11 |
| GESTATION 20 WEEKS | 2 | 1 | 2 | | | | 1 | | 1 | |
| 20 27 WEEKS | 9 | 5 | 5 | 1 | 4 | 1 | 6 | 8 | 7 | 4 |
| 28 WEEKS AND OVER | 16 | 24 | 24 | 20 | 17 | 9 | 14 | 20 | 11 | 7 |
| NOT REPORTED | | | | | | 1 | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| MC LEAN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 1853 | 1849 | 1866 | 1972 | 1830 | 1818 | 1748 | 1804 | 1647 | 1652 |
| HOSPITAL | 1849 | 1845 | 1861 | 1963 | 1820 | 1813 | 1737 | 1789 | 1632 | 1625 |
| NON HOSPITAL | 4 | 4 | 5 | 9 | 10 | 5 | 11 | 15 | 15 | 27 |
| ATTENDED BY MD DO | 3 | 4 | 5 | 8 | 9 | 5 | 11 | 14 | 12 | 27 |
| OTHER | 1 | | | 1 | 1 | | | 1 | 3 | |
| PREMATURE BIRTHS | 106 | 123 | 123 | 116 | 102 | 118 | 108 | 114 | 128 | 102 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 937 | 921 | 952 | 982 | 895 | 938 | 847 | 916 | 836 | 826 |
| WHITE FEMALE | 874 | 885 | 882 | 944 | 893 | 849 | 883 | 858 | 795 | 802 |
| NEGRO MALE | 13 | 19 | 15 | 21 | 23 | 18 | 10 | 11 | 6 | 11 |
| NEGRO FEMALE | 24 | 23 | 15 | 23 | 17 | 11 | 8 | 17 | 10 | 13 |
| OTHER RACES MALE | 1 | 1 | 2 | 1 | 1 | 1 | | 1 | | * |
| OTHER RACES FEMALE | 4 | | | 1 | 1 | 1 | | 1 | | * |
| ILLEGITIMATE BIRTHS | 36 | 50 | 37 | 30 | 36 | 33 | 25 | 34 | 25 | 34 |
| WHITE | 33 | 43 | 36 | 24 | 28 | 29 | 23 | 30 | 22 | 27 |
| NON WHITE | 3 | 7 | 1 | 6 | 8 | 4 | 2 | 4 | 3 | 7 |
| FETAL DEATHS TOTAL | 24 | 28 | 24 | 21 | 38 | 30 | 24 | 29 | 17 | 20 |
| GESTATION 20 WEEKS | 1 | | 1 | | 1 | | | 2 | | |
| 20 27 WEEKS | 6 | 11 | 2 | 4 | 4 | 5 | 3 | 4 | 4 | 3 |
| 28 WEEKS AND OVER | 16 | 17 | 21 | 17 | 33 | 25 | 21 | 23 | 13 | 17 |
| NOT REPORTED | 1 | | | | | | | | | |



| MACON COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 2715 | 2863 | 2916 | 2824 | 2695 | 2514 | 2449 | 2490 | 2514 | 2389 |
| HOSPITAL | 2711 | 2854 | 2909 | 2813 | 2683 | 2510 | 2442 | 2481 | 2507 | 2375 |
| NON HOSPITAL | 4 | 9 | 7 | 11 | 12 | 4 | 7 | 9 | 7 | 14 |
| ATTENDED BY MD DO | 4 | 9 | 7 | 11 | 12 | 4 | 7 | 9 | 6 | 14 |
| OTHER | | | | | | | | | 1 | |
| PREMATURE BIRTHS | 179 | 219 | 193 | 187 | 200 | 185 | 171 | 172 | 182 | 148 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 1288 | 1393 | 1384 | 1375 | 1244 | 1199 | 1156 | 1216 | 1266 | 1149 |
| WHITE FEMALE | 1206 | 1259 | 1312 | 1252 | 1259 | 1147 | 1139 | 1149 | 1117 | 1133 |
| NEGRO MALE | 112 | 110 | 112 | 103 | 95 | 87 | 83 | 59 | 65 | 60 |
| NEGRO FEMALE | 107 | 100 | 108 | 92 | 94 | 79 | 69 | 66 | 66 | 47 |
| OTHER RACES MALE | | 1 | | 1 | 1 | | 1 | | | * |
| OTHER RACES FEMALE | 2 | | | 1 | 2 | 2 | 1 | | | * |
| ILLEGITIMATE BIRTHS | 129 | 112 | 108 | 103 | 99 | 75 | 80 | 62 | 50 | 47 |
| WHITE | 60 | 53 | 56 | 60 | 64 | 48 | 56 | 41 | 41 | 33 |
| NON WHITE | 69 | 59 | 52 | 43 | 35 | 27 | 24 | 21 | 9 | 14 |
| FETAL DEATHS TOTAL | 34 | 49 | 35 | 41 | 27 | 31 | 25 | 29 | 23 | 40 |
| GESTATION 20 WEEKS | 2 | 2 | | 1 | | | | 1 | | |
| 20 27 WEEKS | 14 | 10 | 8 | 12 | 3 | 7 | 4 | 3 | 3 | 12 |
| 28 WEEKS AND OVER | 18 | 37 | 27 | 28 | 24 | 24 | 21 | 25 | 20 | 28 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| MACOUPIN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 823 | 782 | 839 | 840 | 835 | 847 | 827 | 886 | 823 | 828 |
| HOSPITAL | 820 | 774 | 835 | 834 | 828 | 835 | 810 | 865 | 801 | 801 |
| NON HOSPITAL | 3 | 8 | 4 | 6 | 7 | 12 | 17 | 21 | 22 | 27 |
| ATTENDED BY MD DO | 3 | 8 | 4 | 6 | 6 | 12 | 17 | 21 | 20 | 27 |
| OTHER | | | | | 1 | | | | 2 | |
| PREMATURE BIRTHS | 33 | 47 | 33 | 39 | 53 | 57 | 41 | 50 | 47 | 47 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 397 | 387 | 433 | 420 | 422 | 431 | 420 | 449 | 423 | 441 |
| WHITE FEMALE | 426 | 395 | 405 | 419 | 413 | 414 | 407 | 436 | 400 | 387 |
| NEGRO MALE | | | | | | 1 | | | | |
| NEGRO FEMALE | | | 1 | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RALES FEMALE | | | | 1 | | 1 | | 1 | | * |
| ILLEGITIMATE BIRTHS | 19 | 10 | 13 | 9 | 7 | 7 | 11 | 5 | 10 | 15 |
| WHITE | 19 | 10 | 13 | 9 | 7 | 7 | 11 | 5 | 10 | 15 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 15 | 18 | 18 | 11 | 11 | 17 | 13 | 17 | 15 | 8 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 6 | 3 | 3 | 3 | 2 | 4 | 4 | 1 | 1 | |
| 28 WEEKS AND OVER | 9 | 15 | 15 | 8 | 9 | 13 | 9 | 16 | 13 | 8 |
| NOT REPORTED | | | | | | | | | 1 | |

| MADISON COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 5427 | 5328 | 5659 | 5695 | 5304 | 5234 | 5048 | 4938 | 4658 | 4291 |
| HOSPITAL | 5393 | 5280 | 5623 | 5652 | 5248 | 5165 | 4958 | 4845 | 4537 | 4131 |
| NON HOSPITAL | 34 | 48 | 36 | 43 | 56 | 69 | 90 | 93 | 121 | 160 |
| ATTENDED BY MD DO | 31 | 47 | 35 | 39 | 50 | 65 | 86 | 91 | 120 | 160 |
| OTHER | 3 | 1 | 1 | 4 | 6 | 4 | 4 | 2 | 1 | |
| PREMATURE BIRTHS | 439 | 378 | 392 | 408 | 397 | 361 | 384 | 369 | 351 | 251 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 2591 | 2523 | 2721 | 2785 | 2527 | 2506 | 2410 | 2345 | 2207 | 1997 |
| WHITE FEMALE | 2466 | 2408 | 2579 | 2557 | 2427 | 2403 | 2330 | 2269 | 2157 | 2029 |
| NEGRO MALE | 198 | 191 | 187 | 164 | 141 | 152 | 153 | 157 | 148 | 138 |
| NEGRO FEMALE | 168 | 200 | 167 | 180 | 198 | 166 | 147 | 159 | 144 | 127 |
| OTHER RACES MALE | 1 | 4 | 3 | 3 | 4 | 4 | 2 | 1 | 1 | * |
| OTHER RACES FEMALE | 3 | 2 | 2 | 6 | 7 | 3 | 6 | 7 | 1 | * |
| ILLEGITIMATE BIRTHS | 188 | 172 | 159 | 159 | 129 | 124 | 125 | 128 | 101 | 80 |
| WHITE | 98 | 78 | 74 | 80 | 66 | 55 | 58 | 64 | 48 | 33 |
| NON WHITE | 90 | 94 | 85 | 79 | 63 | 69 | 67 | 64 | 53 | 47 |
| FETAL DEATHS TOTAL | 74 | 87 | 72 | 80 | 74 | 76 | 76 | 100 | 82 | 79 |
| GESTATION 20 WEEKS | 1 | 5 | | 2 | | 2 | 3 | 4 | 3 | 1 |
| 20 27 WEEKS | 19 | 20 | 19 | 12 | 15 | 16 | 19 | 28 | 16 | 10 |
| 28 WEEKS AND OVER | 54 | 62 | 52 | 66 | 59 | 58 | 54 | 67 | 61 | 68 |
| NOT REPORTED | | | 1 | | | | | 1 | 2 | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| MARION COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 787 | 806 | 859 | 808 | 831 | 833 | 887 | 885 | 944 | 907 |
| HOSPITAL | 776 | 798 | 845 | 797 | 821 | 812 | 857 | 843 | 863 | 850 |
| NON HOSPITAL | 11 | 8 | 14 | 11 | 10 | 21 | 30 | 42 | 81 | 57 |
| ATTENDED BY MD DO | 11 | 8 | 14 | 11 | 10 | 20 | 30 | 41 | 81 | 57 |
| OTHER | | | | | | 1 | | 1 | | |
| PREMATURE BIRTHS | 46 | 63 | 62 | 45 | 55 | 68 | 61 | 60 | 68 | 58 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 387 | 407 | 394 | 385 | 398 | 404 | 449 | 439 | 471 | 456 |
| WHITE FEMALE | 358 | 358 | 423 | 390 | 391 | 388 | 402 | 408 | 445 | 416 |
| NEGRO MALE | 17 | 20 | 17 | 15 | 15 | 21 | 21 | 15 | 15 | 21 |
| NEGRO FEMALE | 23 | 20 | 25 | 18 | 25 | 20 | 15 | 23 | 12 | 14 |
| OTHER RACES MALE | 1 | 1 | | | 1 | | | | | * |
| OTHER RACES FEMALE | 1 | | | | 1 | | | | 1 | * |
| ILLEGITIMATE BIRTHS | 32 | 35 | 40 | 35 | 33 | 33 | 32 | 30 | 30 | 31 |
| WHITE | 24 | 26 | 28 | 27 | 18 | 19 | 18 | 17 | 22 | 16 |
| NON WHITE | 8 | 9 | 12 | 8 | 15 | 14 | 14 | 13 | 8 | 15 |
| FETAL DEATHS TOTAL | 11 | 7 | 14 | 17 | 20 | 21 | 15 | 13 | 13 | 15 |
| GESTATION 20 WEEKS | | 1 | | | | | | | | |
| 20 27 WEEKS | 3 | 2 | 4 | 3 | | 3 | 5 | 4 | 2 | 4 |
| 28 WEEKS AND OVER | 8 | 4 | 10 | 14 | 20 | 18 | 10 | 8 | 10 | 11 |
| NOT REPORTED | | | | | | | | 1 | 1 | |

| MARSHALL COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 296 | 271 | 279 | 282 | 292 | 274 | 286 | 287 | 253 | 275 |
| HOSPITAL | 291 | 268 | 277 | 282 | 288 | 268 | 282 | 284 | 249 | 264 |
| NON HOSPITAL | 5 | 3 | 2 | | 4 | 6 | 4 | 3 | 4 | 11 |
| ATTENDED BY MD DO | 5 | 3 | 2 | | 4 | 6 | 4 | 3 | 4 | 11 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 14 | 21 | 15 | 19 | 18 | 10 | 14 | 12 | 16 | 16 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 126 | 148 | 141 | 144 | 146 | 145 | 149 | 138 | 137 | 148 |
| WHITE FEMALE | 168 | 122 | 137 | 138 | 146 | 129 | 137 | 149 | 116 | 127 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | 1 | | 1 | | | | | | | * |
| OTHER RACES FEMALE | 1 | 1 | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 5 | 2 | 4 | 4 | 3 | | 2 | | 1 | 1 |
| WHITE | 5 | 2 | 4 | 4 | 3 | | 2 | | 1 | 1 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 4 | 5 | 5 | 2 | 3 | 2 | 4 | 7 | 3 | 1 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | | 3 | 1 | | 1 | | | | 1 |
| 28 WEEKS AND OVER | 4 | 5 | 2 | 1 | 3 | 1 | 4 | 7 | 3 | |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| MASON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 313 | 301 | 295 | 291 | 296 | 325 | 276 | 310 | 310 | 305 |
| HOSPITAL | 312 | 298 | 288 | 285 | 294 | 319 | 270 | 297 | 298 | 277 |
| NON HOSPITAL | 1 | 3 | 7 | 6 | 2 | 6 | 6 | 13 | 12 | 28 |
| ATTENDED BY MD DO | 1 | 2 | 7 | 6 | 2 | 6 | 6 | 13 | 12 | 28 |
| OTHER | | 1 | | | | | | | | |
| PREMATURE BIRTHS | 15 | 11 | 22 | 17 | 14 | 18 | 14 | 21 | 12 | 30 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 162 | 149 | 146 | 129 | 154 | 169 | 137 | 161 | 167 | 182 |
| WHITE FEMALE | 151 | 152 | 149 | 162 | 141 | 156 | 139 | 149 | 143 | 123 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | 1 | | | | | * |
| ILLEGITIMATE BIRTHS | 10 | 3 | 6 | 7 | 6 | 7 | 5 | 2 | 3 | 7 |
| WHITE | 10 | 3 | 6 | 7 | 6 | 7 | 5 | 2 | 3 | 7 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 3 | 6 | 6 | 3 | 6 | 3 | 4 | 4 | 7 | 6 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | | 2 | 1 | | 1 | 3 | 1 | 2 | |
| 28 WEEKS AND OVER | 2 | 5 | 4 | 2 | 6 | 2 | 1 | 3 | 5 | 6 |
| NOT REPORTED | | 1 | | | | | | | | |

| MASSAC COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 268 | 267 | 231 | 283 | 356 | 368 | 419 | 354 | 254 | 250 |
| HOSPITAL | 266 | 267 | 228 | 259 | 243 | 246 | 300 | 278 | 182 | 179 |
| NON HOSPITAL | 2 | | 3 | 24 | 113 | 122 | 119 | 76 | 72 | 71 |
| ATTENDED BY MD DO | 1 | | 3 | 21 | 109 | 118 | 116 | 76 | 68 | 69 |
| OTHER | 1 | | | 3 | 4 | 4 | 3 | | 4 | 2 |
| PREMATURE BIRTHS | 11 | 20 | 15 | 21 | 18 | 28 | 33 | 29 | 13 | 7 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 106 | 133 | 103 | 125 | 160 | 193 | 212 | 165 | 116 | 127 |
| WHITE FEMALE | 137 | 116 | 109 | 136 | 159 | 154 | 177 | 161 | 116 | 106 |
| NEGRO MALE | 14 | 9 | 11 | 10 | 19 | 13 | 9 | 14 | 8 | 7 |
| NEGRO FEMALE | 11 | 9 | 8 | 11 | 17 | 8 | 20 | 13 | 14 | 10 |
| OTHER RACES MALE | | | | | 1 | | 1 | | | * |
| OTHER RACES FEMALE | | | | 1 | | | | 1 | | * |
| ILLEGITIMATE BIRTHS | 14 | 14 | 15 | 12 | 11 | 11 | 15 | 8 | 13 | 5 |
| WHITE | 6 | 8 | 10 | 5 | 2 | 6 | 6 | 4 | 7 | 2 |
| NON WHITE | 8 | 6 | 5 | 7 | 9 | 5 | 9 | 4 | 6 | 3 |
| FETAL DEATHS TOTAL | 3 | 5 | 4 | 2 | 1 | 4 | 8 | 2 | 7 | 6 |
| GESTATION 20 WEEKS | | | 1 | | | 2 | | | 2 | |
| 20 27 WEEKS | | 2 | | 1 | | 1 | 2 | | 2 | 2 |
| 28 WEEKS AND OVER | 3 | 3 | 2 | 1 | 1 | 1 | 6 | 2 | 3 | 3 |
| NOT REPORTED | | | 1 | | | | | | | 1 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| MENARD COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 188 | 182 | 174 | 197 | 180 | 188 | 181 | 172 | 174 | 202 |
| HOSPITAL | 188 | 181 | 172 | 195 | 179 | 181 | 174 | 162 | 159 | 173 |
| NON HOSPITAL | | 1 | 2 | 2 | 1 | 7 | 7 | 10 | 15 | 29 |
| ATTENDED BY MD DO | | 1 | 2 | 2 | 1 | 7 | 7 | 10 | 15 | 29 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 8 | 16 | 10 | 15 | 6 | 5 | 14 | 11 | 12 | 13 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 91 | 95 | 88 | 86 | 96 | 95 | 76 | 83 | 94 | 110 |
| WHITE FEMALE | 97 | 86 | 86 | 111 | 83 | 92 | 104 | 88 | 77 | 92 |
| NEGRO MALE | | 1 | | | 1 | 1 | 1 | 1 | 1 | |
| NEGRO FEMALE | | | | | | | | | 2 | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 5 | 7 | 2 | 4 | 1 | 2 | 2 | 5 | 1 | 1 |
| WHITE | 5 | 7 | 2 | 4 | 1 | 2 | 2 | 5 | 1 | 1 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 8 | 2 | 1 | | 4 | 2 | 3 | 3 | 1 | 2 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 2 | 1 | | | 1 | 1 | 1 | | 1 | |
| 28 WEEKS AND OVER | 6 | 1 | 1 | | 3 | 1 | 2 | 3 | | 2 |
| NOT REPORTED | | | | | | | | | | |

| MERCER COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 343 | 314 | 335 | 377 | 334 | 359 | 363 | 382 | 376 | 362 |
| HOSPITAL | 341 | 313 | 333 | 374 | 329 | 358 | 353 | 375 | 369 | 349 |
| NON HOSPITAL | 2 | 1 | 2 | 3 | 5 | 1 | 10 | 7 | 7 | 13 |
| ATTENDED BY MD DO | 2 | 1 | 1 | 3 | 5 | 1 | 10 | 6 | 7 | 13 |
| OTHER | | | 1 | | | | | 1 | | |
| PREMATURE BIRTHS | 21 | 21 | 14 | 25 | 15 | 21 | 25 | 17 | 29 | 21 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 181 | 159 | 163 | 189 | 178 | 206 | 185 | 208 | 196 | 189 |
| WHITE FEMALE | 161 | 155 | 169 | 187 | 156 | 151 | 178 | 174 | 180 | 173 |
| NEGRO MALE | 1 | | 1 | 1 | | 1 | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | 1 | | | 1 | | | | * |
| OTHER RACES FEMALE | | | 1 | | | | | | | * |
| ILLEGITIMATE BIRTHS | 4 | 6 | 6 | 7 | | 2 | 6 | 2 | 7 | 4 |
| WHITE | 4 | 6 | 5 | 6 | | 2 | 6 | 2 | 7 | 4 |
| NON WHITE | | | 1 | 1 | | | | | | |
| FETAL DEATHS TOTAL | 1 | 5 | 3 | 9 | 5 | 5 | 2 | 5 | 4 | 5 |
| GESTATION 20 WEEKS | | | | 1 | | | | | | |
| 20 27 WEEKS | | 1 | | 3 | | 1 | | | 1 | 1 |
| 28 WEEKS AND OVER | 1 | 4 | 3 | 5 | 5 | 4 | 2 | 5 | 3 | 4 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| MONROE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 354 | 322 | 329 | 340 | 302 | 304 | 316 | 270 | 263 | 274 |
| HOSPITAL | 352 | 321 | 329 | 339 | 299 | 303 | 316 | 270 | 255 | 271 |
| NON HOSPITAL | 2 | 1 | | 1 | 3 | 1 | | | 8 | 3 |
| ATTENDED BY MD DO | | 1 | | 1 | 3 | 1 | | | 5 | 3 |
| OTHER | 2 | | | | | | | | 3 | |
| PREMATURE BIRTHS | 15 | 19 | 14 | 25 | 20 | 19 | 21 | 22 | 24 | 16 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 166 | 149 | 167 | 171 | 168 | 154 | 175 | 138 | 120 | 126 |
| WHITE FEMALE | 187 | 173 | 162 | 169 | 134 | 149 | 140 | 132 | 143 | 148 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | 1 | | | | | | | | | |
| OTHER RACES MALE | | | | | | 1 | 1 | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 5 | 5 | 6 | 1 | 6 | 1 | 2 | 1 | 6 | |
| WHITE | 5 | 5 | 6 | 1 | 6 | 1 | 2 | 1 | 6 | |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 2 | 3 | 2 | 1 | 6 | 2 | 4 | 4 | 1 | 3 |
| GESTATION 20 WEEKS | | | | 1 | | | 1 | | | |
| 20 27 WEEKS | | | | | | | | | | |
| 28 WEEKS AND OVER | 2 | 3 | 2 | | 6 | 2 | 3 | 4 | 1 | 3 |
| NOT REPORTED | | | | | | | | | | |



| MONTGOMERY COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 639 | 617 | 631 | 649 | 619 | 648 | 619 | 645 | 685 | 656 |
| HOSPITAL | 633 | 612 | 628 | 645 | 611 | 645 | 609 | 630 | 668 | 634 |
| NON HOSPITAL | 6 | 5 | 3 | 4 | 8 | 3 | 10 | 15 | 17 | 22 |
| ATTENDED BY MD DO | 6 | 5 | 3 | 4 | 8 | 3 | 10 | 15 | 17 | 22 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 36 | 32 | 43 | 32 | 34 | 34 | 26 | 41 | 37 | 35 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 314 | 328 | 326 | 345 | 329 | 324 | 324 | 302 | 339 | 344 |
| WHITE FEMALE | 322 | 283 | 302 | 300 | 288 | 319 | 288 | 341 | 345 | 309 |
| NEGRO MALE | 3 | 3 | 3 | 2 | 1 | 3 | 2 | | 1 | |
| NEGRO FEMALE | | 3 | | 2 | 1 | 2 | 5 | 2 | | 3 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 18 | 13 | 20 | 6 | 9 | 11 | 9 | 12 | 14 | 11 |
| WHITE | 17 | 11 | 18 | 5 | 9 | 11 | 6 | 12 | 14 | 11 |
| NON WHITE | 1 | 2 | 2 | 1 | | | 3 | | | |
| FETAL DEATHS TOTAL | 14 | 11 | 13 | 16 | 10 | 11 | 9 | 15 | 10 | 18 |
| GESTATION 20 WEEKS | | | | | | 2 | | | | |
| 20 27 WEEKS | 1 | 1 | 2 | 7 | 2 | 1 | 2 | 6 | 3 | 2 |
| 28 WEEKS AND OVER | 13 | 10 | 11 | 9 | 8 | 8 | 7 | 9 | 7 | 16 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| MORGAN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 626 | 617 | 643 | 665 | 679 | 604 | 636 | 624 | 680 | 634 |
| HOSPITAL | 624 | 616 | 641 | 661 | 677 | 601 | 630 | 615 | 673 | 617 |
| NON HOSPITAL | 2 | 1 | 2 | 4 | 2 | 3 | 6 | 9 | 7 | 17 |
| ATTENDED BY MD DO | 2 | 1 | 2 | 4 | 2 | 2 | 6 | 8 | 5 | 17 |
| OTHER | | | | | | 1 | | 1 | 2 | |
| PREMATURE BIRTHS | 42 | 35 | 37 | 48 | 41 | 38 | 44 | 36 | 46 | 35 |
| SEX RACE & | | | | | | | | | | |
| WHITE MALE | 331 | 322 | 310 | 330 | 316 | 324 | 329 | 288 | 314 | 335 |
| WHITE FEMALE | 273 | 276 | 312 | 319 | 343 | 265 | 292 | 319 | 355 | 278 |
| NEGRO MALE | 11 | 7 | 18 | 8 | 12 | 6 | 7 | 10 | 7 | 8 |
| NEGRO FEMALE | 11 | 12 | 3 | 8 | 8 | 9 | 8 | 7 | 3 | 13 |
| OTHER RACES MALE | | | | | | | | | 1 | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 16 | 17 | 21 | 24 | 22 | 11 | 9 | 13 | 14 | 16 |
| WHITE | 12 | 14 | 16 | 17 | 16 | 10 | 8 | 11 | 13 | 12 |
| NON WHITE | 4 | 3 | 5 | 7 | 6 | 1 | 1 | 2 | 1 | 4 |
| FETAL DEATHS TOTAL | 7 | 6 | 8 | 5 | 10 | 6 | 6 | 9 | 11 | 8 |
| GESTATION 20 WEEKS | | | | | | 1 | | | | 1 |
| 20 27 WEEKS | 1 | 1 | 2 | 2 | 2 | 1 | 2 | 3 | 3 | 1 |
| 28 WEEKS AND OVER | 6 | 5 | 6 | 3 | 7 | 4 | 4 | 6 | 8 | 6 |
| NOT REPORTED | | | | | 1 | | | | | |

| MOULTRIE COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 317 | 274 | 330 | 290 | 294 | 300 | 305 | 282 | 296 | 310 |
| HOSPITAL | 310 | 263 | 323 | 284 | 282 | 287 | 298 | 261 | 277 | 282 |
| NON HOSPITAL | 7 | 11 | 7 | 6 | 12 | 13 | 7 | 21 | 19 | 28 |
| ATTENDED BY MD DO | 7 | 11 | 7 | 6 | 12 | 13 | 7 | 20 | 19 | 28 |
| OTHER | | | | | | | | 1 | | |
| PREMATURE BIRTHS | 17 | 9 | 16 | 9 | 22 | 18 | 16 | 9 | 17 | 14 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 162 | 143 | 178 | 151 | 133 | 166 | 165 | 136 | 146 | 167 |
| WHITE FEMALE | 153 | 131 | 151 | 138 | 160 | 134 | 139 | 146 | 150 | 143 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | 1 | | 1 | | | | 1 | | | * |
| OTHER RALES FEMALE | 1 | | | 1 | 1 | | | | | * |
| ILLEGITIMATE BIRTHS | 5 | 2 | 5 | 4 | | 6 | 4 | 1 | 5 | 2 |
| WHITE | 5 | 2 | 5 | 4 | | 6 | 4 | 1 | 5 | 2 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 6 | 2 | 1 | 2 | 4 | 5 | 4 | 2 | 6 | 2 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | | | | 4 | 1 | 2 | 1 | 1 | |
| 28 WEEKS AND OVER | 5 | 2 | 1 | 2 | | 4 | 2 | 1 | 5 | 2 |
| NOT REPORTED | 1 | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **OGLE COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 921 | 865 | 890 | 844 | 806 | 862 | 777 | 807 | 762 | 757 |
| HOSPITAL | 917 | 859 | 879 | 839 | 799 | 850 | 760 | 791 | 732 | 723 |
| NON HOSPITAL | 4 | 6 | 11 | 5 | 7 | 12 | 17 | 16 | 30 | 34 |
| ATTENDED BY MD DO | 4 | 6 | 11 | 5 | 7 | 12 | 17 | 16 | 23 | 34 |
| OTHER | | | | | | | | | 7 | |
| PREMATURE BIRTHS | 51 | 45 | 60 | 60 | 48 | 53 | 52 | 36 | 31 | 35 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 460 | 425 | 466 | 425 | 437 | 469 | 437 | 425 | 398 | 395 |
| WHITE FEMALE | 460 | 440 | 424 | 419 | 369 | 393 | 340 | 382 | 363 | 362 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | 1 | * |
| OTHER RALES FEMALE | 1 | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 16 | 17 | 21 | 11 | 16 | 8 | 13 | 11 | 11 | 15 |
| WHITE | 16 | 17 | 21 | 11 | 16 | 8 | 13 | 11 | 11 | 15 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 8 | 15 | 8 | 9 | 15 | 13 | 16 | 19 | 11 | 16 |
| GESTATION 20 WEEKS | | | | 1 | 1 | | | | | |
| 20 27 WEEKS | 1 | 4 | 2 | 1 | 6 | 4 | 4 | 5 | | 1 |
| 28 WEEKS AND OVER | 7 | 11 | 6 | 7 | 8 | 9 | 12 | 14 | 11 | 14 |
| NOT REPORTED | | | | | | | | | | 1 |
| **PEORIA COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 4569 | 4417 | 4895 | 4672 | 4299 | 4245 | 4447 | 4363 | 4447 | 4004 |
| HOSPITAL | 4543 | 4397 | 4869 | 4658 | 4276 | 4228 | 4416 | 4345 | 4426 | 3980 |
| NON HOSPITAL | 26 | 20 | 26 | 14 | 23 | 17 | 31 | 18 | 21 | 24 |
| ATTENDED BY MD DO | 25 | 20 | 25 | 13 | 22 | 17 | 30 | 16 | 20 | 22 |
| OTHER | 1 | | 1 | 1 | 1 | | 1 | 2 | 1 | 2 |
| PREMATURE BIRTHS | 362 | 304 | 338 | 313 | 258 | 265 | 313 | 301 | 281 | 235 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 2153 | 2049 | 2320 | 2230 | 2034 | 2070 | 2148 | 2109 | 2172 | 1914 |
| WHITE FEMALE | 2053 | 2031 | 2178 | 2088 | 1958 | 1875 | 2017 | 1973 | 2009 | 1865 |
| NEGRO MALE | 177 | 160 | 206 | 178 | 159 | 155 | 134 | 143 | 123 | 113 |
| NEGRO FEMALE | 177 | 173 | 181 | 173 | 142 | 138 | 147 | 133 | 141 | 112 |
| OTHER RACES MALE | 6 | 2 | 7 | 2 | 4 | 6 | | 3 | 1 | * |
| OTHER RACES FEMALE | 3 | 2 | 3 | 1 | 2 | 1 | 1 | 2 | 1 | * |
| ILLEGITIMATE BIRTHS | 306 | 277 | 289 | 240 | 202 | 192 | 171 | 154 | 156 | 157 |
| WHITE | 223 | 209 | 203 | 175 | 141 | 146 | 126 | 112 | 114 | 124 |
| NON WHITE | 83 | 68 | 86 | 65 | 61 | 46 | 45 | 42 | 42 | 33 |
| FETAL DEATHS TOTAL | 48 | 54 | 68 | 63 | 44 | 52 | 56 | 65 | 82 | 66 |
| GESTATION 20 WEEKS | 1 | | | | | | 1 | | | |
| 20 27 WEEKS | 4 | 5 | 13 | 8 | 8 | 6 | 16 | 8 | 23 | 22 |
| 28 WEEKS AND OVER | 43 | 49 | 55 | 55 | 36 | 46 | 39 | 57 | 58 | 44 |
| NOT REPORTED | | | | | | | | | 1 | |

*Races classified only as white and nonwhite in 1950.

SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| PERRY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 352 | 351 | 344 | 372 | 375 | 390 | 445 | 389 | 450 | 415 |
| HOSPITAL | 352 | 351 | 339 | 368 | 364 | 380 | 433 | 372 | 432 | 389 |
| NON HOSPITAL | | | 5 | 4 | 11 | 10 | 12 | 17 | 18 | 26 |
| ATTENDED BY MD DO | | | 5 | 3 | 9 | 10 | 11 | 16 | 17 | 26 |
| OTHER | | | | 1 | 2 | | 1 | 1 | 1 | |
| PREMATURE BIRTHS | 21 | 24 | 15 | 25 | 22 | 17 | 30 | 18 | 24 | 29 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 170 | 186 | 181 | 192 | 191 | 203 | 240 | 197 | 225 | 200 |
| WHITE FEMALE | 170 | 160 | 161 | 172 | 175 | 183 | 194 | 184 | 216 | 201 |
| NEGRO MALE | 9 | 3 | 1 | 3 | 7 | 3 | 8 | 2 | 4 | 11 |
| NEGRO FEMALE | 3 | 2 | 1 | 5 | 2 | 1 | 3 | 6 | 5 | 3 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 8 | 14 | 7 | 11 | 8 | 12 | 8 | 9 | 5 | 5 |
| WHITE | 4 | 13 | 7 | 9 | 6 | 12 | 6 | 8 | 5 | 5 |
| NON WHITE | 4 | 1 | | 2 | 2 | | 2 | 1 | | |
| FETAL DEATHS TOTAL | 6 | 9 | 4 | 7 | 7 | 7 | 7 | 3 | 12 | 11 |
| GESTATION 20 WEEKS | | 1 | 1 | | | | | | | |
| 20 27 WEEKS | 1 | 3 | 1 | 1 | 2 | | | | 2 | 3 |
| 28 WEEKS AND OVER | 5 | 5 | 2 | 6 | 5 | 6 | 6 | 3 | 9 | 8 |
| NOT REPORTED | | | | | | 1 | 1 | | 1 | |

| PIATT COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 324 | 298 | 328 | 322 | 322 | 337 | 300 | 314 | 318 | 298 |
| HOSPITAL | 323 | 298 | 328 | 322 | 321 | 335 | 300 | 311 | 317 | 293 |
| NON HOSPITAL | 1 | | | | 1 | 2 | | 3 | 1 | 5 |
| ATTENDED BY MD DO | 1 | | | | 1 | 2 | | 3 | 1 | 5 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 19 | 13 | 14 | 13 | 13 | 14 | 20 | 24 | 21 | 13 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 157 | 150 | 163 | 149 | 162 | 159 | 143 | 145 | 159 | 158 |
| WHITE FEMALE | 167 | 148 | 165 | 173 | 160 | 178 | 157 | 169 | 159 | 140 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 4 | 2 | 7 | 1 | 6 | 4 | 1 | 5 | 3 | 2 |
| WHITE | 4 | 2 | 7 | 1 | 6 | 4 | 1 | 5 | 3 | 2 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 3 | 7 | 9 | 8 | 5 | 1 | 1 | 3 | 3 | 8 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 2 | 3 | | 1 | | | | | 3 |
| 28 WEEKS AND OVER | 3 | 5 | 5 | 8 | 4 | 1 | 1 | 3 | 3 | 5 |
| NOT REPORTED | | | 1 | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| PIKE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 409 | 378 | 394 | 400 | 440 | 451 | 429 | 458 | 440 | 401 |
| HOSPITAL | 409 | 374 | 391 | 396 | 438 | 444 | 422 | 443 | 431 | 377 |
| NON HOSPITAL | | 4 | 3 | 4 | 2 | 7 | 7 | 15 | 9 | 24 |
| ATTENDED BY MD DO | | 4 | 3 | 4 | 2 | 6 | 7 | 15 | 9 | 24 |
| OTHER | | | | | | 1 | | | | |
| PREMATURE BIRTHS | 19 | 11 | 24 | 18 | 25 | 23 | 27 | 24 | 18 | 22 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 210 | 203 | 198 | 201 | 241 | 196 | 231 | 231 | 233 | 222 |
| WHITE FEMALE | 199 | 175 | 196 | 199 | 199 | 255 | 198 | 226 | 206 | 179 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | 1 | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | 1 | | * |
| ILLEGITIMATE BIRTHS | 4 | 8 | 7 | 9 | 7 | 9 | 2 | 3 | 10 | 4 |
| WHITE | 4 | 8 | 7 | 9 | 7 | 9 | 2 | 3 | 10 | 4 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 3 | 5 | 2 | 5 | 1 | 2 | 12 | 7 | 7 | 4 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 2 | | | | | 2 | 1 | 2 | 1 |
| 28 WEEKS AND OVER | 3 | 3 | 2 | 5 | 1 | 2 | 10 | 6 | 5 | 3 |
| NOT REPORTED | | | | | | | | | | |

| POPE COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 61 | 67 | 60 | 79 | 69 | 76 | 95 | 91 | 71 | 80 |
| HOSPITAL | 59 | 67 | 57 | 65 | 62 | 62 | 77 | 75 | 63 | 43 |
| NON HOSPITAL | 2 | | 3 | 14 | 7 | 14 | 18 | 16 | 8 | 37 |
| ATTENDED BY MD DO | 1 | | 2 | 14 | 7 | 14 | 16 | 16 | 8 | 37 |
| OTHER | 1 | | 1 | | | | 2 | | | |
| PREMATURE BIRTHS | 3 | 5 | 10 | 3 | 5 | 3 | 11 | 2 | 3 | |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 36 | 36 | 32 | 42 | 31 | 41 | 54 | 48 | 34 | 37 |
| WHITE FEMALE | 25 | 30 | 26 | 34 | 36 | 32 | 40 | 40 | 36 | 42 |
| NEGRO MALE | | 1 | 2 | 2 | 2 | 1 | | 1 | | |
| NEGRO FEMALE | | | | | | 1 | 1 | 2 | 1 | 1 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | 1 | | 1 | | | | * |
| ILLEGITIMATE BIRTHS | 1 | 2 | 3 | 2 | 3 | 3 | 3 | 2 | 2 | 3 |
| WHITE | 1 | 2 | 2 | 2 | 1 | 2 | 2 | 2 | 2 | 3 |
| NON WHITE | | | 1 | | 2 | 1 | 1 | | | |
| FETAL DEATHS TOTAL | | 2 | 2 | | 1 | 1 | 5 | 2 | 1 | |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 1 | | | | | 1 | 1 | 1 | |
| 28 WEEKS AND OVER | | 1 | 2 | | 1 | 1 | 4 | 1 | | |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| PULASKI COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 242 | 210 | 215 | 256 | 273 | 270 | 288 | 294 | 265 | 257 |
| HOSPITAL | 179 | 145 | 141 | 142 | 151 | 152 | 175 | 182 | 152 | 107 |
| NON HOSPITAL | 63 | 65 | 74 | 114 | 122 | 118 | 113 | 112 | 113 | 150 |
| ATTENDED BY MD DO | 41 | 44 | 56 | 95 | 99 | 95 | 93 | 90 | 79 | 118 |
| OTHER | 22 | 21 | 18 | 19 | 23 | 23 | 20 | 22 | 34 | 32 |
| PREMATURE BIRTHS | 15 | 26 | 18 | 16 | 20 | 20 | 22 | 32 | 18 | 13 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 69 | 47 | 61 | 82 | 75 | 85 | 91 | 122 | 89 | 68 |
| WHITE FEMALE | 73 | 61 | 71 | 59 | 81 | 80 | 92 | 79 | 73 | 74 |
| NEGRO MALE | 51 | 56 | 36 | 49 | 59 | 62 | 53 | 38 | 44 | 58 |
| NEGRO FEMALE | 49 | 46 | 47 | 66 | 58 | 43 | 52 | 55 | 59 | 57 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 40 | 38 | 27 | 32 | 45 | 27 | 26 | 22 | 31 | 31 |
| WHITE | 7 | 2 | | 2 | 4 | 2 | 3 | 4 | 2 | 1 |
| NON WHITE | 33 | 36 | 27 | 30 | 41 | 25 | 23 | 18 | 29 | 30 |
| FETAL DEATHS TOTAL | 9 | 10 | 5 | 7 | 6 | 8 | 11 | 8 | 11 | 12 |
| GESTATION 20 WEEKS | | | | | | | 1 | | | |
| 20 27 WEEKS | 1 | 4 | 1 | 2 | | 1 | 4 | 1 | 1 | 1 |
| 28 WEEKS AND OVER | 8 | 5 | 4 | 5 | 6 | 7 | 6 | 7 | 10 | 10 |
| NOT REPORTED | | 1 | | | | | | | | 1 |

| PUTNAM COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 77 | 97 | 103 | 92 | 119 | 98 | 88 | 114 | 111 | 95 |
| HOSPITAL | 74 | 97 | 103 | 92 | 119 | 97 | 87 | 114 | 111 | 95 |
| NON HOSPITAL | 3 | | | | | 1 | 1 | | | |
| ATTENDED BY MD DO | 3 | | | | | 1 | 1 | | | |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 5 | 7 | 5 | 4 | 7 | 4 | 5 | 10 | 3 | 4 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 37 | 53 | 60 | 45 | 59 | 53 | 48 | 58 | 56 | 47 |
| WHITE FEMALE | 40 | 43 | 43 | 46 | 60 | 45 | 40 | 56 | 55 | 48 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | 1 | | 1 | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RALES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | | | 2 | 1 | | 1 | 1 | | | |
| WHITE | | | 2 | 1 | | 1 | 1 | | | |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 2 | 2 | 1 | | 1 | 1 | 1 | 3 | 3 | 2 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 1 | | | | | | 2 | | |
| 28 WEEKS AND OVER | 2 | 1 | 1 | | 1 | 1 | 1 | 1 | 3 | 2 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| RANDOLPH COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 529 | 594 | 581 | 602 | 564 | 591 | 613 | 597 | 569 | 573 |
| HOSPITAL | 529 | 586 | 577 | 593 | 558 | 569 | 592 | 570 | 537 | 515 |
| NON HOSPITAL | | 8 | 4 | 9 | 6 | 22 | 21 | 27 | 32 | 58 |
| ATTENDED BY MD DO | | 7 | 4 | 9 | 6 | 22 | 20 | 27 | 31 | 57 |
| OTHER | | 1 | | | | | 1 | | 1 | 1 |
| PREMATURE BIRTHS | 50 | 40 | 32 | 34 | 31 | 35 | 38 | 37 | 29 | 25 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 277 | 299 | 292 | 301 | 280 | 312 | 328 | 283 | 291 | 279 |
| WHITE FEMALE | 241 | 285 | 277 | 286 | 273 | 269 | 273 | 298 | 268 | 276 |
| NEGRO MALE | 3 | 7 | 6 | 9 | 8 | 2 | 5 | 9 | 7 | 11 |
| NEGRO FEMALE | 7 | 3 | 5 | 6 | 3 | 8 | 5 | 7 | 3 | 7 |
| OTHER RACES MALE | | | 1 | | | | | | | * |
| OTHER RACES FEMALE | 1 | | | | | | 2 | | | * |
| ILLEGITIMATE BIRTHS | 12 | 13 | 7 | 18 | 5 | 10 | 8 | 8 | 8 | 12 |
| WHITE | 10 | 10 | 4 | 15 | 5 | 8 | 7 | 6 | 6 | 9 |
| NON WHITE | 2 | 3 | 3 | 3 | | 2 | 1 | 2 | 2 | 3 |
| FETAL DEATHS TOTAL | 9 | 10 | 8 | 9 | 7 | 14 | 11 | 7 | 3 | 10 |
| GESTATION 20 WEEKS | | | | | | 1 | | | | |
| 20 27 WEEKS | 1 | 3 | 3 | | | | 1 | 1 | 1 | |
| 28 WEEKS AND OVER | 8 | 7 | 5 | 9 | 7 | 13 | 10 | 6 | 2 | 10 |
| NOT REPORTED | | | | | | | | | | |

| RICHLAND COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 349 | 367 | 364 | 361 | 377 | 339 | 344 | 348 | 346 | 410 |
| HOSPITAL | 349 | 365 | 359 | 349 | 360 | 323 | 328 | 312 | 306 | 355 |
| NON HOSPITAL | | 2 | 5 | 12 | 17 | 16 | 16 | 36 | 40 | 55 |
| ATTENDED BY MD DO | | 2 | 5 | 12 | 17 | 16 | 16 | 36 | 39 | 55 |
| OTHER | | | | | | | | | 1 | |
| PREMATURE BIRTHS | 19 | 23 | 16 | 24 | 25 | 21 | 18 | 16 | 23 | 19 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 174 | 206 | 204 | 186 | 190 | 179 | 178 | 176 | 184 | 223 |
| WHITE FEMALE | 174 | 161 | 158 | 175 | 187 | 160 | 165 | 171 | 162 | 186 |
| NEGRO MALE | 1 | | | | | | | 1 | | |
| NEGRO FEMALE | | | 1 | | | | 1 | | | 1 |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | 1 | | | | | | | * |
| ILLEGITIMATE BIRTHS | 11 | 13 | 5 | 1 | 4 | 10 | 5 | 7 | 5 | 4 |
| WHITE | 11 | 13 | 5 | 1 | 4 | 10 | 5 | 7 | 5 | 4 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 3 | 6 | 5 | 8 | 8 | 3 | 10 | 3 | 11 | 5 |
| GESTATION 20 WEEKS | | | | | | | | | | 1 |
| 20 27 WEEKS | | | | 1 | 2 | | 1 | | | |
| 28 WEEKS AND OVER | 3 | 6 | 5 | 7 | 6 | 3 | 9 | 3 | 9 | 4 |
| NOT REPORTED | | | | | | | | | 2 | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| ROCK ISLAND COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 3558 | 3313 | 3431 | 3283 | 3255 | 3292 | 3336 | 3357 | 3352 | 3144 |
| HOSPITAL | 3548 | 3303 | 3423 | 3267 | 3243 | 3285 | 3326 | 3338 | 3334 | 3126 |
| NON HOSPITAL | 10 | 10 | 8 | 16 | 12 | 7 | 10 | 19 | 18 | 18 |
| ATTENDED BY MD DO | 8 | 9 | 8 | 13 | 11 | 7 | 9 | 17 | 15 | 18 |
| OTHER | 2 | 1 | | 3 | 1 | | 1 | 2 | 3 | |
| PREMATURE BIRTHS | 253 | 233 | 258 | 195 | 226 | 247 | 228 | 258 | 245 | 216 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 1742 | 1667 | 1677 | 1663 | 1582 | 1642 | 1663 | 1665 | 1672 | 1592 |
| WHITE FEMALE | 1684 | 1540 | 1643 | 1514 | 1554 | 1544 | 1565 | 1586 | 1593 | 1482 |
| NEGRO MALE | 69 | 60 | 57 | 50 | 62 | 61 | 50 | 55 | 47 | 38 |
| NEGRO FEMALE | 61 | 45 | 54 | 55 | 54 | 44 | 55 | 49 | 35 | 32 |
| OTHER RACES MALE | 1 | | | 1 | 1 | | 3 | 1 | 1 | * |
| OTHER RACES FEMALE | 1 | 1 | | | 2 | 1 | | 1 | 4 | * |
| ILLEGITIMATE BIRTHS | 82 | 95 | 86 | 64 | 61 | 77 | 50 | 58 | 52 | 51 |
| WHITE | 71 | 76 | 75 | 56 | 50 | 64 | 43 | 52 | 46 | 46 |
| NON WHITE | 11 | 19 | 11 | 8 | 11 | 13 | 7 | 6 | 6 | 5 |
| FETAL DEATHS TOTAL | 53 | 45 | 53 | 47 | 40 | 54 | 49 | 52 | 47 | 41 |
| GESTATION 20 WEEKS | | | 1 | | | | 1 | 1 | | 1 |
| 20 27 WEEKS | 11 | 10 | 10 | 6 | 9 | 11 | 15 | 16 | 15 | 5 |
| 28 WEEKS AND OVER | 41 | 33 | 42 | 40 | 31 | 42 | 33 | 35 | 32 | 35 |
| NOT REPORTED | 1 | 2 | | 1 | | 1 | | | | |



| ST CLAIR COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 6721 | 6816 | 6979 | 6816 | 6488 | 6394 | 6064 | 5669 | 5369 | 4851 |
| HOSPITAL | 6667 | 6707 | 6870 | 6664 | 6319 | 6203 | 5869 | 5462 | 5193 | 4634 |
| NON HOSPITAL | 54 | 109 | 109 | 152 | 169 | 191 | 195 | 207 | 176 | 217 |
| ATTENDED BY MD DO | 43 | 78 | 80 | 111 | 120 | 166 | 178 | 191 | 164 | 210 |
| OTHER | 11 | 31 | 29 | 41 | 49 | 25 | 17 | 16 | 12 | 7 |
| PREMATURE BIRTHS | 561 | 616 | 581 | 532 | 547 | 554 | 546 | 479 | 452 | 426 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 2662 | 2670 | 2834 | 2722 | 2577 | 2611 | 2452 | 2332 | 2267 | 1977 |
| WHITE FEMALE | 2486 | 2588 | 2718 | 2656 | 2504 | 2470 | 2427 | 2228 | 2082 | 1926 |
| NEGRO MALE | 768 | 763 | 713 | 714 | 676 | 652 | 609 | 551 | 500 | 454 |
| NEGRO FEMALE | 795 | 782 | 707 | 711 | 727 | 654 | 568 | 553 | 518 | 494 |
| OTHER RACES MALE | 6 | 6 | 4 | 1 | | 2 | 4 | 2 | 1 | * |
| OTHER RACES FEMALE | 4 | 7 | 3 | 12 | 4 | 5 | 4 | 3 | 1 | * |
| ILLEGITIMATE BIRTHS | 552 | 496 | 432 | 432 | 378 | 316 | 254 | 226 | 220 | 193 |
| WHITE | 87 | 82 | 93 | 76 | 71 | 62 | 55 | 39 | 36 | 26 |
| NON WHITE | 465 | 414 | 339 | 356 | 307 | 254 | 199 | 187 | 184 | 167 |
| FETAL DEATHS TOTAL | 67 | 100 | 76 | 68 | 92 | 83 | 93 | 83 | 85 | 58 |
| GESTATION 20 WEEKS | | 2 | 1 | | 3 | 2 | 4 | 5 | 3 | 1 |
| 20 27 WEEKS | 14 | 18 | 20 | 18 | 18 | 18 | 20 | 24 | 24 | 15 |
| 28 WEEKS AND OVER | 53 | 79 | 54 | 49 | 71 | 63 | 69 | 54 | 58 | 42 |
| NOT REPORTED | | 1 | 1 | 1 | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| SALINE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 404 | 441 | 440 | 429 | 435 | 493 | 504 | 545 | 566 | 564 |
| HOSPITAL | 399 | 439 | 437 | 425 | 433 | 484 | 490 | 522 | 526 | 506 |
| NON HOSPITAL | 5 | 2 | 3 | 4 | 2 | 9 | 14 | 23 | 40 | 58 |
| ATTENDED BY MD DO | 4 | 2 | 3 | 4 | 2 | 9 | 14 | 23 | 40 | 58 |
| OTHER | 1 | | | | | | | | | |
| PREMATURE BIRTHS | 41 | 29 | 32 | 28 | 19 | 20 | 35 | 26 | 51 | 33 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 177 | 225 | 213 | 222 | 198 | 255 | 255 | 282 | 288 | 266 |
| WHITE FEMALE | 209 | 200 | 203 | 191 | 221 | 220 | 229 | 244 | 265 | 281 |
| NEGRO MALE | 9 | 10 | 14 | 9 | 10 | 13 | 9 | 9 | 8 | 8 |
| NEGRO FEMALE | 8 | 6 | 9 | 7 | 6 | 4 | 11 | 9 | 5 | 9 |
| OTHER RACES MALE | 1 | | 1 | | | | | 1 | | * |
| OTHER RALES FEMALE | | | | | | 1 | | | | * |
| ILLEGITIMATE BIRTHS | 15 | 21 | 13 | 14 | 19 | 16 | 13 | 15 | 13 | 14 |
| WHITE | 10 | 15 | 9 | 10 | 14 | 12 | 10 | 14 | 11 | 9 |
| NON WHITE | 5 | 6 | 4 | 4 | 5 | 4 | 3 | 1 | 2 | 5 |
| FETAL DEATHS TOTAL | 4 | 6 | 11 | 8 | 8 | 5 | 10 | 6 | 9 | 8 |
| GESTATION 20 WEEKS | | | | 1 | | | | | | |
| 20 27 WEEKS | 1 | 2 | 6 | | 3 | 1 | 3 | | 3 | 5 |
| 28 WEEKS AND OVER | 3 | 4 | 5 | 7 | 5 | 4 | 7 | 6 | 6 | 3 |
| NOT REPORTED | | | | | | | | | | |

| SANGAMON COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 3462 | 3396 | 3332 | 3429 | 3248 | 3115 | 3194 | 3204 | 3175 | 3007 |
| HOSPITAL | 3454 | 3387 | 3325 | 3422 | 3233 | 3102 | 3188 | 3194 | 3154 | 2967 |
| NON HOSPITAL | 8 | 9 | 7 | 7 | 15 | 13 | 6 | 10 | 21 | 40 |
| ATTENDED BY MD DO | 5 | 9 | 7 | 7 | 14 | 12 | 5 | 6 | 18 | 39 |
| OTHER | 3 | | | | 1 | 1 | 1 | 4 | 3 | 1 |
| PREMATURE BIRTHS | 248 | 230 | 238 | 239 | 224 | 222 | 248 | 237 | 248 | 192 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 1657 | 1661 | 1630 | 1690 | 1620 | 1519 | 1612 | 1612 | 1583 | 1443 |
| WHITE FEMALE | 1602 | 1547 | 1536 | 1572 | 1465 | 1456 | 1445 | 1465 | 1474 | 1445 |
| NEGRO MALE | 108 | 89 | 82 | 88 | 68 | 70 | 70 | 73 | 67 | 71 |
| NEGRO FEMALE | 94 | 94 | 81 | 73 | 93 | 68 | 67 | 53 | 51 | 48 |
| OTHER RACES MALE | | 4 | 1 | 5 | | | | | | * |
| OTHER RACES FEMALE | 1 | 1 | 2 | 1 | 2 | 2 | | 1 | | * |
| ILLEGITIMATE BIRTHS | 171 | 180 | 122 | 140 | 132 | 114 | 123 | 105 | 105 | 93 |
| WHITE | 126 | 127 | 79 | 99 | 104 | 84 | 96 | 86 | 88 | 71 |
| NON WHITE | 45 | 53 | 43 | 41 | 28 | 30 | 27 | 19 | 17 | 22 |
| FETAL DEATHS TOTAL | 50 | 39 | 58 | 54 | 53 | 44 | 50 | 46 | 39 | 37 |
| GESTATION 20 WEEKS | 1 | | 1 | | | | 1 | | 1 | 1 |
| 20 27 WEEKS | 5 | 10 | 7 | 7 | 9 | 7 | 6 | 14 | 9 | 4 |
| 28 WEEKS AND OVER | 44 | 29 | 50 | 47 | 44 | 37 | 43 | 32 | 29 | 32 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **SCHUYLER COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 167 | 170 | 190 | 179 | 189 | 195 | 194 | 187 | 187 | 186 |
| HOSPITAL | 165 | 169 | 188 | 178 | 183 | 189 | 190 | 178 | 178 | 173 |
| NON HOSPITAL | 2 | 1 | 2 | 1 | 6 | 6 | 4 | 9 | 9 | 13 |
| ATTENDED BY MD DO | 2 | 1 | 2 | 1 | 6 | 6 | 4 | 9 | 2 | 13 |
| OTHER | | | | | | | | | 7 | |
| PREMATURE BIRTHS | 14 | 4 | 4 | 7 | 13 | 7 | 9 | 7 | 10 | 8 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 84 | 91 | 99 | 95 | 88 | 104 | 91 | 108 | 94 | 95 |
| WHITE FEMALE | 83 | 79 | 91 | 84 | 99 | 91 | 103 | 79 | 93 | 91 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RALES FEMALE | | | | | 2 | | | | | * |
| ILLEGITIMATE BIRTHS | 2 | 4 | 4 | 6 | 6 | 3 | 2 | 6 | 2 | 1 |
| WHITE | 2 | 4 | 4 | 6 | 6 | 3 | 2 | 6 | 2 | 1 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 5 | 1 | 5 | 2 | 1 | | 1 | 2 | 3 | 3 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | | 1 | 1 | | | | | 1 | |
| 28 WEEKS AND OVER | 4 | 1 | 4 | 1 | 1 | | 1 | 2 | 2 | 3 |
| NOT REPORTED | | | | | | | | | | |
| **SCOTT COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 119 | 137 | 129 | 131 | 149 | 146 | 138 | 147 | 158 | 171 |
| HOSPITAL | 118 | 134 | 126 | 131 | 147 | 144 | 133 | 146 | 153 | 145 |
| NON HOSPITAL | 1 | 3 | 3 | | 2 | 2 | 5 | 1 | 5 | 26 |
| ATTENDED BY MD DO | 1 | 3 | 3 | | 2 | 2 | 5 | 1 | 5 | 26 |
| OTHER | | | | | | | | | | |
| PREMATURE BIRTHS | 6 | 9 | 10 | 7 | 9 | 7 | 7 | 8 | 5 | 9 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 66 | 82 | 70 | 62 | 76 | 79 | 70 | 83 | 81 | 97 |
| WHITE FEMALE | 53 | 55 | 59 | 69 | 73 | 67 | 68 | 64 | 77 | 74 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 2 | 3 | 2 | 5 | 2 | 3 | 1 | | 3 | 4 |
| WHITE | 2 | 3 | 2 | 5 | 2 | 3 | 1 | | 3 | 4 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | | 1 | 1 | | 4 | 2 | 1 | 2 | 4 | 3 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 1 | | | 1 | 1 | | | | |
| 28 WEEKS AND OVER | | | 1 | | 3 | 1 | 1 | 2 | 4 | 3 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| SHELBY COUNTY | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 479 | 495 | 507 | 473 | 476 | 523 | 495 | 526 | 495 | 527 |
| HOSPITAL | 473 | 491 | 498 | 464 | 467 | 502 | 481 | 493 | 444 | 469 |
| NON HOSPITAL | 6 | 4 | 9 | 9 | 9 | 21 | 14 | 33 | 51 | 58 |
| ATTENDED BY MD DO | 6 | 4 | 9 | 9 | 9 | 21 | 14 | 33 | 50 | 58 |
| OTHER | | | | | | | | | 1 | |
| PREMATURE BIRTHS | 26 | 37 | 23 | 18 | 35 | 29 | 28 | 26 | 32 | 29 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 247 | 261 | 262 | 225 | 226 | 254 | 251 | 286 | 259 | 275 |
| WHITE FEMALE | 230 | 233 | 245 | 248 | 250 | 269 | 244 | 240 | 236 | 252 |
| NEGRO MALE | | 1 | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | 1 | | | | | | | | | * |
| OTHER RACES FEMALE | 1 | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 10 | 7 | 7 | 6 | 5 | 10 | 8 | 7 | 13 | 9 |
| WHITE | 10 | 6 | 7 | 6 | 5 | 10 | 8 | 7 | 13 | 9 |
| NON WHITE | | 1 | | | | | | | | |
| FETAL DEATHS TOTAL | 6 | 12 | 6 | 2 | 3 | 9 | 10 | 8 | 9 | 9 |
| GESTATION 20 WEEKS | | | | | | | 1 | | | 1 |
| 20 27 WEEKS | 2 | 1 | 2 | | 1 | 4 | 3 | 1 | | |
| 28 WEEKS AND OVER | 4 | 11 | 4 | 2 | 2 | 5 | 6 | 7 | 9 | 8 |
| NOT REPORTED | | | | | | | | | | |
| STARK COUNTY | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 173 | 161 | 162 | 194 | 172 | 188 | 181 | 197 | 177 | 189 |
| HOSPITAL | 167 | 161 | 161 | 193 | 171 | 186 | 180 | 195 | 176 | 187 |
| NON HOSPITAL | 6 | | 1 | 1 | 1 | 2 | 1 | 2 | 1 | 2 |
| ATTENDED BY MD DO | 6 | | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 |
| OTHER | | | | | | | | 1 | | |
| PREMATURE BIRTHS | 5 | 5 | 5 | 9 | 4 | 10 | 7 | 4 | 3 | 11 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 88 | 82 | 82 | 100 | 93 | 102 | 94 | 93 | 102 | 98 |
| WHITE FEMALE | 85 | 79 | 78 | 94 | 79 | 86 | 87 | 104 | 75 | 91 |
| NEGRO MALE | | | 2 | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 2 | | 2 | 1 | 3 | 2 | 1 | 2 | 2 | 1 |
| WHITE | 2 | | 2 | 1 | 3 | 2 | 1 | 2 | 2 | 1 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 2 | 2 | 3 | | 4 | 1 | 1 | 4 | 1 | 6 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | 2 | 1 | | | 1 | | | | 1 |
| 28 WEEKS AND OVER | 1 | | 2 | | 4 | | 1 | 4 | 1 | 5 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| STEPHENSON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 1047 | 1005 | 1005 | 1051 | 925 | 993 | 917 | 927 | 882 | 851 |
| HOSPITAL | 1043 | 999 | 999 | 1046 | 917 | 989 | 913 | 920 | 872 | 841 |
| NON HOSPITAL | 4 | 6 | 6 | 5 | 8 | 4 | 4 | 7 | 10 | 10 |
| ATTENDED BY MD DO | 2 | 5 | 4 | 4 | 8 | 4 | 4 | 7 | 6 | 10 |
| OTHER | 2 | | 2 | 1 | | | | | 4 | |
| PREMATURE BIRTHS | 55 | 80 | 68 | 79 | 54 | 64 | 52 | 53 | 52 | 44 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 503 | 487 | 501 | 525 | 460 | 482 | 461 | 467 | 452 | 436 |
| WHITE FEMALE | 493 | 458 | 458 | 469 | 423 | 466 | 429 | 425 | 396 | 381 |
| NEGRO MALE | 28 | 27 | 22 | 27 | 24 | 18 | 15 | 17 | 11 | 13 |
| NEGRO FEMALE | 22 | 31 | 23 | 28 | 18 | 24 | 12 | 17 | 22 | 21 |
| OTHER RACES MALE | | 1 | | | | 2 | | | 1 | * |
| OTHER RACES FEMALE | 1 | 1 | 1 | 2 | | 1 | | 1 | | * |
| ILLEGITIMATE BIRTHS | 24 | 26 | 15 | 32 | 17 | 15 | 12 | 14 | 16 | 12 |
| WHITE | 20 | 15 | 10 | 22 | 15 | 10 | 10 | 13 | 12 | 8 |
| NON WHITE | 4 | 11 | 5 | 10 | 2 | 5 | 2 | 1 | 4 | 4 |
| FETAL DEATHS TOTAL | 13 | 13 | 14 | 17 | 16 | 11 | 14 | 14 | 11 | 10 |
| GESTATION 20 WEEKS | | | 1 | | | | | | | |
| 20 27 WEEKS | 1 | 1 | 4 | 5 | 8 | 5 | 4 | 2 | 1 | 4 |
| 28 WEEKS AND OVER | 12 | 12 | 9 | 12 | 8 | 6 | 10 | 11 | 10 | 6 |
| NOT REPORTED | | | | | | | | 1 | | |

| TAZEWELL COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 2453 | 2330 | 2599 | 2459 | 2266 | 2182 | 2339 | 2296 | 2214 | 1949 |
| HOSPITAL | 2443 | 2321 | 2590 | 2453 | 2253 | 2170 | 2320 | 2274 | 2190 | 1933 |
| NON HOSPITAL | 10 | 9 | 9 | 6 | 13 | 12 | 19 | 22 | 24 | 16 |
| ATTENDED BY MD DO | 10 | 9 | 9 | 5 | 13 | 12 | 19 | 21 | 21 | 16 |
| OTHER | | | | 1 | | | | 1 | 3 | |
| PREMATURE BIRTHS | 114 | 130 | 144 | 131 | 131 | 111 | 152 | 135 | 126 | 100 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 1269 | 1161 | 1363 | 1285 | 1214 | 1136 | 1187 | 1121 | 1129 | 996 |
| WHITE FEMALE | 1183 | 1169 | 1234 | 1174 | 1051 | 1043 | 1149 | 1173 | 1083 | 952 |
| NEGRO MALE | | | | | | | | | | 1 |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | 1 | | | 2 | 2 | 2 | | * |
| OTHER RALES FEMALE | 1 | | 1 | | 1 | 1 | 1 | | 2 | * |
| ILLEGITIMATE BIRTHS | 26 | 27 | 29 | 24 | 22 | 17 | 20 | 17 | 27 | 7 |
| WHITE | 26 | 27 | 29 | 24 | 22 | 17 | 20 | 17 | 27 | 7 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 33 | 31 | 27 | 26 | 30 | 19 | 38 | 40 | 34 | 24 |
| GESTATION 20 WEEKS | | | 1 | | | | | | | |
| 20 27 WEEKS | 5 | 7 | 6 | 6 | 4 | 6 | 6 | 9 | 5 | 2 |
| 28 WEEKS AND OVER | 28 | 24 | 20 | 20 | 26 | 13 | 32 | 31 | 29 | 22 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| UNION COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 270 | 268 | 261 | 286 | 316 | 304 | 322 | 321 | 357 | 364 |
| HOSPITAL | 265 | 265 | 260 | 283 | 308 | 298 | 309 | 298 | 322 | 327 |
| NON HOSPITAL | 5 | 3 | 1 | 3 | 8 | 6 | 13 | 23 | 35 | 37 |
| ATTENDED BY MD DO | 4 | 2 | 1 | 3 | 7 | 5 | 13 | 22 | 34 | 35 |
| OTHER | 1 | 1 | | | 1 | 1 | | 1 | 1 | 2 |
| PREMATURE BIRTHS | 20 | 15 | 25 | 17 | 22 | 19 | 22 | 23 | 24 | 22 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 143 | 141 | 127 | 144 | 163 | 149 | 171 | 169 | 170 | 180 |
| WHITE FEMALE | 124 | 127 | 133 | 142 | 153 | 154 | 150 | 152 | 187 | 183 |
| NEGRO MALE | 1 | | 1 | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | 1 |
| OTHER RACES MALE | 1 | | | | | | | | | * |
| OTHER RACES FEMALE | 1 | | | | | 1 | 1 | | | * |
| ILLEGITIMATE BIRTHS | 7 | 8 | 5 | 10 | 11 | 7 | 8 | 6 | 7 | 6 |
| WHITE | 7 | 8 | 5 | 10 | 11 | 7 | 8 | 6 | 7 | 6 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 8 | 7 | 5 | 4 | 5 | 5 | 6 | 4 | 9 | 9 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | 1 | 1 | | 3 | | 2 | 1 | 1 | 4 |
| 28 WEEKS AND OVER | 7 | 6 | 4 | 4 | 2 | 5 | 4 | 3 | 8 | 5 |
| NOT REPORTED | | | | | | | | | | |

| VERMILION COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 2202 | 2109 | 2203 | 2180 | 2093 | 2078 | 2168 | 2040 | 1964 | 1896 |
| HOSPITAL | 2197 | 2101 | 2190 | 2168 | 2077 | 2068 | 2147 | 2007 | 1933 | 1847 |
| NON HOSPITAL | 5 | 8 | 13 | 12 | 16 | 10 | 21 | 33 | 31 | 49 |
| ATTENDED BY MD DO | 5 | 8 | 9 | 12 | 15 | 10 | 18 | 33 | 30 | 49 |
| OTHER | | | 4 | | 1 | | 3 | | 1 | |
| PREMATURE BIRTHS | 178 | 131 | 146 | 178 | 144 | 159 | 156 | 162 | 139 | 134 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 1055 | 1010 | 1027 | 1000 | 973 | 988 | 1021 | 1000 | 972 | 962 |
| WHITE FEMALE | 975 | 940 | 993 | 998 | 958 | 928 | 1013 | 915 | 882 | 840 |
| NEGRO MALE | 99 | 87 | 91 | 89 | 81 | 92 | 71 | 73 | 48 | 40 |
| NEGRO FEMALE | 73 | 71 | 90 | 93 | 77 | 69 | 61 | 51 | 59 | 54 |
| OTHER RACES MALE | | 1 | | | 3 | | 1 | 1 | 1 | * |
| OTHER RALES FEMALE | | | 2 | | 1 | 1 | 1 | | 2 | * |
| ILLEGITIMATE BIRTHS | 104 | 97 | 82 | 68 | 74 | 60 | 45 | 52 | 55 | 53 |
| WHITE | 59 | 63 | 45 | 40 | 49 | 25 | 31 | 31 | 41 | 38 |
| NON WHITE | 45 | 34 | 37 | 28 | 25 | 35 | 14 | 21 | 14 | 15 |
| FETAL DEATHS TOTAL | 27 | 33 | 26 | 35 | 42 | 34 | 40 | 39 | 45 | 30 |
| GESTATION 20 WEEKS | | | | 1 | 1 | 1 | | | | |
| 20 27 WEEKS | 9 | 8 | 7 | 9 | 12 | 1 | 5 | 12 | 13 | 6 |
| 28 WEEKS AND OVER | 18 | 25 | 19 | 25 | 29 | 32 | 35 | 27 | 32 | 24 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| WABASH COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 281 | 287 | 310 | 284 | 330 | 303 | 366 | 323 | 347 | 305 |
| HOSPITAL | 280 | 282 | 309 | 274 | 318 | 288 | 341 | 291 | 260 | 191 |
| NON HOSPITAL | 1 | 5 | 1 | 10 | 12 | 15 | 25 | 32 | 87 | 114 |
| ATTENDED BY MD DO | 1 | 5 | 1 | 10 | 12 | 15 | 25 | 29 | 87 | 114 |
| OTHER | | | | | | | | 3 | | |
| PREMATURE BIRTHS | 20 | 18 | 26 | 22 | 27 | 19 | 28 | 18 | 21 | 19 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 139 | 135 | 167 | 151 | 161 | 152 | 200 | 161 | 180 | 167 |
| WHITE FEMALE | 141 | 152 | 143 | 133 | 169 | 151 | 166 | 162 | 166 | 138 |
| NEGRO MALE | 1 | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RALES FEMALE | | | | | | | | | 1 | * |
| ILLEGITIMATE BIRTHS | 7 | 4 | 6 | 4 | 2 | 2 | 4 | 6 | 9 | 3 |
| WHITE | 7 | 4 | 6 | 4 | 2 | 2 | 4 | 6 | 9 | 3 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 5 | 4 | 2 | 5 | 7 | 4 | 5 | | 4 | 5 |
| GESTATION 20 WEEKS | 1 | | | | | | | | | |
| 20 27 WEEKS | 1 | 1 | | | 1 | 1 | 1 | | 1 | 1 |
| 28 WEEKS AND OVER | 3 | 3 | 2 | 5 | 6 | 3 | 4 | | 3 | 4 |
| NOT REPORTED | | | | | | | | | | |

| WARREN COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 450 | 422 | 444 | 470 | 469 | 465 | 421 | 423 | 489 | 448 |
| HOSPITAL | 449 | 422 | 444 | 468 | 468 | 460 | 420 | 421 | 484 | 441 |
| NON HOSPITAL | 1 | | | 2 | 1 | 5 | 1 | 2 | 5 | 7 |
| ATTENDED BY MD DO | 1 | | | 2 | 1 | 4 | 1 | 2 | 3 | 7 |
| OTHER | | | | | | 1 | | | 2 | |
| PREMATURE BIRTHS | 23 | 17 | 32 | 29 | 23 | 31 | 24 | 28 | 28 | 25 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 220 | 214 | 232 | 227 | 236 | 245 | 216 | 216 | 247 | 213 |
| WHITE FEMALE | 218 | 197 | 203 | 234 | 224 | 216 | 197 | 201 | 234 | 229 |
| NEGRO MALE | 2 | 5 | 3 | 5 | 5 | 3 | 6 | 4 | 2 | 2 |
| NEGRO FEMALE | 9 | 5 | 5 | 4 | 4 | 1 | 2 | 2 | 6 | 4 |
| OTHER RACES MALE | 1 | 1 | | | | | | | | * |
| OTHER RALES FEMALE | | | 1 | | | | | | | * |
| ILLEGITIMATE BIRTHS | 9 | 16 | 13 | 11 | 11 | 5 | 7 | 6 | 1 | 10 |
| WHITE | 6 | 12 | 10 | 9 | 8 | 4 | 5 | 5 | | 10 |
| NON WHITE | 3 | 4 | 3 | 2 | 3 | 1 | 2 | 1 | 1 | |
| FETAL DEATHS TOTAL | 2 | 9 | 6 | 8 | 7 | 8 | 12 | 3 | 4 | 5 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | 3 | | 1 | | 1 | 5 | | 1 | |
| 28 WEEKS AND OVER | 2 | 6 | 6 | 7 | 7 | 7 | 7 | 3 | 3 | 5 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **WASHINGTON COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 241 | 222 | 218 | 219 | 244 | 243 | 238 | 260 | 274 | 251 |
| HOSPITAL | 235 | 214 | 212 | 207 | 227 | 234 | 222 | 237 | 248 | 208 |
| NON HOSPITAL | 6 | 8 | 6 | 12 | 17 | 9 | 16 | 23 | 26 | 43 |
| ATTENDED BY MD DO OTHER | 6 | 8 | 6 | 12 | 17 | 9 | 16 | 23 | 26 | 43 |
| PREMATURE BIRTHS | 12 | 7 | 12 | 12 | 18 | 12 | 10 | 12 | 13 | 12 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 122 | 115 | 115 | 108 | 128 | 116 | 126 | 129 | 139 | 136 |
| WHITE FEMALE | 119 | 107 | 103 | 110 | 116 | 127 | 112 | 131 | 135 | 115 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | 1 | | | | | | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 1 | 2 | 3 | 3 | 3 | 1 | 4 | 1 | 3 | 3 |
| WHITE | 1 | 2 | 3 | 3 | 3 | 1 | 4 | 1 | 3 | 3 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 3 | 4 | 1 | 4 | 5 | 1 | 5 | 4 | 2 | 1 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | | | | 1 | | 1 | | 2 | |
| 28 WEEKS AND OVER | 2 | 4 | 1 | 4 | 4 | 1 | 4 | 4 | | 1 |
| NOT REPORTED | | | | | | | | | | |
| **WAYNE COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 389 | 339 | 377 | 375 | 393 | 390 | 391 | 416 | 416 | 429 |
| HOSPITAL | 383 | 327 | 361 | 353 | 367 | 347 | 340 | 354 | 326 | 285 |
| NON HOSPITAL | 6 | 12 | 16 | 22 | 26 | 43 | 51 | 62 | 90 | 144 |
| ATTENDED BY MD DO OTHER | 6 | 12 | 16 | 22 | 26 | 43 | 51 | 62 | 90 | 144 |
| PREMATURE BIRTHS | 28 | 14 | 19 | 20 | 26 | 34 | 35 | 30 | 26 | 18 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 200 | 190 | 188 | 201 | 215 | 203 | 207 | 201 | 199 | 221 |
| WHITE FEMALE | 189 | 148 | 188 | 173 | 176 | 185 | 184 | 215 | 217 | 207 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | 1 | | | | | | | | 1 |
| OTHER RACES MALE | | | 1 | | | 2 | | | | * |
| OTHER RACES FEMALE | | | | 1 | 2 | | | | | * |
| ILLEGITIMATE BIRTHS | 12 | 7 | 8 | 7 | 10 | 8 | 8 | 5 | 12 | 8 |
| WHITE | 12 | 6 | 8 | 7 | 10 | 8 | 8 | 5 | 12 | 8 |
| NON WHITE | | 1 | | | | | | | | |
| FETAL DEATHS TOTAL | 10 | 3 | 5 | 3 | 4 | 6 | 9 | 7 | 8 | 5 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 3 | | 2 | | 1 | | 1 | | 3 | 2 |
| 28 WEEKS AND OVER | 7 | 3 | 3 | 3 | 3 | 6 | 8 | 7 | 5 | 3 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **WHITE COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 386 | 371 | 428 | 438 | 459 | 469 | 439 | 422 | 460 | 432 |
| HOSPITAL | 383 | 367 | 422 | 425 | 448 | 457 | 419 | 362 | 318 | 269 |
| NON HOSPITAL | 3 | 4 | 6 | 13 | 11 | 12 | 20 | 60 | 142 | 163 |
| ATTENDED BY MD DO | 3 | 4 | 6 | 12 | 11 | 12 | 20 | 60 | 141 | 163 |
| OTHER | | | | 1 | | | | | 1 | |
| PREMATURE BIRTHS | 23 | 20 | 29 | 29 | 27 | 29 | 22 | 23 | 24 | 23 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 194 | 184 | 224 | 233 | 241 | 250 | 239 | 204 | 238 | 210 |
| WHITE FEMALE | 192 | 186 | 201 | 203 | 217 | 219 | 197 | 218 | 222 | 220 |
| NEGRO MALE | | | | | | | 2 | | | |
| NEGRO FEMALE | | 1 | 2 | 1 | | | 1 | | | 2 |
| OTHER RACES MALE | | | | 1 | 1 | | | | | * |
| OTHER RACES FEMALE | | | 1 | | | | | | | * |
| ILLEGITIMATE BIRTHS | 9 | 7 | 16 | 8 | 8 | 13 | 7 | 6 | 12 | 13 |
| WHITE | 9 | 7 | 16 | 8 | 8 | 13 | 7 | 6 | 12 | 13 |
| NON WHITE | | | | 1 | | | | | | |
| FETAL DEATHS TOTAL | 7 | | 1 | 7 | 4 | 3 | 12 | 10 | 1 | 8 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | | | | 1 | | 2 | 2 | | | 1 |
| 28 WEEKS AND OVER | 7 | | 1 | 6 | 4 | 1 | 10 | 10 | 1 | 5 |
| NOT REPORTED | | | | | | | | | | 2 |
| **WHITESIDE COUNTY** | | | | | | | | | | |
| LIVE BIRTHS TOTAL | 1522 | 1483 | 1557 | 1544 | 1516 | 1433 | 1421 | 1387 | 1450 | 1303 |
| HOSPITAL | 1519 | 1475 | 1554 | 1533 | 1508 | 1415 | 1388 | 1366 | 1374 | 1229 |
| NON HOSPITAL | 3 | 8 | 3 | 11 | 8 | 18 | 33 | 21 | 76 | 74 |
| ATTENDED BY MD DO | 3 | 8 | 3 | 10 | 8 | 18 | 33 | 20 | 65 | 74 |
| OTHER | | | | 1 | | | | 1 | 11 | |
| PREMATURE BIRTHS | 77 | 87 | 84 | 96 | 81 | 76 | 90 | 88 | 66 | 77 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 814 | 795 | 789 | 789 | 763 | 756 | 734 | 720 | 741 | 679 |
| WHITE FEMALE | 704 | 685 | 766 | 753 | 752 | 673 | 684 | 661 | 704 | 623 |
| NEGRO MALE | 4 | 1 | 1 | 1 | 1 | 2 | 2 | 4 | 2 | 1 |
| NEGRO FEMALE | | 1 | 1 | | | 1 | | 2 | 2 | |
| OTHER RACES MALE | | 1 | | 1 | | 1 | 1 | | 1 | * |
| OTHER RACES FEMALE | | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 36 | 43 | 32 | 36 | 23 | 27 | 20 | 19 | 28 | 10 |
| WHITE | 34 | 43 | 32 | 35 | 23 | 27 | 19 | 19 | 27 | 10 |
| NON WHITE | 2 | | | 1 | | | 1 | | 1 | |
| FETAL DEATHS TOTAL | 28 | 21 | 25 | 22 | 21 | 19 | 21 | 12 | 21 | 17 |
| GESTATION 20 WEEKS | | 1 | 1 | | | | | | 1 | |
| 20 27 WEEKS | 5 | 6 | 6 | 3 | 1 | 6 | 3 | 3 | 2 | 5 |
| 28 WEEKS AND OVER | 23 | 13 | 18 | 19 | 20 | 13 | 18 | 9 | 18 | 12 |
| NOT REPORTED | | 1 | | | | | | | | |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| WILL COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 4772 | 4516 | 4656 | 4258 | 3940 | 3742 | 3487 | 3253 | 3058 | 2897 |
| HOSPITAL | 4758 | 4489 | 4635 | 4235 | 3916 | 3723 | 3461 | 3233 | 3027 | 2868 |
| NON HOSPITAL | 14 | 27 | 21 | 23 | 24 | 19 | 26 | 20 | 31 | 29 |
| ATTENDED BY MD DO | 14 | 27 | 18 | 20 | 21 | 16 | 20 | 16 | 28 | 29 |
| OTHER | | | 3 | 3 | 3 | 3 | 6 | 4 | 3 | |
| PREMATURE BIRTHS | 308 | 323 | 302 | 272 | 256 | 227 | 245 | 227 | 187 | 182 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 2243 | 2126 | 2185 | 2003 | 1851 | 1784 | 1626 | 1559 | 1458 | 1410 |
| WHITE FEMALE | 2152 | 2028 | 2051 | 1894 | 1756 | 1682 | 1579 | 1480 | 1426 | 1345 |
| NEGRO MALE | 179 | 185 | 215 | 165 | 159 | 136 | 150 | 92 | 86 | 68 |
| NEGRO FEMALE | 196 | 172 | 197 | 190 | 168 | 139 | 130 | 120 | 88 | 74 |
| OTHER RACES MALE | | 4 | 8 | 3 | 2 | | 1 | | | * |
| OTHER RACES FEMALE | 2 | 1 | | 3 | 4 | 1 | 1 | 2 | | * |
| ILLEGITIMATE BIRTHS | 115 | 113 | 91 | 84 | 77 | 61 | 50 | 53 | 42 | 44 |
| WHITE | 57 | 62 | 39 | 45 | 29 | 32 | 23 | 32 | 22 | 28 |
| NON WHITE | 58 | 51 | 52 | 39 | 48 | 29 | 27 | 21 | 20 | 16 |
| FETAL DEATHS TOTAL | 63 | 55 | 87 | 51 | 69 | 46 | 58 | 60 | 43 | 47 |
| GESTATION 20 WEEKS | 3 | 5 | 1 | 1 | 1 | | | 2 | | 2 |
| 20 27 WEEKS | 16 | 10 | 18 | 10 | 13 | 6 | 7 | 8 | 15 | 12 |
| 28 WEEKS AND OVER | 43 | 40 | 68 | 39 | 54 | 40 | 44 | 48 | 28 | 33 |
| NOT REPORTED | 1 | | | 1 | 1 | | 7 | 2 | | |

| WILLIAMSON COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 865 | 812 | 772 | 789 | 812 | 795 | 872 | 854 | 787 | 821 |
| HOSPITAL | 862 | 808 | 768 | 787 | 799 | 775 | 838 | 789 | 702 | 692 |
| NON HOSPITAL | 3 | 4 | 4 | 2 | 13 | 20 | 34 | 65 | 85 | 129 |
| ATTENDED BY MD DO | 3 | 4 | 4 | 2 | 12 | 20 | 34 | 64 | 85 | 128 |
| OTHER | | | | | 1 | | | 1 | | 1 |
| PREMATURE BIRTHS | 59 | 49 | 51 | 51 | 51 | 53 | 62 | 63 | 47 | 52 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 403 | 417 | 389 | 407 | 405 | 423 | 406 | 426 | 381 | 387 |
| WHITE FEMALE | 437 | 378 | 363 | 369 | 389 | 355 | 455 | 407 | 393 | 424 |
| NEGRO MALE | 14 | 12 | 7 | 7 | 9 | 9 | 5 | 8 | 6 | 5 |
| NEGRO FEMALE | 10 | 5 | 11 | 6 | 8 | 7 | 6 | 11 | 7 | 5 |
| OTHER RACES MALE | | | 1 | | | | | 1 | | * |
| OTHER RACES FEMALE | 1 | | 1 | | 1 | 1 | | 1 | | * |
| ILLEGITIMATE BIRTHS | 27 | 21 | 23 | 11 | 26 | 24 | 16 | 14 | 19 | 15 |
| WHITE | 20 | 17 | 18 | 8 | 21 | 21 | 12 | 12 | 13 | 12 |
| NON WHITE | 7 | 4 | 5 | 3 | 5 | 3 | 4 | 2 | 6 | 3 |
| FETAL DEATHS TOTAL | 15 | 8 | 13 | 12 | 10 | 16 | 13 | 12 | 26 | 20 |
| GESTATION 20 WEEKS | | | | | | 1 | | | | |
| 20 27 WEEKS | 1 | 1 | 3 | | 1 | 3 | 2 | 6 | | 5 |
| 28 WEEKS AND OVER | 14 | 7 | 10 | 12 | 9 | 12 | 11 | 6 | 25 | 13 |
| NOT REPORTED | | | | | | | | | 1 | 2 |

*Races classified only as white and nonwhite in 1950.

# SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND EACH COUNTY: 1950-1959

| WINNEBAGO COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 5377 | 5253 | 5565 | 5151 | 4832 | 4706 | 4745 | 4479 | 4371 | 3717 |
| HOSPITAL | 5359 | 5233 | 5550 | 5134 | 4810 | 4684 | 4725 | 4443 | 4326 | 3663 |
| NON HOSPITAL | 18 | 20 | 15 | 17 | 22 | 22 | 20 | 36 | 45 | 54 |
| ATTENDED BY MD DO | 16 | 19 | 13 | 13 | 20 | 21 | 20 | 32 | 43 | 52 |
| OTHER | 2 | 1 | 2 | 4 | 2 | 1 | | 4 | 2 | 2 |
| PREMATURE BIRTHS | 341 | 344 | 385 | 323 | 316 | 290 | 321 | 333 | 293 | 237 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 2570 | 2481 | 2672 | 2463 | 2317 | 2218 | 2349 | 2216 | 2141 | 1868 |
| WHITE FEMALE | 2448 | 2412 | 2544 | 2360 | 2219 | 2221 | 2153 | 2035 | 2059 | 1694 |
| NEGRO MALE | 191 | 181 | 165 | 153 | 141 | 135 | 132 | 99 | 72 | 79 |
| NEGRO FEMALE | 167 | 176 | 179 | 169 | 150 | 127 | 109 | 125 | 96 | 76 |
| OTHER RACES MALE | | 1 | 4 | 4 | 1 | 4 | | 4 | 1 | * |
| OTHER RALES FEMALE | 1 | 2 | 1 | 2 | 4 | 1 | 2 | | 2 | * |
| ILLEGITIMATE BIRTHS | 199 | 165 | 140 | 124 | 102 | 106 | 89 | 68 | 85 | 54 |
| WHITE | 114 | 89 | 86 | 80 | 60 | 65 | 64 | 49 | 67 | 39 |
| NON WHITE | 85 | 76 | 54 | 44 | 42 | 41 | 25 | 19 | 18 | 15 |
| FETAL DEATHS TOTAL | 50 | 62 | 84 | 77 | 69 | 83 | 71 | 59 | 66 | 58 |
| GESTATION 20 WEEKS | | 1 | | | | | | | | |
| 20 27 WEEKS | 13 | 9 | 16 | 14 | 16 | 13 | 12 | 12 | 14 | 9 |
| 28 WEEKS AND OVER | 37 | 52 | 68 | 63 | 53 | 70 | 57 | 47 | 52 | 48 |
| NOT REPORTED | | | | | | | 2 | | | 1 |

| WOODFORD COUNTY | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVE BIRTHS TOTAL | 562 | 605 | 582 | 598 | 552 | 551 | 552 | 578 | 509 | 516 |
| HOSPITAL | 557 | 603 | 580 | 592 | 548 | 542 | 549 | 565 | 496 | 497 |
| NON HOSPITAL | 5 | 2 | 2 | 6 | 4 | 9 | 3 | 13 | 13 | 19 |
| ATTENDED BY MD DO | 5 | 2 | 2 | 6 | 4 | 9 | 3 | 13 | 9 | 19 |
| OTHER | | | | | | | | | 4 | |
| PREMATURE BIRTHS | 19 | 32 | 31 | 34 | 33 | 30 | 32 | 30 | 36 | 20 |
| SEX RACE | | | | | | | | | | |
| WHITE MALE | 287 | 326 | 309 | 290 | 266 | 266 | 276 | 302 | 264 | 269 |
| WHITE FEMALE | 274 | 279 | 273 | 308 | 286 | 285 | 276 | 276 | 245 | 247 |
| NEGRO MALE | | | | | | | | | | |
| NEGRO FEMALE | | | | | | | | | | |
| OTHER RACES MALE | | | | | | | | | | * |
| OTHER RACES FEMALE | 1 | | | | | | | | | * |
| ILLEGITIMATE BIRTHS | 4 | 3 | | 4 | 3 | 3 | 3 | 2 | 1 | 3 |
| WHITE | 4 | 3 | | 4 | 3 | 3 | 3 | 2 | 1 | 3 |
| NON WHITE | | | | | | | | | | |
| FETAL DEATHS TOTAL | 7 | 5 | 10 | 7 | 9 | 6 | 5 | 10 | 9 | 11 |
| GESTATION 20 WEEKS | | | | | | | | | | |
| 20 27 WEEKS | 1 | | 1 | 2 | 1 | 1 | 1 | 4 | 1 | 4 |
| 28 WEEKS AND OVER | 6 | 5 | 9 | 5 | 8 | 5 | 4 | 6 | 8 | 7 |
| NOT REPORTED | | | | | | | | | | |

*Races classified only as white and nonwhite in 1950.


JO DAVIESS
STEPHENSON
WINNEBAGO
BOONE
McHENRY
LAKE
CARROLL
OGLE
DE KALB
KANE
COOK
DU PAGE
WHITESIDE
LEE
KENDALL
WILL
HENRY
BUREAU
LA SALLE
GRUNDY
ROCK ISLAND
MERCER
PUTNAM
KANKAKEE
KNOX
STARK
MARSHALL
LIVINGSTON
WARREN
PEORIA
WOODFORD
IROQUOIS
HENDER-SON
FULTON
McLEAN
HANCOCK
McDONOUGH
TAZEWELL
FORD
VERMILION
MASON
CHAMPAIGN
LOGAN
DE WITT
SCHUYLER
ADAMS
MENARD
PIATT
BROWN
CASS
MACON
DOUGLAS
EDGAR
PIKE
MORGAN
SANGAMON
SCOTT
MOULTRIE
COLES
CHRISTIAN
SHELBY
GREENE
MACOUPIN
CLARK
CAL-HOUN
MONTGOMERY
CUMBERLAND
FAYETTE
EFFINGHAM
JASPER
JERSEY
MADISON
BOND
CRAWFORD
CLAY
RICHLAND
LAWRENCE
MARION
CLINTON
ST.CLAIR
WAYNE
WABASH
EDWARDS
WASHINGTON
JEFFERSON
MONROE
HAMILTON
WHITE
RANDOLPH
PERRY
FRANKLIN
JACKSON
SALINE
GALLATIN
WILLIAMSON
UNION
JOHNSON
POPE
HARDIN
ALEX-ANDER
PULASKI
MASSAC

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill.
Permit No. 101

PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

614.1
Il 611v
1959
v.2
Pt.2

# VITAL STATISTICS ILLINOIS

## VOL. II -- COUNTY SUMMARIES
## Part 2 -- MORTALITY

1950 1959

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

THE LIBRARY OF THE
NOV 10 2003
UNIVERSITY OF ILLINOIS

# VITAL STATISTICS ILLINOIS

## VOL. II -- COUNTY SUMMARIES
## Part 2 -- MORTALITY

1950 1959

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

October, 1960

STATE OF ILLINOIS

William G. Stratton

Governor

DEPARTMENT OF PUBLIC HEALTH

L. L. Fatherree, M. D.

Director

BUREAU OF STATISTICS

Springfield, Illinois

October, 1960

VOL. I -- STATE SUMMARY DATA: 1959

VOL. II -- COUNTY SUMMARIES:

Part 1 -- Natality statistics: 1950-1959
Part 2 -- Mortality statistics: 1950-1959
Part 3 -- Morbidity statistics: 1950-1959

## MORTALITY STATISTICS

Tabulations in Part 2 of Volume II, as well as those in Parts 1 and 3, are designed primarily for use by individual counties in evaluating the health statistics of the area, in developing local population estimates, and in providing short-time trend data based on consistent classifications. The tabulation of causes of death for the entire decade has been the same, since, with the exception of changing a few titles, no major changes were made in the classification of causes between the Sixth and Seventh revisions of the International Lists of Diseases and Causes of Death. The following table lists the cause code groupings used throughout this report:

| Cause | List No.[1] |
|---|---|
| TUBERCULOSIS | 001 - 019 |
| SYPHILIS | 020 - 029 |
| MENINGOCOCCAL INFECTIONS | 057 |
| POLIOMYELITIS ACUTE | 080 |
| INFECTIOUS ENCEPHALITIS ACUTE | 082 |
| INFECTIOUS HEPATITIS | 092 |
| OTHER INFECTIVE AND PARASITIC DISEASES | Residual of 001 - 138 |
| MALIGNANT NEOPLASMS | 140 - 205 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 210 - 239 |
| ASTHMA | 241 |
| DIABETES | 260 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 330 - 334 |
| RHEUMATIC FEVER | 400 - 402 |
| HEART DISEASE | 410 - 443 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 444 - 447 |
| GENERAL ARTERIOSCLEROSIS | 450 |
| OTHER CIRCULATORY | 451 - 468 |
| INFLUENZA | 480 - 483 |
| PNEUMONIA | 490 - 493 |
| BRONCHITIS | 500 - 502 |
| ULCER OF STOMACH AND DUODENUM | 540 - 541 |
| HERNIA INTESTINAL OBSTRUCTION | 560, 561, 570 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 543, 571 - 572 |
| CIRRHOSIS OF LIVER | 581 |
| NEPHRITIS AND NEPHROSIS ACUTE | 590, 591 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 592 - 594 |
| INFECTIONS OF KIDNEY | 600 |
| HYPERPLASIA OF PROSTATE | 610 |
| MATERNAL CAUSES | 640 - 689 |
| CONGENITAL MALFORMATIONS | 750 - 759 |
| DISEASES OF EARLY INFANCY | 760 - 776 |
| SENILITY AND ILL DEFINED | 780 - 795 |
| ACCIDENTS MOTOR VEHICLE | 810 - 835, 960 |
| ACCIDENTS OTHER | 800 - 802, 840 - 959, 961 - 962 |
| SUICIDE | 963, 970 - 979 |
| HOMICIDE | 964, 980 - 985 |
| ALL OTHER CAUSES | Residual |

[1]International Statistical Classification of Diseases, Injuries, and Causes of Death, Sixth Revision (1950-1957 deaths) and Seventh Revision (1958-1959 deaths) World Health Organization.

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | | | | | | | | | | |
| TUBERCULOSIS | 645 | 762 | 746 | 867 | 898 | 1058 | 1256 | 1570 | 1807 | 2132 |
| SYPHILIS | 93 | 136 | 135 | 137 | 151 | 186 | 224 | 324 | 375 | 438 |
| MENINGOCOCCAL INFECTIONS | 54 | 43 | 38 | 38 | 43 | 53 | 66 | 79 | 59 | 49 |
| POLIOMYELITIS ACUTE | 21 | 12 | 17 | 73 | 54 | 104 | 104 | 249 | 103 | 126 |
| INFECTIOUS ENCEPHALITIS ACUTE | 36 | 25 | 34 | 18 | 17 | 20 | 15 | 16 | 17 | 13 |
| INFECTIOUS HEPATITIS | 61 | 78 | 51 | 50 | 51 | 60 | 61 | 34 | 44 | 24 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 163 | 176 | 157 | 179 | 151 | 163 | 190 | 167 | 163 | 178 |
| MALIGNANT NEOPLASMS | 16443 | 16141 | 16331 | 16087 | 15670 | 15358 | 15159 | 14986 | 14707 | 14500 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 208 | 223 | 219 | 241 | 225 | 255 | 250 | 213 | 273 | 253 |
| ASTHMA | 239 | 256 | 396 | 336 | 329 | 333 | 366 | 378 | 252 | 228 |
| DIABETES | 1576 | 1523 | 1570 | 1505 | 1294 | 1423 | 1520 | 1542 | 1626 | 1740 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 10894 | 11049 | 10786 | 9992 | 9943 | 9742 | 10194 | 9771 | 9612 | 9171 |
| RHEUMATIC FEVER | 36 | 44 | 53 | 41 | 52 | 64 | 62 | 88 | 52 | 64 |
| HEART DISEASE | 44014 | 44067 | 44334 | 41971 | 41365 | 38725 | 40799 | 39183 | 38935 | 38221 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1004 | 1071 | 743 | 679 | 720 | 741 | 826 | 755 | 766 | 767 |
| GENERAL ARTERIOSCLEROSIS | 2069 | 1962 | 1907 | 1759 | 1784 | 1643 | 1631 | 1666 | 1745 | 1867 |
| OTHER CIRCULATORY | 872 | 787 | 740 | 626 | 624 | 520 | 462 | 459 | 398 | 392 |
| INFLUENZA | 64 | 137 | 217 | 96 | 69 | 81 | 300 | 149 | 174 | 141 |
| PNEUMONIA | 3805 | 3882 | 4090 | 3426 | 3300 | 2927 | 3115 | 2678 | 2551 | 2340 |
| BRONCHITIS | 220 | 241 | 217 | 228 | 217 | 218 | 187 | 205 | 183 | 181 |
| ULCER OF STOMACH AND DUODENUM | 734 | 715 | 648 | 566 | 593 | 561 | 629 | 550 | 585 | 586 |
| HERNIA INTESTINAL OBSTRUCTION | 504 | 556 | 517 | 498 | 496 | 533 | 610 | 549 | 588 | 612 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 355 | 438 | 431 | 365 | 405 | 365 | 426 | 327 | 283 | 303 |
| CIRRHOSIS OF LIVER | 1265 | 1202 | 1238 | 1122 | 1055 | 1074 | 1128 | 1054 | 1008 | 1031 |
| NEPHRITIS AND NEPHROSIS ACUTE | 76 | 119 | 114 | 144 | 103 | 127 | 146 | 144 | 143 | 143 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 777 | 834 | 943 | 1011 | 1083 | 1196 | 1418 | 1508 | 1720 | 1739 |
| INFECTIONS OF KIDNEY | 465 | 425 | 357 | 314 | 287 | 249 | 256 | 234 | 202 | 183 |
| HYPERPLASIA OF PROSTATE | 253 | 273 | 281 | 307 | 396 | 393 | 437 | 420 | 445 | 474 |
| MATERNAL CAUSES | 72 | 74 | 80 | 77 | 83 | 92 | 98 | 92 | 107 | 114 |
| CONGENITAL MALFORMATIONS | 1087 | 1161 | 1155 | 1145 | 1037 | 1006 | 1062 | 1000 | 1096 | 1049 |
| DISEASES OF EARLY INFANCY | 3690 | 3591 | 3715 | 3479 | 3377 | 3384 | 3232 | 3189 | 3177 | 3000 |
| SENILITY AND ILL DEFINED | 221 | 208 | 233 | 202 | 170 | 217 | 377 | 401 | 331 | 369 |
| ACCIDENTS MOTOR VEHICLE | 1848 | 1987 | 2172 | 2249 | 2226 | 2179 | 2299 | 2221 | 2017 | 2061 |
| ACCIDENTS OTHER | 2696 | 2681 | 2828 | 2714 | 2755 | 2805 | 3076 | 3195 | 3141 | 2928 |
| SUICIDE | 982 | 1024 | 972 | 938 | 935 | 918 | 936 | 872 | 898 | 1019 |
| HOMICIDE | 447 | 431 | 472 | 419 | 454 | 411 | 420 | 404 | 382 | 411 |
| ALL OTHER CAUSES | 3417 | 3395 | 3352 | 3057 | 3163 | 3123 | 3270 | 3501 | 3289 | 3413 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CHICAGO | | | | | | | | | | |
| TUBERCULOSIS | 408 | 476 | 488 | 542 | 629 | 710 | 812 | 1064 | 1192 | 1438 |
| SYPHILIS | 32 | 69 | 65 | 48 | 92 | 96 | 107 | 148 | 160 | 187 |
| MENINGOCOCCAL INFECTIONS | 31 | 22 | 16 | 13 | 16 | 22 | 32 | 39 | 29 | 25 |
| POLIOMYELITIS ACUTE | 2 | 2 | 4 | 40 | 13 | 28 | 13 | 84 | 23 | 40 |
| INFECTIOUS ENCEPHALITIS ACUTE | 13 | 9 | 5 | 4 | 3 | 3 | 5 | 8 | 7 | 7 |
| INFECTIOUS HEPATITIS | 23 | 39 | 25 | 21 | 20 | 26 | 26 | 14 | 22 | 14 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 50 | 65 | 46 | 76 | 46 | 70 | 56 | 49 | 32 | 52 |
| MALIGNANT NEOPLASMS | 6782 | 6873 | 7041 | 6974 | 6783 | 6702 | 6688 | 6749 | 6760 | 6699 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 81 | 96 | 88 | 92 | 84 | 100 | 110 | 75 | 121 | 122 |
| ASTHMA | 74 | 78 | 134 | 113 | 95 | 91 | 119 | 123 | 97 | 73 |
| DIABETES | 651 | 647 | 643 | 630 | 491 | 533 | 534 | 618 | 718 | 790 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 3766 | 3857 | 3870 | 3744 | 3632 | 3648 | 3818 | 3608 | 3497 | 3283 |
| RHEUMATIC FEVER | 13 | 17 | 27 | 15 | 22 | 28 | 31 | 39 | 25 | 23 |
| HEART DISEASE | 18855 | 18869 | 19602 | 18426 | 18631 | 17656 | 19003 | 18351 | 18253 | 17777 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 394 | 457 | 297 | 277 | 324 | 285 | 332 | 304 | 309 | 312 |
| GENERAL ARTERIOSCLEROSIS | 639 | 651 | 557 | 538 | 506 | 430 | 405 | 466 | 525 | 611 |
| OTHER CIRCULATORY | 307 | 320 | 314 | 252 | 238 | 223 | 200 | 188 | 175 | 163 |
| INFLUENZA | 2 | 12 | 16 | 14 | 7 | 10 | 31 | 13 | 18 | 16 |
| PNEUMONIA | 2125 | 1961 | 2100 | 1747 | 1767 | 1570 | 1629 | 1302 | 1197 | 1133 |
| BRONCHITIS | 77 | 80 | 88 | 80 | 96 | 115 | 75 | 77 | 79 | 74 |
| ULCER OF STOMACH AND DUODENUM | 326 | 324 | 306 | 266 | 289 | 275 | 299 | 253 | 281 | 302 |
| HERNIA INTESTINAL OBSTRUCTION | 207 | 239 | 178 | 186 | 181 | 214 | 218 | 213 | 223 | 248 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 151 | 175 | 203 | 143 | 197 | 166 | 178 | 130 | 102 | 111 |
| CIRRHOSIS OF LIVER | 769 | 704 | 724 | 687 | 593 | 631 | 654 | 647 | 590 | 612 |
| NEPHRITIS AND NEPHROSIS ACUTE | 34 | 48 | 50 | 54 | 43 | 44 | 58 | 59 | 60 | 52 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 311 | 331 | 353 | 358 | 424 | 454 | 573 | 603 | 713 | 732 |
| INFECTIONS OF KIDNEY | 270 | 225 | 203 | 178 | 169 | 137 | 140 | 135 | 114 | 109 |
| HYPERPLASIA OF PROSTATE | 94 | 87 | 115 | 108 | 142 | 127 | 136 | 140 | 150 | 161 |
| MATERNAL CAUSES | 32 | 25 | 35 | 43 | 40 | 40 | 41 | 33 | 41 | 46 |
| CONGENITAL MALFORMATIONS | 350 | 375 | 411 | 403 | 370 | 390 | 370 | 350 | 411 | 396 |
| DISEASES OF EARLY INFANCY | 1570 | 1491 | 1698 | 1587 | 1476 | 1458 | 1372 | 1332 | 1399 | 1283 |
| SENILITY AND ILL DEFINED | 57 | 48 | 52 | 33 | 28 | 65 | 157 | 167 | 121 | 107 |
| ACCIDENTS MOTOR VEHICLE | 445 | 509 | 525 | 586 | 653 | 644 | 722 | 746 | 650 | 664 |
| ACCIDENTS OTHER | 997 | 1033 | 1048 | 1042 | 1082 | 1066 | 1260 | 1162 | 1060 | 1004 |
| SUICIDE | 354 | 351 | 342 | 322 | 319 | 330 | 347 | 322 | 357 | 405 |
| HOMICIDE | 335 | 325 | 320 | 295 | 312 | 298 | 306 | 296 | 269 | 280 |
| ALL OTHER CAUSES | 1245 | 1287 | 1298 | 1122 | 1144 | 1130 | 1176 | 1220 | 1221 | 1337 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| DOWNSTATE | | | | | | | | | | |
| TUBERCULOSIS | 237 | 286 | 258 | 325 | 269 | 348 | 444 | 506 | 615 | 694 |
| SYPHILIS | 61 | 67 | 70 | 89 | 59 | 90 | 117 | 176 | 215 | 251 |
| MENINGOCOCCAL INFECTIONS | 23 | 21 | 22 | 25 | 27 | 31 | 34 | 40 | 30 | 24 |
| POLIOMYELITIS ACUTE | 19 | 10 | 13 | 33 | 41 | 76 | 91 | 165 | 80 | 86 |
| INFECTIOUS ENCEPHALITIS ACUTE | 23 | 16 | 29 | 14 | 14 | 17 | 10 | 8 | 10 | 6 |
| INFECTIOUS HEPATITIS | 38 | 39 | 26 | 29 | 31 | 34 | 35 | 20 | 22 | 10 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 113 | 111 | 111 | 103 | 105 | 93 | 134 | 118 | 131 | 126 |
| MALIGNANT NEOPLASMS | 9661 | 9268 | 9292 | 9113 | 8887 | 8656 | 8471 | 8237 | 7947 | 7801 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 127 | 127 | 131 | 149 | 141 | 155 | 140 | 138 | 152 | 131 |
| ASTHMA | 165 | 178 | 262 | 223 | 234 | 242 | 247 | 255 | 155 | 155 |
| DIABETES | 925 | 876 | 927 | 875 | 803 | 890 | 986 | 924 | 908 | 950 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 7129 | 7192 | 6916 | 6248 | 6311 | 6094 | 6376 | 6163 | 6115 | 5888 |
| RHEUMATIC FEVER | 23 | 27 | 26 | 26 | 30 | 36 | 31 | 49 | 27 | 41 |
| HEART DISEASE | 25159 | 25198 | 24732 | 23545 | 22734 | 21069 | 21796 | 20832 | 20682 | 20444 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 610 | 614 | 446 | 402 | 396 | 456 | 494 | 451 | 457 | 455 |
| GENERAL ARTERIOSCLEROSIS | 1430 | 1311 | 1350 | 1221 | 1275 | 1213 | 1226 | 1200 | 1220 | 1256 |
| OTHER CIRCULATORY | 565 | 467 | 426 | 374 | 386 | 297 | 262 | 271 | 223 | 229 |
| INFLUENZA | 62 | 125 | 201 | 82 | 62 | 71 | 269 | 136 | 156 | 125 |
| PNEUMONIA | 1680 | 1921 | 1990 | 1679 | 1533 | 1357 | 1486 | 1376 | 1354 | 1207 |
| BRONCHITIS | 143 | 161 | 129 | 148 | 121 | 103 | 112 | 128 | 104 | 107 |
| ULCER OF STOMACH AND DUODENUM | 408 | 391 | 342 | 300 | 304 | 286 | 330 | 297 | 304 | 284 |
| HERNIA INTESTINAL OBSTRUCTION | 297 | 317 | 339 | 312 | 315 | 319 | 392 | 336 | 365 | 364 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 204 | 263 | 228 | 222 | 205 | 199 | 248 | 197 | 181 | 192 |
| CIRRHOSIS OF LIVER | 496 | 498 | 514 | 435 | 462 | 443 | 474 | 407 | 418 | 419 |
| NEPHRITIS AND NEPHROSIS ACUTE | 42 | 71 | 64 | 90 | 60 | 83 | 88 | 85 | 83 | 91 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 466 | 503 | 592 | 653 | 664 | 742 | 845 | 905 | 1007 | 1007 |
| INFECTIONS OF KIDNEY | 195 | 200 | 154 | 136 | 118 | 112 | 116 | 99 | 88 | 74 |
| HYPERPLASIA OF PROSTATE | 159 | 186 | 166 | 199 | 254 | 266 | 301 | 280 | 295 | 313 |
| MATERNAL CAUSES | 40 | 49 | 45 | 34 | 43 | 52 | 57 | 59 | 66 | 68 |
| CONGENITAL MALFORMATIONS | 737 | 786 | 744 | 742 | 667 | 616 | 692 | 650 | 685 | 653 |
| DISEASES OF EARLY INFANCY | 2120 | 2100 | 2017 | 1892 | 1901 | 1926 | 1860 | 1857 | 1778 | 1717 |
| SENILITY AND ILL DEFINED | 164 | 160 | 181 | 169 | 142 | 152 | 220 | 234 | 210 | 262 |
| ACCIDENTS MOTOR VEHICLE | 1403 | 1478 | 1647 | 1663 | 1573 | 1535 | 1577 | 1475 | 1367 | 1397 |
| ACCIDENTS OTHER | 1699 | 1648 | 1780 | 1672 | 1673 | 1739 | 1816 | 2033 | 2081 | 1924 |
| SUICIDE | 628 | 673 | 630 | 616 | 616 | 588 | 589 | 550 | 541 | 614 |
| HOMICIDE | 112 | 106 | 152 | 124 | 142 | 113 | 114 | 108 | 113 | 131 |
| ALL OTHER CAUSES | 2172 | 2108 | 2054 | 1935 | 2024 | 1993 | 2094 | 2281 | 2068 | 2076 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ADAMS | | | | | | | | | | |
| TUBERCULOSIS | 5 | 8 | 9 | 10 | 7 | 4 | 10 | 13 | 15 | 12 |
| SYPHILIS | 3 | 1 | 1 | | 1 | 3 | 4 | 4 | 10 | 8 |
| MENINGOCOCCAL INFECTIONS | 1 | | | 1 | | | | 2 | | |
| POLIOMYELITIS ACUTE | | | | | 2 | 1 | | 1 | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | 1 | | | |
| INFECTIOUS HEPATITIS | | 1 | | 1 | | 1 | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 2 | | 2 | | 1 | 2 | 1 | 1 | 3 |
| MALIGNANT NEOPLASMS | 132 | 140 | 134 | 134 | 134 | 149 | 145 | 141 | 133 | 109 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 5 | 4 | | 2 | 3 | 2 | 3 | 3 | 3 |
| ASTHMA | 4 | 8 | 7 | 2 | 5 | 2 | 5 | 10 | 3 | 4 |
| DIABETES | 11 | 14 | 14 | 6 | 11 | 10 | 25 | 15 | 12 | 21 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 104 | 139 | 141 | 116 | 119 | 108 | 119 | 134 | 129 | 121 |
| RHEUMATIC FEVER | | | 1 | | 2 | 1 | | | | 1 |
| HEART DISEASE | 418 | 368 | 386 | 344 | 381 | 349 | 389 | 363 | 399 | 398 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 11 | 13 | 14 | 4 | 7 | 7 | 6 | 10 | 14 | 11 |
| GENERAL ARTERIOSCLEROSIS | 36 | 39 | 49 | 40 | 29 | 32 | 33 | 24 | 34 | 48 |
| OTHER CIRCULATORY | 6 | 12 | 2 | 12 | 7 | 4 | 3 | 4 | 5 | 4 |
| INFLUENZA | | | 1 | 1 | 1 | | 2 | 1 | 4 | 2 |
| PNEUMONIA | 27 | 33 | 24 | 22 | 25 | 16 | 12 | 26 | 35 | 11 |
| BRONCHITIS | 2 | 4 | | | 7 | 1 | 3 | 3 | 3 | |
| ULCER OF STOMACH AND DUODENUM | 11 | 9 | 13 | 8 | 9 | 4 | 5 | 8 | 7 | 6 |
| HERNIA INTESTINAL OBSTRUCTION | 7 | 4 | 5 | 2 | 7 | 3 | 7 | 5 | 2 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | | 3 | 2 | 4 | 3 | | 3 | 2 |
| CIRRHOSIS OF LIVER | 7 | 7 | 9 | 7 | 9 | 8 | 4 | 12 | 13 | 5 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 1 | 1 | | | 1 | 1 | | 2 | 3 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 6 | 7 | 3 | 10 | 8 | 6 | 14 | 10 | 14 | 12 |
| INFECTIONS OF KIDNEY | | 1 | 2 | | | 1 | 1 | 3 | 3 | |
| HYPERPLASIA OF PROSTATE | 3 | 3 | 5 | 1 | 4 | 5 | 4 | 6 | 5 | 4 |
| MATERNAL CAUSES | | | 1 | | | | 1 | 2 | 1 | 1 |
| CONGENITAL MALFORMATIONS | 11 | 9 | 11 | 9 | 11 | 4 | 14 | 1 | 5 | 6 |
| DISEASES OF EARLY INFANCY | 25 | 23 | 26 | 28 | 27 | 18 | 29 | 22 | 23 | 23 |
| SENILITY AND ILL DEFINED | | 4 | 2 | | 4 | | 4 | 4 | | |
| ACCIDENTS MOTOR VEHICLE | 18 | 19 | 21 | 12 | 16 | 19 | 7 | 16 | 14 | 14 |
| ACCIDENTS OTHER | 31 | 17 | 20 | 26 | 21 | 7 | 31 | 26 | 14 | 17 |
| SUICIDE | 11 | 10 | 9 | 10 | 10 | 15 | 17 | 9 | 11 | 6 |
| HOMICIDE | | | 2 | 2 | | 4 | 4 | | 1 | 1 |
| ALL OTHER CAUSES | 31 | 37 | 34 | 35 | 37 | 29 | 31 | 34 | 36 | 29 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ALEXANDER | | | | | | | | | | |
| TUBERCULOSIS | 5 | 6 | 1 | 6 | 8 | 4 | 8 | 7 | 19 | 7 |
| SYPHILIS | | | 1 | 1 | | 1 | 2 | 3 | 1 | 2 |
| MENINGOCOCCAL INFECTIONS | | | 1 | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | 1 | |
| INFECTIOUS HEPATITIS | | | | 1 | | | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | 1 | 2 | 1 | 1 | | | 1 | 2 |
| MALIGNANT NEOPLASMS | 36 | 33 | 25 | 45 | 26 | 30 | 37 | 30 | 41 | 34 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | 1 | | 2 | | | 1 | 2 | 1 |
| ASTHMA | | 2 | 2 | | | | | 1 | | 1 |
| DIABETES | 5 | | 6 | 9 | 6 | 3 | 3 | 6 | 6 | 8 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 34 | 32 | 59 | 35 | 35 | 26 | 27 | 31 | 49 | 25 |
| RHEUMATIC FEVER | | | | | | | | 3 | | |
| HEART DISEASE | 112 | 110 | 112 | 110 | 101 | 85 | 113 | 99 | 84 | 102 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 3 | | 3 | 3 | 2 | 1 | 3 | 2 | 3 |
| GENERAL ARTERIOSCLEROSIS | 12 | 19 | 14 | 26 | 14 | 16 | 13 | 10 | 10 | 9 |
| OTHER CIRCULATORY | | 1 | | 2 | 2 | | 3 | 1 | | 1 |
| INFLUENZA | | 1 | 1 | | 2 | 1 | 3 | | | 1 |
| PNEUMONIA | 1 | 9 | 11 | 7 | 7 | 6 | 10 | 9 | 13 | 12 |
| BRONCHITIS | 1 | | 1 | | | | 1 | 4 | | |
| ULCER OF STOMACH AND DUODENUM | 2 | 2 | | 3 | | 1 | 1 | 3 | | 4 |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 1 | 3 | 4 | 1 | 3 | 6 | 3 | 5 | 8 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 2 | 4 | 1 | | 3 | | 1 | 3 | 4 |
| CIRRHOSIS OF LIVER | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | 1 | 1 | 2 | 1 | 1 | | 2 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 7 | 6 | 7 | 6 | 3 | 17 | 15 | 20 | 20 |
| INFECTIONS OF KIDNEY | 1 | | | | | 1 | | | 1 | |
| HYPERPLASIA OF PROSTATE | | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | |
| MATERNAL CAUSES | | 1 | | 1 | | 3 | 1 | 1 | | |
| CONGENITAL MALFORMATIONS | 2 | 5 | | 4 | 5 | 1 | 7 | 4 | 1 | 6 |
| DISEASES OF EARLY INFANCY | 7 | 9 | 8 | 5 | 6 | 12 | 11 | 16 | 13 | 9 |
| SENILITY AND ILL DEFINED | | | | | | 1 | | 2 | 1 | 3 |
| ACCIDENTS MOTOR VEHICLE | 7 | 6 | 5 | 2 | 5 | 7 | 14 | 6 | 5 | 8 |
| ACCIDENTS OTHER | 6 | 13 | 13 | 12 | 11 | 10 | 12 | 11 | 27 | 10 |
| SUICIDE | 2 | 1 | | 4 | 1 | | | 5 | 1 | |
| HOMICIDE | 1 | 3 | 1 | 2 | | | 1 | 2 | 2 | 2 |
| ALL OTHER CAUSES | 8 | 14 | 5 | 9 | 7 | 9 | 8 | 11 | 8 | 10 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| BOND | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 1 | | 1 | | 1 | 1 | 4 | 2 |
| SYPHILIS | | | | | | | 1 | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | 1 | 3 | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | | 2 | 1 | | 2 | 1 | |
| MALIGNANT NEOPLASMS | 24 | 30 | 22 | 32 | 23 | 34 | 23 | 32 | 28 | 24 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | 1 | | 1 | | 1 | 1 | |
| ASTHMA | 1 | 1 | | | | | 1 | | 1 | |
| DIABETES | 8 | 1 | 2 | 4 | 2 | 5 | 3 | 2 | 3 | 4 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 19 | 26 | 20 | 18 | 25 | 24 | 22 | 13 | 28 | 17 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 98 | 86 | 82 | 79 | 83 | 70 | 63 | 48 | 75 | 67 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 1 | 2 | 1 | 5 | | 3 | 2 | 2 | 1 |
| GENERAL ARTERIOSCLEROSIS | 2 | 4 | 1 | 3 | 5 | 2 | 4 | 1 | 6 | 3 |
| OTHER CIRCULATORY | 1 | 1 | | 1 | 2 | | 3 | | | |
| INFLUENZA | 1 | | | | 1 | 3 | 3 | 1 | 1 | 1 |
| PNEUMONIA | 3 | 11 | 4 | 7 | 2 | 5 | 3 | 4 | 4 | 5 |
| BRONCHITIS | | | | | 1 | | | | | |
| ULCER OF STOMACH AND DUODENUM | | 2 | | 1 | 2 | | 1 | 2 | | |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 1 | | 1 | 2 | | 2 | | 1 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | | | | | | | | |
| CIRRHOSIS OF LIVER | | 2 | 1 | | 1 | 3 | 1 | 1 | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | 1 | | | | 1 | 3 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 4 | 1 | 4 | 5 | 2 | 3 | 5 | 11 | 7 | 5 |
| INFECTIONS OF KIDNEY | | | | | | 1 | 1 | 1 | | |
| HYPERPLASIA OF PROSTATE | 1 | - | 2 | | | | 2 | 2 | 2 | 1 |
| MATERNAL CAUSES | | | | | | | | | | 1 |
| CONGENITAL MALFORMATIONS | 1 | 3 | 1 | | 2 | 3 | | 2 | 1 | 1 |
| DISEASES OF EARLY INFANCY | 3 | 1 | 4 | 6 | 6 | 2 | 4 | 5 | 3 | 4 |
| SENILITY AND ILL DEFINED | | 2 | 2 | 3 | | 1 | 1 | | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | 4 | 6 | 2 | 7 | 3 | 4 | 5 | 5 | 4 | 6 |
| ACCIDENTS OTHER | 2 | | 5 | 4 | 6 | 4 | 5 | 6 | 8 | 7 |
| SUICIDE | 3 | | 2 | 1 | | 6 | 2 | | | 5 |
| HOMICIDE | | | 1 | | | | | | 1 | |
| ALL OTHER CAUSES | 3 | 5 | 2 | 6 | 4 | 8 | 2 | 9 | 3 | 8 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| BOONE | | | | | | | | | | |
| TUBERCULOSIS | | | | 1 | 1 | 1 | 3 | 1 | | |
| SYPHILIS | | | | | | | | | | 3 |
| MENINGOCOCCAL INFECTIONS | | | | | 1 | | | | | |
| POLIOMYELITIS ACUTE | 1 | | | | | | | | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | 1 | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | 1 | | |
| MALIGNANT NEOPLASMS | 33 | 31 | 30 | 37 | 26 | 29 | 35 | 36 | 26 | 36 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | 1 | | | | | 1 | 1 | |
| ASTHMA | 1 | 1 | | | | 1 | | 1 | 1 | |
| DIABETES | 3 | 1 | 6 | 4 | 5 | 4 | 3 | | 1 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 29 | 31 | 16 | 26 | 33 | 17 | 24 | 26 | 27 | 26 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 79 | 87 | 86 | 87 | 76 | 86 | 61 | 92 | 87 | 84 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 1 | 1 | | | | 1 | 2 | 3 | 3 |
| GENERAL ARTERIOSCLEROSIS | 3 | 1 | | 4 | 4 | 1 | 4 | 3 | 4 | 2 |
| OTHER CIRCULATORY | 1 | 1 | | 1 | 2 | 1 | | | | 1 |
| INFLUENZA | | 1 | 1 | 1 | | | 1 | | | |
| PNEUMONIA | 10 | 5 | 7 | 4 | 6 | 6 | 9 | 9 | 2 | 11 |
| BRONCHITIS | 1 | | | | 1 | | | | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | | | 1 | 1 | 1 | 1 | | | |
| HERNIA INTESTINAL OBSTRUCTION | | 1 | | 3 | | | 2 | 1 | 3 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | 1 | | 1 | | | 1 | 1 | |
| CIRRHOSIS OF LIVER | | 1 | 2 | | 1 | 1 | | 2 | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 1 | 2 | 5 | 4 | 1 | | 6 | 1 | 1 |
| INFECTIONS OF KIDNEY | | | | | | | | | | |
| HYPERPLASIA OF PROSTATE | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 3 | 1 | 2 |
| MATERNAL CAUSES | | | | | | | | 1 | | |
| CONGENITAL MALFORMATIONS | 3 | | 2 | 5 | 2 | 1 | 4 | 6 | 1 | 2 |
| DISEASES OF EARLY INFANCY | 8 | 15 | 10 | 8 | 5 | 7 | 9 | 9 | 5 | 4 |
| SENILITY AND ILL DEFINED | | | | | | | 2 | 1 | 1 | |
| ACCIDENTS MOTOR VEHICLE | 4 | 2 | 7 | 7 | 1 | 4 | 3 | 4 | 8 | 3 |
| ACCIDENTS OTHER | 3 | 7 | 9 | 5 | 4 | 3 | 8 | 9 | 6 | 6 |
| SUICIDE | 2 | 1 | 2 | 3 | 4 | 1 | 3 | 4 | | 1 |
| HOMICIDE | | | | | | | | | 1 | |
| ALL OTHER CAUSES | 10 | 6 | 5 | 1 | 6 | 4 | 5 | 3 | 9 | 3 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

BROWN

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| TUBERCULOSIS | | | | | | | 3 | 1 | 1 | 1 |
| SYPHILIS | | | | | | | | 1 | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | | 2 | 1 |
| MALIGNANT NEOPLASMS | 16 | 11 | 11 | 18 | 17 | 13 | 16 | 15 | 14 | 12 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | 1 | | | | |
| ASTHMA | | | | 1 | | | | | | |
| DIABETES | 3 | | 3 | 2 | 5 | 3 | 2 | 1 | 5 | 1 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 11 | 14 | 16 | 10 | 16 | 14 | 20 | 15 | 15 | 14 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 42 | 34 | 44 | 28 | 39 | 51 | 34 | 41 | 32 | 52 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | | 2 | | 2 | 2 | 4 | 1 | 2 | |
| GENERAL ARTERIOSCLEROSIS | 3 | 1 | 1 | 2 | | 1 | | 1 | 3 | 2 |
| OTHER CIRCULATORY | 1 | 1 | 1 | | | | 1 | | | 2 |
| INFLUENZA | | 1 | | | | | | | | |
| PNEUMONIA | 2 | 2 | 2 | 3 | 2 | | 2 | 1 | 10 | 1 |
| BRONCHITIS | | 1 | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | | 1 | | | | | | 1 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | | 2 | | | | | | | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | | | | | | | |
| CIRRHOSIS OF LIVER | | | | | 1 | | | | 1 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 1 | 1 | | 3 | 4 | 5 | 7 | 6 | 8 |
| INFECTIONS OF KIDNEY | | 1 | | | 1 | 2 | | | 1 | |
| HYPERPLASIA OF PROSTATE | 1 | | | | | 1 | | | 2 | |
| MATERNAL CAUSES | | | 1 | | | | | | | 1 |
| CONGENITAL MALFORMATIONS | 1 | | | | 1 | | | | | 1 |
| DISEASES OF EARLY INFANCY | 2 | 1 | 1 | 1 | | | 3 | | 3 | |
| SENILITY AND ILL DEFINED | | | | | 1 | | 1 | | | |
| ACCIDENTS MOTOR VEHICLE | 1 | 2 | 4 | 2 | 2 | 4 | 3 | 1 | 1 | 1 |
| ACCIDENTS OTHER | 3 | 1 | 5 | 4 | 2 | 2 | 6 | 1 | 3 | 4 |
| SUICIDE | 1 | 3 | 3 | 3 | 1 | | 1 | 4 | 2 | |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 3 | 3 | 1 | 3 | 1 | 1 | 3 | 8 | 8 | 2 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| BUREAU | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | | 1 | 1 | 4 | 7 | 5 | 2 | 4 |
| SYPHILIS | 1 | 1 | 1 | | | | 1 | 3 | 1 | |
| MENINGOCOCCAL INFECTIONS | | 1 | | 2 | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | 1 | 2 | | | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | | 1 | | 1 | 1 | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | 2 | 1 | | 3 | | 3 | 2 |
| MALIGNANT NEOPLASMS | 91 | 71 | 63 | 71 | 64 | 67 | 76 | 72 | 64 | 59 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 3 | 1 | | 2 | 1 | 1 | 2 | 1 | 1 |
| ASTHMA | 2 | 2 | 1 | 2 | 2 | 3 | 3 | 6 | 1 | 1 |
| DIABETES | 10 | 7 | 6 | 9 | 4 | 7 | 2 | 13 | 4 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 61 | 50 | 53 | 50 | 61 | 46 | 69 | 60 | 64 | 49 |
| RHEUMATIC FEVER | 1 | | | | | | | | | |
| HEART DISEASE | 170 | 195 | 182 | 204 | 199 | 173 | 176 | 169 | 155 | 155 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 2 | 2 | 3 | 2 | 2 | 1 | 3 | 8 | 4 |
| GENERAL ARTERIOSCLEROSIS | 9 | 9 | 8 | 6 | 10 | 9 | 12 | 5 | 12 | 13 |
| OTHER CIRCULATORY | 3 | 3 | 8 | 6 | 1 | 3 | 2 | 4 | 2 | 4 |
| INFLUENZA | 1 | 1 | 3 | | | 2 | 2 | 2 | 1 | 1 |
| PNEUMONIA | 13 | 5 | 18 | 11 | 6 | 6 | 9 | 9 | 10 | 10 |
| BRONCHITIS | 3 | 3 | 1 | 1 | | 2 | 2 | | 3 | 1 |
| ULCER OF STOMACH AND DUODENUM | 4 | 1 | | 3 | 4 | 1 | 1 | 3 | 2 | 4 |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 2 | 4 | 2 | 3 | 3 | 5 | 6 | 4 | 6 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 3 | 1 | 2 | 6 | 3 | 1 | 2 | 1 | 5 |
| CIRRHOSIS OF LIVER | 2 | 3 | 1 | | 2 | 3 | 6 | 5 | 5 | 5 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 1 | 1 | 1 | | 1 | 2 | 4 | 2 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 5 | 8 | 3 | 8 | 2 | 13 | 14 | 6 | 4 | 12 |
| INFECTIONS OF KIDNEY | 1 | 2 | | | 1 | | 2 | 2 | 1 | 1 |
| HYPERPLASIA OF PROSTATE | 2 | 2 | 5 | 2 | 2 | 2 | 3 | 2 | 2 | 3 |
| MATERNAL CAUSES | | | | | | | | | 1 | |
| CONGENITAL MALFORMATIONS | 2 | 6 | 3 | 5 | 4 | 8 | 6 | 1 | 3 | 6 |
| DISEASES OF EARLY INFANCY | 8 | 10 | 15 | 13 | 14 | 10 | 10 | 19 | 10 | 7 |
| SENILITY AND ILL DEFINED | 1 | 1 | 1 | 2 | 1 | | | | | 1 |
| ACCIDENTS MOTOR VEHICLE | 12 | 10 | 8 | 13 | 6 | 6 | 9 | 10 | 10 | 9 |
| ACCIDENTS OTHER | 9 | 16 | 11 | 14 | 15 | 10 | 16 | 13 | 22 | 17 |
| SUICIDE | 6 | 2 | 2 | 8 | 8 | 3 | 1 | 4 | 7 | 13 |
| HOMICIDE | | | | | | 2 | | | | |
| [illegible] | 12 | 6 | 15 | 14 | 18 | 17 | 23 | 18 | 19 | 25 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CALHOUN | | | | | | | | | | |
| TUBERCULOSIS | 1 | | | 1 | | | | | | 1 |
| SYPHILIS | | | 1 | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | 1 | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | 1 | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | | | |
| MALIGNANT NEOPLASMS | 9 | 5 | 11 | 6 | 11 | 15 | 5 | 4 | 11 | 6 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | 1 | 1 | | | | | | |
| ASTHMA | | | | | 2 | | 1 | | | |
| DIABETES | 1 | | 2 | 1 | 1 | 1 | 1 | | 1 | |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 11 | 11 | 11 | 8 | 15 | 14 | 14 | 8 | 5 | 3 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 34 | 32 | 34 | 37 | 25 | 33 | 25 | 22 | 33 | 33 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | | | | 1 | | | | 1 | |
| GENERAL ARTERIOSCLEROSIS | 1 | | 1 | 2 | 3 | 2 | 3 | 2 | 3 | 1 |
| OTHER CIRCULATORY | 1 | 1 | 1 | | | 2 | | | | 1 |
| INFLUENZA | | | | | | | | | | |
| PNEUMONIA | 1 | 3 | 4 | 3 | 3 | 1 | 2 | 2 | 1 | |
| BRONCHITIS | | | 1 | | | 1 | | | | |
| ULCER OF STOMACH AND DUODENUM | | 2 | | | | 1 | 1 | | | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 1 | | | | | | 1 | | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | 1 | | | | | | |
| CIRRHOSIS OF LIVER | 1 | | 1 | | | | | 1 | 1 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | 1 | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | | 1 | 1 | | 2 | | | | 2 |
| INFECTIONS OF KIDNEY | | | | | | 1 | | | | |
| HYPERPLASIA OF PROSTATE | | 1 | | | | 1 | | | 1 | |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | 3 | 3 | 1 | | 1 | 1 | | | | |
| DISEASES OF EARLY INFANCY | 1 | | | 2 | 1 | 6 | | 1 | 1 | 3 |
| SENILITY AND ILL DEFINED | | | | 1 | | 1 | | | | 1 |
| ACCIDENTS MOTOR VEHICLE | 1 | 1 | 2 | 1 | 2 | | 3 | 2 | 2 | |
| ACCIDENTS OTHER | 4 | 2 | 2 | 7 | 4 | 3 | 1 | 4 | | 1 |
| SUICIDE | 1 | 2 | | | 2 | | | 1 | | |
| HOMICIDE | | | | 1 | 1 | | | 3 | | |
| ALL OTHER CAUSES | 1 | 5 | 2 | 4 | 6 | 1 | 3 | 1 | 4 | 2 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CARROLL | | | | | | | | | | |
| TUBERCULOSIS | | | | | | | | 1 | 1 | 4 |
| SYPHILIS | | 1 | | | | | | 2 | 3 | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | 2 | | | | 1 | 1 | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | 1 | | 1 | | 1 | |
| MALIGNANT NEOPLASMS | 38 | 28 | 30 | 35 | 29 | 43 | 33 | 34 | 30 | 37 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 1 | 1 | 1 | 2 | 1 | | | 1 | 1 |
| ASTHMA | 1 | 1 | | 1 | 2 | 1 | | | | 2 |
| DIABETES | 2 | 5 | 5 | 3 | 3 | 1 | 4 | 5 | 2 | 8 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 34 | 26 | 31 | 28 | 39 | 18 | 34 | 25 | 32 | 32 |
| RHEUMATIC FEVER | | | | | | | | | 2 | |
| HEART DISEASE | 100 | 97 | 91 | 103 | 102 | 78 | 100 | 78 | 93 | 98 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 4 | 1 | 1 | 3 | 1 | 1 | 4 | 4 | 1 |
| GENERAL ARTERIOSCLEROSIS | 6 | 7 | 5 | 6 | 10 | 2 | 8 | 8 | 4 | 3 |
| OTHER CIRCULATORY | 3 | 2 | 2 | 1 | | | | 5 | 1 | 2 |
| INFLUENZA | 2 | 3 | | | | 1 | 2 | | | 1 |
| PNEUMONIA | 4 | 4 | 9 | 4 | 5 | 4 | 7 | 7 | 6 | 6 |
| BRONCHITIS | 1 | 1 | 1 | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | 2 | 2 | 1 | 2 | 4 | 2 | 1 | | 1 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 2 | 1 | 1 | 1 | | 1 | 4 | 3 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 2 | 2 | | 2 | | 3 | 1 | 1 | 1 |
| CIRRHOSIS OF LIVER | 1 | 1 | | 3 | | 1 | | 4 | | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | 1 | | 1 | 2 | 1 | 2 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | | 1 | 1 | 1 | 2 | 3 | 3 | 2 | 6 |
| INFECTIONS OF KIDNEY | | | | 1 | | | 3 | | 1 | |
| HYPERPLASIA OF PROSTATE | 1 | | | 1 | 3 | 2 | | 1 | | 1 |
| MATERNAL CAUSES | | 1 | | 1 | | | | | | |
| CONGENITAL MALFORMATIONS | 1 | 1 | | 2 | 3 | 4 | 3 | 1 | 2 | 1 |
| DISEASES OF EARLY INFANCY | 8 | 7 | 11 | 8 | 6 | 12 | 7 | 4 | 7 | 8 |
| SENILITY AND ILL DEFINED | | 1 | | | | | | | | |
| ACCIDENTS MOTOR VEHICLE | 3 | 9 | 7 | 7 | 5 | 2 | 5 | 5 | 3 | 3 |
| ACCIDENTS OTHER | 7 | 4 | 6 | 7 | 12 | 6 | 6 | 5 | 11 | 9 |
| SUICIDE | | 2 | | 5 | | 1 | 2 | 8 | 2 | 5 |
| HOMICIDE | | | 1 | 1 | | 1 | | | | |
| ALL OTHER CAUSES | 8 | 3 | 6 | 6 | 7 | 10 | 12 | 7 | 8 | 7 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CASS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | | 1 | 1 | 1 | 3 | | 1 | 4 |
| SYPHILIS | | | | 1 | | | 3 | 1 | 1 | 3 |
| MENINGOCOCCAL INFECTIONS | 1 | | | | | | | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | 2 | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | 1 | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | 1 | | | | | | |
| MALIGNANT NEOPLASMS | 26 | 39 | 27 | 27 | 21 | 38 | 28 | 32 | 34 | 24 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | 1 | 2 | 1 | | | 2 | |
| ASTHMA | | | 1 | | 1 | 1 | 1 | 3 | | |
| DIABETES | 3 | 1 | 5 | 2 | 3 | 2 | 3 | 3 | 4 | 5 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 31 | 37 | 31 | 23 | 22 | 15 | 21 | 29 | 18 | 19 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 69 | 90 | 86 | 109 | 78 | 71 | 90 | 92 | 76 | 75 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 5 | 2 | 1 | 1 | 1 | 3 | 1 | 2 | |
| GENERAL ARTERIOSCLEROSIS | 9 | 4 | 9 | 3 | 6 | 8 | 5 | 10 | 10 | 5 |
| OTHER CIRCULATORY | 1 | 2 | 1 | | | 2 | 2 | 2 | 1 | |
| INFLUENZA | | | 2 | | | | 1 | 1 | | 1 |
| PNEUMONIA | 2 | 9 | 4 | 7 | 3 | 3 | 5 | 5 | 7 | 3 |
| BRONCHITIS | 1 | 1 | | 1 | | 1 | | | | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | 3 | 2 | | 2 | 1 | | 2 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 1 | | | | | | 2 | 1 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | | 1 | | 2 | | 1 | | |
| CIRRHOSIS OF LIVER | 1 | | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 1 | 3 | | 2 | 2 | 2 | 1 | 4 | 5 |
| INFECTIONS OF KIDNEY | | 1 | | | | 2 | 3 | | | 1 |
| HYPERPLASIA OF PROSTATE | | | | 1 | 2 | 2 | 2 | 1 | 1 | 3 |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | 1 | 1 | 4 | 1 | | 1 | 2 | | | 1 |
| DISEASES OF EARLY INFANCY | 8 | 6 | 6 | 8 | 6 | 6 | 7 | 3 | 5 | 11 |
| SENILITY AND ILL DEFINED | 1 | | 1 | | | | | | | |
| ACCIDENTS MOTOR VEHICLE | 1 | 4 | 5 | 5 | 7 | 1 | 6 | 3 | 8 | 6 |
| ACCIDENTS OTHER | 5 | 6 | 6 | 9 | 4 | 7 | 5 | 12 | 8 | 11 |
| SUICIDE | | 4 | 5 | 2 | 4 | 1 | 3 | 2 | | 1 |
| HOMICIDE | | | | | | | | | 1 | 1 |
| ALL OTHER CAUSES | 4 | 6 | 7 | 9 | 7 | 4 | 6 | 3 | 8 | 7 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| **CHAMPAIGN** | | | | | | | | | | |
| TUBERCULOSIS | 1 | | 5 | 1 | 3 | 2 | 7 | 5 | 5 | 10 |
| SYPHILIS | 1 | 1 | 1 | | 2 | 1 | 3 | 1 | 1 | 4 |
| MENINGOCOCCAL INFECTIONS | | 1 | | 1 | | | 2 | | 1 | 2 |
| POLIOMYELITIS ACUTE | 1 | | | 1 | | | 1 | 8 | | 3 |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | | | | 1 | | | | 1 | 1 |
| INFECTIOUS HEPATITIS | | | | | | | | | | 2 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 4 | 1 | | 3 | 2 | | 1 | 2 | 1 | |
| MALIGNANT NEOPLASMS | 124 | 114 | 149 | 138 | 125 | 125 | 109 | 122 | 110 | 109 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 3 | 2 | 1 | 2 | 3 | 7 | 1 | 1 | | 5 |
| ASTHMA | 4 | 1 | 5 | 3 | 4 | 1 | 6 | 2 | | |
| DIABETES | 19 | 17 | 13 | 15 | 12 | 10 | 17 | 13 | 14 | 20 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 102 | 98 | 113 | 102 | 87 | 90 | 86 | 100 | 92 | 88 |
| RHEUMATIC FEVER | 1 | 2 | 1 | 1 | | 1 | | 2 | | |
| HEART DISEASE | 336 | 341 | 308 | 310 | 290 | 260 | 296 | 267 | 309 | 300 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 11 | 11 | 7 | 5 | 7 | 9 | 5 | 8 | 9 | 10 |
| GENERAL ARTERIOSCLEROSIS | 23 | 15 | 20 | 17 | 18 | 18 | 10 | 25 | 9 | 3 |
| OTHER CIRCULATORY | 12 | 10 | 9 | 5 | 15 | 7 | 5 | 2 | 5 | 3 |
| INFLUENZA | 2 | 4 | 3 | 1 | 2 | 2 | 3 | | 4 | 2 |
| PNEUMONIA | 15 | 30 | 30 | 17 | 33 | 18 | 15 | 17 | 16 | 19 |
| BRONCHITIS | 3 | 7 | 1 | 2 | 2 | 1 | 2 | 4 | | 4 |
| ULCER OF STOMACH AND DUODENUM | 4 | 6 | 6 | 9 | 6 | 3 | 4 | 6 | 5 | 4 |
| HERNIA INTESTINAL OBSTRUCTION | 11 | 1 | 7 | 5 | 5 | 8 | 9 | 8 | 8 | 4 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 7 | 7 | 6 | 3 | 4 | 3 | 2 | 5 | 4 | 4 |
| CIRRHOSIS OF LIVER | 8 | 8 | 10 | 6 | 8 | 3 | 6 | 6 | 6 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | | 1 | 1 | 1 | 2 | 1 | 1 | 3 | 2 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 10 | 10 | 14 | 5 | 20 | 10 | 9 | 10 | 16 | 18 |
| INFECTIONS OF KIDNEY | 2 | 4 | 2 | 2 | 1 | 2 | 1 | 3 | 1 | |
| HYPERPLASIA OF PROSTATE | 3 | 2 | 5 | 4 | 5 | 7 | 11 | 7 | 8 | 5 |
| MATERNAL CAUSES | | | | | 1 | 1 | | | | 2 |
| CONGENITAL MALFORMATIONS | 19 | 13 | 15 | 13 | 15 | 13 | 15 | 9 | 15 | 9 |
| DISEASES OF EARLY INFANCY | 44 | 53 | 41 | 49 | 34 | 40 | 35 | 34 | 36 | 32 |
| SENILITY AND ILL DEFINED | | 1 | 3 | 2 | 3 | 6 | 2 | | 2 | 1 |
| ACCIDENTS MOTOR VEHICLE | 19 | 27 | 33 | 44 | 24 | 32 | 23 | 22 | 30 | 32 |
| ACCIDENTS OTHER | 27 | 21 | 31 | 26 | 36 | 42 | 25 | 26 | 29 | 27 |
| SUICIDE | 12 | 8 | 7 | 7 | 5 | 7 | 10 | 6 | 8 | 10 |
| HOMICIDE | 2 | | 1 | 2 | 2 | 2 | 4 | 1 | 6 | 7 |
| ALL OTHER CAUSES | 41 | 34 | 40 | 27 | 44 | 44 | 33 | 49 | 28 | 27 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CHRISTIAN | | | | | | | | | | |
| TUBERCULOSIS | 3 | 4 | 6 | 1 | 4 | | 5 | 5 | 2 | 9 |
| SYPHILIS | | 1 | | 2 | 1 | | 1 | 2 | | 3 |
| MENINGOCOCCAL INFECTIONS | 1 | | 1 | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | 1 | | |
| INFECTIOUS HEPATITIS | | 1 | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | | | | | 1 | | 2 | 1 |
| MALIGNANT NEOPLASMS | 48 | 74 | 67 | 67 | 62 | 65 | 72 | 57 | 63 | 64 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | | 2 | | 3 | 1 | | |
| ASTHMA | 3 | 1 | 6 | 3 | | 4 | 5 | 5 | 2 | 7 |
| DIABETES | 11 | 3 | 9 | 6 | 6 | 6 | 8 | 8 | 5 | 8 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 53 | 52 | 52 | 39 | 51 | 47 | 48 | 44 | 36 | 37 |
| RHEUMATIC FEVER | 1 | | | 1 | | 2 | | | | |
| HEART DISEASE | 175 | 186 | 196 | 167 | 186 | 186 | 179 | 176 | 153 | 181 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 7 | 5 | 5 | 2 | 3 | 4 | 5 | 4 | 2 |
| GENERAL ARTERIOSCLEROSIS | 15 | 4 | 15 | 9 | 5 | 12 | 7 | 4 | 3 | 8 |
| OTHER CIRCULATORY | 2 | 4 | 3 | 3 | 5 | | 2 | 4 | | 4 |
| INFLUENZA | | 1 | 2 | 1 | | 1 | 9 | 2 | 4 | 1 |
| PNEUMONIA | 12 | 15 | 11 | 7 | 11 | 6 | 9 | 12 | 14 | 9 |
| BRONCHITIS | 1 | 1 | | | 1 | 1 | 2 | 4 | 2 | 2 |
| ULCER OF STOMACH AND DUODENUM | 6 | 5 | 1 | 3 | 3 | 2 | 5 | 2 | 2 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 4 | | 1 | 1 | 5 | 1 | 2 | 4 | 3 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 1 | 2 | 2 | | 3 | | 1 | 1 | |
| CIRRHOSIS OF LIVER | 4 | 4 | 1 | 1 | 3 | 3 | 5 | 4 | 4 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | | 1 | | 1 | 1 | 1 | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 2 | 5 | 5 | 6 | 4 | 7 | 3 | 8 | 10 |
| INFECTIONS OF KIDNEY | 6 | 1 | | 5 | 1 | 2 | 1 | 1 | | 2 |
| HYPERPLASIA OF PROSTATE | 2 | | 1 | 1 | 5 | 2 | 3 | 1 | 1 | 2 |
| MATERNAL CAUSES | | | 2 | | | 1 | | | 2 | |
| CONGENITAL MALFORMATIONS | 1 | 5 | 4 | 3 | 6 | 2 | 6 | 3 | 4 | 2 |
| DISEASES OF EARLY INFANCY | 11 | 13 | 12 | 13 | 17 | 9 | 11 | 9 | 14 | 14 |
| SENILITY AND ILL DEFINED | 3 | | 3 | 1 | 1 | | 1 | 2 | 2 | 1 |
| ACCIDENTS MOTOR VEHICLE | 9 | 16 | 18 | 14 | 14 | 11 | 15 | 7 | 19 | 13 |
| ACCIDENTS OTHER | 11 | 12 | 13 | 16 | 12 | 17 | 13 | 27 | 22 | 23 |
| SUICIDE | 7 | 1 | 8 | 4 | 5 | 7 | 5 | 5 | 3 | 9 |
| HOMICIDE | | 3 | 2 | | | | 1 | 1 | | 1 |
| ALL OTHER CAUSES | 14 | 17 | 14 | 15 | 9 | 16 | 18 | 16 | 14 | 12 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CLARK | | | | | | | | | | |
| TUBERCULOSIS | 2 | 1 | | 4 | | 2 | 1 | | 2 | 3 |
| SYPHILIS | | | | 3 | | | 1 | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | 1 | | 2 | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | 1 | | 1 | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | | 1 | 1 | | | | | |
| MALIGNANT NEOPLASMS | 40 | 23 | 37 | 32 | 26 | 40 | 24 | 23 | 24 | 20 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | | 2 | 3 | | | | |
| ASTHMA | 1 | | 1 | | | | | 1 | | |
| DIABETES | 5 | 5 | 2 | 3 | 4 | 4 | 4 | 6 | 1 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 40 | 37 | 38 | 32 | 28 | 34 | 37 | 29 | 19 | 24 |
| RHEUMATIC FEVER | | | | | | | 1 | | | |
| HEART DISEASE | 80 | 83 | 92 | 87 | 95 | 100 | 93 | 76 | 77 | 89 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 5 | 1 | | 1 | 4 | 4 | 3 | 12 | 8 |
| GENERAL ARTERIOSCLEROSIS | 9 | 9 | 5 | 11 | 7 | 6 | 5 | 9 | 8 | 7 |
| OTHER CIRCULATORY | 5 | 2 | | | 1 | 1 | 4 | | 1 | |
| INFLUENZA | | | 1 | | 1 | | 2 | 1 | 1 | 3 |
| PNEUMONIA | 1 | 3 | 2 | 3 | 7 | 4 | 2 | 4 | 4 | 6 |
| BRONCHITIS | | | | | | | 1 | 1 | | |
| ULCER OF STOMACH AND DUODENUM | 1 | | 3 | 1 | 1 | 1 | 1 | 1 | | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 1 | | | 2 | 1 | 2 | 3 | 3 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 3 | | | 1 | | 2 | | | |
| CIRRHOSIS OF LIVER | 1 | 1 | 1 | | | | | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | | | | | | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 2 | 1 | 6 | 1 | 3 | 3 | 3 | 5 | 2 |
| INFECTIONS OF KIDNEY | | | | | | | | 1 | 1 | |
| HYPERPLASIA OF PROSTATE | | | 2 | 1 | | 1 | 1 | | 1 | 2 |
| MATERNAL CAUSES | | | | | | 1 | | | | |
| CONGENITAL MALFORMATIONS | 2 | 2 | 3 | 1 | 1 | 1 | | 2 | 1 | 1 |
| DISEASES OF EARLY INFANCY | 4 | 2 | 2 | 4 | 2 | 5 | 5 | 9 | 5 | 8 |
| SENILITY AND ILL DEFINED | | | | | | | 2 | 2 | | |
| ACCIDENTS MOTOR VEHICLE | 4 | 12 | 10 | 4 | 5 | 12 | 15 | 5 | 5 | 10 |
| ACCIDENTS OTHER | 8 | 8 | 8 | 11 | 9 | 6 | 8 | 11 | 10 | 9 |
| SUICIDE | 1 | 2 | 4 | 3 | 1 | 2 | 4 | 2 | 2 | 2 |
| HOMICIDE | 5 | 9 | 2 | 8 | 7 | 11 | 1 | 10 | 6 | 11 |
| ALL OTHER CAUSES | | | | | | | 9 | | | |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CLAY | | | | | | | | | | |
| TUBERCULOSIS | | | | 2 | | 1 | | | 1 | 1 |
| SYPHILIS | | | 1 | | | | | 1 | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | 1 |
| POLIOMYELITIS ACUTE | | | | | | | | 3 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | 1 | | | | | 1 | |
| MALIGNANT NEOPLASMS | 28 | 23 | 19 | 32 | 30 | 27 | 27 | 24 | 37 | 19 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | 1 | | | 1 | | | | |
| ASTHMA | | 1 | 1 | | 2 | | 2 | 1 | | 2 |
| DIABETES | 1 | 4 | | 2 | 5 | 1 | 3 | | 2 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 26 | 20 | 22 | 16 | 19 | 20 | 28 | 21 | 15 | 17 |
| RHEUMATIC FEVER | 1 | | | | 1 | | 1 | | | |
| HEART DISEASE | 89 | 91 | 74 | 88 | 90 | 73 | 76 | 69 | 78 | 64 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | | | 3 | 2 | | 1 | | | 2 |
| GENERAL ARTERIOSCLEROSIS | 3 | 4 | 4 | 4 | 3 | 1 | 1 | 1 | 6 | |
| OTHER CIRCULATORY | 2 | | 1 | 1 | 3 | 3 | | | 1 | |
| INFLUENZA | 1 | 2 | 1 | | | 1 | | 1 | | |
| PNEUMONIA | 3 | 7 | 4 | 5 | 7 | 10 | 8 | 10 | 5 | 3 |
| BRONCHITIS | 1 | 2 | | | | 1 | 2 | | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | | 2 | 2 | | | 2 | 1 | | |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 2 | 1 | 1 | 1 | | 1 | 1 | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | | | | | 1 | | | 2 |
| CIRRHOSIS OF LIVER | | 2 | 3 | 1 | | | 2 | 1 | | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 2 | 3 | 1 | 3 | 2 | 2 | 3 | 5 | 5 |
| INFECTIONS OF KIDNEY | | | 1 | | | 1 | 1 | | | |
| HYPERPLASIA OF PROSTATE | 1 | 1 | | | 1 | 1 | | 3 | 1 | 1 |
| MATERNAL CAUSES | | 1 | | | | | | 1 | | |
| CONGENITAL MALFORMATIONS | 1 | 2 | 2 | 6 | 1 | | 5 | 4 | 2 | 3 |
| DISEASES OF EARLY INFANCY | 5 | 2 | 5 | 2 | 3 | 3 | 3 | 7 | 3 | 10 |
| SENILITY AND ILL DEFINED | | 1 | 1 | | | | 2 | 2 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 3 | 3 | 1 | 11 | 2 | 4 | 8 | 4 | 8 | 4 |
| ACCIDENTS OTHER | 1 | 8 | 5 | 6 | 6 | 6 | 11 | 2 | 7 | 5 |
| SUICIDE | 3 | 3 | 4 | 4 | | | 6 | 2 | 1 | 4 |
| HOMICIDE | | | | | | 1 | | | | |
| ALL OTHER CAUSES | 5 | 12 | 4 | 2 | 11 | 10 | 3 | 8 | 16 | 8 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CLINTON | | | | | | | | | | |
| TUBERCULOSIS | 2 | 1 | | | 4 | 1 | 2 | 2 | 2 | 4 |
| SYPHILIS | 1 | | | | | | | | 1 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | 1 | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | 1 | 1 | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | 2 | | 2 | 1 | | 1 | | |
| MALIGNANT NEOPLASMS | 34 | 38 | 30 | 28 | 27 | 35 | 35 | 30 | 24 | 37 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 1 | | | | 1 | 1 | 3 | 1 | 1 |
| ASTHMA | | | 1 | 1 | 1 | | 1 | 1 | 2 | |
| DIABETES | 2 | 5 | 6 | 2 | 4 | 8 | 4 | 2 | 4 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 32 | 25 | 21 | 18 | 21 | 21 | 37 | 34 | 33 | 33 |
| RHEUMATIC FEVER | | | | | 1 | | | | | |
| HEART DISEASE | 92 | 106 | 87 | 75 | 99 | 91 | 80 | 76 | 77 | 72 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 1 | 2 | 2 | 3 | 6 | 7 | 1 | 3 | 5 |
| GENERAL ARTERIOSCLEROSIS | 2 | 4 | 8 | 4 | 5 | 3 | 6 | 5 | 7 | 10 |
| OTHER CIRCULATORY | 1 | 3 | 2 | | 2 | 1 | 1 | | 2 | |
| INFLUENZA | | 2 | 2 | 3 | | | 4 | | 2 | 2 |
| PNEUMONIA | 4 | 8 | 6 | 5 | | 4 | 3 | 7 | 6 | 8 |
| BRONCHITIS | 1 | 1 | 1 | 2 | | | | | | |
| ULCER OF STOMACH AND DUODENUM | 1 | | 2 | | | 1 | 1 | 1 | 1 | 2 |
| HERNIA INTESTINAL OBSTRUCTION | | | 2 | 1 | | | 2 | 4 | 1 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 2 | 1 | | 2 | | 2 | 3 | 1 | 3 |
| CIRRHOSIS OF LIVER | 2 | 1 | 1 | 1 | | | 3 | 1 | 2 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 2 | 2 | 5 | 2 | 5 | 4 | 6 | 4 | 4 |
| INFECTIONS OF KIDNEY | 2 | 1 | | | 1 | | | | | |
| HYPERPLASIA OF PROSTATE | 1 | 3 | | 2 | | 3 | 1 | 3 | 1 | |
| MATERNAL CAUSES | | 1 | | | | | | | 1 | |
| CONGENITAL MALFORMATIONS | 1 | 1 | 2 | 8 | 1 | 1 | 2 | 3 | 1 | 4 |
| DISEASES OF EARLY INFANCY | 9 | 8 | 10 | 13 | 13 | 12 | 4 | 7 | 10 | 11 |
| SENILITY AND ILL DEFINED | | 2 | 1 | | | 1 | 1 | 1 | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | 9 | 10 | 16 | 7 | 9 | 5 | 5 | 10 | 5 | 8 |
| ACCIDENTS OTHER | 10 | 4 | 7 | 7 | 12 | 6 | 9 | 8 | 5 | 11 |
| SUICIDE | | | 4 | 1 | 3 | 4 | 1 | | 2 | 2 |
| HOMICIDE | | | | | 1 | | | | | |
| ALL OTHER CAUSES | 6 | 8 | 5 | 8 | 8 | 10 | 6 | 6 | 9 | 8 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| COLES | | | | | | | | | | |
| TUBERCULOSIS | 1 | 4 | 5 | 3 | 1 | 3 | 4 | | 2 | 6 |
| SYPHILIS | | | 2 | 1 | | | | 1 | 2 | 3 |
| MENINGOCOCCAL INFECTIONS | | 1 | | | | 2 | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | | | 8 | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | 2 | | 1 | | | | | | |
| INFECTIOUS HEPATITIS | | 1 | | | | 1 | 2 | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 2 | | 1 | | 1 | 1 | 1 | 2 | 2 |
| MALIGNANT NEOPLASMS | 72 | 76 | 69 | 61 | 65 | 62 | 57 | 67 | 59 | 64 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 1 | | | 2 | 1 | 2 | | 2 | 1 |
| ASTHMA | 2 | 2 | 1 | 2 | 5 | 2 | 2 | 1 | 2 | |
| DIABETES | 10 | 7 | 7 | 8 | 5 | 8 | 7 | 10 | 7 | 10 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 69 | 74 | 63 | 68 | 63 | 62 | 66 | 57 | 58 | 60 |
| RHEUMATIC FEVER | | | | 1 | | | | | | 1 |
| HEART DISEASE | 204 | 194 | 205 | 200 | 180 | 151 | 187 | 191 | 192 | 150 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 8 | 6 | 12 | 3 | | 3 | 5 | 9 | 9 | 7 |
| GENERAL ARTERIOSCLEROSIS | 20 | 6 | 7 | 10 | 22 | 7 | 10 | 9 | 13 | 12 |
| OTHER CIRCULATORY | 3 | 6 | 2 | 4 | 3 | 2 | 1 | 1 | | 1 |
| INFLUENZA | | | 6 | 1 | | 2 | 2 | 4 | 4 | 3 |
| PNEUMONIA | 8 | 14 | 19 | 14 | 12 | 13 | 16 | 18 | 8 | 11 |
| BRONCHITIS | 1 | | 3 | 4 | 1 | 2 | 1 | 5 | 1 | |
| ULCER OF STOMACH AND DUODENUM | 4 | 4 | 3 | 1 | 5 | 1 | 3 | 2 | 4 | 3 |
| HERNIA INTESTINAL OBSTRUCTION | 5 | 5 | 2 | 2 | 1 | 1 | 2 | 1 | 5 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 3 | 4 | 3 | 4 | 1 | 1 | 3 | 7 | 1 |
| CIRRHOSIS OF LIVER | 4 | 1 | 2 | 5 | 5 | 1 | 3 | 3 | 6 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 2 | | | | | 1 | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 8 | 22 | 11 | 19 | 11 | 13 | 20 | 30 | 19 | 16 |
| INFECTIONS OF KIDNEY | | | 2 | 2 | 1 | 2 | 3 | 1 | | 1 |
| HYPERPLASIA OF PROSTATE | 3 | 3 | | 2 | 2 | 2 | 4 | 2 | 2 | 5 |
| MATERNAL CAUSES | | | | | | | | 3 | 1 | |
| CONGENITAL MALFORMATIONS | 3 | 3 | 3 | 5 | 1 | 2 | 3 | 4 | 3 | 8 |
| DISEASES OF EARLY INFANCY | 10 | 18 | 8 | 18 | 15 | 20 | 15 | 7 | 11 | 13 |
| SENILITY AND ILL DEFINED | 1 | 3 | 1 | | | | 1 | 1 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 10 | 12 | 12 | 14 | 17 | 21 | 12 | 19 | 17 | 11 |
| ACCIDENTS OTHER | 13 | 12 | 15 | 10 | 14 | 15 | 15 | 14 | 14 | 16 |
| SUICIDE | | 8 | 6 | 6 | 8 | 2 | 1 | 4 | 1 | 9 |
| HOMICIDE | 2 | | | 1 | 1 | | | | | 2 |
| ALL OTHER CAUSES | 31 | 13 | 15 | 21 | 20 | 19 | 30 | 15 | 16 | 20 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| COOK | | | | | | | | | | |
| TUBERCULOSIS | 446 | 520 | 519 | 590 | 672 | 771 | 872 | 1145 | 1278 | 1530 |
| SYPHILIS | 46 | 76 | 74 | 55 | 100 | 113 | 125 | 167 | 181 | 219 |
| MENINGOCOCCAL INFECTIONS | 38 | 24 | 21 | 14 | 20 | 31 | 35 | 40 | 33 | 28 |
| POLIOMYELITIS ACUTE | 4 | 3 | 5 | 47 | 31 | 49 | 25 | 105 | 42 | 52 |
| INFECTIOUS ENCEPHALITIS ACUTE | 17 | 10 | 6 | 7 | 5 | 8 | 7 | 9 | 9 | 7 |
| INFECTIOUS HEPATITIS | 33 | 50 | 29 | 29 | 29 | 31 | 30 | 17 | 29 | 16 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 62 | 88 | 68 | 91 | 59 | 82 | 69 | 60 | 44 | 64 |
| MALIGNANT NEOPLASMS | 8802 | 8734 | 8862 | 8736 | 8455 | 8284 | 8223 | 8200 | 8170 | 7984 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 105 | 117 | 110 | 121 | 104 | 128 | 135 | 105 | 145 | 143 |
| ASTHMA | 100 | 106 | 155 | 134 | 120 | 123 | 146 | 159 | 117 | 93 |
| DIABETES | 840 | 835 | 796 | 791 | 633 | 670 | 735 | 766 | 850 | 948 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 4887 | 4927 | 4882 | 4658 | 4563 | 4528 | 4711 | 4388 | 4260 | 4031 |
| RHEUMATIC FEVER | 18 | 19 | 33 | 22 | 24 | 29 | 34 | 49 | 26 | 26 |
| HEART DISEASE | 23434 | 23456 | 23974 | 22617 | 22573 | 21213 | 22704 | 21732 | 21576 | 21021 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 481 | 550 | 352 | 336 | 389 | 363 | 403 | 365 | 386 | 384 |
| GENERAL ARTERIOSCLEROSIS | 823 | 816 | 689 | 681 | 626 | 537 | 510 | 576 | 636 | 765 |
| OTHER CIRCULATORY | 406 | 407 | 408 | 329 | 317 | 282 | 241 | 225 | 211 | 197 |
| INFLUENZA | 5 | 25 | 37 | 21 | 12 | 14 | 48 | 17 | 28 | 22 |
| PNEUMONIA | 2457 | 2323 | 2478 | 2061 | 2048 | 1831 | 1864 | 1510 | 1375 | 1299 |
| BRONCHITIS | 106 | 110 | 116 | 109 | 117 | 130 | 87 | 93 | 91 | 85 |
| ULCER OF STOMACH AND DUODENUM | 402 | 390 | 378 | 315 | 342 | 324 | 346 | 306 | 325 | 348 |
| HERNIA INTESTINAL OBSTRUCTION | 259 | 301 | 234 | 241 | 222 | 263 | 276 | 259 | 266 | 293 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 184 | 228 | 244 | 178 | 235 | 196 | 224 | 157 | 126 | 153 |
| CIRRHOSIS OF LIVER | 906 | 818 | 850 | 781 | 720 | 753 | 742 | 728 | 663 | 705 |
| NEPHRITIS AND NEPHROSIS ACUTE | 39 | 61 | 59 | 75 | 51 | 53 | 65 | 71 | 71 | 68 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 390 | 403 | 447 | 439 | 516 | 548 | 684 | 736 | 883 | 863 |
| INFECTIONS OF KIDNEY | 313 | 260 | 239 | 206 | 199 | 156 | 161 | 147 | 123 | 126 |
| HYPERPLASIA OF PROSTATE | 112 | 113 | 139 | 137 | 165 | 167 | 172 | 161 | 179 | 192 |
| MATERNAL CAUSES | 37 | 38 | 44 | 51 | 42 | 42 | 55 | 42 | 46 | 56 |
| CONGENITAL MALFORMATIONS | 522 | 558 | 557 | 549 | 512 | 514 | 485 | 468 | 536 | 502 |
| DISEASES OF EARLY INFANCY | 2046 | 1954 | 2121 | 1977 | 1851 | 1816 | 1687 | 1658 | 1705 | 1527 |
| SENILITY AND ILL DEFINED | 76 | 58 | 61 | 40 | 38 | 74 | 179 | 186 | 146 | 133 |
| ACCIDENTS MOTOR VEHICLE | 628 | 736 | 742 | 837 | 865 | 879 | 932 | 964 | 820 | 844 |
| ACCIDENTS OTHER | 1249 | 1271 | 1314 | 1275 | 1286 | 1280 | 1479 | 1405 | 1262 | 1192 |
| SUICIDE | 481 | 482 | 430 | 435 | 415 | 431 | 431 | 385 | 417 | 474 |
| HOMICIDE | 357 | 352 | 358 | 323 | 341 | 319 | 325 | 310 | 284 | 297 |
| ALL OTHER CAUSES | 1621 | 1666 | 1625 | 1425 | 1463 | 1428 | 1473 | 1529 | 1468 | 1601 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CRAWFORD | | | | | | | | | | |
| TUBERCULOSIS | 2 | | | 1 | | 4 | 1 | 1 | 4 | 3 |
| SYPHILIS | 1 | | 1 | | | 1 | | | 1 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | 2 | | | | 1 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | |
| MALIGNANT NEOPLASMS | 40 | 27 | 40 | 34 | 47 | 29 | 49 | 37 | 44 | 48 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | 2 | | 1 | 1 | 1 | | |
| ASTHMA | | | 1 | | 1 | 4 | | | 1 | |
| DIABETES | 2 | 4 | 7 | 4 | 5 | 2 | 5 | 4 | 8 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 24 | 29 | 36 | 30 | 27 | 33 | 25 | 18 | 40 | 19 |
| RHEUMATIC FEVER | | | | | 1 | | | | | |
| HEART DISEASE | 117 | 108 | 99 | 99 | 115 | 91 | 109 | 98 | 94 | 93 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 1 | 2 | | 2 | 3 | 3 | 2 | 1 | 1 |
| GENERAL ARTERIOSCLEROSIS | 4 | 2 | 4 | 1 | 3 | 4 | 5 | 5 | 2 | 4 |
| OTHER CIRCULATORY | 3 | 2 | | 1 | 5 | 1 | | 3 | 2 | 3 |
| INFLUENZA | | 1 | 1 | | 2 | | 1 | 1 | 1 | 1 |
| PNEUMONIA | 3 | 9 | 9 | 6 | 2 | 1 | 7 | 11 | 5 | 6 |
| BRONCHITIS | | 1 | 1 | 1 | 1 | | | | | |
| ULCER OF STOMACH AND DUODENUM | 2 | 3 | 2 | 2 | | 1 | 2 | 1 | 1 | 4 |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 2 | 2 | 4 | 1 | 1 | 1 | | 3 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | 1 | 2 | 1 | | 1 | | |
| CIRRHOSIS OF LIVER | | 1 | | 3 | 2 | | 2 | | 1 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | | | | | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 9 | 5 | 4 | 11 | 10 | 18 | 16 | 9 | 10 | 13 |
| INFECTIONS OF KIDNEY | | | | 1 | | | | 1 | | |
| HYPERPLASIA OF PROSTATE | 2 | | 2 | 2 | 1 | 1 | 4 | | | 2 |
| MATERNAL CAUSES | 1 | | | | 1 | 1 | 1 | | 2 | 1 |
| CONGENITAL MALFORMATIONS | 1 | 3 | 2 | 1 | 2 | 2 | 4 | 1 | 3 | 2 |
| DISEASES OF EARLY INFANCY | 6 | 4 | 7 | 3 | 6 | 5 | 7 | 3 | 7 | 9 |
| SENILITY AND ILL DEFINED | | 2 | | | | | | | | |
| ACCIDENTS MOTOR VEHICLE | 11 | 3 | 6 | 5 | 2 | 7 | 8 | 9 | 9 | 5 |
| ACCIDENTS OTHER | 8 | 8 | 10 | 8 | 9 | 7 | 4 | 13 | 10 | 5 |
| SUICIDE | 4 | 3 | 1 | 3 | 3 | 1 | 3 | 4 | 2 | 3 |
| HOMICIDE | | | | 2 | 1 | | 1 | | | |
| ALL OTHER CAUSES | 10 | 15 | 12 | 6 | 10 | 8 | 12 | 11 | 16 | 13 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CUMBERLAND | | | | | | | | | | |
| TUBERCULOSIS | | 1 | | 1 | 2 | | 1 | 5 | 2 | 1 |
| SYPHILIS | | 1 | | 2 | | | 1 | | | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | 1 | | | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | 2 | | | 1 | | |
| MALIGNANT NEOPLASMS | 18 | 20 | 14 | 15 | 18 | 18 | 15 | 16 | 21 | 16 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | | | | | | 1 | |
| ASTHMA | 1 | 1 | | | | 1 | 1 | 1 | 1 | |
| DIABETES | 3 | 2 | 2 | 4 | 1 | 2 | 1 | 1 | 4 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 10 | 20 | 11 | 14 | 14 | 10 | 15 | 17 | 13 | 22 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 59 | 46 | 48 | 42 | 40 | 44 | 42 | 49 | 38 | 43 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 2 | | 2 | | 2 | 1 | 1 | | |
| GENERAL ARTERIOSCLEROSIS | 4 | | 2 | 2 | 7 | 2 | 5 | 6 | 3 | 4 |
| OTHER CIRCULATORY | 2 | 1 | | | 1 | 1 | 1 | | 1 | |
| INFLUENZA | | 1 | | | 1 | | 1 | 2 | | 3 |
| PNEUMONIA | 4 | 6 | 1 | 5 | 1 | 1 | 2 | 2 | | 2 |
| BRONCHITIS | | | | | 1 | 1 | 1 | | | |
| ULCER OF STOMACH AND DUODENUM | | | | | | | | 1 | 1 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | | | | | 1 | 1 | 1 | 1 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | |
| CIRRHOSIS OF LIVER | 3 | 1 | 1 | 2 | 2 | 1 | | | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 2 | | 1 | | | 1 | 3 | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 2 | | 1 | 2 | 4 | 3 | 1 | 2 | 3 |
| INFECTIONS OF KIDNEY | 1 | | | 1 | | | 1 | | | 1 |
| HYPERPLASIA OF PROSTATE | 2 | | | | 1 | | 2 | | 2 | |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | 2 | 1 | 1 | 2 | 3 | 1 | 1 | 2 | | 1 |
| DISEASES OF EARLY INFANCY | 1 | 2 | 5 | 1 | | 1 | 1 | 2 | 3 | 5 |
| SENILITY AND ILL DEFINED | | | 1 | | | | 1 | | | |
| ACCIDENTS MOTOR VEHICLE | 2 | 7 | 4 | 4 | 2 | 3 | 2 | 3 | 2 | 5 |
| ACCIDENTS OTHER | 1 | 6 | 5 | 7 | 5 | 4 | 4 | 4 | 6 | 9 |
| SUICIDE | 1 | 2 | 1 | | 1 | 1 | 2 | 1 | 1 | 1 |
| HOMICIDE | | | | | | | | | | 1 |
| [illegible] | 1 | 6 | 4 | 4 | 5 | 1 | 5 | 7 | 10 | 4 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| DE KALB | | | | | | | | | | |
| TUBERCULOSIS | 2 | | | 1 | | 1 | | 3 | 2 | 2 |
| SYPHILIS | | 1 | | 1 | | 1 | | 2 | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | 1 | | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | 2 | | 3 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | 1 | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | | 2 | 1 | 1 | 1 | 1 | |
| MALIGNANT NEOPLASMS | 77 | 71 | 78 | 62 | 72 | 60 | 51 | 63 | 63 | 65 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | | 1 | | 1 | 1 | 1 | | 1 | 1 |
| ASTHMA | 1 | 2 | 4 | | | 1 | 3 | 3 | 1 | |
| DIABETES | 11 | 7 | 12 | 10 | 6 | 9 | 4 | 10 | 13 | 9 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 49 | 71 | 67 | 48 | 67 | 57 | 62 | 58 | 47 | 56 |
| RHEUMATIC FEVER | 1 | | | | 1 | 1 | 1 | | | |
| HEART DISEASE | 179 | 218 | 179 | 189 | 137 | 157 | 148 | 155 | 145 | 156 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 5 | 3 | 3 | 5 | 3 | 7 | 5 | 2 | 2 |
| GENERAL ARTERIOSCLEROSIS | 9 | 11 | 3 | 11 | 9 | 10 | 8 | 9 | 10 | 6 |
| OTHER CIRCULATORY | 2 | 3 | 2 | 2 | 3 | 5 | 3 | 1 | | 3 |
| INFLUENZA | | 1 | 2 | 3 | 1 | | 3 | 1 | 1 | 1 |
| PNEUMONIA | 14 | 21 | 19 | 20 | 18 | 4 | 14 | 14 | 10 | 7 |
| BRONCHITIS | | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| ULCER OF STOMACH AND DUODENUM | 3 | 3 | 1 | 3 | | 2 | 6 | | 2 | 3 |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 3 | 5 | 3 | 3 | 1 | 3 | | 3 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 4 | 1 | | 1 | 1 | | 1 | 2 | 1 |
| CIRRHOSIS OF LIVER | 1 | 5 | 2 | 3 | 1 | 1 | | 3 | 3 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 2 | | 1 | 1 | | | | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 6 | 9 | 8 | 2 | 10 | 11 | 19 | 21 | 19 | 20 |
| INFECTIONS OF KIDNEY | 1 | 4 | 3 | | 3 | | | | 1 | |
| HYPERPLASIA OF PROSTATE | 2 | 3 | 1 | | | | 4 | 2 | 3 | 3 |
| MATERNAL CAUSES | | 1 | 1 | | 1 | 2 | | | 1 | |
| CONGENITAL MALFORMATIONS | 9 | 5 | 3 | 3 | 5 | 3 | 7 | 6 | 6 | 5 |
| DISEASES OF EARLY INFANCY | 9 | 11 | 16 | 15 | 11 | 10 | 12 | 10 | 15 | 12 |
| SENILITY AND ILL DEFINED | 1 | | | | | 2 | | | | 1 |
| ACCIDENTS MOTOR VEHICLE | 15 | 10 | 18 | 10 | 12 | 20 | 14 | 15 | 14 | 9 |
| ACCIDENTS OTHER | 14 | 11 | 11 | 12 | 22 | 10 | 18 | 22 | 13 | 13 |
| SUICIDE | 3 | 5 | 2 | 2 | 9 | 9 | 7 | 5 | 5 | 5 |
| HOMICIDE | | | | | 1 | | 1 | | | |
| ALL OTHER CAUSES | 23 | 15 | 19 | 15 | 8 | 7 | 18 | 22 | 21 | 16 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

## DE WITT

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| TUBERCULOSIS | | | 2 | | 1 | | 1 | | 1 | 1 |
| SYPHILIS | | | | | 1 | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 31 | 32 | 33 | 28 | 31 | 29 | 1 30 | 39 | 24 | 1 15 |
| MALIGNANT NEOPLASMS | | 1 | 1 | 1 | 1 | | | 1 2 | | |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | | | | | | | |
| ASTHMA | 5 | 3 | 1 | 1 | 2 | 4 | 4 | 8 | 3 | 3 |
| DIABETES | 24 | 39 | 22 | 18 | 16 | 29 | 19 | 21 | 16 | 21 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 108 | 94 | 93 | 93 | 82 | 97 | 88 | 86 | 105 | 108 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 3 | 1 4 | 3 6 | 4 | 1 7 | 2 4 | 2 3 | 1 2 | 2 4 | 4 3 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | | | | | | | | | |
| GENERAL ARTERIOSCLEROSIS | 1 | 1 | 2 | 1 | 1 | | 1 | 2 1 | 1 | 1 |
| OTHER CIRCULATORY | | | | | | | | | | |
| INFLUENZA | 9 | 5 | 4 | 4 | 7 | 3 | 2 | 5 | 5 | 5 |
| PNEUMONIA | 1 | 1 | 2 | | | | 1 | | | |
| BRONCHITIS | | | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | 2 | | 2 | | 1 | 2 | 1 | 2 | | 2 |
| HERNIA INTESTINAL OBSTRUCTION | | | 3 | | 1 | | 1 | 2 | | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | 1 | | 1 | 1 | | 1 | | |
| CIRRHOSIS OF LIVER | 1 | | | 1 | | 1 | 3 | 1 | 2 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 5 | 1 7 | 6 | 4 | 3 | 5 | 8 | 1 | 1 3 |
| INFECTIONS OF KIDNEY | | 2 | | | 1 | | | | | |
| HYPERPLASIA OF PROSTATE | 1 | | 1 | 3 | | 1 | 2 | | 1 | |
| MATERNAL CAUSES | 1 | | | | | | | | | |
| CONGENITAL MALFORMATIONS | | 5 | 2 | 2 | 1 | 2 | 2 | 1 | 4 | 2 |
| DISEASES OF EARLY INFANCY | 5 | 7 | 3 | 8 | 8 | 3 | 6 | 5 | 5 | 5 |
| SENILITY AND ILL DEFINED | | | | | 1 | | 1 | | | 3 |
| ACCIDENTS MOTOR VEHICLE | 7 | 8 | 4 | 5 | 5 | 1 | 4 | 3 | 5 | 12 |
| ACCIDENTS OTHER | 6 | 3 | 8 | 1 | 8 | 4 | 8 | 7 | 7 | 5 |
| SUICIDE | | 2 | 1 | 1 | 2 | 4 | 3 | 2 | 1 2 | 2 |
| HOMICIDE | | 1 3 | | 1 7 | | | | | 11 | |
| | 5 | | 7 | | 4 | 4 | 4 | 6 | | 7 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| DOUGLAS | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 |
| SYPHILIS | | | | | | | 2 | 1 | 2 | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | | 1 | | | |
| POLIOMYELITIS ACUTE | | | 2 | | | | | 3 | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | 1 | | | | 2 | 1 | 2 | 2 |
| MALIGNANT NEOPLASMS | 36 | 27 | 24 | 26 | 34 | 19 | 27 | 32 | 34 | 29 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | 1 | | 1 | 1 | | | 1 | |
| ASTHMA | 1 | 1 | 2 | 1 | 1 | 1 | | 2 | | |
| DIABETES | 3 | 6 | 4 | 5 | 2 | 5 | 4 | 5 | 5 | 7 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 34 | 22 | 13 | 25 | 23 | 12 | 26 | 15 | 23 | 30 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 97 | 110 | 96 | 91 | 82 | 81 | 65 | 73 | 61 | 81 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 3 | 4 | 5 | 1 | 1 | 6 | 3 | | 4 |
| GENERAL ARTERIOSCLEROSIS | 4 | 2 | 5 | 2 | 3 | 3 | 4 | 2 | 3 | 3 |
| OTHER CIRCULATORY | | 1 | 1 | | | 4 | | 4 | 1 | 2 |
| INFLUENZA | | 2 | 2 | 1 | | 1 | 2 | | | |
| PNEUMONIA | 3 | 6 | | 4 | 7 | 2 | 4 | 3 | 2 | 4 |
| BRONCHITIS | 2 | 2 | 3 | | | | 1 | | | |
| ULCER OF STOMACH AND DUODENUM | 1 | | 1 | 1 | | 2 | 1 | 1 | 1 | 2 |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 2 | 3 | | 1 | 1 | 2 | 2 | 3 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 2 | 1 | | | | 2 | 2 | | |
| CIRRHOSIS OF LIVER | | 1 | | 2 | | 2 | | 1 | | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 2 | | | 2 | 2 | 3 | | 2 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 6 | 6 | 6 | 12 | 12 | 8 | 13 | 11 | 7 |
| INFECTIONS OF KIDNEY | | 1 | | | | | | | 1 | |
| HYPERPLASIA OF PROSTATE | 1 | | 1 | 1 | | 1 | | 3 | | 1 |
| MATERNAL CAUSES | | | | | | | | | | 2 |
| CONGENITAL MALFORMATIONS | 2 | 1 | 2 | 5 | 1 | 1 | 4 | | | 2 |
| DISEASES OF EARLY INFANCY | 7 | 7 | 11 | 6 | 8 | 6 | 4 | 3 | 6 | 4 |
| SENILITY AND ILL DEFINED | | | | | | 1 | | 1 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 5 | 5 | 9 | 15 | 4 | 8 | 3 | 4 | 2 | 6 |
| ACCIDENTS OTHER | 6 | 4 | 3 | 7 | 12 | 5 | 11 | 5 | 8 | 4 |
| SUICIDE | | 5 | 5 | 1 | 8 | 4 | 1 | 3 | 3 | 2 |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 8 | 4 | 10 | 9 | 8 | 4 | 3 | 9 | 9 | 6 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| DU PAGE | | | | | | | | | | |
| TUBERCULOSIS | 3 | 3 | 3 | 8 | 7 | 8 | 10 | 5 | 7 | 8 |
| SYPHILIS | | | 2 | 2 | 2 | 1 | 1 | 4 | 3 | 6 |
| MENINGOCOCCAL INFECTIONS | 1 | 2 | | | 1 | 1 | 1 | 2 | 3 | 1 |
| POLIOMYELITIS ACUTE | | | | 3 | 4 | 7 | 9 | 14 | 5 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | 3 | | 1 | | 1 | | | |
| INFECTIOUS HEPATITIS | | | 1 | | | 1 | 1 | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 5 | 7 | 9 | 5 | 2 | 2 | 3 | 3 | 3 | 4 |
| MALIGNANT NEOPLASMS | 348 | 330 | 300 | 299 | 292 | 258 | 280 | 247 | 217 | 204 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 7 | 5 | 6 | 3 | 9 | 5 | 2 | 5 | 6 | 8 |
| ASTHMA | 1 | 6 | 11 | 3 | 5 | 7 | 11 | 12 | 6 | |
| DIABETES | 31 | 25 | 33 | 28 | 24 | 31 | 25 | 21 | 30 | 20 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 221 | 200 | 180 | 158 | 184 | 156 | 152 | 142 | 153 | 111 |
| RHEUMATIC FEVER | | 1 | 1 | 2 | 4 | 3 | | 2 | | 1 |
| HEART DISEASE | 745 | 752 | 701 | 649 | 691 | 563 | 538 | 524 | 504 | 518 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 13 | 17 | 6 | 14 | 8 | 14 | 11 | 8 | 10 | 8 |
| GENERAL ARTERIOSCLEROSIS | 45 | 35 | 35 | 28 | 18 | 37 | 21 | 15 | 13 | 24 |
| OTHER CIRCULATORY | 25 | 27 | 21 | 9 | 12 | 6 | 5 | 5 | 3 | 4 |
| INFLUENZA | | 4 | 2 | | 2 | | 3 | 1 | 1 | 1 |
| PNEUMONIA | 59 | 84 | 68 | 55 | 60 | 40 | 44 | 29 | 32 | 32 |
| BRONCHITIS | 1 | 6 | 8 | 2 | 2 | 4 | 6 | 1 | 1 | 1 |
| ULCER OF STOMACH AND DUODENUM | 14 | 15 | 10 | 11 | 7 | 4 | 15 | 7 | 11 | 6 |
| HERNIA INTESTINAL OBSTRUCTION | 4 | 11 | 10 | 10 | 10 | 7 | 15 | 5 | 11 | 11 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 10 | 8 | 2 | 4 | 4 | 2 | 9 | 3 | 2 | 3 |
| CIRRHOSIS OF LIVER | 17 | 21 | 13 | 13 | 6 | 18 | 18 | 9 | 9 | 5 |
| NEPHRITIS AND NEPHROSIS ACUTE | 3 | 3 | 2 | 2 | 3 | 5 | 1 | | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 11 | 9 | 18 | 6 | 8 | 20 | 22 | 12 | 18 | 22 |
| INFECTIONS OF KIDNEY | 8 | 9 | 6 | 1 | 4 | 4 | 3 | 5 | 2 | 2 |
| HYPERPLASIA OF PROSTATE | 4 | 4 | 6 | 3 | 7 | 3 | 7 | 7 | 3 | 3 |
| MATERNAL CAUSES | 3 | | | 1 | 4 | 1 | | | 1 | 1 |
| CONGENITAL MALFORMATIONS | 33 | 38 | 34 | 27 | 27 | 14 | 22 | 16 | 24 | 21 |
| DISEASES OF EARLY INFANCY | 90 | 80 | 86 | 54 | 71 | 77 | 55 | 55 | 39 | 43 |
| SENILITY AND ILL DEFINED | 7 | 5 | 5 | 5 | 1 | 7 | 26 | 18 | 12 | 14 |
| ACCIDENTS MOTOR VEHICLE | 45 | 56 | 50 | 73 | 46 | 49 | 60 | 37 | 38 | 26 |
| ACCIDENTS OTHER | 53 | 57 | 48 | 53 | 42 | 42 | 43 | 46 | 42 | 55 |
| SUICIDE | 26 | 15 | 23 | 18 | 18 | 16 | 17 | 10 | 18 | 26 |
| HOMICIDE | 2 | 5 | 3 | 2 | 3 | 2 | 2 | 1 | 1 | 2 |
| | 56 | 75 | 54 | 54 | 61 | 53 | 68 | 65 | 61 | 50 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| EDGAR | | | | | | | | | | |
| TUBERCULOSIS | 2 | 1 | 2 | 2 | | | | | 6 | 3 |
| SYPHILIS | | 1 | 1 | | | | | | | 1 |
| MENINGOCOCCAL INFECTIONS | | 1 | | | | | 1 | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | 2 | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | 1 | | 2 | | | | |
| INFECTIOUS HEPATITIS | | | | 1 | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | | | | | 1 | 1 | 1 | | |
| MALIGNANT NEOPLASMS | 50 | 50 | 31 | 49 | 42 | 43 | 38 | 59 | 54 | 44 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | | | 1 | | 1 | 1 | |
| ASTHMA | 1 | 2 | 4 | 2 | | | 3 | 1 | | 2 |
| DIABETES | 5 | 4 | 2 | 4 | 2 | 4 | 6 | 3 | 2 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 44 | 51 | 69 | 41 | 38 | 47 | 47 | 41 | 56 | 42 |
| RHEUMATIC FEVER | | 1 | | | | | | | 1 | 1 |
| HEART DISEASE | 112 | 111 | 126 | 111 | 128 | 124 | 108 | 109 | 121 | 108 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 1 | 6 | 4 | | 4 | 3 | 4 | 2 | 1 |
| GENERAL ARTERIOSCLEROSIS | 14 | 4 | 6 | 4 | 6 | 6 | 8 | 4 | 2 | 9 |
| OTHER CIRCULATORY | 2 | | 3 | 1 | 1 | 2 | 2 | | 2 | |
| INFLUENZA | | 1 | 2 | 1 | | | 6 | | | 1 |
| PNEUMONIA | 3 | 5 | 8 | 8 | 4 | 8 | 8 | 1 | 5 | 4 |
| BRONCHITIS | | | | | 3 | | 1 | | 1 | 1 |
| ULCER OF STOMACH AND DUODENUM | 3 | 5 | 1 | 3 | 2 | 1 | 3 | 3 | 5 | 2 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 3 | 2 | 2 | 1 | 1 | | 4 | | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | 1 | 2 | 2 | 1 | 2 | 1 | | 1 |
| CIRRHOSIS OF LIVER | | 2 | 1 | 2 | | | 4 | | 2 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | 1 | 1 | | | | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 6 | 4 | 8 | 3 | 3 | 12 | 10 | 3 | 10 |
| INFECTIONS OF KIDNEY | | 1 | | 1 | 3 | 1 | 1 | 1 | 2 | 1 |
| HYPERPLASIA OF PROSTATE | 1 | 3 | 3 | 2 | 3 | 2 | 1 | 7 | 4 | 1 |
| MATERNAL CAUSES | 1 | | 1 | | | | | | | 1 |
| CONGENITAL MALFORMATIONS | 1 | 1 | 1 | 2 | 3 | 1 | 4 | 1 | 1 | 10 |
| DISEASES OF EARLY INFANCY | 4 | 6 | 8 | 4 | 7 | 4 | 5 | 6 | 12 | 18 |
| SENILITY AND ILL DEFINED | 3 | | 1 | | 1 | | | 1 | 2 | 5 |
| ACCIDENTS MOTOR VEHICLE | 8 | 7 | 8 | 2 | 4 | 5 | 8 | 7 | 5 | 4 |
| ACCIDENTS OTHER | 5 | 10 | 7 | 14 | 10 | 4 | 6 | 8 | 8 | 21 |
| SUICIDE | | 2 | 5 | 4 | 2 | 4 | 6 | 3 | 5 | 5 |
| HOMICIDE | | | 2 | | 2 | | | 1 | 1 | 1 |
| ALL OTHER CAUSES | 13 | 10 | 12 | 10 | 12 | 12 | 12 | 8 | 11 | 7 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| EDWARDS | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 1 | 1 | | 2 | | | | 1 |
| SYPHILIS | | | | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | 1 | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | | | | | | 1 | |
| MALIGNANT NEOPLASMS | 15 | 11 | 18 | 8 | 12 | 13 | 16 | 13 | 18 | 13 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | | | | 1 | | | 2 |
| ASTHMA | | 1 | 1 | 2 | | | 2 | 1 | 1 | 1 |
| DIABETES | 3 | | | | 2 | 2 | 2 | 3 | | 1 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 18 | 16 | 18 | 17 | 17 | 17 | 20 | 18 | 13 | 18 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 55 | 42 | 49 | 36 | 36 | 38 | 48 | 46 | 43 | 33 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 1 | | | 1 | 3 | | | 1 | |
| GENERAL ARTERIOSCLEROSIS | 1 | 4 | 5 | 5 | 5 | 2 | 5 | 7 | 5 | 1 |
| OTHER CIRCULATORY | 1 | | | 1 | | 1 | | | | |
| INFLUENZA | | | 2 | 1 | 2 | 1 | 5 | 1 | 1 | |
| PNEUMONIA | | 2 | 4 | | 2 | 3 | 4 | 2 | | 9 |
| BRONCHITIS | | | | | | | 1 | | | |
| ULCER OF STOMACH AND DUODENUM | | 1 | | 1 | | | 1 | 1 | | 2 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | | 1 | | 2 | | | | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | | 1 | | 4 | | | 1 |
| CIRRHOSIS OF LIVER | | | | 1 | 1 | | 2 | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | | 1 | | 4 | 1 | 2 | 2 | 1 |
| INFECTIONS OF KIDNEY | | 1 | | | 1 | | | 1 | | |
| HYPERPLASIA OF PROSTATE | | | 1 | | 1 | | | | | |
| MATERNAL CAUSES | | | | | 1 | 1 | | | | |
| CONGENITAL MALFORMATIONS | | | 1 | 1 | 3 | 2 | | 1 | 1 | 1 |
| DISEASES OF EARLY INFANCY | 2 | | 1 | 1 | 3 | 5 | 2 | 1 | | 3 |
| SENILITY AND ILL DEFINED | | | | | | 1 | 1 | 4 | 4 | 1 |
| ACCIDENTS MOTOR VEHICLE | 4 | 3 | 3 | 3 | 3 | 1 | 4 | 5 | 6 | 4 |
| ACCIDENTS OTHER | 1 | 3 | 3 | 4 | 4 | 7 | 1 | 3 | 4 | 4 |
| SUICIDE | | 2 | 2 | 1 | 2 | | 1 | 2 | | |
| HOMICIDE | 2 | 7 | 3 | 3 | 6 | 3 | 6 | 3 | 4 | 1 5 |
| ALL OTHER CAUSES | | | | | | | | | | |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| EFFINGHAM | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 1 | | | 1 | | 1 | 2 | 5 |
| SYPHILIS | | 1 | | | | | | 1 | 1 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | 1 | | | 2 | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | | | | 1 | 1 | 3 | |
| MALIGNANT NEOPLASMS | 38 | 27 | 35 | 38 | 44 | 34 | 28 | 36 | 26 | 27 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | 1 | | | 1 | | | 1 | |
| ASTHMA | | | 2 | 1 | 1 | 3 | 1 | 1 | 2 | |
| DIABETES | 4 | 6 | 5 | 6 | 1 | 6 | 3 | 9 | 3 | 5 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 26 | 22 | 31 | 19 | 18 | 26 | 29 | 27 | 23 | 14 |
| RHEUMATIC FEVER | | 1 | | | | | 1 | | | |
| HEART DISEASE | 83 | 95 | 87 | 71 | 85 | 73 | 88 | 81 | 69 | 85 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 2 | 3 | 3 | 1 | | 1 | 3 | | 1 |
| GENERAL ARTERIOSCLEROSIS | 2 | 3 | 4 | 6 | 8 | 6 | 10 | 4 | 5 | 7 |
| OTHER CIRCULATORY | 3 | | 2 | 1 | 1 | 3 | | | 1 | 2 |
| INFLUENZA | 1 | 1 | | | | | 3 | | 1 | 1 |
| PNEUMONIA | 7 | 8 | 2 | 5 | 4 | 3 | 3 | 6 | 6 | 1 |
| BRONCHITIS | 1 | | 1 | 2 | 1 | 2 | 3 | | 4 | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | 1 | | 2 | | 1 | | | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | | 1 | | 1 | 1 | 3 | 2 | 2 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 2 | | 2 | 2 | 2 | 2 | 1 | | 1 |
| CIRRHOSIS OF LIVER | 1 | 2 | 1 | | 3 | 4 | 1 | 3 | 1 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 3 | 1 | | | 2 | 1 | 1 | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 4 | 7 | 4 | 5 | 7 | 7 | 4 | 3 | 4 |
| INFECTIONS OF KIDNEY | | | | 1 | | | 1 | | 1 | 1 |
| HYPERPLASIA OF PROSTATE | 2 | 1 | 2 | | 4 | 2 | 2 | 1 | 1 | |
| MATERNAL CAUSES | | | | | | | 2 | | | |
| CONGENITAL MALFORMATIONS | 2 | 1 | | | 3 | 2 | 6 | 1 | 2 | 5 |
| DISEASES OF EARLY INFANCY | 8 | 11 | 3 | 4 | 8 | 7 | 7 | 6 | 9 | 5 |
| SENILITY AND ILL DEFINED | | 1 | | | 1 | | | 1 | 1 | |
| ACCIDENTS MOTOR VEHICLE | 7 | 14 | 14 | 7 | 10 | 3 | 5 | 13 | 7 | 10 |
| ACCIDENTS OTHER | 6 | 6 | 9 | 8 | 12 | 4 | 8 | 9 | 7 | 10 |
| SUICIDE | 1 | 2 | 3 | 1 | 1 | 3 | 7 | 2 | 3 | 1 |
| HOMICIDE | | | | 1 | | | | | | |
| ALL OTHER CAUSES | 6 | 5 | 9 | 5 | 11 | 7 | 15 | 11 | 7 | 7 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| FAYETTE | | | | | | | | | | |
| TUBERCULOSIS | 1 | 3 | 1 | 4 | | 3 | 1 | 3 | 8 | 3 |
| SYPHILIS | | | | | | | | 2 | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | 1 | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | 3 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | 1 | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | 1 | 1 | 2 | 2 | | | | 2 |
| MALIGNANT NEOPLASMS | 36 | 29 | 52 | 40 | 35 | 32 | 53 | 36 | 27 | 42 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | | | 1 | | |
| ASTHMA | | | 1 | 2 | | 1 | | | | 1 |
| DIABETES | 3 | 5 | 4 | 4 | 4 | 4 | 5 | 7 | 8 | 7 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 40 | 38 | 37 | 27 | 22 | 35 | 43 | 35 | 32 | 29 |
| RHEUMATIC FEVER | | | | | | | 2 | | | 1 |
| HEART DISEASE | 105 | 91 | 93 | 87 | 99 | 89 | 110 | 95 | 111 | 83 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 4 | 7 | 2 | 2 | | 1 | 2 | 1 | | 1 |
| GENERAL ARTERIOSCLEROSIS | 19 | 13 | 21 | 17 | 17 | 13 | 9 | 11 | 10 | 16 |
| OTHER CIRCULATORY | 4 | 2 | 3 | | 1 | 1 | 2 | 2 | 3 | 1 |
| INFLUENZA | | 3 | | 3 | | 1 | 2 | 2 | | |
| PNEUMONIA | 11 | 8 | 10 | 9 | 8 | 8 | 9 | 11 | 8 | 13 |
| BRONCHITIS | | | | 3 | 4 | 1 | 1 | 2 | | |
| ULCER OF STOMACH AND DUODENUM | 2 | 1 | 1 | | | 1 | 2 | | | 4 |
| HERNIA INTESTINAL OBSTRUCTION | | | 2 | 1 | | | 1 | 1 | 3 | 5 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | 2 | | 1 | 2 | 1 | 3 | 4 | |
| CIRRHOSIS OF LIVER | 1 | 1 | 1 | 1 | | | 1 | | 1 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | | | 1 | 1 | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 3 | 4 | 5 | 3 | 4 | 5 | 8 | 10 | 6 |
| INFECTIONS OF KIDNEY | 1 | 1 | 1 | | 1 | 1 | 1 | | 1 | |
| HYPERPLASIA OF PROSTATE | | | | | | | 2 | 2 | 1 | 1 |
| MATERNAL CAUSES | | | | | | | 1 | | 1 | |
| CONGENITAL MALFORMATIONS | 3 | 2 | 4 | 1 | 1 | 1 | 3 | 3 | 1 | 3 |
| DISEASES OF EARLY INFANCY | 4 | 5 | 4 | 8 | 7 | 6 | 5 | 8 | 2 | 7 |
| SENILITY AND ILL DEFINED | 2 | 1 | 1 | 3 | 2 | | 1 | 1 | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | 5 | 5 | 8 | 7 | 5 | 7 | 9 | 13 | 6 | 7 |
| ACCIDENTS OTHER | 3 | 9 | 6 | 5 | 9 | 8 | 8 | 7 | 12 | 6 |
| SUICIDE | 3 | 2 | 2 | 9 | 6 | 3 | 5 | 3 | 3 | 2 |
| HOMICIDE | 3 | 10 | 2 | 1 | | | 4 | | | |
| ALL OTHER CAUSES | | | 18 | 5 | 3 | 9 | 12 | 6 | 12 | 9 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| FORD | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | 1 | | 1 | | 1 | 1 | 1 | 1 |
| SYPHILIS | | | | | | | 1 | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | 1 | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | | | |
| MALIGNANT NEOPLASMS | 22 | 16 | 30 | 37 | 27 | 29 | 30 | 28 | 28 | 27 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | 2 | | | | | 1 | |
| ASTHMA | 3 | 1 | 1 | | 1 | | 1 | | | |
| DIABETES | 2 | 4 | 1 | 4 | 1 | 3 | 2 | 6 | | 4 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 16 | 19 | 23 | 16 | 15 | 20 | 19 | 28 | 21 | 20 |
| RHEUMATIC FEVER | | | | | | | 1 | | | |
| HEART DISEASE | 88 | 82 | 80 | 89 | 86 | 56 | 67 | 65 | 66 | 68 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 5 | 2 | 1 | 2 | 6 | 2 | | 4 | 4 |
| GENERAL ARTERIOSCLEROSIS | 5 | 7 | 13 | 4 | 9 | 13 | 6 | 5 | 4 | 12 |
| OTHER CIRCULATORY | 2 | 1 | 2 | 2 | 3 | | | | 2 | |
| INFLUENZA | | 2 | | | | | 2 | 3 | | 1 |
| PNEUMONIA | 5 | 1 | 3 | 3 | 8 | 7 | 2 | 6 | 2 | 2 |
| BRONCHITIS | 2 | | 1 | 1 | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | 3 | 3 | 1 | | 2 | | | 1 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 1 | | | | 1 | 1 | 2 | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | | | 2 | 2 | | | 3 | |
| CIRRHOSIS OF LIVER | | 1 | 1 | 1 | | 1 | | | | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | 1 | | | | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 4 | 1 | 1 | 7 | 2 | 4 | 4 | 3 | |
| INFECTIONS OF KIDNEY | | | | | 1 | | 1 | | 1 | 1 |
| HYPERPLASIA OF PROSTATE | | 1 | 2 | | | 1 | | | 1 | 1 |
| MATERNAL CAUSES | 1 | 1 | 1 | | | | | | | |
| CONGENITAL MALFORMATIONS | | 3 | 2 | | 1 | 5 | 4 | 3 | 2 | 1 |
| DISEASES OF EARLY INFANCY | 6 | 4 | 6 | 3 | 3 | 4 | 3 | 11 | 5 | 4 |
| SENILITY AND ILL DEFINED | | | 1 | | | 1 | | | | |
| ACCIDENTS MOTOR VEHICLE | 13 | 7 | 4 | 12 | 9 | 5 | 2 | 3 | 7 | 12 |
| ACCIDENTS OTHER | 4 | 4 | 3 | 7 | 4 | 4 | 10 | 8 | 11 | 11 |
| SUICIDE | 1 | 5 | 4 | 2 | 1 | 2 | 3 | 2 | 3 | 4 |
| HOMICIDE | | 1 | | | | | | | | 1 |
| ALL OTHER CAUSES | 8 | 6 | 2 | 6 | 5 | 7 | 7 | 10 | 10 | 7 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| FRANKLIN | | | | | | | | | | |
| TUBERCULOSIS | 3 | 8 | 5 | 5 | 7 | 9 | 9 | 12 | 12 | 14 |
| SYPHILIS | | | | 2 | | | 1 | 6 | 4 | 4 |
| MENINGOCOCCAL INFECTIONS | 1 | | | | 1 | | 1 | | | 1 |
| POLIOMYELITIS ACUTE | | 1 | 1 | | | | | 2 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | 2 | | | 1 | | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | | 2 | | 1 | | 1 | 2 |
| MALIGNANT NEOPLASMS | 84 | 93 | 112 | 104 | 85 | 68 | 92 | 71 | 97 | 83 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 2 | 2 | 3 | 2 | 1 | 1 | | 1 | 3 |
| ASTHMA | 1 | | 2 | | 1 | 4 | 2 | 1 | 3 | 1 |
| DIABETES | 8 | 7 | 5 | 7 | 12 | 12 | 4 | 13 | 13 | 8 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 47 | 50 | 59 | 45 | 42 | 66 | 64 | 49 | 56 | 49 |
| RHEUMATIC FEVER | 1 | | | | | | | 1 | | |
| HEART DISEASE | 281 | 298 | 284 | 278 | 219 | 219 | 207 | 221 | 238 | 204 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 10 | 5 | 6 | 4 | 4 | 3 | 6 | 1 | 6 | 6 |
| GENERAL ARTERIOSCLEROSIS | 13 | 22 | 25 | 18 | 16 | 18 | 16 | 16 | 14 | 17 |
| OTHER CIRCULATORY | 4 | 3 | 4 | 1 | 2 | 4 | 1 | 1 | 1 | 5 |
| INFLUENZA | 1 | | 1 | | | | 1 | 1 | 2 | 1 |
| PNEUMONIA | 14 | 17 | 16 | 15 | 17 | 9 | 17 | 13 | 18 | 7 |
| BRONCHITIS | | 1 | | 1 | | 1 | | 2 | 2 | 1 |
| ULCER OF STOMACH AND DUODENUM | 2 | 2 | 2 | 3 | 3 | 5 | 2 | 3 | 2 | 3 |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 6 | 6 | 1 | 1 | 2 | 8 | 4 | 4 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 4 | 2 | 1 | | 4 | 3 | 5 | 3 | 1 | 1 |
| CIRRHOSIS OF LIVER | 2 | 7 | 8 | 4 | 6 | 12 | 7 | 2 | 4 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | 1 | 4 | 1 | 1 | 2 | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 11 | 6 | 4 | 9 | 12 | 18 | 12 | 17 | 18 | 10 |
| INFECTIONS OF KIDNEY | | 1 | 1 | 1 | 2 | 1 | 3 | 1 | 1 | |
| HYPERPLASIA OF PROSTATE | 3 | 1 | 2 | 2 | 2 | 6 | 1 | 4 | 1 | 1 |
| MATERNAL CAUSES | | | | | 1 | | | | | |
| CONGENITAL MALFORMATIONS | 7 | 5 | 3 | 4 | 5 | 3 | 3 | 3 | 6 | 5 |
| DISEASES OF EARLY INFANCY | 13 | 12 | 8 | 8 | 3 | 8 | 9 | 9 | 11 | 9 |
| SENILITY AND ILL DEFINED | 1 | 2 | 1 | 1 | 2 | | 5 | 5 | 6 | 6 |
| ACCIDENTS MOTOR VEHICLE | 13 | 8 | 12 | 15 | 17 | 14 | 6 | 14 | 18 | 7 |
| ACCIDENTS OTHER | 15 | 14 | 20 | 12 | 16 | 21 | 12 | 23 | 123 | 36 |
| SUICIDE | 7 | 9 | 11 | 3 | 9 | 8 | 6 | 9 | 9 | 9 |
| HOMICIDE | | 1 | 5 | 1 | | 2 | | | 3 | 1 |
| | 24 | 26 | 18 | 26 | 27 | 24 | 27 | 39 | 23 | 27 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| FULTON | | | | | | | | | | |
| TUBERCULOSIS | 5 | 2 | 3 | 1 | 1 | 5 | 2 | 4 | 4 | 9 |
| SYPHILIS | | | 2 | | | 1 | 2 | 1 | 5 | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | 1 | 1 | |
| POLIOMYELITIS ACUTE | 1 | | | | | | 2 | | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | 1 | | | | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | 1 | 2 | 2 | 4 | 3 | 3 | 1 |
| MALIGNANT NEOPLASMS | 64 | 83 | 75 | 80 | 64 | 65 | 52 | 75 | 70 | 70 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 2 | | 3 | 1 | | | 1 | 2 | |
| ASTHMA | 2 | | 2 | 2 | 1 | 1 | 3 | 4 | | 2 |
| DIABETES | 7 | 11 | 17 | 6 | 5 | 10 | 11 | 5 | 7 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 68 | 70 | 66 | 54 | 65 | 58 | 72 | 77 | 80 | 58 |
| RHEUMATIC FEVER | | | 1 | | | 1 | 1 | | 1 | |
| HEART DISEASE | 246 | 203 | 228 | 221 | 222 | 178 | 195 | 175 | 187 | 184 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 11 | 11 | 5 | 9 | 6 | 6 | 10 | 12 | 4 | 8 |
| GENERAL ARTERIOSCLEROSIS | 12 | 4 | 6 | 8 | 11 | 9 | 10 | 16 | 18 | 13 |
| OTHER CIRCULATORY | 2 | 2 | 5 | 2 | 1 | 3 | 1 | | 1 | 4 |
| INFLUENZA | 1 | 1 | 2 | 2 | 1 | 2 | 4 | | | |
| PNEUMONIA | 14 | 12 | 9 | 9 | 16 | 8 | 14 | 7 | 12 | 13 |
| BRONCHITIS | 1 | 4 | 1 | 1 | | 1 | | | 1 | 3 |
| ULCER OF STOMACH AND DUODENUM | | 6 | 3 | 2 | 3 | | 1 | 1 | 3 | 3 |
| HERNIA INTESTINAL OBSTRUCTION | 4 | 3 | 5 | 4 | | 2 | 3 | 4 | 3 | 4 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | 2 | 2 | 1 | 1 | 1 | 3 | | 3 |
| CIRRHOSIS OF LIVER | | 5 | 2 | 1 | 3 | 2 | 1 | 3 | 2 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | 1 | | | 2 | 1 | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 1 | 8 | 5 | 4 | 9 | 11 | 8 | 9 | 11 |
| INFECTIONS OF KIDNEY | 2 | 2 | 2 | | 2 | | | | | |
| HYPERPLASIA OF PROSTATE | 4 | 3 | 2 | 2 | 4 | 4 | 4 | 8 | 11 | 8 |
| MATERNAL CAUSES | | 1 | | | | | | 2 | 1 | 2 |
| CONGENITAL MALFORMATIONS | 3 | 9 | 7 | 10 | 2 | 6 | 7 | 4 | 6 | 2 |
| DISEASES OF EARLY INFANCY | 14 | 3 | 10 | 12 | 10 | 15 | 13 | 14 | 9 | 9 |
| SENILITY AND ILL DEFINED | 1 | 1 | | 2 | 1 | | 2 | 1 | 1 | 2 |
| ACCIDENTS MOTOR VEHICLE | 19 | 12 | 12 | 19 | 7 | 19 | 4 | 13 | 11 | 10 |
| ACCIDENTS OTHER | 18 | 9 | 16 | 8 | 10 | 25 | 17 | 20 | 18 | 17 |
| SUICIDE | 8 | 4 | 10 | 8 | 6 | 8 | 13 | 6 | 6 | 8 |
| HOMICIDE | | | | | 1 | | 1 | | | |
| ALL OTHER CAUSES | 26 | 14 | 17 | 17 | 14 | 22 | 20 | 21 | 25 | 24 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| GALLATIN | | | | | | | | | | |
| TUBERCULOSIS | 1 | 2 | | | 2 | 3 | 3 | 1 | 2 | 4 |
| SYPHILIS | | | | | | | | 1 | 1 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | | | | | | | |
| MALIGNANT NEOPLASMS | 14 | 16 | 16 | 14 | 18 | 12 | 18 | 14 | 15 | 14 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 2 | | 2 | | 1 | | | | 2 |
| ASTHMA | | | | | | | | | | |
| DIABETES | 1 | 1 | 1 | 6 | 1 | 1 | | 4 | 2 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 15 | 20 | 15 | 18 | 18 | 16 | 10 | 14 | 14 | 15 |
| RHEUMATIC FEVER | | | | | | | 1 | | | |
| HEART DISEASE | 47 | 49 | 55 | 59 | 53 | 45 | 42 | 40 | 42 | 46 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | | 1 | 1 | | 1 | | 3 | 2 | 2 |
| GENERAL ARTERIOSCLEROSIS | 1 | 2 | 1 | 2 | 2 | 1 | 6 | 1 | 4 | 2 |
| OTHER CIRCULATORY | | | 1 | | 1 | | 1 | | 1 | |
| INFLUENZA | | | | | | | | | | |
| PNEUMONIA | 1 | 2 | 2 | 3 | 2 | 2 | 4 | 2 | 2 | 5 |
| BRONCHITIS | | 1 | | | | | 1 | 1 | 1 | |
| ULCER OF STOMACH AND DUODENUM | | | 2 | | 2 | | 2 | | | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | 1 | 1 | | | 1 | 1 | 1 | 1 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | | | 2 | | | 1 | 1 | |
| CIRRHOSIS OF LIVER | 1 | 2 | 1 | | | 1 | | 2 | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | 1 | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 2 | 2 | 2 | 2 | 2 | 4 | 3 | 6 | 2 |
| INFECTIONS OF KIDNEY | | | | 1 | 4 | 2 | | 1 | 1 | |
| HYPERPLASIA OF PROSTATE | | | | | | | | | | |
| MATERNAL CAUSES | | | | 1 | | 1 | | | | 1 |
| CONGENITAL MALFORMATIONS | 1 | | 1 | | 1 | 1 | 1 | | 1 | |
| DISEASES OF EARLY INFANCY | 7 | 4 | 3 | 1 | 2 | 2 | 2 | 1 | 5 | 4 |
| SENILITY AND ILL DEFINED | 2 | 3 | 1 | 3 | 7 | 3 | | | 1 | 3 |
| ACCIDENTS MOTOR VEHICLE | 2 | 4 | 4 | 2 | 5 | 5 | 5 | 4 | 3 | |
| ACCIDENTS OTHER | 5 | 3 | 7 | 1 | | 4 | 5 | 2 | 7 | 5 |
| SUICIDE | | | 1 | | | | | | 3 | |
| HOMICIDE | 7 | 2 | 1 | | 5 | 3 | 7 | 4 | 3 | 3 |
| ... | | | 7 | | | | | | | |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| GREENE | | | | | | | | | | |
| TUBERCULOSIS | 2 | 3 | 4 | | 1 | 1 | | 3 | 5 | 1 |
| SYPHILIS | | | 1 | 1 | | | | | 1 | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | | | | 1 | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | | 2 | | | 1 | | 1 | 2 |
| MALIGNANT NEOPLASMS | 39 | 40 | 39 | 46 | 31 | 34 | 32 | 30 | 35 | 26 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | | | | | | 1 | |
| ASTHMA | | | 2 | 1 | 3 | 1 | 1 | 2 | | |
| DIABETES | 5 | 5 | 3 | 2 | 4 | 1 | 9 | | 4 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 23 | 23 | 30 | 31 | 24 | 39 | 37 | 25 | 28 | 26 |
| RHEUMATIC FEVER | | | | 1 | | | 1 | | | |
| HEART DISEASE | 105 | 96 | 97 | 90 | 99 | 98 | 89 | 90 | 108 | 105 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 2 | 2 | 1 | 1 | 1 | | 1 | 1 | 3 |
| GENERAL ARTERIOSCLEROSIS | 7 | 5 | 5 | 10 | 3 | 7 | 2 | 5 | 1 | 4 |
| OTHER CIRCULATORY | 1 | 3 | 5 | 1 | 1 | 2 | 1 | | 1 | |
| INFLUENZA | 1 | 1 | 2 | | | | 4 | | | |
| PNEUMONIA | 8 | 4 | 12 | 8 | 10 | 12 | 10 | 8 | 11 | 7 |
| BRONCHITIS | 1 | | 1 | | | 1 | | | | |
| ULCER OF STOMACH AND DUODENUM | 3 | 1 | 1 | 3 | 4 | 1 | | 1 | 1 | 4 |
| HERNIA INTESTINAL OBSTRUCTION | | | | 5 | | 2 | | | 2 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | 2 | | | | 2 | | 2 |
| CIRRHOSIS OF LIVER | | 1 | 3 | | | | 3 | 1 | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | | | 1 | | 1 | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 1 | 2 | 3 | 2 | 3 | | 2 | 3 | 4 |
| INFECTIONS OF KIDNEY | 1 | | 1 | | | 1 | 2 | 1 | | |
| HYPERPLASIA OF PROSTATE | 1 | 2 | | 1 | 1 | 3 | 2 | 1 | 1 | 4 |
| MATERNAL CAUSES | | | | | | 1 | | | | 1 |
| CONGENITAL MALFORMATIONS | 2 | 2 | | 1 | 1 | 3 | 3 | 1 | 2 | 2 |
| DISEASES OF EARLY INFANCY | 7 | 4 | 9 | 6 | 12 | 7 | 7 | 5 | 9 | 4 |
| SENILITY AND ILL DEFINED | 1 | | | | 1 | | 1 | 3 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 9 | 11 | 9 | 2 | 2 | 1 | 8 | 5 | 5 | 5 |
| ACCIDENTS OTHER | 8 | 3 | 9 | 3 | 4 | 9 | 3 | 11 | 2 | 5 |
| SUICIDE | 6 | 7 | 2 | 2 | 3 | 1 | 2 | 2 | | 5 |
| HOMICIDE | 1 | | | | 3 | | | 1 | | |
| ALL OTHER CAUSES | 12 | 10 | 10 | 12 | 6 | 12 | 12 | 6 | 9 | 8 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| GRUNDY | | | | | | | | | | |
| TUBERCULOSIS | 1 | | 1 | 2 | 1 | | | 1 | 2 | 3 |
| SYPHILIS | | 1 | | 1 | | | | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | | | 1 | | 1 | | 1 | |
| MALIGNANT NEOPLASMS | 39 | 41 | 46 | 34 | 20 | 33 | 28 | 29 | 26 | 31 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | 1 | | 2 | | 1 | | 1 | |
| ASTHMA | 1 | | | 1 | 1 | 2 | 2 | 2 | | 1 |
| DIABETES | 2 | 2 | 3 | 4 | 1 | 3 | 5 | 4 | 2 | 4 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 36 | 29 | 31 | 27 | 20 | 35 | 23 | 32 | 31 | 33 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 94 | 92 | 92 | 91 | 84 | 99 | 84 | 81 | 80 | 77 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 1 | 2 | 3 | | 2 | 2 | 3 | 3 | 3 |
| GENERAL ARTERIOSCLEROSIS | 4 | 7 | 5 | 2 | 2 | 4 | 4 | 5 | 3 | 4 |
| OTHER CIRCULATORY | 1 | | 2 | 1 | 1 | | | 1 | 1 | 1 |
| INFLUENZA | | | 2 | | | | 1 | | | 1 |
| PNEUMONIA | 2 | 4 | 10 | 9 | 2 | 4 | 6 | 2 | 4 | 2 |
| BRONCHITIS | | 1 | 2 | | | 1 | | | 1 | |
| ULCER OF STOMACH AND DUODENUM | 1 | 4 | 3 | 3 | | 3 | 5 | | 2 | |
| HERNIA INTESTINAL OBSTRUCTION | | 1 | 2 | | 2 | 2 | 1 | | 1 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 2 | | 1 | | | 2 | 1 | 1 | |
| CIRRHOSIS OF LIVER | 2 | 5 | 2 | 4 | 1 | 2 | 3 | 6 | 2 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | | 1 | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 2 | | 3 | 1 | | 2 | 3 | 2 | 5 |
| INFECTIONS OF KIDNEY | 1 | | 1 | | 1 | | | 1 | | 1 |
| HYPERPLASIA OF PROSTATE | 2 | | 1 | | 1 | 2 | 4 | | 1 | 3 |
| MATERNAL CAUSES | 1 | | | 2 | | 1 | | | | |
| CONGENITAL MALFORMATIONS | 6 | 1 | 3 | 4 | 4 | 1 | 4 | 5 | 1 | 3 |
| DISEASES OF EARLY INFANCY | 8 | 5 | 11 | 9 | 4 | 7 | 2 | 8 | 4 | 7 |
| SENILITY AND ILL DEFINED | 1 | 1 | | | 1 | 1 | | 1 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 4 | 14 | 10 | 6 | 10 | 16 | 9 | 8 | 5 | 9 |
| ACCIDENTS OTHER | 5 | 5 | 7 | 7 | 8 | 10 | 8 | 8 | 6 | 7 |
| SUICIDE | 1 | 1 | 2 | 1 | 1 | 4 | 3 | 2 | | 1 |
| HOMICIDE | | | | 1 | | | 1 | | | |
| | 10 | 14 | 12 | 10 | 14 | 12 | 7 | 7 | 16 | 13 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| HAMILTON | | | | | | | | | | |
| TUBERCULOSIS | | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 2 |
| SYPHILIS | | | | 1 | 1 | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | 1 | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | 1 | | | 1 | | | | 1 |
| MALIGNANT NEOPLASMS | 18 | 11 | 15 | 19 | 24 | 17 | 26 | 17 | 22 | 20 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | 1 | | 1 | | 1 | 1 |
| ASTHMA | | | | | | 1 | | 1 | 1 | 1 |
| DIABETES | 2 | 1 | 2 | 1 | | 2 | 3 | 1 | 1 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 15 | 23 | 23 | 28 | 26 | 25 | 22 | 19 | 18 | 33 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 77 | 59 | 66 | 49 | 67 | 36 | 55 | 46 | 59 | 51 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 3 | 2 | | 2 | 1 | 1 | 1 | | 2 |
| GENERAL ARTERIOSCLEROSIS | 2 | 6 | 6 | 3 | 4 | 6 | 4 | 3 | 2 | 4 |
| OTHER CIRCULATORY | 1 | | | | | | 3 | 1 | 1 | |
| INFLUENZA | | 1 | | | | | 2 | 2 | | |
| PNEUMONIA | 1 | 2 | 3 | 4 | 3 | 2 | 2 | 3 | 2 | 4 |
| BRONCHITIS | | 2 | | 1 | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | 1 | 1 | | | 1 | 1 | 1 | 1 | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | | 2 | 1 | | 2 | | 1 | 1 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 3 | 3 | | | 1 | | 1 | | |
| CIRRHOSIS OF LIVER | | | | | | | | | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | | | | | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 2 | 1 | 1 | 2 | | | 2 | 2 | 4 |
| INFECTIONS OF KIDNEY | | 2 | 1 | | | 1 | | | | |
| HYPERPLASIA OF PROSTATE | | 2 | | | 2 | 1 | 1 | 2 | | 1 |
| MATERNAL CAUSES | | | | | | | | | 1 | |
| CONGENITAL MALFORMATIONS | 1 | | 1 | 3 | 1 | 2 | | | | |
| DISEASES OF EARLY INFANCY | 1 | | | | | 7 | 3 | 1 | 1 | 2 |
| SENILITY AND ILL DEFINED | | | | | | | 3 | 1 | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | 1 | 3 | 3 | 7 | 5 | | 3 | 4 | 2 | 3 |
| ACCIDENTS OTHER | 3 | 2 | 2 | 1 | 3 | 8 | 2 | 5 | 7 | 8 |
| SUICIDE | | 1 | | 1 | 1 | 1 | | | 2 | |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 2 | 3 | 6 | 5 | 5 | 3 | 4 | 5 | 2 | 5 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| HANCOCK | | | | | | | | | | |
| TUBERCULOSIS | | | 1 | | 1 | 2 | 2 | 1 | 2 | 1 |
| SYPHILIS | | | | 1 | | 3 | 2 | 1 | 2 | 1 |
| MENINGOCOCCAL INFECTIONS | 1 | | | | | | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | 1 | | 1 | 1 | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | 1 | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | | 1 | | | 3 | | 2 |
| MALIGNANT NEOPLASMS | 50 | 38 | 45 | 52 | 46 | 54 | 42 | 61 | 39 | 45 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | 1 | 1 | | 1 | 1 | 1 | 3 | 1 |
| ASTHMA | 1 | 3 | | | 2 | | | | 1 | 2 |
| DIABETES | 3 | 3 | 2 | 5 | | 9 | 4 | 1 | 4 | 8 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 50 | 46 | 48 | 37 | 55 | 43 | 49 | 43 | 46 | 59 |
| RHEUMATIC FEVER | | | | | | | | | 1 | |
| HEART DISEASE | 136 | 165 | 158 | 145 | 154 | 134 | 131 | 137 | 129 | 132 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 2 | 4 | 1 | 3 | 3 | 2 | 3 | 2 | 1 |
| GENERAL ARTERIOSCLEROSIS | 17 | 12 | 10 | 12 | 9 | 14 | 12 | 5 | 12 | 17 |
| OTHER CIRCULATORY | 3 | 2 | | 1 | 2 | 2 | 2 | | 1 | 6 |
| INFLUENZA | | | 4 | | | | 4 | 1 | 1 | |
| PNEUMONIA | 4 | 11 | 6 | 7 | 5 | 11 | 8 | 12 | 11 | 2 |
| BRONCHITIS | 1 | 1 | | | | 2 | | | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 3 | 1 | | 1 | 3 | 2 | 1 | 2 | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 2 | 2 | 4 | 1 | 5 | 4 | 2 | 5 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 1 | | 1 | | 2 | 1 | 1 | 1 | 1 |
| CIRRHOSIS OF LIVER | | | 2 | | 1 | 1 | 1 | 3 | | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | 1 | 3 | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 1 | | 2 | 1 | 6 | 4 | 8 | 5 | 5 |
| INFECTIONS OF KIDNEY | | | | | | | 1 | 1 | | |
| HYPERPLASIA OF PROSTATE | 1 | 3 | | 3 | 1 | 2 | 3 | 3 | | 1 |
| MATERNAL CAUSES | | | | | 1 | | 1 | 1 | 1 | 1 |
| CONGENITAL MALFORMATIONS | 2 | 2 | 2 | 2 | 2 | 2 | 1 | 2 | 4 | 7 |
| DISEASES OF EARLY INFANCY | 7 | 15 | 6 | 3 | 6 | 8 | 6 | 7 | 14 | 8 |
| SENILITY AND ILL DEFINED | | | 2 | | | | 1 | 1 | | 2 |
| ACCIDENTS MOTOR VEHICLE | 5 | 7 | 6 | 6 | 15 | 5 | 13 | 8 | 11 | 5 |
| ACCIDENTS OTHER | 11 | 6 | 14 | 7 | 12 | 15 | 11 | 16 | 21 | 14 |
| SUICIDE | 1 | 5 | 2 | 2 | 4 | 3 | 5 | 8 | 3 | 3 |
| HOMICIDE | 13 | 6 | 12 | 8 | 7 | 15 | 14 | 17 | 11 | 8 |
| ALL OTHER CAUSES | | | | | | | | | | |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| HARDIN | | | | | | | | | | |
| TUBERCULOSIS | 4 | 1 | 2 | 3 | 2 | 2 | 2 | 6 | 9 | 4 |
| SYPHILIS | 1 | | | 1 | | | | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | 1 | | | | | | |
| INFECTIOUS HEPATITIS | | | | 1 | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | | | 1 |
| MALIGNANT NEOPLASMS | 12 | 12 | 13 | 5 | 13 | 8 | 11 | 14 | 9 | 10 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | 2 | | | | |
| ASTHMA | | 1 | | | | | 1 | 1 | | |
| DIABETES | 1 | 1 | | | 1 | | 1 | | | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 13 | 13 | 9 | 11 | 9 | 6 | 9 | 7 | 14 | 11 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 24 | 29 | 25 | 22 | 26 | 26 | 17 | 26 | 19 | 20 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | | | 1 | 1 | 1 | | | | 1 |
| GENERAL ARTERIOSCLEROSIS | | | 3 | 1 | 1 | 1 | 4 | | 2 | 1 |
| OTHER CIRCULATORY | 2 | 3 | | 1 | | | | | 1 | |
| INFLUENZA | | | | | | | | | | |
| PNEUMONIA | 2 | 1 | | 2 | 4 | 6 | 2 | 5 | 1 | 2 |
| BRONCHITIS | | | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | | | | | | 1 | | | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | | | 1 | | 1 | | 1 | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | | 2 | | | 1 | | |
| CIRRHOSIS OF LIVER | | | | | 1 | 1 | | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | 1 | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 1 | | 1 | | 2 | 3 | 4 | 2 | 2 |
| INFECTIONS OF KIDNEY | | | | | | | | | 2 | 1 |
| HYPERPLASIA OF PROSTATE | | 1 | | | | | | | 1 | 1 |
| MATERNAL CAUSES | | | | | | | | 1 | | |
| CONGENITAL MALFORMATIONS | 1 | 2 | 1 | | 2 | | 3 | | 4 | |
| DISEASES OF EARLY INFANCY | 2 | 3 | | 3 | 2 | 1 | 5 | 1 | 1 | 2 |
| SENILITY AND ILL DEFINED | 1 | | | 1 | | | | | 1 | |
| ACCIDENTS MOTOR VEHICLE | 2 | | 2 | 5 | 1 | | 4 | 1 | 1 | 3 |
| ACCIDENTS OTHER | 2 | 4 | 1 | 3 | 4 | 2 | 6 | 7 | 2 | 3 |
| SUICIDE | | 1 | | 1 | 1 | 1 | | | | 1 |
| HOMICIDE | 1 | | 1 | | | | | | | |
| ALL OTHER CAUSES | 2 | 1 | 3 | 2 | 1 | 1 | 3 | 3 | 4 | 3 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| HENDERSON | | | 1 | 1 | | 1 | | 2 | | 1 |
| TUBERCULOSIS | | | | | | | | | | |
| SYPHILIS | | | | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | 2 | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 8 | 5 | 14 | 8 | 2<br>12 | 7 | 12 | 9 | 12 | 11 |
| MALIGNANT NEOPLASMS | | | | | | | 1 | | | |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | 1 | 1 | | 1 | | 1 | 1 |
| ASTHMA | | | | | | | | | | |
| DIABETES | 5 | 1<br>9 | 1<br>8 | 15 | 9 | 1<br>6 | 2<br>10 | 1<br>8 | 1<br>10 | 8 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | | | | | | | | | | |
| RHEUMATIC FEVER | 50 | 42 | 52 | 36 | 44 | 37 | 35 | 40 | 32 | 23 |
| HEART DISEASE | | | | | | | | | | |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 2 | | | 3 | 1 | 3 | | 1 | |
| GENERAL ARTERIOSCLEROSIS | 1 | 1 | 2 | 1 | 1 | 1 | | 2 | 1 | 1 |
| OTHER CIRCULATORY | | | | 1 | | | | | 1 | |
| INFLUENZA | | | 2 | | | | 1 | 1 | | 1 |
| PNEUMONIA | | 3 | 7 | 1 | 3 | 1 | 5 | 3 | 3 | 3 |
| BRONCHITIS | | | 1 | | | | 1 | | | |
| ULCER OF STOMACH AND DUODENUM | | | 1 | | 1 | | 1 | 2 | | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | | | 1 | | | | | 1 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | 1 | | 1 | 1 | 1 | | |
| CIRRHOSIS OF LIVER | | 2 | 1 | 1 | 1 | | | | 2 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | 1 | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | | 3 | 1 | 1 | | 1 | 1 | |
| INFECTIONS OF KIDNEY | | | | | | | | 1 | | |
| HYPERPLASIA OF PROSTATE | 1 | | | | 1 | 1 | 1 | | | 1 |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | 1 | | 2 | 2 | | 1 | | 2 | 1 | 1 |
| DISEASES OF EARLY INFANCY | 3 | 2 | 2 | | 2 | 1 | 1 | | 3 | 2 |
| SENILITY AND ILL DEFINED | | | | | | 1 | | 1 | | |
| ACCIDENTS MOTOR VEHICLE | 3 | 5 | 3 | 1 | 6 | | 1 | 4 | 3 | 6 |
| ACCIDENTS OTHER | 1 | 2 | 5 | 7 | 5 | 3 | 4 | 5 | 7 | 10 |
| SUICIDE | 1 | 1 | | | | 3 | | 1 | | |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 7 | 2 | | | 5 | 5 | 2 | 5 | 3 | 4 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| HENRY | | | | | | | | | | |
| TUBERCULOSIS | 1 | 2 | 1 | 1 | 3 | | 5 | 6 | 3 | 6 |
| SYPHILIS | | 1 | | | 1 | | 2 | 2 | 2 | 3 |
| MENINGOCOCCAL INFECTIONS | | | | 1 | | | | | | |
| POLIOMYELITIS ACUTE | 1 | | | | | 2 | 1 | 1 | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | 1 | 1 | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 | |
| MALIGNANT NEOPLASMS | 88 | 82 | 93 | 101 | 81 | 95 | 76 | 80 | 85 | 88 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | 1 | | 4 | 1 | 3 | | 1 | |
| ASTHMA | 1 | 4 | 3 | 3 | | 2 | 1 | 4 | 2 | |
| DIABETES | 13 | 16 | 8 | 12 | 12 | 8 | 6 | 13 | 8 | 8 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 82 | 79 | 79 | 68 | 73 | 62 | 58 | 70 | 85 | 81 |
| RHEUMATIC FEVER | | 1 | | | | | | 1 | | |
| HEART DISEASE | 230 | 272 | 247 | 255 | 224 | 239 | 219 | 216 | 199 | 213 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 9 | 10 | 6 | 3 | 5 | 3 | 5 | 6 | 5 | 2 |
| GENERAL ARTERIOSCLEROSIS | 16 | 18 | 10 | 8 | 8 | 15 | 14 | 9 | 10 | 9 |
| OTHER CIRCULATORY | 3 | 3 | 4 | 1 | 3 | 2 | | 7 | 2 | 2 |
| INFLUENZA | 1 | 5 | 6 | | 1 | | 4 | 1 | 3 | 2 |
| PNEUMONIA | 19 | 23 | 26 | 21 | 11 | 14 | 12 | 18 | 21 | 15 |
| BRONCHITIS | 3 | 2 | | | | 1 | 2 | 1 | 1 | |
| ULCER OF STOMACH AND DUODENUM | 5 | 2 | 2 | 2 | 2 | 3 | 3 | 3 | 2 | 2 |
| HERNIA INTESTINAL OBSTRUCTION | 5 | 1 | 2 | 2 | 5 | 5 | 5 | 6 | 2 | 8 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | 2 | 2 | | 4 | 2 | | 1 | 2 |
| CIRRHOSIS OF LIVER | 2 | 6 | 2 | 1 | 3 | 2 | 1 | 3 | 3 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | 2 | | 2 | | 2 | | 1 | 3 | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 4 | 3 | 8 | 3 | 8 | 7 | 14 | 14 | 22 |
| INFECTIONS OF KIDNEY | 1 | | 2 | 1 | | | | 1 | | 1 |
| HYPERPLASIA OF PROSTATE | 1 | | | 3 | 3 | 3 | 2 | 3 | 2 | |
| MATERNAL CAUSES | | | | | | | 1 | 1 | 1 | |
| CONGENITAL MALFORMATIONS | 5 | 5 | 4 | 3 | 9 | 4 | 6 | 7 | 9 | 4 |
| DISEASES OF EARLY INFANCY | 9 | 13 | 18 | 10 | 12 | 14 | 11 | 20 | 21 | 10 |
| SENILITY AND ILL DEFINED | | 1 | | 1 | | | 2 | | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | 13 | 13 | 13 | 9 | 10 | 20 | 12 | 8 | 12 | 11 |
| ACCIDENTS OTHER | 16 | 20 | 17 | 22 | 12 | 24 | 12 | 12 | 14 | 27 |
| SUICIDE | 5 | 6 | 9 | 3 | 10 | 10 | 7 | 3 | 6 | 4 |
| HOMICIDE | 1 | | 1 | | | 1 | 1 | 1 | | 1 |
| ALL OTHER CAUSES | 21 | 23 | 21 | 15 | 18 | 21 | 22 | 28 | 21 | 22 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| IROQUOIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | 1 | 4 | 1 | | 1 | 1 | 1 | 5 |
| SYPHILIS | | 1 | | | | 1 | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | 1 | 1 | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | 1 | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | 1 | | | | | |
| INFECTIOUS HEPATITIS | | | | | | 1 | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | 1 | 1 | 2 | 1 | | | 1 |
| MALIGNANT NEOPLASMS | 53 | 52 | 59 | 68 | 49 | 55 | 53 | 61 | 56 | 53 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | 1 | | 1 | 1 | | 2 | 2 | |
| ASTHMA | 2 | 4 | 2 | 2 | 4 | 3 | 4 | 3 | | 5 |
| DIABETES | 3 | 5 | 3 | 4 | 8 | 8 | 5 | 4 | 8 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 46 | 48 | 46 | 39 | 47 | 27 | 29 | 52 | 33 | 27 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 188 | 179 | 180 | 173 | 149 | 148 | 131 | 138 | 140 | 125 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 7 | | 5 | 2 | 1 | 1 | 2 | 3 | |
| GENERAL ARTERIOSCLEROSIS | 7 | 10 | 6 | 7 | 5 | 3 | 2 | 6 | 8 | 5 |
| OTHER CIRCULATORY | 4 | 4 | 1 | 4 | 1 | 1 | 1 | 3 | 2 | 3 |
| INFLUENZA | 1 | 1 | 2 | | 1 | 1 | 2 | | | 1 |
| PNEUMONIA | 6 | 9 | 9 | 10 | 6 | 3 | 4 | 11 | 6 | 7 |
| BRONCHITIS | | | | 1 | | 1 | 1 | 1 | | |
| ULCER OF STOMACH AND DUODENUM | 4 | 2 | | 3 | 3 | 2 | 2 | 2 | 1 | 4 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 3 | 3 | 2 | 2 | 1 | 2 | 2 | 5 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 2 | 1 | | 1 | 1 | 1 | | | 1 |
| CIRRHOSIS OF LIVER | 2 | 1 | | 2 | | | | 1 | | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | 1 | | | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 4 | 3 | 3 | 1 | 3 | 4 | 7 | 4 | 1 |
| INFECTIONS OF KIDNEY | | 1 | | | 1 | 2 | | | | |
| HYPERPLASIA OF PROSTATE | 2 | | 1 | | | 3 | 2 | 1 | 2 | 3 |
| MATERNAL CAUSES | | 1 | | 1 | | | 1 | | | |
| CONGENITAL MALFORMATIONS | 7 | 5 | 6 | 8 | 1 | 3 | 2 | 3 | 6 | 4 |
| DISEASES OF EARLY INFANCY | 8 | 9 | 10 | 19 | 15 | 10 | 7 | 6 | 18 | 9 |
| SENILITY AND ILL DEFINED | 2 | | 1 | 4 | 1 | 2 | 5 | 2 | 3 | 4 |
| ACCIDENTS MOTOR VEHICLE | 10 | 16 | 5 | 9 | 18 | 16 | 18 | 5 | 12 | 12 |
| ACCIDENTS OTHER | 10 | 15 | 12 | 9 | 10 | 16 | 12 | 16 | 7 | 18 |
| SUICIDE | 2 | 3 | 4 | 1 | 5 | 2 | 2 | 4 | 5 | 5 |
| HOMICIDE | | 2 | 2 | 2 | 1 | | | | | |
| ALL OTHER CAUSES | 12 | 14 | 21 | 9 | 20 | 18 | 8 | 20 | 11 | 19 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| JACKSON | | | | | | | | | | |
| TUBERCULOSIS | 2 | 2 | 1 | | 2 | 1 | 1 | 5 | 6 | 8 |
| SYPHILIS | | | | 2 | | 1 | 1 | | 5 | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | 1 | | 1 |
| POLIOMYELITIS ACUTE | | | | | | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | 1 | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | | 1 | | 2 | 3 | 2 | 2 | 3 | 2 |
| MALIGNANT NEOPLASMS | 71 | 61 | 75 | 60 | 51 | 64 | 58 | 54 | 59 | 57 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 1 | | | 3 | | 1 | | | 1 |
| ASTHMA | 5 | 1 | 4 | 3 | 3 | | 3 | 2 | 2 | 5 |
| DIABETES | 2 | 8 | 4 | 5 | 4 | 6 | 6 | 5 | 15 | 13 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 65 | 78 | 56 | 49 | 50 | 37 | 44 | 57 | 52 | 70 |
| RHEUMATIC FEVER | 1 | | | 1 | | | 1 | | | |
| HEART DISEASE | 190 | 180 | 180 | 167 | 189 | 148 | 159 | 164 | 160 | 164 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 7 | 11 | 5 | 3 | 2 | 3 | 3 | 4 | 1 | 2 |
| GENERAL ARTERIOSCLEROSIS | 12 | 18 | 19 | 16 | 12 | 13 | 15 | 9 | 7 | 14 |
| OTHER CIRCULATORY | 5 | 3 | 2 | | 4 | 2 | | 3 | 4 | 1 |
| INFLUENZA | | 1 | | 3 | | | 5 | 2 | 4 | 2 |
| PNEUMONIA | 12 | 12 | 10 | 5 | 10 | 11 | 15 | 12 | 12 | 14 |
| BRONCHITIS | 3 | | | 2 | 1 | 2 | 2 | 1 | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 3 | 2 | 2 | 2 | 1 | 1 | 2 | 3 | 2 |
| HERNIA INTESTINAL OBSTRUCTION | | 1 | 1 | 3 | | 1 | 4 | 1 | 1 | 6 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 2 | 1 | 2 | 2 | 1 | | 2 | | 1 |
| CIRRHOSIS OF LIVER | | 2 | 6 | 5 | 8 | 3 | 2 | 2 | 4 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 2 | 1 | 1 | 2 | 4 | 2 | 2 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 6 | 7 | 8 | 9 | 12 | 6 | 10 | 11 | 13 | 12 |
| INFECTIONS OF KIDNEY | | 1 | 3 | | | | 1 | 2 | 1 | 1 |
| HYPERPLASIA OF PROSTATE | 1 | 1 | 3 | 2 | 1 | 2 | 2 | 1 | 2 | 2 |
| MATERNAL CAUSES | | | 1 | | 2 | 1 | | 1 | | |
| CONGENITAL MALFORMATIONS | 5 | 5 | 2 | 8 | 2 | 6 | 6 | 10 | 8 | 4 |
| DISEASES OF EARLY INFANCY | 9 | 18 | 8 | 10 | 12 | 12 | 13 | 13 | 15 | 8 |
| SENILITY AND ILL DEFINED | | 1 | 2 | 2 | | 2 | 2 | 1 | 3 | 7 |
| ACCIDENTS MOTOR VEHICLE | 7 | 18 | 8 | 7 | 18 | 14 | 11 | 5 | 9 | 14 |
| ACCIDENTS OTHER | 13 | 18 | 23 | 17 | 11 | 21 | 27 | 25 | 19 | 29 |
| SUICIDE | 3 | 8 | 5 | 1 | 6 | 2 | 5 | 3 | 4 | 4 |
| HOMICIDE | 1 | | 1 | 1 | 2 | | 2 | 1 | 2 | 1 |
| ALL OTHER CAUSES | 6 | 12 | 10 | 13 | 16 | 15 | 12 | 12 | 16 | 13 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| JASPER | | | | | | | | | | |
| TUBERCULOSIS | | | 1 | | | 1 | | 1 | 1 | 3 |
| SYPHILIS | | | | | | | | 1 | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | 1 | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | | | | | 1 | | 1 |
| MALIGNANT NEOPLASMS | 17 | 29 | 23 | 19 | 29 | 19 | 18 | 24 | 23 | 20 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | 1 | 1 | | | |
| ASTHMA | | | 1 | 1 | 2 | 2 | 2 | 1 | | |
| DIABETES | 4 | | 3 | 2 | 4 | | 5 | | 4 | 1 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 18 | 10 | 16 | 19 | 22 | 18 | 20 | 15 | 15 | 17 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 63 | 64 | 57 | 51 | 65 | 47 | 54 | 49 | 58 | 62 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 1 | 1 | 2 | 1 | | 1 | | | 1 |
| GENERAL ARTERIOSCLEROSIS | 3 | 4 | 2 | 1 | 7 | 6 | 4 | 1 | 1 | 2 |
| OTHER CIRCULATORY | 5 | 1 | 1 | | | | 1 | | | 1 |
| INFLUENZA | | | | | | | 2 | 1 | 1 | 1 |
| PNEUMONIA | 4 | 2 | 6 | 5 | 5 | 4 | 4 | 6 | 6 | 1 |
| BRONCHITIS | | | 1 | | | | | 2 | | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | 1 | | | 1 | | | 3 | 2 |
| HERNIA INTESTINAL OBSTRUCTION | | | | 2 | 1 | | 1 | | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | | 1 | | 1 | 2 | 1 | | 1 |
| CIRRHOSIS OF LIVER | 1 | 1 | | | 1 | 1 | 1 | 2 | | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | 2 | | 3 | 2 | 2 | | 3 | 3 | 1 | 2 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 1 | | | | | | | 4 | |
| INFECTIONS OF KIDNEY | | 2 | 1 | 1 | 4 | 2 | | 3 | 1 | |
| HYPERPLASIA OF PROSTATE | | | | | | | | | | |
| MATERNAL CAUSES | 3 | 1 | | | | | 1 | 2 | | |
| CONGENITAL MALFORMATIONS | 4 | 1 | 2 | 5 | 3 | 3 | 2 | 3 | 2 | 6 |
| DISEASES OF EARLY INFANCY | 1 | | | | | 1 | | | | |
| SENILITY AND ILL DEFINED | 1 | 2 | 1 | 4 | 1 | 4 | 3 | 2 | 7 | 1 |
| ACCIDENTS MOTOR VEHICLE | 9 | 4 | 7 | 4 | 4 | 4 | 1 | 5 | 7 | 6 |
| ACCIDENTS OTHER | | 2 | 1 | 1 | 4 | | | 2 | 2 | 2 |
| SUICIDE | | | | | | | | | | |
| HOMICIDE | 4 | 6 | 7 | 6 | 5 | 10 | 7 | 4 | 10 | 7 |
| ALL OTHER CAUSES | | | | | | | | | | |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| JEFFERSON | | | | | | | | | | |
| TUBERCULOSIS | 1 | 3 | 4 | 1 | 1 | 2 | 5 | 4 | 3 | 9 |
| SYPHILIS | 1 | 2 | | | | 1 | | | 3 | 5 |
| MENINGOCOCCAL INFECTIONS | | | | | 1 | | | | | |
| POLIOMYELITIS ACUTE | | 1 | | | | | | 1 | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | 1 | | | | 1 | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | 1 | 1 | | 2 | | 2 | 1 |
| MALIGNANT NEOPLASMS | 56 | 52 | 66 | 64 | 51 | 51 | 54 | 53 | 43 | 56 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | 3 | | 3 | 1 | 1 | 4 | |
| ASTHMA | 1 | 1 | 3 | 1 | 1 | | 2 | 3 | | 1 |
| DIABETES | 4 | 4 | 8 | 7 | 6 | 7 | 5 | 7 | 2 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 51 | 45 | 61 | 39 | 46 | 55 | 42 | 41 | 49 | 40 |
| RHEUMATIC FEVER | | | 1 | | | | | | | |
| HEART DISEASE | 138 | 147 | 131 | 144 | 126 | 138 | 117 | 133 | 138 | 138 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 4 | 2 | 3 | 4 | 4 | 2 | 3 | 2 | 3 | 5 |
| GENERAL ARTERIOSCLEROSIS | 7 | 10 | 12 | 19 | 5 | 14 | 16 | 8 | 12 | 5 |
| OTHER CIRCULATORY | 1 | 4 | 4 | 4 | 5 | 1 | 1 | | 1 | 3 |
| INFLUENZA | 2 | 2 | | 2 | 3 | 2 | 4 | | | |
| PNEUMONIA | 10 | 8 | 15 | 8 | 5 | 14 | 10 | 14 | 15 | 4 |
| BRONCHITIS | | 2 | | | | 1 | | 2 | 1 | |
| ULCER OF STOMACH AND DUODENUM | 4 | 5 | 4 | 3 | 2 | 4 | 2 | | 5 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | 4 | 4 | 2 | 3 | 4 | 3 | 4 | 2 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 5 | | 2 | 1 | 1 | 1 | 2 | 1 | 2 | 1 |
| CIRRHOSIS OF LIVER | 3 | 5 | 2 | 2 | 4 | 1 | 4 | 2 | 2 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | 1 | | | 1 | | | 2 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 2 | 9 | 12 | 5 | 6 | 8 | 10 | 13 | 11 |
| INFECTIONS OF KIDNEY | | 1 | | 1 | 1 | | 1 | 1 | | |
| HYPERPLASIA OF PROSTATE | 2 | 3 | 4 | 1 | 2 | 2 | 3 | 3 | 4 | 2 |
| MATERNAL CAUSES | | 1 | | 1 | | 2 | | | | |
| CONGENITAL MALFORMATIONS | 9 | 5 | 1 | 1 | 5 | 6 | 7 | 7 | 1 | 3 |
| DISEASES OF EARLY INFANCY | 13 | 7 | 9 | 13 | 8 | 13 | 14 | 15 | 15 | 16 |
| SENILITY AND ILL DEFINED | 19 | 22 | 18 | 6 | 5 | 7 | 9 | 17 | 20 | 16 |
| ACCIDENTS MOTOR VEHICLE | 12 | 10 | 13 | 9 | 15 | 9 | 11 | 12 | 16 | 11 |
| ACCIDENTS OTHER | 10 | 7 | 17 | 9 | 12 | 12 | 12 | 14 | 19 | 16 |
| SUICIDE | 1 | 4 | 7 | 3 | 5 | 6 | 5 | 2 | 1 | 5 |
| HOMICIDE | | | 1 | 2 | | 1 | | 1 | 1 | 2 |
| ALL OTHER CAUSES | 18 | 12 | 11 | 7 | 24 | 13 | 27 | 23 | 17 | 8 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| JERSEY | | 1 | | 3 | | 1 | | 3 | 1 | 3 |
| TUBERCULOSIS | 1 | | | | | | | | | |
| SYPHILIS | | | | 1 | | | | | | 1 |
| MENINGOCOCCAL INFECTIONS | 1 | 1 | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | 1 | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | | 2 | 1 | 1 | | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 26 | 35 | 23 | 24 | 27 | 33 | 31 | 27 | 20 | 17 |
| MALIGNANT NEOPLASMS | | | | | | 1 | | | 2 | 1 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | 2 | | 2 | 1 | 2 | | 1 |
| ASTHMA | 6 | 1 | 5 | 2 | 1 | 2 | 6 | 3 | 2 | 4 |
| DIABETES | 11 | 12 | 24 | 18 | 18 | 21 | 23 | 18 | 18 | 17 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | | | | | | | | 1 | 1 | |
| RHEUMATIC FEVER | 79 | 66 | 65 | 73 | 49 | 64 | 54 | 65 | 67 | 54 |
| HEART DISEASE | | 2 | 2 | 1 | | 1 | | 1 | 2 | 2 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 4 | 5 | 12 | 7 | 8 | 9 | 7 | 2 | 4 |
| GENERAL ARTERIOSCLEROSIS | 5 | 2 | | | | | 2 | | 1 | |
| OTHER CIRCULATORY | 1 | | | 2 | | | 2 | | 1 | 1 |
| INFLUENZA | 4 | 2 | 5 | 5 | 3 | 6 | 5 | 4 | 4 | 6 |
| PNEUMONIA | | | | 1 | | 1 | | 2 | | |
| BRONCHITIS | 3 | 4 | | 2 | | | 1 | | 2 | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | | 3 | 1 | 1 | | | | 2 |
| HERNIA INTESTINAL OBSTRUCTION | | | | | | | | | 1 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 2 | | 1 |
| CIRRHOSIS OF LIVER | | 1 | 2 | | 1 | | | | | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | 2 | 2 | | 1 | 5 | 3 | 1 | 3 | 1 | 4 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | 3 | | | | | 1 | | |
| INFECTIONS OF KIDNEY | | 2 | 1 | | 1 | | | | | 1 |
| HYPERPLASIA OF PROSTATE | 1 | | 5 | 4 | 1 | 3 | 2 | | | 3 |
| MATERNAL CAUSES | 2 | 10 | 8 | 1 | 8 | 3 | 10 | 3 | 3 | 3 |
| CONGENITAL MALFORMATIONS | | 1 | 2 | | | | | | | |
| DISEASES OF EARLY INFANCY | 8 | 3 | 6 | 8 | 3 | 6 | 3 | 3 | 5 | 2 |
| SENILITY AND ILL DEFINED | 12 | 3 | 4 | 4 | 3 | 4 | 9 | 6 | 8 | 5 |
| ACCIDENTS MOTOR VEHICLE | 2 | 2 | 2 | | 5 | 1 | 3 | 2 | 2 | 1 |
| ACCIDENTS OTHER | 6 | 6 | 11 | 5 | 4 | 7 | 5 | 5 | 6 | 8 |
| SUICIDE | | | | | | | | | | |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | | | | | | | | | | |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| JO DAVIESS | | | | | | | | | | |
| TUBERCULOSIS | | 2 | | | | | 1 | 1 | | 2 |
| SYPHILIS | | | 2 | | | 1 | | | 2 | |
| MENINGOCOCCAL INFECTIONS | | 1 | | | 1 | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | 1 | | 1 | | | | 1 | | 1 |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | 1 | 2 | | 1 | 1 | | 1 |
| MALIGNANT NEOPLASMS | 27 | 31 | 33 | 41 | 35 | 33 | 34 | 40 | 45 | 39 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | 2 | 2 | | | | 1 | |
| ASTHMA | | | | 1 | 2 | 1 | | | | 1 |
| DIABETES | 3 | 3 | 6 | 10 | 7 | 6 | 4 | 1 | 5 | 4 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 39 | 44 | 39 | 48 | 39 | 31 | 40 | 40 | 29 | 52 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 117 | 102 | 102 | 89 | 93 | 103 | 105 | 108 | 105 | 105 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 4 | 2 | 2 | 1 | 1 | | 4 | 1 | 2 | 1 |
| GENERAL ARTERIOSCLEROSIS | 9 | 5 | 3 | 5 | 7 | 3 | 4 | 9 | 10 | 3 |
| OTHER CIRCULATORY | 4 | | | 1 | 2 | 1 | 1 | 1 | | |
| INFLUENZA | 1 | 1 | 2 | 1 | | 2 | 3 | 2 | 2 | 1 |
| PNEUMONIA | 10 | 7 | 4 | 7 | 5 | 4 | 5 | 6 | 5 | 1 |
| BRONCHITIS | | | 1 | | | | | | 2 | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | | 4 | | | | | 1 | 1 | |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | 6 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 1 | | 2 | | 2 | 1 | 1 | 2 | 2 |
| CIRRHOSIS OF LIVER | 4 | | 3 | 2 | 3 | 3 | | 3 | 1 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | | | 1 | 2 | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | | 1 | 3 | 1 | | 2 | 5 | 5 | 2 |
| INFECTIONS OF KIDNEY | 1 | 4 | 1 | 1 | | 1 | | 1 | | |
| HYPERPLASIA OF PROSTATE | 1 | 1 | | 1 | 2 | 1 | | 2 | 6 | 1 |
| MATERNAL CAUSES | | | | | | | 1 | | 1 | 2 |
| CONGENITAL MALFORMATIONS | 1 | 1 | 1 | 4 | 3 | 2 | 1 | 5 | 4 | 3 |
| DISEASES OF EARLY INFANCY | 8 | 5 | 4 | 11 | 10 | 5 | 5 | 9 | 2 | 7 |
| SENILITY AND ILL DEFINED | | | 1 | 1 | 1 | | 1 | | 2 | |
| ACCIDENTS MOTOR VEHICLE | 4 | 7 | 7 | 5 | 9 | 6 | 1 | 2 | 3 | 4 |
| ACCIDENTS OTHER | 4 | 8 | 5 | 12 | 12 | 6 | 21 | 10 | 9 | 11 |
| SUICIDE | 2 | 1 | 2 | 5 | 3 | 4 | 1 | 6 | 3 | 2 |
| HOMICIDE | | 1 | | | | 1 | | | | |
| ALL OTHER CAUSES | 14 | 9 | 6 | 8 | 9 | 17 | 15 | 14 | 7 | 13 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| JOHNSON | | | | | | | | | | |
| TUBERCULOSIS | 1 | 2 | | | 2 | 1 | 1 | | 1 | 1 |
| SYPHILIS | | | | | | | 1 | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 11 | 1 | 13 | 9 | 14 | 11 | 16 | 14 | 11 | 16 |
| MALIGNANT NEOPLASMS | | 14 | | | | | | | | |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | 2 | | | | |
| ASTHMA | | | | | | 1 | | | | |
| DIABETES | 2 | | 1 | 3 | 3 | 4 | 1 | 4 | 5 | 1 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 13 | 23 | 24 | 20 | 9 | 10 | 21 | 13 | 22 | 25 |
| RHEUMATIC FEVER | | 1 | | | | | | | | |
| HEART DISEASE | 47 | 41 | 53 | 22 | 35 | 30 | 35 | 40 | 30 | 31 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | | 2 | | 1 | | | 1 | 1 | |
| GENERAL ARTERIOSCLEROSIS | 8 | 10 | 6 | 4 | 3 | 5 | 5 | 6 | 2 | 8 |
| OTHER CIRCULATORY | | | | | | | | | 2 | |
| INFLUENZA | 1 | | 1 | | 1 | | | 1 | 2 | |
| PNEUMONIA | 1 | 1 | | 2 | 1 | 2 | 5 | 3 | 2 | 2 |
| BRONCHITIS | 1 | | 1 | | | | | | 2 | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | | | | | 1 | | | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 2 | | 1 | 2 | | 3 | | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | 1 | 1 | | | 1 | 1 | | |
| CIRRHOSIS OF LIVER | | 1 | | | | | | | | |
| NEPHRITIS AND NEPHROSIS·ACUTE | | | | 1 | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 3 | 2 | 4 | 8 | 6 | 1 | 2 | | 3 |
| INFECTIONS OF KIDNEY | | | | | | | | 1 | 1 | |
| HYPERPLASIA OF PROSTATE | | | | 1 | | | 2 | 1 | 3 | 1 |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | 1 | 1 | | 1 | 1 | 1 | 1 | 2 | | 2 |
| DISEASES OF EARLY INFANCY | | | 2 | 1 | | 4 | 8 | 1 | 3 | 1 |
| SENILITY AND ILL DEFINED | | | | | | | | | | |
| ACCIDENTS MOTOR VEHICLE | | 5 | 4 | 2 | 1 | 2 | 9 | 5 | 1 | 4 |
| ACCIDENTS OTHER | 4 | 1 | 9 | 1 | 4 | | 5 | 2 | 1 | |
| SUICIDE | | 1 | 3 | 1 | | | 2 | | 1 | 2 |
| HOMICIDE | | | | | | 1 | 1 | | | |
| ALL OTHER CAUSES | 2 | 2 | 3 | 7 | 4 | 5 | 7 | 7 | 4 | 6 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| KANE | | | | | | | | | | |
| TUBERCULOSIS | | 8 | 6 | 4 | 2 | 10 | 9 | 7 | 11 | 12 |
| SYPHILIS | 1 | 3 | 1 | 3 | 3 | 2 | 2 | 6 | 8 | 9 |
| MENINGOCOCCAL INFECTIONS | 2 | 1 | | 2 | 1 | | 1 | | | |
| POLIOMYELITIS ACUTE | 1 | | 1 | 3 | | | 9 | 9 | 4 | 5 |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | | 2 | | | | | | 1 | |
| INFECTIOUS HEPATITIS | 2 | 3 | | | 1 | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 4 | 5 | 5 | 4 | 2 | 5 | 3 | 1 | 4 | 1 |
| MALIGNANT NEOPLASMS | 325 | 270 | 289 | 275 | 287 | 256 | 282 | 248 | 232 | 263 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 1 | 1 | 8 | 4 | 8 | 4 | 2 | 9 | 3 |
| ASTHMA | 2 | 9 | 8 | 8 | 9 | 11 | 6 | 10 | 8 | 2 |
| DIABETES | 23 | 29 | 34 | 19 | 27 | 22 | 28 | 28 | 21 | 26 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 194 | 262 | 235 | 227 | 191 | 194 | 198 | 218 | 233 | 170 |
| RHEUMATIC FEVER | 1 | 1 | 1 | | 1 | 1 | 1 | 3 | | |
| HEART DISEASE | 762 | 765 | 755 | 666 | 689 | 691 | 646 | 609 | 613 | 624 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 23 | 22 | 9 | 7 | 12 | 11 | 7 | 13 | 11 | 10 |
| GENERAL ARTERIOSCLEROSIS | 24 | 32 | 32 | 15 | 40 | 23 | 17 | 27 | 24 | 31 |
| OTHER CIRCULATORY | 15 | 8 | 8 | 9 | 8 | 10 | 18 | 12 | 3 | 7 |
| INFLUENZA | 1 | 3 | 7 | 2 | 1 | 1 | 9 | 1 | 3 | 3 |
| PNEUMONIA | 78 | 83 | 87 | 66 | 65 | 42 | 48 | 42 | 32 | 24 |
| BRONCHITIS | 2 | 4 | 5 | 6 | 4 | 2 | 2 | 3 | 3 | 3 |
| ULCER OF STOMACH AND DUODENUM | 12 | 11 | 18 | 5 | 13 | 10 | 11 | 9 | 15 | 12 |
| HERNIA INTESTINAL OBSTRUCTION | 10 | 6 | 14 | 7 | 6 | 14 | 14 | 19 | 14 | 15 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 4 | 11 | 11 | 10 | 10 | 4 | 8 | 1 | 6 | 5 |
| CIRRHOSIS OF LIVER | 18 | 18 | 8 | 14 | 16 | 10 | 17 | 13 | 9 | 11 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 3 | 3 | 3 | 1 | 2 | 7 | 2 | 4 | 2 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 10 | 13 | 14 | 17 | 19 | 17 | 27 | 18 | 26 | 28 |
| INFECTIONS OF KIDNEY | 5 | 4 | 2 | 4 | 3 | 5 | 3 | 1 | 4 | 2 |
| HYPERPLASIA OF PROSTATE | 1 | 4 | 2 | 5 | 6 | 4 | 5 | 5 | 10 | 7 |
| MATERNAL CAUSES | 2 | 4 | 1 | | 1 | 4 | 1 | 1 | 1 | |
| CONGENITAL MALFORMATIONS | 23 | 26 | 35 | 27 | 14 | 19 | 25 | 19 | 24 | 25 |
| DISEASES OF EARLY INFANCY | 78 | 78 | 57 | 66 | 55 | 63 | 56 | 56 | 48 | 52 |
| SENILITY AND ILL DEFINED | 2 | 2 | | 3 | 1 | | 3 | 5 | 3 | 5 |
| ACCIDENTS MOTOR VEHICLE | 55 | 39 | 52 | 56 | 36 | 31 | 55 | 38 | 44 | 34 |
| ACCIDENTS OTHER | 62 | 53 | 47 | 50 | 50 | 52 | 68 | 60 | 75 | 74 |
| SUICIDE | 15 | 24 | 19 | 11 | 21 | 28 | 18 | 20 | 18 | 16 |
| HOMICIDE | 3 | 1 | 2 | 5 | 3 | 2 | 5 | 1 | 3 | 2 |
| ALL OTHER CAUSES | 68 | 65 | 83 | 60 | 52 | 67 | 79 | 73 | 68 | 70 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| KANKAKEE | | | | | | | | | | |
| TUBERCULOSIS | 1 | 2 | 2 | 3 | 2 | 4 | 5 | 5 | 9 | 11 |
| SYPHILIS | | 1 | | | 2 | | 4 | 1 | 1 | 2 |
| MENINGOCOCCAL INFECTIONS | 1 | | | 1 | | 1 | | | | |
| POLIOMYELITIS ACUTE | | | | | 1 | 1 | | 1 | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | 2 | 1 | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 3 | 1 | 2 | 1 | 1 | 2 | | 1 | 1 | 5 |
| MALIGNANT NEOPLASMS | 111 | 114 | 117 | 102 | 128 | 87 | 99 | 109 | 72 | 97 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 3 | 2 | | 2 | 2 | 4 | 2 | 1 | 1 |
| ASTHMA | 2 | 3 | 4 | 2 | 4 | 3 | 1 | 2 | 1 | |
| DIABETES | 14 | 13 | 8 | 13 | 8 | 12 | 14 | 9 | 11 | 13 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 76 | 76 | 62 | 71 | 67 | 72 | 56 | 59 | 66 | 45 |
| RHEUMATIC FEVER | 1 | | 1 | 1 | 1 | | | | 1 | 1 |
| HEART DISEASE | 292 | 329 | 334 | 313 | 292 | 259 | 271 | 278 | 248 | 260 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 4 | 5 | 4 | 2 | 3 | 3 | 4 | 3 | 3 | 3 |
| GENERAL ARTERIOSCLEROSIS | 23 | 13 | 25 | 23 | 10 | 16 | 24 | 15 | 20 | 16 |
| OTHER CIRCULATORY | 7 | 3 | 8 | 1 | 1 | 1 | 1 | 1 | 3 | 1 |
| INFLUENZA | 3 | | 1 | 1 | | 1 | 7 | 2 | 1 | |
| PNEUMONIA | 28 | 26 | 34 | 15 | 22 | 20 | 27 | 21 | 21 | 20 |
| BRONCHITIS | 2 | 2 | | 3 | | 1 | | 1 | | 2 |
| ULCER OF STOMACH AND DUODENUM | 3 | 5 | 5 | 2 | 2 | | 3 | 4 | 3 | 4 |
| HERNIA INTESTINAL OBSTRUCTION | 7 | 1 | 7 | 6 | 3 | 5 | 5 | 2 | 2 | 6 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 6 | 4 | 7 | 2 | 1 | 1 | 2 | 1 | 4 | 1 |
| CIRRHOSIS OF LIVER | 4 | 9 | 7 | 5 | 2 | 5 | 3 | 4 | 7 | 5 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | | | | 1 | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 9 | 7 | 8 | 9 | 5 | 11 | 7 | 13 | 11 | 7 |
| INFECTIONS OF KIDNEY | 3 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 4 | 2 |
| HYPERPLASIA OF PROSTATE | | | | | 3 | 2 | | 5 | | |
| MATERNAL CAUSES | | | 1 | 1 | | 1 | 1 | 1 | 1 | |
| CONGENITAL MALFORMATIONS | 12 | 10 | 10 | 10 | 9 | 9 | 7 | 12 | 7 | 7 |
| DISEASES OF EARLY INFANCY | 33 | 34 | 26 | 26 | 26 | 19 | 27 | 21 | 22 | 25 |
| SENILITY AND ILL DEFINED | 1 | 1 | 1 | 1 | | | 2 | 1 | 1 | 4 |
| ACCIDENTS MOTOR VEHICLE | 18 | 29 | 28 | 26 | 37 | 26 | 24 | 21 | 19 | 11 |
| ACCIDENTS OTHER | 23 | 24 | 17 | 16 | 15 | 29 | 14 | 16 | 17 | 18 |
| SUICIDE | 7 | 2 | 7 | 6 | 5 | 3 | 2 | 7 | 5 | 4 |
| HOMICIDE | 4 | 1 | | 1 | 2 | 3 | 1 | 4 | | 1 |
| ALL OTHER CAUSES | 23 | 30 | 22 | 23 | 17 | 22 | 16 | 23 | 18 | 29 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| KENDALL | | | | | | | | | | |
| TUBERCULOSIS | | | | | | | | 1 | 1 | 1 |
| SYPHILIS | | | | | | | | | 1 | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | 1 | | | 1 | | | | |
| MALIGNANT NEOPLASMS | 25 | 22 | 30 | 21 | 19 | 20 | 25 | 21 | 14 | 23 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | | | | 1 | | 1 | |
| ASTHMA | 1 | 1 | | 1 | | | 2 | | 1 | 3 |
| DIABETES | 5 | 3 | 8 | 2 | 2 | | 2 | 2 | 3 | 1 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 22 | 20 | 19 | 16 | 11 | 14 | 20 | 21 | 10 | 10 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 58 | 49 | 51 | 53 | 43 | 42 | 51 | 56 | 56 | 53 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 2 | 1 | | 1 | 1 | | | 2 | 1 |
| GENERAL ARTERIOSCLEROSIS | 7 | 2 | | 1 | 4 | 5 | 4 | 2 | 2 | 1 |
| OTHER CIRCULATORY | 1 | 1 | 2 | | 1 | 1 | 4 | | | 1 |
| INFLUENZA | | 1 | | | 1 | | | | 1 | |
| PNEUMONIA | 9 | 5 | 5 | 8 | 4 | 1 | 5 | 1 | 3 | 2 |
| BRONCHITIS | | 1 | | | | 1 | 1 | 1 | | |
| ULCER OF STOMACH AND DUODENUM | 2 | 2 | | 2 | | 2 | | 1 | | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | | | 1 | 5 | | 1 | 2 | 1 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | | | 1 | 2 | 2 | | 2 | |
| CIRRHOSIS OF LIVER | | 1 | 1 | | | 1 | | | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | 2 | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 6 | 3 | 2 | 2 | 2 | | 11 | 4 | 6 | 2 |
| INFECTIONS OF KIDNEY | | 1 | | 1 | 2 | | 2 | | | |
| HYPERPLASIA OF PROSTATE | | | | 2 | | | 1 | 1 | 1 | 5 |
| MATERNAL CAUSES | | | | | | 1 | | | | |
| CONGENITAL MALFORMATIONS | 2 | 1 | 2 | 3 | 2 | 3 | 1 | 1 | 3 | 2 |
| DISEASES OF EARLY INFANCY | 6 | 6 | 8 | 7 | 6 | 3 | 1 | 2 | 1 | 4 |
| SENILITY AND ILL DEFINED | | | | | | | | 1 | | |
| ACCIDENTS MOTOR VEHICLE | 10 | 5 | 8 | 3 | 6 | 6 | 5 | 5 | 1 | 9 |
| ACCIDENTS OTHER | 7 | 5 | 5 | 6 | 5 | 4 | 4 | 5 | 5 | 7 |
| SUICIDE | | 1 | 1 | 2 | 2 | 3 | | 1 | 1 | 2 |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 9 | 2 | 7 | 5 | 7 | 5 | 5 | 4 | 10 | 7 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| KNOX | | | | | | | | | | |
| TUBERCULOSIS | 1 | 6 | 1 | 2 | 2 | 2 | 4 | 7 | 4 | 9 |
| SYPHILIS | | 2 | | 2 | 3 | | 1 | 2 | 4 | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | 1 | | | | |
| POLIOMYELITIS ACUTE | 1 | | | | | | | 2 | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | 1 | | | | | 2 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | | 1 | | 1 | 2 | 5 | 1 |
| MALIGNANT NEOPLASMS | 96 | 109 | 118 | 97 | 109 | 107 | 109 | 101 | 82 | 82 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 1 | 2 | 2 | 3 | 1 | | 3 | | 2 |
| ASTHMA | 1 | 2 | 4 | | 5 | 1 | 6 | 6 | 2 | 1 |
| DIABETES | 8 | 9 | 6 | 11 | 5 | 7 | 7 | 11 | 8 | 13 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 100 | 95 | 76 | 79 | 91 | 105 | 96 | 86 | 80 | 77 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 267 | 309 | 292 | 272 | 288 | 298 | 282 | 257 | 293 | 266 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 7 | 8 | 5 | 4 | 3 | 4 | 8 | 9 | 5 | 5 |
| GENERAL ARTERIOSCLEROSIS | 20 | 16 | 13 | 20 | 15 | 14 | 24 | 15 | 19 | 19 |
| OTHER CIRCULATORY | 7 | 5 | 6 | 4 | 5 | 5 | 3 | 5 | 3 | 3 |
| INFLUENZA | 3 | 1 | 4 | 2 | | 1 | 4 | | | 2 |
| PNEUMONIA | 19 | 21 | 30 | 28 | 17 | 11 | 8 | 11 | 18 | 12 |
| BRONCHITIS | 1 | 2 | 1 | 2 | 3 | 1 | 2 | 4 | 2 | 1 |
| ULCER OF STOMACH AND DUODENUM | 5 | 5 | 1 | 4 | 6 | 4 | 3 | | 3 | 5 |
| HERNIA INTESTINAL OBSTRUCTION | 6 | 5 | 5 | 3 | 3 | 2 | 7 | 4 | 5 | 4 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 5 | | 2 | | 1 | 2 | 5 | 1 | 1 | 3 |
| CIRRHOSIS OF LIVER | 5 | 3 | 12 | 8 | | 1 | 4 | 4 | 4 | 6 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | | | 1 | 1 | 1 | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 1 | 3 | 6 | 3 | 3 | 6 | 6 | 9 | 12 |
| INFECTIONS OF KIDNEY | 2 | 2 | 1 | | | 1 | 1 | | 1 | |
| HYPERPLASIA OF PROSTATE | 2 | 2 | 2 | 4 | | 2 | 1 | 3 | 6 | 5 |
| MATERNAL CAUSES | 1 | 1 | 2 | | 1 | | | 2 | 1 | 1 |
| CONGENITAL MALFORMATIONS | 16 | 6 | 11 | 13 | 3 | 3 | 6 | 9 | 5 | 5 |
| DISEASES OF EARLY INFANCY | 18 | 14 | 15 | 21 | 16 | 22 | 20 | 14 | 17 | 17 |
| SENILITY AND ILL DEFINED | | | | 1 | 1 | 1 | | 2 | 1 | 2 |
| ACCIDENTS MOTOR VEHICLE | 15 | 17 | 15 | 11 | 14 | 7 | 14 | 13 | 14 | 14 |
| ACCIDENTS OTHER | 15 | 12 | 18 | 16 | 20 | 13 | 13 | 17 | 26 | 22 |
| SUICIDE | 3 | 6 | 9 | 6 | 8 | 10 | 7 | 3 | 6 | 7 |
| HOMICIDE | 2 | | 1 | | | 1 | | | | 2 |
| ALL OTHER CAUSES | 25 | 20 | 28 | 25 | 21 | 16 | 24 | 24 | 24 | 16 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LAKE | | | | | | | | | | |
| TUBERCULOSIS | 10 | 15 | 9 | 7 | 8 | 13 | 17 | 3 | 17 | 17 |
| SYPHILIS | 1 | 4 | 1 | | 1 | 2 | 4 | 6 | 4 | 9 |
| MENINGOCOCCAL INFECTIONS | 1 | 2 | | 1 | 2 | 3 | 1 | 1 | | 2 |
| POLIOMYELITIS ACUTE | | | 2 | 4 | 4 | 5 | 5 | 10 | 8 | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 3 | 1 | | | | | 1 | |
| INFECTIOUS HEPATITIS | 3 | 1 | 1 | | 1 | 1 | | | | 1 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 7 | 6 | 4 | 3 | 1 | 2 | 5 | 2 | 5 | 2 |
| MALIGNANT NEOPLASMS | 323 | 329 | 307 | 285 | 305 | 307 | 273 | 283 | 233 | 236 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 3 | 5 | 7 | 6 | 5 | 6 | 7 | 6 | 4 | 5 |
| ASTHMA | 5 | 2 | 11 | 4 | 4 | 5 | 3 | 2 | 1 | 1 |
| DIABETES | 30 | 15 | 16 | 27 | 21 | 19 | 20 | 15 | 25 | 20 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 212 | 241 | 197 | 189 | 155 | 178 | 144 | 150 | 148 | 150 |
| RHEUMATIC FEVER | | 1 | 1 | | 1 | 2 | 1 | 1 | 1 | 2 |
| HEART DISEASE | 832 | 838 | 789 | 757 | 647 | 658 | 645 | 582 | 572 | 549 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 19 | 19 | 13 | 12 | 16 | 15 | 14 | 12 | 7 | 15 |
| GENERAL ARTERIOSCLEROSIS | 29 | 24 | 21 | 22 | 27 | 43 | 23 | 24 | 22 | 20 |
| OTHER CIRCULATORY | 15 | 23 | 13 | 17 | 16 | 13 | 8 | 22 | 8 | 7 |
| INFLUENZA | 2 | 3 | 6 | 1 | | 3 | 3 | 6 | 3 | 1 |
| PNEUMONIA | 51 | 75 | 68 | 59 | 44 | 30 | 44 | 33 | 37 | 31 |
| BRONCHITIS | 10 | 5 | 6 | 7 | 3 | 6 | 6 | 6 | 2 | 2 |
| ULCER OF STOMACH AND DUODENUM | 12 | 7 | 8 | 10 | 15 | 3 | 6 | 9 | 7 | 7 |
| HERNIA INTESTINAL OBSTRUCTION | 11 | 11 | 12 | 10 | 8 | 5 | 18 | 6 | 8 | 13 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 4 | 13 | 8 | 11 | 8 | 8 | 14 | 8 | 6 | 7 |
| CIRRHOSIS OF LIVER | 25 | 22 | 21 | 25 | 25 | 21 | 25 | 15 | 17 | 15 |
| NEPHRITIS AND NEPHROSIS ACUTE | 3 | 2 | 2 | 2 | 1 | 3 | 3 | 2 | 1 | 2 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 13 | 6 | 13 | 17 | 10 | 13 | 19 | 12 | 15 | 23 |
| INFECTIONS OF KIDNEY | 6 | 3 | 9 | 9 | 3 | 1 | 5 | 3 | 2 | 3 |
| HYPERPLASIA OF PROSTATE | 6 | 9 | 7 | 10 | 12 | 6 | 14 | 14 | 8 | 9 |
| MATERNAL CAUSES | 2 | 7 | 1 | 4 | 3 | | | 3 | 3 | 3 |
| CONGENITAL MALFORMATIONS | 45 | 45 | 40 | 32 | 33 | 36 | 30 | 23 | 22 | 19 |
| DISEASES OF EARLY INFANCY | 84 | 105 | 101 | 83 | 86 | 83 | 77 | 98 | 75 | 55 |
| SENILITY AND ILL DEFINED | 2 | 5 | 7 | 2 | 4 | 2 | 2 | 4 | 3 | 3 |
| ACCIDENTS MOTOR VEHICLE | 59 | 66 | 74 | 74 | 47 | 54 | 72 | 69 | 50 | 57 |
| ACCIDENTS OTHER | 65 | 50 | 46 | 58 | 61 | 43 | 54 | 51 | 81 | 47 |
| SUICIDE | 22 | 33 | 20 | 16 | 27 | 27 | 21 | 26 | 19 | 31 |
| HOMICIDE | 4 | 3 | 1 | 6 | 12 | 7 | 5 | 5 | 2 | 3 |
| ALL OTHER CAUSES | 80 | 71 | 80 | 80 | 67 | 52 | 66 | 73 | 55 | 55 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LA SALLE | | | | | | | | | | |
| TUBERCULOSIS | 6 | 2 | 2 | 8 | 4 | 3 | 10 | 9 | 10 | 15 |
| SYPHILIS | | | | 2 | | 1 | 2 | 6 | 3 | 2 |
| MENINGOCOCCAL INFECTIONS | 1 | | 2 | | 1 | | | 1 | | 1 |
| POLIOMYELITIS ACUTE | | | | | | 1 | 2 | 2 | 3 | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | 1 | | | 2 | 1 | 1 | 1 | 1 | |
| INFECTIOUS HEPATITIS | | 1 | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 3 | 1 | 4 | 2 | 1 | 4 | 5 | 2 | 5 |
| MALIGNANT NEOPLASMS | 208 | 171 | 195 | 181 | 177 | 177 | 194 | 180 | 177 | 187 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 2 | 1 | 2 | 3 | 11 | 1 | 2 | 2 | 5 |
| ASTHMA | | 3 | 7 | 5 | 6 | | 11 | 5 | 4 | 2 |
| DIABETES | 18 | 18 | 19 | 21 | 19 | 21 | 19 | 32 | 18 | 22 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 174 | 179 | 132 | 127 | 131 | 123 | 143 | 156 | 130 | 146 |
| RHEUMATIC FEVER | | | | | 1 | | 1 | 1 | | |
| HEART DISEASE | 484 | 527 | 514 | 481 | 496 | 447 | 468 | 457 | 463 | 469 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 12 | 8 | 6 | 7 | 2 | 13 | 8 | 3 | 6 | 9 |
| GENERAL ARTERIOSCLEROSIS | 22 | 16 | 19 | 15 | 22 | 15 | 17 | 17 | 22 | 27 |
| OTHER CIRCULATORY | 8 | 11 | 6 | 4 | 11 | 5 | 7 | 2 | 5 | 1 |
| INFLUENZA | 1 | 2 | 6 | 1 | 3 | 4 | 4 | 2 | 1 | 2 |
| PNEUMONIA | 22 | 26 | 33 | 31 | 30 | 24 | 28 | 25 | 18 | 19 |
| BRONCHITIS | 6 | 2 | 3 | 2 | 1 | 5 | | 2 | 3 | 4 |
| ULCER OF STOMACH AND DUODENUM | 11 | 10 | 9 | 7 | 5 | 5 | 11 | 6 | 9 | 6 |
| HERNIA INTESTINAL OBSTRUCTION | 7 | 8 | 8 | 8 | 9 | 8 | 6 | 4 | 11 | 6 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 3 | 13 | 2 | 1 | 4 | 5 | 1 | 1 | 3 |
| CIRRHOSIS OF LIVER | 12 | 7 | 9 | 8 | 10 | 13 | 9 | 10 | 8 | 10 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 3 | 1 | | 3 | 2 | 1 | 2 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 11 | 9 | 18 | 13 | 11 | 19 | 21 | 14 | 21 |
| INFECTIONS OF KIDNEY | 5 | 6 | 1 | 1 | 1 | 3 | 1 | 3 | | |
| HYPERPLASIA OF PROSTATE | 2 | 2 | 2 | 2 | 5 | 5 | 5 | 4 | 1 | 6 |
| MATERNAL CAUSES | 1 | | 2 | | 1 | 1 | 1 | | 2 | 1 |
| CONGENITAL MALFORMATIONS | 9 | 12 | 13 | 21 | 13 | 13 | 15 | 15 | 16 | 8 |
| DISEASES OF EARLY INFANCY | 34 | 35 | 32 | 28 | 53 | 34 | 44 | 26 | 34 | 27 |
| SENILITY AND ILL DEFINED | 1 | | 1 | 1 | 3 | 2 | 2 | 7 | 9 | 6 |
| ACCIDENTS MOTOR VEHICLE | 36 | 25 | 29 | 29 | 37 | 28 | 47 | 23 | 29 | 26 |
| ACCIDENTS OTHER | 31 | 40 | 39 | 42 | 39 | 23 | 44 | 45 | 38 | 35 |
| SUICIDE | 16 | 15 | 6 | 12 | 12 | 13 | 10 | 9 | 5 | 10 |
| HOMICIDE | 4 | | | 1 | 1 | 1 | | | 1 | 1 |
| ALL OTHER CAUSES | 29 | 44 | 53 | 35 | 54 | 47 | 46 | 72 | 41 | 54 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LAWRENCE | | | | | | | | | | |
| TUBERCULOSIS | 3 | 1 | 1 | 2 | | 2 | 5 | | 1 | 6 |
| SYPHILIS | | | | | | 1 | 2 | 1 | | 4 |
| MENINGOCOCCAL INFECTIONS | | 1 | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | 1 |
| INFECTIOUS HEPATITIS | 1 | | 1 | | | | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | | 1 | | | | 1 | 1 | 2 |
| MALIGNANT NEOPLASMS | 30 | 33 | 34 | 35 | 27 | 44 | 32 | 30 | 38 | 25 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | 1 | 2 | 2 | | | | 1 | 2 |
| ASTHMA | | 1 | 2 | 2 | 4 | 1 | 4 | | | |
| DIABETES | 2 | 5 | 7 | 2 | 3 | 8 | 4 | 4 | 4 | 1 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 40 | 36 | 49 | 27 | 31 | 34 | 46 | 39 | 23 | 34 |
| RHEUMATIC FEVER | 1 | | | | | | | | | |
| HEART DISEASE | 93 | 96 | 87 | 99 | 97 | 75 | 91 | 81 | 79 | 81 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 2 | 1 | 3 | 1 | 4 | 2 | 2 | 2 | 3 |
| GENERAL ARTERIOSCLEROSIS | 8 | 9 | 9 | 6 | 3 | 8 | 8 | 7 | 6 | 12 |
| OTHER CIRCULATORY | 3 | | 1 | 4 | 1 | | 1 | 1 | | 2 |
| INFLUENZA | | | | | | | 1 | | | |
| PNEUMONIA | 15 | 20 | 6 | 9 | 15 | 10 | 4 | 5 | 10 | 8 |
| BRONCHITIS | 1 | | | 1 | 1 | 1 | | 1 | | |
| ULCER OF STOMACH AND DUODENUM | 3 | 1 | 2 | 2 | 1 | | 1 | 1 | 4 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | 1 | 2 | 1 | 2 | 1 | 1 | 1 | | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 1 | 1 | 3 | 2 | | 2 | 3 | 1 | 2 |
| CIRRHOSIS OF LIVER | 1 | | 6 | 1 | | 1 | 2 | | | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | 1 | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 6 | 5 | 7 | 11 | 2 | 13 | 9 | 5 | 6 | 5 |
| INFECTIONS OF KIDNEY | 1 | 3 | | | | | 1 | | | |
| HYPERPLASIA OF PROSTATE | 5 | 3 | 1 | | 1 | 1 | | 2 | | 1 |
| MATERNAL CAUSES | | | | | 2 | | | | | |
| CONGENITAL MALFORMATIONS | 1 | 3 | 2 | 3 | 1 | | | 6 | 5 | 5 |
| DISEASES OF EARLY INFANCY | 7 | 5 | 5 | 7 | 5 | 2 | 5 | 7 | 5 | 3 |
| SENILITY AND ILL DEFINED | 2 | | 1 | | | | 1 | 2 | 1 | 2 |
| ACCIDENTS MOTOR VEHICLE | 5 | 4 | 7 | 5 | 6 | 7 | 8 | 4 | | 10 |
| ACCIDENTS OTHER | 10 | 7 | 10 | 8 | 7 | 8 | 7 | 7 | 8 | 10 |
| SUICIDE | 4 | 2 | 2 | 1 | 2 | 3 | 3 | | 2 | 1 |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 20 | 10 | 11 | 6 | 8 | 11 | 5 | 9 | 8 | 10 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LEE | | | | | | | | | | |
| TUBERCULOSIS | 1 | | 1 | 1 | 2 | 1 | 3 | 2 | 6 | 9 |
| SYPHILIS | | | | 2 | 1 | 1 | 2 | 1 | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | 1 | | | 1 | 4 | | 2 |
| POLIOMYELITIS ACUTE | | 1 | | | | | | | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | 1 | 1 | 1 | 5 | 6 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 64 | 44 | 61 | 41 | 48 | 52 | 60 | 50 | 49 | 67 |
| MALIGNANT NEOPLASMS | | | | | | 2 | | 1 | 1 | |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 2 | | | | 1 | 2 | 3 | 2 | 1 |
| ASTHMA | 2 | | 1 | 3 | 7 | | | | | |
| DIABETES | 1 | 8 | 4 | 9 | 11 | 6 | 9 | 4 | 12 | 5 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 37 | 47 | 50 | 37 | 31 | 40 | 39 | 30 | 40 | 40 |
| RHEUMATIC FEVER | | | | | | | | | 1 | |
| HEART DISEASE | 165 | 153 | 145 | 156 | 146 | 138 | 172 | 165 | 169 | 136 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 6 | 4 | 8 | 5 | 3 | 5 | 2 | 3 | 4 | 2 |
| GENERAL ARTERIOSCLEROSIS | 11 | 16 | 12 | 7 | 7 | 4 | 6 | 1 | 6 | 5 |
| OTHER CIRCULATORY | 3 | 5 | 5 | 3 | 2 | | | 1 | 1 | 3 |
| INFLUENZA | | | 4 | | 1 | | | 1 | | 1 |
| PNEUMONIA | 7 | 16 | 18 | 6 | 10 | 3 | 7 | 4 | 25 | 26 |
| BRONCHITIS | | | | | 1 | | | | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 4 | 3 | 3 | 2 | 2 | 1 | 4 | 5 | 3 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 2 | 2 | 3 | 3 | | 3 | 4 | 7 | 5 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 2 | | 3 | 1 | 1 | 1 | 2 | 5 | 5 |
| CIRRHOSIS OF LIVER | 3 | 1 | 7 | 2 | 2 | 5 | 2 | 3 | 2 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | | | 1 | 1 | | | | 2 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 5 | 1 | 2 | 5 | 8 | 5 | 5 | 6 | 4 | 5 |
| INFECTIONS OF KIDNEY | 3 | | 1 | | 2 | 1 | 1 | | | 1 |
| HYPERPLASIA OF PROSTATE | | 1 | 1 | 2 | 3 | 1 | 4 | 2 | 2 | 4 |
| MATERNAL CAUSES | | | 1 | | | | | | 1 | 1 |
| CONGENITAL MALFORMATIONS | 3 | 5 | 2 | 2 | 8 | 4 | 4 | 6 | 7 | 7 |
| DISEASES OF EARLY INFANCY | 16 | 8 | 8 | 9 | 12 | 11 | 14 | 13 | 8 | 11 |
| SENILITY AND ILL DEFINED | 3 | 1 | | 3 | | 3 | 1 | 1 | 4 | 2 |
| ACCIDENTS MOTOR VEHICLE | 12 | 15 | 12 | 14 | 13 | 11 | 11 | 17 | 7 | 6 |
| ACCIDENTS OTHER | 10 | 12 | 11 | 10 | 9 | 10 | 15 | 11 | 10 | 16 |
| SUICIDE | 4 | 6 | 5 | 5 | 5 | 3 | 4 | 7 | 4 | 4 |
| HOMICIDE | | | | | 1 | | | | 1 | |
| ALL OTHER CAUSES | 22 | 15 | 16 | 19 | 21 | 14 | 13 | 18 | 45 | 42 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LIVINGSTON | | | | | | | | | | |
| TUBERCULOSIS | 1 | | 1 | 2 | 1 | 2 | 1 | 2 | 4 | 2 |
| SYPHILIS | 1 | | | | | | | 1 | 1 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | 2 | 1 | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | 1 | | | | |
| INFECTIOUS HEPATITIS | | | 1 | 1 | | 1 | | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | | 1 | 2 | 1 | 1 | | 1 |
| MALIGNANT NEOPLASMS | 77 | 68 | 58 | 58 | 66 | 49 | 57 | 59 | 52 | 61 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | 2 | 2 | 1 | | 1 | 1 | | 2 |
| ASTHMA | 2 | | | | 1 | 4 | 3 | 3 | 1 | |
| DIABETES | 5 | 5 | 10 | 8 | 7 | 7 | 7 | 1 | 7 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 72 | 64 | 58 | 57 | 46 | 71 | 62 | 47 | 52 | 50 |
| RHEUMATIC FEVER | 1 | | | | | | | 1 | 1 | 1 |
| HEART DISEASE | 148 | 167 | 186 | 182 | 175 | 172 | 179 | 177 | 178 | 160 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 4 | 6 | 2 | 2 | 4 | 10 | 5 | 2 | 3 | 5 |
| GENERAL ARTERIOSCLEROSIS | 9 | 5 | 8 | 9 | 8 | 7 | 7 | 14 | 12 | 12 |
| OTHER CIRCULATORY | 3 | 5 | 3 | 1 | 4 | 1 | 3 | 2 | | 1 |
| INFLUENZA | 1 | | | | | 1 | 2 | 3 | 1 | 1 |
| PNEUMONIA | 7 | 14 | 9 | 6 | 15 | 7 | 6 | 9 | 17 | 6 |
| BRONCHITIS | 1 | 2 | | | | 2 | | | 1 | 2 |
| ULCER OF STOMACH AND DUODENUM | 3 | 3 | 1 | 1 | 3 | 6 | 1 | | 1 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | | | 7 | 1 | 4 | 3 | 3 | 2 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 2 | 1 | 5 | 3 | 1 | 1 | | 2 | 1 |
| CIRRHOSIS OF LIVER | 3 | 3 | 2 | 1 | 2 | 3 | 1 | 2 | 4 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | 1 | 2 | 1 | | | | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | 5 | 7 | 6 | 2 | 5 | 4 | 11 | 4 |
| INFECTIONS OF KIDNEY | 1 | | 2 | 1 | 2 | 2 | | | 2 | |
| HYPERPLASIA OF PROSTATE | 2 | 4 | 1 | 3 | 2 | 3 | 2 | | 1 | 6 |
| MATERNAL CAUSES | | | | | | 2 | 2 | 1 | | 2 |
| CONGENITAL MALFORMATIONS | 4 | 7 | 3 | 11 | 5 | 2 | 5 | 6 | 4 | 2 |
| DISEASES OF EARLY INFANCY | 10 | 6 | 4 | 14 | 16 | 15 | 10 | 12 | 11 | 8 |
| SENILITY AND ILL DEFINED | | | | 2 | 2 | 5 | | 1 | | 2 |
| ACCIDENTS MOTOR VEHICLE | 7 | 5 | 15 | 9 | 14 | 11 | 8 | 19 | 9 | 31 |
| ACCIDENTS OTHER | 11 | 23 | 17 | 13 | 15 | 11 | 10 | 11 | 16 | 18 |
| SUICIDE | 5 | 2 | 3 | 5 | 3 | 2 | 2 | 3 | 6 | 4 |
| HOMICIDE | | | | | | | | 3 | | |
| ALL OTHER CAUSES | 19 | 20 | 7 | 13 | 13 | 18 | 18 | 17 | 13 | 13 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| LOGAN | | | | | | | | | | |
| TUBERCULOSIS | 1 | | 1 | 2 | 1 | 3 | 1 | 4 | 3 | 7 |
| SYPHILIS | 1 | | | | | | 2 | 1 | 1 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | 1 | | | | 1 | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 48 | 1 | 50 | 1 | 2 | 44 | 47 | 57 | 2 | 51 |
| MALIGNANT NEOPLASMS | | 35 | | 37 | 60 | | | | 55 | |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | 2 | 1 | 1 | | 2 | | 1 | 1 |
| ASTHMA | | | | 2 | | | | | 1 | |
| DIABETES | 4 | 2 | 7 | 2 | 5 | 2 | 7 | 7 | 2 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 45 | 33 | 29 | 35 | 37 | 23 | 36 | 23 | 23 | 28 |
| RHEUMATIC FEVER | | | | | | | 1 | | 1 | |
| HEART DISEASE | 133 | 138 | 131 | 138 | 121 | 165 | 150 | 137 | 137 | 144 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 5 | 5 | 2 | 4 | | 5 | 3 | 2 | 1 | 2 |
| GENERAL ARTERIOSCLEROSIS | 24 | 15 | 23 | 15 | 11 | 8 | 12 | 8 | 7 | 7 |
| OTHER CIRCULATORY | 2 | 1 | 1 | 2 | 1 | | 5 | 1 | 5 | 1 |
| INFLUENZA | 1 | | 1 | 2 | 1 | | 2 | 2 | 2 | |
| PNEUMONIA | 8 | 11 | 11 | 3 | 12 | 5 | 8 | 10 | 5 | 10 |
| BRONCHITIS | 1 | | 2 | | | | | | 2 | |
| ULCER OF STOMACH AND DUODENUM | 3 | 3 | 2 | | 5 | | 1 | | | 2 |
| HERNIA INTESTINAL OBSTRUCTION | | 1 | 1 | 1 | 2 | 4 | 2 | 3 | 4 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 2 | 1 | | | 2 | | 1 | | 1 |
| CIRRHOSIS OF LIVER | 1 | 2 | 4 | 2 | 1 | 1 | 1 | 1 | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | 4 | 3 | 2 | 5 | 1 | 3 | 5 | 6 | 2 | 5 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | | | 2 | | | | | |
| INFECTIONS OF KIDNEY | | 4 | 1 | 1 | 1 | | 3 | 1 | 1 | 2 |
| HYPERPLASIA OF PROSTATE | | | 2 | | | | | | | |
| MATERNAL CAUSES | 4 | 4 | 3 | 5 | 1 | 1 | 3 | 6 | 1 | 2 |
| CONGENITAL MALFORMATIONS | | | | | 2 | 3 | | | 1 | |
| DISEASES OF EARLY INFANCY | 7 | 10 | 11 | 8 | 8 | 6 | 5 | 5 | 21 | 9 |
| SENILITY AND ILL DEFINED | 4 | | 1 | 1 | | | 2 | | | |
| ACCIDENTS MOTOR VEHICLE | 9 | 5 | 13 | 6 | 8 | 8 | 13 | 7 | 10 | 6 |
| ACCIDENTS OTHER | 8 | 9 | 11 | 10 | 14 | 12 | 11 | 13 | 12 | 9 |
| SUICIDE | 6 | 4 | 6 | 3 | 5 | 2 | 4 | 2 | 3 | 3 |
| HOMICIDE | | | | | | | 1 | | | 1 |
| ALL OTHER CAUSES | 13 | 5 | 12 | 9 | 7 | 13 | 10 | 7 | 14 | 11 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MC DONOUGH | | | | | | | | | | |
| TUBERCULOSIS | | 2 | | 3 | | 3 | 2 | 2 | 5 | 5 |
| SYPHILIS | 1 | | | 1 | 1 | 2 | | 3 | 1 | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | 1 | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | 2 | 1 | 1 | | | 3 | | 3 |
| MALIGNANT NEOPLASMS | 52 | 60 | 58 | 52 | 55 | 49 | 57 | 41 | 51 | 43 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 1 | | 1 | 2 | | | 2 | 3 | |
| ASTHMA | 2 | 2 | | 2 | 4 | 2 | 3 | | 1 | |
| DIABETES | 5 | 7 | 9 | 2 | 4 | 6 | 5 | 10 | 6 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 46 | 49 | 36 | 48 | 48 | 58 | 43 | 60 | 63 | 43 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 139 | 148 | 164 | 155 | 150 | 121 | 113 | 135 | 145 | 128 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 6 | 7 | 2 | 2 | | 5 | 7 | 3 | 4 |
| GENERAL ARTERIOSCLEROSIS | 8 | 9 | 9 | 8 | 5 | 6 | 6 | 11 | 8 | 11 |
| OTHER CIRCULATORY | 3 | 4 | 3 | 1 | | 6 | 3 | 2 | | 3 |
| INFLUENZA | | | 3 | 3 | | 1 | 1 | 2 | | |
| PNEUMONIA | 9 | 8 | 12 | 11 | 10 | 6 | 13 | 2 | 7 | 7 |
| BRONCHITIS | 1 | 2 | | 1 | 2 | | | 4 | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 2 | 1 | 4 | 1 | 2 | 2 | | | |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 4 | 2 | 3 | 4 | 5 | 3 | 4 | 3 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 1 | 1 | 1 | 2 | 1 | | 1 | 1 | 1 |
| CIRRHOSIS OF LIVER | 2 | | 5 | | 3 | | 1 | | 2 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | 1 | | 1 | 1 | 1 | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 3 | 4 | 2 | 6 | 2 | 9 | 3 | 1 | 4 |
| INFECTIONS OF KIDNEY | 5 | 1 | 2 | 1 | 1 | | 3 | | 1 | 2 |
| HYPERPLASIA OF PROSTATE | 1 | 1 | 1 | 3 | 1 | 2 | 7 | 3 | 1 | 1 |
| MATERNAL CAUSES | | | | | | 3 | | 1 | | |
| CONGENITAL MALFORMATIONS | 2 | 2 | 4 | 5 | | 4 | 3 | | 3 | 9 |
| DISEASES OF EARLY INFANCY | 13 | 7 | 9 | 12 | 5 | 10 | 7 | 8 | 3 | 6 |
| SENILITY AND ILL DEFINED | | | 2 | | 1 | 2 | | | | 2 |
| ACCIDENTS MOTOR VEHICLE | 8 | 8 | 11 | 8 | 13 | 16 | 7 | 5 | 5 | 11 |
| ACCIDENTS OTHER | 8 | 8 | 6 | 13 | 9 | 9 | 23 | 16 | 16 | 20 |
| SUICIDE | 5 | 4 | 9 | 2 | 1 | 2 | 4 | 4 | 2 | 7 |
| HOMICIDE | | 1 | | | 5 | | | | | 1 |
| ALL OTHER CAUSES | 11 | 20 | 9 | 16 | 17 | 21 | 15 | 17 | 5 | 13 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MC HENRY | | | | | | | | | | |
| TUBERCULOSIS | 2 | 1 | 2 | 3 | 2 | 2 | 3 | 3 | 4 | 1 |
| SYPHILIS | 1 | | | | | | | 1 | 4 | 2 |
| MENINGOCOCCAL INFECTIONS | | 3 | | 1 | | | 1 | 2 | 3 | 1 |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | 1 | 1 | 1 | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 2 |
| MALIGNANT NEOPLASMS | 138 | 130 | 120 | 87 | 93 | 107 | 89 | 85 | 102 | 88 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 2 | 1 | 4 | | 1 | 1 | 1 | 4 | 2 |
| ASTHMA | | 3 | 2 | 8 | 3 | 1 | 1 | 4 | | |
| DIABETES | 16 | 10 | 10 | 14 | 15 | 11 | 6 | 11 | 14 | 8 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 84 | 78 | 61 | 63 | 64 | 65 | 54 | 54 | 63 | 51 |
| RHEUMATIC FEVER | | 1 | | | | | | 1 | 1 | 1 |
| HEART DISEASE | 298 | 311 | 281 | 297 | 300 | 234 | 272 | 226 | 246 | 221 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 7 | 5 | 3 | 2 | 2 | 3 | 6 | 8 | 8 | 3 |
| GENERAL ARTERIOSCLEROSIS | 14 | 13 | 20 | 10 | 12 | 8 | 17 | 9 | 13 | 8 |
| OTHER CIRCULATORY | 12 | 9 | 9 | 7 | 3 | 3 | 2 | | 3 | 1 |
| INFLUENZA | 4 | 1 | 3 | 5 | 1 | 1 | 4 | 1 | 4 | 1 |
| PNEUMONIA | 23 | 26 | 34 | 25 | 23 | 14 | 23 | 6 | 9 | 15 |
| BRONCHITIS | 2 | 1 | 1 | 1 | 3 | | 1 | 1 | 3 | 3 |
| ULCER OF STOMACH AND DUODENUM | 5 | 3 | 10 | 4 | 6 | 1 | 3 | 4 | 1 | 3 |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 1 | 5 | 3 | 6 | 5 | 3 | 5 | 2 | 5 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 3 | 4 | 5 | 3 | 3 | 2 | 2 | 4 | 2 | 4 |
| CIRRHOSIS OF LIVER | | 6 | 7 | 4 | 7 | 5 | 3 | 3 | 5 | |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 2 | 7 | 3 | 3 | 9 | 1 | 13 | 10 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 6 | | 7 | | | 5 | | | 11 |
| INFECTIONS OF KIDNEY | 3 | 5 | 3 | 2 | 1 | 3 | | | 1 | 2 |
| HYPERPLASIA OF PROSTATE | 1 | 3 | 1 | 7 | 6 | 5 | 3 | 7 | 3 | 4 |
| MATERNAL CAUSES | 7 | 1 | 13 | 1 | 1 | 3 | 1 | 4 | 6 | 1 |
| CONGENITAL MALFORMATIONS | | 14 | | 10 | 3 | | 4 | | | 8 |
| DISEASES OF EARLY INFANCY | 36 | 26 | 21 | 21 | 14 | 17 | 13 | 27 | 17 | 15 |
| SENILITY AND ILL DEFINED | | 1 | 3 | 2 | | | 3 | | 1 | |
| ACCIDENTS MOTOR VEHICLE | 30 | 18 | 36 | 29 | 30 | 16 | 31 | 19 | 18 | 10 |
| ACCIDENTS OTHER | 26 | 24 | 28 | 22 | 22 | 19 | 14 | 31 | 36 | 23 |
| SUICIDE | 6 | 7 | 3 | 8 | 7 | 7 | 13 | 4 | 3 | 3 |
| HOMICIDE | | | | | 2 | 1 | | | 1 | |
| ALL OTHER CAUSES | 34 | 30 | 25 | 27 | 21 | 12 | 26 | 25 | 27 | 18 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MC LEAN | | | | | | | | | | |
| TUBERCULOSIS | 3 | 2 | 6 | 10 | 4 | 2 | 9 | 6 | 5 | 5 |
| SYPHILIS | | | 5 | 1 | 2 | 2 | 2 | 6 | 3 | 9 |
| MENINGOCOCCAL INFECTIONS | | | | | 1 | | 1 | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | 1 | | 3 | 1 | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | 2 | 1 | 1 | | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 4 | 2 | 1 | | 2 | | 5 | 1 | | 2 |
| MALIGNANT NEOPLASMS | 142 | 138 | 136 | 117 | 104 | 143 | 132 | 116 | 116 | 127 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 3 | 2 | 2 | 3 | 2 | 2 | 1 | 1 | 3 |
| ASTHMA | 2 | | 5 | 2 | 5 | 4 | 3 | 4 | 4 | 2 |
| DIABETES | 5 | 3 | 15 | 9 | 7 | 22 | 15 | 16 | 20 | 12 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 119 | 134 | 109 | 108 | 112 | 90 | 115 | 101 | 112 | 104 |
| RHEUMATIC FEVER | | | | | 1 | | | 1 | 1 | 1 |
| HEART DISEASE | 359 | 382 | 420 | 378 | 384 | 323 | 370 | 365 | 306 | 333 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 26 | 9 | 9 | 17 | 12 | 6 | 12 | 10 | 10 | 19 |
| GENERAL ARTERIOSCLEROSIS | 16 | 23 | 21 | 18 | 19 | 25 | 24 | 28 | 23 | 32 |
| OTHER CIRCULATORY | 9 | 5 | 7 | 8 | 7 | 1 | 4 | 3 | 4 | 4 |
| INFLUENZA | | 1 | | | 1 | | 2 | 1 | 4 | |
| PNEUMONIA | 22 | 17 | 22 | 15 | 14 | 19 | 15 | 15 | 15 | 21 |
| BRONCHITIS | 1 | 2 | | | 1 | 4 | | 1 | | 2 |
| ULCER OF STOMACH AND DUODENUM | 12 | 10 | 3 | 2 | 2 | 10 | 3 | 6 | 4 | 5 |
| HERNIA INTESTINAL OBSTRUCTION | 4 | 4 | 4 | 4 | 3 | 7 | 5 | 7 | 8 | 5 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 6 | 3 | 4 | 1 | 3 | 3 | 3 | 2 | 4 | 2 |
| CIRRHOSIS OF LIVER | 7 | 4 | 4 | 8 | 4 | 4 | 12 | 6 | 5 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 1 | 1 | 2 | 1 | 4 | 1 | | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 4 | 5 | 7 | 8 | 13 | 8 | 12 | 16 | 12 |
| INFECTIONS OF KIDNEY | 2 | 2 | 2 | 2 | 2 | 1 | 3 | | 3 | 3 |
| HYPERPLASIA OF PROSTATE | 1 | 1 | 1 | 4 | 3 | 3 | 5 | 3 | 5 | 8 |
| MATERNAL CAUSES | | | | | | | 2 | 1 | 1 | 1 |
| CONGENITAL MALFORMATIONS | 2 | 16 | 10 | 8 | 14 | 8 | 7 | 5 | 8 | 10 |
| DISEASES OF EARLY INFANCY | 17 | 25 | 30 | 23 | 22 | 20 | 18 | 27 | 27 | 39 |
| SENILITY AND ILL DEFINED | | | 1 | 1 | 1 | 1 | 3 | 1 | 3 | 5 |
| ACCIDENTS MOTOR VEHICLE | 14 | 20 | 38 | 28 | 27 | 17 | 18 | 24 | 13 | 22 |
| ACCIDENTS OTHER | 38 | 28 | 18 | 22 | 28 | 25 | 29 | 32 | 31 | 31 |
| SUICIDE | 15 | 12 | 9 | 9 | 9 | 5 | 9 | 6 | 8 | 7 |
| HOMICIDE | 3 | 1 | 3 | | | | | 1 | 2 | 1 |
| ALL OTHER CAUSES | 35 | 26 | 22 | 24 | 37 | 30 | 34 | 30 | 21 | 30 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MACON | | | | | | | | | | |
| TUBERCULOSIS | 3 | 7 | 3 | 4 | 5 | 9 | 7 | 10 | 2 | 12 |
| SYPHILIS | 1 | 2 | 4 | 7 | | 3 | 3 | 5 | 5 | 3 |
| MENINGOCOCCAL INFECTIONS | | | | 1 | 1 | 1 | 1 | 1 | 2 | |
| POLIOMYELITIS ACUTE | | 2 | 1 | 1 | | 2 | 9 | 2 | 2 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | 1 | | | | 1 | | |
| INFECTIOUS HEPATITIS | 2 | | 1 | 1 | 1 | 2 | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | 2 | 2 | 1 | | 1 | 4 | 2 | 4 | 2 |
| MALIGNANT NEOPLASMS | 175 | 186 | 177 | 209 | 160 | 164 | 165 | 150 | 166 | 150 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 3 | 2 | 2 | 3 | 2 | | | 1 | 1 | 3 |
| ASTHMA | 6 | | 9 | 6 | 5 | 9 | | 5 | 4 | 6 |
| DIABETES | 17 | 21 | 15 | 19 | 18 | 15 | 18 | 25 | 28 | 17 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 155 | 133 | 130 | 116 | 114 | 112 | 119 | 103 | 113 | 116 |
| RHEUMATIC FEVER | | 1 | 1 | | | 2 | | | 1 | 1 |
| HEART DISEASE | 420 | 466 | 493 | 435 | 392 | 421 | 439 | 378 | 434 | 402 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 9 | 11 | 4 | 5 | 3 | 5 | 7 | 9 | 8 | 4 |
| GENERAL ARTERIOSCLEROSIS | 28 | 17 | 19 | 24 | 19 | 28 | 13 | 20 | 14 | 20 |
| OTHER CIRCULATORY | 16 | 10 | 10 | 9 | 5 | 4 | 6 | 6 | 5 | 3 |
| INFLUENZA | | 1 | 1 | 1 | 1 | 3 | 3 | 2 | 2 | 2 |
| PNEUMONIA | 25 | 30 | 33 | 27 | 27 | 25 | 29 | 29 | 24 | 19 |
| BRONCHITIS | 3 | 4 | 2 | 3 | 2 | 1 | 4 | 2 | 3 | 5 |
| ULCER OF STOMACH AND DUODENUM | 5 | 7 | 3 | 6 | 6 | 3 | 12 | 10 | 3 | 6 |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 7 | 9 | 5 | 4 | 8 | | 7 | 9 | 9 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 4 | 2 | 2 | 4 | 4 | 2 | 4 | 6 | 4 | 4 |
| CIRRHOSIS OF LIVER | 7 | 16 | 8 | 13 | 6 | 10 | 12 | 10 | 7 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE, | | 1 | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 4 | 5 | 9 | 10 | 13 | 5 | 6 | 7 | 5 | 13 |
| INFECTIONS OF KIDNEY | 5 | 5 | 1 | 6 | 4 | 1 | 3 | | 1 | 3 |
| HYPERPLASIA OF PROSTATE | 4 | | 1 | 3 | 2 | 4 | 2 | 3 | 8 | 2 |
| MATERNAL CAUSES | 1 | | 1 | 1 | | | | 1 | 1 | 2 |
| CONGENITAL MALFORMATIONS | 8 | 20 | 16 | 11 | 10 | 15 | 21 | 10 | 15 | 11 |
| DISEASES OF EARLY INFANCY | 52 | 48 | 31 | 31 | 48 | 42 | 42 | 47 | 36 | 36 |
| SENILITY AND ILL DEFINED | 1 | 3 | 1 | 1 | | 2 | 7 | 8 | 3 | 2 |
| ACCIDENTS MOTOR VEHICLE | 34 | 28 | 39 | 44 | 28 | 22 | 31 | 28 | 39 | 26 |
| ACCIDENTS OTHER | 33 | 29 | 28 | 24 | 38 | 23 | 21 | 31 | 31 | 27 |
| SUICIDE | 15 | 24 | 12 | 12 | 10 | 10 | 12 | 8 | 11 | 8 |
| HOMICIDE | 1 | 4 | 6 | 6 | 1 | 1 | 3 | 3 | 4 | 1 |
| ALL OTHER CAUSES | 54 | 51 | 33 | 43 | 39 | 43 | 43 | 34 | 42 | 43 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MACOUPIN | | | | | | | | | | |
| TUBERCULOSIS | 2 | 3 | 6 | 1 | 2 | 3 | | 6 | 8 | 12 |
| SYPHILIS | | 1 | | 1 | | 3 | | 1 | 2 | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | 1 | 1 | | | |
| POLIOMYELITIS ACUTE | | | | 1 | | | | 1 | 2 | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | | | | | | 1 | | |
| INFECTIOUS HEPATITIS | 1 | 1 | | 1 | | 1 | 1 | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 2 | 3 | 1 | | | 1 | 1 | 2 |
| MALIGNANT NEOPLASMS | 77 | 76 | 83 | 95 | 101 | 86 | 82 | 96 | 87 | 97 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 1 | | 1 | | 3 | 1 | 1 | 3 | 4 |
| ASTHMA | 3 | 2 | 3 | 1 | 3 | 1 | 8 | 4 | 5 | 4 |
| DIABETES | 8 | 16 | 12 | 8 | 6 | 3 | 10 | 20 | 8 | 11 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 89 | 81 | 87 | 72 | 58 | 50 | 66 | 59 | 54 | 56 |
| RHEUMATIC FEVER | | | | | | | | | | 1 |
| HEART DISEASE | 255 | 275 | 242 | 249 | 242 | 225 | 241 | 247 | 235 | 267 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 6 | 3 | 1 | 2 | 1 | 2 | 4 | 7 | 2 | 4 |
| GENERAL ARTERIOSCLEROSIS | 16 | 11 | 17 | 18 | 8 | 22 | 22 | 12 | 18 | 14 |
| OTHER CIRCULATORY | 6 | 6 | 2 | 4 | 2 | 1 | 5 | 5 | 5 | 2 |
| INFLUENZA | 2 | 2 | 2 | 3 | 1 | 1 | 4 | 3 | 1 | 2 |
| PNEUMONIA | 12 | 18 | 11 | 22 | 10 | 16 | 11 | 15 | 13 | 16 |
| BRONCHITIS | | | | | 2 | 1 | | | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 4 | 1 | 3 | 3 | 3 | 3 | 3 | 4 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 2 | 2 | 2 | 2 | 5 | 8 | 2 | 2 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 3 | 1 | 2 | 2 | 3 | 1 | 1 | | 2 |
| CIRRHOSIS OF LIVER | 2 | 6 | 6 | 4 | 7 | 3 | 7 | 9 | 7 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | 1 | | 1 | 2 | | | 3 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 1 | 4 | 4 | 5 | 7 | 6 | 3 | 6 | 8 |
| INFECTIONS OF KIDNEY | 3 | 2 | 1 | 3 | 1 | 1 | 4 | 3 | 1 | 2 |
| HYPERPLASIA OF PROSTATE | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 4 |
| MATERNAL CAUSES | | | | | | | | 1 | | 1 |
| CONGENITAL MALFORMATIONS | 3 | 9 | 8 | 6 | 2 | 3 | 3 | 5 | 4 | 2 |
| DISEASES OF EARLY INFANCY | 10 | 17 | 8 | 7 | 10 | 13 | 13 | 8 | 6 | 18 |
| SENILITY AND ILL DEFINED | 1 | 2 | 1 | | 1 | 1 | 3 | | 2 | 2 |
| ACCIDENTS MOTOR VEHICLE | 15 | 11 | 14 | 19 | 12 | 12 | 9 | 12 | 14 | 12 |
| ACCIDENTS OTHER | 16 | 13 | 14 | 13 | 29 | 20 | 21 | 20 | 22 | 12 |
| SUICIDE | 5 | 8 | 8 | 8 | 4 | 5 | 6 | 6 | 13 | 8 |
| HOMICIDE | | 1 | 2 | | 1 | | 1 | 2 | 2 | 1 |
| ALL OTHER CAUSES | 22 | 23 | 23 | 15 | 22 | 28 | 24 | 22 | 20 | 27 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

MADISON

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| TUBERCULOSIS | 8 | 11 | 19 | 21 | 11 | 13 | 22 | 20 | 30 | 20 |
| SYPHILIS | 6 | 3 | 2 | 5 | 4 | 3 | 2 | 3 | 4 | 11 |
| MENINGOCOCCAL INFECTIONS | | 1 | 2 | 1 | 2 | 3 | 1 | 5 | 2 | 2 |
| POLIOMYELITIS ACUTE | 1 | | | | 2 | | 1 | 3 | 1 | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | 1 | | 1 | 2 | 2 | | |
| INFECTIOUS HEPATITIS | | | 1 | 1 | 2 | | 3 | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 7 | 4 | 3 | 4 | 3 | 1 | 4 | 5 | 5 | 4 |
| MALIGNANT NEOPLASMS | 285 | 299 | 281 | 298 | 292 | 260 | 258 | 257 | 246 | 254 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 7 | 7 | 5 | 6 | 2 | 7 | 9 | 4 | 6 | 3 |
| ASTHMA | 4 | 8 | 8 | 9 | 10 | 7 | 8 | 8 | 5 | 5 |
| DIABETES | 37 | 28 | 36 | 22 | 18 | 28 | 35 | 19 | 23 | 40 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 216 | 217 | 201 | 211 | 197 | 179 | 203 | 189 | 205 | 200 |
| RHEUMATIC FEVER | | | 1 | | 1 | 1 | | | | 3 |
| HEART DISEASE | 759 | 731 | 745 | 733 | 741 | 684 | 656 | 637 | 571 | 567 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 14 | 11 | 9 | 13 | 18 | 18 | 5 | 12 | 15 | 11 |
| GENERAL ARTERIOSCLEROSIS | 36 | 32 | 28 | 29 | 39 | 41 | 40 | 53 | 42 | 26 |
| OTHER CIRCULATORY | 16 | 7 | 7 | 7 | 10 | 8 | 11 | 10 | 7 | 9 |
| INFLUENZA | 3 | 2 | 9 | 2 | | 1 | 5 | 4 | 2 | 2 |
| PNEUMONIA | 55 | 67 | 61 | 51 | 52 | 62 | 48 | 49 | 45 | 28 |
| BRONCHITIS | 2 | 1 | 4 | 9 | 7 | 2 | 2 | 4 | 3 | |
| ULCER OF STOMACH AND DUODENUM | 10 | 11 | 6 | 11 | 7 | 13 | 9 | 11 | 10 | 15 |
| HERNIA INTESTINAL OBSTRUCTION | 6 | 3 | 10 | 8 | 15 | 11 | 11 | 6 | 20 | 12 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 9 | 8 | 11 | 7 | 10 | 15 | 7 | 6 | 8 | 9 |
| CIRRHOSIS OF LIVER | 17 | 5 | 18 | 12 | 18 | 13 | 16 | 14 | 12 | 16 |
| NEPHRITIS AND NEPHROSIS ACUTE | 2 | 1 | 2 | 2 | 1 | 3 | | 2 | 2 | 3 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 14 | 15 | 16 | 25 | 15 | 22 | 23 | 33 | 32 | 31 |
| INFECTIONS OF KIDNEY | 4 | 4 | 2 | 3 | 2 | 3 | 1 | 4 | 2 | 3 |
| HYPERPLASIA OF PROSTATE | 3 | 10 | 5 | 3 | 11 | 6 | 5 | 3 | 13 | 4 |
| MATERNAL CAUSES | 5 | | 2 | 1 | | 4 | 3 | 4 | 4 | 1 |
| CONGENITAL MALFORMATIONS | 26 | 20 | 31 | 28 | 26 | 20 | 34 | 29 | 19 | 16 |
| DISEASES OF EARLY INFANCY | 93 | 98 | 79 | 68 | 79 | 83 | 77 | 95 | 78 | 61 |
| SENILITY AND ILL DEFINED | 11 | 12 | 25 | 4 | 9 | 7 | 4 | 9 | 2 | 9 |
| ACCIDENTS MOTOR VEHICLE | 49 | 61 | 58 | 60 | 48 | 81 | 58 | 47 | 57 | 61 |
| ACCIDENTS OTHER | 66 | 66 | 66 | 56 | 76 | 75 | 63 | 87 | 81 | 91 |
| SUICIDE | 21 | 17 | 30 | 22 | 14 | 16 | 14 | 17 | 26 | 23 |
| HOMICIDE | 6 | 5 | 14 | 3 | 10 | 3 | 5 | 7 | 7 | 8 |
| ALL OTHER CAUSES | 77 | 66 | 67 | 75 | 61 | 61 | 59 | 88 | 61 | 60 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MARION | | | | | | | | | | |
| TUBERCULOSIS | 3 | 1 | 6 | | | 2 | 9 | 4 | 8 | 4 |
| SYPHILIS | 2 | 1 | | | 1 | | 1 | 3 | 2 | 6 |
| MENINGOCOCCAL INFECTIONS | | | | | | 1 | 1 | | | 1 |
| POLIOMYELITIS ACUTE | | | | | | | 1 | 3 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | 1 | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | 2 | | 1 | 1 | 2 | 3 | 2 | |
| MALIGNANT NEOPLASMS | 78 | 77 | 72 | 80 | 60 | 90 | 67 | 79 | 76 | 59 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 2 | | 1 | | | 3 | 5 | | |
| ASTHMA | | 2 | 2 | 2 | 3 | 2 | 2 | 1 | | 3 |
| DIABETES | 3 | 5 | 7 | 8 | 7 | 8 | 18 | 9 | 9 | 12 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 63 | 60 | 71 | 56 | 47 | 51 | 56 | 61 | 65 | 43 |
| RHEUMATIC FEVER | | | | | | 1 | 1 | | | |
| HEART DISEASE | 215 | 206 | 189 | 224 | 182 | 170 | 186 | 176 | 168 | 162 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 1 | 2 | 1 | | 3 | 6 | 3 | 1 | 3 |
| GENERAL ARTERIOSCLEROSIS | 12 | 12 | 7 | 6 | 5 | 5 | 11 | 14 | 15 | 13 |
| OTHER CIRCULATORY | 5 | 2 | 2 | 4 | 3 | 4 | 2 | 4 | 1 | 4 |
| INFLUENZA | 1 | | 5 | 1 | | 1 | 4 | 3 | 1 | 3 |
| PNEUMONIA | 13 | 25 | 14 | 13 | 9 | 17 | 15 | 15 | 18 | 13 |
| BRONCHITIS | | | | | 1 | 1 | | 1 | 2 | 2 |
| ULCER OF STOMACH AND DUODENUM | 7 | 4 | 1 | 2 | 4 | 1 | 4 | | 2 | 2 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 3 | 4 | 3 | 6 | 1 | 1 | 2 | 2 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 2 | 1 | | | 2 | 3 | 1 | 1 | 1 |
| CIRRHOSIS OF LIVER | 3 | 5 | | 1 | 2 | 3 | 4 | 4 | 5 | 4 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 1 | | 2 | 2 | | | 1 | 4 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 4 | 7 | 4 | 5 | 3 | 10 | 5 | 12 | 12 | 3 |
| INFECTIONS OF KIDNEY | 4 | 1 | | 2 | 1 | 1 | | | 1 | |
| HYPERPLASIA OF PROSTATE | | 2 | | 1 | 2 | 1 | 1 | 4 | 1 | 6 |
| MATERNAL CAUSES | | | 1 | 1 | | | | | 1 | 1 |
| CONGENITAL MALFORMATIONS | 3 | 6 | 1 | 2 | 5 | 14 | 3 | 6 | 7 | 7 |
| DISEASES OF EARLY INFANCY | 13 | 19 | 9 | 9 | 10 | 15 | 14 | 9 | 12 | 19 |
| SENILITY AND ILL DEFINED | | 4 | 1 | 1 | 6 | 2 | 2 | 2 | 2 | 5 |
| ACCIDENTS MOTOR VEHICLE | 13 | 11 | 13 | 15 | 8 | 5 | 12 | 17 | 11 | 14 |
| ACCIDENTS OTHER | 24 | 20 | 24 | 15 | 15 | 17 | 16 | 26 | 12 | 25 |
| SUICIDE | 5 | 4 | 6 | 6 | 6 | 1 | 4 | 9 | 10 | 5 |
| HOMICIDE | 1 | | 2 | | 1 | 1 | | 1 | 2 | 1 |
| ALL OTHER CAUSES | 25 | 18 | 19 | 11 | 15 | 19 | 20 | 19 | 19 | 17 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MARSHALL | | | | | | | | | | |
| TUBERCULOSIS | 1 | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| SYPHILIS | | | | | | | | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | 1 | | | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | | | 1 | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 21 | 22 | 18 | 18 | 22 | 27 | 30 | 23 | 19 | 14 |
| MALIGNANT NEOPLASMS | | 1 | | | | 1 | | | | |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | 1 | | | 2 | | | |
| ASTHMA | 1 | | | 1 | | | | | | |
| DIABETES | | 1 | | 1 | 5 | 1 | 2 | 2 | 3 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 27 | 22 | 20 | 13 | 14 | 17 | 25 | 22 | 21 | 23 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 63 | 58 | 64 | 63 | 60 | 84 | 69 | 76 | 55 | 55 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | | | | 1 | | | 1 | 2 | |
| GENERAL ARTERIOSCLEROSIS | 5 | 3 | 1 | 5 | 4 | 4 | 4 | 3 | 6 | 7 |
| OTHER CIRCULATORY | 1 | 1 | 1 | 1 | | 2 | | 4 | 1 | 1 |
| INFLUENZA | | | | | | | 1 | | | |
| PNEUMONIA | 7 | 4 | 4 | 3 | 3 | 2 | 3 | 8 | 4 | 7 |
| BRONCHITIS | | 1 | | | | | | | 2 | |
| ULCER OF STOMACH AND DUODENUM | 1 | | 1 | 1 | | 2 | | | 1 | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 1 | 1 | 1 | 1 | | | | 1 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | 1 | | | 1 | 1 | | | 1 |
| CIRRHOSIS OF LIVER | | | | | | | | 1 | | |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | | 6 | 1 | 4 | | 6 | 1 | 1 | 2 |
| INFECTIONS OF KIDNEY | | | | | | | | | 1 | |
| HYPERPLASIA OF PROSTATE | 1 | 1 | 1 | | | | | 2 | 2 | 1 |
| MATERNAL CAUSES | 2 | 2 | 1 | 3 | 2 | 1 | 3 | 3 | 1 | 3 |
| CONGENITAL MALFORMATIONS | 5 | 2 | 1 | 5 | 4 | 3 | 1 | 3 | 2 | 4 |
| DISEASES OF EARLY INFANCY | | | | | 1 | | | | | |
| SENILITY AND ILL DEFINED | | | | | | | | | | |
| ACCIDENTS MOTOR VEHICLE | 2 | 2 | 6 | 3 | 4 | 1 | 1 | 2 | | 6 |
| ACCIDENTS OTHER | 6 | 3 | 3 | 7 | 5 | 3 | 4 | 6 | 3 | 4 |
| SUICIDE | 2 | 4 | 2 | 1 | 1 | 1 | 2 | 1 | 1 | 4 |
| HOMICIDE | 1 | 6 | 5 | 4 | 5 | 8 | 4 | 8 | 4 | 9 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MASON | | | | | | | | | | |
| TUBERCULOSIS | | 2 | | | 3 | | 1 | 2 | 1 | 4 |
| SYPHILIS | | | | 1 | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | 1 | | 2 | | |
| POLIOMYELITIS ACUTE | 1 | | | | | | | | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | 1 | | | | 1 | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | 1 | | 1 | |
| MALIGNANT NEOPLASMS | 27 | 28 | 29 | 26 | 37 | 27 | 36 | 30 | 30 | 16 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | 1 | | 1 | 1 | | | |
| ASTHMA | 1 | | | 2 | 1 | | | | 3 | |
| DIABETES | | 1 | 2 | 3 | 1 | 5 | 3 | 4 | 4 | 4 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 29 | 24 | 28 | 20 | 17 | 23 | 22 | 22 | 17 | 20 |
| RHEUMATIC FEVER | | | 1 | | | | | | | |
| HEART DISEASE | 76 | 92 | 73 | 67 | 92 | 76 | 69 | 59 | 63 | 69 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 4 | 5 | 2 | | 3 | 3 | 4 | 1 | 1 | |
| GENERAL ARTERIOSCLEROSIS | 1 | 2 | 2 | 4 | 4 | 7 | 2 | 4 | 3 | 6 |
| OTHER CIRCULATORY | 1 | | | | 1 | | | | 1 | |
| INFLUENZA | 1 | 1 | 1 | | | | | | 1 | 1 |
| PNEUMONIA | 8 | 9 | 8 | 4 | 3 | 3 | 3 | 1 | 4 | 4 |
| BRONCHITIS | | | 1 | | | | | 1 | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | | | 1 | 2 | | 1 | 1 | | |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 2 | | | 2 | | | 2 | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 1 | | 1 | | | 1 | 1 | | |
| CIRRHOSIS OF LIVER | 2 | 2 | 1 | 3 | 1 | 2 | 2 | | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | 1 | | | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 1 | 1 | | 1 | 3 | 7 | 3 | 2 | 2 |
| INFECTIONS OF KIDNEY | 1 | | | 3 | 2 | 2 | 2 | | 1 | |
| HYPERPLASIA OF PROSTATE | 2 | | | 1 | 4 | 1 | | | 4 | |
| MATERNAL CAUSES | | | | | | | 1 | | 1 | 1 |
| CONGENITAL MALFORMATIONS | 3 | 1 | 1 | | 2 | 1 | 3 | 2 | 1 | 4 |
| DISEASES OF EARLY INFANCY | 4 | 3 | 8 | 2 | 4 | 5 | 1 | 5 | 3 | 10 |
| SENILITY AND ILL DEFINED | | | | 2 | | 1 | 2 | 2 | 1 | 2 |
| ACCIDENTS MOTOR VEHICLE | 5 | 2 | 6 | 7 | 5 | 4 | 9 | 8 | 6 | 4 |
| ACCIDENTS OTHER | 7 | 3 | 8 | 8 | 1 | 4 | 6 | 3 | 7 | 6 |
| SUICIDE | 3 | 3 | 3 | 3 | 1 | 4 | 2 | 3 | 2 | 3 |
| HOMICIDE | 1 | | | | 1 | | | | 1 | |
| ALL OTHER CAUSES | 8 | 4 | 11 | 3 | 6 | 6 | 9 | 8 | 8 | 6 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MASSAC | | | | | | | | | | |
| TUBERCULOSIS | | 2 | 1 | 4 | 2 | 4 | 5 | 3 | 3 | 8 |
| SYPHILIS | | 1 | | 1 | | | | 1 | | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | 2 | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 29 | 30 | 3 22 | 1 34 | 1 16 | 22 | 1 25 | 2 27 | 3 28 | 1 28 |
| MALIGNANT NEOPLASMS | | | | | | | | | | |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 3 | 1 2 | | 1 | | 2 1 | 3 | 2 1 | 1 | 1 |
| ASTHMA | | | | | | | | | | |
| DIABETES | 7 27 | 3 32 | 2 15 | 6 21 | 6 22 | 3 16 | 3 17 | 1 19 | 3 23 | 1 15 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | | | | | | | | | | |
| RHEUMATIC FEVER | 76 | 69 | 78 | 66 | 83 | 63 | 72 | 59 | 75 | 1 62 |
| HEART DISEASE | | | | | | | | | | |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 7 | 6 | 1 4 | 1 10 | 6 | 1 3 | 3 6 | 3 | 3 | 3 7 |
| GENERAL ARTERIOSCLEROSIS | | | | | | | | | | |
| OTHER CIRCULATORY | | 1 | 2 | 2 1 | | 1 | | | 2 | 1 2 |
| INFLUENZA | | | | | | | | | | |
| PNEUMONIA | 6 1 | 6 1 | 5 | 6 | 5 | 2 1 | 8 | 4 | 8 | 11 1 |
| BRONCHITIS | | | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | 1 1 | 2 | 1 2 | 1 | 1 1 | 4 | 2 3 | 1 1 |
| HERNIA INTESTINAL OBSTRUCTION | | | | | | | | | | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 1 | 2 2 | 1 1 | | | | | 2 | | |
| CIRRHOSIS OF LIVER | | | | | | | | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | 2 | 1 1 | 1 | 1 | | 2 2 | 1 1 | 2 | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | | | | | | | | |
| INFECTIONS OF KIDNEY | | 3 | | 1 3 | 4 | 3 | 3 | 3 | | |
| HYPERPLASIA OF PROSTATE | | | | | | | | | | |
| MATERNAL CAUSES | 2 | 2 | 1 | 1 | | 2 | 2 1 | 2 3 | 1 4 | 1 2 |
| CONGENITAL MALFORMATIONS | | | | | | | | | | |
| DISEASES OF EARLY INFANCY | | 3 | 3 | 5 1 | 5 1 | 8 | 6 3 | 4 5 | 8 11 | 4 7 |
| SENILITY AND ILL DEFINED | | | | | | | | | | |
| ACCIDENTS MOTOR VEHICLE | 3 6 | 7 8 | 3 4 | 6 5 | 3 6 | 5 5 | 6 8 | 6 9 | 3 13 | 1 5 |
| ACCIDENTS OTHER | | | | | | | | | | |
| SUICIDE | 4 | 2 2 | | 1 | | 4 | 3 | 3 2 | 1 | 2 1 |
| HOMICIDE | 11 | 9 | 2 7 | 10 | 1 7 | 11 | 3 | 13 | 8 | 7 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MENARD | | | | | | | | | | |
| TUBERCULOSIS | 1 | | 2 | 2 | 1 | 1 | | 1 | 1 | 2 |
| SYPHILIS | 1 | | | | | | | 1 | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 2 | | | | | 1 | | 2 | |
| MALIGNANT NEOPLASMS | 24 | 20 | 15 | 24 | 16 | 12 | 21 | 21 | 18 | 19 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | | | | | | 1 | |
| ASTHMA | | | | | | | | | 1 | |
| DIABETES | | 2 | 4 | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 16 | 14 | 18 | 7 | 16 | 10 | 7 | 16 | 16 | 12 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 41 | 69 | 60 | 56 | 68 | 59 | 49 | 44 | 55 | 47 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 3 | 1 | 1 | | 4 | | 2 | 2 | 1 |
| GENERAL ARTERIOSCLEROSIS | 4 | 1 | 1 | 1 | | 3 | 3 | 1 | 1 | 2 |
| OTHER CIRCULATORY | 1 | 2 | 3 | 1 | | | | | | 1 |
| INFLUENZA | | | | | | | | 2 | | |
| PNEUMONIA | 1 | 6 | 3 | 6 | 3 | 1 | 1 | 2 | 8 | 1 |
| BRONCHITIS | | | 2 | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | 2 | | 1 | | | | | 1 | | |
| HERNIA INTESTINAL OBSTRUCTION | | | | | 2 | | | | 1 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | | 1 | | | 1 | | 1 | |
| CIRRHOSIS OF LIVER | 1 | | | 2 | | 1 | 1 | | 3 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 3 | 2 | 1 | | 1 | 2 | 3 | | 3 |
| INFECTIONS OF KIDNEY | | | | | | | | | | 1 |
| HYPERPLASIA OF PROSTATE | 1 | | | | 2 | 1 | 1 | 1 | 1 | |
| MATERNAL CAUSES | 1 | | | | 2 | | | | | |
| CONGENITAL MALFORMATIONS | 1 | 1 | | | 1 | 1 | 2 | 1 | 3 | |
| DISEASES OF EARLY INFANCY | | 4 | 1 | 2 | 2 | 4 | 3 | 5 | 4 | 6 |
| SENILITY AND ILL DEFINED | 1 | 1 | | 1 | | 1 | | | 2 | 2 |
| ACCIDENTS MOTOR VEHICLE | 1 | 4 | 2 | 1 | 3 | 1 | 2 | 1 | 3 | 3 |
| ACCIDENTS OTHER | 2 | 1 | 4 | 2 | 8 | 6 | 7 | 6 | 1 | 1 |
| SUICIDE | 1 | | 2 | 1 | | | 2 | 3 | | 4 |
| HOMICIDE | | | | | | | 1 | | 1 | |
| ALL OTHER CAUSES | 3 | 5 | 2 | 2 | 4 | 3 | 3 | 5 | 5 | 9 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MERCER | | | | | | | | | | |
| TUBERCULOSIS | | | 1 | 1 | | | | | 2 | |
| SYPHILIS | | | | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | 1 | | 2 | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | 2 | | | | | 1 | | |
| INFECTIOUS HEPATITIS | | | | | 2 | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 30 | 28 | 40 | 24 | 23 | 36 | 26 | 29 | 32 | 22 |
| MALIGNANT NEOPLASMS | | | | | | 1 | | | | |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | 1 | 1 | 1 | 2 | | 1 | 1 | 1 |
| ASTHMA | 2 | 1 | 5 | 5 | 2 | 6 | 10 | 9 | 1 | 4 |
| DIABETES | 25 | 19 | 23 | 16 | 29 | 19 | 25 | 19 | 21 | 25 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | | 1 | | | | | | | | |
| RHEUMATIC FEVER | 100 | 81 | 90 | 94 | 91 | 66 | 83 | 97 | 57 | 89 |
| HEART DISEASE | | | | | | | | | | |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 1 | 1 | 1 | 1 | 2 | 1 | | 3 | 5 |
| GENERAL ARTERIOSCLEROSIS | 3 | 7 | 3 | 3 | 3 | 2 | 6 | 2 | 3 | 7 |
| OTHER CIRCULATORY | 3 | 2 | 1 | 1 | 2 | | 1 | 1 | | 2 |
| INFLUENZA | | | | | | | 1 | 1 | | |
| PNEUMONIA | 6 | 6 | 15 | 10 | 5 | 7 | 7 | 8 | 3 | 4 |
| BRONCHITIS | 1 | | 1 | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | 2 | | 2 | | 3 | | 1 | 2 | 3 |
| HERNIA INTESTINAL OBSTRUCTION | 4 | 1 | | 1 | 2 | 1 | | | | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | | | | 1 | | 1 | 1 |
| CIRRHOSIS OF LIVER | | 1 | | | 2 | 2 | 1 | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 3 | 1 | 1 | | 4 | 7 | 3 | 5 | 4 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | | | | | | | | |
| INFECTIONS OF KIDNEY | 1 | | | 1 | 1 | | | | 1 | |
| HYPERPLASIA OF PROSTATE | | | | 1 | 3 | 1 | | 1 | 1 | 3 |
| MATERNAL CAUSES | | | | | | | | 2 | | |
| CONGENITAL MALFORMATIONS | | | 2 | | 4 | 1 | | 3 | 2 | 3 |
| DISEASES OF EARLY INFANCY | 3 | 2 | 2 | 5 | 3 | 5 | 5 | 8 | 8 | 7 |
| SENILITY AND ILL DEFINED | | | | | | 1 | 1 | | 1 | |
| ACCIDENTS MOTOR VEHICLE | 10 | 3 | 7 | 9 | 5 | 6 | 8 | 2 | 3 | 2 |
| ACCIDENTS OTHER | 4 | 4 | 7 | 6 | 8 | 10 | 8 | 4 | 4 | 10 |
| SUICIDE | 3 | 4 | 4 | 1 | 4 | | 2 | 2 | 3 | 2 |
| HOMICIDE | | | | | | | 2 | | | 1 |
| ALL OTHER CAUSES | 4 | 3 | 7 | 5 | 6 | 4 | 4 | 8 | 6 | 5 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MONROE | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | | | 1 | 2 | | | 3 | 1 |
| SYPHILIS | | | | | | | | | 1 | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 2 | | | | 2 | | | | |
| MALIGNANT NEOPLASMS | 31 | 33 | 23 | 32 | 30 | 29 | 23 | 27 | 22 | 10 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | | | | | | 1 | |
| ASTHMA | | | 1 | 1 | | | | | | 1 |
| DIABETES | 1 | 1 | | 1 | 3 | 2 | 1 | 2 | 3 | |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 14 | 18 | 22 | 15 | 16 | 18 | 14 | 14 | 18 | 20 |
| RHEUMATIC FEVER | | | | | | | | 1 | 1 | |
| HEART DISEASE | 72 | 73 | 70 | 57 | 64 | 72 | 70 | 67 | 36 | 58 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 1 | | | | | 1 | | 1 | 3 |
| GENERAL ARTERIOSCLEROSIS | 13 | 8 | 9 | 8 | 3 | 8 | 14 | 3 | 9 | 4 |
| OTHER CIRCULATORY | 2 | | | 1 | 1 | 1 | | | | 4 |
| INFLUENZA | | | | | | | | | | |
| PNEUMONIA | | 6 | 5 | 5 | | 2 | 2 | 4 | 1 | 1 |
| BRONCHITIS | | | 1 | 2 | 3 | | | | 1 | |
| ULCER OF STOMACH AND DUODENUM | | | 1 | 1 | 2 | | 1 | | | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | 2 | | 2 | 2 | 1 | 1 | | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 2 | | 2 | 1 | | 1 | 1 | | |
| CIRRHOSIS OF LIVER | 2 | 1 | 3 | | 1 | 2 | | 2 | 1 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 1 | 3 | | | 1 | | 1 | 3 | 1 |
| INFECTIONS OF KIDNEY | 1 | | | 1 | | | | | | |
| HYPERPLASIA OF PROSTATE | | | 1 | | 1 | 1 | 1 | | 2 | |
| MATERNAL CAUSES | | | | | | | | | 1 | |
| CONGENITAL MALFORMATIONS | | 2 | | 3 | | | | 1 | 3 | 5 |
| DISEASES OF EARLY INFANCY | 6 | 8 | 3 | 7 | 4 | 8 | 4 | 10 | 5 | 6 |
| SENILITY AND ILL DEFINED | 2 | 2 | 1 | | 3 | | 1 | | | 1 |
| ACCIDENTS MOTOR VEHICLE | | 6 | 5 | 1 | 5 | 7 | 5 | 2 | 2 | 6 |
| ACCIDENTS OTHER | 7 | 7 | 7 | 5 | 6 | 3 | 3 | 7 | 4 | 5 |
| SUICIDE | 3 | 1 | 1 | 2 | 2 | | 2 | 4 | 1 | 1 |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 4 | 4 | 4 | 8 | 4 | 2 | 11 | 7 | 3 | 6 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MONTGOMERY | 3 | 2 | 1 | 2 | | 4 | 2 | 3 | 4 | 4 |
| TUBERCULOSIS | | 3 | | | | | | 3 | 3 | |
| SYPHILIS | | | | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | 1 | | | | 1 | 2 | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 71 | 53 | 64 | 59 | 58 | 75 | 58 | 56 | 62 | 76 |
| MALIGNANT NEOPLASMS | 2 | | 1 | 2 | 1 | 1 | 1 | | | 1 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 2 | 1 | 2 | 2 | 1 | 4 | 1 | 4 | 3 |
| ASTHMA | 3 | 8 | 5 | 6 | 7 | 8 | 4 | 3 | 8 | 7 |
| DIABETES | 73 | 65 | 66 | 56 | 52 | 41 | 53 | 51 | 40 | 54 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | | | | | | | | | 1 | 1 |
| RHEUMATIC FEVER | 190 | 192 | 185 | 188 | 171 | 169 | 175 | 170 | 155 | 178 |
| HEART DISEASE | | | | | | | | | | |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 7 | 4 | 1 | 3 | 4 | 1 | 4 | 2 | 3 | 2 |
| GENERAL ARTERIOSCLEROSIS | 10 | 7 | 10 | 4 | 6 | 3 | 4 | 2 | 10 | 7 |
| OTHER CIRCULATORY | 4 | 2 | 1 | 4 | 2 | 3 | 1 | 1 | 2 | 1 |
| INFLUENZA | 3 | 3 | 2 | | | 1 | 4 | 5 | 4 | 2 |
| PNEUMONIA | 6 | 15 | 23 | 9 | 13 | 15 | 15 | 16 | 10 | 5 |
| BRONCHITIS | | 1 | | | 2 | 2 | | 2 | 2 | |
| ULCER OF STOMACH AND DUODENUM | 4 | 3 | | | 2 | 3 | 2 | 1 | | 2 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 1 | 2 | 2 | 2 | 8 | 2 | 1 | 2 | 4 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 2 | | 2 | 1 | | 1 | | | |
| CIRRHOSIS OF LIVER | 2 | 2 | 5 | 3 | 2 | 2 | 9 | 2 | 4 | 4 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 2 | | 1 | | 1 | | 2 | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 4 | | 4 | 6 | 11 | 11 | 8 | 6 | 10 | 4 |
| INFECTIONS OF KIDNEY | 5 | | 2 | 2 | 1 | 1 | 2 | 1 | | |
| HYPERPLASIA OF PROSTATE | 2 | 1 | | 1 | | 3 | 1 | 2 | 3 | |
| MATERNAL CAUSES | 5 | | 3 | 6 | 5 | 3 | 6 | 3 | 6 | 3 |
| CONGENITAL MALFORMATIONS | | | | | | | | | | |
| DISEASES OF EARLY INFANCY | 10 | 9 | 12 | 7 | 8 | 8 | 7 | 8 | 4 | 12 |
| SENILITY AND ILL DEFINED | 3 | 5 | 5 | 6 | 3 | 5 | 3 | 5 | 6 | 4 |
| ACCIDENTS MOTOR VEHICLE | 16 | 17 | 8 | 18 | 11 | 17 | 6 | 12 | 14 | 6 |
| ACCIDENTS OTHER | 16 | 15 | 12 | 16 | 14 | 15 | 10 | 18 | 7 | 20 |
| SUICIDE | 8 | 6 | 3 | 2 | 7 | 4 | 4 | 2 | 8 | 6 |
| HOMICIDE | 10 | 2<br>13 | 11 | 10 | 10 | 1<br>20 | 19 | 12 | 2<br>15 | 2<br>15 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MORGAN | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | 2 | 4 | 2 | 1 | 1 | 2 | 4 | 5 |
| SYPHILIS | 2 | | | 1 | | | 2 | 1 | 1 | 2 |
| MENINGOCOCCAL INFECTIONS | | 1 | | | | 1 | | | | |
| POLIOMYELITIS ACUTE | | | | 1 | | 2 | 1 | 2 | 2 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | 1 | | 1 | 2 | 3 | 1 | 3 | |
| MALIGNANT NEOPLASMS | 67 | 42 | 55 | 62 | 74 | 68 | 51 | 59 | 59 | 46 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 1 | 2 | 4 | | 3 | 4 | 2 | 1 | 1 |
| ASTHMA | | | 2 | 4 | 1 | 3 | | | | 1 |
| DIABETES | 4 | 4 | 4 | 1 | 4 | 2 | 2 | 3 | 4 | 7 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 55 | 46 | 56 | 58 | 65 | 67 | 74 | 92 | 62 | 68 |
| RHEUMATIC FEVER | | 1 | | | | | | | | |
| HEART DISEASE | 229 | 190 | 189 | 180 | 161 | 157 | 158 | 139 | 144 | 163 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 4 | 7 | 6 | 1 | 2 | 6 | 6 | 4 | 4 | 5 |
| GENERAL ARTERIOSCLEROSIS | 21 | 22 | 16 | 15 | 24 | 24 | 16 | 9 | 15 | 15 |
| OTHER CIRCULATORY | 7 | 3 | 4 | 3 | 1 | 3 | 2 | 4 | 1 | 1 |
| INFLUENZA | | 1 | | 2 | | | 3 | | | |
| PNEUMONIA | 16 | 10 | 15 | 10 | 15 | 9 | 9 | 15 | 11 | 9 |
| BRONCHITIS | 2 | | | 1 | 1 | 1 | 1 | | | 1 |
| ULCER OF STOMACH AND DUODENUM | 5 | 2 | 2 | 2 | 1 | | 2 | | 1 | 4 |
| HERNIA INTESTINAL OBSTRUCTION | 5 | | 3 | 1 | 6 | 1 | 2 | 2 | 1 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 1 | | | | | | | 1 | 2 |
| CIRRHOSIS OF LIVER | 6 | 5 | 6 | 1 | 2 | 1 | 2 | 1 | | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | 1 | | | | | | 2 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 3 | 5 | 6 | 1 | 3 | 6 | 2 | 9 | 4 |
| INFECTIONS OF KIDNEY | 1 | 1 | | 1 | 1 | 1 | | | 1 | 2 |
| HYPERPLASIA OF PROSTATE | | 3 | 1 | | 3 | 3 | 3 | 1 | 1 | 2 |
| MATERNAL CAUSES | | | | | 1 | | 1 | | 1 | |
| CONGENITAL MALFORMATIONS | 4 | 2 | 4 | 8 | 2 | 3 | 3 | 1 | | 3 |
| DISEASES OF EARLY INFANCY | 8 | 9 | 7 | 8 | 12 | 15 | 9 | 13 | 10 | 14 |
| SENILITY AND ILL DEFINED | 2 | | 1 | | | 2 | | 1 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 7 | 3 | 8 | 12 | 12 | 10 | 17 | 14 | 8 | 7 |
| ACCIDENTS OTHER | 5 | 11 | 8 | 10 | 13 | 16 | 22 | 24 | 20 | 13 |
| SUICIDE | 3 | 5 | 4 | 3 | 6 | 2 | 1 | 3 | 5 | 3 |
| HOMICIDE | | | 1 | 1 | 1 | 2 | 1 | | | 1 |
| ALL OTHER CAUSES | 9 | 11 | 10 | 21 | 14 | 15 | 8 | 9 | 9 | 10 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| MOULTRIE | | | | | | | | | | |
| TUBERCULOSIS | | 2 | | | 1 | 1 | 2 | 2 | | 3 |
| SYPHILIS | | 1 | 1 | 1 | | | | | 1 | |
| MENINGOCOCCAL INFECTIONS | | | 1 | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | 2 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | 2 | | | | 1 | 2 | 1 | |
| MALIGNANT NEOPLASMS | 26 | 21 | 24 | 21 | 27 | 20 | 27 | 23 | 22 | 22 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | 2 | | | 1 | | 1 | 1 | |
| ASTHMA | | | | | | | | | | |
| DIABETES | 3 | 2 | 3 | 3 | 1 | 3 | 5 | 2 | 7 | 1 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 30 | 24 | 28 | 23 | 22 | 20 | 26 | 39 | 21 | 16 |
| RHEUMATIC FEVER | | | | | | 1 | | | | |
| HEART DISEASE | 78 | 101 | 97 | 87 | 71 | 81 | 90 | 86 | 77 | 65 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 7 | 2 | 1 | | 1 | | | | | 1 |
| GENERAL ARTERIOSCLEROSIS | 3 | 3 | 3 | 3 | 5 | 6 | 3 | 4 | 3 | 6 |
| OTHER CIRCULATORY | 2 | 2 | | 1 | 2 | | | 2 | | 1 |
| INFLUENZA | | | | | 1 | | | | 1 | |
| PNEUMONIA | 12 | 3 | 4 | 2 | 5 | 2 | 1 | 6 | 3 | 3 |
| BRONCHITIS | | | | 2 | 1 | 1 | | | 1 | |
| ULCER OF STOMACH AND DUODENUM | | 2 | | | | 1 | 1 | 1 | 2 | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | | 1 | 1 | | 2 | 3 | 1 | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | | 3 | 1 | | 1 | 1 | | |
| CIRRHOSIS OF LIVER | 1 | | | | | | | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | 1 | | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 2 | 2 | | 2 | 5 | 2 | 1 | 1 | 5 |
| INFECTIONS OF KIDNEY | | 1 | 1 | | | | 1 | | | |
| HYPERPLASIA OF PROSTATE | | 1 | | 1 | 2 | 1 | | 1 | | 1 |
| MATERNAL CAUSES | | | | 1 | | | | | | |
| CONGENITAL MALFORMATIONS | | 4 | 3 | | 1 | 2 | 3 | 3 | 3 | 4 |
| DISEASES OF EARLY INFANCY | 6 | 3 | 3 | 3 | 6 | 3 | 1 | 3 | 3 | 4 |
| SENILITY AND ILL DEFINED | | 1 | | | | 1 | | 1 | | |
| ACCIDENTS MOTOR VEHICLE | 6 | 5 | 3 | 3 | 4 | 6 | 8 | 3 | 3 | 1 |
| ACCIDENTS OTHER | 5 | 6 | 5 | 5 | 5 | 6 | 6 | 11 | 5 | 8 |
| SUICIDE | 1 | | 3 | 2 | 1 | 1 | 1 | 2 | 2 | 2 |
| HOMICIDE | 4 | 2 | 6 | 5 | 5 | 7 | 2 | 7 | 4 | 8 |
| ALL OTHER CAUSES | | | | | | | | | | |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| OGLE | | | | | | | | | | |
| TUBERCULOSIS | | 3 | | | | 1 | 2 | 4 | 3 | 2 |
| SYPHILIS | | | | | | 1 | 1 | 1 | 2 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | 1 | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | 1 | 1 | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | 1 | 1 | 2 | 2 | | 1 | 1 |
| MALIGNANT NEOPLASMS | 57 | 48 | 58 | 54 | 60 | 45 | 59 | 55 | 52 | 55 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 3 | 3 | 2 | 1 | | | 1 | 1 | 2 |
| ASTHMA | 1 | 3 | 1 | 1 | 2 | 2 | 1 | 2 | 3 | 2 |
| DIABETES | 12 | 9 | 4 | 7 | 8 | 8 | 9 | 4 | 8 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 47 | 40 | 41 | 41 | 35 | 34 | 33 | 42 | 48 | 39 |
| RHEUMATIC FEVER | | | | | | | | 1 | | 2 |
| HEART DISEASE | 150 | 167 | 154 | 155 | 135 | 161 | 141 | 146 | 129 | 113 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 1 | 1 | 4 | 1 | 3 | 5 | 6 | 2 | 2 |
| GENERAL ARTERIOSCLEROSIS | 16 | 5 | 9 | 4 | 6 | 3 | 6 | 11 | 5 | 5 |
| OTHER CIRCULATORY | 6 | 2 | 3 | 5 | 6 | 2 | 1 | 6 | 2 | 1 |
| INFLUENZA | | | 3 | | | | | | 2 | 1 |
| PNEUMONIA | 12 | 11 | 12 | 10 | 3 | 11 | 9 | 6 | 5 | 15 |
| BRONCHITIS | 1 | | | | | | | | | 1 |
| ULCER OF STOMACH AND DUODENUM | 6 | 2 | 4 | 2 | 4 | 2 | 2 | 3 | 4 | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | | 2 | 1 | 2 | 1 | 5 | 5 | 1 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 2 | 3 | | | 2 | 1 | 1 | 1 | 1 |
| CIRRHOSIS OF LIVER | 1 | 2 | 2 | 3 | 2 | 3 | 6 | | 5 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 4 | 2 | 2 | 1 | 2 | 4 | 7 | 11 | 7 |
| INFECTIONS OF KIDNEY | 2 | | 1 | 1 | 1 | | | | 1 | |
| HYPERPLASIA OF PROSTATE | 1 | | 1 | 3 | 4 | 5 | 4 | 5 | 2 | 1 |
| MATERNAL CAUSES | | | | 1 | | 1 | | 1 | | 1 |
| CONGENITAL MALFORMATIONS | 3 | 7 | 8 | 3 | 7 | 1 | 5 | 3 | 5 | 4 |
| DISEASES OF EARLY INFANCY | 14 | 8 | 16 | 14 | 18 | 14 | 12 | 5 | 8 | 10 |
| SENILITY AND ILL DEFINED | | | 1 | | | | 1 | 3 | | 4 |
| ACCIDENTS MOTOR VEHICLE | 12 | 6 | 17 | 20 | 19 | 9 | 5 | 7 | 10 | 19 |
| ACCIDENTS OTHER | 4 | 11 | 11 | 12 | 13 | 11 | 11 | 10 | 8 | 15 |
| SUICIDE | 4 | 6 | 4 | 4 | 9 | 5 | 6 | 2 | 1 | 10 |
| HOMICIDE | 1 | | | | 1 | 2 | | | | 1 |
| ALL OTHER CAUSES | 11 | 7 | 22 | 12 | 16 | 16 | 9 | 18 | 19 | 15 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PEORIA | | | | | | | | | | |
| TUBERCULOSIS | 12 | 11 | 6 | 12 | 11 | 11 | 18 | 19 | 19 | 27 |
| SYPHILIS | 3 | 6 | 2 | 8 | 3 | 9 | 9 | 10 | 16 | 9 |
| MENINGOCOCCAL INFECTIONS | | 1 | | 2 | | | 1 | 3 | | 2 |
| POLIOMYELITIS ACUTE | 1 | 1 | | 1 | | 1 | 2 | | 1 | 3 |
| INFECTIOUS ENCEPHALITIS ACUTE | 2 | | 1 | | | 1 | 1 | | 2 | |
| INFECTIOUS HEPATITIS | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 4 | 7 | 1 | 4 | 2 | 3 | 3 | 7 | 7 | 2 |
| MALIGNANT NEOPLASMS | 307 | 327 | 281 | 292 | 296 | 262 | 285 | 260 | 265 | 289 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 5 | 4 | 6 | 2 | 4 | 6 | 4 | 5 | 2 | 4 |
| ASTHMA | 10 | 7 | 8 | 13 | 10 | 5 | 8 | 9 | 7 | 9 |
| DIABETES | 27 | 24 | 30 | 22 | 22 | 22 | 27 | 29 | 32 | 27 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 194 | 222 | 232 | 165 | 202 | 199 | 177 | 209 | 190 | 168 |
| RHEUMATIC FEVER | 1 | 2 | 3 | 1 | 2 | 4 | | | 2 | 1 |
| HEART DISEASE | 720 | 740 | 744 | 697 | 680 | 658 | 661 | 720 | 668 | 675 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 19 | 20 | 16 | 12 | 12 | 21 | 12 | 12 | 13 | 19 |
| GENERAL ARTERIOSCLEROSIS | 84 | 75 | 77 | 71 | 83 | 53 | 50 | 32 | 65 | 59 |
| OTHER CIRCULATORY | 24 | 9 | 13 | 23 | 20 | 15 | 12 | 8 | 9 | 11 |
| INFLUENZA | | 1 | 5 | 1 | 1 | 1 | 3 | 3 | 4 | 1 |
| PNEUMONIA | 69 | 68 | 43 | 45 | 41 | 46 | 64 | 33 | 55 | 57 |
| BRONCHITIS | 4 | 1 | 3 | 2 | 4 | 1 | 6 | 6 | 2 | 5 |
| ULCER OF STOMACH AND DUODENUM | 18 | 16 | 11 | 14 | 13 | 12 | 15 | 12 | 16 | 8 |
| HERNIA INTESTINAL OBSTRUCTION | 10 | 18 | 11 | 10 | 8 | 15 | 14 | 9 | 11 | 10 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 5 | 8 | 9 | 6 | 5 | 3 | 6 | 5 | 7 | 4 |
| CIRRHOSIS OF LIVER | 24 | 22 | 21 | 17 | 12 | 10 | 18 | 13 | 17 | 29 |
| NEPHRITIS AND NEPHROSIS ACUTE | 4 | 2 | 2 | 1 | 1 | 2 | 2 | 1 | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 18 | 8 | 9 | 6 | 13 | 21 | 18 | 25 | 26 | 26 |
| INFECTIONS OF KIDNEY | 8 | 7 | 1 | 5 | 5 | 4 | 3 | 5 | 3 | 5 |
| HYPERPLASIA OF PROSTATE | 8 | 8 | 3 | 10 | 8 | 9 | 10 | 10 | 12 | 16 |
| MATERNAL CAUSES | 1 | 1 | | 2 | 1 | 3 | | 3 | 2 | 3 |
| CONGENITAL MALFORMATIONS | 19 | 16 | 30 | 19 | 12 | 23 | 22 | 27 | 32 | 29 |
| DISEASES OF EARLY INFANCY | 69 | 63 | 85 | 85 | 61 | 71 | 77 | 57 | 76 | 56 |
| SENILITY AND ILL DEFINED | 1 | 2 | 3 | | 2 | 1 | 2 | 5 | 4 | 10 |
| ACCIDENTS MOTOR VEHICLE | 32 | 51 | 36 | 39 | 46 | 37 | 39 | 40 | 26 | 47 |
| ACCIDENTS OTHER | 48 | 40 | 43 | 33 | 29 | 54 | 44 | 69 | 43 | 53 |
| SUICIDE | 16 | 21 | 26 | 19 | 19 | 17 | 21 | 22 | 15 | 25 |
| HOMICIDE | 4 | 1 | 5 | 7 | 1 | 2 | 10 | 5 | 3 | 10 |
| ALL OTHER CAUSES | 59 | 51 | 52 | 53 | 65 | 51 | 69 | 79 | 59 | 60 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PERRY | | | | | | | | | | |
| TUBERCULOSIS | | 2 | 1 | | 1 | 2 | 3 | 2 | 1 | 2 |
| SYPHILIS | 1 | | | 2 | 1 | | 1 | | 2 | |
| MENINGOCOCCAL INFECTIONS | 1 | | | 1 | | | | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | 1 | | |
| INFECTIOUS HEPATITIS | | | | | | 1 | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | 1 | | 1 |
| MALIGNANT NEOPLASMS | 38 | 28 | 33 | 39 | 39 | 37 | 32 | 43 | 28 | 40 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | | 1 | | 1 | | 1 | 1 | 2 |
| ASTHMA | 2 | 1 | 1 | 5 | 4 | 1 | | 2 | 1 | |
| DIABETES | 2 | 2 | 7 | 6 | 2 | 3 | 3 | 5 | 2 | 4 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 37 | 31 | 21 | 28 | 14 | 21 | 24 | 27 | 24 | 28 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 114 | 122 | 115 | 110 | 93 | 92 | 84 | 100 | 87 | 87 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 5 | 3 | | 2 | 2 | | 1 | 2 | 1 |
| GENERAL ARTERIOSCLEROSIS | 9 | 10 | 14 | 8 | 6 | 16 | 7 | 9 | 11 | 8 |
| OTHER CIRCULATORY | 3 | 2 | 2 | 1 | | | 1 | 1 | | 4 |
| INFLUENZA | | 1 | 2 | 1 | 1 | 1 | 2 | 3 | 3 | |
| PNEUMONIA | 4 | 8 | 7 | 7 | 3 | 9 | 6 | 5 | 5 | 6 |
| BRONCHITIS | | | 1 | 1 | | 1 | | | 1 | 2 |
| ULCER OF STOMACH AND DUODENUM | 1 | | 2 | | 1 | 3 | 1 | 1 | 1 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 3 | 1 | 1 | 1 | 1 | | | 1 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | 2 | 3 | | | 1 | | 1 |
| CIRRHOSIS OF LIVER | | 2 | 4 | 6 | 1 | | | | 3 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | 1 | 1 | | | | 2 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 3 | 1 | 7 | 4 | 2 | 2 | 7 | 3 | 1 |
| INFECTIONS OF KIDNEY | 1 | | | | 1 | 1 | 1 | | | |
| HYPERPLASIA OF PROSTATE | 3 | | 1 | | 1 | | 3 | | | 1 |
| MATERNAL CAUSES | | | | | | | | | 1 | |
| CONGENITAL MALFORMATIONS | 1 | 4 | 2 | 1 | 2 | 2 | 1 | 4 | 3 | 4 |
| DISEASES OF EARLY INFANCY | 5 | 5 | 5 | 7 | 7 | 7 | 7 | 9 | 8 | 6 |
| SENILITY AND ILL DEFINED | | | 1 | 1 | 1 | 1 | 5 | 1 | 1 | 4 |
| ACCIDENTS MOTOR VEHICLE | 3 | 8 | 9 | 4 | 5 | 4 | 4 | 7 | 3 | 5 |
| ACCIDENTS OTHER | 6 | 10 | 9 | 6 | 4 | 11 | 6 | 8 | 11 | 13 |
| SUICIDE | | 3 | 5 | 2 | 1 | 1 | 1 | 2 | 1 | 2 |
| HOMICIDE | | | | | 1 | | | | | |
| ALL OTHER CAUSES | 7 | 10 | 11 | 7 | 10 | 5 | 8 | 9 | 9 | 8 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PIATT | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | 1 | | | 1 | | 2 | 4 | 1 |
| SYPHILIS | 1 | 1 | | | 1 | | | | 1 | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | 1 | | | 1 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | 1 | | | 1 | 1 | | |
| MALIGNANT NEOPLASMS | 30 | 23 | 24 | 29 | 14 | 29 | 22 | 24 | 25 | 30 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | 1 | | | | 1 | | | |
| ASTHMA | 1 | 1 | | | 3 | 1 | 1 | 3 | 1 | |
| DIABETES | 3 | 3 | 3 | 4 | 3 | 3 | 1 | 2 | 2 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 14 | 20 | 15 | 17 | 18 | 13 | 15 | 17 | 13 | 12 |
| RHEUMATIC FEVER | | | | 1 | | | | | | |
| HEART DISEASE | 59 | 70 | 66 | 64 | 94 | 43 | 59 | 68 | 69 | 56 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 6 | | 2 | 2 | 1 | 2 | 2 | 4 | 1 | 1 |
| GENERAL ARTERIOSCLEROSIS | 4 | 7 | 8 | 3 | 5 | 3 | 7 | 1 | 2 | 3 |
| OTHER CIRCULATORY | 2 | | | 2 | | | 1 | 2 | | |
| INFLUENZA | 1 | 1 | 2 | 3 | | 2 | 1 | 3 | | |
| PNEUMONIA | 2 | 6 | 4 | 2 | 2 | 3 | | 1 | 2 | 3 |
| BRONCHITIS | | | | 1 | 1 | | | 1 | 1 | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | | | | 2 | | 2 | 2 | |
| HERNIA INTESTINAL OBSTRUCTION | 2 | | 1 | | 1 | | 5 | 1 | 1 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | | 2 | 2 | | 1 | 2 | | |
| CIRRHOSIS OF LIVER | | | 1 | | | 1 | 2 | | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | 1 | | | 2 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 4 | 3 | 2 | 3 | 4 | 2 | 1 | 1 | 6 | 5 |
| INFECTIONS OF KIDNEY | | | | | 1 | 1 | | | 1 | |
| HYPERPLASIA OF PROSTATE | | | | 1 | | | 1 | 1 | 2 | 1 |
| MATERNAL CAUSES | | | | | | | | 1 | | |
| CONGENITAL MALFORMATIONS | 1 | | 3 | 2 | | 1 | | 1 | 3 | 2 |
| DISEASES OF EARLY INFANCY | 6 | 4 | 3 | 6 | 3 | 2 | 10 | 7 | 4 | 6 |
| SENILITY AND ILL DEFINED | | 1 | | 1 | | | 1 | 2 | 1 | |
| ACCIDENTS MOTOR VEHICLE | 5 | 3 | 6 | 6 | 9 | 3 | 7 | 9 | 1 | 5 |
| ACCIDENTS OTHER | 5 | 4 | 6 | 5 | 6 | 2 | 7 | 4 | 10 | 6 |
| SUICIDE | 2 | 1 | | 4 | | 3 | 1 | 1 | 1 | 3 |
| HOMICIDE | 1 | | | | | | | | 5 | |
| ALL OTHER CAUSES | 5 | 5 | 6 | 3 | 7 | 8 | 4 | 9 | 8 | 7 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PIKE | | | | | | | | | | |
| TUBERCULOSIS | | | 3 | 3 | 2 | 4 | 1 | 1 | 4 | 2 |
| SYPHILIS | | | 1 | | | | | | 1 | 2 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | 1 | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | 1 | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | | | | | | 1 | | 2 |
| MALIGNANT NEOPLASMS | 36 | 43 | 48 | 41 | 29 | 46 | 32 | 34 | 34 | 44 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | | | | | 1 | 1 | 1 | 1 | 2 |
| ASTHMA | | 1 | 2 | | | 2 | 1 | 2 | | 1 |
| DIABETES | 1 | 2 | 4 | 1 | 3 | 3 | 5 | 2 | 4 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 44 | 44 | 37 | 32 | 38 | 26 | 40 | 42 | 35 | 47 |
| RHEUMATIC FEVER | | | | | | | | | | 1 |
| HEART DISEASE | 114 | 134 | 136 | 115 | 109 | 132 | 120 | 86 | 118 | 122 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 5 | 6 | 4 | | 2 | | 3 | 5 | 2 | 2 |
| GENERAL ARTERIOSCLEROSIS | 4 | 4 | 10 | 11 | 9 | 8 | 10 | 11 | 11 | 12 |
| OTHER CIRCULATORY | 1 | 8 | 1 | 4 | 2 | 2 | 1 | 1 | 1 | 1 |
| INFLUENZA | | | | | | | 5 | 1 | 1 | |
| PNEUMONIA | 8 | 5 | 4 | 9 | 6 | 8 | 8 | 12 | 8 | 8 |
| BRONCHITIS | 2 | 1 | | | 1 | 1 | | 2 | 1 | |
| ULCER OF STOMACH AND DUODENUM | 1 | | 1 | 2 | | 1 | 1 | 2 | 1 | |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 1 | 2 | 3 | | | 1 | | 2 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 2 | | | 2 | | 3 | 2 | 1 | |
| CIRRHOSIS OF LIVER | 1 | 2 | | | 1 | 2 | 2 | 1 | 1 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | 1 | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 1 | 1 | | 1 | 2 | 2 | 4 | 3 | 7 |
| INFECTIONS OF KIDNEY | 1 | 1 | 1 | | | | | | | |
| HYPERPLASIA OF PROSTATE | | | 3 | 1 | | 1 | 1 | 1 | 2 | 3 |
| MATERNAL CAUSES | | | | 1 | | | | | | 1 |
| CONGENITAL MALFORMATIONS | 3 | 2 | 1 | 2 | 3 | 1 | 2 | | 1 | 2 |
| DISEASES OF EARLY INFANCY | 4 | 3 | 2 | 6 | 5 | 8 | 7 | 4 | 8 | 14 |
| SENILITY AND ILL DEFINED | | | | 2 | | 1 | 1 | 3 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 7 | 10 | 4 | 12 | 8 | 11 | 5 | 7 | 4 | 6 |
| ACCIDENTS OTHER | 8 | 12 | 9 | 3 | 5 | 8 | 12 | 10 | 6 | 14 |
| SUICIDE | 4 | 5 | 3 | 5 | 3 | 9 | 5 | 4 | 4 | 4 |
| HOMICIDE | 2 | | | 1 | | 1 | | 1 | | 1 |
| ALL OTHER CAUSES | 10 | 8 | 14 | 9 | 11 | 11 | 6 | 19 | 14 | 12 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| POPE | | | | | | | | | | |
| TUBERCULOSIS | 1 | | | | | 2 | | | 1 | 3 |
| SYPHILIS | | 1 | | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | | | 1 |
| MALIGNANT NEOPLASMS | 11 | 3 | 11 | 12 | 5 | 11 | 6 | 8 | 11 | 3 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | | | 1 | | |
| ASTHMA | | | | | | | 1 | 2 | | 2 |
| DIABETES | 1 | 1 | 2 | | | 2 | 1 | 3 | 2 | |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 9 | 7 | 15 | 10 | 5 | 16 | 10 | 5 | 10 | 12 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 37 | 39 | 20 | 28 | 21 | 27 | 25 | 24 | 21 | 23 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 1 | | 2 | | | 1 | | 3 | 2 |
| GENERAL ARTERIOSCLEROSIS | 4 | 1 | 4 | 1 | | 1 | 2 | 4 | 4 | 2 |
| OTHER CIRCULATORY | | | | | | | | | | |
| INFLUENZA | | | | | | 1 | 2 | | 1 | |
| PNEUMONIA | 2 | 1 | 3 | 1 | | 6 | 1 | | | 5 |
| BRONCHITIS | | | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | | 1 | | | | 2 | | 1 | |
| HERNIA INTESTINAL OBSTRUCTION | | | 1 | | | | | | 1 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | 1 | | | | | | | |
| CIRRHOSIS OF LIVER | | | 2 | | 2 | | | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | 1 | | 1 | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | | | | 2 | 1 | 1 | 5 | 2 |
| INFECTIONS OF KIDNEY | 1 | 1 | | | | | | | | |
| HYPERPLASIA OF PROSTATE | 1 | | | | 1 | 1 | | 1 | 2 | 1 |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | | | 1 | | | | 1 | | 1 | 2 |
| DISEASES OF EARLY INFANCY | 1 | 1 | 2 | 4 | | 2 | 2 | | 2 | 1 |
| SENILITY AND ILL DEFINED | | | 1 | | | | | 1 | | |
| ACCIDENTS MOTOR VEHICLE | | 1 | 1 | 2 | | 3 | 2 | 1 | | 2 |
| ACCIDENTS OTHER | 3 | 11 | 1 | 1 | 2 | 3 | 3 | 7 | 2 | 3 |
| SUICIDE | 1 | 2 | 1 | 1 | | | | | | |
| HOMICIDE | | | | | | | | 1 | | 1 |
| ALL OTHER CAUSES | 2 | 4 | | 2 | 1 | 4 | 4 | 4 | 6 | 4 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PULASKI | | | | | | | | | | |
| TUBERCULOSIS | 4 | 4 | 5 | | 4 | 3 | 1 | 3 | 3 | 4 |
| SYPHILIS | | | | | | | | 2 | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | 1 | | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | | | 1 | 1 | | 1 | | |
| MALIGNANT NEOPLASMS | 16 | 28 | 18 | 23 | 25 | 16 | 14 | 19 | 18 | 20 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | 1 | | 2 | | 1 | | | |
| ASTHMA | 2 | 1 | 5 | 1 | 3 | | | | | 1 |
| DIABETES | 3 | 4 | 3 | 4 | 3 | 3 | 4 | 5 | 6 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 24 | 22 | 23 | 13 | 29 | 23 | 31 | 20 | 32 | 20 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 57 | 62 | 60 | 68 | 53 | 62 | 54 | 46 | 63 | 58 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 2 | | | 1 | | 2 | 1 | 3 | 3 |
| GENERAL ARTERIOSCLEROSIS | 5 | 6 | 4 | 3 | 5 | 6 | 7 | 7 | 5 | 4 |
| OTHER CIRCULATORY | | 2 | | | 2 | 1 | | | | 1 |
| INFLUENZA | 2 | 1 | 1 | 1 | 2 | | 4 | 2 | 3 | 2 |
| PNEUMONIA | 3 | 2 | 6 | 7 | 1 | 7 | 4 | 6 | 4 | 8 |
| BRONCHITIS | | | | | 1 | 2 | 1 | | | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | 1 | | 1 | 1 | | | | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 1 | 2 | | | | 3 | 3 | 1 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | 2 | 1 | 3 | | 1 | 2 | 1 | 1 |
| CIRRHOSIS OF LIVER | 1 | 3 | | 1 | 2 | 1 | 1 | 1 | | |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 1 | 2 | | | | | | 2 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 3 | 2 | 5 | 5 | 4 | 6 | 4 | 6 | 16 |
| INFECTIONS OF KIDNEY | | | 1 | 1 | | | | 3 | | |
| HYPERPLASIA OF PROSTATE | | | 2 | 3 | 1 | 2 | 2 | 3 | 3 | 2 |
| MATERNAL CAUSES | 1 | | | 1 | | | | | | |
| CONGENITAL MALFORMATIONS | 1 | 1 | | 1 | 3 | | 1 | 2 | 9 | 7 |
| DISEASES OF EARLY INFANCY | 3 | 2 | 7 | 6 | 8 | 7 | 9 | 9 | 7 | 4 |
| SENILITY AND ILL DEFINED | | | | | | | | | 1 | |
| ACCIDENTS MOTOR VEHICLE | 5 | 3 | 4 | 2 | 6 | 7 | 3 | 5 | 5 | 3 |
| ACCIDENTS OTHER | 6 | 4 | 10 | 7 | 4 | 9 | 8 | 10 | 4 | 6 |
| SUICIDE | 1 | 4 | 1 | 1 | 2 | 1 | | 1 | 1 | |
| HOMICIDE | 1 | | 1 | 4 | 1 | 1 | | 2 | 2 | 2 |
| ALL OTHER CAUSES | 5 | 6 | 7 | 2 | 6 | 5 | 7 | 8 | 3 | 14 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PUTNAM | | | | | | | | | | |
| TUBERCULOSIS | | | | | 1 | 1 | | 2 | 2 | 1 |
| SYPHILIS | | | | | | | | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | | | 1 |
| MALIGNANT NEOPLASMS | 7 | 8 | 14 | 9 | 13 | 7 | 10 | 8 | 7 | 7 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | | | | | |
| ASTHMA | | | 1 | 1 | | | 1 | | | 1 |
| DIABETES | | 1 | 1 | 2 | | 2 | 1 | 1 | 2 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 2 | 11 | 3 | 10 | 7 | 4 | 4 | 3 | 3 | 4 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 19 | 23 | 28 | 24 | 22 | 23 | 25 | 25 | 31 | 20 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 1 | | 2 | | 2 | | | 1 | |
| GENERAL ARTERIOSCLEROSIS | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 2 | 4 | 5 |
| OTHER CIRCULATORY | | | | | 1 | | | 1 | 1 | |
| INFLUENZA | 1 | | | | | | 1 | | | |
| PNEUMONIA | 1 | | 3 | 1 | | | | 1 | 2 | 4 |
| BRONCHITIS | | | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | | | | | | | | | |
| HERNIA INTESTINAL OBSTRUCTION | | | | | | | | | | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | | 1 | | | | | | |
| CIRRHOSIS OF LIVER | | | 1 | 1 | | | | 1 | 1 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | 1 | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | | | | | 1 | | | 1 | 2 |
| INFECTIONS OF KIDNEY | | | | | | | | | | |
| HYPERPLASIA OF PROSTATE | 1 | | | | | | 1 | 1 | | |
| MATERNAL CAUSES | | | 1 | | | | | | | |
| CONGENITAL MALFORMATIONS | | | 1 | 2 | | 1 | | 1 | 2 | 1 |
| DISEASES OF EARLY INFANCY | 1 | 1 | | 2 | 3 | | 1 | 4 | 3 | 1 |
| SENILITY AND ILL DEFINED | | | | | 1 | | | 1 | | |
| ACCIDENTS MOTOR VEHICLE | 1 | 4 | 3 | 1 | 1 | 1 | | | 4 | 3 |
| ACCIDENTS OTHER | 1 | | 4 | | 2 | 7 | 2 | 2 | 2 | 3 |
| SUICIDE | | 2 | | 2 | 1 | 1 | | 1 | | |
| HOMICIDE | | | | | 1 | | | 2 | | |
| ALL OTHER CAUSES | | 1 | | 4 | 2 | 1 | 1 | 2 | 3 | 3 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| RANDOLPH | | | | | | | | | | |
| TUBERCULOSIS | 2 | 2 | 1 | 3 | | 1 | | 3 | 6 | 6 |
| SYPHILIS | | 1 | 1 | | | 2 | | 1 | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | | 1 | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | 1 | 1 | | 1 | | 1 | 2 |
| MALIGNANT NEOPLASMS | 48 | 52 | 60 | 57 | 45 | 45 | 51 | 60 | 41 | 47 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | 1 | 1 | 1 | | 3 | | 2 |
| ASTHMA | | 1 | 4 | | 1 | | 2 | 1 | | |
| DIABETES | 2 | 6 | 5 | 7 | 6 | 4 | 10 | 7 | 3 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 56 | 59 | 56 | 52 | 38 | 29 | 41 | 52 | 38 | 50 |
| RHEUMATIC FEVER | | | | 1 | | | 1 | | | |
| HEART DISEASE | 161 | 175 | 178 | 153 | 149 | 120 | 133 | 122 | 116 | 119 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 3 | 5 | 2 | 2 | 3 | 3 | 1 | 2 | 2 |
| GENERAL ARTERIOSCLEROSIS | 6 | 9 | 23 | 20 | 21 | 16 | 27 | 13 | 9 | 12 |
| OTHER CIRCULATORY | 1 | 2 | 3 | 3 | 1 | | 2 | 2 | 1 | 1 |
| INFLUENZA | | 1 | 3 | | | 1 | 1 | 1 | 2 | |
| PNEUMONIA | 5 | 7 | 9 | 8 | 6 | 7 | 7 | 11 | 6 | 11 |
| BRONCHITIS | | 1 | | 1 | | | 1 | | 1 | 1 |
| ULCER OF STOMACH AND DUODENUM | 2 | 3 | 2 | 2 | 2 | 1 | 7 | 3 | 3 | 2 |
| HERNIA INTESTINAL OBSTRUCTION | | 2 | 1 | 1 | 2 | 1 | 5 | 2 | | 5 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | | 3 | 1 | 2 | 2 | 2 | | |
| CIRRHOSIS OF LIVER | 4 | 2 | 4 | 1 | 2 | | 1 | 1 | 4 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 2 | 2 | 1 | 4 | 3 | 8 | 4 | 3 | 10 |
| INFECTIONS OF KIDNEY | | 4 | | 1 | | 1 | | 1 | | |
| HYPERPLASIA OF PROSTATE | | | 2 | 1 | 3 | 1 | 3 | | | 2 |
| MATERNAL CAUSES | | | | | | | 1 | 1 | 1 | 1 |
| CONGENITAL MALFORMATIONS | 2 | 3 | 5 | 3 | 4 | 4 | 4 | 6 | 2 | 7 |
| DISEASES OF EARLY INFANCY | 11 | 9 | 10 | 4 | 12 | 11 | 9 | 9 | 8 | 5 |
| SENILITY AND ILL DEFINED | 3 | | 2 | 2 | 2 | 1 | 1 | | 2 | 4 |
| ACCIDENTS MOTOR VEHICLE | 8 | 4 | 9 | 14 | 9 | 14 | 11 | 6 | 8 | 11 |
| ACCIDENTS OTHER | 16 | 16 | 11 | 12 | 11 | 12 | 16 | 15 | 15 | 15 |
| SUICIDE | 4 | 1 | 2 | 4 | 2 | | 4 | 4 | 3 | 1 |
| HOMICIDE | | | | 1 | | | | | | 1 |
| ALL OTHER CAUSES | 10 | 10 | 10 | 10 | 11 | 11 | 16 | 18 | 17 | 11 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| RICHLAND | | | | | | | | | | |
| TUBERCULOSIS | 1 | 3 | 1 | | 1 | 3 | 1 | 4 | 1 | 3 |
| SYPHILIS | | | | | | 1 | | | 1 | |
| MENINGOCOCCAL INFECTIONS | 1 | | | 1 | | | | | | |
| POLIOMYELITIS ACUTE | | | | | 1 | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | | | | 1 | | | | |
| MALIGNANT NEOPLASMS | 27 | 23 | 32 | 23 | 22 | 35 | 24 | 29 | 21 | 32 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | 1 | 1 | | | 2 | |
| ASTHMA | | | 1 | | | 2 | 3 | 1 | | |
| DIABETES | 1 | | 1 | 2 | 2 | 1 | 1 | 4 | 3 | |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 22 | 21 | 27 | 20 | 17 | 27 | 27 | 22 | 22 | 17 |
| RHEUMATIC FEVER | | | | | | 1 | | 1 | | |
| HEART DISEASE | 93 | 86 | 89 | 81 | 77 | 59 | 58 | 71 | 60 | 71 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 5 | 2 | 1 | | 1 | 1 | | 2 | 1 |
| GENERAL ARTERIOSCLEROSIS | | 7 | 6 | 4 | 4 | 6 | 10 | 9 | 11 | 9 |
| OTHER CIRCULATORY | 1 | | | 1 | | 3 | | | 2 | 1 |
| INFLUENZA | 1 | | | | | | 1 | | | |
| PNEUMONIA | 2 | 4 | 5 | 6 | 2 | 6 | 5 | 7 | 5 | 2 |
| BRONCHITIS | | | | 1 | 1 | | | | 1 | |
| ULCER OF STOMACH AND DUODENUM | 1 | 2 | | | | | 1 | 1 | 1 | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 1 | | 2 | 1 | | | 1 | 1 | 2 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | 1 | | | | | 1 | 1 | |
| CIRRHOSIS OF LIVER | 1 | 1 | 1 | | 2 | 1 | 1 | 2 | 1 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | 1 | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | | 1 | | 1 | 4 | | 2 | 3 | 3 |
| INFECTIONS OF KIDNEY | | 1 | | | | | | 1 | | |
| HYPERPLASIA OF PROSTATE | 2 | | | 1 | 1 | 2 | 3 | | 3 | 1 |
| MATERNAL CAUSES | | | | | | | | 1 | | |
| CONGENITAL MALFORMATIONS | 3 | 3 | | | 1 | | | 2 | 2 | 1 |
| DISEASES OF EARLY INFANCY | 5 | 6 | 5 | 2 | 5 | 4 | 9 | 4 | 6 | 5 |
| SENILITY AND ILL DEFINED | 2 | | 1 | | | | | | | |
| ACCIDENTS MOTOR VEHICLE | 1 | 3 | 2 | 6 | | 7 | 6 | 5 | 4 | 2 |
| ACCIDENTS OTHER | 6 | 7 | 8 | 3 | 4 | 5 | 3 | 4 | 12 | 7 |
| SUICIDE | 4 | 1 | 1 | 2 | 4 | 2 | 4 | 1 | 3 | |
| HOMICIDE | | 1 | | | | 1 | | | | |
| ALL OTHER CAUSES | 7 | 10 | 5 | 8 | 10 | 8 | 2 | 8 | 17 | 7 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ROCK ISLAND | | | | | | | | | | |
| TUBERCULOSIS | 4 | 5 | 5 | 6 | 4 | 8 | 10 | 13 | 11 | 15 |
| SYPHILIS | 1 | 1 | 2 | 1 | | 4 | 2 | 11 | 4 | 6 |
| MENINGOCOCCAL INFECTIONS | | 1 | 2 | | 2 | | 1 | | | 1 |
| POLIOMYELITIS ACUTE | 1 | | | | 1 | 3 | 2 | | | 5 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | 1 | | | | |
| INFECTIOUS HEPATITIS | 2 | 1 | 1 | | | | 3 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | | 2 | | 3 | 2 | 1 | 3 | 2 | 2 |
| MALIGNANT NEOPLASMS | 242 | 227 | 253 | 225 | 248 | 253 | 233 | 214 | 237 | 192 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 3 | | 1 | 1 | 2 | 5 | 6 | 4 | 1 | 6 |
| ASTHMA | 3 | 3 | 4 | 5 | 4 | 7 | 5 | 5 | 1 | 5 |
| DIABETES | 22 | 24 | 28 | 23 | 23 | 27 | 17 | 21 | 22 | 23 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 173 | 167 | 157 | 140 | 168 | 160 | 174 | 145 | 154 | 122 |
| RHEUMATIC FEVER | | | | 2 | 1 | 1 | | 3 | | 1 |
| HEART DISEASE | 626 | 591 | 569 | 560 | 546 | 501 | 541 | 505 | 506 | 488 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 21 | 19 | 19 | 14 | 8 | 10 | 12 | 8 | 6 | 4 |
| GENERAL ARTERIOSCLEROSIS | 51 | 50 | 44 | 34 | 69 | 40 | 43 | 58 | 51 | 46 |
| OTHER CIRCULATORY | 10 | 6 | 6 | 6 | 7 | 10 | 2 | 12 | 6 | 3 |
| INFLUENZA | | 1 | 7 | 1 | 1 | 1 | 9 | 4 | 2 | 3 |
| PNEUMONIA | 43 | 43 | 75 | 32 | 23 | 22 | 39 | 40 | 29 | 37 |
| BRONCHITIS | 4 | 2 | 2 | 2 | 1 | 1 | 1 | 2 | 2 | 1 |
| ULCER OF STOMACH AND DUODENUM | 6 | 7 | 14 | 7 | 8 | 7 | 15 | 11 | 10 | 11 |
| HERNIA INTESTINAL OBSTRUCTION | 9 | 15 | 13 | 8 | 8 | 6 | 5 | 17 | 12 | 7 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 8 | 5 | 4 | 6 | 1 | 8 | 5 | 11 | 7 | 1 |
| CIRRHOSIS OF LIVER | 7 | 13 | 12 | 12 | 19 | 8 | 11 | 14 | 16 | 9 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | | 1 | 1 | | 2 | 4 | 4 | | 2 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 5 | 12 | 10 | 8 | 13 | 10 | 12 | 11 | 13 | 17 |
| INFECTIONS OF KIDNEY | 3 | 3 | 4 | 4 | 2 | 1 | 3 | 4 | | |
| HYPERPLASIA OF PROSTATE | 2 | 2 | 4 | 1 | 5 | 3 | 4 | 7 | 8 | 8 |
| MATERNAL CAUSES | 1 | 2 | | 2 | 1 | 2 | 4 | | 2 | |
| CONGENITAL MALFORMATIONS | 13 | 17 | 30 | 15 | 15 | 15 | 12 | 19 | 8 | 21 |
| DISEASES OF EARLY INFANCY | 69 | 56 | 61 | 45 | 56 | 44 | 58 | 63 | 55 | 56 |
| SENILITY AND ILL DEFINED | 2 | | | 3 | 4 | | 1 | 4 | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | 33 | 41 | 33 | 33 | 41 | 36 | 40 | 38 | 28 | 32 |
| ACCIDENTS OTHER | 47 | 51 | 46 | 35 | 47 | 52 | 55 | 64 | 56 | 47 |
| SUICIDE | 11 | 17 | 18 | 23 | 11 | 12 | 13 | 22 | 21 | 17 |
| HOMICIDE | 1 | 5 | 4 | 3 | 3 | 1 | 4 | 4 | | 5 |
| ALL OTHER CAUSES | 54 | 48 | 52 | 50 | 52 | 51 | 48 | 56 | 50 | 50 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ST CLAIR | | | | | | | | | | |
| TUBERCULOSIS | 16 | 27 | 16 | 18 | 18 | 22 | 37 | 38 | 51 | 61 |
| SYPHILIS | 3 | 3 | 7 | 7 | 2 | 2 | 4 | 8 | 13 | 14 |
| MENINGOCOCCAL INFECTIONS | | 1 | 2 | 1 | 1 | | 3 | 2 | 3 | 1 |
| POLIOMYELITIS ACUTE | 2 | 2 | 1 | 1 | | 1 | 2 | 6 | | 3 |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | 1 | | | 1 | 1 | 1 | | 1 |
| INFECTIOUS HEPATITIS | 1 | 1 | 2 | 2 | | | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 5 | 3 | 3 | 8 | 6 | 6 | 5 | 5 | 5 | 3 |
| MALIGNANT NEOPLASMS | 374 | 411 | 381 | 398 | 376 | 356 | 335 | 283 | 297 | 295 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 5 | 7 | 15 | 8 | 8 | 5 | 7 | 5 | 4 | 6 |
| ASTHMA | 4 | 3 | 11 | 11 | 5 | 13 | 13 | 9 | 7 | 5 |
| DIABETES | 31 | 28 | 39 | 35 | 37 | 49 | 40 | 38 | 33 | 44 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 264 | 263 | 222 | 209 | 223 | 241 | 260 | 222 | 246 | 211 |
| RHEUMATIC FEVER | 2 | 2 | 3 | | 2 | 4 | 2 | 1 | 1 | 2 |
| HEART DISEASE | 1078 | 1027 | 969 | 930 | 867 | 789 | 909 | 859 | 809 | 813 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 21 | 21 | 13 | 18 | 19 | 23 | 18 | 16 | 13 | 16 |
| GENERAL ARTERIOSCLEROSIS | 32 | 31 | 34 | 31 | 38 | 42 | 36 | 61 | 47 | 42 |
| OTHER CIRCULATORY | 28 | 20 | 12 | 15 | 15 | 12 | 14 | 10 | 10 | 4 |
| INFLUENZA | 1 | 8 | 6 | 2 | 4 | 2 | 8 | 9 | 10 | 7 |
| PNEUMONIA | 80 | 72 | 101 | 75 | 79 | 81 | 85 | 75 | 77 | 49 |
| BRONCHITIS | 4 | 15 | 8 | 10 | 7 | 5 | 8 | 1 | 3 | 4 |
| ULCER OF STOMACH AND DUODENUM | 16 | 11 | 10 | 10 | 16 | 11 | 14 | 9 | 8 | 16 |
| HERNIA INTESTINAL OBSTRUCTION | 10 | 18 | 13 | 13 | 15 | 17 | 18 | 18 | 17 | 15 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 12 | 13 | 8 | 19 | 13 | 16 | 9 | 9 | 11 | 8 |
| CIRRHOSIS OF LIVER | 32 | 28 | 24 | 24 | 15 | 25 | 31 | 25 | 29 | 32 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 4 | 1 | 4 | 4 | 1 | 10 | 6 | 2 | 7 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 26 | 32 | 55 | 50 | 61 | 68 | 58 | 46 | 39 | 57 |
| INFECTIONS OF KIDNEY | 9 | 12 | 11 | 2 | 1 | 5 | 3 | 3 | 4 | 2 |
| HYPERPLASIA OF PROSTATE | 1 | 3 | 5 | 3 | 12 | 9 | 13 | 8 | 11 | 13 |
| MATERNAL CAUSES | 5 | 5 | 2 | 1 | 1 | 3 | 4 | 2 | 4 | 4 |
| CONGENITAL MALFORMATIONS | 31 | 30 | 23 | 32 | 32 | 31 | 33 | 23 | 31 | 16 |
| DISEASES OF EARLY INFANCY | 99 | 109 | 119 | 89 | 100 | 93 | 104 | 94 | 100 | 117 |
| SENILITY AND ILL DEFINED | 14 | 16 | 10 | 6 | 12 | 27 | 15 | 14 | 5 | 10 |
| ACCIDENTS MOTOR VEHICLE | 48 | 62 | 72 | 59 | 75 | 63 | 72 | 71 | 81 | 78 |
| ACCIDENTS OTHER | 79 | 76 | 108 | 74 | 80 | 104 | 91 | 101 | 92 | 83 |
| SUICIDE | 25 | 26 | 27 | 33 | 28 | 24 | 14 | 31 | 21 | 30 |
| HOMICIDE | 19 | 15 | 21 | 13 | 24 | 23 | 15 | 20 | 18 | 13 |
| ALL OTHER CAUSES | 85 | 91 | 85 | 86 | 92 | 101 | 88 | 105 | 83 | 80 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| SALINE | | | | | | | | | | |
| TUBERCULOSIS | 3 | 3 | 6 | 6 | 6 | 4 | 7 | 12 | 6 | 4 |
| SYPHILIS | | | | 1 | | 1 | 1 | 1 | 3 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | 1 | | | | | | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | 1 | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | 1 | | 1 | | 2 | 1 | 1 | |
| MALIGNANT NEOPLASMS | 66 | 51 | 57 | 63 | 64 | 60 | 58 | 67 | 68 | 61 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 1 | 3 | | 1 | 1 | | 1 | 1 | 1 |
| ASTHMA | 2 | 1 | 2 | 4 | 7 | 4 | 3 | 1 | 1 | 2 |
| DIABETES | 9 | 10 | 5 | 7 | 6 | 11 | 7 | 11 | 6 | 9 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 70 | 53 | 50 | 37 | 39 | 37 | 44 | 33 | 44 | 54 |
| RHEUMATIC FEVER | | | | | | | 1 | 1 | | 1 |
| HEART DISEASE | 234 | 190 | 219 | 168 | 176 | 139 | 203 | 139 | 169 | 150 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 7 | 2 | 3 | 3 | 2 | 2 | 5 | 1 | 3 | 4 |
| GENERAL ARTERIOSCLEROSIS | 15 | 12 | 17 | 8 | 12 | 10 | 13 | 8 | 13 | 13 |
| OTHER CIRCULATORY | 4 | 2 | | 4 | 5 | 3 | 1 | 1 | 1 | 1 |
| INFLUENZA | | 4 | 1 | 2 | 1 | 1 | 2 | | | |
| PNEUMONIA | 8 | 4 | 7 | 15 | 7 | 7 | 13 | 11 | 12 | 10 |
| BRONCHITIS | | 2 | | 1 | 1 | | | 1 | | 2 |
| ULCER OF STOMACH AND DUODENUM | 2 | 5 | 3 | 3 | 2 | 1 | 1 | 2 | 3 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 2 | | 3 | 1 | 2 | 5 | 4 | 1 | 4 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 3 | 1 | 1 | 4 | | | 1 | 1 | | |
| CIRRHOSIS OF LIVER | 4 | 8 | 2 | 4 | 1 | 2 | 2 | 1 | 1 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | 2 | | | 1 | | | 2 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 4 | 5 | 8 | 12 | 14 | 7 | 10 | 12 | 8 | 10 |
| INFECTIONS OF KIDNEY | 1 | 1 | | 1 | 2 | 1 | | 1 | 1 | |
| HYPERPLASIA OF PROSTATE | 2 | 3 | 1 | 4 | 4 | | 4 | 2 | 2 | 2 |
| MATERNAL CAUSES | | | | | | | | | | 1 |
| CONGENITAL MALFORMATIONS | 1 | 2 | 2 | 3 | 1 | | | 7 | 4 | 3 |
| DISEASES OF EARLY INFANCY | 5 | 9 | 4 | 5 | 6 | 2 | 9 | 8 | 17 | 9 |
| SENILITY AND ILL DEFINED | | 2 | 2 | 1 | 1 | | 3 | | 3 | 1 |
| ACCIDENTS MOTOR VEHICLE | 7 | 10 | 15 | 18 | 10 | 12 | 14 | 19 | 11 | 14 |
| ACCIDENTS OTHER | 9 | 10 | 9 | 15 | 10 | 17 | 17 | 23 | 22 | 21 |
| SUICIDE | 2 | 1 | | 2 | 4 | 2 | 4 | 4 | 2 | 3 |
| HOMICIDE | | 1 | | 1 | | 1 | 1 | 2 | | 1 |
| ALL OTHER CAUSES | 10 | 17 | 11 | 14 | 15 | 13 | 20 | 16 | 14 | 20 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| SANGAMON | | | | | | | | | | |
| TUBERCULOSIS | 7 | 8 | 8 | 10 | 10 | 9 | 6 | 18 | 22 | 22 |
| SYPHILIS | 2 | 3 | 3 | 4 | 5 | 3 | 6 | 4 | 9 | 14 |
| MENINGOCOCCAL INFECTIONS | | | 2 | 1 | 2 | 2 | 1 | | 2 | |
| POLIOMYELITIS ACUTE | | | 1 | 1 | 1 | 7 | 1 | 1 | 1 | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | 1 | | | | |
| INFECTIOUS HEPATITIS | | 1 | | 2 | 2 | 2 | | 1 | 2 | 2 |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | 2 | 3 | 3 | 3 | 1 | 7 | | 1 | 3 |
| MALIGNANT NEOPLASMS | 296 | 274 | 229 | 254 | 250 | 240 | 258 | 245 | 236 | 259 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 3 | | 2 | 2 | 2 | 1 | 3 | 3 | 6 | |
| ASTHMA | 6 | 5 | 13 | 5 | 6 | 12 | 4 | 4 | | 1 |
| DIABETES | 27 | 20 | 32 | 20 | 24 | 18 | 22 | 21 | 22 | 20 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 207 | 221 | 215 | 217 | 210 | 196 | 155 | 165 | 159 | 187 |
| RHEUMATIC FEVER | | | | 1 | 1 | 1 | | 3 | 1 | 1 |
| HEART DISEASE | 738 | 719 | 649 | 665 | 598 | 568 | 665 | 616 | 634 | 647 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 16 | 13 | 9 | 9 | 12 | 12 | 12 | 14 | 8 | 10 |
| GENERAL ARTERIOSCLEROSIS | 26 | 29 | 24 | 28 | 33 | 28 | 23 | 31 | 22 | 29 |
| OTHER CIRCULATORY | 20 | 19 | 9 | 13 | 12 | 4 | 10 | 5 | 3 | 8 |
| INFLUENZA | 1 | 2 | 3 | | 1 | 1 | 3 | 1 | 8 | 4 |
| PNEUMONIA | 35 | 41 | 40 | 31 | 28 | 29 | 29 | 19 | 25 | 27 |
| BRONCHITIS | 9 | 8 | 7 | 15 | 6 | 3 | 4 | 4 | 1 | 3 |
| ULCER OF STOMACH AND DUODENUM | 13 | 10 | 10 | 8 | 9 | 7 | 3 | 8 | 6 | 6 |
| HERNIA INTESTINAL OBSTRUCTION | 6 | 5 | 6 | 9 | 13 | 12 | 14 | 8 | 12 | 17 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 5 | 6 | 6 | 5 | 9 | 4 | 10 | 4 | 4 | 2 |
| CIRRHOSIS OF LIVER | 17 | 11 | 15 | 16 | 22 | 25 | 17 | 14 | 17 | 16 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 2 | 7 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 14 | 7 | 9 | 8 | 11 | 7 | 3 | 17 | 23 | 29 |
| INFECTIONS OF KIDNEY | 7 | 8 | 5 | 6 | 3 | 5 | 6 | 4 | 8 | 1 |
| HYPERPLASIA OF PROSTATE | 3 | 3 | 4 | 7 | 7 | 6 | 14 | 9 | 6 | 14 |
| MATERNAL CAUSES | 1 | | | | 1 | | | 1 | 2 | |
| CONGENITAL MALFORMATIONS | 24 | 19 | 19 | 19 | 23 | 14 | 19 | 25 | 20 | 17 |
| DISEASES OF EARLY INFANCY | 56 | 57 | 47 | 46 | 42 | 56 | 47 | 59 | 52 | 54 |
| SENILITY AND ILL DEFINED | 16 | 16 | 33 | 64 | 25 | 19 | 24 | 12 | 16 | 13 |
| ACCIDENTS MOTOR VEHICLE | 25 | 24 | 34 | 29 | 51 | 36 | 33 | 37 | 40 | 40 |
| ACCIDENTS OTHER | 29 | 39 | 50 | 37 | 35 | 49 | 53 | 73 | 68 | 52 |
| SUICIDE | 13 | 19 | 14 | 22 | 21 | 13 | 17 | 13 | 14 | 15 |
| HOMICIDE | 1 | 2 | 6 | 2 | 5 | 3 | 3 | 2 | | 8 |
| ALL OTHER CAUSES | 60 | 61 | 72 | 61 | 57 | 61 | 60 | 58 | 62 | 63 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| SCHUYLER | | | | | | | | | | |
| TUBERCULOSIS | | 1 | | | | 1 | | | | 1 |
| SYPHILIS | | | 1 | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | | | | |
| MALIGNANT NEOPLASMS | 20 | 17 | 13 | 14 | 25 | 23 | 20 | 15 | 16 | 22 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | | | | | 1 |
| ASTHMA | | | 1 | | | 1 | | | | |
| DIABETES | 2 | 1 | | | 2 | 5 | 4 | 5 | 3 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 11 | 9 | 16 | 21 | 16 | 21 | 19 | 16 | 16 | 14 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 66 | 54 | 59 | 52 | 44 | 41 | 46 | 44 | 40 | 45 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 2 | | | 4 | 2 | 2 | 1 | 4 | |
| GENERAL ARTERIOSCLEROSIS | 7 | 2 | 4 | 3 | 1 | 2 | 6 | 7 | 7 | 4 |
| OTHER CIRCULATORY | | | 2 | | 1 | | | | 1 | 1 |
| INFLUENZA | | | 1 | | | | 1 | | 2 | 1 |
| PNEUMONIA | | 2 | 4 | 4 | 1 | 5 | 4 | 1 | 1 | 2 |
| BRONCHITIS | | | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | 1 | | 1 | 2 | | | 1 | 1 | | |
| HERNIA INTESTINAL OBSTRUCTION | | 1 | | | | | | | 1 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | | | | | 2 | | |
| CIRRHOSIS OF LIVER | | 1 | | | | 1 | | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | 1 | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 1 | 1 | 1 | 1 | 3 | | 1 | 2 | 4 |
| INFECTIONS OF KIDNEY | | | | 1 | | 1 | | | | 1 |
| HYPERPLASIA OF PROSTATE | 1 | 1 | | | 2 | 1 | 1 | 4 | | |
| MATERNAL CAUSES | | 1 | | | | | 1 | | 1 | |
| CONGENITAL MALFORMATIONS | | 1 | | | | 1 | | | 2 | 2 |
| DISEASES OF EARLY INFANCY | 5 | 2 | | 2 | 3 | 2 | | | 4 | 4 |
| SENILITY AND ILL DEFINED | | | | | | | | | | 1 |
| ACCIDENTS MOTOR VEHICLE | 1 | 2 | 1 | 4 | 1 | 3 | 2 | 2 | 2 | 5 |
| ACCIDENTS OTHER | 2 | 7 | 2 | 9 | 1 | 6 | 2 | 8 | 6 | 1 |
| SUICIDE | 3 | 1 | 1 | 1 | 2 | 1 | 1 | | 1 | 2 |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 4 | 2 | 2 | 5 | 1 | 6 | 2 | 1 | 6 | 4 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| SCOTT | | | | | | | | | | |
| TUBERCULOSIS | | | | | 1 | | 2 | 1 | 1 | 2 |
| SYPHILIS | | | 1 | | | | | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | | 1 | | | | | 1 | 2 | |
| MALIGNANT NEOPLASMS | 12 | 13 | 19 | 17 | 17 | 10 | 10 | 14 | 11 | 13 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | | | | | | 1 | 1 | |
| ASTHMA | | | 1 | | | 1 | | | | 1 |
| DIABETES | | 1 | | 2 | 1 | 1 | 1 | 1 | | |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 20 | 4 | 7 | 10 | 10 | 8 | 11 | 8 | 12 | 8 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 45 | 38 | 40 | 40 | 19 | 29 | 35 | 38 | 43 | 36 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 1 | | | 1 | | 1 | | | |
| GENERAL ARTERIOSCLEROSIS | 1 | 2 | 4 | 3 | 2 | 1 | 1 | 2 | 3 | 4 |
| OTHER CIRCULATORY | | 1 | 2 | | | | | 1 | | 1 |
| INFLUENZA | | 1 | 1 | | 1 | | | | | |
| PNEUMONIA | 5 | 4 | 2 | 4 | 4 | 4 | 1 | 5 | 1 | 2 |
| BRONCHITIS | | | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | | | | | 1 | | | | |
| HERNIA INTESTINAL OBSTRUCTION | | | | | 1 | | | 2 | | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | | | | | | 1 | |
| CIRRHOSIS OF LIVER | | | 1 | | 1 | 1 | | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 1 | | 1 | | | 2 | 2 | | 3 |
| INFECTIONS OF KIDNEY | | | | 1 | | 1 | 1 | | | |
| HYPERPLASIA OF PROSTATE | | 1 | | 1 | 2 | | | 2 | 1 | 1 |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | | 1 | 2 | | | | 2 | | | 1 |
| DISEASES OF EARLY INFANCY | 1 | 4 | 2 | 5 | 5 | 5 | 1 | | 1 | |
| SENILITY AND ILL DEFINED | 1 | | | | 1 | | | | | |
| ACCIDENTS MOTOR VEHICLE | 1 | 3 | 2 | 2 | 4 | 5 | 5 | 3 | 8 | 2 |
| ACCIDENTS OTHER | 2 | 3 | 5 | 1 | | 2 | 9 | 3 | 2 | 6 |
| SUICIDE | 1 | | | 2 | | 2 | | 1 | 1 | 1 |
| HOMICIDE | | | | | | 1 | | | 1 | |
| ALL OTHER CAUSES | 2 | 5 | 3 | 4 | | 1 | 3 | 3 | 3 | 2 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| SHELBY | | | | | | | | | | |
| TUBERCULOSIS | | | 1 | 3 | | 1 | 3 | 2 | 4 | 6 |
| SYPHILIS | | | | | 1 | | 1 | | 1 | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | 1 | | | | 2 | 3 | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | 1 | | | | | | |
| INFECTIOUS HEPATITIS | 1 | | | | | 1 | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | | | | 2 | | | 2 |
| MALIGNANT NEOPLASMS | 55 | 44 | 48 | 33 | 54 | 41 | 41 | 47 | 48 | 38 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 2 | 1 | 2 | | 1 | 1 | | 2 | |
| ASTHMA | | | 2 | 4 | 4 | | 1 | 2 | 1 | |
| DIABETES | 5 | 3 | 2 | 2 | 4 | 11 | 7 | 5 | 6 | 5 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 52 | 46 | 44 | 40 | 37 | 49 | 46 | 32 | 37 | 32 |
| RHEUMATIC FEVER | | | | | | | | | | 1 |
| HEART DISEASE | 123 | 108 | 130 | 103 | 123 | 108 | 106 | 103 | 126 | 115 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 3 | 9 | 3 | 3 | 4 | 1 | 3 | 6 | 3 | 6 |
| GENERAL ARTERIOSCLEROSIS | 9 | 4 | 9 | 11 | 4 | 8 | 6 | 5 | 10 | 7 |
| OTHER CIRCULATORY | 3 | | 1 | | | | | 2 | 2 | |
| INFLUENZA | 1 | 1 | 5 | | | | 1 | 2 | | 1 |
| PNEUMONIA | 7 | 3 | 3 | 4 | 6 | 6 | 3 | 2 | 5 | 7 |
| BRONCHITIS | | 1 | 1 | | 1 | | 1 | 1 | | 1 |
| ULCER OF STOMACH AND DUODENUM | 4 | 1 | 3 | 1 | 2 | 1 | | 5 | | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 2 | 2 | 1 | 2 | 6 | 1 | 1 | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | 3 | 1 | | 1 | | 1 | 2 | 3 |
| CIRRHOSIS OF LIVER | 1 | 1 | | | 2 | 2 | | 1 | | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | | | 1 | | | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 12 | 9 | 12 | 5 | 14 | 13 | 8 | 8 | 23 | 10 |
| INFECTIONS OF KIDNEY | | 5 | 2 | 2 | | 1 | 2 | | 1 | |
| HYPERPLASIA OF PROSTATE | 4 | 3 | 2 | | 1 | 3 | 3 | 1 | 2 | 2 |
| MATERNAL CAUSES | | | | | | | | | | 1 |
| CONGENITAL MALFORMATIONS | 1 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 1 | 5 |
| DISEASES OF EARLY INFANCY | 4 | 7 | 8 | 2 | 4 | 5 | 6 | 6 | 6 | 12 |
| SENILITY AND ILL DEFINED | | | 1 | | | | 1 | 1 | 2 | |
| ACCIDENTS MOTOR VEHICLE | 13 | 7 | 9 | 8 | 5 | 2 | 10 | 9 | 8 | 8 |
| ACCIDENTS OTHER | 8 | 12 | 7 | 7 | 7 | 4 | 12 | 9 | 10 | 15 |
| SUICIDE | 1 | 3 | 4 | 3 | 1 | 4 | 3 | 5 | 1 | 5 |
| HOMICIDE | | | | | | 1 | | | 1 | |
| ALL OTHER CAUSES | 6 | 7 | 8 | 9 | 8 | 3 | 8 | 9 | 14 | 13 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| STARK | | | | | | | | | | |
| TUBERCULOSIS | | | | | | | | 1 | 1 | |
| SYPHILIS | | | | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | 1 |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | 1 | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | | | | 1 | | | |
| MALIGNANT NEOPLASMS | 14 | 18 | 13 | 13 | 9 | 15 | 18 | 17 | 10 | 7 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | 1 | | | | | 1 | | |
| ASTHMA | | | 1 | 1 | | 1 | | 2 | | |
| DIABETES | 1 | | 1 | | 1 | 2 | | 1 | 1 | 2 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 15 | 13 | 17 | 16 | 14 | 9 | 10 | 9 | 14 | 17 |
| RHEUMATIC FEVER | | | | | | | | 2 | | |
| HEART DISEASE | 44 | 56 | 48 | 55 | 39 | 32 | 36 | 37 | 43 | 28 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | | | | 1 | | 2 | 1 | | 1 |
| GENERAL ARTERIOSCLEROSIS | 6 | 4 | 2 | 3 | 2 | 3 | 1 | 3 | 2 | 4 |
| OTHER CIRCULATORY | | | | | | 1 | 1 | 2 | | 1 |
| INFLUENZA | | 2 | | 1 | | | | | 1 | |
| PNEUMONIA | | 3 | 3 | 2 | 3 | 1 | 2 | 3 | 2 | 3 |
| BRONCHITIS | | | | 1 | | | | | | |
| ULCER OF STOMACH AND DUODENUM | | 1 | 1 | | 1 | 1 | | | | |
| HERNIA INTESTINAL OBSTRUCTION | | 1 | | | 1 | | | | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | | 1 | | 1 | | | 3 | |
| CIRRHOSIS OF LIVER | | | | 1 | | | 1 | | | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | 1 | | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | 1 | 4 | 2 | 1 | 2 | | 2 | 3 | 3 |
| INFECTIONS OF KIDNEY | | | | | | 1 | | 1 | | |
| HYPERPLASIA OF PROSTATE | 2 | | | | | 1 | 1 | 2 | 1 | 1 |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | | 1 | | 2 | | | 1 | 1 | 1 | 1 |
| DISEASES OF EARLY INFANCY | 1 | | | | 2 | | | | | 3 |
| SENILITY AND ILL DEFINED | 1 | 3 | | 2 | 1 | 5 | | 2 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 2 | | 4 | 6 | 1 | 2 | 2 | | 1 | 1 |
| ACCIDENTS OTHER | 4 | 6 | 9 | 1 | 5 | 4 | 1 | 5 | 6 | 2 |
| SUICIDE | 1 | | | | 1 | | 1 | | | 1 |
| HOMICIDE | | 1 | | | | | | | | |
| ALL OTHER CAUSES | 7 | 2 | 5 | 4 | 1 | 3 | 1 | 6 | 6 | 3 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| STEPHENSON | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 1 | 3 | | 2 | 3 | 1 | 7 | |
| SYPHILIS | 1 | 1 | | | | 1 | 2 | 4 | 2 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | 2 | 3 | | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | 2 | | | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | 1 | 2 | 1 | 1 | | 2 | 1 | 1 |
| MALIGNANT NEOPLASMS | 89 | 76 | 84 | 75 | 86 | 82 | 62 | 88 | 63 | 63 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 3 | | 1 | 1 | 1 | | 2 | 1 | 2 |
| ASTHMA | 1 | | 1 | 2 | 2 | 2 | 2 | 1 | | |
| DIABETES | 10 | 10 | 8 | 15 | 8 | 10 | 10 | 11 | 12 | 10 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 69 | 47 | 67 | 56 | 64 | 53 | 53 | 70 | 56 | 70 |
| RHEUMATIC FEVER | | | | | | | | | | 1 |
| HEART DISEASE | 238 | 246 | 213 | 239 | 231 | 190 | 196 | 172 | 191 | 185 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 7 | 5 | 5 | 6 | 3 | 5 | 12 | 4 | 4 | 3 |
| GENERAL ARTERIOSCLEROSIS | 12 | 7 | 11 | 7 | 12 | 7 | 11 | 8 | 10 | 8 |
| OTHER CIRCULATORY | 12 | 3 | 5 | 5 | 4 | 2 | 1 | 3 | 1 | 1 |
| INFLUENZA | 1 | 2 | 1 | 2 | | | 4 | | 1 | 2 |
| PNEUMONIA | 8 | 19 | 17 | 13 | 12 | 11 | 13 | 12 | 12 | 14 |
| BRONCHITIS | 1 | | | 1 | 3 | | 3 | 1 | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 3 | | 3 | 4 | 6 | 3 | 1 | 3 | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 1 | 2 | 4 | 6 | 5 | 5 | 4 | 4 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 2 | 3 | 1 | 1 | 4 | 2 | 2 | 2 | |
| CIRRHOSIS OF LIVER | 6 | 3 | 5 | 3 | 2 | 3 | 4 | 4 | 4 | 4 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | 1 | | 3 | | 3 | 2 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 4 | 9 | 4 | 3 | 5 | 11 | 13 | 24 | 11 | 16 |
| INFECTIONS OF KIDNEY | 3 | 1 | 3 | 3 | | | | | 1 | 1 |
| HYPERPLASIA OF PROSTATE | | 5 | 1 | | 1 | | 4 | 2 | 4 | 7 |
| MATERNAL CAUSES | 1 | | | | | 1 | 1 | | | |
| CONGENITAL MALFORMATIONS | 4 | 10 | 3 | 6 | 5 | | 4 | 2 | 5 | 5 |
| DISEASES OF EARLY INFANCY | 7 | 14 | 18 | 13 | 11 | 20 | 13 | 8 | 10 | 11 |
| SENILITY AND ILL DEFINED | | | 2 | | 1 | 1 | 3 | 3 | 4 | 3 |
| ACCIDENTS MOTOR VEHICLE | 16 | 9 | 10 | 15 | 15 | 11 | 9 | 14 | 12 | 11 |
| ACCIDENTS OTHER | 12 | 13 | 7 | 19 | 8 | 13 | 15 | 15 | 19 | 12 |
| SUICIDE | 4 | 9 | 8 | 7 | 6 | 5 | 7 | 6 | 11 | 7 |
| HOMICIDE | | 1 | | | 1 | | | | | |
| ALL OTHER CAUSES | 20 | 26 | 16 | 21 | 20 | 16 | 14 | 17 | 18 | 24 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| TAZEWELL | | | | | | | | | | |
| TUBERCULOSIS | 5 | 4 | 3 | 13 | 2 | 7 | 2 | 6 | 9 | 5 |
| SYPHILIS | 1 | 1 | | 2 | 1 | | 2 | 5 | 3 | 5 |
| MENINGOCOCCAL INFECTIONS | | | | 1 | | | 1 | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | 1 | 1 | 1 | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | | | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | 1 | 1 | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | 1 | 2 | 2 | | 1 | 2 | 2 | 1 | 2 |
| MALIGNANT NEOPLASMS | 122 | 119 | 110 | 104 | 109 | 95 | 108 | 106 | 84 | 100 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 1 | 2 | 4 | 3 | 3 | 1 | 2 | | |
| ASTHMA | 5 | 3 | 2 | 5 | 2 | 3 | 5 | 3 | 3 | |
| DIABETES | 8 | 15 | 14 | 8 | 10 | 11 | 12 | 13 | 13 | 10 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 66 | 74 | 69 | 79 | 65 | 85 | 64 | 80 | 66 | 80 |
| RHEUMATIC FEVER | | 1 | | | | | | | | 1 |
| HEART DISEASE | 284 | 266 | 308 | 248 | 209 | 204 | 233 | 208 | 202 | 192 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 6 | 14 | 8 | 7 | 5 | 5 | 10 | 7 | 6 | 4 |
| GENERAL ARTERIOSCLEROSIS | 23 | 17 | 16 | 15 | 10 | 6 | 14 | 13 | 15 | 17 |
| OTHER CIRCULATORY | 8 | 4 | 11 | 3 | 9 | 4 | 4 | 2 | 5 | 6 |
| INFLUENZA | | 1 | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 1 |
| PNEUMONIA | 31 | 27 | 18 | 22 | 16 | 14 | 26 | 16 | 21 | 12 |
| BRONCHITIS | 3 | 3 | | | | | | 3 | 2 | 2 |
| ULCER OF STOMACH AND DUODENUM | 9 | 5 | 2 | 2 | 1 | 4 | 4 | 3 | 3 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 11 | 3 | 8 | 4 | 5 | 3 | 5 | 3 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 1 | 3 | 1 | 3 | 1 | | 1 | 2 | 5 |
| CIRRHOSIS OF LIVER | 9 | 1 | 6 | 3 | 3 | | 3 | 8 | 10 | 5 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 12 | 5 | 7 | 9 | 11 | 3 | 12 | 4 | 17 | 10 |
| INFECTIONS OF KIDNEY | | 4 | 1 | 2 | | 2 | | 2 | | 1 |
| HYPERPLASIA OF PROSTATE | 3 | 2 | 1 | 3 | 3 | 3 | 3 | 2 | 3 | 6 |
| MATERNAL CAUSES | | | 2 | | 1 | | 2 | | 2 | |
| CONGENITAL MALFORMATIONS | 10 | 11 | 8 | 12 | 14 | 12 | 9 | 8 | 9 | 14 |
| DISEASES OF EARLY INFANCY | 26 | 28 | 33 | 25 | 37 | 35 | 36 | 37 | 22 | 22 |
| SENILITY AND ILL DEFINED | | 1 | | | 1 | | 1 | 2 | 4 | 2 |
| ACCIDENTS MOTOR VEHICLE | 22 | 17 | 32 | 20 | 30 | 27 | 28 | 24 | 20 | 16 |
| ACCIDENTS OTHER | 19 | 20 | 19 | 30 | 21 | 21 | 28 | 25 | 22 | 17 |
| SUICIDE | 13 | 6 | 10 | 7 | 14 | 8 | 10 | 6 | 10 | 9 |
| HOMICIDE | 1 | 1 | 1 | | | 1 | 1 | 1 | | |
| ALL OTHER CAUSES | 26 | 21 | 31 | 26 | 23 | 38 | 25 | 24 | 30 | 32 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| UNION | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 3 | 2 | 3 | 3 | 1 | 2 | 4 | 6 |
| SYPHILIS | | | | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | 1 |
| POLIOMYELITIS ACUTE | | | | | | | 1 | | 1 | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | 1 | | | | 1 | |
| INFECTIOUS HEPATITIS | | | | | | | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | 1 | 1 | | 2 | | 1 | | 1 | |
| MALIGNANT NEOPLASMS | 35 | 35 | 27 | 18 | 36 | 34 | 23 | 26 | 17 | 35 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 2 | 1 | 1 | | 1 | 1 | | 1 | |
| ASTHMA | 3 | 1 | 3 | | 1 | | 3 | 1 | 1 | |
| DIABETES | 1 | 6 | 2 | 6 | 3 | 9 | 2 | 2 | 4 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 25 | 30 | 32 | 25 | 24 | 27 | 24 | 13 | 27 | 23 |
| RHEUMATIC FEVER | | 1 | 1 | | | | 1 | | | |
| HEART DISEASE | 100 | 81 | 82 | 86 | 72 | 75 | 77 | 89 | 91 | 77 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 1 | 2 | 2 | 1 | | 1 | 1 | | 1 |
| GENERAL ARTERIOSCLEROSIS | 11 | 15 | 11 | 6 | 10 | 12 | 10 | 9 | 11 | 8 |
| OTHER CIRCULATORY | 1 | | 2 | 1 | 1 | | 1 | 1 | 2 | |
| INFLUENZA | | 2 | 2 | | | | | 4 | | |
| PNEUMONIA | 3 | 4 | 4 | 5 | 4 | 4 | 9 | 4 | 2 | 7 |
| BRONCHITIS | | | 2 | | 1 | | 1 | 3 | | 1 |
| ULCER OF STOMACH AND DUODENUM | 3 | 3 | 1 | | | 1 | 2 | 2 | 5 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | | | | 1 | 2 | 1 | 3 | 2 | 5 | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 1 | | | 1 | 2 | 3 | 1 | 1 | 4 |
| CIRRHOSIS OF LIVER | | 2 | 2 | 3 | 1 | 4 | 2 | 1 | 1 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | | 1 | | 1 | | | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 4 | 2 | 5 |
| INFECTIONS OF KIDNEY | 1 | 1 | 1 | | | | | | 1 | |
| HYPERPLASIA OF PROSTATE | | 2 | | | 1 | | | 1 | 1 | 2 |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | | 2 | 2 | 1 | 3 | 2 | 2 | | 1 | 2 |
| DISEASES OF EARLY INFANCY | 7 | 6 | 8 | 8 | 8 | 3 | 8 | 7 | 6 | 4 |
| SENILITY AND ILL DEFINED | | 1 | | | 1 | | | 3 | | 2 |
| ACCIDENTS MOTOR VEHICLE | 12 | 3 | 4 | 8 | 6 | 10 | 8 | 6 | 4 | 6 |
| ACCIDENTS OTHER | 12 | 1 | 6 | 4 | 8 | 7 | 7 | 4 | 7 | 4 |
| SUICIDE | 4 | | 2 | 2 | 1 | 2 | | 2 | 2 | 1 |
| HOMICIDE | | | 1 | 1 | 3 | 1 | | | | |
| ALL OTHER CAUSES | 4 | 9 | 7 | 8 | 7 | 10 | 6 | 11 | 9 | 6 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| VERMILION | | | | | | | | | | |
| TUBERCULOSIS | 4 | 5 | 4 | 5 | 4 | 8 | 6 | 14 | 23 | 10 |
| SYPHILIS | 3 | 4 | 2 | 3 | 3 | | 6 | 6 | 8 | 10 |
| MENINGOCOCCAL INFECTIONS | 2 | | | 2 | 2 | | | | 1 | |
| POLIOMYELITIS ACUTE | 2 | 1 | | 1 | 1 | 2 | | 7 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | 1 | | 1 | | | | | |
| INFECTIOUS HEPATITIS | | 1 | | | | | | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 3 | 2 | 2 | 1 | 1 | | 1 | 3 | 3 |
| MALIGNANT NEOPLASMS | 159 | 191 | 171 | 158 | 171 | 150 | 154 | 153 | 157 | 141 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 3 | 1 | 4 | 5 | 2 | 2 | 2 | 2 | 2 | 2 |
| ASTHMA | 3 | 4 | 8 | 5 | 6 | 2 | 4 | 5 | 3 | 3 |
| DIABETES | 9 | 16 | 16 | 10 | 14 | 12 | 17 | 16 | 15 | 21 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 140 | 115 | 131 | 139 | 126 | 87 | 119 | 111 | 128 | 142 |
| RHEUMATIC FEVER | 1 | | | 1 | 1 | 4 | | 2 | 1 | |
| HEART DISEASE | 492 | 468 | 509 | 481 | 436 | 445 | 474 | 414 | 425 | 437 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 15 | 14 | 11 | 10 | 15 | 10 | 14 | 12 | 9 | 11 |
| GENERAL ARTERIOSCLEROSIS | 32 | 19 | 37 | 23 | 41 | 22 | 35 | 41 | 30 | 24 |
| OTHER CIRCULATORY | 9 | 15 | 10 | 6 | 7 | 13 | 4 | 1 | 9 | 2 |
| INFLUENZA | | 2 | 2 | 1 | | 2 | 7 | 3 | 3 | 3 |
| PNEUMONIA | 52 | 36 | 45 | 29 | 34 | 27 | 34 | 31 | 32 | 30 |
| BRONCHITIS | 3 | 4 | 1 | | | | 3 | 1 | 4 | 3 |
| ULCER OF STOMACH AND DUODENUM | 10 | 8 | 7 | 7 | 4 | 8 | 3 | 4 | 7 | 5 |
| HERNIA INTESTINAL OBSTRUCTION | 7 | 1 | 3 | 5 | 5 | 7 | 9 | 4 | 4 | 4 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 6 | 2 | 3 | 1 | 3 | 1 | 1 | 1 | 4 |
| CIRRHOSIS OF LIVER | 5 | 7 | 5 | 5 | 12 | 3 | 9 | 13 | 8 | 6 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | 1 | 2 | 1 | 1 | 1 | 1 | | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 13 | 21 | 15 | 15 | 18 | 17 | 12 | 19 | 18 | 14 |
| INFECTIONS OF KIDNEY | 1 | 5 | 5 | 5 | 3 | 1 | 4 | 2 | 2 | 2 |
| HYPERPLASIA OF PROSTATE | 2 | 2 | 5 | | 4 | 4 | 5 | 6 | 4 | 5 |
| MATERNAL CAUSES | | | 2 | | | | | 1 | 1 | 2 |
| CONGENITAL MALFORMATIONS | 12 | 14 | 10 | 14 | 15 | 16 | 12 | 13 | 14 | 4 |
| DISEASES OF EARLY INFANCY | 44 | 38 | 28 | 28 | 27 | 45 | 29 | 33 | 41 | 38 |
| SENILITY AND ILL DEFINED | 1 | 2 | 3 | 3 | | 3 | 1 | 4 | 1 | 3 |
| ACCIDENTS MOTOR VEHICLE | 29 | 15 | 23 | 33 | 21 | 20 | 16 | 19 | 26 | 20 |
| ACCIDENTS OTHER | 35 | 29 | 26 | 34 | 31 | 32 | 36 | 31 | 49 | 30 |
| SUICIDE | 11 | 8 | 8 | 9 | 10 | 3 | 13 | 5 | 11 | 14 |
| HOMICIDE | 3 | 4 | 3 | 6 | 4 | 1 | 2 | | 4 | 1 |
| ALL OTHER CAUSES | 43 | 47 | 46 | 40 | 38 | 29 | 48 | 40 | 41 | 53 |

DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS URBAN AND EACH COUNTY: 1950-1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WABASH | | | | | | | | | | |
| TUBERCULOSIS | 1 | | 1 | 2 | | 1 | | | 3 | 1 |
| SYPHILIS | | | 1 | | 1 | 2 | | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | 1 | | | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | 1 | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | | | | | | | 2 | | |
| MALIGNANT NEOPLASMS | 23 | 39 | 34 | 27 | 21 | 26 | 30 | 21 | 24 | 20 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | 2 | 2 | | 1 | | | | |
| ASTHMA | 2 | 2 | | 2 | 1 | 2 | | | | 1 |
| DIABETES | 2 | 1 | 7 | 3 | 3 | 1 | 4 | 2 | 3 | 4 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 18 | 24 | 28 | 15 | 28 | 13 | 17 | 13 | 20 | 24 |
| RHEUMATIC FEVER | | | | | | | 1 | 1 | | 1 |
| HEART DISEASE | 78 | 70 | 73 | 79 | 71 | 55 | 80 | 55 | 72 | 84 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | | 2 | 1 | 2 | 1 | | | | 1 |
| GENERAL ARTERIOSCLEROSIS | 6 | 4 | | 3 | 6 | 3 | 1 | 1 | | 4 |
| OTHER CIRCULATORY | | 1 | | 1 | | | 1 | 1 | 2 | 1 |
| INFLUENZA | | 3 | 3 | | 2 | | 5 | | 1 | 1 |
| PNEUMONIA | 4 | 8 | 6 | 3 | 7 | 3 | 12 | 3 | 7 | 1 |
| BRONCHITIS | | | 1 | 2 | | 3 | | 1 | 1 | 2 |
| ULCER OF STOMACH AND DUODENUM | 1 | | | | 1 | | 2 | 1 | | |
| HERNIA INTESTINAL OBSTRUCTION | 2 | 2 | 2 | 1 | 1 | 3 | 4 | 4 | 2 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | | 2 | | 1 | | | 3 | | 1 |
| CIRRHOSIS OF LIVER | 1 | | | 1 | 1 | | | | 1 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | 1 | 1 | | 1 | | | 2 | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 2 | 2 | 7 | 6 | | 3 | 3 | 4 | 6 | 7 |
| INFECTIONS OF KIDNEY | | | | | 1 | 2 | | | | 1 |
| HYPERPLASIA OF PROSTATE | | | | 1 | | | | | | 1 |
| MATERNAL CAUSES | | | | | 1 | | | | | |
| CONGENITAL MALFORMATIONS | 1 | 1 | 4 | 1 | | 2 | 4 | 1 | 3 | 2 |
| DISEASES OF EARLY INFANCY | 3 | 1 | 2 | 4 | 7 | 2 | 3 | 2 | 2 | 3 |
| SENILITY AND ILL DEFINED | | | 1 | | | 2 | | | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | | 3 | 5 | 6 | 9 | 2 | 4 | 3 | 5 | 3 |
| ACCIDENTS OTHER | 5 | 4 | 5 | 8 | 4 | 4 | 10 | 11 | 9 | 6 |
| SUICIDE | 1 | 3 | | | | 2 | | | 2 | |
| HOMICIDE | | | | | 3 | | | | | 1 |
| ALL OTHER CAUSES | 10 | 10 | 4 | 9 | 9 | 4 | 11 | 17 | 8 | 8 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WARREN | | | | | | | | | | |
| TUBERCULOSIS | 2 | | 1 | 3 | 1 | | | 2 | 2 | 3 |
| SYPHILIS | | | | | 1 | | | | 3 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | 2 | 1 | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | 1 | | | | 1 | | 1 | |
| MALIGNANT NEOPLASMS | 44 | 30 | 32 | 35 | 36 | 36 | 29 | 33 | 32 | 45 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | 1 | | | | | | 1 | 1 | |
| ASTHMA | 1 | 1 | 1 | 1 | | 1 | | 1 | | 2 |
| DIABETES | 1 | 1 | 2 | 1 | 2 | 5 | 4 | 6 | 3 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 33 | 36 | 39 | 24 | 25 | 29 | 33 | 33 | 35 | 38 |
| RHEUMATIC FEVER | 1 | 1 | | | 1 | 1 | | | | |
| HEART DISEASE | 129 | 141 | 139 | 118 | 113 | 94 | 95 | 107 | 115 | 125 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 10 | 6 | 7 | 1 | 1 | 2 | 7 | 4 | 2 | 6 |
| GENERAL ARTERIOSCLEROSIS | 5 | 2 | 2 | 2 | 5 | 1 | 2 | 2 | 6 | 7 |
| OTHER CIRCULATORY | 3 | | | | | 1 | | 1 | | |
| INFLUENZA | | | 1 | 1 | | | 1 | | | 2 |
| PNEUMONIA | 5 | 6 | 10 | 12 | 6 | 2 | 7 | 6 | 8 | 6 |
| BRONCHITIS | 1 | | | | | | | | | |
| ULCER OF STOMACH AND DUODENUM | 2 | | 1 | 4 | 1 | 1 | | | | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 2 | 1 | 3 | | | 2 | 3 | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | | 1 | | | 2 | | | |
| CIRRHOSIS OF LIVER | 1 | 3 | 2 | 2 | | | 3 | | 1 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | | | | | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 1 | 2 | 3 | 5 | 3 | 2 | 4 | 2 | 5 | 2 |
| INFECTIONS OF KIDNEY | 1 | 2 | | | | | | 2 | | |
| HYPERPLASIA OF PROSTATE | | 1 | | 2 | 2 | 2 | | | 2 | 3 |
| MATERNAL CAUSES | | | | | 1 | 1 | 1 | | | 1 |
| CONGENITAL MALFORMATIONS | 2 | 3 | 5 | 4 | 5 | 6 | 3 | 4 | 7 | |
| DISEASES OF EARLY INFANCY | 5 | 2 | 5 | 7 | 6 | 11 | 10 | 8 | 2 | 10 |
| SENILITY AND ILL DEFINED | | | | | 1 | | | 1 | | 1 |
| ACCIDENTS MOTOR VEHICLE | 16 | 4 | 3 | 3 | 10 | 17 | 3 | 9 | 11 | 6 |
| ACCIDENTS OTHER | 7 | 7 | 8 | 11 | 10 | 6 | 8 | 13 | 7 | 13 |
| SUICIDE | 6 | 3 | 6 | 3 | 1 | 5 | 4 | 3 | 3 | 5 |
| HOMICIDE | 1 | | 1 | | | | 1 | 1 | | |
| ALL OTHER CAUSES | 8 | 5 | 3 | 4 | 11 | 7 | 9 | 12 | 8 | 9 |

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WASHINGTON | | | | | | | | | | |
| TUBERCULOSIS | 1 | | 1 | 1 | | | 2 | 1 | 3 | 2 |
| SYPHILIS | | | | | | | 1 | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | 1 | | |
| POLIOMYELITIS ACUTE | 1 | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | 1 | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | 2 | | 1 | | 1 | | 1 |
| MALIGNANT NEOPLASMS | 23 | 19 | 28 | 31 | 30 | 33 | 21 | 30 | 23 | 18 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | | | | 1 | | 2 | |
| ASTHMA | | | 2 | | | 1 | | 1 | | |
| DIABETES | 2 | 4 | 1 | 4 | 1 | 4 | 5 | 2 | 6 | 5 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 27 | 36 | 19 | 28 | 40 | 29 | 26 | 35 | 27 | 26 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 77 | 79 | 85 | 74 | 73 | 64 | 42 | 50 | 67 | 58 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 1 | 5 | 2 | 2 | 1 | 3 | 4 | 1 | 1 | 2 |
| GENERAL ARTERIOSCLEROSIS | 1 | 6 | 4 | 3 | 9 | 10 | 5 | 9 | 6 | 3 |
| OTHER CIRCULATORY | 1 | | | 1 | 1 | | | 1 | | 2 |
| INFLUENZA | 1 | 2 | 1 | | 2 | 1 | 1 | | | |
| PNEUMONIA | 16 | 17 | 9 | 20 | 14 | 8 | 6 | 12 | 5 | 6 |
| BRONCHITIS | | | | | | 1 | | 3 | | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | | | | | | | 1 | |
| HERNIA INTESTINAL OBSTRUCTION | 2 | | 2 | 3 | 1 | | 3 | | 1 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | | 1 | | | 1 | 1 | 3 | 1 | |
| CIRRHOSIS OF LIVER | | 1 | | | | | 2 | | 2 | |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 1 | 1 | 2 | 1 | 1 | 2 | 3 | 4 | 3 |
| INFECTIONS OF KIDNEY | 2 | 1 | 3 | | 1 | | | 1 | | |
| HYPERPLASIA OF PROSTATE | | | 2 | 1 | 1 | 1 | 1 | | | 3 |
| MATERNAL CAUSES | | | | | | | | 1 | 1 | |
| CONGENITAL MALFORMATIONS | 1 | | | 1 | 1 | 1 | | | 2 | |
| DISEASES OF EARLY INFANCY | 7 | 2 | 1 | 3 | 5 | | 6 | 6 | 7 | 4 |
| SENILITY AND ILL DEFINED | 6 | 1 | | | | 1 | 6 | 4 | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | 5 | 2 | 4 | 2 | 2 | 4 | 5 | 7 | 1 | 8 |
| ACCIDENTS OTHER | 5 | 9 | 8 | 4 | 4 | 8 | 10 | 4 | 6 | 10 |
| SUICIDE | 1 | 1 | 3 | 1 | 1 | 1 | 5 | 3 | 3 | 2 |
| HOMICIDE | | | | | | | | | | |
| ALL OTHER CAUSES | 1 | 7 | 8 | 7 | 10 | 7 | 8 | 10 | 8 | 8 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WAYNE | | | | | | | | | | |
| TUBERCULOSIS | | 5 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 2 |
| SYPHILIS | | | | | | 1 | | | 2 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | 1 | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | 1 |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 23 | 23 | 30 | 34 | 33 | 25 | 29 | 24 | 27 | 22 |
| MALIGNANT NEOPLASMS | | 1 | | 1 | | | 2 | | | |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | 1 | | 2 | 1 | 1 | 1 | 2 | |
| ASTHMA | | | | | | | | | | |
| DIABETES | 3 | 5 | 3 | 1 | 3 | 1 | 6 | 3 | 3 | 5 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 25 | 18 | 32 | 26 | 19 | 19 | 27 | 28 | 24 | 17 |
| RHEUMATIC FEVER | | | | | | | 1 | | | 1 |
| HEART DISEASE | 90 | 108 | 89 | 114 | 99 | 83 | 84 | 81 | 101 | 103 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | | 1 | | 1 | 3 | 3 | 3 | 2 | 2 |
| GENERAL ARTERIOSCLEROSIS | 5 | 5 | 9 | 8 | 3 | 5 | 9 | 9 | 10 | 2 |
| OTHER CIRCULATORY | | 1 | 2 | 2 | 1 | 1 | | | 2 | |
| INFLUENZA | | 1 | | | 1 | | 2 | 1 | | 1 |
| PNEUMONIA | 4 | 7 | 7 | 5 | 4 | 2 | 4 | 9 | 8 | 3 |
| BRONCHITIS | | | | 2 | 1 | | | | 1 | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 2 | | 1 | 2 | 1 | 1 | 1 | 2 | |
| HERNIA INTESTINAL OBSTRUCTION | 1 | | 4 | 2 | | 3 | | | | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 3 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 2 |
| CIRRHOSIS OF LIVER | | | 1 | | 1 | 2 | 1 | | 1 | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | 2 | 1 | 2 | 3 | 2 | 3 | 3 | 1 | 6 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | | | | | | | | 2 | | 4 |
| INFECTIONS OF KIDNEY | | 1 | | 1 | 1 | 3 | 1 | 3 | | 5 |
| HYPERPLASIA OF PROSTATE | | 1 | | | 1 | | 3 | | | |
| MATERNAL CAUSES | 5 | 4 | 2 | 1 | | 5 | 3 | 3 | 2 | 2 |
| CONGENITAL MALFORMATIONS | | | | | 1 | | | | | |
| DISEASES OF EARLY INFANCY | 8 | 2 | 2 | 4 | 5 | 6 | 7 | 7 | 5 | 5 |
| SENILITY AND ILL DEFINED | 1 | | | 1 | 1 | | | | 1 | 1 |
| ACCIDENTS MOTOR VEHICLE | 2 | 4 | 9 | 12 | 6 | 3 | 6 | 7 | 12 | 8 |
| ACCIDENTS OTHER | 12 | 6 | 4 | 10 | 3 | 10 | 10 | 7 | 8 | 8 |
| SUICIDE | 2 | 3 | | 2 | 3 | 4 | 4 | 2 | 1 | |
| HOMICIDE | | | | | | | 1 | | 2 | 2 |
| ALL OTHER CAUSES | 5 | 7 | 8 | 11 | 6 | 4 | 8 | 8 | 9 | 11 |

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WHITE | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | 1 | 3 | | 3 | 4 | 4 | 7 | 3 |
| SYPHILIS | | | | | | | | | | |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | | | 1 | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 1 | 1 | | 1 | 1 | 4 | 1 | | | 1 |
| MALIGNANT NEOPLASMS | 36 | 28 | 35 | 40 | 32 | 38 | 34 | 29 | 23 | 26 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 1 | | | 2 | 1 | | 1 | | 1 | 2 |
| ASTHMA | | 1 | 1 | 1 | 1 | 2 | 1 | 1 | | |
| DIABETES | 4 | 7 | 6 | 4 | 1 | 3 | 8 | 6 | 7 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 41 | 37 | 43 | 37 | 39 | 45 | 37 | 40 | 48 | 32 |
| RHEUMATIC FEVER | | | | | | | | | | |
| HEART DISEASE | 103 | 91 | 105 | 83 | 89 | 70 | 76 | 97 | 85 | 75 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | | 1 | 1 | 3 | 2 | 1 | 1 | 2 | 1 | 1 |
| GENERAL ARTERIOSCLEROSIS | 11 | 18 | 16 | 10 | 9 | 13 | 11 | 13 | 11 | 12 |
| OTHER CIRCULATORY | 2 | 7 | 2 | 2 | | 1 | | 4 | 1 | 2 |
| INFLUENZA | 1 | | 2 | | | 1 | 4 | | 5 | 4 |
| PNEUMONIA | 2 | 5 | 5 | 7 | 10 | 3 | 10 | 8 | 10 | 6 |
| BRONCHITIS | | | | | | | | 1 | | |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | 2 | 1 | | 2 | 1 | 3 | | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 3 | 1 | 1 | 1 | | 1 | | 2 | |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 1 | 1 | | | | 3 | 1 | 2 | |
| CIRRHOSIS OF LIVER | 2 | 1 | | | | 2 | | 1 | | 2 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 3 | 1 | 2 | 2 | 3 | 4 | 1 | 4 | 8 | 4 |
| INFECTIONS OF KIDNEY | 1 | 2 | | | | 2 | | | | |
| HYPERPLASIA OF PROSTATE | 1 | 2 | | 1 | 1 | 2 | | 3 | 1 | |
| MATERNAL CAUSES | 1 | 1 | 1 | | 1 | 1 | 1 | | 1 | 1 |
| CONGENITAL MALFORMATIONS | | 3 | 4 | 4 | 3 | 1 | 3 | 1 | 1 | 3 |
| DISEASES OF EARLY INFANCY | 2 | 5 | 4 | 5 | 5 | 6 | 9 | 11 | 7 | 10 |
| SENILITY AND ILL DEFINED | | | | | | | | 4 | | 3 |
| ACCIDENTS MOTOR VEHICLE | 16 | 7 | 14 | 3 | 11 | 6 | 6 | 8 | 5 | 8 |
| ACCIDENTS OTHER | 5 | 14 | 10 | 3 | 11 | 9 | 10 | 13 | 10 | 14 |
| SUICIDE | 1 | 1 | 3 | 3 | 1 | 1 | | 2 | 4 | 3 |
| HOMICIDE | | | | | 1 | | 2 | | | 1 |
| ALL OTHER CAUSES | 7 | 6 | 5 | 6 | 8 | 10 | 4 | 8 | 13 | 7 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WHITESIDE | | | | | | | | | | |
| TUBERCULOSIS | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 3 | 3 |
| SYPHILIS | | | 1 | 1 | 1 | | | | 2 | 1 |
| MENINGOCOCCAL INFECTIONS | | | | | | | 1 | | 1 | |
| POLIOMYELITIS ACUTE | | | | | | 1 | 3 | | 1 | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | 1 | 1 | 1 | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | 2 | 2 | 1 | 1 | 2 | 4 | | 1 | 1 |
| MALIGNANT NEOPLASMS | 77 | 81 | 84 | 75 | 73 | 74 | 64 | 79 | 73 | 75 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | 1 | 3 | 1 | 2 | | 2 | 1 | 2 | 3 |
| ASTHMA | 1 | 2 | 2 | 3 | 2 | | 4 | 2 | 4 | 6 |
| DIABETES | 14 | 5 | 9 | 12 | 19 | 9 | 9 | 13 | 12 | 14 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 56 | 60 | 72 | 68 | 68 | 42 | 47 | 51 | 56 | 60 |
| RHEUMATIC FEVER | | | | | 1 | | | 1 | 1 | |
| HEART DISEASE | 229 | 234 | 247 | 196 | 220 | 197 | 230 | 211 | 191 | 180 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 5 | 8 | 3 | 5 | 7 | 3 | 4 | 3 | 7 | 6 |
| GENERAL ARTERIOSCLEROSIS | 15 | 19 | 12 | 14 | 16 | 4 | 9 | 14 | 9 | 7 |
| OTHER CIRCULATORY | 4 | 7 | 10 | 3 | 5 | 3 | 3 | 3 | 2 | 4 |
| INFLUENZA | | | 2 | 1 | 1 | 1 | 3 | 2 | | 1 |
| PNEUMONIA | 14 | 14 | 25 | 21 | 9 | 13 | 13 | 9 | 15 | 11 |
| BRONCHITIS | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 1 | 1 | 3 |
| ULCER OF STOMACH AND DUODENUM | | 3 | 4 | 3 | 1 | 2 | | 5 | 4 | 4 |
| HERNIA INTESTINAL OBSTRUCTION | 3 | 1 | 1 | 3 | 1 | 2 | 2 | 2 | 7 | 3 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 1 | 4 | 2 | 2 | 4 | 2 | 4 | 3 | 1 | 6 |
| CIRRHOSIS OF LIVER | 3 | 1 | 2 | 4 | 3 | 4 | 5 | 1 | 4 | 1 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | 1 | | 2 | 2 | 3 | 1 | 1 | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 5 | 3 | 2 | 5 | 4 | 6 | 5 | 6 | 8 | 3 |
| INFECTIONS OF KIDNEY | 3 | 1 | 2 | | 1 | | 3 | 1 | | 1 |
| HYPERPLASIA OF PROSTATE | | 5 | 3 | 5 | 3 | 6 | 4 | 1 | 5 | 4 |
| MATERNAL CAUSES | | 1 | | | 1 | 1 | | 1 | 1 | 1 |
| CONGENITAL MALFORMATIONS | 7 | 11 | 6 | 11 | 8 | 9 | 12 | 9 | 9 | 12 |
| DISEASES OF EARLY INFANCY | 18 | 16 | 18 | 18 | 23 | 13 | 21 | 23 | 14 | 20 |
| SENILITY AND ILL DEFINED | 1 | 2 | | | | 1 | | | 4 | 2 |
| ACCIDENTS MOTOR VEHICLE | 18 | 15 | 20 | 19 | 16 | 22 | 17 | 19 | 10 | 10 |
| ACCIDENTS OTHER | 11 | 14 | 21 | 18 | 20 | 17 | 18 | 33 | 17 | 17 |
| SUICIDE | 8 | 2 | 3 | 7 | 4 | 3 | 6 | 6 | 4 | 6 |
| HOMICIDE | 1 | | | 1 | | 1 | | | | 1 |
| | | | 21 | 12 | 21 | 11 | 24 | 19 | 21 | 33 |

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WILL | | | | | | | | | | |
| TUBERCULOSIS | 11 | 6 | 7 | 10 | 11 | 8 | 15 | 18 | 12 | 24 |
| SYPHILIS | | 1 | 2 | 2 | 1 | 3 | 3 | 2 | 5 | 3 |
| MENINGOCOCCAL INFECTIONS | | | 1 | | 2 | | 3 | 1 | | 1 |
| POLIOMYELITIS ACUTE | | | | | | 3 | 2 | 4 | 2 | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | 5 | 2 | 1 | | 2 | 2 | | | | |
| INFECTIOUS HEPATITIS | | | | | | 3 | 2 | 2 | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | 3 | 3 | 2 | 2 | 2 | 3 | 4 | 3 | 1 |
| MALIGNANT NEOPLASMS | 244 | 237 | 246 | 253 | 230 | 232 | 202 | 207 | 194 | 198 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 4 | 2 | 3 | 4 | 2 | 4 | 2 | 2 | 4 |
| ASTHMA | 3 | 7 | 6 | 8 | 6 | 7 | 3 | 11 | 4 | 4 |
| DIABETES | 32 | 26 | 26 | 27 | 26 | 28 | 27 | 25 | 26 | 21 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 164 | 172 | 157 | 143 | 138 | 130 | 148 | 160 | 122 | 145 |
| RHEUMATIC FEVER | 1 | 1 | | 3 | | 1 | 3 | | 3 | |
| HEART DISEASE | 688 | 649 | 686 | 580 | 644 | 575 | 562 | 572 | 543 | 546 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 17 | 13 | 17 | 12 | 13 | 7 | 12 | 20 | 13 | 10 |
| GENERAL ARTERIOSCLEROSIS | 37 | 38 | 29 | 26 | 24 | 25 | 27 | 32 | 25 | 24 |
| OTHER CIRCULATORY | 12 | 10 | 14 | 9 | 12 | 6 | 6 | 10 | 5 | 5 |
| INFLUENZA | 2 | 4 | 7 | 3 | 2 | 3 | 11 | 7 | 6 | 6 |
| PNEUMONIA | 31 | 56 | 43 | 58 | 43 | 35 | 36 | 42 | 38 | 32 |
| BRONCHITIS | 4 | 7 | 6 | 6 | 3 | 3 | 5 | 5 | 4 | 7 |
| ULCER OF STOMACH AND DUODENUM | 13 | 17 | 14 | 5 | 7 | 13 | 9 | 12 | 16 | 6 |
| HERNIA INTESTINAL OBSTRUCTION | 10 | 6 | 9 | 5 | 12 | 9 | 12 | 3 | 8 | 12 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 9 | 9 | 6 | 13 | 3 | 8 | 10 | 4 | 7 | 4 |
| CIRRHOSIS OF LIVER | 15 | 19 | 17 | 12 | 15 | 14 | 14 | 10 | 13 | 18 |
| NEPHRITIS AND NEPHROSIS ACUTE | 2 | 2 | 2 | 7 | 2 | 2 | | 4 | 3 | 1 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 7 | 11 | 12 | 11 | 16 | 15 | 21 | 21 | 19 | 22 |
| INFECTIONS OF KIDNEY | 6 | 4 | 4 | 3 | 2 | 5 | 1 | 2 | 9 | |
| HYPERPLASIA OF PROSTATE | 2 | 5 | 6 | 5 | 3 | 6 | 9 | 5 | 4 | 12 |
| MATERNAL CAUSES | 2 | 2 | 4 | | 4 | 2 | 1 | 1 | 2 | 1 |
| CONGENITAL MALFORMATIONS | 21 | 18 | 19 | 19 | 15 | 19 | 24 | 19 | 20 | 21 |
| DISEASES OF EARLY INFANCY | 69 | 83 | 78 | 77 | 59 | 60 | 77 | 49 | 40 | 44 |
| SENILITY AND ILL DEFINED | 2 | 1 | 2 | 1 | 2 | | 1 | 3 | | 6 |
| ACCIDENTS MOTOR VEHICLE | 45 | 43 | 66 | 47 | 51 | 49 | 56 | 37 | 35 | 26 |
| ACCIDENTS OTHER | 52 | 49 | 60 | 56 | 41 | 40 | 32 | 32 | 44 | 56 |
| SUICIDE | 19 | 14 | 20 | 20 | 11 | 15 | 18 | 11 | 10 | 18 |
| HOMICIDE | 5 | 4 | 4 | 1 | 1 | 3 | 2 | 1 | 4 | 2 |
| ALL OTHER CAUSES | 56 | 65 | 48 | 64 | 60 | 51 | 60 | 53 | 58 | 57 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WILLIAMSON | | | | | | | | | | |
| TUBERCULOSIS | 7 | 3 | 5 | 5 | 8 | 9 | 15 | 9 | 6 | 13 |
| SYPHILIS | | | | | 3 | 2 | | 3 | 1 | 3 |
| MENINGOCOCCAL INFECTIONS | | | | | | | | | | |
| POLIOMYELITIS ACUTE | | | | | 1 | | | 3 | 4 | 2 |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | 1 | | | | | | 2 | 1 | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 2 | 4 | | | 2 | 3 | 1 | 4 | 1 | 4 |
| MALIGNANT NEOPLASMS | 77 | 81 | 84 | 85 | 88 | 84 | 83 | 63 | 82 | 61 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 2 | 2 | 1 | | 4 | 1 | 1 | 2 | 3 | |
| ASTHMA | 4 | 2 | 1 | 1 | 3 | 4 | 3 | 1 | 3 | 4 |
| DIABETES | 8 | 5 | 6 | 9 | 3 | 5 | 8 | 10 | 8 | 6 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 61 | 85 | 89 | 62 | 64 | 74 | 93 | 70 | 95 | 63 |
| RHEUMATIC FEVER | | | | | | 1 | | 2 | | |
| HEART DISEASE | 275 | 270 | 239 | 245 | 263 | 212 | 229 | 243 | 227 | 225 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 16 | 11 | 15 | 8 | 8 | 7 | 7 | 8 | 9 | 1 |
| GENERAL ARTERIOSCLEROSIS | 15 | 27 | 20 | 24 | 32 | 35 | 23 | 25 | 17 | 18 |
| OTHER CIRCULATORY | 5 | 7 | 3 | 3 | 1 | 5 | 4 | 1 | 1 | |
| INFLUENZA | | 2 | | | | | 1 | 2 | 2 | 6 |
| PNEUMONIA | 6 | 9 | 13 | 10 | 18 | 10 | 9 | 11 | 4 | 4 |
| BRONCHITIS | 2 | 2 | | | | | 2 | 1 | 1 | 2 |
| ULCER OF STOMACH AND DUODENUM | 2 | 1 | 2 | 3 | 3 | 1 | 5 | 4 | 1 | 3 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 3 | 2 | | 7 | 1 | | 3 | 6 | 6 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 2 | 6 | 3 | 1 | | | 3 | 2 | 2 | 3 |
| CIRRHOSIS OF LIVER | 6 | 8 | 6 | 4 | 4 | 4 | 5 | 2 | 2 | 3 |
| NEPHRITIS AND NEPHROSIS ACUTE | 1 | 1 | 1 | 2 | 2 | 4 | 2 | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 6 | 5 | 2 | 6 | 8 | 6 | 7 | 1 | 6 | 10 |
| INFECTIONS OF KIDNEY | 3 | 4 | | 2 | 1 | | | 1 | | |
| HYPERPLASIA OF PROSTATE | 5 | 3 | 5 | 3 | 2 | 2 | 2 | 5 | 4 | 1 |
| MATERNAL CAUSES | 1 | | 1 | | | | 1 | | 1 | 2 |
| CONGENITAL MALFORMATIONS | 2 | 6 | 3 | 6 | 5 | 4 | 4 | 6 | 9 | 4 |
| DISEASES OF EARLY INFANCY | 15 | 9 | 10 | 8 | 8 | 18 | 11 | 10 | 11 | 14 |
| SENILITY AND ILL DEFINED | 2 | 1 | | 2 | | 1 | 2 | 2 | 3 | 6 |
| ACCIDENTS MOTOR VEHICLE | 9 | 12 | 12 | 12 | 15 | 13 | 18 | 21 | 14 | 12 |
| ACCIDENTS OTHER | 19 | 16 | 15 | 35 | 23 | 26 | 24 | 38 | 51 | 33 |
| SUICIDE | 5 | 7 | 4 | 3 | 9 | 7 | 6 | 6 | 9 | 7 |
| HOMICIDE | 2 | | | 3 | 1 | 1 | 1 | 4 | 3 | 5 |
| | 25 | 24 | 26 | 18 | 18 | 14 | 24 | 23 | 26 | 28 |

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WINNEBAGO | | | | | | | | | | |
| TUBERCULOSIS | 7 | 3 | 10 | 6 | 8 | 6 | 14 | 17 | 14 | 19 |
| SYPHILIS | 2 | 1 | 1 | 1 | | 3 | 1 | 4 | 10 | 10 |
| MENINGOCOCCAL INFECTIONS | 1 | | 2 | | | 1 | 2 | 1 | 1 | 1 |
| POLIOMYELITIS ACUTE | 1 | | | 2 | 2 | 3 | 2 | 3 | 4 | 13 |
| INFECTIOUS ENCEPHALITIS ACUTE | 1 | 1 | 3 | 1 | 1 | 1 | | | | |
| INFECTIOUS HEPATITIS | 1 | 2 | 2 | 1 | | 1 | | | 1 | |
| OTHER INFECTIVE AND PARASITIC DISEASES | 5 | 1 | 3 | 3 | 4 | 4 | 1 | 5 | 1 | 3 |
| MALIGNANT NEOPLASMS | 277 | 263 | 274 | 259 | 246 | 235 | 243 | 190 | 208 | 223 |
| BENIGN AND UNSPECIFIED NEOPLASMS | 3 | 1 | 2 | 6 | 4 | 6 | 6 | 4 | 3 | 1 |
| ASTHMA | 2 | 6 | 6 | 7 | 1 | 8 | 5 | 3 | 9 | 4 |
| DIABETES | 33 | 20 | 27 | 22 | 11 | 24 | 28 | 20 | 21 | 29 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 193 | 216 | 185 | 185 | 188 | 192 | 192 | 201 | 151 | 173 |
| RHEUMATIC FEVER | 1 | 1 | 2 | 1 | 3 | | 2 | 2 | 1 | 1 |
| HEART DISEASE | 630 | 626 | 662 | 623 | 576 | 551 | 517 | 500 | 504 | 529 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 14 | 15 | 10 | 13 | 7 | 8 | 21 | 8 | 15 | 12 |
| GENERAL ARTERIOSCLEROSIS | 29 | 22 | 31 | 21 | 21 | 20 | 26 | 30 | 37 | 32 |
| OTHER CIRCULATORY | 25 | 16 | 17 | 10 | 10 | 9 | 7 | 6 | 7 | 7 |
| INFLUENZA | 1 | 2 | 2 | | 1 | 1 | 2 | 2 | 6 | 4 |
| PNEUMONIA | 79 | 79 | 76 | 75 | 61 | 49 | 52 | 46 | 43 | 33 |
| BRONCHITIS | 4 | 6 | 4 | 5 | 2 | 2 | 4 | 2 | 8 | 2 |
| ULCER OF STOMACH AND DUODENUM | 12 | 18 | 7 | 12 | 7 | 13 | 20 | 13 | 5 | 7 |
| HERNIA INTESTINAL OBSTRUCTION | 9 | 13 | 15 | 8 | 10 | 10 | 10 | 9 | 11 | 7 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | 7 | 6 | 6 | 10 | 8 | 3 | 9 | 8 | 5 | 5 |
| CIRRHOSIS OF LIVER | 13 | 9 | 18 | 20 | 13 | 12 | 21 | 12 | 8 | 15 |
| NEPHRITIS AND NEPHROSIS ACUTE | 5 | 1 | | 3 | | 3 | 3 | 5 | 2 | 5 |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 7 | 12 | 13 | 11 | 12 | 11 | 15 | 17 | 28 | 22 |
| INFECTIONS OF KIDNEY | 7 | 7 | 7 | 3 | 4 | 2 | 1 | 4 | 1 | 3 |
| HYPERPLASIA OF PROSTATE | 4 | 5 | 4 | 7 | 4 | 10 | 8 | 10 | 13 | 10 |
| MATERNAL CAUSES | | 1 | 3 | | 2 | 1 | 1 | 2 | 2 | 4 |
| CONGENITAL MALFORMATIONS | 45 | 29 | 40 | 26 | 31 | 23 | 25 | 30 | 31 | 31 |
| DISEASES OF EARLY INFANCY | 90 | 72 | 90 | 78 | 60 | 69 | 76 | 72 | 77 | 64 |
| SENILITY AND ILL DEFINED | 3 | 2 | 1 | 3 | 2 | 2 | 4 | 5 | 4 | 5 |
| ACCIDENTS MOTOR VEHICLE | 37 | 49 | 49 | 55 | 64 | 56 | 60 | 48 | 36 | 61 |
| ACCIDENTS OTHER | 46 | 39 | 49 | 45 | 52 | 47 | 55 | 52 | 63 | 52 |
| SUICIDE | 20 | 25 | 21 | 19 | 17 | 24 | 14 | 19 | 21 | 13 |
| HOMICIDE | 4 | 4 | 4 | 5 | | 4 | 1 | 3 | 2 | 5 |
| ALL OTHER CAUSES | 86 | 67 | 69 | 56 | 52 | 63 | 72 | 75 | 62 | 60 |

# DEATHS BY CAUSE AND PLACE OF RESIDENCE, ILLINOIS CHICAGO AND EACH COUNTY: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| WOODFORD | | | | | | | | | | |
| TUBERCULOSIS | | | | | 1 | 1 | 1 | 1 | 1 | 1 |
| SYPHILIS | | | | | | | | | | 1 |
| MENINGOCOCCAL INFECTIONS | | | 1 | | | 1 | | | | |
| POLIOMYELITIS ACUTE | | | | | | | | | | |
| INFECTIOUS ENCEPHALITIS ACUTE | | | 1 | | | | | | | |
| INFECTIOUS HEPATITIS | | | | | | | | | | |
| OTHER INFECTIVE AND PARASITIC DISEASES | | | | 1 | 1 | 1 | 1 | 1 | | 2 |
| MALIGNANT NEOPLASMS | 37 | 38 | 25 | 44 | 48 | 44 | 29 | 35 | 41 | 32 |
| BENIGN AND UNSPECIFIED NEOPLASMS | | | 1 | | | 1 | 2 | 2 | 1 | 1 |
| ASTHMA | 1 | | 2 | 1 | 1 | 1 | | 1 | | |
| DIABETES | 7 | 3 | 3 | 3 | 2 | 3 | 3 | 4 | 2 | 3 |
| VASCULAR LESIONS CENTRAL NERVOUS SYSTEM | 28 | 26 | 35 | 31 | 40 | 30 | 37 | 30 | 24 | 21 |
| RHEUMATIC FEVER | | | | | | | | | | 1 |
| HEART DISEASE | 108 | 108 | 108 | 99 | 86 | 82 | 90 | 85 | 95 | 78 |
| HYPERTENSION WITHOUT HEART INVOLVEMENT | 2 | 2 | 3 | 2 | 2 | 6 | 1 | 3 | 3 | 4 |
| GENERAL ARTERIOSCLEROSIS | 8 | 15 | 17 | 10 | 13 | 10 | 15 | 7 | 12 | 5 |
| OTHER CIRCULATORY | 1 | 1 | | 3 | 1 | | 2 | | 3 | |
| INFLUENZA | 1 | | 2 | | 1 | 2 | | 2 | | 1 |
| PNEUMONIA | 5 | 2 | 6 | 2 | 5 | 4 | 5 | 5 | 4 | 2 |
| BRONCHITIS | | | | | | | 1 | | | 1 |
| ULCER OF STOMACH AND DUODENUM | 1 | 1 | 1 | 1 | 1 | | 1 | | 3 | 1 |
| HERNIA INTESTINAL OBSTRUCTION | 1 | 3 | 1 | 1 | | | 1 | | | 1 |
| GASTRITIS DUODENITIS ENTERITIS COLITIS | | 4 | 3 | | 1 | 3 | | 1 | 1 | |
| CIRRHOSIS OF LIVER | 1 | 1 | 1 | | 1 | | 3 | 1 | 1 | 5 |
| NEPHRITIS AND NEPHROSIS ACUTE | | | | | | 1 | | | | |
| NEPHRITIS AND RENAL SCLEROSIS CHRONIC | 5 | 2 | 2 | 3 | 1 | 2 | 3 | 1 | 4 | 7 |
| INFECTIONS OF KIDNEY | 1 | 1 | 1 | | | | 1 | | | |
| HYPERPLASIA OF PROSTATE | 1 | | 1 | 1 | 1 | 2 | | 2 | 3 | |
| MATERNAL CAUSES | | | | | | | | | | |
| CONGENITAL MALFORMATIONS | 3 | 4 | 3 | 6 | 4 | 2 | 2 | 2 | 5 | 3 |
| DISEASES OF EARLY INFANCY | 4 | 7 | 8 | 8 | 8 | 9 | 11 | 4 | 7 | 10 |
| SENILITY AND ILL DEFINED | | 1 | | | | | 1 | 2 | 1 | |
| ACCIDENTS MOTOR VEHICLE | 9 | 7 | 8 | 6 | 13 | 9 | 5 | 15 | 10 | 8 |
| ACCIDENTS OTHER | 5 | 4 | 6 | 9 | 1 | 11 | 7 | 12 | 8 | 9 |
| SUICIDE | | 1 | 3 | 3 | 2 | 4 | 2 | 2 | 3 | 1 |
| HOMICIDE | 9 | 3 | 7 | 8 | 6 | 5 | 8 | 14 | 10 | 9 |

ESTIMATED POPULATION ILLINOIS AND EACH COUNTY: JULY 1, 1959

(Based on U. S. Census Release dated June 30, 1960)

| County | 1959 | County | 1959 |
|---|---|---|---|
| ILLINOIS | 9,914,900 | Lawrence | 18,600 |
| Adams | 67,800 | Lee | 38,600 |
| Alexander | 15,900 | Livingston | 39,900 |
| Bond | 14,100 | Logan | 33,300 |
| Boone | 20,000 | McDonough | 28,700 |
| Brown | 6,300 | McHenry | 80,300 |
| Bureau | 37,100 | McLean | 82,700 |
| Calhoun | 6,000 | Macon | 115,900 |
| Carroll | 19,300 | Macoupin | 43,200 |
| Cass | 14,500 | Madison | 220,300 |
| Champaign | 130,200 | Marion | 39,200 |
| Christian | 37,200 | Marshall | 13,300 |
| Clark | 16,600 | Mason | 15,200 |
| Clay | 15,900 | Massac | 14,100 |
| Clinton | 23,900 | Menard | 9,300 |
| Coles | 42,500 | Mercer | 17,100 |
| Cook | 5,043,600 | Monroe | 15,200 |
| Chicago | (3,613,100) | Montgomery | 31,200 |
| Crawford | 20,700 | Morgan | 36,400 |
| Cumberland | 9,900 | Moultrie | 13,500 |
| De Kalb | 50,600 | Ogle | 37,600 |
| De Witt | 17,100 | Peoria | 187,100 |
| Douglas | 19,000 | Perry | 19,300 |
| Du Page | 301,700 | Piatt | 14,900 |
| Edgar | 22,500 | Pike | 20,800 |
| Edwards | 8,000 | Pope | 4,100 |
| Effingham | 23,100 | Pulaski | 10,700 |
| Fayette | 22,000 | Putnam | 4,600 |
| Ford | 16,500 | Randolph | 29,900 |
| Franklin | 39,600 | Richland | 16,200 |
| Fulton | 41,900 | Rock Island | 147,600 |
| Gallatin | 7,800 | St. Clair | 259,500 |
| Greene | 17,500 | Saline | 26,600 |
| Grundy | 22,100 | Sangamon | 145,000 |
| Hamilton | 10,100 | Schuyler | 8,800 |
| Hancock | 24,500 | Scott | 6,400 |
| Hardin | 6,000 | Shelby | 23,400 |
| Henderson | 8,200 | Stark | 8,400 |
| Henry | 48,900 | Stephenson | 45,600 |
| Iroquois | 33,400 | Tazewell | 97,300 |
| Jackson | 42,000 | Union | 17,800 |
| Jasper | 11,300 | Vermilion | 95,000 |
| Jefferson | 32,500 | Wabash | 14,100 |
| Jersey | 17,000 | Warren | 21,600 |
| Jo Daviess | 21,700 | Washington | 13,600 |
| Johnson | 7,000 | Wayne | 19,000 |
| Kane | 203,200 | White | 19,300 |
| Kankakee | 88,800 | Whiteside | 58,900 |
| Kendall | 17,100 | Will | 186,200 |
| Knox | 60,500 | Williamson | 45,900 |
| Lake | 282,500 | Winnebago | 204,500 |
| La Salle | 109,400 | Woodford | 24,200 |

JO DAVIESS
STEPHENSON
WINNEBAGO
BOONE
McHENRY
LAKE
CARROLL
OGLE
DE KALB
KANE
COOK
DU PAGE
WHITESIDE
LEE
KENDALL
WILL
HENRY
BUREAU
LA SALLE
GRUNDY
ROCK ISLAND
MERCER
KANKAKEE
PUTNAM
KNOX
STARK
MARSHALL
LIVINGSTON
WARREN
IROQUOIS
PEORIA
WOODFORD
HENDER-SON
McLEAN
FULTON
HANCOCK
McDONOUGH
TAZEWELL
FORD
VERMILION
CHAMPAIGN
MASON
LOGAN
DE WITT
SCHUYLER
ADAMS
MENARD
PIATT
CASS
MACON
BROWN
DOUGLAS
EDGAR
SANGAMON
MORGAN
PIKE
MOULTRIE
SCOTT
COLES
CHRISTIAN
SHELBY
CLARK
GREENE
MACOUPIN
CUMBERLAND
CAL-HOUN
MONTGOMERY
FAYETTE
EFFINGHAM
JASPER
JERSEY
CRAWFORD
MADISON
BOND
CLAY
RICHLAND
LAWRENCE
MARION
CLINTON
WAYNE
ST.CLAIR
WABASH
EDWARDS
WASHINGTON
JEFFERSON
MONROE
HAMILTON
WHITE
RANDOLPH
PERRY
FRANKLIN
JACKSON
SALINE
GALLATIN
WILLIAMSON
UNION
JOHNSON
POPE
HARDIN
ALEX-ANDER
PULASKI
MASSAC

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill.
Permit No. 101

PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

L611v
1959
v.2
pt.3

# VITAL STATISTICS ILLINOIS

## VOL. II -- COUNTY SUMMARIES

## Part 3 -- MORBIDITY

1950 1959

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

THE LIBRARY OF THE
DEC 12 1960
UNIVERSITY OF ILLINOIS

# VITA
# STATIS
# ILLIN

## VOL. II -- COUNT
## Part 3 -- M

Return this book on or before the
**Latest Date** stamped below.
Theft, mutilation, and underlining of books are reasons for disciplinary action and may result in dismissal from the University.
University of Illinois Library

1950 1959

L161—O-1096

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS
October, 1960

STATE OF ILLINOIS

William G. Stratton

Governor

DEPARTMENT OF PUBLIC HEALTH

L. L. Fatherree, M. D.

Director

BUREAU OF STATISTICS

Springfield, Illinois

October, 1960

614.1
IF611V
1959
V.2
pt.3
Cop.2



VOL. I -- STATE SUMMARY DATA: 1959

VOL. II -- COUNTY SUMMARIES

Part 1 -- Natality statistics: 1950-1959
Part 2 -- Mortality statistics: 1950-1959
Part 3 -- Morbidity statistics: 1950-1959

# MORBIDITY STATISTICS

It has been said that "No health department, state or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring."

The purpose of this volume on morbidity statistics is to provide the best available information on the occurrence and variation of morbidities reported to the Illinois Department of Public Health for the period 1950 through 1959.

It should be borne in mind that like all other vital data, these data represent only the reported cases and do not reflect absolutely the true incidence of cases that have occurred. The degree of completeness in reporting varies with the seriousness of the disease and the interest shown by the medical profession and the general public.

In the 1959 revision of the "Rules and Regulations for the Control of Communicable Diseases," some diseases were dropped from the list of those required to be reported to the Department of Public Health. Influenza and pneumonia were dropped because of poor reporting. However, influenza in epidemic proportions is still to be reported in total numbers rather than by individual reports. When the need for such reporting becomes apparent, special notice is sent to the full-time county, city, district and regional health departments. Other diseases removed from the list are either low in incidence due to the advent of antibiotics, are of questionable communicability, or have been found to be of little public health significance.

The basis for morbidity reporting stems from the principle that government has the responsibility for the protection of the health of its citizens. In the discharge of this responsibility it is necessary to know the current situation, to have a knowledge of the past, and to project for the future. Morbidity information serves also to bring about control and prevention by restricting the freedom of movement of cases or carriers of infectious diseases.

Morbidity reporting also provides background data and insight into problems for medical research and for other informational and health education purposes. The reporting system itself is also important in that it provides an existing mechanism that would be available if the threat of biologic warfare or atomic bombing becomes a reality.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

ILLINOIS

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | 5 | 1 | 3 | 2 | 1 | 2 | | | | |
| AMEBIASIS CASES & CARRIERS | 345 | 279 | 310 | 428 | 478 | 771 | 594 | 534 | 705 | 635 |
| ANTHRAX | | | | | | 1 | 1 | 1 | | |
| BRUCELLOSIS | 71 | 83 | 120 | 133 | 140 | 203 | 243 | 294 | 445 | 442 |
| CHANCROID | 41 | 43 | 22 | 57 | 229 | 211 | 135 | 105 | 417 | 343 |
| CHICKENPOX | 9669 | 11631 | 15804 | 14495 | 17139 | 11427 | 17[illegible] | 15540 | 15437 | [illegible]253 |
| CONJUNCTIVITIS ALL FORMS | 3 | 49 | 63 | 50 | 60 | 109 | 54 | 31 | 50 | 157 |
| DIARRHEA OF NEWBORN | 11 | 159 | 238 | 198 | 107 | 97 | 72 | 69 | 243 | 133 |
| DIPHTHERIA CASES & CARRIERS | 80 | 73 | 45 | 201 | 238 | 316 | 258 | 89 | 149 | 245 |
| DYSENTERY BACILARY CASES &CRS | 324 | 230 | 234 | 192 | 464 | 640 | 570 | 386 | 325 | 307 |
| ENCEPHALITIS ACUTE & POST | 133 | 218 | 130 | 146 | 130 | 109 | 98 | 107 | 71 | 50 |
| ERYSIPELAS | * | 140 | 107 | 120 | 106 | 218 | 176 | 138 | 100 | 145 |
| FOOD INFECTIONS | 337 | 457 | 381 | 335 | 230 | 595 | 213 | 128 | 196 | 152 |
| FOOD POISONINGS | 364 | 310 | 135 | 548 | 124 | 451 | 160 | 141 | 46 | 100 |
| GERMAN MEASLES | 2148 | 15431 | 4866 | 6314 | 1583 | 1419 | 3344 | 6108 | 1541 | 1675 |
| GONORRHEA | 18596 | 21522 | 19738 | 20169 | 21110 | 21810 | 21014 | 16555 | 20471 | 21037 |
| HEPATITIS INFECTIOUS & SERUM | 895 | 706 | 728 | 700 | 1028 | 2464 | 1048 | 241 | 156 | 44 |
| IMPETIGO CONTAGIOSA | 2 | 6 | 2 | 7 | 20 | 17 | | 7 | 15 | 15 |
| INFLUENZA ALL FORMS | * | 632 | 141518 | 66 | 69 | 153 | 1931 | 159 | 243 | 422 |
| KERATOCONJUNCTIVITIS | | | | | 4 | 63 | 4 | 2 | 1 | 7 |
| LEPROSY | 1 | | 4 | | | 1 | | | | 1 |
| LEPTOSPIROSIS | 1 | | 1 | | 1 | 1 | | | | |
| MALARIA | 2 | 3 | 3 | 2 | 3 | 1 | 3 | 6 | 5 | 23 |
| MEASLES | 10913 | 24413 | 10826 | 41952 | 14742 | 32983 | 16722 | 32391 | 8164 | 19233 |
| MENINGITIS MENINGOCOCCAL | 168 | 175 | 162 | 147 | 188 | 190 | 256 | 282 | 219 | 223 |
| MENINGITIS OTHER | 545 | 734 | 463 | 286 | 258 | 250 | 251 | 263 | 220 | 227 |
| MONONUCLEOSIS INFECTIOUS | * | 501 | 336 | 362 | 230 | 75 | 31 | 6 | | 1 |
| MUMPS | 5424 | 9538 | 6888 | 6750 | 12309 | 10219 | 7502 | 10751 | 6979 | 6978 |
| PARATYPHOID CASES & CARRIERS | 7 | 3 | 2 | 15 | 5 | 18 | 13 | 14 | 11 | 4 |
| PNEUMONIA ALL FORMS | * | 3587 | 3271 | 2843 | 2724 | 2808 | 2815 | 2830 | 2977 | 3859 |
| POLIOMYELITIS | 332 | 204 | 307 | 1957 | 1408 | 2212 | 2040 | 4001 | 1699 | 1941 |
| PSITTACOSIS & ORNITHOSIS | 11 | 7 | 18 | 39 | 40 | 32 | 34 | 9 | 6 | |
| RABIES IN MAN | | | | | | 1 | | 1 | | |
| RHEUMATIC FEVER | 1446 | 1327 | 854 | 897 | 379 | 420 | 335 | 238 | 196 | 187 |
| RINGWORM OF THE SCALP | 158 | 185 | 161 | 262 | 428 | 651 | 576 | 568 | 528 | 1406 |
| ROCKY MT SPOTTED FEVER | 1 | 9 | 6 | 6 | 2 | 11 | 5 | 7 | 6 | 13 |
| SCARLET FEVER & STREP THROAT | 7473 | 4501 | 5359 | 3383 | 3183 | 3953 | 4403 | 4140 | 3031 | 2178 |
| SYPHILIS | 8510 | 7355 | 6891 | 4985 | 4323 | 5117 | 5832 | 8024 | 9435 | 11264 |
| TETANUS | 18 | 24 | 20 | 28 | 29 | 40 | 29 | 33 | 22 | 21 |
| TOXOPLASMOSIS | | 3 | | | 1 | | | | | |
| TRACHOMA | | | | | | 1 | | | 6 | 5 |
| TRICHINOSIS | 2 | 3 | 6 | 2 | 2 | 2 | 16 | 4 | 4 | 2 |
| TUBERCULOSIS | 4220 | 4616 | 5123 | 5450 | 5813 | 5811 | 5606 | 4481 | 6949 | 7630 |
| TULAREMIA | 48 | 61 | 33 | 45 | 50 | 101 | 29 | 67 | 74 | 78 |
| TYPHOID CASES & CARRIERS | 34 | 38 | 30 | 44 | 51 | 66 | 76 | 55 | 82 | 111 |
| TYPHUS CASES & CARRIERS | | 1 | 12 | 2 | 2 | 4 | 1 | | 1 | |
| VINCENTS INFECTION | * | 134 | 97 | 75 | 63 | 51 | 56 | 34 | 58 | 81 |
| WHOOPING COUGH | 1714 | 947 | 880 | 569 | 1801 | 1874 | 579 | 705 | 1452 | 3339 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CHICAGO CITY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | 1 | 2 | 2 | | | | | | |
| AMEBIASIS CASES & CARRIERS | 40 | 77 | 141 | 113 | 195 | 156 | 215 | 335 | 454 | 395 |
| ANTHRAX | | | | | | | 1 | | | |
| BRUCELLOSIS | 1 | 6 | 6 | 16 | 11 | 6 | 36 | 8 | 30 | 15 |
| CHANCROID | 40 | 35 | 17 | 36 | 223 | 204 | 115 | 98 | 405 | 368 |
| CHICKENPOX | 1770 | 3191 | 3496 | 3529 | 5349 | 3757 | 5056 | 4806 | 5644 | 5123 |
| CONJUNCTIVITIS ALL FORMS | 1 | 28 | 12 | 19 | 19 | 23 | 23 | 14 | 38 | 144 |
| DIARRHEA OF NEWBORN | 5 | 143 | 225 | 170 | 98 | 94 | 70 | 36 | 154 | 126 |
| DIPHTHERIA CASES & CARRIERS | 70 | 66 | 42 | 189 | 228 | 302 | 238 | 72 | 116 | 181 |
| DYSENTERY BACILARY CASES &CRS | 59 | 70 | 35 | 59 | 87 | 68 | 41 | 69 | 165 | 95 |
| ENCEPHALITIS ACUTE & POST | 41 | 80 | 33 | 56 | 51 | 35 | 43 | 50 | 18 | 20 |
| ERYSIPELAS | 39 | 27 | 19 | 25 | 19 | 44 | 49 | 28 | 28 | 48 |
| FOOD INFECTIONS | 43 | 228 | 208 | 86 | 90 | 68 | 85 | 46 | 62 | 100 |
| FOOD POISONINGS | 202 | 185 | 2 | 142 | | | 1 | | | |
| GERMAN MEASLES | 630 | 2091 | 773 | 1466 | 542 | 400 | 975 | 901 | 416 | 479 |
| GONORRHEA | 16102 | 19313 | 17372 | 17560 | 18308 | 18824 | 17477 | 12717 | 17039 | 16834 |
| HEPATITIS INFECTIOUS & SERUM | 251 | 155 | 139 | 131 | 212 | 197 | 88 | 35 | 13 | 6 |
| IMPETIGO CONTAGIOSA | | | | 1 | 4 | | | | | |
| INFLUENZA ALL FORMS | 13 | 63 | 521 | 10 | 8 | 29 | 162 | 52 | 170 | 32 |
| KERATOCONJUNCTIVITIS | | | | | 1 | 46 | | | | 3 |
| LEPROSY | | | 2 | | | 1 | | | | 1 |
| LEPTOSPIROSIS | | | | | | 1 | | | | |
| MALARIA | 1 | | 2 | 1 | 1 | | 3 | 4 | 4 | 2 |
| MEASLES | 5276 | 10060 | 2754 | 17761 | 5106 | 19255 | 42541 | 4017 | 5417 | 9629 |
| MENINGITIS MENINGOCOCCAL | 94 | 99 | 76 | 57 | 99 | 80 | 130 | 143 | 134 | 135 |
| MENINGITIS OTHER | 243 | 260 | 195 | 133 | 114 | 124 | 137 | 128 | 145 | 137 |
| MONONUCLEOSIS INFECTIOUS | 17 | 27 | 8 | 20 | 21 | 8 | | 3 | | 1 |
| MUMPS | 1042 | 1967 | 1705 | 1156 | 4043 | 1682 | 1921 | 3189 | 1909 | 3029 |
| PARATYPHOID CASES & CARRIERS | 3 | | 2 | 7 | 2 | 3 | 4 | 5 | 3 | 1 |
| PNEUMONIA ALL FORMS | 2470 | 2720 | 2586 | 2382 | 2290 | 2422 | 2346 | 2394 | 2294 | 2363 |
| POLIOMYELITIS | 48 | 16 | 28 | 1207 | 399 | 652 | 343 | 1203 | 382 | 541 |
| PSITTACOSIS & ORNITHOSIS | | | | 5 | 6 | 2 | 5 | 3 | 4 | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 399 | 462 | 9 | 8 | 277 | 294 | 258 | 207 | 159 | 152 |
| RINGWORM OF THE SCALP | 84 | 142 | 94 | 120 | 248 | 363 | 364 | 460 | 368 | 1262 |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1267 | 1183 | 2236 | 1356 | 1287 | 1436 | 1623 | 1525 | 1108 | 749 |
| SYPHILIS | 7083 | 5759 | 4503 | 3184 | 2529 | 2869 | 3076 | 4365 | 5128 | 6527 |
| TETANUS | 5 | 9 | 5 | 5 | 9 | 17 | 4 | 11 | 5 | 3 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | 1 | | | | |
| TRICHINOSIS | 1 | | 3 | | 2 | 2 | 2 | 4 | 2 | 1 |
| TUBERCULOSIS | 2790 | 3094 | 3623 | 3841 | 4216 | 4011 | 3737 | 2515 | 5034 | 5180 |
| TULAREMIA | | 1 | | | 2 | | 4 | 3 | 1 | |
| TYPHOID CASES & CARRIERS | 12 | 12 | 13 | 9 | 14 | 18 | 24 | 14 | 11 | 27 |
| TYPHUS CASES & CARRIERS | | | 12 | 2 | 2 | 4 | 1 | | 1 | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 1186 | 709 | 695 | 368 | 1013 | 931 | 220 | 360 | 608 | 1165 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| ADAMS COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | 1 | 1 | 1 | 2 | 6 | 8 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 178 | 224 | 236 | 93 | 151 | 70 | 123 | 110 | 102 | 86 |
| CONJUNCTIVITIS ALL FORMS | | 2 | 1 | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | 1 | | | | 2 | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 3 | 6 | 1 | | | 1 | | 1 | |
| ERYSIPELAS | * | | | | | | 1 | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | 33 |
| GERMAN MEASLES | 21 | 576 | 11 | 16 | 6 | 6 | 25 | 72 | 19 | 1 |
| GONORRHEA | 14 | 18 | 15 | 15 | 11 | 19 | 24 | 30 | 15 | 13 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | 1 | 5 | 2 | 6 | | | | 1 |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 4981 | | | | | | | 2 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 37 | 612 | 26 | 264 | 16 | 307 | 118 | 32 | 212 | 225 |
| MENINGITIS MENINGOCOCCAL | 3 | 2 | 3 | 1 | | | | 3 | 1 | |
| MENINGITIS OTHER | 2 | 9 | 10 | 3 | 2 | 1 | | 2 | | |
| MONONUCLEOSIS INFECTIOUS | * | 7 | 4 | 1 | 1 | | | | | |
| MUMPS | 6 | 291 | 52 | 9 | 251 | 124 | 4 | 18 | 139 | 38 |
| PARATYPHOID CASES & CARRIERS | | | | | | 1 | | | | 1 |
| PNEUMONIA ALL FORMS | * | 1 | 3 | 1 | | 1 | 1 | | | 16 |
| POLIOMYELITIS | 4 | 1 | 6 | 4 | 16 | 12 | 14 | 19 | 35 | 28 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | 1 | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 14 | 8 | 16 | 17 | | 2 | | | | 1 |
| RINGWORM OF THE SCALP | | 2 | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | 1 | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 25 | 41 | 32 | 11 | 8 | 9 | 7 | 15 | 8 | 8 |
| SYPHILIS | 22 | 25 | 26 | 12 | 11 | 41 | 37 | 64 | 63 | 42 |
| TETANUS | 1 | 1 | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 17 | 24 | 23 | 14 | 17 | 25 | 33 | 35 | 53 | 43 |
| TULAREMIA | | | | | | | | 1 | | 1 |
| TYPHOID CASES & CARRIERS | | | | 1 | | | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | 1 | | | | 2 | | | | 2 |
| WHOOPING COUGH | 4 | 14 | | 8 | 25 | 6 | 12 | 30 | 1 | 47 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| ALEXANDER COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | 2 |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | 1 | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 18 | 14 | 21 | 3 | 1 | 1 | | 7 | 6 | 1 |
| CONJUNCTIVITIS ALL FORMS | | | 2 | 1 | | | | | 1 | 2 |
| DIARRHEA OF NEWBORN | | | | | 1 | 1 | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | 4 |
| DYSENTERY BACILARY CASES &CRS | | | | | | 4 | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | 1 | | | | 1 | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | 1 | | | | | | |
| GERMAN MEASLES | | | | 5 | | | | | | |
| GONORRHEA | 46 | 49 | 41 | 37 | 56 | 73 | 61 | 96 | 74 | 126 |
| HEPATITIS INFECTIOUS & SERUM | | | | 4 | 5 | 3 | 4 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 19 | 2388 | | | 3 | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | 1 | | | | | | | 1 | |
| MEASLES | 1 | 26 | 42 | | | 2 | 18 | | 8 | 1 |
| MENINGITIS MENINGOCOCCAL | | | | | | | 2 | | | |
| MENINGITIS OTHER | | | 1 | | 1 | 1 | | 1 | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | 1 | 1 | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 41 | 4 | 4 | 3 | 3 | | 1 | | 7 |
| POLIOMYELITIS | | | | | 3 | 2 | 5 | | 2 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 2 | 4 | 11 | | | | | | |
| RINGWORM OF THE SCALP | | 3 | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | 6 | 1 | 2 | 3 | 7 | 5 | 1 | 2 | 3 |
| SYPHILIS | 21 | 37 | 37 | 29 | 25 | 29 | 35 | 75 | 75 | 76 |
| TETANUS | | 1 | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 13 | 10 | 19 | 15 | 16 | 21 | 16 | 31 | 35 | 37 |
| TULAREMIA | | 1 | | | 1 | 1 | | | | |
| TYPHOID CASES & CARRIERS | | | | | 1 | | 1 | | 2 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 30 | 16 | | | 3 | | 1 | | 1 | 3 |

Deaths from notifiable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| BOND COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | 2 | | 2 | 2 | | 4 | 13 | 5 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | 1 | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 2 | 4 | 2 | | 2 | | | | 1 | 2 |
| HEPATITIS INFECTIOUS & SERUM | | | | | | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 2000 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | | 2 | | 7 | | | |
| MENINGITIS MENINGOCOCCAL | | | | | | | 2 | 1 | | |
| MENINGITIS OTHER | 1 | 1 | | | | | | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 3 | 2 | | 2 | | | | | |
| MUMPS | | | | 1 | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | 1 | 1 | | 1 |
| POLIOMYELITIS | | | 2 | | 3 | | 1 | 5 | 4 | 16 |
| PSITTACOSIS & ORNITHOSIS | | | | 3 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | 2 | 2 | 4 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | 1 | | | |
| SCARLET FEVER & STREP THROAT | | | | | | 1 | 1 | 1 | | 1 |
| SYPHILIS | 3 | 2 | 2 | 3 | 3 | 2 | 2 | 6 | 4 | 8 |
| TETANUS | | | | | | 1 | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 11 | 3 | 5 | 9 | 4 | 6 | 7 | 6 | 10 |
| TULAREMIA | 1 | 2 | | | | 1 | | 2 | | |
| TYPHOID CASES & CARRIERS | | | | | | | | 5 | 1 | 3 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| BOONE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | | | 1 | 4 | 4 | 3 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | 2 | 6 | 54 | | 16 | 4 | 15 | 25 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | 2 | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | 1 | 1 | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | 1 | | | | 1 | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | 5 | | | 1 | 13 | 1 |
| GONORRHEA | 6 | 3 | | 1 | 2 | 1 | 3 | | 4 | |
| HEPATITIS INFECTIOUS & SERUM | 3 | 3 | 4 | 22 | 5 | 5 | 2 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 4 | 22 | 6 | 46 | | 52 | 57 | 27 | 83 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | | 2 | | | | | 1 | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | | 1 | 2 | | 1 | | | |
| MUMPS | 2 | 1 | 7 | 2 | 38 | 2 | 1 | 6 | | 3 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | 1 | | |
| PNEUMONIA ALL FORMS | * | | 6 | 1 | 10 | | 3 | 3 | 9 | 4 |
| POLIOMYELITIS | 1 | | 4 | 2 | | 1 | | 5 | 1 | 8 |
| PSITTACOSIS & ORNITHOSIS | | 1 | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 2 | 1 | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | | | 1 | 5 | 2 | 1 | 2 | 3 | 4 |
| SYPHILIS | | 2 | 2 | | | 2 | 3 | 6 | 4 | 11 |
| TETANUS | | | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | | 2 | 2 | 1 | 1 | 1 | 5 | 3 | 3 | 7 |
| TULAREMIA | | | | | | | | 2 | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | 1 | | | 1 | | | | 19 | 5 |

*Cases not reported by counties. Cases in Illinois in July, 1954, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| BROWN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | 1 | 1 | | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | 1 | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 2 | | | 1 | 1 | 5 | 2 | 1 | 1 | 3 |
| HEPATITIS INFECTIOUS & SERUM | | 3 | | | 17 | | 4 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 1 | | 14 | 5 | 2 | | 4 | | 1 | |
| MENINGITIS MENINGOCOCCAL | | | 1 | | | | | | 1 | |
| MENINGITIS OTHER | | | | | | | 1 | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | 2 | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | 5 | |
| POLIOMYELITIS | | | | | | 1 | 3 | | 3 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | | | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | 1 | | | 17 | 1 | | | |
| SYPHILIS | | 1 | 2 | 2 | | | | 2 | 3 | 2 |
| TETANUS | | | 1 | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | | 4 | 1 | 2 | 2 | 4 | | 7 | 3 | 2 |
| TULAREMIA O | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | 2 | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| BUREAU COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | 1 | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | 1 | | | | | | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 2 | | | 1 | 3 | | 5 | 7 | 7 | 6 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 2 | 17 | 3 | 2 | 18 | | 40 | 4 | | 24 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | 1 | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | 2 | | | |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | | | 1 | | | | | |
| ERYSIPELAS | * | | 1 | | | | | | | |
| FOOD INFECTIONS | 1 | | | | 33 | 1 | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 2 | 14 | | 5 | 40 | | 4 | 2 | | |
| GONORRHEA | 10 | 6 | 1 | 2 | 2 | 1 | 3 | 5 | 3 | 7 |
| HEPATITIS INFECTIOUS & SERUM | 8 | | 5 | 13 | 18 | 16 | 3 | 2 | 1 | 1 |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 3 | 527 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | 2 | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 9 | 47 | 1 | 10 | 76 | 4 | 147 | 3 | 40 | 2 |
| MENINGITIS MENINGOCOCCAL | 2 | 1 | | 1 | | 1 | | | | 1 |
| MENINGITIS OTHER | 6 | 1 | | | 1 | 1 | | 2 | 1 | |
| MONONUCLEOSIS INFECTIOUS | * | | 1 | 1 | 1 | | | | | |
| MUMPS | 1 | 8 | 6 | | 14 | 1 | | 5 | 25 | 8 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 1 | 2 | 2 | | 1 | 1 | | |
| POLIOMYELITIS | 1 | 1 | 2 | 4 | 5 | 19 | 17 | 9 | 7 | 10 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 16 | 26 | 2 | 4 | | | | 1 | | |
| RINGWORM OF THE SCALP | | | | | 2 | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 17 | 4 | 1 | | 23 | 2 | 3 | 15 | 5 | 8 |
| SYPHILIS | 2 | 2 | 12 | 3 | 1 | 3 | 5 | 9 | 12 | 14 |
| TETANUS | | | | | | | | 1 | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 12 | 4 | | 5 | 5 | 8 | 11 | 8 | 10 | 19 |
| TULAREMIA | | | | | | | 1 | | | 1 |
| TYPHOID CASES & CARRIERS | | | | | | 6 | | | 1 | 3 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 3 | 1 | 1 | | 2 | 2 | | 2 | 16 | 24 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CALHOUN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | 1 | 1 | 2 | 3 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | 3 | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 1 | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | 1 | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | 1 | | | |
| GONORRHEA | 4 | 1 | | 1 | 2 | | 2 | 1 | 1 | 1 |
| HEPATITIS INFECTIOUS & SERUM | | | | 2 | 2 | 3 | 2 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | 1 | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | 6 | | | | 12 | | | |
| MENINGITIS MENINGOCOCCAL | | | | | 1 | 1 | 1 | | | |
| MENINGITIS OTHER | | | | | | 1 | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | | | | | | |
| MUMPS | 1 | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | | | | | 1 | | | |
| POLIOMYELITIS | | 1 | | | 1 | | 2 | | 3 | |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 2 | | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | | | | 1 | | | | | |
| SYPHILIS | | | 1 | | | 1 | | 2 | 1 | 3 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 1 | 4 | 2 | 1 | 2 | | 1 | 3 |
| TULAREMIA | | | | | | 1 | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CARROLL COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | 1 | | 3 | | 6 | 3 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 7 | 2 | 5 | 3 | 39 | 18 | 13 | 17 | 10 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | 1 |
| DYSENTERY BACILARY CASES &CRS | | 1 | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | 1 | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | 1 | | 1 | | | | | 4 | |
| FOOD POISONINGS | | | | | | | | | 3 | |
| GERMAN MEASLES | | 9 | 1 | 1 | | | 1 | 11 | 1 | |
| GONORRHEA | 1 | 2 | | 1 | | 1 | 3 | 5 | 1 | 2 |
| HEPATITIS INFECTIOUS & SERUM | 3 | 3 | 2 | 11 | 24 | 8 | | 1 | 9 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 547 | | | | | | 9 | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 3 | 2 | 16 | 3 | 16 | 8 | 21 | 12 | 80 | 2 |
| MENINGITIS MENINGOCOCCAL | | | 1 | | | | | 1 | | |
| MENINGITIS OTHER | 1 | 6 | 10 | | | | | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 3 | 1 | | 1 | | | | | |
| MUMPS | | 4 | 1 | 1 | 12 | 48 | 5 | 7 | 39 | 8 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | 1 | |
| PNEUMONIA ALL FORMS | * | | | 1 | | | | 1 | 1 | 2 |
| POLIOMYELITIS | 3 | | 3 | 3 | 4 | 2 | 1 | 8 | 1 | 5 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | 4 | 2 | 1 | 2 | 5 | 1 | | | |
| RINGWORM OF THE SCALP | | | | | | | | 1 | | 1 |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | 1 | 1 | 2 | 4 | 1 | 16 | 5 | 2 | |
| SYPHILIS | 1 | 2 | 2 | 4 | 4 | 2 | 6 | 14 | 17 | 18 |
| TETANUS | | | | | | 1 | | | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 1 | 1 | 1 | 2 | 6 | 3 | 4 | 5 | 2 |
| TULAREMIA | | 1 | | | | | | | | |
| TYPHOID CASES & CARRIERS | | 2 | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | 4 | 3 | | 2 | 6 | 1 | 4 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CASS COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 3 | | 1 | 2 | 1 | 2 | 6 | | 1 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 1 | | | | 1 | | 14 | 11 | 5 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | 2 | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | 1 | | | | |
| FOOD POISONINGS | | 4 | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 7 | 2 | 8 | 2 | 4 | 7 | 11 | 6 | 2 | 14 |
| HEPATITIS INFECTIOUS & SERUM | | | | | 4 | 16 | 9 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 2 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | 3 | | | 3 | | 126 | 21 |
| MENINGITIS MENINGOCOCCAL | 2 | | 1 | 1 | | 3 | | 2 | | |
| MENINGITIS OTHER | 1 | 6 | 2 | | 1 | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 2 | | | | | | | |
| MUMPS | | | | | | | | 16 | 1 | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 1 | | 1 | 1 | 1 | | | 4 |
| POLIOMYELITIS | | 1 | 11 | 1 | 5 | 4 | 7 | 7 | 7 | 9 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | | | 1 | | 1 | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | 1 | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | | 1 | | 1 | 2 | 5 | 2 | 8 | 1 |
| SYPHILIS | 2 | 4 | 9 | 3 | 8 | 3 | 12 | 7 | 11 | 14 |
| TETANUS | | | 1 | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 4 | 5 | 6 | 3 | 3 | 3 | 2 | 4 | 7 |
| TULAREMIA | 2 | | | | | 2 | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | 2 | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CHAMPAIGN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | 1 | 2 | 1 | 2 | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | 3 | | 2 | | 2 | 4 | 2 | 4 |
| CHANCROID | | 3 | | 12 | 3 | 4 | 4 | 6 | | 2 |
| CHICKENPOX | 213 | 1059 | 388 | 544 | 803 | 428 | 710 | 731 | 542 | 610 |
| CONJUNCTIVITIS ALL FORMS | | 3 | 17 | 4 | 1 | 1 | 1 | | 1 | 9 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | 2 | | | | | | 1 | |
| DYSENTERY BACILARY CASES &CRS | | | 5 | | | | 1 | | | 1 |
| ENCEPHALITIS ACUTE & POST | 1 | 2 | 7 | 2 | 3 | | | | 4 | 2 |
| ERYSIPELAS | * | | | | | 1 | | | 1 | |
| FOOD INFECTIONS | 6 | 4 | 2 | 7 | 1 | 2 | 3 | | | |
| FOOD POISONINGS | | | 15 | | | | | | | |
| GERMAN MEASLES | 79 | 611 | 201 | 459 | 331 | 70 | 161 | 1646 | 156 | 101 |
| GONORRHEA | 224 | 237 | 295 | 276 | 348 | 327 | 332 | 274 | 193 | 288 |
| HEPATITIS INFECTIOUS & SERUM | 5 | 24 | 10 | 21 | 28 | 65 | 22 | | 1 | 6 |
| IMPETIGO CONTAGIOSA | | | | | | | | | | 3 |
| INFLUENZA ALL FORMS | * | 4 | 4095 | | 2 | | | | | 12 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 473 | 760 | 222 | 1299 | 99 | 707 | 299 | 559 | 608 | 1078 |
| MENINGITIS MENINGOCOCCAL | 2 | 1 | | 2 | 2 | 3 | 2 | 2 | 3 | |
| MENINGITIS OTHER | 6 | 13 | 4 | 4 | 5 | 1 | 2 | 3 | | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 71 | 47 | 39 | 21 | 1 | | | | |
| MUMPS | 137 | 874 | 324 | 231 | 504 | 440 | 70 | 1197 | 259 | 148 |
| PARATYPHOID CASES & CARRIERS | 1 | | | 2 | | | 2 | 1 | | |
| PNEUMONIA ALL FORMS | * | 8 | 5 | 2 | 15 | 10 | 1 | 37 | 32 | 53 |
| POLIOMYELITIS | 5 | 2 | 19 | 25 | 28 | 35 | 35 | 123 | 116 | 55 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | 7 | 5 | 14 | 3 | 2 | 2 | | 4 | 9 |
| RINGWORM OF THE SCALP | 16 | 2 | 4 | 6 | 7 | 3 | 1 | | 5 | 3 |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 243 | 85 | 92 | 92 | 98 | 79 | 223 | 67 | 50 | 38 |
| SYPHILIS | 41 | 31 | 39 | 63 | 42 | 48 | 42 | 59 | 94 | 102 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 24 | 8 | 13 | 23 | 25 | 18 | 23 | 23 | 26 | 20 |
| TULAREMIA | | | | | | | | | | 1 |
| TYPHOID CASES & CARRIERS | 1 | 2 | | 1 | 1 | 1 | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | 5 | 5 | 2 | 1 | 2 | 7 | 1 | 2 | 11 |
| WHOOPING COUGH | 10 | 13 | 13 | 10 | 67 | 53 | 42 | 22 | 9 | 105 |

[illegible] of [illegible] diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CHRISTIAN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | 1 | 4 | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | 1 | 2 | 1 | 1 | | 2 | 1 | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | 2 | | 2 | | 1 | 4 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | 1 | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | 2 | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | 8 | 1 | | 4 | 1 | 1 |
| ENCEPHALITIS ACUTE & POST | | 2 | 1 | 1 | | | 1 | | 1 | |
| ERYSIPELAS | * | | | | | | | | 1 | |
| FOOD INFECTIONS | | | | | | 142 | 1 | 1 | 80 | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | 1 | 1 | | | | | |
| GONORRHEA | 9 | 11 | 4 | 3 | 3 | 9 | 7 | 4 | 4 | 7 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | 4 | 6 | 12 | 56 | | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 2 | | | | 12 | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 2 | 3 | 2 | 34 | 1 | 21 | 10 | 77 | 5 |
| MENINGITIS MENINGOCOCCAL | 1 | 1 | 2 | 1 | | | | | | 1 |
| MENINGITIS OTHER | | 7 | | 1 | | | 2 | 1 | 1 | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 2 | 2 | | | | | | |
| MUMPS | | | | | | 2 | | 1 | | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 7 | 11 | 12 | 7 | 12 | 22 | 2 | 22 | 21 |
| POLIOMYELITIS | | 2 | | 5 | 2 | 8 | 29 | 17 | 9 | 19 |
| PSITTACOSIS & ORNITHOSIS | | | | | 1 | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 5 | 12 | 17 | 14 | | 1 | 1 | | 1 | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | 1 | | | |
| SCARLET FEVER & STREP THROAT | 1 | 2 | 7 | 2 | 1 | 9 | 7 | 30 | 12 | 13 |
| SYPHILIS | 6 | 11 | 10 | 13 | 19 | 17 | 17 | 14 | 16 | 20 |
| TETANUS | | 1 | | | | | 1 | | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 9 | 10 | 11 | 10 | 9 | 7 | 8 | 18 | 9 | 16 |
| TULAREMIA | | | 1 | 2 | | 3 | | 1 | 1 | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | 1 |
| WHOOPING COUGH | | | | | 2 | | | 1 | | 6 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CLARK COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | 2 | 1 | 1 | 3 | | 4 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | 1 | | 2 | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | 1 | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | 1 | | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | 1 | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 2 | 6 | 1 | 4 | 4 | 7 | 12 | 5 | 2 | 7 |
| HEPATITIS INFECTIOUS & SERUM | | 3 | 2 | 1 | | 4 | 3 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 1 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | 3 | 1 | 4 | 4 | 20 | 2 | 6 | |
| MENINGITIS MENINGOCOCCAL | | 1 | 1 | | | | | 1 | | 1 |
| MENINGITIS OTHER | 1 | | | | | | | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 2 | 1 | 1 | | | | | |
| MUMPS | | | | | | | 1 | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | 3 | 6 | | 1 | 10 | 6 | 9 |
| POLIOMYELITIS | | | 2 | | 2 | 7 | 10 | 32 | | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | | 3 | 2 | | | 1 | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | 1 | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | | 2 | | 1 | 1 | 4 | 4 |
| SYPHILIS | 1 | 2 | 3 | 1 | 4 | 3 | 7 | 5 | 7 | 9 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 6 | 1 | 5 | 3 | 9 | 7 | 2 | 10 | 11 |
| TULAREMIA | | | | 1 | 1 | | | | | 2 |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 3 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 2 | | | | | | | | | |

* Reporting of these diseases in Illinois in June, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CLAY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | | | | | 2 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | 1 | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | 1 | | | | | 4 |
| DYSENTERY BACILARY CASES &CRS | 2 | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 1 | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | 1 | | | | | |
| FOOD POISONINGS | | | | | | | | 75 | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 1 | | 1 | | 4 | 7 | 5 | 5 | 5 | 3 |
| HEPATITIS INFECTIOUS & SERUM | 1 | 4 | 1 | 1 | | 2 | 3 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 2 | | 5 | 1 | 1 | | | | |
| MENINGITIS MENINGOCOCCAL | | | | | | 1 | | | | 1 |
| MENINGITIS OTHER | | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 1 | 5 | | | | | | |
| MUMPS | | | | | | 3 | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 1 | | 1 | 1 | | | | 1 |
| POLIOMYELITIS | | 6 | 1 | 1 | 3 | 1 | 4 | 20 | 1 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 7 | 3 | 7 | 17 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | 1 | 2 | | | 11 | | 5 | 9 | 7 |
| SYPHILIS | 5 | 1 | 6 | 6 | 5 | 5 | 3 | 4 | 5 | 14 |
| TETANUS | | | | | 1 | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 7 | 3 | 13 | 3 | 7 | 4 | 7 | 7 | 5 |
| TULAREMIA | | | | 2 | 4 | 3 | | | 1 | 2 |
| TYPHOID CASES & CARRIERS | | | 1 | | | | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | | | | | | | | | | |
| WHOOPING COUGH | * | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CLINTON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | 1 | 1 | | 2 | 1 | | 4 | 5 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 1 | 2 | 4 | | | | | 1 | 7 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | 1 | | | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | 1 | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 2 | | 2 | | 2 | | 1 | 2 | |
| GONORRHEA | | 1 | 1 | 2 | 2 | 3 | 2 | 1 | 4 | 2 |
| HEPATITIS INFECTIOUS & SERUM | | | | | | | 1 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 5 | 2 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 4 | 5 | 3 | 24 | | | 13 | | 48 | 9 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | 1 | | | 1 | | | | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | | | 1 | 1 | | | | |
| MUMPS | | | 1 | 6 | 1 | | | | 2 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 2 | | | | | | | 3 |
| POLIOMYELITIS | | 1 | | 1 | 1 | 1 | 7 | 5 | 8 | 7 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | | 3 | 2 | | 1 | | | | |
| RINGWORM OF THE SCALP | | | | | | 1 | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 2 | 2 | | 1 | | 5 | | | | 3 |
| SYPHILIS | 2 | 1 | 2 | 1 | 3 | 3 | 5 | 1 | 7 | 8 |
| TETANUS | | | | | 1 | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 2 | 2 | 3 | 7 | 9 | 6 | 6 | 4 | 12 |
| TULAREMIA | 4 | | 1 | 1 | 3 | 3 | | 1 | 5 | 1 |
| TYPHOID CASES & CARRIERS | | | 1 | 1 | | | 1 | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | 3 | | | 1 | | | 1 | 2 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| COLES COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | 1 | | 2 | | | 1 | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 1 | | 2 | | 4 | 4 | 2 | 1 | 3 |
| CHANCROID | | | | | | | | | | 1 |
| CHICKENPOX | 4 | | 5 | 14 | 8 | 16 | 3 | 9 | | 7 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | 1 | | 2 | 2 | 5 | 1 | | |
| ENCEPHALITIS ACUTE & POST | | 2 | 1 | 1 | | | 1 | | | 2 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | 3 | 1 | 1 | 1 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 21 | 3 | 2 | | 2 | 2 | 1 | | |
| GONORRHEA | 6 | 17 | 14 | 8 | 13 | 7 | 2 | 9 | 10 | 16 |
| HEPATITIS INFECTIOUS & SERUM | | 2 | 9 | 4 | 1 | 10 | 55 | 11 | 1 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 903 | | | | | | | 2 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 4 | 8 | 3 | 258 | 6 | 12 | 199 | 8 | 80 | 16 |
| MENINGITIS MENINGOCOCCAL | | 1 | | | 1 | 2 | 4 | 1 | 1 | |
| MENINGITIS OTHER | 3 | 20 | 1 | | 4 | 1 | | 2 | 1 | |
| MONONUCLEOSIS INFECTIOUS | * | 6 | 1 | 5 | 1 | | | | | |
| MUMPS | 3 | 3 | 5 | 3 | 1 | 9 | 26 | 5 | 4 | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 3 | 2 | | | 1 | | 1 | 1 | 11 |
| POLIOMYELITIS | | 16 | 1 | | 4 | 11 | 21 | 164 | 3 | 8 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 5 | 3 | 13 | 16 | | | | 1 | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 42 | 9 | 13 | 3 | 3 | 9 | 14 | 25 | 72 | 23 |
| SYPHILIS | 7 | 7 | 9 | 8 | 15 | 19 | 19 | 24 | 19 | 37 |
| TETANUS | | | | | | | | 1 | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 10 | 11 | 7 | 11 | 12 | 14 | 18 | 15 | 17 | 17 |
| TULAREMIA | | | 1 | | | | 1 | | | |
| TYPHOID CASES & CARRIERS | | | | | | 2 | | | 2 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | 1 | | 5 | 8 | | 23 | 10 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| COOK COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | 1 | 2 | 2 | | | | | | |
| AMEBIASIS CASES & CARRIERS | 51 | 93 | 161 | 131 | 209 | 178 | 238 | 366 | 488 | 429 |
| ANTHRAX | | | | | | | 1 | | | |
| BRUCELLOSIS | 4 | 8 | 9 | 20 | 13 | 12 | 41 | 17 | 38 | 24 |
| CHANCROID | 40 | 35 | 17 | 36 | 223 | 204 | 115 | 98 | 406 | 372 |
| CHICKENPOX | 4606 | 6011 | 8198 | 7786 | 10123 | 5883 | 9697 | 8190 | 9479 | 8523 |
| CONJUNCTIVITIS ALL FORMS | 1 | 32 | 23 | 25 | 30 | 48 | 35 | 23 | 44 | 156 |
| DIARRHEA OF NEWBORN | 9 | 146 | 232 | 178 | 102 | 95 | 71 | 37 | 154 | 130 |
| DIPHTHERIA CASES & CARRIERS | 71 | 70 | 42 | 194 | 228 | 305 | 239 | 77 | 116 | 185 |
| DYSENTERY BACILARY CASES &CRS | 86 | 76 | 45 | 61 | 92 | 68 | 47 | 82 | 169 | 101 |
| ENCEPHALITIS ACUTE & POST | 57 | 110 | 50 | 74 | 69 | 53 | 51 | 55 | 24 | 24 |
| ERYSIPELAS | 39 | 33 | 22 | 29 | 22 | 45 | 51 | 31 | 36 | 54 |
| FOOD INFECTIONS | 125 | 274 | 237 | 150 | 98 | 185 | 147 | 71 | 78 | 145 |
| FOOD POISONINGS | 206 | 202 | 13 | 145 | | | 1 | | | |
| GERMAN MEASLES | 1234 | 8495 | 1700 | 3538 | 850 | 675 | 2318 | 1789 | 763 | 1255 |
| GONORRHEA | 16249 | 19409 | 17493 | 17640 | 18428 | 19048 | 17692 | 12994 | 17310 | 17276 |
| HEPATITIS INFECTIOUS & SERUM | 301 | 235 | 214 | 206 | 291 | 290 | 119 | 38 | 25 | 8 |
| IMPETIGO CONTAGIOSA | 1 | 2 | 2 | 7 | 4 | 1 | | 1 | 6 | 6 |
| INFLUENZA ALL FORMS | 13 | 92 | 30655 | 12 | 8 | 34 | 312 | 52 | 173 | 33 |
| KERATOCONJUNCTIVITIS | | | | | 2 | 49 | | | 1 | 6 |
| LEPROSY | | | 2 | | | 1 | | | | 1 |
| LEPTOSPIROSIS | | | | | 1 | 1 | | | | |
| MALARIA | 1 | 2 | 2 | 1 | 2 | 1 | 3 | 4 | 4 | 2 |
| MEASLES | 6370 | 14313 | 3543 | 26645 | 5959 | 24308 | 59022 | 3643 | 72871 | 2477 |
| MENINGITIS MENINGOCOCCAL | 105 | 123 | 96 | 69 | 118 | 113 | 158 | 163 | 150 | 153 |
| MENINGITIS OTHER | 310 | 358 | 268 | 165 | 156 | 152 | 155 | 141 | 167 | 159 |
| MONONUCLEOSIS INFECTIOUS | 17 | 213 | 106 | 140 | 80 | 25 | 19 | 5 | | 1 |
| MUMPS | 2387 | 4642 | 3931 | 2896 | 8000 | 4071 | 4074 | 5661 | 3172 | 4696 |
| PARATYPHOID CASES & CARRIERS | 4 | | 2 | 8 | 2 | 4 | 5 | 6 | 5 | 2 |
| PNEUMONIA ALL FORMS | 2470 | 3091 | 2849 | 2591 | 2436 | 2523 | 2479 | 2517 | 2446 | 2609 |
| POLIOMYELITIS | 67 | 22 | 57 | 1427 | 710 | 1138 | 603 | 1779 | 639 | 748 |
| PSITTACOSIS & ORNITHOSIS | 5 | | 12 | 9 | 10 | 8 | 5 | 4 | 5 | |
| RABIES IN MAN | | | | | | 1 | | | | |
| RHEUMATIC FEVER | 560 | 531 | 64 | 49 | 315 | 329 | 276 | 212 | 161 | 159 |
| RINGWORM OF THE SCALP | 97 | 147 | 100 | 134 | 265 | 373 | 365 | 464 | 378 | 1274 |
| ROCKY MT SPOTTED FEVER | | | 1 | | | 1 | | | 1 | |
| SCARLET FEVER & STREP THROAT | 3217 | 2580 | 3423 | 1913 | 1686 | 2117 | 2328 | 2036 | 1419 | 1047 |
| SYPHILIS | 7285 | 5905 | 4757 | 3331 | 2697 | 3104 | 3422 | 4734 | 5563 | 6984 |
| TETANUS | 5 | 11 | 6 | 7 | 11 | 20 | 6 | 14 | 7 | 3 |
| TOXOPLASMOSIS | | 3 | | | 1 | | | | | |
| TRACHOMA | | | | | | 1 | | | | |
| TRICHINOSIS | 1 | 1 | 3 | 2 | 2 | 2 | 2 | 4 | 4 | 2 |
| TUBERCULOSIS | 3111 | 3440 | 3956 | 4144 | 4516 | 4334 | 4053 | 2874 | 5350 | 5589 |
| TULAREMIA | 1 | 1 | 1 | | 2 | 5 | 4 | 3 | 1 | |
| TYPHOID CASES & CARRIERS | 17 | 16 | 13 | 12 | 19 | 21 | 33 | 18 | 23 | 29 |
| TYPHUS CASES & CARRIERS | | | 12 | 2 | 2 | 4 | 1 | | 1 | |
| VINCENTS INFECTION | * | 39 | 64 | 36 | 36 | 11 | 13 | 18 | 42 | 55 |
| WHOOPING COUGH | 1220 | 739 | 732 | 392 | 1077 | 1068 | 269 | 425 | 714 | 1488 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CRAWFORD COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | 1 | | | 1 | 1 |
| BRUCELLOSIS | | | | | | | | | | |
| CHANCROID | | | | | 1 | | | | | |
| CHICKENPOX | | | | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | 1 | | | | | | |
| DIARRHEA OF NEWBORN | | | 1 | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | 1 | 1 | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | 1 | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | 1 | 1 | | | | | | |
| ERYSIPELAS | * | | | | 1 | | | | 1 | |
| FOOD INFECTIONS | | | 1 | 1 | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 2 | | 14 | 16 | 3 | 3 | 3 | 5 | 9 | 4 |
| HEPATITIS INFECTIOUS & SERUM | 2 | | | | | 4 | | | | |
| IMPETIGO CONTAGIOSA | | | | | 1 | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | 2 | 2 | | 4 |
| MEASLES | | | | | | | | | 1 | |
| MENINGITIS MENINGOCOCCAL | | | | | | 2 | | | | |
| MENINGITIS OTHER | | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | 3 | 4 | 1 | | 1 | 4 |
| PNEUMONIA ALL FORMS | * | | | 1 | | | | | | |
| POLIOMYELITIS | | | | | 3 | 2 | 9 | 7 | 3 | |
| PSITTACOSIS & ORNITHOSIS | | | | | 1 | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 6 | 1 | 6 | 5 | | 1 | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | 1 | | | 1 | |
| SCARLET FEVER & STREP THROAT | | 5 | | | 3 | | | 1 | 3 | 11 |
| SYPHILIS | 4 | 1 | 4 | 2 | | 7 | 12 | 10 | 4 | 11 |
| TETANUS | | 1 | 1 | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 5 | 4 | 5 | 8 | 4 | 7 | 6 | 4 | 6 | 13 |
| TULAREMIA | 2 | | 1 | | 1 | | | | 6 | 1 |
| TYPHOID CASES & CARRIERS | | | | | | | 3 | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| CUMBERLAND COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | 2 | 1 | | | 1 | 2 | 1 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | 1 | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | 2 | 6 | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | 1 | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 1 | | | | | | | | |
| GONORRHEA | | | 1 | 7 | 3 | | 3 | | 1 | |
| HEPATITIS INFECTIOUS & SERUM | | 2 | 3 | 2 | | | 10 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1000 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | 14 | 4 | 4 | 17 | 1 | | |
| MENINGITIS MENINGOCOCCAL | 1 | | | | | | | 1 | | |
| MENINGITIS OTHER | 2 | | | | | | | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | 4 | 2 | 1 | | 1 | | | | |
| MUMPS | | | | | 1 | | | | 1 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | | 5 |
| POLIOMYELITIS | | | 2 | 1 | | 6 | 1 | 31 | | 6 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 1 | 5 | 1 | | 1 | 1 | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 4 | | 6 | 3 | 2 | | 2 | 2 | 11 | 20 |
| SYPHILIS | 2 | 1 | 5 | 2 | 1 | 3 | 2 | 5 | 2 | 2 |
| TETANUS | | 1 | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 9 | 2 | 8 | 6 | 1 | 2 | 10 | 7 |
| TULAREMIA | | | 1 | 1 | 1 | 2 | | 1 | 1 | 1 |
| TYPHOID CASES & CARRIERS | | | | | 1 | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 1 | 4 | 1 | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| DE KALB COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | 1 | | 1 | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 2 | 3 | 2 | | 1 | 2 | 5 | 7 | 10 | 4 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 23 | 3 | 16 | 45 | 73 | 21 | 90 | 46 | 82 | 32 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 2 | | | 1 | | | | | |
| ERYSIPELAS | * | | | | | | 1 | | | |
| FOOD INFECTIONS | | | | | | 1 | | 11 | | |
| FOOD POISONINGS | | | | 250 | | | | | | |
| GERMAN MEASLES | | 1 | 54 | 16 | 6 | 11 | 2 | 6 | 5 | 1 |
| GONORRHEA | 13 | 4 | 13 | 28 | 19 | 11 | 8 | 7 | 1 | 9 |
| HEPATITIS INFECTIOUS & SERUM | | | 1 | 5 | 2 | 1 | | 14 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 2 | | | | 4 | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 70 | 5 | 8 | 172 | 249 | 29 | 21 | 277 | 33 | 111 |
| MENINGITIS MENINGOCOCCAL | | | | | | 1 | | 1 | | 1 |
| MENINGITIS OTHER | 1 | 1 | 2 | 1 | | 1 | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 4 | 6 | 15 | 8 | | | | | |
| MUMPS | 4 | 7 | 11 | 17 | 7 | 120 | 117 | 13 | 4 | 6 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 2 | | | | | 2 | 2 | 3 |
| POLIOMYELITIS | | 1 | 2 | 2 | 13 | 3 | 8 | 18 | 11 | 7 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 11 | 25 | 1 | | 1 | | | | | |
| RINGWORM OO THE SCALP | | | | | | | | | 47 | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 14 | 6 | 50 | 20 | 19 | 5 | 5 | 20 | 27 | 14 |
| SYPHILIS | 3 | 7 | 9 | 9 | 6 | 16 | 12 | 8 | 14 | 16 |
| TETANUS | | | | | 1 | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 3 | 4 | 3 | 7 | 11 | 2 | 6 | 14 | 7 | 16 |
| TULAREMIA | | | | | | | | 1 | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | 1 | | | | | |
| WHOOPING COUGH | | | | | 9 | 8 | 9 | | 1 | 32 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| DE WITT COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | 1 | 2 | 2 | | 1 | 1 | 2 | 7 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 40 | 71 | 38 | 87 | 4 | 43 | 26 | 12 | 39 | 10 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | 2 | | | | 1 | | 2 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 8 | 341 | 9 | 1 | 3 | 1 | | 1 | 6 | |
| GONORRHEA | 2 | 3 | 1 | 2 | 4 | 2 | 3 | 2 | 3 | 6 |
| HEPATITIS INFECTIOUS & SERUM | 1 | 6 | 2 | 3 | | 34 | 2 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1639 | | | 1 | | | 1 | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 7 | 99 | 5 | 49 | 98 | 2 | 37 | 32 | 29 | 10 |
| MENINGITIS MENINGOCOCCAL | | | | | 1 | | | | | |
| MENINGITIS OTHER | | | | | | 1 | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | | | | | | |
| MUMPS | 43 | 22 | 1 | 5 | 59 | 43 | 4 | 10 | | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 2 | 1 | | 1 | 1 | 3 | 1 | 4 | 4 |
| POLIOMYELITIS | 1 | 1 | 2 | | 1 | 3 | 10 | 4 | 2 | 6 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 4 | 3 | 3 | 1 | | | | | | |
| RINGWORM OF THE SCALP | | 1 | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 13 | 1 | 4 | 2 | 1 | 19 | 4 | 4 | 3 | 4 |
| SYPHILIS | 3 | 4 | 4 | | 2 | 1 | 4 | 5 | 6 | 8 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 3 | 5 | 2 | 4 | | 3 | 7 | 5 | 3 | 3 |
| TULAREMIA | | | | | | | | 1 | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | 1 | 1 | 1 | | | | 1 | 11 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| DOUGLAS COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | 1 | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | | 2 | 6 | 4 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 20 | 5 | 3 | 9 | 48 | 1 | 2 | 13 | 5 | 10 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | 2 | | | |
| ENCEPHALITIS ACUTE & POST | | | 1 | | | 1 | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 1 | | | | 1 | | | | 1 | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 2 | | | | 1 | | 8 | 9 | 10 | 1 |
| GONORRHEA | 4 | 1 | 3 | 2 | 6 | | 3 | 1 | | 2 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | | 1 | 1 | 5 | 3 | 3 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1 | | | 1 | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 75 | 41 | 16 | 13 | 3 | 2 | 60 | 2 | 44 | 64 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | 1 |
| MENINGITIS OTHER | | 4 | | | | 1 | | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | 3 | 2 | 3 | 1 | | | | | |
| MUMPS | 2 | 10 | 2 | 13 | 2 | 2 | 39 | 6 | | 3 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | 1 | | | | 1 | 1 | 2 |
| POLIOMYELITIS | 1 | | 5 | | 3 | 6 | 11 | 33 | 6 | 3 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | 1 | 1 | 1 | | | | 1 | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 12 | 4 | 1 | | | 1 | 1 | 3 | 25 | 5 |
| SYPHILIS | 2 | 1 | 2 | 2 | 2 | 5 | 6 | 7 | 6 | 13 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 4 | | 3 | 7 | 6 | 5 | 5 | 10 | 11 |
| TULAREMIA | | | | 1 | | 1 | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | 1 |
| WHOOPING COUGH | 4 | | | | 2 | | | 4 | 7 | 1 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| DU PAGE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | 1 | 3 | 2 | 1 | 4 | 1 | 3 | 2 | 3 | 4 |
| ANTHRAX | | | | | | 1 | | | | |
| BRUCELLOSIS | | 4 | | | 1 | 3 | 6 | 2 | 8 | 2 |
| CHANCROID | | | | | 1 | | | | | |
| CHICKENPOX | 372 | 197 | 400 | 386 | 270 | 509 | 447 | 648 | 695 | 529 |
| CONJUNCTIVITIS ALL FORMS | | 1 | 1 | 2 | 3 | 1 | | | 1 | 1 |
| DIARRHEA OF NEWBORN | | 5 | 1 | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | 1 | | 1 | | | | 1 | | 1 |
| DYSENTERY BACILARY CASES &CRS | 44 | | | | 2 | 1 | | | | |
| ENCEPHALITIS ACUTE & POST | 9 | 11 | 7 | 5 | 3 | 3 | 2 | 1 | 1 | |
| ERYSIPELAS | * | 5 | | | | 2 | | 1 | 1 | 3 |
| FOOD INFECTIONS | 43 | 2 | 14 | 23 | 8 | 4 | 1 | 1 | | |
| FOOD POISONINGS | | 4 | | | | | 4 | | | |
| GERMAN MEASLES | 44 | 124 | 103 | 422 | 68 | 42 | 94 | 145 | 109 | 47 |
| GONORRHEA | 22 | 16 | 15 | 10 | 8 | 8 | 8 | 10 | 1 | 9 |
| HEPATITIS INFECTIOUS & SERUM | 19 | 39 | 67 | 24 | 23 | 7 | 7 | 1 | 1 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | 1 | |
| INFLUENZA ALL FORMS | * | 38 | 5023 | | 1 | 3 | 3 | | 21 | 1 |
| KERATOCONJUNCTIVITIS | | | | | | 1 | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 188 | 564 | 72 | 2873 | 398 | 2261 | 100 | 1368 | 641 | 557 |
| MENINGITIS MENINGOCOCCAL | 4 | 5 | | 2 | 2 | 1 | 3 | 4 | 2 | 1 |
| MENINGITIS OTHER | 15 | 24 | 16 | 9 | 11 | 5 | 4 | 3 | 1 | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 17 | 15 | 15 | 13 | 1 | 2 | | | |
| MUMPS | 115 | 204 | 127 | 450 | 440 | 317 | 347 | 432 | 415 | 167 |
| PARATYPHOID CASES & CARRIERS | | | | | | 1 | | | | |
| PNEUMONIA ALL FORMS | * | 39 | 20 | 7 | 5 | 3 | 3 | 5 | 6 | 17 |
| POLIOMYELITIS | 7 | 2 | 6 | 36 | 65 | 90 | 81 | 130 | 64 | 45 |
| PSITTACOSIS & ORNITHOSIS | | 1 | 1 | | | | 1 | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 80 | 57 | 92 | 87 | 6 | 13 | 1 | 2 | | |
| RINGWORM OF THE SCALP | 2 | 4 | 2 | 2 | 8 | | 1 | | | 5 |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 348 | 141 | 342 | 132 | 149 | 134 | 188 | 136 | 189 | 54 |
| SYPHILIS | 41 | 15 | 27 | 14 | 8 | 21 | 18 | 29 | 26 | 22 |
| TETANUS | 2 | | | | 1 | | | 1 | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | 3 | | | | | | | |
| TUBERCULOSIS | 38 | 33 | 38 | 32 | 44 | 50 | 46 | 46 | 43 | 42 |
| TULAREMIA | 1 | 1 | | | 1 | | | | | |
| TYPHOID CASES & CARRIERS | | | 1 | | 2 | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | 1 | | 2 | 3 | | | | | |
| WHOOPING COUGH | 4 | 8 | 10 | 2 | 30 | 32 | 12 | 10 | 59 | 104 |

*Deleted from list of reportable diseases in Illinois in July, 1954, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| EDGAR COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | | 1 | 2 | 1 | 6 | 4 | 3 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 4 | | | | | 1 | | 2 | | 3 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | 1 | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | 1 | | 1 | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | 1 | | 10 | 1 | | 1 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | 1 | | | | 1 | | 1 |
| GONORRHEA | 3 | 9 | 9 | 5 | 8 | 10 | 15 | 8 | 6 | 3 |
| HEPATITIS INFECTIOUS & SERUM | | | | 1 | 1 | 1 | 2 | | 44 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 2 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 6 | | | 2 | | 2 | 5 | 12 | 2 | 5 |
| MENINGITIS MENINGOCOCCAL | | 1 | | | | | 1 | 1 | | 2 |
| MENINGITIS OTHER | 2 | | | | 1 | | 1 | | | |
| MONONUCLEOSIS INFECTIOUS | * | | 1 | 1 | | | | | | |
| MUMPS | 1 | | | | 1 | | | 1 | | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 2 | 1 | | 2 | 3 | 4 | 2 | 8 | 1 |
| POLIOMYELITIS | | | 1 | 1 | 6 | 6 | 8 | 33 | | 5 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 2 | | 2 | | | | 1 | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 2 | 2 | 4 | | 3 | 6 | 3 | 3 | 30 | 18 |
| SYPHILIS | 1 | 5 | 8 | 3 | 6 | 11 | 6 | 17 | 11 | 19 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 9 | 7 | 1 | 14 | 10 | 8 | 9 | 5 | 6 | 10 |
| TULAREMIA | 1 | 1 | | | | | | | 2 | 2 |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 1 | | 1 | | | 2 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| EDWARDS COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | | | 2 | | 1 | 3 | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | 1 | | 1 | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | 5 | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | | 3 | | | | | | | 1 | 2 |
| HEPATITIS INFECTIOUS & SERUM | | 8 | | 1 | 2 | 1 | 3 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 1 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | 1 | 1 | 1 | 7 | 1 | | 6 | |
| MENINGITIS MENINGOCOCCAL | | | | | | 1 | | | | |
| MENINGITIS OTHER | | 1 | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | | | | | | |
| MUMPS | | | | | | | 1 | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | | |
| POLIOMYELITIS | | | | 1 | 1 | 3 | 8 | 4 | 1 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 1 | 3 | 9 | | 1 | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | | | 1 | 3 | 2 | 10 | 8 |
| SYPHILIS | 1 | | 1 | 4 | 2 | 2 | 2 | 2 | 9 | 5 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 10 |
| TULAREMIA | | 3 | 1 | | 2 | | | 1 | | 1 |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | 1 | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| EFFINGHAM COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | 1 | | | | 3 | 1 | 2 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 14 | 32 | 9 | 3 | 1 | 6 | 3 | 14 | 2 | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | 2 | | | | 1 | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | | 3 | | | | | | |
| ERYSIPELAS | * | | | 1 | | | | | | 1 |
| FOOD INFECTIONS | 1 | | 3 | 1 | 1 | | | | | |
| FOOD POISONINGS | 120 | | | 2 | | | | | | |
| GERMAN MEASLES | | 17 | 1 | 2 | 1 | | | | | |
| GONORRHEA | 8 | 5 | 3 | 4 | 2 | | | 2 | 1 | 3 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | 1 | 2 | 1 | 6 | 6 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 895 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 43 | 66 | 5 | 52 | 4 | 9 | 181 | 1 | 15 | 8 |
| MENINGITIS MENINGOCOCCAL | 1 | | | | | | | | 1 | |
| MENINGITIS OTHER | 4 | 1 | 2 | | | | 1 | 1 | 1 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 4 | | | | | | | |
| MUMPS | 14 | 90 | 2 | 4 | | 1 | 2 | 14 | 5 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | | | | | | 2 | 2 | 3 |
| POLIOMYELITIS | | | 2 | | 3 | 5 | 6 | 19 | 7 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 7 | 2 | 9 | 14 | | | | | | 1 |
| RINGWORM OF THE SCALP | | | 1 | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 6 | 37 | 43 | 3 | 5 | 5 | 5 | | 2 | 1 |
| SYPHILIS | 8 | 3 | 6 | 6 | 5 | 7 | 4 | 6 | 4 | 10 |
| TETANUS | | | | | | 1 | | 1 | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 4 | 4 | 7 | 5 | 4 | 8 | 1 | 7 | 7 | 13 |
| TULAREMIA | 2 | | 1 | | 1 | 1 | | | 2 | 3 |
| TYPHOID CASES & CARRIERS | 1 | 1 | | | | 1 | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | 1 | |
| WHOOPING COUGH | 2 | 2 | | | 1 | | 1 | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| FAYETTE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | 1 | | 1 | | 6 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 2 | | | | 1 | | | | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | 1 | | | 1 | | 2 | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | 4 | | | | | | | |
| GONORRHEA | 8 | 1 | 1 | 2 | 2 | 4 | | 2 | 5 | 2 |
| HEPATITIS INFECTIOUS & SERUM | | | 1 | 1 | 8 | 5 | 2 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | 1 | | | | | | | |
| MEASLES | 4 | 9 | 5 | 2 | 4 | | | 1 | | 2 |
| MENINGITIS MENINGOCOCCAL | | | | | | | 1 | 1 | | 1 |
| MENINGITIS OTHER | | 1 | | | 1 | | | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | | | 1 | 1 | | | | | |
| MUMPS | | | 1 | | | | | 1 | 1 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | | 7 |
| POLIOMYELITIS | 1 | 1 | | 3 | | 1 | 4 | 8 | 3 | 1 |
| PSITTACOSIS & ORNITHOSIS | | 1 | | | | 5 | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 1 | 9 | 6 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | 1 | | | | | | 1 |
| SCARLET FEVER & STREP THROAT | 1 | 2 | 6 | 3 | 1 | 2 | 2 | 2 | | 4 |
| SYPHILIS | 1 | 1 | 7 | 7 | 5 | 14 | 9 | 18 | 75 | 21 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 1 | 4 | 12 | 11 | 7 | 4 | 12 | 6 | 12 |
| TULAREMIA | 1 | | 1 | 2 | 1 | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 5 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | 1 | | 12 | | 1 | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| FORD COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | 1 | | | | 3 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | 3 | 1 | 2 | | 4 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | 6 | | 5 | 6 | 1 | 17 |
| CONJUNCTIVITIS ALL FORMS | | | | | | 4 | | | 1 | 1 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | 1 |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | 2 | | | | 2 | 3 | 1 |
| GONORRHEA | 5 | 2 | 9 | 4 | 3 | 2 | 1 | 4 | 6 | 3 |
| HEPATITIS INFECTIOUS & SERUM | | | 1 | 2 | | 6 | 4 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 703 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 14 | 3 | | 102 | 1 | 28 | 21 | 4 | 74 | 13 |
| MENINGITIS MENINGOCOCCAL | | | | | | | 1 | 1 | | |
| MENINGITIS OTHER | | 1 | | | | 1 | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | 2 | 1 | 1 | | | | |
| MUMPS | | | | 2 | 3 | | 1 | 11 | | 21 |
| PARATYPHOIM CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | | 1 |
| POLIOMYELITIS | 2 | 1 | | | 3 | 3 | 10 | 10 | 1 | 11 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 1 | | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 3 | 4 | 25 | 8 | 2 | 3 | 16 | 6 | 5 | 1 |
| SYPHILIS | 1 | 1 | 1 | | 4 | 3 | 2 | 7 | 7 | 4 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 2 | 2 | 2 | 5 | 4 | 4 | 2 | 1 | 4 |
| TULAREMIA | | | | | | 1 | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 5 | | | | | 5 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| FRANKLIN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | 2 |
| BRUCELLOSIS | | | 1 | 1 | | | 1 | 3 | 5 | 3 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 1 | | | | | | | | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | 1 | | | | 1 | | | 1 |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | 1 | 1 | 2 | | 1 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | 1 |
| GONORRHEA | 6 | 4 | 3 | 8 | 1 | 2 | | 7 | 8 | 10 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | 1 | 3 | 15 | 8 | 3 | | 1 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 356 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | | | | | | | 2 |
| MENINGITIS MENINGOCOCCAL | 1 | 1 | 1 | | 2 | 6 | 53 | | 1 | 2 |
| MENINGITIS OTHER | | | | | 2 | | | | | 1 |
| MONONUCLEOSIS INFECTIOUS | | 3 | | | | | 1 | 1 | | |
| MUMPS | * | 5 | 1 | 5 | 1 | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | 1 | 1 | | | 1 |
| PNEUMONIA ALL FORMS | * | 1 | | 2 | 1 | 1 | 1 | 1 | 1 | 3 |
| POLIOMYELITIS | 1 | 8 | 1 | 3 | 3 | 4 | 8 | 9 | 4 | 7 |
| PSITTACOSIS & ORNITHOSIS | | | | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 14 | 10 | 8 | 2 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | 1 | | 2 | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | | | 2 | | | | | | |
| SYPHILIS | 2 | 6 | 1 | 11 | 2 | 3 | 1 | 11 | 2 | |
| TETANUS | | | 13 | 11 | 15 | 28 | 18 | 20 | 41 | 35 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | 1 |
| TUBERCULOSIS | 21 | 24 | 23 | 23 | 36 | 18 | 31 | 37 | 36 | 71 |
| TULAREMIA | | 6 | 2 | 2 | 1 | 8 | | 2 | 4 | 8 |
| TYPHOID CASES & CARRIERS | | | | 1 | | | | | 2 | 3 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| FULTON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 1 | | 1 | | 3 | 2 | 6 | 10 | 7 |
| CHANCROID | | | | | | | 1 | | | |
| CHICKENPOX | 12 | 23 | 2 | 11 | 29 | 11 | 3 | 69 | 29 | 31 |
| CONJUNCTIVITIS ALL FORMS | | 1 | | | | | | | | 7 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | 1 | 1 | 1 | | | | 1 |
| DYSENTERY BACILARY CASES &CRS | | | | | | 1 | | 1 | 1 | |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | | | 1 | | 2 | | | |
| ERYSIPELAS | * | | | | | 1 | 2 | 2 | 1 | |
| FOOD INFECTIONS | | | | | | | 1 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | 1 | 5 | | | | 7 |
| GONORRHEA | 6 | 1 | 5 | | 2 | 4 | 10 | 13 | 12 | 26 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | 2 | 1 | | 18 | 15 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 8716 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 36 | 53 | 5 | 75 | 73 | 37 | 34 | 129 | 236 | 13 |
| MENINGITIS MENINGOCOCCAL | | | 2 | | 2 | 4 | 2 | 3 | 1 | |
| MENINGITIS OTHER | | 3 | 3 | | 3 | 3 | 4 | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 2 | 1 | | 17 | | | | |
| MUMPS | 27 | 3 | 1 | 55 | 10 | 48 | 57 | 43 | 9 | 68 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | 1 | | | | 3 |
| POLIOMYELITIS | 3 | | | | 1 | 6 | 9 | 4 | 10 | 15 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 12 | 5 | 4 | 4 | | 1 | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | 1 | | 1 |
| SCARLET FEVER & STREP THROAT | 21 | 2 | 4 | 7 | 18 | 22 | 10 | 11 | 31 | 14 |
| SYPHILIS | 4 | 1 | 6 | 5 | 7 | 11 | 17 | 15 | 12 | 42 |
| TETANUS | | | | 2 | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 8 | 4 | 3 | 2 | 8 | 9 | 16 | 12 | 15 |
| TULAREMIA | | | | | | | | 1 | | 2 |
| TYPHOID CASES & CARRIERS | | | | | | | 2 | 1 | 1 | 1 |
| TYPHUS CASES & CARRIERS | | 1 | | | | | | | | |
| VINCENTS INFECTION | * | | 1 | | | | | 1 | | |
| WHOOPING COUGH | 1 | 2 | | | 3 | 1 | | 7 | 3 | 9 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| GALLATIN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | | | | |
| CHANCROID | | | | | | | | 1 | 1 | |
| CHICKENPOX | | | | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | 31 | 1 | | | 3 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 1 | 2 | 2 | | | 1 | 3 | 3 | 2 | 4 |
| HEPATITIS INFECTIOUS & SERUM | | | | | | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | 87 | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 1 | | | | | 6 | 1 | 5 | |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | 1 | | | | | | 1 |
| POLIOMYELITIS | | | | | | | | | | |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | 1 | 4 | 1 |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | | 1 | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | | | | 1 | | 6 | 1 |
| SYPHILIS | 1 | 1 | 4 | | 3 | 2 | 1 | 4 | 13 | 8 |
| TETANUS | 1 | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 3 | | 8 | 6 | 1 | 7 | 9 | 4 | 6 | 11 |
| TULAREMIA | | | 1 | 1 | 1 | 3 | 2 | 1 | | 2 |
| TYPHOID CASES & CARRIERS | | | | | | | 1 | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | | | | | | | | | | |
| WHOOPING COUGH | * | | | | | | | | | 14 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| GREENE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | 1 | | 4 | 1 | 3 | 2 | 3 | 7 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | 1 | | | | | 1 | 1 | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 2 | 1 |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | | | 1 | | 1 | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | 1 | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 16 | 6 | 1 | 2 | 4 | 4 | 5 | 6 | 5 | 10 |
| HEPATITIS INFECTIOUS & SERUM | | | 3 | 5 | | 7 | 5 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 5 | 2 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | 1 | | | | | | | | | |
| MEASLES | | | 34 | 15 | | 2 | 40 | | 16 | 2 |
| MENINGITIS MENINGOCOCCAL | | | 1 | 1 | | | | | | |
| MENINGITIS OTHER | | 4 | 2 | | | | 1 | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | | 1 | | 1 | | | | | |
| MUMPS | 1 | | | | | 2 | | 2 | | |
| PARATYPHOID CASES & CARRIERS | | 1 | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 1 | 2 | | | | 2 | | 4 |
| POLIOMYELITIS | | 1 | | | | 4 | 6 | 16 | 10 | 7 |
| PSITTACOSIS & ORNITHOSIS | | | | | 1 | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | 19 | 5 | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | 1 | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | 1 | |
| SCARLET FEVER & STREP THROAT | 2 | | 2 | | 3 | 2 | 5 | 1 | 1 | 1 |
| SYPHILIS | 1 | 3 | 1 | 1 | 3 | 2 | 7 | 5 | 5 | 7 |
| TETANUS | | | | 1 | | 1 | | | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 11 | 9 | 9 | 5 | 4 | 8 | 10 | 6 | 9 | 10 |
| TULAREMIA | | | | | 1 | 1 | | 1 | 2 | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | 6 | 5 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| GRUNDY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 2 | 1 | | | 1 | | 1 | 2 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 28 | 10 | | 1 | | 12 | 27 | 10 | 1 | 2 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | 1 | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | 1 | | | | | | | |
| FOOD INFECTIONS | | 3 | | | | | | | | |
| FOOD POISONINGS | | | | | 1 | 10 | | | | |
| GERMAN MEASLES | 1 | | 1 | | 1 | | | | | |
| GONORRHEA | 1 | 2 | | 2 | | 4 | 3 | 3 | 5 | 2 |
| HEPATITIS INFECTIOUS & SERUM | | | 3 | | | 2 | 2 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 5 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 7 | 1 | 43 | 2 | 11 | 21 | 13 | | 14 |
| MENINGITIS MENINGOCOCCAL | | | | | 1 | | | | | 1 |
| MENINGITIS OTHER | | 2 | | 1 | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | 3 | | | | | | |
| MUMPS | | 6 | | 1 | 10 | 2 | 2 | 5 | 12 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | 1 | | 1 | | | |
| POLIOMYELITIS | | | 1 | 1 | 4 | 3 | 4 | 5 | 5 | 6 |
| PSITTACOSIS & ORNITHOSIS | 1 | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | 3 | 2 | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 2 | 7 | 2 | 9 | 1 | 4 | 8 | 12 | 10 | 7 |
| SYPHILIS | 1 | 4 | 5 | 10 | 6 | 5 | 2 | 5 | 10 | 3 |
| TETANUS | | | 1 | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 7 | 10 | 7 | 4 | 6 | 5 | 2 | 5 | 8 | 7 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 7 | | | | | 5 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| HAMILTON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | 3 | | | | | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | | 2 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | 1 |
| GONORRHEA | | 2 | | 1 | | | | 2 | | |
| HEPATITIS INFECTIOUS & SERUM | 1 | | | | 2 | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1 | | | | | 4 | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 1 | | | | | | | | 6 |
| MENINGITIS MENINGOCOCCAL | | | | | | | 1 | | 2 | |
| MENINGITIS OTHER | | | 1 | | | | | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | | | | | 2 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | | | | | 2 | | | 2 |
| POLIOMYELITIS | | | | 2 | 1 | 1 | 1 | 4 | 2 | |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 4 | 5 | 2 | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | 1 | | | | | | | 1 |
| SYPHILIS | 1 | 1 | 4 | 2 | 2 | 4 | 1 | | 12 | 1 |
| TETANUS | | | | | | 1 | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | 2 |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 5 | 4 | 7 | 6 | 2 | 8 | 10 | 7 | 13 |
| TULAREMIA | 1 | 2 | 1 | 2 | 2 | 1 | | 1 | | 1 |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | 1 | 16 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| HANCOCK COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | 1 | 1 | 1 | 7 | 6 | 7 | 7 | 9 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 1 | | | | 3 | | | | 9 | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES & CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 1 | 2 | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | 1 | 1 | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | 1 | |
| GONORRHEA | 6 | 4 | 3 | 1 | | 2 | 1 | 6 | 1 | 4 |
| HEPATITIS INFECTIOUS & SERUM | 1 | | | | 3 | | 1 | | 9 | 2 |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 6 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 32 | 1 | 1 | 1 | 14 | 26 | 5 | 4 | 39 | |
| MENINGITIS MENINGOCOCCAL | 1 | | | | | | | | 1 | |
| MENINGITIS OTHER | 1 | 5 | 2 | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | 1 | | | | | |
| MUMPS | 1 | | 1 | | 1 | | | | 1 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | 1 | | | | 1 | 1 | |
| POLIOMYELITIS | 2 | | 3 | 3 | 6 | 15 | 2 | 14 | 13 | 18 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 4 | 3 | | | | | | 1 | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 33 | 1 | 4 | | 11 | | | | | 4 |
| SYPHILIS | 4 | 3 | 3 | | 3 | 3 | 5 | 9 | 10 | 17 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 5 | 5 | 4 | 5 | 4 | 8 | 9 | 5 | 7 | 2 |
| TULAREMIA | | | 1 | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | 1 | | | 1 | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 1 | | | 2 | | 1 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| HARDIN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | 1 | | | 1 | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | 4 | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | 1 | 1 | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | 1 | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | | | 1 | | | | | 1 | 2 | |
| HEPATITIS INFECTIOUS & SERUM | 6 | | | 1 | | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 328 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | 2 | | | | 20 | | 2 | |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | 1 | | |
| POLIOMYELITIS | | | | | | 1 | | 2 | | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 1 | | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | | | | | | | |
| SYPHILIS | | | 2 | 1 | 1 | 1 | 5 | 3 | 7 | 6 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 5 | 5 | 6 | 5 | 14 | 15 | 13 | 9 | 21 | 20 |
| TULAREMIA | | 1 | | | 1 | 1 | | 1 | 2 | 2 |
| TYPHOID CASES & CARRIERS | | | | | | | | | 2 | 3 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| HENDERSON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | 3 | | | 5 | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 7 | | 5 | 6 | 1 | 1 | | 6 | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 1 | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | 2 | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | 1 | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | 1 | | 2 | | | 1 | |
| GONORRHEA | | | 2 | 2 | | | 1 | 1 | 2 | |
| HEPATITIS INFECTIOUS & SERUM | 2 | 3 | | | 3 | 36 | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 4 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 9 | 1 | 1 | 30 | 1 | 2 | | 16 | 1 |
| MENINGITIS MENINGOCOCCAL | | | | | 1 | | | | | |
| MENINGITIS OTHER | | | | | 1 | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | 10 | 1 | | 11 | | 1 | 6 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | | |
| POLIOMYELITIS | 5 | | | | 1 | 5 | | | 1 | 5 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | | | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | 2 | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | | | 2 | | | | | | 3 |
| SYPHILIS | | | 3 | 2 | 1 | 1 | 2 | | 3 | 3 |
| TETANUS | | | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | | 1 | 2 | 2 | | 2 | 1 | | 3 | 1 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | 1 | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | 2 | | 1 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| HENRY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | 1 | | |
| BRUCELLOSIS | 1 | | 5 | 6 | 5 | 6 | 3 | 5 | 13 | 12 |
| CHANCROID | | | | | | | | | | 1 |
| CHICKENPOX | 82 | 47 | 39 | 118 | 23 | 70 | 139 | 106 | 38 | 49 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | 1 | 1 | | | 1 | 1 |
| DYSENTERY BACILARY CASES &CRS | 2 | | | | | 1 | | | | |
| ENCEPHALITIS ACUTE & POST | | | 1 | | | | 1 | | | |
| ERYSIPELAS | * | | 1 | | | | | 1 | 1 | |
| FOOD INFECTIONS | 1 | | | 1 | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 6 | 7 | 8 | 36 | 2 | 5 | 1 | 5 | 3 | 2 |
| GONORRHEA | 10 | 3 | 5 | 7 | 6 | 2 | 5 | 8 | 7 | 19 |
| HEPATITIS INFECTIOUS & SERUM | 19 | 1 | 5 | 2 | 3 | 4 | 11 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 6 | 4388 | | | | 37 | 5 | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | 1 |
| LEPROSY | 1 | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 16 | 104 | 54 | 52 | 366 | 110 | 108 | 46 | 158 | 103 |
| MENINGITIS MENINGOCOCCAL | 2 | | 1 | 3 | | | 3 | | | |
| MENINGITIS OTHER | 2 | 6 | 2 | 2 | | 2 | 1 | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | 1 | 2 | 2 | 1 | | | | |
| MUMPS | 44 | 26 | 1 | 62 | 175 | 22 | 12 | 45 | 44 | 23 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 22 | 11 | 1 | 2 | 4 | 4 | 8 | 9 | 28 |
| POLIOMYELITIS | 10 | 2 | | 6 | 4 | 17 | 11 | 14 | 9 | 15 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | 1 | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 18 | 5 | 7 | 3 | | | 3 | | 1 | 1 |
| RINGWORM OF THE SCALP | | | | | | | 1 | | 1 | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 40 | 10 | 12 | 16 | 18 | 32 | 22 | 8 | 18 | 22 |
| SYPHILIS | 8 | 9 | 10 | 11 | 18 | 14 | 11 | 31 | 29 | 34 |
| TETANUS | | | | | | | | | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 8 | 13 | 5 | 5 | 12 | 12 | 12 | 10 | 12 | 18 |
| TULAREMIA | | | | | | | | | | 1 |
| TYPHOID CASES & CARRIERS | | | | | | 1 | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | 10 | 1 | | | |
| WHOOPING COUGH | 17 | | | | 17 | 9 | 2 | 34 | 7 | 51 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| IROQUOIS COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 6 | 6 | 5 | 4 | 10 | 3 | 10 | 21 | 19 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 5 | 6 | 2 | 13 | 17 | 6 | 9 | 25 | 9 | 2 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | 1 | | | | 1 | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 1 | | 1 | 1 | | 1 | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | 4 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 1 | 2 | 1 | 5 | | 3 | | 13 | 2 | |
| GONORRHEA | 2 | 3 | | 1 | | 3 | 1 | 4 | 4 | 7 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 4 | 3 | 1 | 17 | 16 | 3 | | | |
| IMPETIGO CONTAGIOSA | | | | | 1 | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 162 | | 4 | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 12 | 62 | 2 | 76 | 20 | 18 | 38 | 17 | 56 | 54 |
| MENINGITIS MENINGOCOCCAL | | | 1 | | | 2 | 1 | | | |
| MENINGITIS OTHER | 1 | 1 | | | | 1 | | 3 | | |
| MONONUCLEOSIS INFECTIOUS | * | | | 1 | | | 1 | | | |
| MUMPS | 13 | 15 | 10 | 5 | 29 | 9 | 5 | 8 | 7 | 2 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 4 | 5 | 7 | 2 | 3 | | 1 | 1 | 3 |
| POLIOMYELITIS | 2 | 1 | 1 | 3 | 2 | 4 | 6 | 21 | 2 | 12 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 1 | 6 | 7 | 3 | 1 | | | | |
| RINGWORM OF THE SCALP | 17 | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 34 | | 1 | 1 | 5 | 3 | 1 | 7 | 5 | 8 |
| SYPHILIS | 2 | 2 | 7 | 2 | 4 | 3 | 9 | 10 | 13 | 7 |
| TETANUS | 1 | | | | 1 | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | 5 | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 7 | 3 | 6 | 4 | 8 | 14 | 7 | 6 | 19 |
| TULAREMIA | | | | | | 1 | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 3 | | | | | | 21 | | | 16 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| JACKSON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | 1 | | | | | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | 1 | | | 1 | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 242 | 61 | 464 | 26 | 24 | 88 | 128 | 117 | 75 | 39 |
| CONJUNCTIVITIS ALL FORMS | | 1 | | | 4 | 39 | 5 | 1 | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | 2 |
| DYSENTERY BACILARY CASES &CRS | 8 | | 7 | 2 | 1 | 1 | 2 | 1 | | 1 |
| ENCEPHALITIS ACUTE & POST | | | 2 | | 2 | | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 2 | 1 | 2 | 44 | | 1 | | | | |
| FOOD POISONINGS | 8 | | | | | 6 | | | | |
| GERMAN MEASLES | 66 | 251 | 77 | 14 | 3 | 5 | 3 | 20 | 37 | 4 |
| GONORRHEA | 26 | 28 | 22 | 25 | 24 | 23 | 13 | 25 | 38 | 60 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 7 | 6 | 2 | 1 | 8 | 4 | 3 | | 2 |
| IMPETIGO CONTAGIOSA | | | | | | | | 5 | 1 | |
| INFLUENZA ALL FORMS | * | 232 | 2508 | 48 | 47 | 106 | 1210 | 1 | 3 | 9 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 181 | 169 | 58 | 51 | 321 | 476 | 54 | 20 | 527 | 14 |
| MENINGITIS MENINGOCOCCAL | 1 | | 1 | 1 | | | 4 | 2 | 1 | 3 |
| MENINGITIS OTHER | 3 | | 2 | 2 | | 1 | 1 | 3 | 2 | |
| MONONUCLEOSIS INFECTIOUS | * | 14 | 14 | 9 | 5 | 3 | 2 | | | |
| MUMPS | 21 | 211 | 116 | 96 | 18 | 128 | 86 | 26 | 22 | 21 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 5 | 18 | 14 | 20 | 19 | 16 | 11 | 4 | 7 |
| POLIOMYELITIS | | | 4 | 13 | 3 | 4 | 6 | 7 | 8 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | 1 | | | 1 | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 17 | 12 | 13 | 6 | | 1 | 4 | 5 | | |
| RINGWORM OF THE SCALP | 1 | 9 | 2 | 6 | 2 | 6 | 23 | 24 | 18 | 22 |
| ROCKY MT SPOTTED FEVER | | | | | | | 1 | | | 1 |
| SCARLET FEVER & STREP THROAT | 975 | 188 | 99 | 117 | 75 | 174 | 177 | 165 | 168 | 10 |
| SYPHILIS | 3 | 14 | 15 | 13 | 6 | 14 | 15 | 18 | 34 | 52 |
| TETANUS | | | | | | | | 1 | 2 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 10 | 11 | 16 | 5 | 18 | 21 | 25 | 35 | 23 |
| TULAREMIA | 3 | 5 | 1 | | 2 | 4 | 5 | 1 | | 4 |
| TYPHOID CASES & CARRIERS | 2 | | | 2 | | | 2 | | 1 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | 84 | 20 | 17 | 11 | 17 | 13 | 9 | 7 | 2 |
| WHOOPING COUGH | 6 | 21 | 2 | | 2 | 3 | 1 | 3 | 4 | 10 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| JASPER COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 2 | | | 1 | | 1 | | | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 9 | | | 14 | | 1 | 2 | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | 1 | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 1 | 1 |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 1 | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | 1 | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 1 | | 1 | | 2 | | | | |
| GONORRHEA | 1 | | 2 | 1 | | | | 1 | 2 | 1 |
| HEPATITIS INFECTIOUS & SERUM | | | | | | 5 | 3 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 2 | 36 | | 59 | 3 | 15 | 2 | 3 | | |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | 1 | 4 | 1 | | | | | | 1 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | 2 | | 1 | | | | | |
| MUMPS | | | | 2 | | | 2 | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | 1 | 1 | | | | | |
| POLIOMYELITIS | | | | 1 | 1 | 1 | 3 | 9 | | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 1 | 2 | 8 | 1 | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | 7 | 4 | | 1 | 1 | 8 | | 2 | 12 |
| SYPHILIS | | 2 | | 2 | 1 | 2 | 2 | 5 | 4 | 7 |
| TETANUS | | | | 1 | 1 | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 3 | 4 | 2 | 4 | 6 | 11 | 3 | 3 | 3 | 4 |
| TULAREMIA | | | | | | 2 | | | | |
| TYPHOID CASES & CARRIERS | | 1 | | | | 2 | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| JEFFERSON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | 1 | | 1 | 5 | 1 |
| CHANCROID | | | | | | 1 | 1 | | | |
| CHICKENPOX | | | 1 | 1 | | | | 1 | 1 | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | 1 | | | | |
| DYSENTERY BACILARY CASES &CRS | | | 1 | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | 1 | | | | | |
| ERYSIPELAS | * | | | | | | | 1 | 1 | 2 |
| FOOD INFECTIONS | | | 6 | | | | | | | |
| FOOD POISONINGS | | | | | | 56 | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 17 | 5 | 10 | 4 | 2 | 4 | 10 | 13 | 9 | 7 |
| HEPATITIS INFECTIOUS & SERUM | 1 | | | | 2 | 7 | 6 | 2 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | | | | | 1 | 14 | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | 2 | | | 11 | | 9 | 2 |
| MENINGITIS MENINGOCOCCAL | | | | | 1 | | | 1 | | |
| MENINGITIS OTHER | | 1 | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | 3 | | | | | | |
| MUMPS | | | 1 | | 1 | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | 2 | | | | 1 | 3 | 9 |
| POLIOMYELITIS | 6 | 4 | | 3 | 7 | 1 | 5 | 29 | 2 | |
| PSITTACOSIS & ORNITHOSIS | 1 | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 4 | 5 | 3 | 3 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 3 | | 13 | 3 | | 5 | 5 | 3 | 3 | 3 |
| SYPHILIS | 19 | 11 | 11 | 14 | 17 | 21 | 12 | 24 | 27 | 34 |
| TETANUS | | | | | | | | | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 9 | 12 | 8 | 13 | 14 | 20 | 19 | 24 | 20 | 21 |
| TULAREMIA | 1 | 2 | | 1 | | 2 | 2 | 1 | | 2 |
| TYPHOID CASES & CARRIERS | | | | | | | 1 | 1 | 1 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | 2 | | | 1 | 2 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| JERSEY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | 1 | | 2 | | 5 |
| CHANCROID | | | | | | | | 1 | | |
| CHICKENPOX | | | 1 | | | | | 1 | 1 | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | 3 |
| DYSENTERY BACILARY CASES &CRS | | 1 | | | | | 1 | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | 1 | | 3 | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 6 | 2 | 2 | 3 | 4 | 2 | 3 | 3 | 1 | 1 |
| HEPATITIS INFECTIOUS & SERUM | 5 | | 4 | 2 | 8 | 15 | 7 | 1 | 2 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 1 | | 1 | | 4 | | 11 | | | 1 |
| MENINGITIS MENINGOCOCCAL | | | | 3 | 1 | | 1 | 2 | | |
| MENINGITIS OTHER | 3 | 1 | 2 | | 2 | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | 1 | | | | | |
| MUMPS | | | | | | | | 1 | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 2 | 1 | | 1 | | 1 | 2 | 3 |
| POLIOMYELITIS | 2 | 3 | | 3 | | | 4 | 6 | 4 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 4 | 3 | 9 | 3 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | | | | | 1 | 7 | 2 | 2 | 1 |
| SYPHILIS | 1 | 1 | 1 | 1 | 2 | 8 | 4 | 4 | 6 | 5 |
| TETANUS | | | | 1 | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 3 | 1 | 4 | 4 | 1 | 4 | 3 | 3 | 2 | 6 |
| TULAREMIA | | | | 1 | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| JO DAVIESS COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | | | | 1 | | 5 | 5 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 36 | 139 | 25 | 63 | 30 | 19 | 33 | 18 | 13 | 7 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | 3 | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | 1 | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 4 | 203 | 25 | 13 | 33 | | 3 | 46 | 2 | |
| GONORRHEA | 6 | | | | | 3 | | 1 | | 4 |
| HEPATITIS INFECTIOUS & SERUM | 3 | 9 | 7 | 12 | 4 | 4 | 6 | 34 | 5 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 48 | 913 | 1 | | 1 | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 37 | 350 | 303 | 14 | 31 | 19 | 20 | 87 | 166 | 1 |
| MENINGITIS MENINGOCOCCAL | | 1 | 1 | 1 | 1 | | | | 1 | |
| MENINGITIS OTHER | | 3 | | | 2 | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | | | | | | |
| MUMPS | 12 | 71 | 4 | 84 | 2 | 61 | 12 | | 2 | 15 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 3 | 3 | 9 | 4 | | 6 | 7 | 9 | 4 |
| POLIOMYELITIS | 1 | 1 | 1 | 2 | 1 | 5 | 3 | 21 | 2 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | 1 | 10 | 13 | 22 | 4 | 1 | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 6 | 1 | 2 | | 2 | 1 | 1 | 1 | | |
| RINGWORM OF THE SCALP | | | | 1 | | | | | 2 | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 8 | 4 | 20 | | 21 | 6 | 12 | 9 | 1 | 13 |
| SYPHILIS | 2 | 1 | 3 | 3 | | 2 | 2 | 1 | 4 | 10 |
| TETANUS | | | | | | | | | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 3 | 4 | 2 | 7 | 9 | 7 | 5 | 4 | 8 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 9 | 10 | | 2 | 7 | 9 | | 3 | 12 | 5 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| JOHNSON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | 1 | | | 1 | | 5 | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | 1 | | 2 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 2 | 4 | 4 | 2 | | | | 1 | | 2 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | | | | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 103 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | | 5 | | 6 | | 2 | 2 |
| MENINGITIS MENINGOCOCCAL | | | | | | | 1 | | | |
| MENINGITIS OTHER | | | 1 | | 1 | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 1 | | 1 | | | 1 | | 1 |
| POLIOMYELITIS | | | 1 | | | 1 | 1 | | 2 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | | 2 | | | 1 | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 3 | 1 | | | 4 | 3 | | 3 | 2 | 2 |
| SYPHILIS | | 4 | 3 | 1 | | 2 | | 4 | 2 | 9 |
| TETANUS | | | | | | | | 1 | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | 1 | 1 | 3 | 3 | 4 | 6 | 5 | 6 |
| TULAREMIA | 1 | 3 | | 1 | | 1 | | 4 | 2 | |
| TYPHOID CASES & CARRIERS | | 1 | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| KANE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | 1 | | | | |
| AMEBIASIS CASES & CARRIERS | 4 | 1 | 1 | 2 | 1 | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | 3 | 4 | 2 | 1 | 2 | 5 | 1 | 1 |
| CHANCROID | | 1 | 2 | | | | | | | |
| CHICKENPOX | 928 | 329 | 620 | 1222 | 670 | 517 | 1386 | 685 | 849 | 370 |
| CONJUNCTIVITIS ALL FORMS | | | | 2 | | | | | | 1 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 1 | |
| DYSENTERY BACILARY CASES &CRS | 1 | 3 | | 3 | 6 | | 2 | 2 | 4 | 1 |
| ENCEPHALITIS ACUTE & POST | 1 | 4 | 3 | 2 | | 4 | 1 | | 1 | 1 |
| ERYSIPELAS | * | | 2 | 12 | 7 | 29 | 1 | 3 | 7 | 31 |
| FOOD INFECTIONS | 11 | 71 | 60 | 38 | 15 | 3 | 8 | 1 | 1 | |
| FOOD POISONINGS | 1 | 100 | 11 | | | | 3 | | | |
| GERMAN MEASLES | 75 | 1610 | 253 | 400 | 23 | 354 | 84 | 45 | 30 | 29 |
| GONORRHEA | 87 | 52 | 77 | 57 | 50 | 40 | 42 | 52 | 64 | 59 |
| HEPATITIS INFECTIOUS & SERUM | 13 | 18 | | 5 | 2 | 63 | 66 | 1 | | |
| IMPETIGO CONTAGIOSA | 1 | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 6 | 1181 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | 4 | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | 19 |
| MEASLES | 394 | 1467 | 418 | 811 | 224 | 1364 | 352 | 2351 | 498 | 247 |
| MENINGITIS MENINGOCOCCAL | 3 | 2 | 2 | 3 | 3 | 2 | 1 | 1 | 2 | 2 |
| MENINGITIS OTHER | 8 | 9 | 8 | | | 2 | 3 | 3 | 2 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 5 | 4 | 6 | 2 | 1 | | | | |
| MUMPS | 473 | 589 | 117 | 101 | 712 | 859 | 197 | 156 | 68 | 797 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 14 | | 5 | | 2 | 1 | 3 | 1 | 27 |
| POLIOMYELITIS | 8 | 2 | 5 | 18 | 34 | 23 | 110 | 70 | 43 | 43 |
| PSITTACOSIS & ORNITHOSIS | 1 | | 1 | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 14 | 15 | 19 | 15 | 3 | 1 | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 60 | 32 | 44 | 33 | 239 | 44 | 80 | 40 | 9 | 17 |
| SYPHILIS | 54 | 48 | 64 | 56 | 72 | 83 | 107 | 134 | 132 | 146 |
| TETANUS | 1 | 1 | | 1 | | | | 2 | 2 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 32 | 45 | 37 | 35 | 54 | 37 | 26 | 53 | 39 | 67 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | 1 | 2 | | 3 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | 1 | | | | | | |
| WHOOPING COUGH | 8 | 9 | 4 | 14 | 34 | 99 | 18 | 3 | 8 | 149 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| KANKAKEE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | 9 | 23 | 7 | 12 | 51 | 166 | 35 | 40 | 110 | 159 |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 1 | 2 | 6 | 2 | 3 | 6 | 8 | 10 | 11 |
| CHANCROID | | | | | | | 1 | | 1 | |
| CHICKENPOX | 4 | 6 | 15 | 19 | 31 | 4 | 55 | 27 | 5 | 5 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | 3 | 3 | 9 | 10 | 68 | 7 | 13 | 49 | 2 | 66 |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | 2 | | | 2 | | 1 | | |
| ERYSIPELAS | * | | 3 | 6 | 3 | 11 | 23 | 3 | 1 | 1 |
| FOOD INFECTIONS | 6 | 13 | 9 | 18 | 20 | 22 | 16 | 15 | 26 | 3 |
| FOOD POISONINGS | | | | 100 | | | | | | |
| GERMAN MEASLES | 12 | 1 | 1 | 17 | 2 | 3 | 4 | 34 | | |
| GONORRHEA | 37 | 26 | 42 | 27 | 29 | 27 | 20 | 18 | 12 | 8 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 3 | 1 | 7 | 3 | 6 | | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 32 | | | | 113 | | 1 | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 29 | | 10 | 94 | 15 | 134 | 36 | 8 | 26 |
| MENINGITIS MENINGOCOCCAL | 2 | | | 1 | | 1 | | | 1 | 1 |
| MENINGITIS OTHER | 5 | 9 | 1 | 1 | 1 | 1 | 2 | | 1 | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 4 | 1 | 2 | 3 | 1 | | 1 | | |
| MUMPS | 3 | 21 | | 7 | 7 | 9 | 7 | 54 | 31 | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | 1 | 1 | |
| PNEUMONIA ALL FORMS | * | | 2 | 4 | 1 | | 2 | | 1 | 26 |
| POLIOMYELITIS | | 1 | 2 | 4 | 8 | 14 | 6 | 13 | 6 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 19 | 7 | 9 | 4 | 3 | 2 | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 10 | 5 | 72 | 8 | 5 | 16 | 5 | 37 | 14 | 6 |
| SYPHILIS | 15 | 24 | 41 | 32 | 51 | 56 | 82 | 44 | 61 | 72 |
| TETANUS | 1 | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 10 | 21 | 20 | 21 | 26 | 14 | 21 | 40 | 29 | 19 |
| TULAREMIA | | | | | | | | 1 | | |
| TYPHOID CASES & CARRIERS | | 4 | 4 | 1 | | 2 | 2 | 2 | 1 | 7 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | 1 | 1 | 2 | | 3 | | | |
| WHOOPING COUGH | | 1 | | 3 | 7 | 6 | 4 | 1 | 2 | 4 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| KENDALL COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | | 1 | | | 2 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | 1 | | 1 | 1 | 13 | | 5 | 6 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | 1 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 1 | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 1 | | | | 1 | | | | 1 |
| GONORRHEA | 4 | 4 | 2 | | 2 | 1 | | 2 | 3 | 3 |
| HEPATITIS INFECTIOUS & SERUM | 1 | | | 2 | 3 | 2 | 1 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | 1 | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 1 | 1 | 69 | | 7 | 8 | 41 | 2 | 4 |
| MENINGITIS MENINGOCOCCAL | 1 | | | | | | | | | |
| MENINGITIS OTHER | | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | 1 | | | | | | | |
| MUMPS | 2 | 2 | 1 | 5 | 3 | 1 | 3 | 27 | 9 | 4 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | 1 | | | | 1 | 2 |
| POLIOMYELITIS | | | | | 2 | 3 | 8 | 8 | 4 | 3 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 4 | 1 | 1 | | 1 | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 5 | | 2 | 11 | | 2 | 2 | 7 | 10 | 16 |
| SYPHILIS | 2 | 4 | 1 | | 1 | 6 | 7 | 5 | 7 | 7 |
| TETANUS | | | | 1 | | | 1 | | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 2 | | 3 | 2 | 2 | 2 | 3 | 2 | 4 |
| TULAREMIA | | | | | | | | 1 | | |
| TYPHOID CASES & CARRIERS | | | | | | 1 | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | 1 | |
| WHOOPING COUGH | | | | | 1 | 1 | | | | 6 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| KNOX COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | 1 | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 2 | | 1 | 1 | 8 | 6 | 4 | 2 | 13 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 1 | 6 | 8 | 18 | 20 | 38 | 22 | 43 | 21 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | 1 | | |
| DYSENTERY BACILARY CASES &CRS | 1 | 1 | | | | | 75 | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | 1 | 1 | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 2 | 3 | | 1 | 1 | 8 | | | 1 | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 7 | | 1 | 5 | 2 | | | 1 | |
| GONORRHEA | 24 | 14 | 6 | 7 | 19 | 16 | 17 | 22 | 25 | 21 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 2 | 1 | 1 | 5 | 12 | 12 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1354 | | | | 2 | 3 | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 20 | 24 | 21 | 211 | 53 | 19 | 33 | 114 | 98 |
| MENINGITIS MENINGOCOCCAL | | 1 | | | 2 | 2 | | 1 | | 2 |
| MENINGITIS OTHER | 4 | 1 | | | | | | | 2 | |
| MONONUCLEOSIS INFECTIOUS | * | 9 | 3 | 5 | 4 | | | | | |
| MUMPS | | 15 | 23 | 9 | 11 | 23 | 3 | 6 | 1 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 3 | | 1 | | | 3 | 1 | 2 |
| POLIOMYELITIS | 18 | | 4 | 5 | 10 | 10 | 20 | 26 | 14 | 30 |
| PSITTACOSIS & ORNITHOSIS | | 1 | | 2 | 3 | 2 | 3 | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 2 | 1 | 1 | | 3 | 1 | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | 1 | | |
| SCARLET FEVER & STREP THROAT | 24 | 13 | 9 | 3 | 8 | 22 | 40 | 27 | 7 | 6 |
| SYPHILIS | 15 | 17 | 26 | 30 | 29 | 20 | 41 | 41 | 62 | 73 |
| TETANUS | | | | | | | 1 | | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 16 | 13 | 11 | 8 | 12 | 8 | 11 | 8 | 12 | 12 |
| TULAREMIA | 1 | | | | | | | | 2 | |
| TYPHOID CASES & CARRIERS | | | | | | | | | 1 | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | 1 | 1 | 1 | | | | |
| WHOOPING COUGH | 3 | | | | 1 | 10 | 1 | 6 | 15 | 6 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| LAKE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | 1 | | | | |
| AMEBIASIS CASES & CARRIERS | 3 | | | | 1 | 3 | 2 | 1 | 2 | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 2 | | 2 | | 1 | 2 | 2 | 2 | 3 |
| CHANCROID | | | | | | | 1 | 1 | 1 | |
| CHICKENPOX | 610 | 278 | 253 | 74 | 171 | 232 | 211 | 117 | 165 | 317 |
| CONJUNCTIVITIS ALL FORMS | 1 | | | 1 | | | 1 | | | |
| DIARRHEA OF NEWBORN | 1 | 2 | | | 1 | | 1 | | | 1 |
| DIPHTHERIA CASES & CARRIERS | 7 | | | | | | | | | 1 |
| DYSENTERY BACILARY CASES &CRS | 5 | | 1 | | | 1 | | 1 | 1 | |
| ENCEPHALITIS ACUTE & POST | 4 | 7 | 4 | 4 | | 1 | 1 | | | |
| ERYSIPELAS | * | | | | | 1 | | | | 1 |
| FOOD INFECTIONS | 10 | 6 | 4 | 3 | | 4 | | | | |
| FOOD POISONINGS | 1 | | | | 50 | 175 | | | | |
| GERMAN MEASLES | 181 | 194 | 41 | 188 | 9 | 9 | 61 | 29 | 26 | 14 |
| GONORRHEA | 63 | 70 | 51 | 50 | 55 | 65 | 116 | 146 | 111 | 143 |
| HEPATITIS INFECTIOUS & SERUM | 17 | 14 | 19 | 10 | 7 | 10 | 3 | 1 | 1 | 1 |
| IMPETIGO CONTAGIOSA | | | | | | | | | 5 | 1 |
| INFLUENZA ALL FORMS | * | 4 | 305 | | | | 3 | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 270 | 599 | 57 | 309 | 243 | 705 | 223 | 329 | 263 | 265 |
| MENINGITIS MENINGOCOCCAL | 7 | 4 | 2 | 2 | 2 | 3 | 5 | 5 | 3 | 3 |
| MENINGITIS OTHER | 20 | 10 | 8 | 4 | 5 | 2 | 3 | 9 | 3 | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 22 | 11 | 8 | 2 | 1 | 2 | | | |
| MUMPS | 367 | 171 | 97 | 116 | 228 | 79 | 141 | 121 | 101 | 13 |
| PARATYPHOID CASES & CARRIERS | | | | | | | 3 | 1 | | |
| PNEUMONIA ALL FORMS | * | 12 | 5 | 9 | 5 | 2 | 11 | 23 | 21 | 42 |
| POLIOMYELITIS | | 5 | 7 | 33 | 40 | 67 | 45 | 131 | 47 | 30 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 46 | 2 | 1 | 1 | 4 | 2 | | | | 1 |
| RINGWORM OF THE SCALP | 5 | | | 4 | 1 | | 1 | 1 | | 1 |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 295 | 91 | 51 | 33 | 39 | 79 | 34 | 17 | 37 | 21 |
| SYPHILIS | 61 | 47 | 93 | 69 | 52 | 77 | 110 | 167 | 211 | 170 |
| TETANUS | | | | 1 | 2 | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 104 | 98 | 93 | 90 | 85 | 94 | 101 | 71 | 83 | 64 |
| TULAREMIA | | 1 | | | | | | | | |
| TYPHOID CASES & CARRIERS | 3 | 1 | 1 | 2 | 2 | 3 | | 6 | | 4 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | 1 | 1 | | | | | 2 | |
| WHOOPING COUGH | 12 | 3 | 2 | 2 | 11 | 45 | 41 | 15 | 50 | 40 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| LA SALLE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | 1 | | | | | 1 |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 1 | | 1 | 2 | 2 | 2 | 4 | 9 | 8 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 485 | 193 | 621 | 215 | 738 | 151 | 405 | 622 | 75 | 126 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | 2 | | 1 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | 2 | 2 | | |
| DYSENTERY BACILARY CASES &CRS | 1 | | | | | 1 | | | | |
| ENCEPHALITIS ACUTE & POST | 2 | 3 | 1 | 1 | | 1 | 2 | 1 | 3 | |
| ERYSIPELAS | * | | 2 | | | 1 | 1 | 2 | 1 | |
| FOOD INFECTIONS | 1 | 1 | | | 1 | | | | | |
| FOOD POISONINGS | | | | | | 80 | | | | |
| GERMAN MEASLES | 9 | 1791 | 76 | 246 | 25 | 11 | 341 | 209 | 3 | 18 |
| GONORRHEA | 13 | 10 | 9 | 17 | 17 | 7 | 11 | 22 | 12 | 18 |
| HEPATITIS INFECTIOUS & SERUM | 7 | 2 | 41 | 35 | 7 | 2 | 25 | 2 | 1 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 3375 | | | | 2 | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | 1 | | |
| MEASLES | 566 | 708 | 36 | 1196 | 779 | 15 | 154 | 156 | 879 | 49 |
| MENINGITIS MENINGOCOCCAL | 1 | | 2 | 1 | 4 | 2 | 1 | 4 | 1 | |
| MENINGITIS OTHER | 1 | 4 | 3 | 1 | 4 | 4 | 3 | 2 | 2 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 7 | 3 | 2 | 3 | | 1 | | | |
| MUMPS | 379 | 336 | 622 | 62 | 57 | 367 | 151 | 460 | 313 | 46 |
| PARATYPHOIM CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 4 | 4 | 5 | 7 | 7 | 11 | 5 | 8 | 19 |
| POLIOMYELITIS | 6 | 4 | 4 | 9 | 22 | 17 | 29 | 45 | 15 | 14 |
| PSITTACOSIS & ORNITHOSIS | | | | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 11 | 6 | 25 | 12 | 1 | 1 | | 1 | 2 | |
| RINGWORM OF THE SCALP | | 1 | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 162 | 122 | 46 | 125 | 37 | 58 | 86 | 57 | 33 | 23 |
| SYPHILIS | 18 | 22 | 15 | 25 | 20 | 17 | 21 | 37 | 40 | 40 |
| TETANUS | 1 | | | | | 1 | | | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 26 | 31 | 17 | 30 | 26 | 41 | 35 | 47 | 41 | 43 |
| TULAREMIA | | | 1 | | | 1 | 1 | | | |
| TYPHOID CASES & CARRIERS | | | 1 | | | 1 | | 1 | 1 | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | 1 |
| WHOOPING COUGH | 50 | 10 | 1 | 2 | 76 | 15 | 1 | 5 | 121 | 75 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| LAWRENCE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | 1 | | | 1 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 183 | | 67 | 30 | 1 | 35 | 2 | 6 | 7 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | 1 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | 6 | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | 2 | 1 | | | | | | | |
| ERYSIPELAS | * | | | | | 1 | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 42 | 2 | 2 | | | | | | |
| GONORRHEA | 4 | 13 | 1 | 1 | 3 | 3 | 5 | 2 | | 3 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 1 | 1 | | 3 | 13 | 10 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 2915 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 58 | 241 | 20 | 55 | 5 | 199 | | 3 | 57 | 10 |
| MENINGITIS MENINGOCOCCAL | | 1 | | | 1 | | | | 1 | |
| MENINGITIS OTHER | | | | | | 1 | | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 1 | | | | | | | |
| MUMPS | | 33 | 79 | 7 | 4 | | 3 | | 5 | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | 1 | | | | | | 5 |
| POLIOMYELITIS | | | 2 | 1 | 1 | | 4 | 5 | 1 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | | 1 | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 5 | 3 | 9 | 10 | | 1 | | | | |
| RINGWORM OF THE SCALP | | | 4 | | | | 2 | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | 1 | |
| SCARLET FEVER & STREP THROAT | 4 | 5 | 104 | 19 | 3 | 31 | 35 | 11 | 13 | 33 |
| SYPHILIS | 2 | 5 | 1 | | | 2 | 4 | 3 | 11 | 15 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 7 | 5 | 12 | 10 | 3 | 12 | 4 | 3 | 2 | 7 |
| TULAREMIA | | 3 | 1 | 1 | | 1 | 2 | 3 | 1 | |
| TYPHOID CASES & CARRIERS | | | | | | | 1 | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | 3 | | 1 | 2 | 2 | | 3 | 29 | 12 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| LEE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | | | | |
| CHANCROID | 254 | 147 | 131 | 272 | 190 | 412 | 302 | 205 | 91 | 35 |
| CHICKENPOX | 1 | 1 | | 1 | | 2 | 3 | 4 | 1 | 2 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | 15 | 17 | 28 | 23 | 42 | 11 | 156 | 19 | 58 | 22 |
| ENCEPHALITIS ACUTE & POST | | | | | 17 | 3 | | | | |
| ERYSIPELAS | | | | | | | 2 | 2 | 1 | 4 |
| FOOD INFECTIONS | 127 | 87 | 136 | 70 | 104 | 144 | 299 | 231 | 143 | 107 |
| FOOD POISONINGS | 1 | 3 | 1 | | | | 1 | | | |
| GERMAN MEASLES | * | 84 | 61 | 60 | 60 | 100 | 84 | 78 | 36 | 31 |
| GONORRHEA | 33 | 36 | | 4 | 4 | 5 | 2 | | | |
| HEPATITIS INFECTIOUS & SERUM | | | | | | | 4 | | | |
| IMPETIGO CONTAGIOSA | 1 | | | | | | 5 | 436 | 1 | 4 |
| INFLUENZA ALL FORMS | | 8 | 4 | 20 | 16 | 10 | 15 | 27 | 5 | 17 |
| KERATOCONJUNCTIVITIS | 1 | 38 | 50 | 11 | 24 | 386 | 22 | 10 | 21 | 12 |
| LEPROSY | | | | | 15 | 16 | | | | |
| LEPTOSPIROSIS | * | | 3061 | | 2 | | 6 | | | |
| MALARIA | | | | | 1 | 10 | | | | |
| MEASLES | | | | | | | | | | |
| MENINGITIS MENINGOCOCCAL | 53 | 80 | 230 | 7 | 2 | 126 | 14 | 50 | 90 | 5 |
| MENINGITIS OTHER | 2 | 1 | 4 | 4 | | | | | | |
| MONONUCLEOSIS INFECTIOUS | 1 | 1 | 3 | 1 | | 2 | | | | |
| MUMPS | * | 3 | 1 | 1 | 1 | 1 | | | | |
| PARATYPHOID CASES & CARRIERS | | 1 | 4 | 3 | 36 | 8 | 1 | 126 | 98 | 2 |
| PNEUMONIA ALL FORMS | * | 1 | 3 | 1 | 1 | 6 | 24 | 11 | 83 | 131 |
| POLIOMYELITIS | | | | | | | | | | |
| PSITTACOSIS & ORNITHOSIS | | | 3 | 8 | 5 | 4 | 25 | 34 | 6 | 9 |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 6 | | 7 | 8 | | | 1 | | | |
| RINGWORM OF THE SCALP | | | | | 11 | 208 | 77 | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | 19 | 14 | 4 | 77 | 42 | 12 | 5 | 7 | 10 |
| SYPHILIS | 4 | 4 | 6 | 7 | 5 | 9 | 25 | 17 | 22 | 23 |
| TETANUS | | | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 5 | 4 | 3 | 6 | 7 | 10 | 12 | 10 | 11 | 11 |
| TULAREMIA | | | | | | 2 | | 1 | 2 | 2 |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | | | | | | | | | | |
| WHOOPING COUGH | * | 3 | | | 1 | 3 | 1 | | 1 | 2 |
| | | | | | | | | | | 10 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| LIVINGSTON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 4 | 3 | 4 | 6 | 2 | 6 | 3 | 6 | 8 | 16 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 1 | 5 | | 14 | 1 | 6 | | 11 | 5 | 6 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | 1 | | | 1 | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | 3 |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | | | | 1 | | | | |
| ERYSIPELAS | * | | | | 2 | 1 | | | | |
| FOOD INFECTIONS | 2 | | | | | | | 1 | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 8 | 1 | | | | | | | 1 |
| GONORRHEA | 1 | 3 | 4 | 8 | 5 | 10 | 5 | 5 | 9 | 7 |
| HEPATITIS INFECTIOUS & SERUM | 7 | | 2 | 1 | 1 | 4 | 3 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 730 | | | 1 | 24 | 6 | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 79 | 11 | 2 | 84 | 28 | 11 | 15 | 14 | 2 | 8 |
| MENINGITIS MENINGOCOCCAL | | | | 1 | | 1 | 1 | | | |
| MENINGITIS OTHER | 1 | | | 2 | | 1 | | 1 | 1 | 3 |
| MONONUCLEOSIS INFECTIOUS | * | 3 | 2 | 1 | 3 | | | | | |
| MUMPS | | | 11 | 4 | | 2 | 1 | 2 | 1 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | | | 2 | | 3 | 1 | 3 | 11 |
| POLIOMYELITIS | | | | 4 | 8 | 7 | 9 | 21 | 3 | 3 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 9 | 4 | | | 1 | | | | | |
| RINGWORM OO THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 6 | 4 | 3 | 1 | | 2 | 22 | 65 | 7 | 10 |
| SYPHILIS | 7 | 10 | 9 | 15 | 13 | 12 | 14 | 22 | 21 | 22 |
| TETANUS | | | | | | 1 | | | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 6 | 8 | 11 | 12 | 10 | 10 | 8 | 9 | 9 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | 1 | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | 8 | | 1 | 1 | 11 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| LOGAN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | 2 | 4 | 4 | 3 | 15 | 5 | 4 | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | 1 | 1 | 4 | 3 | 5 | 6 | 3 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 25 | 60 | 27 | 36 | 173 | 37 | 120 | 24 | 53 | 118 |
| CONJUNCTIVITIS ALL FORMS | | | 1 | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | 1 |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | 1 | | |
| DYSENTERY BACILARY CASES &CRS | 11 | 18 | 5 | 17 | 152 | 253 | 102 | 1 | | |
| ENCEPHALITIS ACUTE & POST | | | | 1 | | | | 1 | 2 | |
| ERYSIPELAS | * | 1 | 6 | 9 | 8 | 4 | 2 | 2 | | |
| FOOD INFECTIONS | 2 | 1 | 8 | 1 | 4 | 10 | 1 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 5 | 18 | 16 | 75 | 1 | 29 | 32 | 193 | | 1 |
| GONORRHEA | 35 | 48 | 25 | 19 | 24 | 1 | 7 | 7 | 15 | 22 |
| HEPATITIS INFECTIOUS & SERUM | 96 | 8 | 7 | 20 | 37 | 56 | 136 | 12 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 24 | 5 | | | | 78 | 9 | 11 | 37 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 28 | 7 | 20 | 55 | 33 | 11 | 256 | 55 | 129 | 4 |
| MENINGITIS MENINGOCOCCAL | | 1 | 1 | | | 1 | 1 | | 4 | 3 |
| MENINGITIS OTHER | 2 | 1 | 1 | 2 | | | 1 | | | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 1 | 2 | 2 | | | | | |
| MUMPS | 7 | 7 | 3 | 2 | 52 | 67 | 31 | 186 | 5 | 32 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 7 | 13 | 19 | 33 | 79 | 62 | 39 | 39 | 43 |
| POLIOMYELITIS | | 1 | 1 | | 1 | 4 | 5 | 4 | 3 | 3 |
| PSITTACOSIS & ORNITHOSIS | | | 1 | | | 1 | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | 6 | 7 | 10 | | 1 | | 1 | | |
| RINGWORM OF THE SCALP | | 2 | 1 | 1 | 1 | 18 | 2 | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 19 | 52 | 5 | 12 | 6 | 9 | 9 | 14 | 11 | 24 |
| SYPHILIS | 6 | 4 | 16 | 2 | 12 | 7 | 7 | 13 | 15 | 18 |
| TETANUS | | | | | | | | 1 | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 7 | 6 | 7 | 3 | 6 | 13 | 5 | 8 | 10 |
| TULAREMIA & | | | | | | | | 1 | | |
| TYPHOID CASES & CARRIERS | | | | | | | | 1 | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | 9 | 4 | 4 | | 2 | 2 | 26 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MC DONOUGH COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 5 | 1 | 2 | 1 | 3 | 5 | 6 | 6 | 9 | 5 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 2 | 10 | 49 | 15 | 53 | 23 | 8 | 60 | 19 | 10 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | 114 | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | 1 | 1 | 1 | | |
| ERYSIPELAS | * | 1 | | | | | | | | 1 |
| FOOD INFECTIONS | | | 3 | 5 | | | | 2 | | |
| FOOD POISONINGS | | | | | 3 | 24 | | | 1 | |
| GERMAN MEASLES | 1 | 58 | 5 | 1 | 4 | 6 | 7 | 51 | 39 | |
| GONORRHEA | 12 | 5 | 9 | 18 | 4 | 22 | 20 | 4 | 7 | 12 |
| HEPATITIS INFECTIOUS & SERUM | | 2 | 1 | 1 | | 32 | 20 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 1713 | | | 1 | | 1 | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 3 | 21 | 35 | 41 | 32 | 87 | 46 | 12 | 59 | 1 |
| MENINGITIS MENINGOCOCCAL | | | | | | 1 | 1 | | 2 | 1 |
| MENINGITIS OTHER | 1 | 7 | 2 | 1 | | 1 | 1 | 3 | | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | 3 | 1 | | | | | |
| MUMPS | 2 | 18 | 1 | 2 | 2 | 55 | 38 | 8 | 5 | 25 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 1 | 2 | | 3 | 1 | 1 | 2 | 8 |
| POLIOMYELITIS | 6 | | 1 | 6 | 2 | 1 | 7 | 7 | 35 | 16 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | 2 | 1 | 1 | | | | 1 | | |
| RINGWORM OF THE SCALP | | | | | | | | | | 1 |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 13 | 22 | 2 | 4 | 4 | 8 | 5 | 4 | 33 | 28 |
| SYPHILIS | 3 | 4 | 4 | 3 | 8 | 11 | 4 | 12 | 17 | 16 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 7 | 6 | 5 | 5 | 5 | 8 | 12 | 10 | 12 | 13 |
| TULAREMIA | | | | | | | | | 2 | |
| TYPHOID CASES & CARRIERS | | | | 1 | | | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | 2 | | 1 | 5 | 1 | 3 | 10 | 1 | 24 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MC HENRY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 1 | 4 | 13 | 5 | 4 | 4 | 9 | 13 | 6 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 19 | 32 | 8 | 4 | 38 | 64 | 21 | 25 | 14 | 59 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | 1 | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | 1 | | 1 | | | | |
| ERYSIPELAS | * | | | | | | | | | 1 |
| FOOD INFECTIONS | | 1 | | | | 1 | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 2 | 21 | 1 | 5 | 1 | 9 | 11 | 7 | | 1 |
| GONORRHEA | 4 | 2 | 3 | 4 | 4 | | 2 | 2 | 4 | 2 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 1 | 4 | 4 | 1 | 5 | 4 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | 2 |
| INFLUENZA ALL FORMS | * | 1 | 4 | | | | 2 | | | 4 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 21 | 123 | 36 | 94 | 86 | 73 | 129 | 77 | 117 | 16 |
| MENINGITIS MENINGOCOCCAL | | 3 | | 1 | | | | 1 | | |
| MENINGITIS OTHER | 1 | 1 | 1 | 2 | 1 | | | | 1 | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 1 | 1 | 2 | 1 | | | | |
| MUMPS | 1 | 29 | 24 | 14 | 47 | 39 | 14 | 16 | 19 | 29 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | 1 | | |
| PNEUMONIA ALL FORMS | * | 4 | | 1 | | | 2 | 1 | 2 | 7 |
| POLIOMYELITIS | 1 | | 3 | 9 | 13 | 13 | 24 | 18 | 15 | 16 |
| PSITTACOSIS & ORNITHOSIS | | | | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 12 | 3 | 7 | 2 | 2 | 2 | 1 | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 32 | 16 | 4 | 5 | 16 | 35 | 17 | 16 | 12 | 6 |
| SYPHILIS | 10 | 8 | 12 | 11 | 13 | 7 | 24 | 18 | 19 | 24 |
| TETANUS | | | 1 | | | | 1 | 1 | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 13 | 10 | 20 | 12 | 15 | 14 | 16 | 11 | 10 | 11 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 6 | 4 | | 1 | 2 | 7 | | | 1 | 7 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MC LEAN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | 1 | | | 1 | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 2 | 1 | 3 | 2 | 4 | 2 | 3 | 3 | 3 | 7 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 104 | 165 | 302 | 185 | 240 | 217 | 154 | 190 | 231 | 81 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | 1 | 1 | 1 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | 1 | 1 | | | | 1 |
| ENCEPHALITIS ACUTE & POST | | 1 | | 2 | | 1 | 1 | 4 | | |
| ERYSIPELAS | * | 3 | | | | | | 1 | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | 12 | | | | 1 | 7 | | | | 50 |
| GERMAN MEASLES | 29 | 195 | 615 | 21 | 7 | 13 | 8 | 5 | 4 | 12 |
| GONORRHEA | 16 | 9 | 20 | 18 | 31 | 12 | 35 | 36 | 39 | 34 |
| HEPATITIS INFECTIOUS & SERUM | 4 | 1 | 6 | 3 | 37 | 126 | 25 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 8 | 2920 | | | | 1 | 51 | 4 | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 153 | 330 | 63 | 1127 | 111 | 91 | 181 | 645 | 371 | 203 |
| MENINGITIS MENINGOCOCCAL | 2 | 1 | 2 | 1 | 2 | 2 | 1 | | 1 | 2 |
| MENINGITIS OTHER | 3 | 8 | 3 | 2 | 2 | 3 | 4 | 3 | 3 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 1 | 6 | 5 | | | | | |
| MUMPS | 158 | 138 | 33 | 295 | 176 | 158 | 7 | 410 | 133 | 29 |
| PARATYPHOID CASES & CARRIERS | 1 | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 2 | 2 | 2 | 1 | 1 | 3 | 1 | 5 | 9 |
| POLIOMYELITIS | 5 | 9 | 4 | 15 | 36 | 24 | 46 | 42 | 12 | 24 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 17 | 16 | 18 | 9 | 2 | 6 | 2 | | | 1 |
| RINGWORM OF THE SCALP | | | 12 | 14 | 6 | | | | 2 | 8 |
| ROCKY MT SPOTTED FEVER | | | 1 | | | | | | | |
| SCARLET FEVER & STREP THROAT | 166 | 69 | 35 | 34 | 45 | 49 | 78 | 47 | 53 | 40 |
| SYPHILIS | 19 | 20 | 33 | 15 | 16 | 11 | 20 | 36 | 38 | 43 |
| TETANUS | | | 1 | | 2 | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 15 | 10 | 19 | 15 | 16 | 18 | 14 | 29 | 29 | 31 |
| TULAREMIA | | | | | | | | | 1 | 2 |
| TYPHOID CASES & CARRIERS | | | 1 | | | | | | | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | 1 | 1 | 3 | 1 | | 10 | 1 | | |
| WHOOPING COUGH | 12 | | 10 | 24 | 13 | 22 | 1 | 2 | 22 | 117 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MACON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | 1 | | | | | | | | | |
| ANTHRAX | | | | | | 1 | | | 1 | |
| BRUCELLOSIS | | 1 | | 2 | 1 | | 3 | 5 | 1 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 240 | 565 | 1364 | 857 | 987 | 836 | 913 | 1316 | 955 | 291 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | 2 | | 1 | |
| DIARRHEA OF NEWBORN | | | | | | | | | 57 | |
| DIPHTHERIA CASES & CARRIERS | | | | | 1 | | 1 | | | 2 |
| DYSENTERY BACILARY CASES &CRS | 1 | | | | 1 | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | 1 | 5 | | 2 | 1 | 3 | 4 | |
| ERYSIPELAS | * | | | | | 2 | | | | 2 |
| FOOD INFECTIONS | 1 | 2 | | | 1 | 3 | | | | |
| FOOD POISONINGS | | | | | | 3 | | | 10 | |
| GERMAN MEASLES | 197 | 418 | 358 | 182 | 19 | 19 | 54 | 798 | 21 | 20 |
| GONORRHEA | 160 | 113 | 123 | 160 | 167 | 112 | 37 | 87 | 87 | 124 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 2 | 9 | 9 | 3 | 9 | 6 | | 1 | |
| IMPETIGO CONTAGIOSA | | 1 | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1235 | 1 | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 102 | 394 | 610 | 1320 | 516 | 250 | 1900 | 128 | 733 | 705 |
| MENINGITIS MENINGOCOCCAL | 1 | | | 1 | 1 | 4 | 3 | 7 | 3 | 2 |
| MENINGITIS OTHER | 4 | 14 | | 5 | 1 | 6 | 7 | 2 | 2 | 4 |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 7 | 10 | 6 | 1 | | | | |
| MUMPS | 270 | 64 | 31 | 846 | 283 | 42 | 1019 | 227 | 54 | 9 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 2 | 1 | 4 | 4 | | | 2 | 10 |
| POLIOMYELITIS | 4 | 5 | 3 | 14 | 4 | 18 | 85 | 66 | 29 | 14 |
| PSITTACOSIS & ORNITHOSIS | | | | 2 | | 1 | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 34 | 47 | 62 | 138 | 1 | | 2 | | 1 | 1 |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 256 | 81 | 249 | 139 | 68 | 121 | 140 | 101 | 44 | 18 |
| SYPHILIS | 41 | 39 | 62 | 66 | 58 | 76 | 55 | 64 | 109 | 87 |
| TETANUS | | | | | 1 | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 32 | 40 | 43 | 35 | 42 | 64 | 27 | 49 | 25 | 43 |
| TULAREMIA | | 1 | | 1 | | 1 | | 1 | 3 | 1 |
| TYPHOID CASES & CARRIERS | | | | 1 | | 6 | | | 1 | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | | | | | | | | | | |
| WHOOPING COUGH | * | | | | | | | | | |
| | 13 | 2 | 2 | 8 | 53 | 12 | 5 | 17 | 16 | 78 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MACOUPIN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | 1 | | | 2 | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 3 | 1 | 2 | 4 | 3 | 5 | 5 | 4 | 9 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 18 | 1 | 11 | 10 | 4 | 15 | 29 | 7 | 5 | 3 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 2 | | 1 | | | | 4 | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | 1 | 1 | | | | | |
| FOOD POISONINGS | | | | 10 | | | | | | |
| GERMAN MEASLES | 2 | 7 | 6 | 4 | 3 | | | 9 | | 1 |
| GONORRHEA | | 1 | 4 | | 2 | 1 | 2 | 4 | 10 | 4 |
| HEPATITIS INFECTIOUS & SERUM | 3 | 2 | 5 | 4 | 37 | 61 | 18 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 4 | 10 | | | | 5 | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | 1 | | | | | |
| MEASLES | 24 | 3 | 35 | 4 | 234 | 31 | 46 | 3 | 56 | 35 |
| MENINGITIS MENINGOCOCCAL | 1 | | | 1 | | | 2 | | 1 | 1 |
| MENINGITIS OTHER | 1 | 2 | 3 | | 1 | 1 | | 3 | 1 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 10 | 4 | 6 | 1 | | | | |
| MUMPS | 1 | 7 | 1 | 28 | 13 | 3 | 7 | 27 | 29 | 7 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 3 | 1 | 1 | 3 | 1 | 5 | 1 | 7 | 18 |
| POLIOMYELITIS | | | 2 | 3 | 3 | 7 | 21 | 12 | 21 | 12 |
| PSITTACOSIS & ORNITHOSIS | | | | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | 4 | 8 | 6 | | | 1 | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | 11 |
| ROCKY MT SPOTTED FEVER | | | | 1 | | | | 1 | | |
| SCARLET FEVER & STREP THROAT | 18 | 2 | 1 | 2 | 3 | 19 | 10 | 16 | 6 | 13 |
| SYPHILIS | 3 | 8 | 5 | 10 | 7 | 11 | 7 | 18 | 16 | 18 |
| TETANUS | 1 | | | 4 | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 10 | 15 | 13 | 12 | 15 | 15 | 15 | 23 | 23 |
| TULAREMIA | | 1 | | | 1 | | | 1 | | 5 |
| TYPHOID CASES & CARRIERS | | | | | | | | 1 | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 4 | | 1 | | 1 | 11 | | | | 14 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MADISON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | 1 | | | 1 | | 2 | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 5 | 5 | 6 | 5 | 4 | 4 | 6 | 3 | 17 |
| CHANCROID | 1 | 1 | 1 | | | | | | | |
| CHICKENPOX | 15 | 3 | 145 | 140 | 222 | 158 | 335 | 312 | 102 | 15 |
| CONJUNCTIVITIS ALL FORMS | | | | | 1 | 5 | | 1 | | |
| DIARRHEA OF NEWBORN | | | | | 1 | | | 4 | | 1 |
| DIPHTHERIA CASES & CARRIERS | | | | | 2 | 2 | | 1 | 2 | 7 |
| DYSENTERY BACILARY CASES &CRS | 2 | 2 | 10 | 12 | 13 | 2 | 3 | | | 1 |
| ENCEPHALITIS ACUTE & POST | 5 | 2 | 8 | 3 | 7 | 6 | 7 | 11 | 2 | 1 |
| ERYSIPELAS | * | | 1 | | | 3 | | 1 | | |
| FOOD INFECTIONS | | | 5 | 2 | 6 | 6 | 2 | 3 | | |
| FOOD POISONINGS | 1 | | 27 | 34 | | | | 30 | | |
| GERMAN MEASLES | 2 | 1 | 8 | 37 | 8 | 4 | 41 | 29 | 11 | |
| GONORRHEA | 127 | 93 | 90 | 158 | 123 | 136 | 165 | 257 | 250 | 266 |
| HEPATITIS INFECTIOUS & SERUM | 16 | 21 | 6 | 7 | 16 | 53 | 7 | 2 | 9 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 5 | 13 | | 2 | | | 1 | 1 | 2 |
| KERATOCONJUNCTIVITIS | | | | | | 1 | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 22 | 8 | 257 | 167 | 469 | 154 | 694 | 12 | 116 | 63 |
| MENINGITIS MENINGOCOCCAL | 4 | 4 | 5 | 6 | 12 | 11 | 12 | 10 | 3 | 3 |
| MENINGITIS OTHER | 12 | 11 | 6 | 4 | 3 | 4 | 2 | 11 | 1 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 12 | 12 | 4 | 2 | 1 | | | | |
| MUMPS | 5 | 2 | 212 | 62 | 274 | 72 | 109 | 288 | 170 | 13 |
| PARATYPHOID CASES & CARRIERS | | 1 | | 2 | | | | | 3 | |
| PNEUMONIA ALL FORMS | * | 9 | 17 | 17 | 34 | 21 | 32 | 22 | 13 | 34 |
| POLIOMYELITIS | 3 | 10 | 3 | 18 | 38 | 30 | 56 | 57 | 53 | 49 |
| PSITTACOSIS & ORNITHOSIS | | 1 | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 52 | 65 | 52 | 78 | 6 | 5 | 10 | 3 | 7 | 1 |
| RINGWORM OF THE SCALP | | | | | 3 | | | | | |
| ROCKY MT SPOTTED FEVER | | 2 | | 1 | | | | | | |
| SCARLET FEVER & STREP THROAT | 96 | 55 | 37 | 24 | 64 | 107 | 86 | 109 | 61 | 30 |
| SYPHILIS | 67 | 72 | 103 | 80 | 100 | 94 | 115 | 169 | 242 | 236 |
| TETANUS | 1 | | 1 | | | 1 | 1 | 1 | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | 2 | | | | | | | | |
| TUBERCULOSIS | 50 | 70 | 72 | 92 | 59 | 93 | 75 | 60 | 60 | 58 |
| TULAREMIA | 1 | 1 | 1 | | 2 | 3 | | 1 | 1 | |
| TYPHOID CASES & CARRIERS | | 1 | 3 | | 5 | 2 | 1 | 3 | 8 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 3 | 3 | 8 | | 3 | 31 | 4 | 4 | 16 | 21 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MARION COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | | | 6 | | 3 | 4 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | 1 | 3 | 2 | 7 | 7 | 9 | 5 | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | 5 |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | 1 | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | 1 | | | 1 | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | 1 | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | 2 | | 7 | 1 | | 1 | |
| GONORRHEA | 5 | 8 | 3 | 5 | 6 | 1 | 9 | 4 | 19 | 27 |
| HEPATITIS INFECTIOUS & SERUM | 1 | | 1 | | 5 | 39 | 10 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 7 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 11 | 1 | 1 | 37 | 58 | 37 | 19 | 20 | 19 | |
| MENINGITIS MENINGOCOCCAL | | | | | | | | 1 | | 2 |
| MENINGITIS OTHER | | | 1 | | 1 | | 1 | 2 | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 3 | | 4 | 3 | | | | |
| MUMPS | 1 | 2 | 3 | 3 | 7 | 4 | | 19 | 4 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 3 | | | 1 | | 1 | 1 | 1 |
| POLIOMYELITIS | 1 | | | 5 | 3 | 9 | 9 | 21 | 5 | 7 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 8 | 13 | 7 | 21 | | | 1 | | 2 | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | 1 | 1 | 1 |
| SCARLET FEVER & STREP THROAT | 9 | 12 | 10 | 12 | 1 | 7 | 8 | 1 | 5 | 18 |
| SYPHILIS | 11 | 5 | 8 | 11 | 12 | 20 | 17 | 31 | 41 | 46 |
| TETANUS | | | | | 1 | | | 1 | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 12 | 10 | 27 | 23 | 10 | 17 | 13 | 17 | 24 | 47 |
| TULAREMIA | | 3 | | 3 | 1 | 7 | 1 | 2 | 1 | 2 |
| TYPHOID CASES & CARRIERS | | | | | | 1 | | 1 | | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | 1 |
| WHOOPING COUGH | | | | 2 | 5 | | 2 | 3 | 2 | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MARSHALL COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | 2 | | 1 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | 2 | | | 10 | 3 | 2 | 1 | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | 4 |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 2 | | | | | 1 | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 6 | | | | | | | | |
| GONORRHEA | | 2 | 1 | 3 | 2 | | 1 | 3 | 5 | 7 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 1 | | | 1 | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 4 | | 48 | | | 4 | | 42 | 1 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | 2 |
| MENINGITIS OTHER | 2 | 1 | | 1 | | | 1 | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | 1 | | | | 13 | 2 | 1 | 1 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 1 | | | | | 1 | | 1 |
| POLIOMYELITIS | 2 | | 1 | 2 | 4 | 1 | 12 | 4 | 1 | 3 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | 1 | | | 1 | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | 1 |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | | | 1 | | 4 | | 1 | 1 | |
| SYPHILIS | 1 | | 5 | 2 | | 7 | 1 | 3 | 2 | 3 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 1 | 4 | 1 | 1 | 3 | 2 | 4 | 2 | 1 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 1 | | | | 2 | 1 | | 10 | | 1 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MASON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | 1 | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | 1 | | | | | 1 | 3 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 1 | 1 | 4 | 3 | 2 | 1 | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | 1 | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | 2 | | | | | | 1 | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 6 | 2 | 4 | 1 | | 3 | 5 | 3 | 4 | 18 |
| HEPATITIS INFECTIOUS & SERUM | 1 | 1 | 2 | 3 | 11 | 11 | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | 1 | |
| INFLUENZA ALL FORMS | * | 1 | 2 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | 5 | 3 | 2 | 3 | 32 | | | |
| MEASLES | | 3 | | | | 1 | | 2 | 4 | |
| MENINGITIS MENINGOCOCCAL | | | | | 1 | | 1 | | | 1 |
| MENINGITIS OTHER | | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | 1 | | | | 2 |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | 1 | | | | 2 |
| PNEUMONIA ALL FORMS | * | | | | | | | | | |
| POLIOMYELITIS | 3 | 3 | | | | 1 | 6 | 6 | | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | | 1 | 1 | | | | | 36 | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | | 1 | 1 | 4 | 6 | 7 | 10 |
| SYPHILIS | 2 | 5 | 3 | 2 | 2 | 5 | 11 | 7 | 14 | 3 |
| TETANUS | | | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 2 | 1 | 1 | 1 | 4 | 14 | 4 | 4 | 8 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 1 | | | 2 | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MASSAC COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | 1 | 1 | 1 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 2 | 2 | | 1 | | 2 | | 1 | | 1 |
| HEPATITIS INFECTIOUS & SERUM | | | | | 1 | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 1 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | 1 | | | | | 1 | 1 | |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | 1 | |
| MENINGITIS OTHER | 1 | | | 1 | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 2 | | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 2 | | | | 1 | 1 | | 4 |
| POLIOMYELITIS | | | | | 2 | 4 | 1 | 4 | 4 | |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 6 | 1 | 7 | | | 1 | | | | 1 |
| RINGWORM OF THE SCALP | 18 | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | 1 | | | | | | 1 | |
| SYPHILIS | 2 | 1 | 5 | 4 | 4 | 4 | 9 | 13 | 6 | 13 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 8 | 7 | 10 | 7 | 7 | 15 | 19 | 8 | 22 |
| TULAREMIA | | 2 | | 1 | 1 | | 1 | 2 | 1 | |
| TYPHOID CASES & CARRIERS | | 1 | | | | | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 1 | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MENARD COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | | | 7 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 5 | 1 | | 6 | 3 | 6 | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 1 | | | | | 1 | | | |
| ERYSIPELAS | * | | | | | 1 | 1 | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | 1 | | | | 1 | | | |
| GERMAN MEASLES | 1 | 7 | | | 1 | | | 2 | | |
| GONORRHEA | | | 1 | 1 | 1 | | | | | 1 |
| HEPATITIS INFECTIOUS & SERUM | | | | | | 30 | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 4 | 14 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 1 | 16 | 3 | 5 | 24 | | 12 | | 30 | 20 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | 1 | |
| MENINGITIS OTHER | | 2 | 2 | | | | 1 | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | | | | | | |
| MUMPS | 6 | | 3 | 2 | 6 | 1 | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 2 | 2 | 1 | | 1 | | 10 | 5 |
| POLIOMYELITIS | | | | 1 | | 5 | 2 | 2 | 3 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | | 2 | | | | | | | 1 |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | 2 | | | | |
| SCARLET FEVER & STREP THROAT | | | | | | 4 | 7 | 3 | 2 | 2 |
| SYPHILIS | 3 | | 2 | 1 | 3 | 3 | 4 | | 3 | 1 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | | | 5 | 3 | 2 | 2 | 2 | 4 | 7 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 4 | | | | 4 | | | 1 | 5 | 4 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MERCER COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | 1 | | | | | | 1 |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | 1 | | 2 | 2 | 3 | 3 | 2 | 12 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | 2 | 3 | | 2 | | 2 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | 3 | | | | | |
| GERMAN MEASLES | | | | | 1 | | | | | 2 |
| GONORRHEA | 2 | 1 | 2 | 1 | 1 | 1 | 4 | 1 | 2 | 1 |
| HEPATITIS INFECTIOUS & SERUM | 14 | 5 | 7 | 1 | 7 | 4 | 13 | 4 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | 2 | 2 | 37 | | 3 | 1 | | 9 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | 1 | | 1 | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | 1 | 6 | | 1 | | 1 | | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 1 | | | | | | 1 | 68 |
| POLIOMYELITIS | 1 | 1 | 1 | 2 | 1 | 16 | 3 | 4 | 2 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 8 | 3 | 2 | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | 1 | | 3 | | 1 | | 2 |
| SYPHILIS | | 2 | 2 | 5 | 3 | 1 | 1 | 1 | 4 | 5 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 2 | 5 | 1 | 2 | 4 | 1 | | | 1 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | 1 | | | | |
| WHOOPING COUGH | | | | | | | | | | 4 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MONROE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | 1 | | | 1 | | 4 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 27 | | 3 | 9 | 1 | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | 1 |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | 1 | | | |
| ERYSIPELAS | * | | | | | | 1 | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | 1 | | | | |
| GONORRHEA | | | | | 1 | | 1 | 2 | 1 | 1 |
| HEPATITIS INFECTIOUS & SERUM | | | | | 1 | 1 | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 40 | | 1 | | 11 | | 5 | | | |
| MENINGITIS MENINGOCOCCAL | | | | | | | 1 | | | |
| MENINGITIS OTHER | 1 | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | 1 | | | | 2 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | | | | 1 | | 1 | 1 | 6 |
| POLIOMYELITIS | | 1 | | 2 | 1 | | 3 | | 1 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 4 | 9 | | | | | | | |
| RINGWORM OO THE SCALP | | 1 | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | 1 | | | | | | 1 |
| SYPHILIS | | 1 | | | | | 3 | 2 | 5 | 6 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 6 | 1 | 5 | 3 | 1 | 4 | 1 | 2 | 6 |
| TULAREMIA | | | | | | | | | | 1 |
| TYPHOID CASES & CARRIERS | | | | | | | 1 | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MONTGOMERY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | | 1 | 3 | | 2 | 2 | 4 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 2 | | | | 3 | | | | 1 | 4 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | 1 | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 1 | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 4 | | | | | | | 1 | | |
| GONORRHEA | 3 | | 2 | | | 1 | 1 | 1 | | 2 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | 1 | 1 | 5 | 3 | | | 1 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 3 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | 1 | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 1 | | 1 | | 24 | | 1 | | 21 | 12 |
| MENINGITIS MENINGOCOCCAL | | 1 | 1 | | | 1 | | 1 | 1 | |
| MENINGITIS OTHER | 1 | 2 | 1 | 2 | | | | 1 | 1 | |
| MONONUCLEOSIS INFECTIOUS | * | | | 1 | 1 | 1 | | | | |
| MUMPS | | | | | | 1 | | | 5 | 4 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 3 | | | 1 | | | | 6 | 3 |
| POLIOMYELITIS | | | | 3 | 3 | 5 | 5 | 17 | 11 | 8 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | 5 | 3 | 2 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 23 | 2 | | | 12 | 51 | 27 | 6 | 9 | 6 |
| SYPHILIS | 7 | 1 | 5 | 6 | 5 | 6 | 8 | 13 | 8 | 12 |
| TETANUS | | | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 7 | 7 | 4 | 3 | 7 | 12 | 15 | 12 | 8 | 29 |
| TULAREMIA | 1 | 1 | | | 1 | 3 | | 1 | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | 19 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MORGAN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | 1 | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | 1 | 3 | 1 | 3 | 2 | 4 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 1 | 6 | 4 | 32 | 17 | 18 | 54 | 24 | 84 | 124 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | 2 | 3 | | 1 | | 2 | | | | 1 |
| ENCEPHALITIS ACUTE & POST | | | | 1 | | 1 | | | | |
| ERYSIPELAS | * | | | | | 1 | 1 | | 1 | 1 |
| FOOD INFECTIONS | 1 | 2 | 2 | 1 | | | | 1 | | 1 |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 1 | 14 | 6 | 19 | 1 | 3 | | 124 | 3 | 4 |
| GONORRHEA | 5 | 4 | 7 | 4 | 8 | 26 | 19 | 21 | 17 | 17 |
| HEPATITIS INFECTIOUS & SERUM | | 2 | 4 | 9 | 12 | 39 | 15 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 410 | | | | 9 | 3 | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 74 | 13 | 33 | 358 | 18 | 15 | 89 | 10 | 257 | 69 |
| MENINGITIS MENINGOCOCCAL | | 1 | | | | 1 | | | 1 | |
| MENINGITIS OTHER | | 2 | 1 | 3 | 1 | | 2 | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 2 | 2 | 2 | 1 | | | | |
| MUMPS | 81 | 1 | 2 | 25 | 10 | 31 | 3 | 50 | 31 | 43 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 2 | 1 | | 2 | 1 | 2 | 1 | 28 |
| POLIOMYELITIS | 3 | 1 | 2 | 3 | 1 | 8 | 3 | 7 | 18 | 3 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 9 | 4 | 8 | 2 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | 1 | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 7 | 4 | 4 | 6 | 9 | 13 | 5 | 9 | 34 | 7 |
| SYPHILIS | 4 | 3 | 7 | 7 | 5 | 6 | 10 | 27 | 19 | 34 |
| TETANUS | | | | 1 | | | 1 | | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 14 | 10 | 14 | 16 | 24 | 11 | 22 | 18 | 16 | 20 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | 1 | 1 | | | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 1 | 13 | | | 12 | 62 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| MOULTRIE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 1 | | | 2 | | 1 | 2 | 4 | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 1 | | | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | 1 | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 1 | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 1 | | 4 | 1 | 1 | | 1 | | 1 | |
| HEPATITIS INFECTIOUS & SERUM | | | | | | 1 | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 150 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | | | | 6 | | 2 | 1 |
| MENINGITIS MENINGOCOCCAL | | | 1 | | | | | | | |
| MENINGITIS OTHER | | | | 2 | 1 | 2 | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 2 | | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | | |
| POLIOMYELITIS | 1 | | 1 | | 1 | 2 | 7 | 26 | | 1 |
| PSITTACOSIS & ORNITHOSIS | | 1 | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | | 1 | 1 | 1 | 1 | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | 1 | | | | | | | |
| SCARLET FEVER & STREP THROAT | 4 | | | 1 | | 2 | | 3 | | 1 |
| SYPHILIS | | | | 3 | | | 4 | 3 | 6 | 2 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 6 | 4 | 4 | 6 | 5 | 6 | 7 | 1 | 6 |
| TULAREMIA | | | | 1 | 1 | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | 1 | | | | | | | | |

Deleted from list of reportable diseases in Illinois in July, 1954, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| OGLE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 2 | | 1 | 1 | 1 | 2 | 3 | 3 | 5 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | 3 | | | | | 2 | 17 | 12 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | 1 | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | 1 | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 6 | 8 | | | | | | 1 | 13 |
| GONORRHEA | 7 | 6 | 10 | 5 | 5 | 6 | 2 | 6 | 4 | 7 |
| HEPATITIS INFECTIOUS & SERUM | | | 5 | | 10 | 79 | 6 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1415 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 6 | 16 | 61 | 3 | 9 | 27 | 30 | 71 | 1 |
| MENINGITIS MENINGOCOCCAL | | | | 1 | | 1 | 1 | 1 | | |
| MENINGITIS OTHER | | 2 | 7 | | | | | 1 | 1 | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | | | | | | |
| MUMPS | | | 5 | 3 | | | 3 | 4 | 6 | 8 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | 1 | | | 6 |
| POLIOMYELITIS | 2 | | 2 | 7 | 6 | 12 | 10 | 33 | 6 | 15 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 2 | 1 | | | 1 | | | | | |
| RINGWORM OO THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | 1 | 1 | 1 | | 4 | | 3 | | 4 |
| SYPHILIS | 5 | 4 | 8 | 8 | 4 | 4 | 7 | 8 | 6 | 3 |
| TETANUS | 1 | | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 8 | 2 | 4 | 4 | 6 | 8 | 4 | 11 | 7 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | 1 | 1 | 2 | 8 | 1 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| PEORIA COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | 22 | | | | 3 | | | 1 | 1 | 1 |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | 1 | 3 | 2 | 1 | 2 | 3 | 6 | 4 |
| CHANCROID | | 1 | | | 1 | | | | 1 | 2 |
| CHICKENPOX | 277 | 184 | 398 | 156 | 272 | 264 | 422 | 393 | 306 | 124 |
| CONJUNCTIVITIS ALL FORMS | | 5 | | | | | | | | |
| DIARRHEA OF NEWBORN | | 1 | 1 | | | | | 27 | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 1 | 1 |
| DYSENTERY BACILARY CASES &CRS | 7 | 1 | 1 | 1 | 1 | 2 | | | | |
| ENCEPHALITIS ACUTE & POST | 14 | 26 | 8 | 7 | 6 | 6 | 5 | 9 | 11 | |
| ERYSIPELAS | * | 9 | 6 | | 1 | 3 | 3 | 5 | 2 | |
| FOOD INFECTIONS | 10 | 19 | 4 | 5 | 4 | 11 | 1 | | | |
| FOOD POISONINGS | 11 | | | 6 | | | | | 2 | 17 |
| GERMAN MEASLES | 16 | 55 | 29 | 11 | 1 | 4 | 16 | 48 | 8 | 10 |
| GONORRHEA | 171 | 158 | 82 | 250 | 262 | 377 | 943 | 810 | 577 | 584 |
| HEPATITIS INFECTIOUS & SERUM | 112 | 20 | 11 | 6 | 9 | 31 | 14 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 11224 | 1 | 1 | | 2 | | 2 | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 208 | 475 | 324 | 743 | 507 | 64 | 819 | 162 | 981 | 30 |
| MENINGITIS MENINGOCOCCAL | 1 | 2 | 6 | 8 | 7 | 9 | 11 | 19 | 6 | 8 |
| MENINGITIS OTHER | 32 | 40 | 16 | 20 | 18 | 15 | 9 | 22 | 4 | 3 |
| MONONUCLEOSIS INFECTIOUS | * | 7 | 4 | 10 | 8 | 1 | | | | |
| MUMPS | 86 | 354 | 97 | 29 | 109 | 501 | 56 | 68 | 562 | 55 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 48 | 30 | 31 | 26 | 25 | 27 | 9 | 14 | 58 |
| POLIOMYELITIS | 25 | 14 | 16 | 28 | 22 | 39 | 99 | 54 | 51 | 68 |
| PSITTACOSIS & ORNITHOSIS | | | | | 1 | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 63 | 50 | 32 | 27 | 3 | 7 | 1 | | | 1 |
| RINGWORM OF THE SCALP | 1 | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 358 | 452 | 143 | 194 | 135 | 123 | 155 | 192 | 103 | 165 |
| SYPHILIS | 70 | 54 | 69 | 52 | 29 | 48 | 58 | 105 | 145 | 199 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | 1 | | | | | | | | | |
| TUBERCULOSIS | 35 | 51 | 39 | 50 | 40 | 42 | 61 | 57 | 56 | 79 |
| TULAREMIA | | | 1 | | | | | | | |
| TYPHOID CASES & CARRIERS | 1 | | 1 | 3 | 1 | | | 1 | | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | 3 | | 5 | 2 | | 5 | 2 | 3 | |
| WHOOPING COUGH | 39 | 38 | 25 | 18 | 87 | 68 | 43 | 13 | 72 | 210 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| PERRY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | 3 | 5 | | | 1 | 1 | 1 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | | 2 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | 1 | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | 1 | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 2 | 3 | 1 | | | | | 5 | 1 | |
| HEPATITIS INFECTIOUS & SERUM | | | | 1 | | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 5 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | 1 | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | | 14 | | 4 | | | 6 |
| MENINGITIS MENINGOCOCCAL | 1 | | | 3 | | | | 1 | | |
| MENINGITIS OTHER | | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | | | | | | |
| MUMPS | | | | | | | 1 | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | | | 1 | 2 | | 1 | 2 | 5 |
| POLIOMYELITIS | | 5 | | | 2 | 3 | 6 | 9 | | |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | 7 | 2 | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | 1 | | | | | 1 | | 2 |
| SCARLET FEVER & STREP THROAT | 1 | 1 | | | | 2 | 2 | 1 | 2 | 2 |
| SYPHILIS | 3 | 2 | 7 | 2 | 5 | 11 | 12 | 13 | 13 | 9 |
| TETANUS | | | | | | 1 | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 8 | 7 | 4 | 10 | 7 | 6 | 10 | 5 | 4 |
| TULAREMIA | 3 | 1 | | 1 | 1 | | | 2 | 5 | 3 |
| TYPHOID CASES & CARRIERS | | 3 | | | | 1 | | | 1 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | 1 |
| WHOOPING COUGH | | | | | | | | | | 1 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| PIATT COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | | | 1 | 1 | | 1 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 32 | 110 | 78 | 57 | 96 | 17 | 210 | 8 | 35 | 12 |
| CONJUNCTIVITIS ALL FORMS | | 1 | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 1 | 1 | | 1 | | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | 2 | | 1 | | |
| FOOD POISONINGS | | | | | | | | | 1 | |
| GERMAN MEASLES | 37 | 22 | 4 | 3 | 4 | 4 | 2 | 5 | 2 | |
| GONORRHEA | 3 | | 1 | 1 | | 2 | 1 | | 5 | 3 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | 1 | 3 | | 1 | 7 | | | 1 |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 1720 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 111 | 127 | 3 | 187 | 117 | 17 | 50 | 5 | 47 | 6 |
| MENINGITIS MENINGOCOCCAL | | 1 | | | | | | | | |
| MENINGITIS OTHER | 1 | | 2 | 1 | 1 | | | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 1 | | | | | | | |
| MUMPS | 31 | 78 | 55 | 40 | 18 | 7 | 26 | 35 | 3 | 11 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | | 1 | 1 | 2 | 1 | 1 | 1 | 1 |
| POLIOMYELITIS | | | | | 1 | 1 | 10 | 8 | 11 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | 5 | 2 | 3 | | 1 | | 1 | | |
| RINGWORM OF THE SCALP | | | | | | | 1 | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 38 | 34 | 34 | 15 | 14 | 25 | 27 | 5 | 3 | 2 |
| SYPHILIS | 1 | | 1 | 1 | 1 | 2 | 1 | 2 | 3 | 2 |
| TETANUS | | | | | | 1 | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 2 | 2 | 2 | 1 | 4 | 10 | 7 | 9 | 3 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | 1 | 1 | 1 | 1 | | | | |
| WHOOPING COUGH | 15 | 1 | 10 | 15 | 31 | 1 | | 6 | 5 | 6 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| PIKE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | 1 | 1 | 1 | 5 | 3 | 3 | 1 | 6 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 4 | | 1 | 16 | 1 | 2 | | | | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | 1 | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | 1 | | | 1 | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 3 | | | | | | | | |
| GONORRHEA | 8 | 4 | 9 | 3 | 7 | 15 | 5 | 4 | 7 | 11 |
| HEPATITIS INFECTIOUS & SERUM | 1 | | 25 | 13 | 8 | 4 | 1 | 3 | 4 | |
| IMPETIGO CONTAGIOSA | | 3 | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 1 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 2 | 2 | 40 | 13 | 42 | 27 | 6 | | 40 | |
| MENINGITIS MENINGOCOCCAL | 1 | | 1 | | | 1 | | | 1 | 1 |
| MENINGITIS OTHER | 1 | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 3 | 2 | 1 | | | 1 | | |
| MUMPS | 3 | | 6 | | 3 | 10 | 2 | | 1 | 2 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 1 | | | | | | | 4 |
| POLIOMYELITIS | 1 | | 3 | 3 | 1 | 6 | 5 | 5 | 5 | 3 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 1 | | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 8 | 1 | 1 | 20 | 8 | 3 | | 1 | 4 | 1 |
| SYPHILIS | 3 | 2 | 2 | 2 | 3 | 7 | 6 | 9 | 13 | 14 |
| TETANUS | | | | | | 1 | | | | 2 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 7 | 4 | 3 | 4 | 3 | 10 | 5 | 9 | 8 | 13 |
| TULAREMIA | 1 | | | 1 | | | | 1 | | |
| TYPHOID CASES & CARRIERS | | | | | 5 | | | | 2 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | 1 | | |
| WHOOPING COUGH | | | | 4 | 4 | | 3 | | 2 | 2 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| POPE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 9 | | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | 1 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 1 | | | | | | | | |
| GONORRHEA | | | | | | 1 | | | | |
| HEPATITIS INFECTIOUS & SERUM | | | | | | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 16 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 6 | 1 | | | | | | | 1 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | | | | 1 | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | | 1 |
| POLIOMYELITIS | | | | | | | | | 1 | |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | | | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | 1 | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 3 | | | | | 1 | | | | |
| SYPHILIS | 1 | 1 | 1 | | 1 | 1 | 1 | 3 | 3 | 8 |
| TETANUS | | | | 1 | | | | | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | 1 | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 3 | 4 | 3 | 2 | 4 | 3 | 3 | 6 | 7 | 4 |
| TULAREMIA | | | | 1 | | 1 | | 1 | 1 | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| PULASKI COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | | 1 | | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 7 | 10 | 11 | 3 | | | | | | 3 |
| CONJUNCTIVITIS ALL FORMS | 1 | | | | | | 1 | | | |
| DIARRHEA OF NEWBORN | | | 2 | 1 | | 1 | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | 1 | 1 | | 5 |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | 1 | | |
| ENCEPHALITIS ACUTE & POST | | | | | | 1 | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | 1 | | | | 1 | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 7 | 13 | 10 | 15 | 20 | 19 | 7 | 34 | 41 | 49 |
| HEPATITIS INFECTIOUS & SERUM | | 1 | 1 | | 4 | 10 | 1 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 11 | 149 | | | | | 2 | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 1 | | 18 | 1 | 2 | | 3 | 3 | 2 | |
| MENINGITIS MENINGOCOCCAL | | | | | | | 1 | 1 | | |
| MENINGITIS OTHER | | | | | 2 | 2 | | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | 6 | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | 1 | | | | | | |
| PNEUMONIA ALL FORMS | * | 21 | 1 | | 1 | 3 | 1 | | | 4 |
| POLIOMYELITIS | | | | 2 | | 3 | | | 1 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 5 | 4 | 5 | | | | | | |
| RINGWORM OF THE SCALP | | | | 2 | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | 1 | | | | |
| SCARLET FEVER & STREP THROAT | | | | | | | 1 | | 1 | |
| SYPHILIS | 10 | 7 | 16 | 8 | 12 | 15 | 15 | 36 | 23 | 35 |
| TETANUS | | | | | | 1 | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 8 | 3 | 7 | 6 | 10 | 10 | 13 | 9 | 11 | 9 |
| TULAREMIA | 1 | | 1 | 1 | 3 | 2 | | | | |
| TYPHOID CASES & CARRIERS | 1 | | | 1 | 2 | | | | 1 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 1 | | | | 1 | | | | | 2 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| PUTNAM COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | 1 | | | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | 1 | | | | | | |
| GONORRHEA | 1 | | | | | | | | | 1 |
| HEPATITIS INFECTIOUS & SERUM | 2 | | | | | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | 12 | | | 1 | 4 | 1 | |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | 1 | | 1 | 1 | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | 1 | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | 1 | | | | | 3 |
| POLIOMYELITIS | | | | | | | | | 1 | |
| PSITTACOSIS & ORNITHOSIS | 1 | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 1 | | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | | | | | | | 1 |
| SYPHILIS | | | | | | | | 1 | 1 | 2 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | | | 2 | 1 | 1 | | 2 | 3 | 1 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 1 | | | | | | | | | |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| RANDOLPH COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | 1 | | | | | 1 | 2 | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 2 | 2 | | | 1 | 1 | | 2 | | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 1 | 1 |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | 1 | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | 5 | | 1 | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 3 | 3 | 3 | 1 | 2 | | 6 | 6 | 7 | 3 |
| HEPATITIS INFECTIOUS & SERUM | 1 | | 1 | | | 1 | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 1 | 3 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 2 | | | 38 | 4 | 3 | 1 | 14 | 19 |
| MENINGITIS MENINGOCOCCAL | | | 1 | | | | | | | |
| MENINGITIS OTHER | 1 | | | 2 | | 1 | | 1 | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | 1 | | 1 | | | | | | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 2 | 1 | 2 | | 3 | 2 | 2 | 13 |
| POLIOMYELITIS | | 2 | 1 | | 3 | 3 | 3 | 4 | 1 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 4 | 14 | | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | 1 | | 3 |
| SCARLET FEVER & STREP THROAT | 2 | | 1 | 2 | | 17 | 2 | 31 | 17 | 1 |
| SYPHILIS | 15 | 4 | 6 | 6 | 4 | 15 | 18 | 30 | 31 | 39 |
| TETANUS | | 3 | | | 1 | | | | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | 13 | | | |
| TUBERCULOSIS | 4 | 5 | | 6 | 10 | 7 | 3 | 5 | 7 | 11 |
| TULAREMIA | | | | | 1 | | | 1 | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | 2 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| RICHLAND COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | | | 1 | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | 1 | 2 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | | | | | 1 | | | |
| ERYSIPELAS | * | | | | | 1 | | | | |
| FOOD INFECTIONS | | | 1 | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | | 11 | | 3 | 1 | 3 | 1 | 1 | 1 | |
| HEPATITIS INFECTIOUS & SERUM | 1 | 1 | | | 2 | 8 | 27 | 41 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 704 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | 182 | | 50 | 4 | | | 1 |
| MENINGITIS MENINGOCOCCAL | 1 | | | 1 | | | | | | |
| MENINGITIS OTHER | 2 | 4 | | 1 | | | 1 | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | 2 | | | | | | | |
| MUMPS | | | | | | | 1 | | | |
| PARATYPHOID CASES & CARRIERS | | | | 1 | | | | | | |
| PNEUMONIA ALL FORMS | * | | | 2 | | | | | | |
| POLIOMYELITIS | | | 1 | | 2 | 11 | 7 | 12 | 2 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | | 12 | 27 | 1 | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | 1 |
| SCARLET FEVER & STREP THROAT | | | | 1 | | | 1 | 18 | 16 | 8 |
| SYPHILIS | 2 | 1 | 4 | 3 | 3 | 5 | 4 | 8 | 5 | 19 |
| TETANUS | | | | | | | | | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 7 | 2 | 5 | 11 | 6 | 8 | 7 | 3 | 9 | 8 |
| TULAREMIA | 2 | 1 | 1 | 1 | | 2 | | 2 | 1 | |
| TYPHOID CASES & CARRIERS | | | | | | 1 | 4 | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| ROCK ISLAND COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | 1 | 1 | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 2 | 1 | 3 | 4 | 11 | 3 | 10 | 19 | 15 | 19 |
| CHANCROID | | | | | | | | | 1 | 1 |
| CHICKENPOX | 4 | 11 | 11 | 29 | 30 | 7 | 13 | 18 | 63 | 89 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | 2 | 1 | | | 1 | 2 | 2 | 2 | 7 | 4 |
| DYSENTERY BACILARY CASES &CRS | | 1 | | 2 | | 7 | 5 | 1 | 1 | |
| ENCEPHALITIS ACUTE & POST | | | 1 | 1 | 1 | 1 | | | | 2 |
| ERYSIPELAS | * | | | | | | | | 1 | |
| FOOD INFECTIONS | | | 3 | 2 | | 4 | 1 | 10 | 2 | |
| FOOD POISONINGS | | | | | | | | | 20 | |
| GERMAN MEASLES | 1 | 2 | 3 | 2 | 2 | | 2 | | 1 | 4 |
| GONORRHEA | 107 | 93 | 72 | 47 | 56 | 40 | 74 | 87 | 89 | 73 |
| HEPATITIS INFECTIOUS & SERUM | 31 | 70 | 41 | 10 | 41 | 33 | 15 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 3 | 9194 | | | 1 | 1 | 1 | | 2 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 4 | 29 | 36 | 16 | 137 | 6 | 109 | 41 | 17 | 203 |
| MENINGITIS MENINGOCOCCAL | | 1 | 3 | 1 | 1 | | 3 | 1 | 1 | 2 |
| MENINGITIS OTHER | 6 | 5 | 8 | 2 | 5 | | 1 | 2 | 1 | 4 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 6 | 1 | 6 | 1 | | | | |
| MUMPS | 2 | 2 | 7 | 21 | 11 | 5 | 27 | 6 | 44 | 40 |
| PARATYPHOID CASES & CARRIERS | | | | | | 6 | 2 | | | |
| PNEUMONIA ALL FORMS | * | 3 | 5 | 3 | 3 | 1 | | 4 | 3 | 24 |
| POLIOMYELITIS | 48 | 1 | 6 | 30 | 19 | 125 | 20 | 36 | 4 | 55 |
| PSITTACOSIS & ORNITHOSIS | | 1 | | 6 | 11 | | 1 | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 50 | 38 | 50 | 54 | 2 | | 1 | 1 | | |
| RINGWORM OF THE SCALP | | | | | | | | | | 1 |
| ROCKY MT SPOTTED FEVER | | | | | | | | 16 | | |
| SCARLET FEVER & STREP THROAT | 22 | 4 | 6 | 48 | 8 | 1 | 19 | | 20 | 15 |
| SYPHILIS | 55 | 33 | 28 | 27 | 36 | 46 | 60 | 92 | 152 | 177 |
| TETANUS | | | 1 | | | 1 | | 1 | 1 | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 35 | 28 | 34 | 36 | 41 | 37 | 48 | 47 | 45 | 62 |
| TULAREMIA | 1 | | | | | 3 | | | | |
| TYPHOID CASES & CARRIERS | | 1 | 1 | 1 | | | 1 | 1 | 3 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | 1 | | | | 1 |
| WHOOPING COUGH | 22 | | 1 | 4 | 25 | | 2 | 3 | 9 | 60 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| ST CLAIR COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | 1 | | | | | | | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 11 | 6 | 31 | 13 | 10 | 19 | 16 | 13 | 5 | 17 |
| CHANCROID | | 2 | 1 | 8 | | 1 | 2 | | 1 | 3 |
| CHICKENPOX | 480 | 449 | 203 | 472 | 277 | 418 | 302 | 158 | 236 | 101 |
| CONJUNCTIVITIS ALL FORMS | | | 2 | | 1 | 1 | 1 | | | 1 |
| DIARRHEA OF NEWBORN | 1 | 1 | | | | | | | 8 | |
| DIPHTHERIA CASES & CARRIERS | | | | 1 | | | | | 2 | |
| DYSENTERY BACILARY CASES &CRS | 1 | 2 | 2 | | 2 | 2 | 5 | | | |
| ENCEPHALITIS ACUTE & POST | 2 | 3 | | 3 | 3 | 1 | 2 | 1 | 2 | 1 |
| ERYSIPELAS | * | 1 | | 1 | | 2 | | | | |
| FOOD INFECTIONS | 1 | 2 | 2 | 1 | 1 | 9 | | | 1 | |
| FOOD POISONINGS | 1 | | | | | | | | 4 | |
| GERMAN MEASLES | 26 | 137 | 36 | 46 | | 71 | | 10 | 135 | 66 |
| GONORRHEA | 306 | 399 | 613 | 778 | 813 | 670 | 603 | 678 | 738 | 816 |
| HEPATITIS INFECTIOUS & SERUM | 36 | 13 | 10 | 7 | 35 | 77 | 4 | 1 | 3 | 10 |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 10 | 9235 | | | | 2 | | 5 | 280 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | 1 | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 670 | 735 | 474 | 515 | 677 | 111 | 814 | 105 | 795 | 110 |
| MENINGITIS MENINGOCOCCAL | 2 | 2 | 5 | 5 | 2 | | 5 | 6 | 4 | 7 |
| MENINGITIS OTHER | 10 | 18 | 5 | 3 | | | 2 | 2 | 1 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 7 | 6 | 3 | 2 | 2 | 1 | | | |
| MUMPS | 424 | 131 | 138 | 309 | 122 | 185 | 103 | 63 | 39 | 119 |
| PARATYPHOID CASES & CARRIERS | 1 | | | 1 | | 1 | 1 | | | 1 |
| PNEUMONIA ALL FORMS | * | 155 | 172 | 31 | 35 | 19 | 20 | 30 | 47 | 88 |
| POLIOMYELITIS | 8 | 30 | 1 | 22 | 18 | 22 | 45 | 46 | 9 | 20 |
| PSITTACOSIS & ORNITHOSIS | | | | 3 | | | | | | |
| RABIES IN MAN | | | | | | | | 1 | | |
| RHEUMATIC FEVER | 56 | 45 | 36 | 39 | 5 | 10 | 9 | 4 | 8 | 5 |
| RINGWORM OF THE SCALP | | 1 | 20 | 43 | 81 | 36 | 50 | 7 | 29 | 22 |
| ROCKY MT SPOTTED FEVER | | 2 | | | | | | | 1 | |
| SCARLET FEVER & STREP THROAT | 241 | 42 | 21 | 15 | 17 | 27 | 15 | 33 | 35 | 40 |
| SYPHILIS | 173 | 233 | 362 | 170 | 97 | 170 | 163 | 230 | 296 | 371 |
| TETANUS | | 1 | 2 | 1 | 1 | 2 | 2 | 2 | 1 | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 73 | 35 | 72 | 60 | 80 | 87 | 104 | 60 | 98 | 103 |
| TULAREMIA | 3 | 1 | | | 1 | | | 4 | 3 | 2 |
| TYPHOID CASES & CARRIERS | 4 | 1 | | 3 | 1 | 7 | | 4 | 6 | 3 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENT'S INFECTION | * | | 2 | | | | | | | 1 |
| WHOOPING COUGH | 127 | 6 | 8 | 3 | 11 | 33 | 10 | 1 | 27 | 25 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| SALINE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | 2 | | 1 | ? | | 2 | 3 | |
| CHANCROID | | | | | | | 1 | | 1 | |
| CHICKENPOX | | | | | | | | 3 | 3 | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 1 | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | 1 | 1 | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 1 | 2 | 1 | | | 5 | 2 | 9 | 9 | 31 |
| HEPATITIS INFECTIOUS & SERUM | 1 | | | | 3 | 21 | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 4 | 2 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 1 | | | | | 27 | 16 | | 5 | 18 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | 1 | |
| MENINGITIS OTHER | | | | | | | | | 1 | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | 3 | 1 | | | | | |
| MUMPS | | | | | | 13 | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 2 | 1 | | 1 | | 1 | | 1 | 2 |
| POLIOMYELITIS | | | | 3 | 1 | 3 | 2 | 1 | 20 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 6 | 2 | 11 | 7 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | 1 | | | | 1 | | | | |
| SCARLET FEVER & STREP THROAT | 14 | 2 | 1 | | 3 | 6 | 2 | 2 | | 18 |
| SYPHILIS | 7 | 5 | 13 | 5 | 6 | 13 | 13 | 17 | 31 | 32 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | 2 |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 18 | 8 | 15 | 16 | 6 | 15 | 16 | 18 | 22 | 44 |
| TULAREMIA | 3 | 2 | | 4 | 2 | 8 | 2 | | 2 | 5 |
| TYPHOID CASES & CARRIERS | | | | | | | 1 | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | 1 | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| SANGAMON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | 1 | | 1 | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | 1 | | 1 | 1 | | | 1 |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 4 | | 1 | 1 | 1 | 2 | 5 | 3 | 6 | 3 |
| CHANCROID | | | | | | | | | 1 | |
| CHICKENPOX | 51 | 369 | 613 | 499 | 480 | 477 | 537 | 583 | 344 | 269 |
| CONJUNCTIVITIS ALL FORMS | | 3 | 16 | 1 | 2 | 3 | 1 | | | |
| DIARRHEA OF NEWBORN | | | | 17 | | | | | 20 | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES & CRS | | | 5 | | 4 | 1 | | 4 | 1 | |
| ENCEPHALITIS ACUTE & POST | 1 | 2 | | 3 | 1 | 3 | 2 | 3 | 2 | |
| ERYSIPELAS | * | | 1 | | 1 | 7 | 2 | 4 | 6 | 2 |
| FOOD INFECTIONS | 31 | 2 | 1 | | 17 | 109 | | | | |
| FOOD POISONINGS | | | 36 | | | 90 | | | | |
| GERMAN MEASLES | 5 | 10 | | 2 | 1 | 2 | 13 | 6 | 12 | 1 |
| GONORRHEA | 77 | 40 | 68 | 39 | 55 | 53 | 44 | 85 | 81 | 122 |
| HEPATITIS INFECTIOUS & SERUM | 8 | 7 | 23 | 75 | 46 | 158 | 112 | | 5 | |
| IMPETIGO CONTAGIOSA | | | | | | | | 1 | 2 | 1 |
| INFLUENZA ALL FORMS | * | 6 | 10 | 1 | | | 3 | 1 | 10 | 3 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 28 | 709 | 2395 | 212 | 1051 | 135 | 1574 | 101 | 483 | 515 |
| MENINGITIS MENINGOCOCCAL | 5 | 4 | 5 | 3 | 3 | 7 | 4 | 9 | 2 | 1 |
| MENINGITIS OTHER | 20 | 36 | 31 | 8 | 4 | 14 | 10 | 9 | 5 | 7 |
| MONONUCLEOSIS INFECTIOUS | * | 6 | 9 | 10 | 4 | | 1 | | | |
| MUMPS | 20 | 136 | 416 | 169 | 106 | 1366 | 97 | 224 | 480 | 20 |
| PARATYPHOID CASES & CARRIERS | | 1 | | | | 1 | | | | |
| PNEUMONIA ALL FORMS | * | 19 | 25 | 19 | 14 | 17 | 28 | 22 | 84 | 96 |
| POLIOMYELITIS | 1 | 5 | 18 | 26 | 18 | 57 | 36 | 52 | 54 | 35 |
| PSITTACOSIS & ORNITHOSIS | 1 | | 1 | 5 | 1 | 1 | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 9 | 10 | 28 | 28 | | | 1 | | 8 | |
| RINGWORM OF THE SCALP | | 11 | 11 | 5 | 2 | 1 | | | | |
| ROCKY MT SPOTTED FEVER | | | | | 1 | 1 | | | | |
| SCARLET FEVER & STREP THROAT | 11 | 49 | 49 | 125 | 54 | 74 | 159 | 287 | 57 | 26 |
| SYPHILIS | 27 | 33 | 65 | 51 | 62 | 64 | 82 | 124 | 143 | 158 |
| TETANUS | | 1 | | 2 | 2 | 2 | 2 | | | 3 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 35 | 25 | 38 | 35 | 43 | 52 | 54 | 55 | 59 | 134 |
| TULAREMIA | 1 | 2 | | 3 | | 1 | | | | 1 |
| TYPHOID CASES & CARRIERS | | | | 2 | | | 1 | 1 | 1 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | 1 | 2 | 2 | 2 | 2 | 1 | | 1 |
| WHOOPING COUGH | 8 | 12 | 37 | 3 | 58 | 150 | 41 | 5 | 50 | 132 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| SCHUYLER COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | 1 | 1 | 1 | 1 | 1 | 6 | 5 |
| CHANCROID | | | | | | | | | 1 | |
| CHICKENPOX | | | | | | | | | | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | 2 | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | | 1 | | | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | 12 | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 2 | | 2 | 3 | 1 | 1 | | | | 2 |
| HEPATITIS INFECTIOUS & SERUM | | | | | | 5 | 6 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 1 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 2 | 1 | 1 | | 2 | 14 | 2 | 3 | 2 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | | 2 | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 1 | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | | | 2 |
| POLIOMYELITIS | | 1 | 3 | 4 | | 1 | 3 | 5 | 3 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 1 | 1 | | 1 | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | | 2 | | 1 | 4 | | 12 |
| SYPHILIS | 3 | 1 | 2 | | | | 2 | 2 | 4 | 6 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 1 | 3 | 1 | 3 | 2 | | 5 | 6 | 8 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | | | | | | | | | | |
| WHOOPING COUGH | * | | | | | | | | | 6 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| SCOTT COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | 1 | | | 4 | 2 | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | 1 | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 1 | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | 1 |
| GONORRHEA | | 1 | | | | 1 | | 1 | | |
| HEPATITIS INFECTIOUS & SERUM | | | 2 | | 1 | 8 | 33 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 500 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 1 | | 3 | | | | | | 3 | 3 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | | | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | | | | 1 | | 2 |
| POLIOMYELITIS | 1 | | | 1 | | 1 | 1 | 2 | 6 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | | 1 | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | 1 | | | | 1 | | 1 |
| SYPHILIS | | 2 | | | 2 | 2 | | 2 | 3 | |
| TETANUS | | 1 | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 1 | 2 | 1 | 2 | 1 | 6 | 1 | 1 | 3 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | 1 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| SHELBY COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | 3 | | 1 | | | 1 | 1 | 5 | 5 |
| CHANCROID | | | | | | 1 | | | | |
| CHICKENPOX | 8 | 2 | 66 | 10 | 19 | 1 | 5 | 24 | 20 | 14 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | 3 | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | | 2 | | | | | | 1 |
| ERYSIPELAS | * | | | | | | 1 | 2 | | |
| FOOD INFECTIONS | | | | | | 44 | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 4 | 4 | | | | | 1 | | | |
| GONORRHEA | 1 | | 5 | 2 | 1 | 2 | 1 | 2 | 3 | 5 |
| HEPATITIS INFECTIOUS & SERUM | 1 | 2 | 5 | 4 | 2 | 5 | 7 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 6 | | | | 2 | | 1 | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 41 | 32 | 38 | 67 | 65 | | 68 | 11 | 110 | 12 |
| MENINGITIS MENINGOCOCCAL | 1 | | | 1 | | | | | | 1 |
| MENINGITIS OTHER | | | | 1 | | | 1 | | 1 | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | | | | | | | | |
| MUMPS | 1 | | 45 | 15 | 4 | 5 | 4 | 1 | 1 | 5 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | 1 | 1 | | | 1 | 3 |
| POLIOMYELITIS | 2 | | 4 | 2 | 3 | 2 | 22 | 38 | 6 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 3 | 1 | 3 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | 1 | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 25 | 6 | 8 | 1 | 1 | 16 | 16 | 82 | 35 | 5 |
| SYPHILIS | 9 | 5 | 8 | 4 | 6 | 4 | 7 | 8 | 4 | 10 |
| TETANUS | | | | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 3 | 7 | 2 | 8 | 5 | 14 | 7 | 12 | 6 | 12 |
| TULAREMIA | | 1 | 1 | 1 | | | | | 1 | |
| TYPHOID CASES & CARRIERS | 2 | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | 1 | 3 | | | 5 | 7 | 7 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| STARK COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | 1 | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | 2 | | | | | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 18 | 3 | | | 1 | | 2 | 6 | 3 | 10 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 2 | | | | 1 | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | 1 | 1 | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 2 | | | | | | 1 | | |
| GONORRHEA | 1 | | | 1 | 1 | | 1 | 1 | | 1 |
| HEPATITIS INFECTIOUS & SERUM | 27 | | | | | | 1 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | | | | | 1 | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 9 | 1 | 23 | 13 | | 63 | 2 | 7 | |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | 1 |
| MENINGITIS OTHER | 3 | | | 2 | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | 1 | | | | | | | |
| MUMPS | | 8 | 2 | 2 | | 3 | | 1 | 3 | 1 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 1 | | | | 2 | 2 | 1 | 1 |
| POLIOMYELITIS | | 1 | | | 2 | 4 | 3 | 1 | 3 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 4 | | | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | ? | 7 | 3 | | 1 | 4 | 3 | 2 | ? | 1 |
| SYPHILIS | 1 | 1 | 1 | ? | ? | 1 | 3 | 3 | ? | 7 |
| TETANUS | | | | 1 | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | | | | | 1 | 2 | | 5 | | 1 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | 1 | | | 3 | ? | 1 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| STEPHENSON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 1 | | | | 3 | 3 | 1 | 2 | 10 | 16 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 4 | | 1 | 63 | 9 | 4 | 8 | 8 | 9 | 3 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | 1 | | 1 | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | | 2 | 1 | | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 1 | 5 | | 2 | | | | 2 | | |
| FOOD POISONINGS | | | | | | | 145 | | | |
| GERMAN MEASLES | | 6 | | | | | | | 2 | 3 |
| GONORRHEA | 21 | 6 | 4 | 4 | 2 | 5 | 4 | 2 | 8 | 10 |
| HEPATITIS INFECTIOUS & SERUM | 2 | 1 | 4 | | | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 572 | | | | | | | 2 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 21 | | 1 | 111 | 11 | 3 | 7 | 17 | 26 | 9 |
| MENINGITIS MENINGOCOCCAL | | | 1 | | | | | | | |
| MENINGITIS OTHER | | 4 | | 1 | | 1 | | 1 | | |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 1 | 1 | | | | | | |
| MUMPS | 3 | 3 | 5 | | 49 | 35 | 2 | | 6 | 21 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | | | 1 | | 1 | 1 | 3 | 3 |
| POLIOMYELITIS | 2 | | 3 | 10 | 28 | 10 | 13 | 39 | 11 | 32 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | 1 | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 1 | | 2 | 1 | 1 | 3 | | | 1 |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | | 2 | 1 | 1 | 28 | 21 | 2 | 9 | 4 |
| SYPHILIS | 6 | 6 | 9 | 8 | 10 | 8 | 6 | 19 | 34 | 21 |
| TETANUS | | | | | | | | | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 7 | 10 | 3 | 2 | 4 | 11 | 12 | 5 | 12 | 13 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 9 | 1 | | 8 | 12 | 1 | | | 3 | 3 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| TAZEWELL COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | 1 | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | 1 | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 2 | 1 | | 1 | 4 | 2 | 3 | 3 | 9 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 7 | 3 | 28 | 30 | 14 | 14 | 61 | 24 | 15 | 12 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | 1 | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | 1 | | | | | 1 | 1 |
| DYSENTERY BACILARY CASES &CRS | 1 | | | 1 | | | | | | |
| ENCEPHALITIS ACUTE & POST | 5 | 1 | 5 | 3 | 2 | 6 | 4 | 2 | 4 | 1 |
| ERYSIPELAS | * | | | | 1 | | | | | |
| FOOD INFECTIONS | 2 | | 4 | | | 3 | 6 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 2 | 8 | 5 | 6 | 6 | | 5 | 3 | 4 | 2 |
| GONORRHEA | 44 | 15 | 19 | 20 | 21 | 36 | 58 | 64 | 49 | 63 |
| HEPATITIS INFECTIOUS & SERUM | 33 | 20 | 1 | 1 | 1 | 25 | 13 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 6487 | | | 1 | 1 | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 11 | 33 | 13 | 171 | 30 | 7 | 186 | 21 | 163 | 12 |
| MENINGITIS MENINGOCOCCAL | 2 | 2 | 1 | 2 | 3 | 2 | 3 | 7 | 2 | 2 |
| MENINGITIS OTHER | 13 | 10 | 4 | 2 | 2 | 7 | 6 | 6 | 3 | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 2 | 1 | | | | | | |
| MUMPS | 7 | 8 | 17 | 26 | 11 | 21 | 8 | 16 | 47 | 29 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 7 | 4 | 6 | 2 | 3 | 8 | 2 | 1 | 9 |
| POLIOMYELITIS | 13 | 6 | 14 | 11 | 16 | 14 | 38 | 26 | 17 | 29 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 29 | 34 | 13 | 4 | | | 1 | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | 1 |
| ROCKY MT SPOTTED FEVER | | | 1 | | 1 | | | | | 1 |
| SCARLET FEVER & STREP THROAT | 15 | 27 | 12 | 13 | 20 | 11 | 19 | 29 | 12 | 11 |
| SYPHILIS | 13 | 18 | 18 | 9 | 11 | 21 | 30 | 40 | 26 | 40 |
| TETANUS | | | | | | | | 1 | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 17 | 17 | 24 | 14 | 21 | 18 | 22 | 26 | 15 | 26 |
| TULAREMIA | 1 | 1 | | | | 1 | 1 | | | |
| TYPHOID CASES & CARRIERS | 1 | | | | | | | 1 | | 2 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | 1 | | | | | | |
| WHOOPING COUGH | 20 | 4 | 1 | 1 | 2 | 6 | 2 | 8 | 13 | 24 |

Delete: from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| UNION COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | 1 | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | | | | |
| CHANCROID | 1 | 1 | 1 | | 1 | 1 | 1 | | | |
| CHICKENPOX | | 1 | | | | | | | 1 | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | 2 | 3 | 1 | 1 | 3 | 10 | 4 | 2 | | 1 |
| DIPHTHERIA CASES & CARRIERS | | | | | 1 | | | | | |
| DYSENTERY BACILARY CASES & CRS | * | 1 2 | 1 | 1 | 1 1 | 8 | 7 | 1 2 36 | 2 | 12 |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 4 | 4 | | 2 | 2 | 3 53 | 1 | | 3 | 1 |
| GONORRHEA | | | | | | | | | | |
| HEPATITIS INFECTIOUS & SERUM | | | | | | | | | | |
| IMPETIGO CONTAGIOSA | * | 2 | 8 | | | | | | | |
| INFLUENZA ALL FORMS | | | | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | 3 | | | 7 |
| MEASLES | | 1 | | | | | 1 | | | 1 |
| MENINGITIS MENINGOCOCCAL | | | | | | | 1 | 2 | | |
| MENINGITIS OTHER | * | | 1 | | | 6 | | | | |
| MONONUCLEOSIS INFECTIOUS | 1 | 1 | | | | | | | | |
| MUMPS | | | | | 2 | 4 | 2 | 5 | 5 | 8 |
| PARATYPHOID CASES & CARRIERS | * | 3 | 1 | | | | | | | |
| PNEUMONIA ALL FORMS | | | | 2 | 1 | | 18 | 2 | 3 | 1 |
| POLIOMYELITIS | | | | | | | | | | |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | 4 | 6 | 4 | 4 | | | | | | |
| RHEUMATIC FEVER | | | | | | | | | | |
| RINGWORM OF THE SCALP | | | | • | | | | | | 1 |
| ROCKY MT SPOTTED FEVER | | 2 | | | | 1 | | 2 | 3 | 2 |
| SCARLET FEVER & STREP THROAT | 3 | 2 | | | | 1 | | 4 | 8 | 5 |
| SYPHILIS | 2 | 7 | 1 | 2 | 2 | 2 | 6 | | | |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | 17 |
| TUBERCULOSIS | 2 | 7 | 4 | 5 | 10 | 4 | 7 | 7 | 4 | 1 |
| TULAREMIA | 1 | 1 | | | 1 | | | 1 | 2 | |
| TYPHOID CASES & CARRIERS | | | | | 6 | 3 | 3 | 2 | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | 1 | 3 | 2 | | 1 | |
| WHOOPING COUGH | | | | | | | | | | |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| VERMILION COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | 3 | 1 | | | | | 3 | 1 | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | 1 | | 2 | 1 | 1 | 6 | 8 | 2 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 68 | 138 | 93 | 293 | 89 | 108 | 200 | 166 | 12 | 13 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | 1 | | |
| DIARRHEA OF NEWBORN | | | | | | | | | 4 | |
| DIPHTHERIA CASES & CARRIERS | | | | 2 | | 1 | 2 | | | 2 |
| DYSENTERY BACILARY CASES &CRS | | 1 | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | 3 | 2 | 2 | 3 | | | 1 | | 2 |
| ERYSIPELAS | * | 1 | | | | 1 | | | | |
| FOOD INFECTIONS | | | | | | | 2 | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | 4 | 18 | 723 | 87 | 27 | 4 | 8 | 55 | 1 | 14 |
| GONORRHEA | 70 | 44 | 48 | 58 | 83 | 128 | 109 | 65 | 48 | 59 |
| HEPATITIS INFECTIOUS & SERUM | 4 | 2 | 6 | 8 | 9 | 20 | 7 | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 5 | 3 | 1 | | | 5 | | | 3 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 29 | 223 | 279 | 269 | 23 | 225 | 30 | 397 | 28 | 52 |
| MENINGITIS MENINGOCOCCAL | 2 | 2 | | 7 | 5 | 2 | 1 | 2 | 1 | 1 |
| MENINGITIS OTHER | 2 | 5 | 1 | 5 | 5 | 1 | 3 | 1 | 1 | |
| MONONUCLEOSIS INFECTIOUS | * | 3 | 5 | 5 | 7 | 2 | | | | |
| MUMPS | 24 | 166 | 34 | 32 | 24 | 363 | 184 | 219 | 9 | 5 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 2 | 5 | 6 | 5 | 1 | 2 | 1 | 23 |
| POLIOMYELITIS | 5 | 5 | 1 | 22 | 16 | 19 | 12 | 124 | 15 | 13 |
| PSITTACOSIS & ORNITHOSIS | | | 1 | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 12 | 22 | 9 | 6 | 1 | 5 | 2 | | 1 | |
| RINGWORM OF THE SCALP | | | | 2 | | | 1 | 8 | 1 | |
| ROCKY MT SPOTTED FEVER | | | | | | 2 | | | | |
| SCARLET FEVER & STREP THROAT | 17 | 3 | 22 | 31 | 49 | 31 | 47 | 52 | 13 | 5 |
| SYPHILIS | 53 | 52 | 81 | 84 | 105 | 82 | 98 | 118 | 109 | 128 |
| TETANUS | | 1 | 1 | | 1 | | | | | 1 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 40 | 22 | 43 | 54 | 27 | 44 | 47 | 41 | 36 | 31 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | 1 | | | 1 | | | 1 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | 1 | 1 | 2 | 2 | | | |
| WHOOPING COUGH | 8 | 1 | 2 | | 22 | 67 | 6 | 1 | 15 | 31 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WABASH COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | | 1 | 1 | 5 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 1 | | | | | 4 | 1 | 2 | 9 | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | 1 | | |
| DYSENTERY, BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 1 | | | | | | | 1 | |
| ERYSIPELAS | * | | | | | | | | | 1 |
| FOOD INFECTIONS | | | 1 | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | 1 | | | | | | 1 |
| GONORRHEA | 1 | | 1 | 1 | | 1 | | 3 | 2 | 2 |
| HEPATITIS INFECTIOUS & SERUM | | | | | 30 | 7 | | 1 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 3 | 1 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 4 | | | 26 | 4 | 41 | 11 | 2 | 84 | 3 |
| MENINGITIS MENINGOCOCCAL | | | | | | 1 | | | 1 | |
| MENINGITIS OTHER | | | | | | 1 | | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | | | | | | | | |
| MUMPS | 1 | | | 1 | | 1 | 1 | | 1 | 4 |
| PARATYPHOID CASES & CARRIERS | | | | | 3 | | | | 1 | |
| PNEUMONIA ALL FORMS | * | | | | | | | | 1 | 1 |
| POLIOMYELITIS | | | 1 | 2 | | 1 | 1 | 2 | 1 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | 3 | | 1 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 1 | 2 | 6 | 4 | 1 | 10 | 11 | 5 | 7 | 16 |
| SYPHILIS | 3 | 7 | 8 | 1 | 6 | 7 | 7 | 5 | 13 | 22 |
| TETANUS | 1 | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 2 | 3 | 3 | 9 | 3 | 2 | 3 | 2 | 4 | 5 |
| TULAREMIA | | 1 | | | | | 3 | 2 | 2 | 1 |
| TYPHOID CASES & CARRIERS | | 1 | | | | | 2 | 2 | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | 1 | 10 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WARREN COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | | | | |
| CHANCROID | 1 | 1 | 1 | | 3 | 1 | 5 | 4 | 14 | 8 |
| CHICKENPOX | 26 | 8 | 153 | 118 | 146 | 33 | 71 | 174 | 7 | 159 |
| CONJUNCTIVITIS ALL FORMS | | | | 8 | | 4 | 14 | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | | 1 | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | 1 | | | |
| FOOD POISONINGS | | | | | 54 | | | | | |
| GERMAN MEASLES | 3 | 9 | 30 | 182 | 38 | 2 | 22 | 164 | 68 | 14 |
| GONORRHEA | 1 | 2 | 1 | 1 | 4 | 5 | 2 | 6 | 3 | 15 |
| HEPATITIS INFECTIOUS & SERUM | 3 | 1 | 2 | 5 | 3 | 16 | 32 | 35 | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 1928 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 58 | 30 | 23 | 328 | 10 | 8 | 26 | 253 | 10 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | 2 | | |
| MENINGITIS OTHER | 1 | | | 1 | | 1 | 1 | | | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 1 | 2 | 1 | | | | | |
| MUMPS | 2 | 374 | 16 | 8 | 6 | 59 | 163 | 110 | 7 | 8 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 3 | | 2 | | | 2 | | | 10 |
| POLIOMYELITIS | 6 | | | 4 | | 26 | 5 | 9 | 6 | 2 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | | 1 | | | 1 | | | | |
| RINGWORM OF THE SCALP | | 1 | | 8 | 4 | 3 | 48 | 52 | 3 | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 105 | 1 | | 3 | 1 | 9 | 5 | 14 | 2 | 2 |
| SYPHILIS | 4 | 4 | 5 | 4 | 3 | 10 | 16 | 8 | 14 | 14 |
| TETANUS | | | | | 1 | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 4 | 2 | 9 | 5 | 7 | 6 | 4 | 4 | 3 | 3 |
| TULAREMIA | | | | | | | | 2 | 1 | |
| TYPHOID CASES & CARRIERS | | | | | | | 2 | | | 3 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 4 | | | 3 | 20 | 7 | | 5 | 5 | 21 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WASHINGTON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | 1 | | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | 1 | 1 | 1 | | 3 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | 1 | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | | | | | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | | 1 | | 1 | | | 3 | 1 | 1 | 2 |
| HEPATITIS INFECTIOUS & SERUM | | | | | 1 | | | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 5 | | | | | | 3 | | |
| KERATOCONJUNCTIVITIS | | | | | | 1 | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | | | 5 | 2 | 4 | | 11 | 3 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | | 1 | | | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | | | | | | | | 1 | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | | 1 | | | | | | 1 |
| POLIOMYELITIS | | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 1 | 2 | 1 | 2 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | 1 | | 1 | 1 | | 1 | | 2 |
| SYPHILIS | 1 | 1 | | 2 | 1 | 2 | 4 | 4 | 3 | 3 |
| TETANUS | | | | 1 | | | | 3 | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 10 | 2 | 6 | 1 | 6 | 3 | 6 | 6 | 3 |
| TULAREMIA | | | | 1 | | 1 | | | | 3 |
| TYPHOID CASES & CARRIERS | | | | | | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | 5 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WAYNE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | 1 | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 3 | | 3 | 1 | 1 | 2 | | 1 | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | | | | | | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | 1 | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | | | | | | 1 | | 1 | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | | 1 | 4 | 4 | | | 1 | 2 | 3 | 5 |
| HEPATITIS INFECTIOUS & SERUM | | | 2 | 14 | 2 | 19 | 1 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 3 | 1 | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | | 4 | 2 | 2 | 2 | 32 | | 145 | 2 |
| MENINGITIS MENINGOCOCCAL | | | | | | | | | | |
| MENINGITIS OTHER | | | | | | | 1 | | 1 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 1 | 3 | | | | 1 | | | |
| MUMPS | | | | 1 | 2 | 1 | 46 | | 2 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | 1 | 2 | | | | | | | 3 |
| POLIOMYELITIS | | | 1 | 2 | 3 | 4 | 3 | 17 | 2 | |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 4 | 14 | 2 | 5 | | | 1 | | | 1 |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | 3 | 8 | | | 1 | 7 | 2 | 2 |
| SYPHILIS | 2 | 4 | 2 | 2 | 4 | 6 | 6 | 12 | 10 | 11 |
| TETANUS | | | 1 | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 6 | 4 | 4 | 10 | 5 | 5 | 10 | 9 | 9 | 15 |
| TULAREMIA | 6 | 2 | 1 | 3 | 3 | 3 | 1 | 3 | 1 | 2 |
| TYPHOID CASES & CARRIERS | | | | | | | | | 1 | 1 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | 1 | 1 | | | | | 2 |

* Became reportable diseases in Illinois in July, 1954, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WHITE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | 2 | 1 | 1 | | | 1 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 1 | | | | 1 | | | | | 1 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | 1 | | | | 2 | |
| DYSENTERY BACILARY CASES &CRS | | | | | | | | | | |
| ENCEPHALITIS ACUTE & POST | | 1 | | | | | | | | 1 |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | 1 | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | |
| GONORRHEA | 1 | 1 | 2 | | 1 | 1 | 1 | 9 | 2 | 4 |
| HEPATITIS INFECTIOUS & SERUM | | | | | 1 | 26 | 7 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 4 | | | | | | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | | 14 | | | | 82 | 7 | | 2 | |
| MENINGITIS MENINGOCOCCAL | | | | 1 | | | | | | |
| MENINGITIS OTHER | | 2 | 1 | 1 | | | | | | |
| MONONUCLEOSIS INFECTIOUS | * | 2 | | | | | | | | |
| MUMPS | | | | | | 3 | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 1 | | 1 | 1 | | | | |
| POLIOMYELITIS | | 1 | | 2 | 1 | 6 | 3 | 10 | 6 | 1 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | | 5 | 3 | 4 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | | | 1 | 1 | 2 | 2 | | 1 | |
| SYPHILIS | 2 | 5 | 4 | 1 | 2 | 9 | 10 | 10 | 37 | 21 |
| TETANUS | | | | | | 1 | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 8 | 6 | 8 | 7 | 5 | 13 | 13 | 11 | 15 | 10 |
| TULAREMIA | 1 | 1 | 2 | | 2 | 2 | | 2 | 9 | 3 |
| TYPHOID CASES & CARRIERS | | | | | | | | 1 | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | | | | | | | | | 1 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WHITESIDE COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | 1 | | 2 | 2 | 5 | 10 | 10 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 97 | | 2 | 1 | 4 | 38 | 3 | 2 | 4 | 5 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | 1 | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | 2 | | 1 | 6 |
| DYSENTERY BACILARY CASES &CRS | | | | 5 | | 1 | | | | |
| ENCEPHALITIS ACUTE & POST | 1 | 1 | 1 | | 3 | | 1 | 1 | 1 | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | 1 | | | | | | | 1 | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | 1 | | | | | | | |
| GONORRHEA | 22 | 9 | 18 | 21 | 18 | 17 | 16 | 28 | 5 | 15 |
| HEPATITIS INFECTIOUS & SERUM | 17 | 19 | 5 | 1 | 7 | 13 | 4 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 2 | 1621 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | 1 | | | | | | |
| MEASLES | 5 | 30 | 46 | 55 | 7 | 204 | 66 | 2 | 4 | 26 |
| MENINGITIS MENINGOCOCCAL | | | | | 2 | | 1 | 1 | 1 | |
| MENINGITIS OTHER | 3 | 5 | 1 | 1 | | 1 | 1 | 2 | | 2 |
| MONONUCLEOSIS INFECTIOUS | * | | | | | | | | | |
| MUMPS | 90 | 2 | | 1 | 17 | 13 | 1 | 22 | 6 | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | | | |
| PNEUMONIA ALL FORMS | * | | 4 | | | | 1 | | | 8 |
| POLIOMYELITIS | 2 | 1 | 19 | 7 | 10 | 26 | 27 | 11 | 12 | 30 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 6 | 4 | 6 | 3 | 1 | | 2 | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | 18 | 2 | 8 | 4 | 2 | 10 | 22 | 35 | 4 | 2 |
| SYPHILIS | 5 | 9 | 5 | 12 | 11 | 14 | 20 | 36 | 23 | 20 |
| TETANUS | | | 1 | 1 | | | | | | 2 |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 9 | 7 | 11 | 9 | 9 | 5 | 12 | 10 | 13 | 18 |
| TULAREMIA | | | | 1 | | 1 | | 1 | | |
| TYPHOID CASES & CARRIERS | | | | | | | | 1 | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | 4 | 1 | 1 | | 6 | 1 | | 2 | 1 | 4 |

* Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WILL COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | 1 | | | | | | 5 | 4 | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 2 | 2 | | 5 | 7 | 9 | 8 | 12 | 18 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 60 | 181 | 475 | 225 | 176 | 167 | 425 | 78 | 102 | 284 |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | 1 | | 1 | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | 1 |
| DYSENTERY BACILARY CASES &CRS | 3 | 5 | 1 | | | | | | | |
| ENCEPHALITIS ACUTE & POST | 4 | 3 | 1 | 1 | 2 | 4 | | 2 | | |
| ERYSIPELAS | * | | | 1 | | | | | | 1 |
| FOOD INFECTIONS | 1 | | | | | | 1 | 1 | | 2 |
| FOOD POISONINGS | 3 | | 26 | | | | 2 | | | |
| GERMAN MEASLES | 16 | 1 | 407 | 170 | 4 | 6 | 3 | 44 | 5 | 4 |
| GONORRHEA | 88 | 91 | 65 | 82 | 87 | 104 | 139 | 143 | 135 | 138 |
| HEPATITIS INFECTIOUS & SERUM | 22 | 37 | 34 | 30 | 38 | 79 | 13 | 1 | 1 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 7 | 25 | | | | 4 | 1 | | 1 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | 1 | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 15 | 310 | 108 | 594 | 290 | 123 | 120 | 730 | 118 | 99 |
| MENINGITIS MENINGOCOCCAL | | 1 | 3 | 3 | 2 | | 5 | 1 | 2 | 1 |
| MENINGITIS OTHER | 3 | 10 | 4 | 4 | 2 | | 1 | 1 | 1 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | 9 | 4 | 5 | 3 | 3 | | | | |
| MUMPS | 30 | 217 | 81 | 104 | 149 | 75 | 51 | 151 | 304 | 157 |
| PARATYPHOID CASES & CARRIERS | | | | | | | | 1 | | |
| PNEUMONIA ALL FORMS | * | 1 | | 1 | 1 | | 2 | 2 | 3 | 26 |
| POLIOMYELITIS | 3 | | 2 | 9 | 13 | 32 | 22 | 71 | 8 | 17 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 41 | 37 | 16 | 12 | 2 | 4 | 2 | 1 | | 2 |
| RINGWORM OF THE SCALP | 1 | | | 1 | | 1 | | 6 | 2 | 55 |
| ROCKY MT SPOTTED FEVER | | | | | | 1 | | | | |
| SCARLET FEVER & STREP THROAT | 74 | 76 | 68 | 12 | 8 | 31 | 21 | 24 | 39 | 21 |
| SYPHILIS | 78 | 81 | 86 | 66 | 76 | 69 | 95 | 124 | 125 | 185 |
| TETANUS | 1 | | 1 | | | | 1 | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 56 | 56 | 37 | 45 | 61 | 38 | 57 | 46 | 50 | 63 |
| TULAREMIA | | | | | | | 1 | | | |
| TYPHOID CASES & CARRIERS | | 1 | | 1 | 1 | 1 | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | 1 | | | | | | |
| WHOOPING COUGH | 8 | 6 | | 4 | 13 | 22 | 1 | 1 | 2 | 49 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WILLIAMSON COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | 1 | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | 1 | | | | | | | | |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | 1 | 2 | | | | 1 | | | | |
| CONJUNCTIVITIS ALL FORMS | | | | | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | 1 |
| DYSENTERY BACILARY CASES &CRS | 6 | | 1 | 1 | | 1 | | 5 | | |
| ENCEPHALITIS ACUTE & POST | | 1 | 1 | | 1 | | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | 1 | 1 | 2 | 3 | 1 | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | | | | | | | | | 2 |
| GONORRHEA | 6 | 11 | 15 | 15 | 8 | 8 | 4 | 8 | 8 | 8 |
| HEPATITIS INFECTIOUS & SERUM | 3 | | 1 | | 12 | 7 | 1 | | | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | 1 |
| INFLUENZA ALL FORMS | * | 5 | 3 | | | | | | | 4 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | 1 | | |
| MEASLES | | | | | 13 | 13 | 42 | | | 3 |
| MENINGITIS MENINGOCOCCAL | 1 | | | | | | 1 | 4 | | 1 |
| MENINGITIS OTHER | 2 | 5 | | 2 | 1 | | | | | 2 |
| MONONUCLEOSIS INFECTIOUS | * | 2 | 2 | 1 | 1 | | | | | |
| MUMPS | | | 1 | | 1 | | | | | |
| PARATYPHOID CASES & CARRIERS | | | | | | | | 1 | | |
| PNEUMONIA ALL FORMS | * | 1 | 1 | 1 | 2 | | 1 | 5 | 20 | 30 |
| POLIOMYELITIS | | | | 12 | 7 | 3 | 14 | 4 | 14 | 4 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 10 | 10 | 7 | 3 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | | | |
| ROCKY MT SPOTTED FEVER | | | | | | | 1 | 1 | | 1 |
| SCARLET FEVER & STREP THROAT | | 1 | 14 | 5 | | | | 1 | 3 | |
| SYPHILIS | 6 | 6 | 19 | 12 | 15 | 20 | 24 | 27 | 21 | 38 |
| TETANUS | | | | | | 1 | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 18 | 14 | 21 | 25 | 28 | 34 | 34 | 33 | 31 | 44 |
| TULAREMIA | | 5 | 8 | 2 | 3 | 7 | | 3 | 3 | 6 |
| TYPHOID CASES & CARRIERS | | 1 | | 2 | 2 | | 2 | 1 | 3 | 5 |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | |
| WHOOPING COUGH | | 4 | | | | | | | | 1 |

[illegible] seases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WINNEBAGO COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | | | | | | | 1 | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | | | | | | | 3 | | 3 | 3 |
| CHANCROID | | | | | | | | | | 1 |
| CHICKENPOX | 144 | 313 | 339 | 354 | 346 | 266 | 210 | 236 | 375 | 530 |
| CONJUNCTIVITIS ALL FORMS | | | | 5 | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | 1 | | | 1 | | 1 | 1 |
| DYSENTERY BACILARY CASES &CRS | 5 | 11 | 1 | 3 | 1 | 1 | 1 | | | |
| ENCEPHALITIS ACUTE & POST | 3 | 4 | 1 | | 4 | 2 | | | | 1 |
| ERYSIPELAS | * | 1 | | | | | | | | |
| FOOD INFECTIONS | 37 | | 2 | 1 | 1 | 1 | 1 | 1 | | 1 |
| FOOD POISONINGS | | | 5 | | | | | | 5 | |
| GERMAN MEASLES | 44 | 69 | 23 | 54 | 38 | 24 | | 29 | 26 | 8 |
| GONORRHEA | 218 | 186 | 130 | 53 | 64 | 105 | 128 | 107 | 104 | 127 |
| HEPATITIS INFECTIOUS & SERUM | 12 | 21 | 15 | 17 | 27 | 101 | 5 | | 6 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | 3 | 4027 | | | | | | | 2 |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 234 | 162 | 624 | 585 | 236 | 149 | 509 | 249 | 187 | 1299 |
| MENINGITIS MENINGOCOCCAL | 1 | | 3 | 3 | 1 | 1 | 2 | 3 | 1 | 1 |
| MENINGITIS OTHER | 5 | 10 | 4 | 3 | 3 | | 5 | 1 | 5 | 1 |
| MONONUCLEOSIS INFECTIOUS | * | | | | | 2 | | | | |
| MUMPS | 102 | 130 | 68 | 423 | 166 | 237 | 114 | 104 | 166 | 195 |
| PARATYPHOID CASES & CARRIERS | | | | | | 3 | | | | |
| PNEUMONIA ALL FORMS | * | 3 | 3 | 1 | 2 | 2 | | 2 | 2 | 50 |
| POLIOMYELITIS | 24 | 7 | 19 | 18 | 51 | 33 | 54 | 68 | 49 | 169 |
| PSITTACOSIS & ORNITHOSIS | 1 | | | 1 | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 27 | 15 | 10 | 11 | 2 | 3 | 1 | | | |
| RINGWORM OF THE SCALP | | | 4 | 7 | 35 | 1 | | | 1 | |
| ROCKY MT SPOTTED FEVER | | | | | | | 1 | | | |
| SCARLET FEVER & STREP THROAT | 176 | 25 | 43 | 34 | 39 | 79 | 31 | 61 | 72 | 57 |
| SYPHILIS | 39 | 42 | 60 | 7 | 14 | 13 | 11 | 34 | 56 | 68 |
| TETANUS | | | | 1 | | 1 | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | 1 | | | |
| TUBERCULOSIS | 38 | 34 | 44 | 40 | 52 | 59 | 73 | 104 | 74 | 75 |
| TULAREMIA | | | | | | | 1 | | | |
| TYPHOID CASES & CARRIERS | | | | | 2 | | | | | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | 1 | 1 | | | | |
| WHOOPING COUGH | 17 | 5 | 2 | 17 | 7 | 5 | 3 | 8 | 25 | 23 |

*Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.

# CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: 1950-1959

| WOODFORD COUNTY | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ACTINOMYCOSIS | | | | | | | | | | |
| AMEBIASIS CASES & CARRIERS | | | 1 | | | | | | | |
| ANTHRAX | | | | | | | | | | |
| BRUCELLOSIS | 2 | | 4 | 1 | 2 | 12 | 3 | 6 | 14 | 8 |
| CHANCROID | | | | | | | | | | |
| CHICKENPOX | | 6 | 8 | 8 | 4 | 6 | 22 | 2 | 11 | 4 |
| CONJUNCTIVITIS ALL FORMS | | | | 1 | | | | | | |
| DIARRHEA OF NEWBORN | | | | | | | | | | |
| DIPHTHERIA CASES & CARRIERS | | | | | | | | | | |
| DYSENTERY BACILARY CASES &CRS | | | | | | 2 | | | | |
| ENCEPHALITIS ACUTE & POST | 2 | | 1 | 2 | | 1 | | | | |
| ERYSIPELAS | * | | | | | | | | | |
| FOOD INFECTIONS | | | | | | | | | | |
| FOOD POISONINGS | | | | | | | | | | |
| GERMAN MEASLES | | 3 | 9 | 6 | | | | | 3 | |
| GONORRHEA | 3 | 8 | 5 | | 1 | 2 | 6 | 7 | 4 | 11 |
| HEPATITIS INFECTIOUS & SERUM | | 2 | 3 | 4 | | 5 | 4 | | 1 | |
| IMPETIGO CONTAGIOSA | | | | | | | | | | |
| INFLUENZA ALL FORMS | * | | 347 | | | | | | | |
| KERATOCONJUNCTIVITIS | | | | | | | | | | |
| LEPROSY | | | | | | | | | | |
| LEPTOSPIROSIS | | | | | | | | | | |
| MALARIA | | | | | | | | | | |
| MEASLES | 1 | 10 | 1 | 66 | 1 | 4 | 86 | 5 | 21 | 22 |
| MENINGITIS MENINGOCOCCAL | | | 1 | | 1 | | | | | 3 |
| MENINGITIS OTHER | 2 | 5 | 1 | 1 | 1 | | 1 | | | |
| MONONUCLEOSIS INFECTIOUS | * | | | 3 | | | | | | |
| MUMPS | 4 | | 6 | 20 | 3 | 4 | 6 | 6 | 39 | 2 |
| PARATYPHOID CASES & CARRIERS | | | | | | 1 | | | | |
| PNEUMONIA ALL FORMS | * | | 1 | | 1 | | 1 | 1 | | 6 |
| POLIOMYELITIS | 2 | 2 | 2 | 5 | 1 | 9 | 21 | 9 | 3 | 7 |
| PSITTACOSIS & ORNITHOSIS | | | | | | | | | | |
| RABIES IN MAN | | | | | | | | | | |
| RHEUMATIC FEVER | 3 | 2 | 1 | 2 | | | | | | |
| RINGWORM OF THE SCALP | | | | | | | | 1 | | |
| ROCKY MT SPOTTED FEVER | | | | | | | | | | |
| SCARLET FEVER & STREP THROAT | | 4 | 1 | 1 | 5 | 5 | 10 | 10 | 3 | 2 |
| SYPHILIS | | 3 | 1 | | 1 | 2 | 3 | 9 | 9 | 6 |
| TETANUS | | | | | | | | | | |
| TOXOPLASMOSIS | | | | | | | | | | |
| TRACHOMA | | | | | | | | | | |
| TRICHINOSIS | | | | | | | | | | |
| TUBERCULOSIS | 1 | 3 | 2 | 2 | 3 | 2 | 7 | 5 | 3 | 15 |
| TULAREMIA | | | | | | | | | | |
| TYPHOID CASES & CARRIERS | | | | | | | | | 1 | |
| TYPHUS CASES & CARRIERS | | | | | | | | | | |
| VINCENTS INFECTION | * | | | | | | | | | 1 |
| WHOOPING COUGH | | | | | 1 | 14 | | 1 | 2 | 35 |

Deleted from list of reportable diseases in Illinois in July, 1959, and therefore excluded for that year.


JO DAVIESS
STEPHENSON
WINNEBAGO
BOONE
McHENRY
LAKE
CARROLL
OGLE
DE KALB
KANE
COOK
DU PAGE
WHITESIDE
LEE
KENDALL
WILL
HENRY
BUREAU
LA SALLE
ROCK ISLAND
GRUNDY
MERCER
PUTNAM
KANKAKEE
KNOX
STARK
MARSHALL
LIVINGSTON
WARREN
PEORIA
IROQUOIS
WOODFORD
HENDER-SON
McLEAN
FULTON
HANCOCK
McDONOUGH
TAZEWELL
FORD
VERMILION
MASON
CHAMPAIGN
SCHUYLER
LOGAN
DE WITT
ADAMS
MENARD
BROWN
CASS
MACON
PIATT
PIKE
MORGAN
SANGAMON
DOUGLAS
EDGAR
SCOTT
MOULTRIE
CHRISTIAN
COLES
SHELBY
GREENE
MACOUPIN
CLARK
CAL-HOUN
CUMBERLAND
MONTGOMERY
FAYETTE
EFFINGHAM
JASPER
JERSEY
MADISON
BOND
CRAWFORD
CLAY
RICHLAND
LAWRENCE
MARION
CLINTON
ST CLAIR
WAYNE
WABASH
WASHINGTON
JEFFERSON
EDWARDS
MONROE
HAMILTON
WHITE
RANDOLPH
PERRY
FRANKLIN
JACKSON
SALINE
GALLATIN
WILLIAMSON
UNION
JOHNSON
POPE
HARDIN
ALEX-ANDER
PULASKI
MASSAC

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill.
Permit No. 101

LIBRARY DOCUMENTS DIV
UNIVERSITY OF ILLINOIS
URBANA ILLINOIS

3

PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

I26IIv
v.3
cop.2

# VITAL STATISTICS ILLINOIS

## VOL. III -- TUBERCULOSIS

1950 1959

THE LIBRARY OF THE
APR 17 1961
UNIVERSITY OF ILLINOIS

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

# VITAL STATISTICS ILLINOIS

## VOL. III -- TUBERCULOSIS

1950 1959



ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS
April, 1961

STATE OF ILLINOIS

Otto Kerner
Governor

DEPARTMENT OF PUBLIC HEALTH

L. L. Fatherree, M. D.
Director

BUREAU OF STATISTICS

Springfield, Illinois
April, 1961

VOL. I -- STATE SUMMARY DATA: 1959

VOL. II -- COUNTY SUMMARIES

Part 1 -- Natality statistics: 1950-1959
Part 2 -- Mortality statistics: 1950-1959
Part 3 -- Morbidity statistics: 1950-1959

VOL. III -- TUBERCULOSIS: 1950 - 1959

TABLE OF CONTENTS


Page

PART I -- TEN YEARS OF TUBERCULOSIS CASES AND DEATHS . . . . . 1

PART II -- UTILIZATION OF TUBERCULOSIS HOSPITAL BEDS . . . . . 3


TABULAR SECTION


Table

Page

1. -- Tuberculosis deaths by age groups, Illinois: 1918 - 1959 . . . . . 5
2. -- Tuberculosis cases, Illinois and each county: 1950 - 1959. . . . . 6
3. -- Tuberculosis deaths among residents of Illinois and each county: 1950 - 1959 . . . . . 8
4. -- Tuberculosis cases in the larger cities of Illinois: 1950 - 1959 . . . . . 10
5. -- Tuberculosis deaths among the residents of the larger cities in Illinois: 1950 - 1959. . . 11
6. -- Ten year average tuberculosis morbidity and mortality rates, Illinois: 1950 - 1959 . . . 12
7. -- Tuberculosis cases, deaths, case rates, and death rates among residents of Illinois and each county: 1959. . . . . 13
8. -- Tuberculosis cases by sex, race, and age for Illinois, Chicago, and Downstate: 1959. . . . . 14
9A. -- Tuberculosis cases by type, sex, race, and age, Illinois: 1959 . . . . . 15
9B. -- Tuberculosis cases by type, sex, race, and age, Chicago: 1959 . . . . . 16
9C. -- Tuberculosis cases by type, sex, race, and age, Downstate Illinois: 1959 . . . . . 17
10A. -- Deaths by place of residence, sex, race, 5 year age groups, Illinois: 1959. . . . . 18
10B. -- Deaths by place of residence, sex, race, 5 year age groups, Chicago: 1959 . . . . . 20
10C. -- Deaths by place of residence, sex, race, 5 year age groups, Downstate Illinois: 1959 . . . . . 22
11. -- Summary of Tuberculosis hospitalization situation in Illinois as of December 31, 1960 . 24


CHARTS AND MAP


Chart or map

Page

A. -- Trend in tuberculosis case and death rates, Illinois: 1940 - 1959. . . . . 25
B. -- Tuberculosis ten year case rate, Illinois: 1950 - 1959 . . . . . 26
C. -- Tuberculosis ten year death rate, Illinois: 1950 - 1959 . . . . . 27
D. -- Tuberculosis ten year case fatality rate, Illinois: 1950 - 1959. . . . . 28
E. -- A proposed distribution of sanatorium beds to meet current needs . . . . . 29

During the ten years covered in this report, there has been a vast improvement in the control of tuberculosis in Illinois. In 1950, there were 7,630 cases of tuberculosis reported and 2,132 deaths. The morbidity rate was 87.3 and the mortality rate 24.1. In 1959, the number of cases had declined to 4,220 and deaths receded to a total of 645. The rates were 42.7 and 6.5 respectively.

The improvement was noted throughout the State as witnessed by the fact that in Chicago cases declined from 5,180 to 2,790, while in the downstate area there were 2,450 reported in 1950 compared to 1,430 in 1959.

Deaths likewise show comparable improvements, with the decline in Chicago from 1,438 in 1950 to 408 in 1959, and in the downstate area from 694 to 237.

In 1950, Illinois had 4,058 beds distributed among 25 public tuberculosis and other hospitals and 8 private and semi-private institutions. In addition, there were also 2,000 beds available in State mental and penal institutions, a federal hospital with 424 beds and a United States Marine Hospital with 20 beds for tuberculosis patients. The need for beds was acute. Practically every sanatorium had a waiting list and it was often difficult to get early cases of tuberculosis hospitalized. Although chemotherapy for tuberculosis was available, it was expensive and left much to be desired.

The Department of Public Health was making sincere efforts to improve the tuberculosis picture. A sanatorium of 100 beds was near completion at Mt. Vernon, and the building of a 400-bed sanatorium in Chicago was underway. The lack of available beds, however, did not deter the effort to find new cases. Approximately 1,500,000 people were being x-rayed each year in county-wide surveys and as part of a growing program to x-ray admissions to general hospitals and State institutions.

In addition, in some areas it was found that the tax available for the care and treatment of the tuberculous was inadequate in proportion to the size of the tuberculosis problem. In an attempt to solve this problem, a subsidy fund of $5,000,000 was obtained from the legislature to provide ample funds, based on need in various sections of the State. Another $1,000,000 was appropriated to refurnish and enlarge existing sanatoria, so that the maximum number of beds could be made immediately available.

By 1959, partly by results obtained from good planning, and partly because of the introduction of additional chemotherapeutic agents and advances in surgical techniques, the number of beds available for tuberculosis had declined to 3,640 in 27 institutions, and in spite of this change, there was an average of slightly more than 700 beds vacant throughout the year. There is and there must be a continued effort to readjust sanatorium beds to the needs, so that the present surplus may be used advantageously for other purposes. Sanatoria in and near metropolitan areas should perhaps remain at peak efficiency, while those more rurally located should be encouraged to close their facilities entirely, insofar as the care and treatment of tuberculosis goes, and to convert to other types of medical or nursing care. Regionalization of sanatoria is a must, if the total cost for tuberculosis control is to be kept within reasonable balance. The number of cases of tuberculosis reported annually, the average length of stay necessary in the sanatorium, and the growing tendency toward ambulatory treatment indicate a continuing decline in the need for sanatorium beds, with no foreseeable chance for a reversal of the present trend.

The Department of Public Health has maintained a tuberculosis registry since 1919. Because tuberculosis is becoming a problem of manageable size, the Division is currently in the process of updating its case register at State level, with a name listing of all reported cases being prepared for each county and forwarded to the official county agency, requesting a clearance of records of deceased persons, notifications of all removals and the place of removal, and securing of information regarding the recent x-ray or clinical evaluation of those cases remaining. Upon completing the updating of the registry, it is planned to have an annual revision to insure accuracy and currency at both State and local levels. Corollary information will aid in determining the adequacy and inadequacy of treatment, of case holding, of hospitalization, and of the thoroughness of contact examinations.

During the ten-year period, there has been a vast increase in the amount of tuberculin testing done throughout the State, and additional plans are in various stages of completion to increase the total volume, to extend tuberculin testing into the pre-school age group and the young adult group, to standardize the type and dosage of tuberculin to be used, and finally, to effect a uniform reporting system.

Prophylactic chemotherapy among recent converters and among the very young, regardless of tuberculin sensitivity, has been rapidly increasing during the past few years. The use of BCG among the newborn and in young age groups who are contacts to cases in high endemic areas is gaining impetus in Chicago.

A review of the yield from x-ray surveys was

made for the years 1950 through 1956, and effective July 1, 1958, a modified program was inaugurated. The essentials of the program are outlined below:

> "Survey activities on an annual basis should be confined to those areas in which morbidity and mortality from tuberculosis exceed the general average. Within counties, the same procedure should be followed by placing emphasis on those segments of the county population having a greater-than-average incidence of the disease.
>
> "To accomplish our aim, surveys will be offered annually to those counties having the highest morbidity and mortality from tuberculosis, provided the quantity and quality of available follow-up will result in maximum diagnosis and treatment. More specifically, this will apply to the 25 percent of counties having the greatest tuberculosis problem. The next 25 percent of counties will be eligible for a survey on a biennial basis. Counties below the State average will be offered a general survey once every five years.
>
> "The vast majority of tuberculosis today, approximately 80 percent, occurs in that segment of the population thirty years of age and over. As a further modification of the survey program, x-rays will be offered to that segment of the population thirty years of age and over and to high school and young adults who react to the tuberculin test. There has been a marked reduction in the incidence of tuberculin sensitivity among younger adults and by confining x-rays to reactors, the problem of case finding can proceed in a more orderly and justifiable fashion. Above age thirty and increasing with the years, the percentage of tuberculin reactors increases to a point where tuberculin testing can be substituted by an x-ray as the preferable preliminary screening test.
>
> "Regardless of the screening method used, it is most important that results be followed to their ultimate conclusion. The study of previous surveys indicates that there has been too little continuing case-finding effort, after the unit has left the community. Follow-up has been inadequate in many areas. Future activities will not be planned until adequate provisions have been made for completing the epidemiological and clinical work which must be done to realize the end product of a survey program."

The announcement created a mild degree of chaos among volunteer workers and subsided only after the announcement of the deliberations of the tuberculosis conference held in Arden House, Harriman, New York, late in 1959.

Under statutory provisions whereby a tax may be levied for the free care and treatment of all persons suffering from tuberculosis, no resident of Illinois is denied diagnostic work-up, sanatorium care, post-sanatorium chemotherapy and clinical observation. In addition, in 1953 the Illinois Department of Public Health was empowered to hospitalize non-bonafide residents of Illinois cities or counties in sanatoria operated by the State. This removed the last obstacle in the program of making available to any person in Illinois, having tuberculosis, a sanatorium bed where he could secure modern medical or surgical care.

## PART II -- UTILIZATION OF TUBERCULOSIS HOSPITAL BEDS

Under present treatment regimens, 100 cases of tuberculosis require not more than 75 bed years of hospitalization. This, in other words, means that the number of beds available for the care and treatment of the tuberculous should equal 75 percent of the number of cases reported annually. This figure would be based on 100 percent hospitalization of all newly reported cases and would include cases which presently are not reported, except by death certificate. Excluding this type of case, which obviously needs no hospitalization, would make the bed need somewhat less. On the other hand, we would hope that this type of case would be seen less and less frequently and that all of them would be diagnosed prior to death and receive sanatorium treatment. In addition, there is a small percentage of previously reported cases which relapse. These individuals would not be counted in current morbidity and would tend to slightly increase the bed need.

In the downstate area, we have less than 1,300 new cases of tuberculosis being currently reported, and this would imply a need for approximately 1,000 beds. To this, let us add a safety factor of 10 percent and round off the figure to 1,100 beds for downstate residents. The present capacity of existing sanatoria is considerably higher than this figure. There is, therefore, a need for close scrutiny by the public, by taxing bodies, by the sanatorium boards which operate sanatoria, and by public health officials to evaluate the current and future bed requirements and, in an orderly manner, to provide for the withdrawal of excess beds and plan their effective use for other purposes.

The decline of tuberculosis, in general, has been greatest in non-urban areas, not because of greater control and effort on the part of rural communities, but because of migration to industrial areas by predominately low income groups who bring with them a reasonably high tuberculosis morbidity. There are exceptions to this general rule, but even in urban areas with a low tuberculosis rate, the number of cases remains relatively high, by virtue of the continuing growth of the urban area. For this reason, if for no other, the location of sanatoria in the near and distant future should, in all probability, be concentrated in urban areas.

Recently, it has been determined that there are approximately 1,000 vacant beds available in municipal, county, and State institutions operated for the care and treatment of tuberculous individuals. These are shown, by location, in Table 11.

One person's opinion of what is considered a reasonable distribution of 1,100 beds for the downstate Illinois area is graphically illustrated in Chart E. These sanatoria provide more beds than appear necessary at the present time, and certainly provide more beds than will be necessary in the very near future. The institution and their bed capacities are listed as follows:

1. A single sanatorium of 100 beds in the St. Clair-Madison area
2. Mt. Vernon State Tuberculosis Sanatorium to serve most of the southern third of the State - 150 beds
3. St. John's Sanatorium in Springfield - 175 beds
4. Macon County Sanatorium in Decatur - 35 beds
5. Champaign County Sanatorium in Urbana - 30 beds
6. Adams County Sanatorium in Quincy - 20 beds
7. Peoria Municipal Sanatorium - 90 beds
8. Livingston County Sanatorium in Pontiac - 30 beds
9. La Salle County Sanatorium and Convalescent Home in Ottawa - 20 beds
10. Rock Island County Sanatorium in Rock Island - 30 beds
11. Rockford Municipal Sanatorium - 40 beds
12. Kane County Sanatorium in Aurora - 35 beds
13. Lake County Sanatorium in Waukegan - 90 beds
14. Suburban Cook County Tuberculosis Sanatarium at Hinsdale - 200 beds
15. Chicago State Tuberculosis Sanitarium to reserve 55 beds for cases referred from the downstate area. Further adjustments, by retraction, would be made almost immediately.

For the City of Chicago, approximately 1,600 beds should suffice for present and future needs. These beds might well be divided among three institutions, with 50 beds at the Cook County Hospital, 345 beds at the Chicago State Tuberculosis Sanitarium, and the remaining 1,200 beds at the Municipal Tuberculosis Sanitarium.

The remaining sanatoria in the State should make plans for withdrawal from the field of hospitalization as soon as practicable arrangements can be made to utilize beds in nearby sanatoria.

The plan, as outlined, does not represent the true extent to which withdrawal of sanatorium beds should be executed. There are additional beds available to residents in specific categories. Approximately 200 new cases of tuberculosis are found each year among admissions to mental and penal institutions. Beds are available for these patients in facilities other than those under consideration. An additional number of individuals in the Illinois morbidity report are hospitalized in veterans' facilities in Illinois and surrounding states.

These additional facilities only serve to emphasize the need for immediate serious consideration of our problem of 1,000 or more excess beds, many of which could be found suitable, with slight alterations, for other needed purposes.

This picture of sanatorium beds again reflects the changes we have experienced in tuberculosis during the last decade. In 1950, the cry was to build more and bigger tuberculosis sanatoria, and within the comparatively short period of ten years, the same degree of effort should be exercised to subtract beds in sizable quantity from further use in the field of tuberculosis care and treatment.

This reversal in need for beds does not argue that the need for tuberculosis care and treatment is declining. Modern chemotherapy has shown us that with continued proper care, the recurrence rate can be reduced to a very small and almost insignificant figure, but at the same time, this implies that time, effort, and money must be spent to keep the discharged sanatorium patients under surveillance and treatment for a long time. The cost of this out-patient care is considerably less than the cost of hospitalization and insures almost uniform permanent recovery of the tuberculous individual.

The money saved by discarding unneeded beds can better be spent in the administration of prophylactic chemotherapy to young infected individuals who are potential occupants of sanatorium beds in the next one or two decades. We have reasonable assurance from past studies that intensive efforts in this area will further reduce the morbidity ~~of~~ the next decade, and with it, a comparable lessening of need for hospital facilities.

Table 1. -- TUBERCULOSIS DEATHS BY AGE GROUPS, ILLINOIS: 1918 - 1959

("Resident" refers to deaths among residents of the area regardless of where the event took place, while "Recorded" is a count of all events occurring within the area irrespective of the usual residence of the person concerned)

| | Year | Total | AGE GROUPS | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | 0-4 years | 5-14 years | 15-24 years | 25-44 years | 45-64 years | 65 and Over | Unknown Age |
| RESIDENT | 1959... | 645 | 13 | 3 | 9 | 106 | 277 | 237 | -- |
| | 1958... | 762 | 8 | 1 | 10 | 175 | 309 | 259 | -- |
| | 1957... | 746 | 11 | 3 | 11 | 156 | 320 | 245 | -- |
| | 1956... | 867 | 22 | 5 | 10 | 162 | 371 | 297 | -- |
| | 1955... | 898 | 15 | 3 | 13 | 195 | 378 | 294 | -- |
| | 1954... | 1,058 | 20 | 6 | 31 | 225 | 460 | 316 | -- |
| | 1953... | 1,256 | 33 | 10 | 36 | 324 | 570 | 283 | -- |
| | 1952... | 1,570 | 68 | 19 | 76 | 447 | 614 | 346 | -- |
| | 1951... | 1,807 | 57 | 14 | 88 | 526 | 720 | 402 | -- |
| | 1950... | 2,132 | 52 | 28 | 131 | 642 | 830 | 449 | -- |
| | 1949... | 2,518 | 59 | 23 | 172 | 751 | 1,023 | 490 | -- |
| | 1948... | 2,657 | 66 | 26 | 201 | 865 | 1,034 | 465 | -- |
| | 1947... | 2,845 | 43 | 28 | 284 | 924 | 1,111 | 455 | -- |
| | 1946... | 3,020 | 85 | 50 | 333 | 1,036 | 1,121 | 395 | -- |
| | 1945... | 3,159 | 60 | 45 | 394 | 1,141 | 1,121 | 398 | -- |
| | 1944... | 3,197 | 97 | 57 | 383 | 1,159 | 1,142 | 359 | -- |
| | 1943... | 3,467 | 104 | 56 | 415 | 1,294 | 1,188 | 410 | -- |
| | 1942... | 3,298 | 72 | 54 | 436 | 1,245 | 1,137 | 354 | -- |
| | 1941... | 3,534 | 85 | 60 | 483 | 1,373 | 1,168 | 365 | -- |
| | 1940... | 3,693 | 79 | 49 | 483 | 1,492 | 1,223 | 367 | -- |
| RECORDED | 1939... | 3,630 | 96 | 73 | 542 | 1,393 | 1,175 | 351 | -- |
| | 1938... | 3,695 | 117 | 61 | 566 | 1,501 | 1,114 | 336 | -- |
| | 1937... | 4,005 | 88 | 78 | 609 | 1,695 | 1,221 | 314 | -- |
| | 1936... | 4,056 | 88 | 97 | 629 | 1,752 | 1,115 | 375 | -- |
| | 1935... | 4,069 | 96 | 102 | 696 | 1,714 | 1,106 | 355 | -- |
| | 1934... | 4,134 | 96 | 80 | 652 | 1,779 | 1,166 | 361 | -- |
| | 1933... | 4,192 | 115 | 110 | 682 | 1,787 | 1,143 | 349 | 6 |
| | 1932... | 4,301 | 154 | 120 | 716 | 1,870 | 1,102 | 332 | 7 |
| | 1931... | 4,830 | 168 | 156 | 902 | 2,065 | 1,174 | 354 | 11 |
| | 1930... | 4,826 | 163 | 134 | 959 | 2,019 | 1,174 | 377 | -- |
| | 1929... | 5,256 | 233 | 163 | 1,126 | 2,173 | 1,170 | 390 | 1 |
| | 1928... | 5,481 | 226 | 174 | 1,170 | 2,324 | 1,190 | 394 | 3 |
| | 1927... | 5,497 | 232 | 198 | 1,156 | 2,353 | 1,187 | 370 | 1 |
| | 1926... | 5,497 | 229 | 173 | 1,193 | 2,319 | 1,159 | 424 | -- |
| | 1925... | 5,537 | 243 | 180 | 1,234 | 2,371 | 1,130 | 378 | 1 |
| | 1924... | 5,642 | 223 | 194 | 1,252 | 2,450 | 1,180 | 343 | -- |
| | 1923... | 5,572 | 236 | 189 | 1,191 | 2,405 | 1,178 | 373 | -- |
| | 1922... | 5,620 | 232 | 155 | 1,214 | 2,453 | 1,165 | 398 | 3 |

| Year | Total | 0-4 years | 5-9 years | 10-19 years | 20-29 years | 30-49 years | 50-69 years | 70 and Over | Unknown Age |
|---|---|---|---|---|---|---|---|---|---|
| 1921... | 5,617 | 260 | 101 | 524 | 1,462 | 2,066 | 965 | 237 | 2 |
| 1920... | 6,568 | 285 | 103 | 640 | 1,691 | 2,423 | 1,125 | 299 | 2 |
| 1919... | 7,395 | 361 | 104 | 720 | 1,833 | 2,809 | 1,295 | 258 | 15 |
| 1918... | 8,579 | 386 | 142 | 776 | 2,279 | 3,434 | 1,293 | 247 | 22 |

Source: Data for the years 1940-1959, incl., are resident data from tabulations of the Illinois Department of Public Health. Data for the years 1918-1939, incl., are Illinois occurrences as published by the National Office of Vital Statistics.

Table 2. -- TUBERCULOSIS CASES, ILLINOIS AND EACH COUNTY: 1950 - 1959

| County | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | 4,220 | 4,616 | 5,123 | 5,450 | 5,813 | 5,811 | 5,606 | 4,481 | 6,949 | 7,630 |
| Chicago | 2,790 | 3,094 | 3,623 | 3,841 | 4,216 | 4,011 | 3,737 | 2,515 | 5,034* | 5,180* |
| Downstate | 1,430 | 1,522 | 1,500 | 1,609 | 1,597 | 1,800 | 1,869 | 1,966 | 1,915 | 2,450 |
| Adams | 17 | 24 | 23 | 14 | 17 | 25 | 33 | 35 | 53 | 43 |
| Alexander | 13 | 10 | 19 | 15 | 16 | 21 | 16 | 31 | 35 | 37 |
| Bond | 2 | 11 | 3 | 5 | 9 | 4 | 6 | 7 | 6 | 10 |
| Boone | -- | 2 | 2 | 1 | 1 | 1 | 5 | 3 | 3 | 7 |
| Brown | -- | 4 | 1 | 2 | 2 | 4 | -- | 7 | 3 | 2 |
| Bureau | 12 | 4 | -- | 5 | 5 | 8 | 11 | 8 | 10 | 19 |
| Calhoun | 1 | 1 | 1 | 4 | 2 | 1 | 2 | -- | 1 | 3 |
| Carroll | 2 | 1 | 1 | 1 | 2 | 6 | 3 | 4 | 5 | 2 |
| Cass | 2 | 4 | 5 | 6 | 3 | 3 | 3 | 2 | 4 | 7 |
| Champaign | 24 | 8 | 13 | 23 | 25 | 18 | 23 | 23 | 26 | 20 |
| Christian | 9 | 10 | 11 | 10 | 9 | 7 | 8 | 18 | 9 | 16 |
| Clark | 6 | 6 | 1 | 5 | 3 | 9 | 7 | 2 | 10 | 11 |
| Clay | 2 | 7 | 3 | 13 | 3 | 7 | 4 | 7 | 7 | 5 |
| Clinton | 2 | 2 | 2 | 3 | 7 | 9 | 6 | 6 | 4 | 12 |
| Coles | 10 | 11 | 7 | 11 | 12 | 14 | 18 | 15 | 17 | 17 |
| Cook | 3,111 | 3,440 | 3,956 | 4,144 | 4,516 | 4,334 | 4,053 | 2,874 | 5,350* | 5,589* |
| Crawford | 5 | 4 | 5 | 8 | 4 | 7 | 6 | 4 | 6 | 13 |
| Cumberland | -- | 1 | 9 | 2 | 8 | 6 | 1 | 2 | 10 | 7 |
| De Kalb | 3 | 4 | 3 | 7 | 11 | 2 | 6 | 14 | 7 | 16 |
| De Witt | 3 | 5 | 2 | 4 | -- | 3 | 7 | 5 | 3 | 3 |
| Douglas | 2 | 4 | -- | 3 | 7 | 6 | 5 | 5 | 10 | 11 |
| Du Page | 38 | 33 | 38 | 32 | 44 | 50 | 46 | 46 | 43 | 42 |
| Edgar | 9 | 7 | 1 | 14 | 10 | 8 | 9 | 5 | 6 | 10 |
| Edwards | 2 | -- | 1 | 2 | 3 | 4 | 1 | 2 | 3 | 10 |
| Effingham | 4 | 4 | 7 | 5 | 4 | 8 | 1 | 7 | 7 | 13 |
| Fayette | 6 | 1 | 4 | 12 | 11 | 7 | 4 | 12 | 6 | 12 |
| Ford | 1 | 2 | 2 | 2 | 5 | 4 | 4 | 2 | 1 | 4 |
| Franklin | 21 | 24 | 23 | 23 | 36 | 18 | 31 | 37 | 36 | 71 |
| Fulton | 6 | 8 | 4 | 3 | 2 | 8 | 9 | 16 | 12 | 15 |
| Gallatin | 3 | -- | 8 | 6 | 1 | 7 | 9 | 4 | 6 | 11 |
| Greene | 11 | 9 | 9 | 5 | 4 | 8 | 10 | 6 | 9 | 10 |
| Grundy | 7 | 10 | 7 | 4 | 6 | 5 | 2 | 5 | 8 | 7 |
| Hamilton | 1 | 5 | 4 | 7 | 6 | 2 | 8 | 10 | 7 | 13 |
| Hancock | 5 | 5 | 4 | 5 | 4 | 8 | 9 | 5 | 7 | 2 |
| Hardin | 5 | 5 | 6 | 5 | 14 | 15 | 13 | 9 | 21 | 20 |
| Henderson | -- | 1 | 2 | 2 | -- | 2 | 1 | -- | 3 | 1 |
| Henry | 8 | 13 | 5 | 5 | 12 | 12 | 12 | 10 | 12 | 18 |
| Iroquois | 1 | 7 | 3 | 6 | 4 | 8 | 14 | 7 | 6 | 19 |
| Jackson | 6 | 10 | 11 | 16 | 5 | 18 | 21 | 25 | 35 | 23 |
| Jasper | 3 | 4 | 2 | 4 | 6 | 11 | 3 | 3 | 3 | 4 |
| Jefferson | 9 | 12 | 8 | 13 | 14 | 20 | 19 | 24 | 20 | 21 |
| Jersey | 3 | 1 | 4 | 4 | 1 | 4 | 3 | 3 | 2 | 6 |
| Jo Daviess | 1 | 3 | 4 | 2 | 7 | 9 | 7 | 5 | 4 | 8 |
| Johnson | 1 | 1 | 1 | 1 | 3 | 3 | 4 | 6 | 5 | 6 |
| Kane | 32 | 45 | 37 | 35 | 54 | 37 | 26 | 53 | 39 | 67 |
| Kankakee | 10 | 21 | 20 | 21 | 26 | 14 | 21 | 40 | 29 | 19 |
| Kendall | 1 | 2 | -- | 3 | 2 | 2 | 2 | 3 | 2 | 4 |
| Knox | 16 | 13 | 11 | 8 | 12 | 8 | 11 | 8 | 12 | 12 |
| Lake | 104 | 98 | 93 | 90 | 85 | 94 | 101 | 71 | 83 | 64 |
| La Salle | 25 | 31 | 17 | 30 | 26 | 41 | 35 | 47 | 41 | 43 |
| Lawrence | 7 | 5 | 12 | 10 | 3 | 12 | 4 | 3 | 2 | 7 |

*1950 and 1951 figures include both active and inactive new cases for the City of Chicago.

Table 2. -- TUBERCULOSIS CASES, ILLINOIS AND EACH COUNTY: 1950 - 1959 -- Continued

| County | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| Lee | 5 | 4 | 3 | 6 | 7 | 10 | 12 | 10 | 11 | 11 |
| Livingston | 5 | 6 | 8 | 11 | 12 | 10 | 10 | 8 | 9 | 9 |
| Logan | 6 | 7 | 6 | 7 | 3 | 6 | 13 | 5 | 8 | 10 |
| McDonough | 7 | 6 | 5 | 5 | 5 | 8 | 12 | 10 | 12 | 13 |
| McHenry | 13 | 10 | 20 | 12 | 15 | 14 | 16 | 11 | 10 | 11 |
| McLean | 15 | 10 | 19 | 15 | 16 | 18 | 14 | 29 | 29 | 31 |
| Macon | 32 | 40 | 43 | 35 | 42 | 64 | 27 | 49 | 25 | 43 |
| Macoupin | 6 | 10 | 15 | 13 | 12 | 15 | 15 | 15 | 23 | 23 |
| Madison | 50 | 70 | 72 | 92 | 59 | 93 | 75 | 60 | 60 | 58 |
| Marion | 12 | 10 | 27 | 23 | 10 | 17 | 13 | 17 | 24 | 47 |
| Marshall | 2 | 1 | 4 | 1 | 1 | 3 | 2 | 4 | 2 | 1 |
| Mason | 2 | 2 | 1 | 1 | 1 | 4 | 14 | 4 | 4 | 8 |
| Massac | 5 | 8 | 7 | 10 | 7 | 7 | 15 | 19 | 8 | 22 |
| Menard | 1 | -- | -- | 5 | 3 | 2 | 2 | 2 | 4 | 7 |
| Mercer | 2 | 2 | 5 | 1 | 2 | 4 | 1 | -- | -- | 1 |
| Monroe | 2 | 6 | 1 | 5 | 3 | 1 | 4 | 1 | 2 | 6 |
| Montgomery | 7 | 7 | 4 | 3 | 7 | 12 | 15 | 12 | 8 | 29 |
| Morgan | 14 | 10 | 14 | 16 | 24 | 11 | 22 | 18 | 16 | 20 |
| Moultrie | 1 | 6 | 4 | 4 | 6 | 5 | 6 | 7 | 1 | 6 |
| Ogle | 2 | 8 | 2 | 4 | 4 | 6 | 8 | 4 | 11 | 7 |
| Peoria | 35 | 51 | 39 | 50 | 40 | 42 | 61 | 57 | 56 | 79 |
| Perry | 1 | 8 | 7 | 4 | 10 | 7 | 6 | 10 | 5 | 4 |
| Piatt | 2 | 2 | 2 | 2 | 1 | 4 | 10 | 7 | 9 | 3 |
| Pike | 7 | 4 | 3 | 4 | 3 | 10 | 5 | 9 | 8 | 13 |
| Pope | 3 | 4 | 3 | 2 | 4 | 3 | 3 | 6 | 7 | 4 |
| Pulaski | 5 | 3 | 7 | 6 | 10 | 10 | 13 | 9 | 11 | 9 |
| Putnam | 1 | -- | -- | 2 | 1 | 1 | -- | 2 | 3 | 1 |
| Randolph | 4 | 5 | -- | 6 | 10 | 7 | 3 | 5 | 7 | 11 |
| Richland | 7 | 2 | 5 | 11 | 6 | 8 | 7 | 3 | 9 | 8 |
| Rock Island | 35 | 28 | 34 | 36 | 41 | 37 | 48 | 47 | 45 | 62 |
| St. Clair | 73 | 95 | 72 | 99 | 80 | 97 | 104 | 90 | 98 | 103 |
| Saline | 18 | 8 | 15 | 16 | 6 | 15 | 16 | 18 | 22 | 44 |
| Sangamon | 35 | 25 | 38 | 35 | 43 | 52 | 54 | 55 | 59 | 134 |
| Schuyler | 1 | 1 | 3 | 1 | 3 | 2 | -- | 5 | 6 | 8 |
| Scott | 2 | 1 | 2 | 1 | 2 | 1 | 6 | 1 | 1 | 3 |
| Shelby | 3 | 7 | 2 | 8 | 5 | 14 | 7 | 12 | 6 | 12 |
| Stark | -- | -- | -- | -- | 1 | 2 | -- | 5 | -- | 1 |
| Stephenson | 7 | 10 | 3 | 2 | 4 | 11 | 12 | 5 | 12 | 13 |
| Tazewell | 17 | 17 | 24 | 14 | 21 | 18 | 22 | 26 | 15 | 26 |
| Union | 2 | 7 | 4 | 5 | 10 | 4 | 7 | 7 | 4 | 17 |
| Vermilion | 40 | 22 | 43 | 54 | 27 | 44 | 47 | 41 | 36 | 31 |
| Wabash | 2 | 3 | 3 | 9 | 3 | 2 | 3 | 2 | 4 | 5 |
| Warren | 4 | 2 | 9 | 5 | 7 | 6 | 4 | 4 | 3 | 3 |
| Washington | 1 | 10 | 2 | 6 | 1 | 6 | 3 | 6 | 6 | 3 |
| Wayne | 6 | 4 | 4 | 10 | 5 | 5 | 10 | 9 | 9 | 15 |
| White | 11 | 6 | 5 | 7 | 5 | 13 | 13 | 11 | 15 | 10 |
| Whiteside | 9 | 7 | 11 | 9 | 9 | 5 | 12 | 10 | 13 | 18 |
| Will | 56 | 56 | 37 | 45 | 61 | 38 | 57 | 46 | 50 | 63 |
| Williamson | 18 | 14 | 21 | 25 | 28 | 34 | 34 | 33 | 31 | 44 |
| Winnebago | 38 | 34 | 44 | 40 | 52 | 59 | 73 | 104 | 74 | 75 |
| Woodford | 1 | 3 | 2 | 2 | 3 | 2 | 7 | 5 | 3 | 15 |
| County unstated | 13 | 11 | 1 | 4 | -- | -- | -- | -- | 6 | 18 |

Table 3. -- TUBERCULOSIS DEATHS AMONG RESIDENTS OF ILLINOIS AND EACH COUNTY: 1950-1959

| County | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | 645 | 762 | 746 | 867 | 898 | 1,058 | 1,256 | 1,570 | 1,807 | 2,132 |
| Chicago | 408 | 476 | 488 | 542 | 629 | 710 | 812 | 1,064 | 1,192 | 1,438 |
| Downstate | 237 | 286 | 258 | 325 | 269 | 348 | 444 | 506 | 615 | 694 |
| Adams | 5 | 8 | 9 | 10 | 7 | 4 | 10 | 13 | 15 | 12 |
| Alexander | 5 | 6 | 1 | 6 | 8 | 4 | 8 | 7 | 19 | 7 |
| Bond | -- | 1 | 1 | -- | 1 | -- | 1 | 1 | 4 | 2 |
| Boone | -- | -- | -- | 1 | 1 | 1 | 3 | 1 | -- | -- |
| Brown | -- | -- | -- | -- | -- | -- | 3 | 1 | 1 | 1 |
| Bureau | 1 | 1 | -- | 1 | 1 | 4 | 7 | 5 | 2 | 4 |
| Calhoun | 1 | -- | -- | 1 | -- | -- | -- | -- | -- | 1 |
| Carroll | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | 4 |
| Cass | 1 | 1 | -- | 1 | 1 | 1 | 3 | -- | 1 | 4 |
| Champaign | 1 | -- | 5 | 1 | 3 | 2 | 7 | 5 | 5 | 10 |
| Christian | 3 | 4 | 6 | 1 | 4 | -- | 5 | 5 | 2 | 9 |
| Clark | 2 | 1 | -- | 4 | -- | 2 | 1 | -- | 2 | 3 |
| Clay | -- | -- | -- | 2 | -- | 1 | -- | -- | 1 | 1 |
| Clinton | 2 | 1 | -- | -- | 4 | 1 | 2 | 2 | 2 | 4 |
| Coles | 1 | 4 | 5 | 3 | 1 | 3 | 4 | -- | 2 | 6 |
| Cook | 446 | 520 | 519 | 590 | 672 | 771 | 872 | 1,145 | 1,278 | 1,530 |
| Crawford | 2 | -- | -- | 1 | -- | 4 | 1 | 1 | 4 | 3 |
| Cumberland | -- | 1 | -- | 1 | 2 | -- | 1 | 5 | 2 | 1 |
| De Kalb | 2 | -- | -- | 1 | -- | 1 | -- | 3 | 2 | 2 |
| De Witt | -- | -- | -- | -- | 1 | -- | 1 | -- | -- | -- |
| Douglas | -- | 1 | 1 | 1 | 2 | 2 | 1 | 1 | 1 | 2 |
| Du Page | 3 | 3 | 3 | 8 | 7 | 8 | 10 | 5 | 7 | 8 |
| Edgar | 2 | 1 | 2 | 2 | -- | -- | -- | -- | 6 | 3 |
| Edwards | -- | 1 | 1 | 1 | -- | 2 | -- | -- | -- | -- |
| Effingham | -- | 1 | 1 | -- | -- | 1 | -- | 1 | 2 | 5 |
| Fayette | 1 | 3 | -- | 4 | -- | 3 | 1 | 3 | 8 | 3 |
| Ford | 1 | 1 | 1 | -- | 1 | -- | 1 | 1 | 1 | 1 |
| Franklin | 3 | 8 | 5 | 5 | 7 | 9 | 9 | 12 | 12 | 14 |
| Fulton | 5 | 2 | 3 | 1 | 1 | 5 | 2 | 4 | 4 | 9 |
| Gallatin | 1 | 2 | -- | -- | 2 | 3 | 3 | 1 | 2 | 4 |
| Greene | 2 | 3 | 4 | -- | 1 | 1 | -- | 3 | 5 | 1 |
| Grundy | 1 | -- | 1 | 2 | 1 | -- | -- | 1 | 2 | 3 |
| Hamilton | -- | 2 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 2 |
| Hancock | -- | -- | 1 | -- | 1 | 2 | 2 | 1 | 2 | 1 |
| Hardin | 4 | 1 | 2 | 3 | 2 | 2 | 2 | 6 | 9 | 4 |
| Henderson | -- | -- | 1 | 1 | -- | 1 | -- | 2 | -- | 1 |
| Henry | 1 | 2 | 1 | 1 | 3 | -- | 5 | 6 | 3 | 6 |
| Iroquois | 1 | 1 | 1 | 4 | 1 | -- | 1 | 1 | 1 | 5 |
| Jackson | 2 | 2 | 1 | -- | 2 | 1 | 1 | 5 | 6 | 8 |
| Jasper | -- | -- | 1 | -- | -- | -- | -- | 1 | 1 | 3 |
| Jefferson | 1 | 3 | 4 | 1 | 1 | 2 | 5 | 4 | 3 | 9 |
| Jersey | -- | 1 | -- | 3 | -- | 1 | -- | 3 | 1 | 3 |
| Jo Daviess | -- | 2 | -- | -- | -- | -- | 1 | 1 | -- | 2 |
| Johnson | 1 | 2 | -- | -- | 2 | 1 | 1 | -- | 1 | 1 |
| Kane | -- | 8 | 6 | 4 | 2 | 10 | 9 | 7 | 11 | 12 |
| Kankakee | 1 | 2 | 2 | 3 | 2 | 4 | 5 | 5 | 9 | 11 |
| Kendall | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | 1 |
| Knox | 1 | 6 | 1 | 2 | 2 | 2 | 4 | 7 | 4 | 9 |
| Lake | 10 | 15 | 9 | 7 | 8 | 13 | 17 | 3 | 17 | 17 |
| La Salle | 6 | 2 | -- | 8 | 4 | 3 | 10 | 9 | 10 | 15 |
| Lawrence | 3 | 1 | 1 | 2 | -- | 2 | 5 | -- | 1 | 6 |

Table 3. -- TUBERCULOSIS DEATHS AMONG RESIDENTS OF ILLINOIS AND EACH COUNTY: 1950-1959--Continued

| County | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| Lee | 1 | -- | 1 | 1 | 2 | 1 | 3 | 2 | 6 | 9 |
| Livingston | 1 | -- | 1 | 2 | 1 | 2 | 1 | 2 | 4 | 2 |
| Logan | 1 | -- | 1 | 2 | 1 | 3 | 1 | 4 | 3 | 7 |
| McDonough | -- | 3 | -- | 3 | -- | 3 | 2 | 2 | 5 | 5 |
| McHenry | 2 | 1 | 2 | 3 | 2 | 2 | 3 | 3 | 4 | 1 |
| McLean | 3 | 2 | 6 | 10 | 4 | 2 | 9 | 6 | 5 | 5 |
| Macon | 3 | 7 | 3 | 4 | 5 | 9 | 7 | 10 | 2 | 12 |
| Macoupin | 2 | 3 | 6 | 1 | 2 | 3 | -- | 6 | 8 | 12 |
| Madison | 8 | 11 | 19 | 21 | 11 | 13 | 22 | 20 | 30 | 20 |
| Marion | 3 | 1 | 6 | -- | -- | 2 | 9 | 4 | 8 | 4 |
| Marshall | 1 | -- | -- | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Mason | -- | 2 | -- | -- | 3 | -- | 1 | 2 | 1 | 4 |
| Massac | -- | 2 | 1 | 4 | 2 | 4 | 5 | 3 | 3 | 8 |
| Menard | 1 | -- | 2 | 2 | 1 | 1 | -- | 1 | 1 | 2 |
| Mercer | -- | -- | 1 | 1 | -- | -- | -- | -- | 2 | -- |
| Monroe | 1 | 1 | -- | -- | 1 | 2 | -- | -- | 3 | 1 |
| Montgomery | 3 | 2 | 1 | 2 | -- | 4 | 2 | 3 | 4 | 4 |
| Morgan | 1 | 1 | 2 | 4 | 2 | 1 | 1 | 2 | 4 | 5 |
| Moultrie | -- | 2 | -- | -- | 1 | 1 | 2 | 2 | -- | 3 |
| Ogle | -- | 3 | -- | -- | -- | 1 | 2 | 4 | 3 | 2 |
| Peoria | 12 | 11 | 6 | 12 | 11 | 11 | 18 | 19 | 19 | 27 |
| Perry | -- | 2 | 1 | -- | 1 | 2 | 3 | 2 | 1 | 2 |
| Piatt | 1 | 1 | 1 | -- | -- | 1 | -- | 2 | 4 | 1 |
| Pike | -- | -- | 3 | 3 | 2 | 4 | 1 | 1 | 4 | 2 |
| Pope | 1 | -- | -- | -- | -- | 2 | -- | -- | 1 | 3 |
| Pulaski | 4 | 4 | 5 | -- | 4 | 3 | 1 | 3 | 3 | 4 |
| Putnam | -- | -- | -- | -- | 1 | 1 | -- | 2 | 2 | 1 |
| Randolph | 2 | 2 | 1 | 3 | -- | 1 | -- | 3 | 6 | 6 |
| Richland | 1 | 3 | 1 | -- | 1 | 3 | 1 | 4 | 1 | 3 |
| Rock Island | 4 | 5 | 5 | 6 | 4 | 8 | 10 | 13 | 11 | 15 |
| St. Clair | 16 | 27 | 16 | 18 | 18 | 22 | 37 | 38 | 51 | 61 |
| Saline | 3 | 3 | 6 | 6 | 6 | 4 | 7 | 12 | 6 | 4 |
| Sangamon | 7 | 8 | 8 | 10 | 10 | 9 | 6 | 18 | 22 | 22 |
| Schuyler | -- | 1 | -- | -- | -- | 1 | -- | -- | -- | 1 |
| Scott | -- | -- | -- | -- | 1 | -- | 2 | 1 | 1 | 2 |
| Shelby | -- | -- | 1 | 3 | -- | 1 | 3 | 2 | 4 | 6 |
| Stark | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | -- |
| Stephenson | -- | 1 | 1 | 3 | -- | 2 | 3 | 1 | 7 | -- |
| Tazewell | 5 | 4 | 3 | 13 | 2 | 7 | 2 | 6 | 9 | 5 |
| Union | -- | 1 | 3 | 2 | 3 | 3 | 1 | 2 | 4 | 6 |
| Vermilion | 4 | 5 | 4 | 5 | 4 | 8 | 6 | 14 | 23 | 10 |
| Wabash | 1 | -- | 1 | 2 | -- | 1 | -- | -- | 3 | 1 |
| Warren | 2 | -- | 1 | 3 | 1 | -- | -- | 2 | 2 | 3 |
| Washington | 1 | -- | 1 | 1 | -- | -- | 2 | 1 | 3 | 2 |
| Wayne | -- | 5 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 2 |
| White | 1 | 1 | 1 | 3 | -- | 3 | 4 | 4 | 7 | 3 |
| Whiteside | 1 | 2 | 2 | 1 | 2 | 1 | 2 | 2 | 3 | 3 |
| Will | 11 | 6 | 7 | 10 | 11 | 8 | 15 | 18 | 12 | 24 |
| Williamson | 7 | 3 | 5 | 5 | 8 | 9 | 15 | 9 | 6 | 13 |
| Winnebago | 7 | 3 | 10 | 6 | 8 | 6 | 14 | 17 | 14 | 19 |
| Woodford | -- | -- | -- | -- | -- | -- | 1 | -- | -- | 1 |
| County unstated | 1 | -- | -- | 2 | 1 | 3 | 4 | 3 | 1 | -- |

Table 4. -- TUBERCULOSIS CASES IN THE LARGER CITIES OF ILLINOIS: 1950 - 1959

| City | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| Alton | 9 | 12 | 17 | 22 | 9 | 25 | 18 | 13 | 14 | 9 |
| Aurora | 15 | 16 | 17 | 20 | 24 | 16 | 13 | 13 | 19 | 33 |
| Belleville | 9 | 10 | 6 | 9 | 14 | 11 | 12 | 17 | 15 | 10 |
| Berwyn | 11 | 12 | 15 | 15 | 17 | 16 | 15 | 11 | 18 | 17 |
| Bloomington | 8 | 7 | 11 | 9 | 11 | 13 | 9 | 23 | 14 | 23 |
| Blue Island | 5 | 6 | 3 | 4 | 5 | 9 | 13 | 9 | 8 | 13 |
| Brookfield | 8 | 5 | 5 | 4 | 3 | 7 | 8 | 4 | 4 | 7 |
| Cairo | 13 | 8 | 14 | 12 | 13 | 14 | 11 | 23 | 23 | 16 |
| Calumet City | 11 | 7 | 13 | 8 | 5 | 6 | 11 | 8 | 9 | 7 |
| Canton | 2 | 2 | 3 | 1 | 1 | 3 | 3 | 4 | 2 | 2 |
| Carbondale | -- | 4 | 5 | 2 | -- | 7 | 5 | 8 | 9 | 6 |
| Centralia | 6 | 6 | 11 | 9 | 4 | 6 | 4 | 6 | 10 | 15 |
| Champaign | 14 | 4 | 6 | 8 | 11 | 10 | 12 | 14 | 13 | 9 |
| Chicago | 2,790 | 3,094 | 3,623 | 3,841 | 4,216 | 4,011 | 3,737 | 2,515 | 5,034* | 5,180* |
| Chicago Heights | 13 | 19 | 14 | 14 | 18 | 13 | 14 | 13 | 6 | 22 |
| Cicero | 32 | 27 | 27 | 27 | 31 | 18 | 26 | 33 | 26 | 36 |
| Collinsville | 5 | 5 | 3 | 5 | 3 | 4 | 5 | 2 | 2 | 6 |
| Danville | 27 | 19 | 31 | 36 | 19 | 18 | 36 | 23 | 18 | 22 |
| Decatur | 28 | 35 | 36 | 30 | 33 | 53 | 20 | 40 | 18 | 36 |
| De Kalb | 1 | 4 | 1 | 2 | 6 | 1 | 2 | 7 | 3 | 6 |
| Des Plaines | 9 | 7 | 13 | 6 | 5 | 7 | 7 | 9 | 8 | 7 |
| Dixon | 2 | 3 | 2 | 4 | 4 | 5 | 10 | 4 | 5 | 4 |
| Downers Grove | 2 | 5 | 1 | 5 | 6 | 2 | 4 | 7 | 8 | -- |
| East Moline | 4 | 3 | 2 | 3 | 3 | 9 | 5 | 3 | 8 | 12 |
| East St. Louis | 52 | 75 | 58 | 74 | 54 | 71 | 73 | 61 | 62 | 82 |
| Elgin | 9 | 14 | 14 | 10 | 14 | 13 | 8 | 20 | 9 | 18 |
| Elmhurst | 6 | 3 | 5 | 6 | 11 | 5 | 7 | 9 | 6 | 7 |
| Elmwood Park | 3 | 5 | 1 | 5 | 3 | 8 | 4 | 3 | 10 | 6 |
| Evanston | 22 | 21 | 33 | 18 | 24 | 26 | 36 | 27 | 34 | 22 |
| Evergreen Park | 2 | 3 | 2 | -- | 1 | 4 | 4 | 3 | 3 | 4 |
| Forest Park | 2 | 7 | 6 | 1 | 5 | 8 | 8 | 10 | 4 | 12 |
| Freeport | 6 | 8 | 2 | 2 | 3 | 9 | 9 | 4 | 11 | 11 |
| Galesburg | 11 | 10 | 6 | 8 | 10 | 7 | 7 | 7 | 10 | 9 |
| Granite City | 8 | 18 | 13 | 14 | 11 | 13 | 21 | 20 | 14 | 10 |
| Harrisburg | 6 | 2 | 5 | 5 | 1 | 5 | 4 | 6 | 5 | 15 |
| Harvey | 12 | 14 | 11 | 10 | 13 | 9 | 6 | 18 | 10 | 22 |
| Highland Park | 6 | -- | 2 | 5 | 4 | 7 | 3 | 4 | 3 | 5 |
| Jacksonville | 11 | 8 | 11 | 7 | 16 | 9 | 16 | 15 | 14 | 11 |
| Joliet | 37 | 37 | 22 | 26 | 46 | 28 | 43 | 33 | 33 | 45 |
| Kankakee | 1 | 6 | 6 | 13 | 11 | 7 | 9 | 20 | 17 | 11 |
| Kewanee | 4 | 8 | 4 | 3 | 5 | 6 | 6 | 6 | 7 | 12 |
| La Grange | 2 | 1 | 6 | 5 | 4 | 7 | 5 | 6 | 5 | 7 |
| La Salle | 2 | 5 | -- | 6 | 4 | 7 | 7 | 9 | 5 | 9 |
| Lincoln | 3 | 4 | 4 | 4 | 2 | 6 | 8 | 2 | 7 | 4 |
| Macomb | 5 | 2 | 1 | 3 | 4 | 4 | 4 | 3 | 5 | 5 |
| Marion | 2 | 5 | 4 | 4 | 2 | 7 | 10 | 6 | 4 | 10 |
| Mattoon | 6 | 6 | 3 | 6 | 2 | 10 | 6 | 4 | 3 | 9 |
| Maywood | 10 | 19 | 12 | 22 | 12 | 12 | 11 | 17 | 11 | 16 |
| Melrose Park | 12 | 8 | 13 | 9 | 12 | 6 | 11 | 12 | 7 | 11 |
| Moline | 11 | 6 | 5 | 6 | 8 | 6 | 15 | 13 | 9 | 16 |
| Monmouth | 1 | 1 | 5 | 3 | 5 | 5 | 4 | 4 | 2 | 1 |
| Mt. Vernon | 3 | 5 | 3 | 7 | 8 | 9 | 6 | 14 | 8 | 11 |
| Oak Park | 9 | 13 | 20 | 15 | 9 | 26 | 21 | 26 | 28 | 35 |
| Ottawa | 5 | 11 | 5 | 10 | 7 | 10 | 6 | 5 | 16 | 11 |
| Park Ridge | 10 | 6 | 8 | 6 | 6 | 5 | 6 | 9 | 3 | 6 |
| Pekin | 6 | 6 | 8 | 5 | 13 | 12 | 10 | 8 | 12 | 14 |
| Peoria | 27 | 41 | 34 | 46 | 33 | 37 | 47 | 50 | 46 | 71 |
| Quincy | 14 | 20 | 21 | 11 | 11 | 14 | 17 | 29 | 31 | 29 |
| River Forest | 2 | 2 | -- | 2 | 2 | 2 | 2 | 2 | -- | 3 |
| Rockford | 32 | 30 | 40 | 35 | 44 | 47 | 64 | 93 | 65 | 65 |
| Rock Island | 12 | 12 | 19 | 15 | 23 | 15 | 17 | 24 | 19 | 28 |
| Skokie | 5 | 8 | 7 | 3 | 5 | 1 | 6 | 4 | 3 | 6 |
| Springfield | 27 | 23 | 35 | 27 | 36 | 46 | 38 | 48 | 48 | 106 |
| Sterling | 4 | 4 | 6 | 3 | 4 | 1 | 8 | 3 | 9 | 9 |
| Streator | 6 | 4 | 7 | 2 | 3 | 6 | 7 | 13 | 9 | 6 |
| Urbana | 6 | 1 | 3 | 5 | 7 | 2 | 6 | 4 | 5 | 5 |
| Waukegan | 35 | 41 | 40 | 30 | 32 | 32 | 38 | 26 | 32 | 23 |
| West Frankfort | 5 | 6 | 8 | 6 | 11 | 4 | 7 | 10 | 7 | 17 |
| Wheaton | 3 | 1 | 4 | 2 | 2 | 4 | 4 | 5 | 1 | 5 |
| Wilmette | 7 | 4 | 3 | 4 | 4 | 4 | 3 | 2 | 7 | 3 |
| Winnetka | 2 | -- | 4 | 2 | 3 | 1 | 6 | 4 | 5 | 4 |
| Wood River | 2 | 1 | 4 | 7 | 3 | 2 | 5 | 3 | 4 | 6 |

*1950 and 1951 figures include both active and inactive new cases for the city of Chicago.

Table 5. -- TUBERCULOSIS DEATHS AMONG THE RESIDENTS OF THE LARGER CITIES IN ILLINOIS: 1950 - 1959

| City | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| Alton | 1 | 4 | 8 | 3 | 5 | -- | 5 | 2 | 8 | 4 |
| Aurora | -- | 4 | 4 | 2 | 1 | 3 | 5 | 1 | 3 | 4 |
| Belleville | -- | 2 | 3 | 2 | 3 | -- | 4 | 6 | 5 | 8 |
| Berwyn | 4 | -- | -- | 3 | 1 | 3 | 6 | 2 | 2 | 8 |
| Bloomington | 2 | 2 | 3 | 5 | 4 | 2 | 4 | 5 | 4 | 3 |
| Blue Island | 1 | -- | 1 | 1 | -- | -- | 1 | 4 | 3 | -- |
| Brookfield | -- | -- | -- | -- | 1 | 1 | 1 | 1 | -- | -- |
| Cairo | 5 | 5 | -- | 2 | 4 | 2 | 7 | 6 | 11 | 4 |
| Calumet City | -- | 1 | -- | -- | 1 | 2 | -- | 1 | 1 | 3 |
| Canton | 2 | 1 | 3 | -- | -- | 3 | 1 | 1 | 1 | 4 |
| Carbondale | 1 | -- | -- | -- | -- | -- | -- | -- | 3 | 4 |
| Centralia | -- | -- | 4 | -- | -- | 1 | 3 | 2 | 3 | 2 |
| Champaign | -- | -- | 2 | -- | -- | 1 | 2 | -- | 3 | 5 |
| Chicago | 408 | 476 | 488 | 542 | 629 | 710 | 812 | 1,064 | 1,192 | 1,438 |
| Chicago Heights | -- | 3 | 2 | 3 | 1 | 3 | 5 | 6 | 3 | 7 |
| Cicero | 2 | 7 | 3 | 7 | 5 | 1 | 2 | 11 | 12 | 12 |
| Collinsville | -- | -- | -- | 1 | -- | -- | 1 | 1 | 1 | 1 |
| Danville | 4 | 4 | 3 | 3 | 4 | 7 | 5 | 8 | 14 | 4 |
| Decatur | 3 | 7 | 3 | 3 | 5 | 6 | 3 | 7 | 2 | 10 |
| De Kalb | -- | -- | -- | -- | -- | 1 | -- | 1 | -- | -- |
| Des Plaines | -- | 2 | -- | -- | 1 | 3 | 5 | 1 | 2 | 2 |
| Dixon | 1 | -- | 1 | 1 | 2 | -- | 3 | -- | 2 | -- |
| Downers Grove | -- | -- | 1 | -- | 1 | 1 | 2 | 1 | 1 | -- |
| East Moline | -- | -- | -- | -- | -- | -- | 1 | 1 | 6 | 2 |
| East St. Louis | 13 | 20 | 8 | 13 | 12 | 13 | 23 | 21 | 35 | 48 |
| Elgin | -- | 3 | 1 | 2 | 1 | 4 | 2 | 4 | 2 | 5 |
| Elmhurst | -- | -- | -- | -- | 1 | -- | 2 | -- | 1 | 1 |
| Elmwood Park | -- | -- | 2 | -- | -- | 3 | 3 | -- | 2 | 1 |
| Evanston | 4 | 2 | 4 | 3 | 5 | 6 | 5 | 7 | 10 | 3 |
| Evergreen Park | -- | 1 | -- | -- | -- | -- | 1 | -- | 2 | -- |
| Forest Park | 1 | -- | -- | -- | 2 | -- | 1 | 5 | 2 | -- |
| Freeport | -- | 1 | 1 | 1 | -- | 2 | 2 | 1 | 6 | -- |
| Galesburg | -- | 3 | -- | 1 | 1 | 2 | 2 | 4 | 3 | 8 |
| Granite City | 2 | 2 | 4 | 5 | 2 | 3 | 10 | 5 | 7 | 4 |
| Harrisburg | 1 | -- | 3 | 2 | 2 | 2 | 3 | 5 | -- | 1 |
| Harvey | -- | 2 | -- | 1 | 1 | 2 | 2 | 3 | 7 | 7 |
| Highland Park | 1 | 1 | 1 | 1 | -- | 1 | 4 | -- | -- | 1 |
| Jacksonville | 1 | -- | 1 | 2 | 2 | 1 | -- | 2 | 3 | 5 |
| Joliet | 5 | 3 | 2 | 5 | 9 | 5 | 5 | 10 | 6 | 13 |
| Kankakee | -- | -- | 1 | 1 | 1 | 3 | 2 | 3 | 7 | 7 |
| Kewanee | 1 | 2 | 1 | 1 | 2 | -- | 4 | 4 | 1 | 5 |
| La Grange | -- | -- | -- | 2 | -- | -- | 1 | -- | 1 | -- |
| La Salle | -- | -- | -- | 1 | 1 | 1 | 1 | 1 | 2 | 1 |
| Lincoln | -- | -- | -- | 2 | -- | 2 | 1 | 2 | -- | 4 |
| Macomb | -- | -- | -- | 2 | -- | 2 | 1 | -- | 2 | 1 |
| Marion | 2 | 1 | 1 | 1 | -- | 2 | 4 | 3 | 2 | 1 |
| Mattoon | 1 | 1 | 4 | 3 | -- | 1 | -- | -- | -- | -- |
| Maywood | 4 | 2 | 1 | 3 | 2 | -- | 3 | 5 | 3 | 1 |
| Melrose Park | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 | -- | 3 |
| Moline | 2 | -- | 1 | 3 | 1 | 3 | 3 | 2 | 2 | [illegible] |
| Monmouth | 2 | -- | 1 | 2 | 1 | -- | -- | 1 | 2 | 2 |
| Mt. Vernon | -- | 1 | 2 | 1 | 1 | -- | 2 | 3 | 1 | 6 |
| Oak Park | 1 | 5 | 3 | 5 | 1 | 7 | 1 | 3 | 3 | 6 |
| Ottawa | 3 | 2 | -- | 2 | 1 | -- | 4 | 3 | 2 | 4 |
| Park Ridge | -- | -- | -- | 1 | -- | -- | -- | 1 | -- | 2 |
| Pekin | 2 | 1 | 1 | 8 | 1 | 3 | 1 | 3 | 5 | 2 |
| Peoria | 10 | 8 | 4 | 8 | 9 | 11 | 15 | 14 | 19 | 22 |
| Quincy | 3 | 4 | 7 | 9 | 4 | 4 | [illegible] | 11 | 9 | 9 |
| River Forest | -- | -- | -- | 1 | -- | -- | -- | -- | 1 | -- |
| Rockford | 3 | 3 | 10 | 4 | 7 | 3 | 13 | 14 | 12 | 15 |
| Rock Island | 2 | 4 | 2 | 3 | 2 | 3 | 5 | 8 | 3 | 5 |
| Skokie | 1 | 1 | -- | -- | 2 | -- | 1 | 1 | -- | -- |
| Springfield | 3 | 7 | [illegible] | 9 | 7 | 6 | 3 | 10 | 14 | 18 |
| Sterling | -- | 1 | 1 | -- | 1 | -- | -- | 1 | 1 | 1 |
| Streator | -- | -- | 1 | 2 | -- | 1 | 1 | 1 | 2 | 3 |
| Urbana | 1 | -- | -- | -- | -- | -- | 2 | 3 | -- | 2 |
| Waukegan | 2 | 6 | 3 | 2 | 4 | 5 | 7 | 1 | 5 | 10 |
| West Frankfort | 1 | 3 | 2 | 3 | 1 | 4 | 1 | 2 | 3 | 3 |
| Wheaton | -- | -- | -- | -- | -- | 1 | 2 | -- | -- | 1 |
| Wilmette | -- | 1 | -- | 1 | 1 | -- | 1 | 1 | 2 | 3 |
| Winnetka | -- | -- | 1 | -- | -- | 1 | -- | -- | -- | 1 |
| Wood River | -- | 2 | -- | 1 | -- | -- | 1 | -- | -- | 1 |

Table 6. -- TEN YEAR AVERAGE TUBERCULOSIS MORBIDITY AND MORTALITY RATES, ILLINOIS: 1950 - 1959

| County | Case fatality rate* | Case rate† | Death rate† | County | Case fatality rate* | Case rate† | Death rate† |
|---|---|---|---|---|---|---|---|
| ILLINOIS | 21.1 | 59.6 | 12.6 | Lawrence | 32.3 | 33.5 | 10.8 |
| Chicago | 20.4 | 106.8 | 21.8 | Lee | 32.9 | 21.0 | 6.9 |
| Downstate | 22.6 | 30.5 | 6.9 | Livingston | 18.0 | 22.8 | 4.1 |
| Adams | 32.7 | 42.7 | 14.0 | Logan | 32.4 | 22.0 | 7.1 |
| Alexander | 33.3 | 120.3 | 40.1 | McDonough | 26.5 | 29.1 | 7.7 |
| Bond | 17.5 | 44.7 | 7.8 | McHenry | 17.4 | 20.2 | 3.5 |
| Boone | 28.0 | 13.4 | 3.7 | McLean | 26.5 | 24.5 | 6.5 |
| Brown | 24.0 | 37.9 | 9.1 | Macon | 15.5 | 37.0 | 5.7 |
| Bureau | 31.7 | 21.9 | 7.0 | Macoupin | 29.3 | 33.7 | 9.9 |
| Calhoun | 18.8 | 25.0 | 4.7 | Madison | 25.4 | 34.0 | 8.6 |
| Carroll | 22.2 | 14.1 | 3.1 | Marion | 18.5 | 49.6 | 9.2 |
| Cass | 33.3 | 26.4 | 8.8 | Marshall | 38.1 | 15.9 | 6.1 |
| Champaign | 19.2 | 17.1 | 3.3 | Mason | 31.7 | 26.8 | 8.5 |
| Christian | 36.4 | 28.2 | 10.3 | Massac | 29.4 | 78.4 | 23.0 |
| Clark | 25.0 | 35.5 | 8.9 | Menard | 42.3 | 27.7 | 11.7 |
| Clay | 8.6 | 35.2 | 3.0 | Mercer | 22.2 | 10.5 | 2.3 |
| Clinton | 34.0 | 22.7 | 7.7 | Monroe | 29.0 | 21.7 | 6.3 |
| Coles | 22.0 | 31.7 | 7.0 | Montgomery | 24.0 | 32.7 | 7.9 |
| Cook | 20.2 | 86.1 | 17.4 | Morgan | 13.9 | 45.7 | 6.4 |
| Crawford | 25.8 | 29.7 | 7.7 | Moultrie | 23.9 | 34.3 | 8.2 |
| Cumberland | 28.3 | 45.1 | 12.7 | Ogle | 26.8 | 15.6 | 4.2 |
| De Kalb | 15.1 | 15.8 | 2.4 | Peoria | 28.6 | 28.1 | 8.0 |
| De Witt | 5.7 | 20.6 | 1.2 | Perry | 22.6 | 30.5 | 6.9 |
| Douglas | 22.6 | 29.4 | 6.7 | Piatt | 26.2 | 29.0 | 7.6 |
| Du Page | 15.0 | 18.4 | 2.8 | Pike | 30.3 | 30.8 | 9.3 |
| Edgar | 20.3 | 34.5 | 7.0 | Pope | 17.9 | 81.2 | 14.6 |
| Edwards | 17.9 | 32.9 | 5.9 | Pulaski | 36.0 | 72.3 | 26.1 |
| Effingham | 18.3 | 26.7 | 4.9 | Putnam | 63.6 | 23.4 | 14.9 |
| Fayette | 34.7 | 32.5 | 11.3 | Randolph | 41.4 | 18.9 | 7.8 |
| Ford | 29.6 | 16.6 | 4.9 | Richland | 27.3 | 40.0 | 10.9 |
| Franklin | 26.2 | 73.9 | 19.4 | Rock Island | 19.6 | 29.2 | 5.7 |
| Fulton | 43.4 | 19.4 | 8.4 | St. Clair | 33.4 | 39.4 | 13.1 |
| Gallatin | 32.7 | 64.0 | 20.9 | Saline | 32.0 | 60.8 | 19.5 |
| Greene | 24.7 | 44.8 | 11.0 | Sangamon | 22.6 | 38.1 | 8.6 |
| Grundy | 18.0 | 29.3 | 5.3 | Schuyler | 10.0 | 32.6 | 3.3 |
| Hamilton | 23.8 | 57.3 | 13.6 | Scott | 35.0 | 29.4 | 10.3 |
| Hancock | 18.5 | 21.5 | 4.0 | Shelby | 26.3 | 31.9 | 8.4 |
| Hardin | 31.0 | 171.2 | 53.0 | Stark | 22.2 | 10.6 | 2.4 |
| Henderson | 50.0 | 14.5 | 7.2 | Stephenson | 22.8 | 18.0 | 4.1 |
| Henry | 26.2 | 22.4 | 5.9 | Tazewell | 28.0 | 22.9 | 6.4 |
| Iroquois | 21.3 | 22.8 | 4.9 | Union | 37.3 | 35.4 | 13.2 |
| Jackson | 16.5 | 42.2 | 6.9 | Vermilion | 21.6 | 42.1 | 9.1 |
| Jasper | 14.0 | 36.8 | 5.1 | Wabash | 25.0 | 25.2 | 6.3 |
| Jefferson | 20.6 | 47.1 | 9.7 | Warren | 29.8 | 21.7 | 6.5 |
| Jersey | 38.7 | 19.1 | 7.4 | Washington | 25.0 | 31.4 | 7.9 |
| Jo Daviess | 12.0 | 23.1 | 2.8 | Wayne | 22.1 | 38.9 | 8.6 |
| Johnson | 29.0 | 40.3 | 11.7 | White | 28.1 | 48.0 | 13.5 |
| Kane | 16.2 | 23.9 | 3.9 | Whiteside | 18.4 | 18.9 | 3.5 |
| Kankakee | 19.9 | 27.0 | 5.4 | Will | 24.0 | 31.5 | 7.6 |
| Kendall | 14.3 | 14.3 | 2.0 | Williamson | 28.4 | 59.7 | 16.9 |
| Knox | 34.2 | 19.2 | 6.6 | Winnebago | 17.5 | 33.0 | 5.8 |
| Lake | 13.1 | 38.1 | 5.0 | Woodford | 4.7 | 18.8 | 0.9 |
| La Salle | 19.9 | 31.8 | 6.4 | | | | |

*Deaths per ~~1,000~~ 100 cases.

†Rates per 100,000 population estimated as of July 1, 1955, from Illinois Department of Public Health, Bureau of Statistics, Special Release No. 46, October, 1960.

Table 7. -- TUBERCULOSIS CASES, DEATHS, CASE RATES, AND DEATH RATES AMONG RESIDENTS OF ILLINOIS AND EACH COUNTY: 1959

(Rates per 100,000 estimated midyear population)

| County | Cases | | Deaths | | County | Cases | | Deaths | |
|---|---|---|---|---|---|---|---|---|---|
| | Number | Rate | Number | Rate | | Number | Rate | Number | Rate |
| ILLINOIS | 4,220 | 42.7 | 645 | 6.5 | Lawrence | 7 | 37.4 | 3 | 16.0 |
| Chicago | 2,790 | 79.3 | 408 | 11.6 | Lee | 5 | 13.0 | 1 | 2.6 |
| Downstate | 1,430 | 22.4 | 237 | 3.7 | Livingston | 6 | 15.0 | 1 | 2.5 |
| Adams | 17 | 25.0 | 5 | 7.4 | Logan | 6 | 18.0 | 1 | 3.0 |
| Alexander | 13 | 81.8 | 5 | 31.4 | McDonough | 7 | 24.4 | -- | -0- |
| Bond | 2 | 14.2 | -- | -0- | McHenry | 13 | 16.3 | 2 | 2.5 |
| Boone | -- | -0- | -- | -0- | McLean | 15 | 18.1 | 3 | 3.6 |
| Brown | -- | -0- | -- | -0- | Macon | 32 | 27.6 | 3 | 2.6 |
| Bureau | 12 | 32.3 | 1 | 2.7 | Macoupin | 6 | 14.2 | 2 | 4.7 |
| Calhoun | 1 | -0- | 1 | 16.7 | Madison | 50 | 22.7 | 8 | 3.6 |
| Carroll | 2 | 10.4 | -- | -0- | Marion | 12 | 30.6 | 3 | 7.7 |
| Cass | 2 | 13.8 | 1 | 6.9 | Marshall | 2 | 15.0 | 1 | 7.5 |
| Champaign | 24 | 18.6 | 1 | 0.8 | Mason | 2 | 13.2 | -- | -0- |
| Christian | 9 | 24.2 | 3 | 8.1 | Massac | 6 | 42.6 | -- | -0- |
| Clark | 6 | 36.1 | 2 | 12.0 | Menard | 1 | 10.8 | 1 | 10.8 |
| Clay | 2 | 12.6 | -- | -0- | Mercer | 2 | 11.7 | -- | -0- |
| Clinton | 2 | 8.4 | 2 | 8.4 | Monroe | 2 | 13.2 | 1 | 6.6 |
| Coles | 10 | 23.5 | 1 | 2.3 | Montgomery | 7 | 22.4 | 3 | 9.6 |
| Cook | 3,111 | 61.7 | 446 | 8.9 | Morgan | 14 | 38.5 | 1 | 2.7 |
| Crawford | 5 | 24.2 | 2 | 9.7 | Moultrie | 1 | 7.4 | -- | -0- |
| Cumberland | -- | -0- | -- | -0- | Ogle | 2 | 5.3 | -- | -0- |
| De Kalb | 3 | 5.9 | 2 | 4.0 | Peoria | 35 | 18.7 | 12 | 6.4 |
| De Witt | 3 | 17.5 | -- | -0- | Perry | 1 | 5.2 | -- | -0- |
| Douglas | 2 | 10.5 | -- | -0- | Piatt | 2 | 13.4 | 1 | 6.7 |
| Du Page | 38 | 12.8 | 3 | 1.0 | Pike | 7 | 33.5 | -- | -0- |
| Edgar | 9 | 40.0 | 2 | 8.9 | Pope | 3 | 73.2 | 1 | 24.4 |
| Edwards | 2 | 25.0 | -- | -0- | Pulaski | 8 | 74.8 | 4 | 37.4 |
| Effingham | 4 | 17.3 | -- | -0- | Putnam | 1 | 21.7 | -- | -0- |
| Fayette | 6 | 27.1 | 1 | 4.5 | Randolph | 4 | 13.4 | 2 | 6.7 |
| Ford | 1 | 6.1 | 1 | 6.1 | Richland | 7 | 43.2 | 1 | 6.2 |
| Franklin | 21 | 53.0 | 3 | 7.6 | Rock Island | 35 | 23.7 | 4 | 2.7 |
| Fulton | 6 | 14.3 | 5 | 11.9 | St. Clair | 73 | 28.8 | 16 | 6.3 |
| Gallatin | 3 | 38.5 | 1 | 12.8 | Saline | 18 | 67.7 | 3 | 11.3 |
| Greene | 11 | 62.9 | 2 | 11.4 | Sangamon | 35 | 24.2 | 7 | 4.8 |
| Grundy | 7 | 31.7 | 1 | 4.5 | Schuyler | 1 | 11.4 | -- | -0- |
| Hamilton | 1 | 9.9 | -- | -0- | Scott | 2 | 31.2 | -- | -0- |
| Hancock | 5 | 20.3 | -- | -0- | Shelby | 3 | 12.8 | -- | -0- |
| Hardin | 5 | 84.7 | 4 | 67.8 | Stark | -- | -0- | -- | -0- |
| Henderson | -- | -0- | -- | -0- | Stephenson | 7 | 15.4 | -- | -0- |
| Henry | 8 | 16.4 | 1 | 2.0 | Tazewell | 17 | 17.5 | 5 | 5.1 |
| Iroquois | 1 | 3.0 | 1 | 3.0 | Union | 2 | 11.3 | -- | -0- |
| Jackson | 6 | 14.3 | 2 | 4.8 | Vermilion | 40 | 42.1 | 4 | 4.2 |
| Jasper | 3 | 26.5 | -- | -0- | Wabash | 2 | 14.2 | 1 | 7.1 |
| Jefferson | 9 | 27.5 | 1 | 3.1 | Warren | 4 | 18.5 | 2 | 9.3 |
| Jersey | 3 | 17.6 | -- | -0- | Washington | 1 | 7.4 | 1 | 7.4 |
| Jo Daviess | 1 | 4.6 | -- | -0- | Wayne | 6 | 31.6 | -- | -0- |
| Johnson | 1 | 14.3 | 1 | 14.3 | White | 8 | 41.2 | 1 | 5.2 |
| Kane | 32 | 15.8 | -- | -0- | Whiteside | 9 | 15.3 | 1 | 1.7 |
| Kankakee | 10 | 11.3 | 1 | 1.1 | Will | 56 | 30.2 | 11 | 5.9 |
| Kendall | 1 | 5.9 | -- | -0- | Williamson | 18 | 39.0 | 7 | 15.2 |
| Knox | 16 | 26.5 | 1 | 1.7 | Winnebago | 38 | 18.6 | 7 | 3.4 |
| Lake | 104 | 36.8 | 10 | 3.5 | Woodford | 1 | 4.1 | -- | -0- |
| La Salle | 25 | 23.8 | 6 | 5.5 | County unstated | 13 | | 1 | |

Table 8. -- TUBERCULOSIS CASES BY SEX, RACE, AND AGE FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1959

| Sex, race | All ages | 0-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 and over | Unknown |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS, all cases. . . | 4,220 | 67 | 29 | 48 | 132 | 223 | 643 | 805 | 781 | 716 | 460 | 199 | 34 | 83 |
| White, total . . . . . | 2,846 | 36 | 22 | 17 | 77 | 104 | 325 | 519 | 576 | 539 | 380 | 173 | 32 | 46 |
| Male . . . . . | 2,008 | 19 | 12 | 7 | 38 | 53 | 175 | 352 | 447 | 449 | 281 | 125 | 18 | 32 |
| Female. . . . . | 838 | 17 | 10 | 10 | 39 | 51 | 150 | 167 | 129 | 90 | 99 | 48 | 14 | 14 |
| Nonwhite, total . . . | 1,374 | 31 | 7 | 31 | 55 | 119 | 318 | 286 | 205 | 177 | 80 | 26 | 2 | 37 |
| Male. . . . . | 866 | 18 | 1 | 8 | 27 | 51 | 162 | 195 | 161 | 143 | 59 | 20 | 2 | 19 |
| Female. . . . . | 507 | 13 | 6 | 23 | 28 | 68 | 156 | 91 | 44 | 34 | 21 | 6 | -- | 17 |
| Unknown . . . . . | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 |
| CHICAGO, all cases . . | 2,790 | 35 | 11 | 34 | 85 | 167 | 458 | 581 | 532 | 470 | 230 | 114 | 13 | 60 |
| White, total . . . . . | 1,568 | 13 | 6 | 9 | 39 | 60 | 170 | 323 | 350 | 313 | 159 | 89 | 13 | 24 |
| Male . . . . . | 1,186 | 7 | 4 | 5 | 22 | 28 | 90 | 236 | 295 | 276 | 126 | 72 | 6 | 19 |
| Female. . . . . | 382 | 6 | 2 | 4 | 17 | 32 | 80 | 87 | 55 | 37 | 33 | 17 | 7 | 5 |
| Nonwhite, total. . . . | 1,222 | 22 | 5 | 25 | 46 | 107 | 288 | 258 | 182 | 157 | 71 | 25 | -- | 36 |
| Male . . . . . | 776 | 11 | 1 | 6 | 23 | 46 | 150 | 176 | 146 | 128 | 52 | 19 | -- | 18 |
| Female. . . . . | 445 | 11 | 4 | 19 | 23 | 61 | 138 | 82 | 36 | 29 | 19 | 6 | -- | 17 |
| Unknown . . . . . | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 |
| DOWNSTATE, all cases | 1,430 | 32 | 18 | 14 | 47 | 56 | 185 | 224 | 249 | 246 | 230 | 85 | 21 | 23 |
| White, total . . . . . | 1,278 | 23 | 16 | 8 | 38 | 44 | 155 | 196 | 226 | 226 | 221 | 84 | 19 | 22 |
| Male . . . . . | 822 | 12 | 8 | 2 | 16 | 25 | 85 | 116 | 152 | 173 | 155 | 53 | 12 | 13 |
| Female. . . . . | 456 | 11 | 8 | 6 | 22 | 19 | 70 | 80 | 74 | 53 | 66 | 31 | 7 | 9 |
| Nonwhite . . . . . | 152 | 9 | 2 | 6 | 9 | 12 | 30 | 28 | 23 | 20 | 9 | 1 | 2 | 1 |
| Male . . . . . | 90 | 7 | -- | 2 | 4 | 5 | 12 | 19 | 15 | 15 | 7 | 1 | 2 | 1 |
| Female. . . . . | 62 | 2 | 2 | 4 | 5 | 7 | 18 | 9 | 8 | 5 | 2 | -- | -- | -- |

Table 9A. -- TUBERCULOSIS CASES BY TYPE, SEX, RACE, AND AGE, ILLINOIS: 1959

| Type | Sex-Race | Total | 0-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 & over | Unknown |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TOTAL | | 4,220 | 67 | 29 | 48 | 132 | 223 | 643 | 805 | 781 | 716 | 460 | 199 | 34 | 83 |
| Occupational | MW | 5 | -- | -- | -- | -- | -- | -- | 2 | -- | 1 | 2 | -- | -- | -- |
| Pulmonary | MW | 1,913 | [illegible] | 5 | 5 | 36 | 49 | 170 | 334 | 435 | 439 | 261 | 122 | 18 | 30 |
| | FW | 764 | 3 | 3 | 6 | 37 | 48 | 147 | 156 | 118 | 83 | 95 | 45 | 13 | 10 |
| | MNW | 791 | 6 | -- | 4 | 24 | 44 | 145 | 188 | 152 | 135 | 56 | 18 | 2 | 17 |
| | FNW | 430 | [illegible] | 3 | 16 | 26 | 58 | 134 | 81 | 40 | 26 | 19 | 5 | -- | 15 |
| | -NW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 |
| Pleural | MW | 12 | -- | 1 | -- | -- | 2 | 2 | 3 | -- | 3 | 1 | -- | -- | -- |
| | FW | 12 | -- | -- | 3 | 1 | -- | 1 | 1 | 4 | -- | -- | 1 | -- | 1 |
| | MNW | 5 | 1 | 1 | -- | -- | -- | 2 | -- | 1 | -- | -- | -- | -- | -- |
| | FNW | 6 | -- | -- | 1 | -- | 2 | 1 | 1 | 1 | -- | -- | -- | -- | -- |
| Primary | MW | 3 | 2 | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | FW | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Tracheobronchial | MW | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other Respiratory | MW | 2 | -- | -- | -- | -- | -- | -- | 1 | 1 | -- | -- | -- | -- | -- |
| | FW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- |
| Unspecified | MW | 2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2 | -- | -- | -- |
| | MNW | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| Meninges & C.N.S. | MW | 7 | -- | 1 | 1 | — | -- | -- | 3 | 1 | 1 | -- | — | -- | -- |
| | FW | 8 | 5 | 2 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| | MNW | 5 | 3 | -- | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| | FNW | 9 | 2 | 1 | 1 | 1 | 1 | 2 | -- | -- | 1 | — | -- | — | -- |
| Digestive System | MW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| | FW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| | MNW | 5 | -- | -- | -- | -- | 1 | 2 | 1 | 1 | -- | -- | -- | -- | -- |
| | FNW | 12 | -- | -- | 1 | -- | 1 | 4 | 4 | 1 | -- | -- | 1 | -- | -- |
| Bones and Joints | MW | 18 | 1 | 2 | -- | 1 | 1 | -- | 2 | 1 | 1 | 8 | 1 | -- | -- |
| | FW | 11 | 2 | 1 | 1 | -- | -- | -- | 1 | 1 | 2 | 2 | 1 | -- | -- |
| | MNW | 11 | 1 | -- | 1 | -- | 1 | 1 | 3 | 1 | 1 | -- | -- | -- | 2 |
| | FNW | 6 | -- | -- | -- | -- | 2 | 2 | -- | -- | 2 | -- | -- | -- | -- |
| Lymphatic | MW | 17 | 5 | 2 | -- | -- | 1 | -- | 3 | 1 | 1 | 4 | -- | -- | -- |
| | FW | 17 | 6 | 3 | -- | -- | 1 | 1 | 3 | -- | -- | -- | -- | -- | 3 |
| | MNW | 12 | 4 | -- | 1 | 1 | 2 | 2 | 1 | -- | -- | -- | 1 | -- | -- |
| | FNW | 25 | 2 | 2 | 4 | 1 | 3 | 7 | 2 | 1 | 2 | -- | -- | -- | 1 |
| Genito-urinary | MW | 18 | -- | -- | 1 | -- | -- | 3 | 3 | 1 | 1 | 1 | 1 | -- | 2 |
| | FW | 17 | -- | 1 | -- | 1 | 2 | 1 | 5 | 3 | 4 | -- | -- | -- | -- |
| | MNW | 15 | -- | — | -- | -- | 1 | 6 | 1 | 3 | 2 | 1 | 1 | -- | -- |
| | FNW | 8 | -- | -- | -- | -- | 1 | 3 | 2 | -- | 1 | -- | -- | -- | 1 |
| Adrenal | FW | 2 | -- | -- | -- | -- | -- | -- | -- | 1 | -- | 1 | -- | -- | -- |
| | FNW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| Other Organs | MW | 4 | -- | -- | -- | — | -- | -- | 1 | 2 | 1 | -- | -- | -- | -- |
| | FW | 4 | -- | — | — | -- | -- | -- | 1 | 1 | 1 | -- | 1 | — | -- |
| | MNW | 5 | 1 | — | -- | 1 | 1 | 1 | -- | 1 | -- | -- | -- | -- | -- |
| | FNW | 2 | -- | -- | -- | -- | -- | 2 | -- | -- | -- | -- | -- | -- | -- |
| Disseminated | MW | 5 | 2 | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 1 | -- | -- |
| | MNW | 16 | 2 | -- | 1 | 1 | 1 | 2 | 1 | 2 | 5 | 1 | -- | -- | -- |
| | FNW | 8 | 2 | -- | -- | -- | -- | 1 | 1 | 1 | 2 | 1 | -- | — | -- |

S E X - R A C E C O D E

| | | | | | |
|---|---|---|---|---|---|
| MW | Male White | MNW | Male Nonwhite | -NW | Unknown White |
| FW | Female White | FNW | Female Nonwhite | | |

Table 9B. -- TUBERCULOSIS CASES BY TYPE, SEX, RACE, AND AGE, CHICAGO: 1959

| Type | Sex-Race | Total | 0-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 & over | Unknown |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TOTAL | | 2,790 | 35 | 11 | 34 | 85 | 167 | 458 | 581 | 532 | 470 | 230 | 114 | 13 | 60 |
| Occupational | MW | 3 | -- | -- | -- | -- | -- | -- | 2 | -- | -- | 1 | -- | -- | -- |
| Pulmonary | MW | 1,148 | 4 | 1 | 4 | 21 | 25 | 88 | 226 | 291 | 272 | 121 | 71 | 6 | 18 |
| | FW | 360 | 3 | -- | 3 | 17 | 30 | 79 | 81 | 52 | 35 | 32 | 16 | 7 | 5 |
| | MNW | 714 | 4 | -- | 4 | 20 | 39 | 135 | 171 | 137 | 122 | 49 | 17 | -- | 16 |
| | FNW | 380 | 7 | 1 | 13 | 21 | 54 | 118 | 74 | 32 | 23 | 17 | 5 | -- | 15 |
| | -NW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 |
| Pleural | MW | 4 | -- | 1 | -- | -- | 1 | -- | 1 | -- | 1 | -- | -- | -- | -- |
| | FW | 3 | -- | -- | 1 | -- | -- | -- | -- | 1 | -- | -- | 1 | -- | -- |
| | MNW | 4 | 1 | 1 | -- | -- | -- | 1 | -- | 1 | -- | -- | -- | -- | -- |
| | FNW | 5 | -- | -- | 1 | -- | 1 | 1 | 1 | 1 | -- | -- | -- | -- | -- |
| Primary | MW | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other Respiratory | MW | 1 | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| Unspecified | MW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| | MNW | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| Meninges & C.N.S. | MW | 3 | -- | 1 | -- | -- | -- | -- | 1 | 1 | -- | -- | -- | -- | -- |
| | FW | 2 | 2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | MNW | 3 | 2 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| | FNW | 7 | 2 | 1 | 1 | 1 | -- | 2 | -- | -- | -- | -- | -- | -- | -- |
| Digestive System | MW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| | MNW | 5 | -- | -- | -- | -- | 1 | 2 | 1 | 1 | -- | -- | -- | -- | -- |
| | FNW | 11 | -- | -- | 1 | -- | 1 | 4 | 3 | 1 | -- | -- | 1 | -- | -- |
| Bones and Joints | MW | 7 | -- | -- | -- | 1 | 1 | -- | 2 | 1 | -- | 2 | -- | -- | -- |
| | FW | 4 | -- | -- | -- | -- | -- | -- | 1 | 1 | 1 | 1 | -- | -- | -- |
| | MNW | 9 | -- | -- | 1 | -- | 1 | 1 | 2 | 1 | 1 | -- | -- | -- | 2 |
| | FNW | 5 | -- | -- | -- | -- | 1 | 2 | -- | -- | 2 | -- | -- | -- | -- |
| Lymphatic | MW | 6 | 2 | 1 | -- | -- | 1 | -- | 2 | -- | -- | -- | -- | -- | -- |
| | FW | 5 | 1 | 2 | -- | -- | -- | -- | 2 | -- | -- | -- | -- | -- | -- |
| | MNW | 10 | 3 | -- | -- | 1 | 2 | 2 | 1 | -- | -- | -- | 1 | -- | -- |
| | FNW | 22 | 1 | 2 | 3 | 1 | 3 | 7 | 2 | 1 | 1 | -- | -- | -- | 1 |
| Genito-urinary | MW | 10 | -- | -- | 1 | -- | -- | 2 | 2 | 1 | 1 | 1 | 1 | -- | 1 |
| | FW | 7 | -- | -- | -- | -- | 2 | 1 | 3 | -- | 1 | -- | -- | -- | -- |
| | MNW | 14 | -- | -- | -- | -- | 1 | 6 | 1 | 3 | 1 | 1 | 1 | -- | -- |
| | FNW | 5 | -- | -- | -- | -- | 1 | 1 | 1 | -- | 1 | -- | -- | -- | 1 |
| Adrenal | FW | 1 | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| | FNW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| Other Organs | MW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| | MNW | 3 | -- | -- | -- | 1 | 1 | -- | -- | 1 | -- | -- | -- | -- | -- |
| | FNW | 2 | -- | -- | -- | -- | -- | 2 | -- | -- | -- | -- | -- | -- | -- |
| Disseminated | MNW | 13 | 1 | -- | 1 | 1 | 1 | 2 | -- | 2 | 4 | 1 | -- | -- | -- |
| | FNW | 7 | 1 | -- | -- | -- | -- | 1 | 1 | 1 | 2 | 1 | -- | -- | -- |

S E X - R A C E  C O D E

| | | | | | |
|---|---|---|---|---|---|
| MW | Male White | MNW | Male Nonwhite | -NW | Unknown Nonwhite |
| FW | Female White | FNW | Female Nonwhite | | |

Table 9C. -- TUBERCULOSIS CASES BY TYPE, SEX, RACE, AND AGE, DOWNSTATE ILLINOIS: 1959

| Type | Sex-Race | Total | 0-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-34 years | 35-44 years | 45-54 years | 55-64 years | 65-74 years | 75-84 years | 85 & over | Unknown |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TOTAL | | 1,430 | 32 | 18 | 14 | 47 | 56 | 185 | 224 | 249 | 246 | 230 | 85 | 21 | 23 |
| Occupational | MW | 2 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | -- | -- | -- |
| Pulmonary | MW | 765 | 5 | 4 | 1 | 15 | 24 | 82 | 108 | 144 | 167 | 140 | 51 | 12 | 12 |
| | FW | 404 | -- | 3 | 3 | 20 | 18 | 68 | 75 | 66 | 48 | 63 | 29 | 6 | 5 |
| | MNW | 77 | 2 | -- | -- | 4 | 5 | 10 | 17 | 15 | 13 | 7 | 1 | 2 | 1 |
| | FNW | 50 | -- | 2 | 3 | 5 | 4 | 16 | 7 | 8 | 3 | 2 | -- | -- | -- |
| Pleural | MW | 8 | -- | -- | -- | -- | 1 | 2 | 2 | -- | 2 | 1 | -- | -- | -- |
| | FW | 9 | -- | -- | 2 | 1 | -- | 1 | 1 | 3 | -- | -- | -- | -- | 1 |
| | MNW | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| | FNW | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- |
| Primary | MW | 2 | 1 | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | FW | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Tracheobronchial | MW | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other Respiratory | MW | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| | FW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- |
| Unspecified | MW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| Meninges & C.N.S. | MW | 4 | -- | -- | 1 | -- | -- | -- | 2 | -- | 1 | -- | -- | -- | -- |
| | FW | 6 | 3 | 2 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| | MNW | 2 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | FNW | 2 | -- | -- | -- | -- | 1 | -- | -- | -- | 1 | -- | -- | -- | -- |
| Digestive System | FW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| | FNW | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| Bones and Joints | MW | 11 | 1 | 2 | -- | -- | -- | -- | -- | -- | 1 | 6 | 1 | -- | -- |
| | FW | 7 | 2 | 1 | 1 | -- | -- | -- | -- | -- | 1 | 1 | 1 | -- | -- |
| | MNW | 2 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| | FNW | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- |
| Lymphatic | MW | 11 | 3 | 1 | -- | -- | -- | -- | 1 | 1 | 1 | 4 | -- | -- | -- |
| | FW | 12 | 5 | 1 | -- | -- | 1 | 1 | 1 | -- | -- | -- | -- | -- | 3 |
| | MNW | 2 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | FNW | 3 | 1 | -- | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| Genito-urinary | MW | 8 | -- | -- | -- | -- | -- | 1 | 1 | 5 | -- | -- | -- | -- | 1 |
| | FW | 10 | -- | 1 | -- | 1 | -- | -- | 2 | 3 | 3 | -- | -- | -- | -- |
| | MNW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| | FNW | 3 | -- | -- | -- | -- | -- | 2 | 1 | -- | -- | -- | -- | -- | -- |
| Adrenal | FW | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| Other Organs | MW | 3 | -- | -- | -- | -- | -- | -- | 1 | 2 | -- | -- | -- | -- | -- |
| | FW | 4 | -- | -- | -- | -- | -- | -- | 1 | 1 | 1 | -- | 1 | -- | -- |
| | MNW | 2 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| Disseminated | MW | 5 | 2 | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 1 | -- | -- |
| | MNW | 3 | 1 | -- | -- | -- | -- | -- | 1 | -- | 1 | -- | -- | -- | -- |
| | FNW | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

S E X - R A C E  C O D E

| | | | |
|---|---|---|---|
| MW | Male White | MNW | Male Nonwhite |
| FW | Female White | FNW | Female Nonwhite |

Table 10A. -- DEATHS BY PLACE OF RESIDENCE, SEX, RACE, 5 YEAR AGE GROUPS, ILLINOIS: 1959

| Type of Tuberculosis | Sex-race | Total | Infant deaths | | AGE AT DEATH | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Under 1 mo. | Under 1 yr. | 0-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
| ALL TYPES | | 645 | -- | 4 | 13 | 2 | 1 | 5 | 4 | 10 | 29 | 23 | 44 |
| Respiratory with mention of occupational disease of lung | White male | 7 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- |
| | Negro male | ? | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pulmonary tuberculosis | White male | 350 | -- | -- | 1 | -- | -- | -- | 2 | -- | 3 | 6 | 18 |
| | White female | 83 | -- | -- | -- | -- | -- | 1 | 1 | -- | 3 | 8 | 9 |
| | Negro male | 96 | -- | 1 | 1 | -- | -- | -- | 1 | 4 | 9 | 5 | 10 |
| | Negro female | 41 | -- | -- | 1 | -- | -- | 2 | -- | 5 | 8 | 2 | 6 |
| | Oriental male | 3 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Other male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pleurisy specified as tuberculosis | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pleurisy with effusion without mention of cause | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Tracheobronchial glandular tuberculosis with symptoms | White male | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other respiratory tuberculosis | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Unspecified site | White male | 5 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 |
| | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Meninges and central nervous system | White male | 3 | -- | -- | 1 | -- | -- | 1 | -- | -- | -- | -- | -- |
| | White female | 4 | -- | -- | 3 | 1 | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 4 | -- | -- | -- | -- | -- | -- | -- | 1 | 2 | -- | -- |
| | Negro female | 3 | -- | -- | 1 | -- | -- | 1 | -- | -- | 1 | -- | -- |
| Intestines, peritoneum and mesenteric glands | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- |
| | Negro female | 3 | -- | -- | -- | -- | 1 | -- | -- | -- | 1 | -- | -- |
| Active or unspecified tuberculosis of vertebral column | White male | 3 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Lymphatic system | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Genito-urinary system | White male | 2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Adrenal glands | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other organs | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Other forms of disseminated tuberculosis | White male | 6 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | 2 | -- | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 5 | -- | 2 | 2 | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro female | 5 | -- | -- | 2 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 10A. -- DEATHS BY PLACE OF RESIDENCE, SEX, RACE, 5 YEAR AGE GROUPS, ILLINOIS: 1959 -- Continued

| Type of Tuberculosis | Sex-race | AGE AT DEATH | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 45-49 years | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 & over |
| ALL TYPES | | 58 | 72 | 71 | 76 | 80 | 69 | 52 | 27 | 7 | 2 | -- | -- |
| Respiratory with mention of occupational disease of lung | White male | -- | -- | 1 | -- | 3 | 1 | 1 | -- | -- | -- | -- | -- |
| | Negro male | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pulmonary tuberculosis | White male | 28 | 42 | 47 | 50 | 48 | 48 | 34 | 17 | 4 | 2 | -- | -- |
| | White female | 7 | 9 | 4 | 8 | 8 | 9 | 8 | 6 | 2 | -- | -- | -- |
| | Negro male | 16 | 10 | 14 | 10 | 8 | 4 | 3 | -- | 1 | -- | -- | -- |
| | Negro female | 3 | 2 | 2 | 2 | 4 | 2 | 2 | -- | -- | -- | -- | -- |
| | Oriental male | -- | -- | 1 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- |
| | Other male | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | — | -- |
| Pleurisy specified as tuberculosis | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pleurisy with effusion without mention of cause | White male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| | Negro male | -- | 1 | -- | 1 | -- | -- | — | -- | -- | -- | -- | -- |
| Tracheobronchial glandular tuberculosis with symptoms | White male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| Other respiratory tuberculosis | White female | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| Unspecified site | White male | -- | 1 | 1 | -- | -- | -- | 1 | 1 | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| | Negro male | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | — | -- |
| Meninges and central nervous system | White male | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | -- | -- | — | -- | -- | — | -- | -- |
| | Negro male | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| | Negro female | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Intestines, peritoneum and mesenteric glands | Negro male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | — | -- |
| | Negro female | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| Active or unspecified tuberculosis of vertebral column | White male | -- | 1 | -- | 1 | 1 | -- | -- | -- | -- | -- | -- | -- |
| Lymphatic system | White male | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| Genito-urinary system | White male | -- | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| | White female | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Adrenal glands | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | — | — |
| Other organs | Negro male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other forms of disseminated tuberculosis | White male | -- | -- | -- | -- | 3 | 2 | -- | 1 | -- | — | -- | -- |
| | White female | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | — |
| | Negro male | -- | 1 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| | Negro female | -- | -- | -- | 2 | 1 | -- | -- | -- | -- | -- | -- | -- |

Table 10B. -- DEATHS BY PLACE OF RESIDENCE, SEX, RACE, 5 YEAR AGE GROUPS, CHICAGO: 1959

| Type of Tuberculosis | Sex-race | Total | Infant deaths | | AGE AT DEATH | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Under 1 mo. | Under 1 yr. | 0-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
| ALL TYPES | | 408 | -- | 3 | 7 | -- | 1 | 4 | 4 | 10 | 21 | 16 | 29 |
| Respiratory with mention of occupational disease of lung | White male | 2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pulmonary tuberculosis | White male | 210 | -- | -- | 1 | -- | -- | -- | 2 | -- | 1 | 5 | 12 |
| | White female | 39 | -- | -- | -- | -- | -- | 1 | 1 | -- | 2 | 5 | 3 |
| | Negro male | 85 | -- | 1 | 1 | -- | -- | -- | 1 | 4 | 8 | 4 | 8 |
| | Negro female | 34 | -- | -- | 1 | -- | -- | 2 | -- | 5 | 5 | 1 | 6 |
| | Oriental male | 3 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Other male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pleurisy specified as tuberculosis | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pleurisy with effusion without mention of cause | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Unspecified site | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Meninges and central nervous system | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 3 | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | -- | -- |
| | Negro female | 3 | -- | -- | 1 | -- | -- | 1 | -- | -- | 1 | -- | -- |
| Intestines, peritoneum and mesenteric glands | Negro female | 3 | -- | -- | -- | -- | 1 | -- | -- | -- | 1 | -- | -- |
| Active or unspecified tuberculosis of vertebral column | White male | 2 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Lymphatic system | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Genito-urinary system | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Adrenal glands | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other forms of disseminated tuberculosis | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | 1 | -- | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 4 | -- | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro female | 4 | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 10B. -- DEATHS BY PLACE OF RESIDENCE, SEX, RACE, 5 YEAR AGE GROUPS, CHICAGO: 1959 -- Continued

| Type of Tuberculosis | Sex-race | AGE AT DEATH | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 45-49 years | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 & over |
| ALL TYPES | | 42 | 52 | 49 | 53 | 48 | 34 | 27 | 11 | 2 | 1 | -- | -- |
| Respiratory with mention of occupational disease of lung | White male | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pulmonary tuberculosis | White male | 18 | 31 | 31 | 36 | 24 | 23 | 18 | 7 | -- | 1 | -- | -- |
| | White female | 2 | 4 | 3 | 3 | 6 | 3 | 4 | -- | 2 | -- | -- | -- |
| | Negro male | 15 | 10 | 12 | 8 | 8 | 4 | 2 | -- | -- | -- | -- | -- |
| | Negro female | 3 | 2 | 1 | 1 | 4 | 1 | 1 | -- | -- | -- | -- | -- |
| | Oriental male | -- | -- | 1 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- |
| | Other male | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pleurisy specified as tuberculosis | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pleurisy with effusion without mention of cause | White male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Unspecified site | White male | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| | Negro male | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- |
| Meninges and central nervous system | White male | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| | Negro female | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Intestines, peritoneum and mesenteric glands | Negro female | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| Active or unspecified tuberculosis of vertebral column | White male | -- | -- | -- | 1 | 1 | -- | -- | -- | -- | -- | -- | -- |
| Lymphatic system | White male | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| Genito-urinary system | White male | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| | White female | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Adrenal glands | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro female | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| Other forms of disseminated tuberculosis | White male | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | -- | 1 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| | Negro female | -- | -- | -- | 2 | 1 | -- | -- | -- | -- | -- | -- | -- |

Table 10C. -- DEATHS BY PLACE OF RESIDENCE, SEX, RACE, 5 YEAR AGE GROUPS, DOWNSTATE ILLINOIS: 1959

| Type of Tuberculosis | Sex-race | Total | Infant deaths | | AGE AT DEATH | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Under 1 mo. | Under 1 yr. | 0-4 years | 5-9 years | 10-14 years | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years |
| ALL TYPES | | 237 | -- | 1 | 6 | 2 | -- | 1 | -- | -- | 8 | 7 | 15 |
| Respiratory with mention of occupational disease of lung | White male | 5 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pulmonary tuberculosis | White male | 140 | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 1 | 6 |
| | White female | 44 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 3 | 6 |
| | Negro male | 11 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | 2 |
| | Negro female | 7 | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 1 | -- |
| Pleurisy with effusion without mention of cause | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Tracheobronchial glandular tuberculosis with symptoms | White male | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other respiratory tuberculosis | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Unspecified site | White male | 4 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 |
| | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Meninges and central nervous system | White male | 2 | -- | -- | 1 | -- | -- | 1 | -- | -- | -- | -- | -- |
| | White female | 4 | -- | -- | 3 | 1 | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Intestines, peritoneum and mesenteric glands | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- |
| Active or unspecified tuberculosis of vertebral column | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Genito-urinary system | White male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other organs | Negro male | 1 | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Other forms of disseminated tuberculosis | White male | 5 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | 1 | -- | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro female | 1 | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- |

Table 10C. -- DEATHS BY PLACE OF RESIDENCE, SEX, RACE, 5 YEAR AGE GROUPS, DOWNSTATE ILLINOIS: 1959 -- Continued

| Type of Tuberculosis | Sex-race | AGE AT DEATH | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 45-49 years | 50-54 years | 55-59 years | 60-64 years | 65-69 years | 70-74 years | 75-79 years | 80-84 years | 85-89 years | 90-94 years | 95-99 years | 100 & over |
| ALL TYPES | | 16 | 20 | 22 | 23 | 32 | 35 | 25 | 19 | 5 | 1 | -- | -- |
| Respiratory with mention of occupational disease of lung | White male | -- | -- | 1 | -- | 3 | 1 | -- | -- | -- | -- | -- | -- |
| | Negro male | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Pulmonary tuberculosis | White male | 10 | 11 | 16 | 14 | 24 | 25 | 16 | 10 | 4 | 1 | -- | -- |
| | White female | 5 | 5 | 1 | 5 | 2 | 6 | 4 | 6 | -- | -- | -- | -- |
| | Negro male | 1 | -- | 2 | 2 | -- | -- | 1 | -- | 1 | -- | -- | -- |
| | Negro female | -- | -- | 1 | 1 | -- | 1 | 1 | -- | -- | -- | -- | -- |
| Pleurisy with effusion without mention of cause | White female | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| | Negro male | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- |
| Tracheobronchial glandular tuberculosis with symptoms | White male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| Other respiratory tuberculosis | White female | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| Unspecified site | White male | -- | 1 | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| Meninges and central nervous system | White male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Intestines, peritoneum and mesenteric glands | Negro male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Active or unspecified tuberculosis of vertebral column | White male | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Genito-urinary system | White male | -- | 1 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other organs | Negro male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Other forms of disseminated tuberculosis | White male | -- | -- | -- | -- | 2 | 2 | -- | 1 | -- | -- | -- | -- |
| | White female | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| | Negro male | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| | Negro female | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |

Table 11. -- SUMMARY OF TUBERCULOSIS HOSPITALIZATION SITUATION IN ILLINOIS AS OF DECEMBER 31, 1960

| Sanatorium | Beds available for tuberculosis | Tuberculosis beds occupied | Admissions calendar year | Discharges calendar year | Plans for changes bed capacity 1961 |
|---|---|---|---|---|---|
| TOTAL | 3,645 | 2,655 | 5,564* | 5,709* | |
| Kane County, Aurora | 65 | 25 | 60 | 63 | |
| Alexander County, Cairo | 49 | 37 | 41 | 34 | |
| Chicago State, Chicago | 400 | 302 | 523 | 569 | |
| Cook County Hospital, Chicago | 49 | 49 | 441 | 459 | |
| M.T.S., Chicago | 1,439 | 1,213 | 2,310 | 2,348 | |
| Vermilion County, Danville | 60 | 21 | 86 | 86 | Yes-Subtract |
| Macon County, Decatur | 70 | 26 | 82 | 86 | Subtract 36 |
| St. Clair County, East St. Louis | 104 | 44 | 69 | 84 | |
| Madison County, Edwardsville | 90 | 38 | 80 | 107 | Subtract 30 |
| SCCTSD, Hinsdale | 209 | 157 | 294 | 316 | |
| Morgan County, Jacksonville | 40 | 34 | 47 | 42 | |
| Will County, Joliet | 60 | 47 | 79 | 83 | |
| Tazewell County, Mackinaw | 40 | 25 | 29 | 38 | |
| Mt. Vernon State, Mt. Vernon | 150 | 99 | 290 | 291 | |
| McLean County, Normal | 48 | 17 | 23 | 29 | |
| Oak Forest Chest Hospital, Oak Forest | 64 | 63 | 130 | 101 | |
| La Salle County, Ottawa | 32 | 21 | 28 | 29 | |
| Peoria Municipal, Peoria | 94 | 36 | 81 | 79 | |
| Livingston County, Pontiac | 47 | 32 | 28 | 29 | |
| Adams County, Quincy | 38 | 20 | 26 | 28 | |
| Rock Island County, Rock Island | 71 | 33 | 61 | 59 | |
| Rockford Municipal, Rockford | 40 | 35 | 99 | 100 | |
| St. John's, Springfield | 175 | 128 | 214 | 202 | Possibly subtract |
| Champaign County, Urbana | 50 | 30 | 38 | 31 | |
| Lake County, Waukegan | 90 | 75 | 304 | 306 | |
| Winfield Hospital, Winfield | 71 | 48 | 101 | 110 | |

*Includes short term admissions for diagnosis, evaluation, etc.

NOTE: This tabulation does not include approximately 2,100 beds available for the ~~tuberculosis~~ tuberculous in mental and penal institutions of the State, veterans' facilities, and a few beds in general hospitals.

CHART A

## TREND IN TUBERCULOSIS CASE AND DEATH RATES, ILLINOIS: 1940 - 1959

(Rates are per 100,000 population)



CHART B

# TUBERCULOSIS TEN YEAR CASE RATE, ILLINOIS: 1950 - 1959

RATES PER 100,000 ESTIMATED POPULATION




ILLINOIS DEPARTMENT OF PUBLIC HEALTH

CHART C

# TUBERCULOSIS TEN YEAR DEATH RATE, ILLINOIS: 1950 - 1959

RATES PER 100,000 ESTIMATED POPULATION




| Quartile | Rates |
|---|---|
| 1 st. | 0.9 - 5.1 |
| 2 nd. | 5.3 - 7.4 |
| 3 rd. | 7.6 - 9.9 |
| 4 th. | 10.3 - 53.0 |

ILLINOIS DEPARTMENT OF PUBLIC HEALTH

CHART D

# TUBERCULOSIS TEN YEAR CASE FATALITY RATE, ILLINOIS: 1950-1959

RATES ARE DEATHS PER 100 CASES




ILLINOIS DEPARTMENT OF PUBLIC HEALTH

# CHART E

## A PROPOSED DISTRIBUTION OF SANATORIUM BEDS TO MEET CURRENT NEEDS



VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill
Permit No. 10

PRINTED BY AUTHORITY OF THE STATE OF ILLINOIS

F.1
611v
50-59
f
p.2

# VITAL STATISTICS ILLINOIS

## VOL. IV -- MATERNAL, INFANT AND CHILDHOOD MORTALITY

1950 1959

OCT 21 1952

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

# VITAL STATISTICS ILLINOIS

## VOL. IV -- MATERNAL, INFANT AND CHILDHOOD MORTALITY

1950 1959

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS
March, 1962

STATE OF ILLINOIS

DEPARTMENT OF PUBLIC HEALTH

Franklin D. Yoder, M.D.
Director

BUREAU OF STATISTICS

Springfield, Illinois
March, 1962

VITAL STATISTICS, ILLINOIS: 1959

VOL. I -- STATE SUMMARY DATA: 1959

VOL. II -- COUNTY SUMMARIES

Part 1 -- Natality Statistics: 1950 - 1959
Part 2 -- Mortality Statistics: 1950 - 1959
Part 3 -- Morbidity Statistics: 1950 - 1959

VOL. III -- TUBERCULOSIS: 1950 - 1959

VOL. IV -- MATERNAL, INFANT AND CHILDHOOD MORTALITY: 1950 - 1959

# TABLE OF CONTENTS


Page

Introduction . . . . . 1

Maternal deaths . . . . . 1

Infant deaths . . . . . 2

Childhood mortality . . . . . 3


## CHARTS


Page

I. -- Distribution of population by age, Illinois: 1920, 1930, 1940, 1950, and 1960 . . . . . 1

II. -- Maternal death rates, Illinois and United States: 1920 - 1959 . . . . . 1

III. -- Maternal death rate by county of residence, Illinois: 1950 - 1959 . . . . . 2

IV. -- Maternal deaths by select cause groups for Illinois: 1950 - 1959 . . . . . 2

V. -- Infant death rates, Illinois and United States: 1920 - 1959 . . . . . 3

VI. -- Infant deaths by age for selected years, Illinois: 1925 - 1959 . . . . . 3


## TABULAR SECTION


Table Page

1. -- Live births, total deaths, infant deaths, maternal deaths, and stillbirths, with rates for each, Illinois: 1918 - 1959 . . . . . 5

2. -- Selected data on live births and fetal deaths (stillbirths) by place of residence, Illinois, Chicago, and Downstate: 1950 - 1959 . . . . . 7

3. -- Maternal deaths among residents of Illinois by cause and age: 1950 - 1959 . . . . . 8

3A. -- Maternal deaths by selected cause groups for Illinois: 1950 - 1959 . . . . . 9

4. -- Infant deaths by county of residence: 1950 - 1959 . . . . . 10

5. -- Infant death rates by county of residence, Illinois: 1950 - 1959 . . . . . 13

6. -- Principal causes of death among infants under one year of age, Illinois: 1950 - 1959 . . . . . 14

7A. -- Principal causes of death among infants of all races under one year of age, Illinois: 1950 - 1959 . . . . . 18

7B. -- Principal causes of death among white infants under one year of age, Illinois: 1950 - 1959 . . . . . 20

7C. -- Principal causes of death among nonwhite infants under one year of age, Illinois: 1950 - 1959 . . . . . 22

TABLE OF CONTENTS -- Continued

TABULAR SECTION -- Continued


Table Page

8A. -- Leading causes of childhood mortality among Illinois residents ages 1 - 4 years: 1950 - 1959 . . . . . 24

8B. -- Leading causes of childhood mortality among Illinois residents ages 5 - 14 years: 1950 - 1959 . . . . . 26

8C. -- Leading causes of childhood mortality among Illinois residents ages 15 - 24 years: 1950 - 1959 . . . . . 28

9. -- Live birth rates in various countries: 1920 - 1958 . . . . . 30

10. -- Infant mortality rates and percentage distribution according to age (in day, week, and month) in various countries . . . . . 31

11. -- Annual maternity death rates in various countries: 1950 - 1957 . . . . . 31

## INTRODUCTION

While the purpose of this report is to set forth data on maternal, infant, and childhood mortality, some data on births and population are needed to round-out the picture.

Live births in Illinois have increased from 134,050 in 1922 to 239,871 in 1959. Accompanying this increase has been an increase in the proportion of births occurring in hospitals from 65.5 percent in 1937 (first year for which this data was available) to 98.1 percent in 1959 with only three counties having less than 90.0 percent of the births occurring in hospitals. In the decade 1950-1959 there has been a steady increase in the higher order births. In 1950 16.7 percent of the births were to mothers that had 3 children prior to this birth while in 1959 this percentage was 29.7 percent.

From 1950-1960 the trend in the proportion of the population under 25 years of age has for the first time since 1890 shown an increase over the previous census. In the 1960 census 42.3 percent of the population was in the age group under 25 years. The following chart shows the shifts in population by broad age groups from 1920-1960 based on census data.

Chart I. -- DISTRIBUTION OF POPULATION BY AGE, ILLINOIS: 1920, 1930, 1940, 1950, and 1960




## MATERNAL DEATHS

Maternal deaths, that is deaths arising from deliveries and complications of pregnancy, childbirth, and the period at and just after childbirth, have dropped from a high of 87 or 68 per 10,000 live births in 1929 to a low of 74 or 5 per 10,000 live births in 1959. The Illinois maternal death rates have continuously been less than the rates for the country as a whole.

Chart II. -- MATERNAL DEATH RATES, ILLINOIS AND UNITED STATES 1920 - 1959




Because of the small number of maternal deaths it appeared advisable to compute rates by county on a ten year basis. These rates varied from no maternal deaths in fourteen counties to over 15.0 per 1,000 live births in eight counties. Nationwide the maternal death rate has been reduced to about one maternal death in every 2,700 live births. Twenty years ago the risk was one maternal death for every 266 live births. The reduction in Illinois was from one death for every 370 births in 1940 to one death for every 3,300 births in 1959.

Chart III. -- MATERNAL DEATH RATE BY COUNTY OF RESIDENCE, ILLINOIS: 1950-1959

(Rates are per 1,000 live births)




Chart IV. -- MATERNAL DEATHS BY SELECT CAUSE GROUPS FOR ILLINOIS: 1950-1959




Over one-third (35.2 percent) of the 889 maternal deaths during the decade 1950-1959 were due to hemorrhage, 28.4 percent were due to toxemias, 15.1 percent to infections and the remaining 21.3 percent to all other causes.

## INFANT DEATHS

There has been little fluctuation in the infant death rate (deaths during the first year of life) in the last decade. Since 1922, however, there has been a drop of from 76.1 infant deaths per 1,000 live births to 25.0 in 1959. Except for 1922-1925 the infant death rate for Illinois has been lower than that in the United States the greatest difference being around 1940.

Improvement in infant death rates is affected more by the factors of neonatal mortality than post neonatal factors. In 1925 52.5 percent of the infant deaths were in the neonatal period as compared with 72.1 percent in 1959. Within the neonatal period continuous improvement is shown in the older infants. (7-28 days)

Chart V. -- INFANT DEATH RATES, ILLINOIS AND UNITED STATES 1920 - 1959




Chart VI. -- INFANT DEATHS BY AGE FOR SELECTED YEARS, ILLINOIS: 1925 - 1959




Pneumonia as a cause of infant death has been on the increase during the 1950's. In 1959 this cause accounted for 13 percent among deaths among white infants and 33 percent of the nonwhite infants. The proportion of infant deaths due to congenital malformations was on the decrease and was much higher among the white infants (16 percent) than nonwhite (5 percent).

## CHILDHOOD MORTALITY

### Ages 1-4 Years

Deaths from accidents accounted for the largest number of deaths and deaths from influenza and pneumonia the second largest number of deaths for each of the years in the decade 1950-1959. Cancer and congenital malformations have been either the third or fourth cause each year. The remaining leading causes vary from year to year and include bronchitis, gastritis, enteritis and colitis, and meningitis (except meningococcal) among the leading causes each year.

### Ages 5-14 Years

As in the younger age group death from accidents ranked first as the leading cause of death. In this age group cancer was the second ranking cause in each of the years of the decade. These two causes also accounted for over half the deaths in this age group each year. Tuberculosis was among the leading causes for the first half of the decade only.

### Ages 15-24 Years

Once again accidents take more lives in this age group than any other cause. Accidents when coupled with homicide and suicide account for over half of the deaths in this age group; from 51 percent in 1950 to a high of 62 percent in 1958 and 60 percent in 1959.

Tuberculosis dropped from the second leading cause of death in 1950 to 10th in 1955 and was not among the leading causes thereafter. Cancer, heart disease, influenza and pneumonia, and nephritis are among the leading causes in each of the ten years. Maternal deaths were listed as a leading cause each year of the decade except 1955.

Table 1. -- LIVE BIRTHS, TOTAL DEATHS, INFANT DEATHS, MATERNAL DEATHS, AND STILLBIRTHS, WITH RATES FOR EACH, ILLINOIS: 1918-1959

(Live birth rates and total death rates per 1,000 estimated midyear population. All other rates per 1,000 live births)

| Year | Estimated population | Live births | | Total deaths | | Infant deaths | | Maternal deaths | | Stillbirths | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Rate |
| 1959* | 9,914,900 | 239,871 | 24.2 | 101,406 | 10.2 | 5,990 | 25.0 | 72 | 0.3 | 3,489 | 14.5 |
| 1958* | 9,889,000 | 234,712 | 23.7 | 101,729 | 10.3 | 5,857 | 25.0 | 74 | 0.3 | 3,615 | 15.4 |
| 1957* | 9,754,000 | 238,579 | 24.5 | 102,293 | 10.5 | 6,070 | 25.4 | 80 | 0.3 | 3,616 | 15.2 |
| 1956* | 9,487,000 | 229,571 | 24.2 | 96,956 | 10.2 | 5,642 | 24.6 | [illegible] | 0.3 | 3,399 | 14.8 |
| 1955* | 9,361,000 | 220,541 | 23.6 | 95,585 | 10.2 | 5,479 | 24.8 | 83 | 0.4 | 3,328 | 15.1 |
| 1954* | 9,193,000 | 217,229 | 23.6 | 92,307 | 10.0 | 5,442 | 25.1 | 92 | 0.4 | 3,233 | 14.9 |
| 1953* | 9,039,000 | 206,813 | 22.9 | 96,607 | 10.7 | 5,326 | 25.8 | 98 | 0.5 | 3,323 | 16.1 |
| 1952* | 8,913,000 | 205,438 | 23.0 | 94,[illegible] | 10.6 | 5,115 | 24.9 | 92 | 0.4 | 3,239 | 15.8 |
| 1951* | 8,825,000 | 201,082 | 22.8 | 93,254 | 10.6 | 5,023 | 25.0 | 107 | 0.5 | 3,270 | 16.3 |
| 1950* | 8,753,000 | 189,640 | 21.7 | 92,260 | 10.5 | 4,855 | 25.6 | 114 | 0.6 | 3,084 | 16.3 |
| 1949* | 8,513,000 | 189,313 | 22.2 | 92,521 | 10.9 | 5,185 | 27.4 | 136 | 0.7 | 3,184 | 16.8 |
| 1948† | 8,552,000 | 184,871 | 21.6 | 91,328 | 10.7 | 5,123 | 27.7 | 151 | 0.8 | 3,284 | 17.8 |
| 1947† | 8,341,000 | 196,007 | 23.5 | 93,686 | 11.2 | 5,672 | 28.9 | 204 | 1.0 | 3,669 | 18.7 |
| 1946† | 8,155,000 | 174,825 | 21.4 | 89,566 | 11.0 | 5,316 | 30.4 | 237 | 1.4 | 3,667 | 21.0 |
| 1945† | 7,601,000 | 138,705 | 18.2 | 90,116 | 11.9 | 4,377 | 31.6 | 235 | 1.7 | 2,951 | 21.3 |
| 1944† | 7,719,000 | 142,005 | 18.4 | 88,180 | 11.4 | 4,602 | 32.4 | 254 | 1.8 | 3,158 | 22.2 |
| 1943† | 7,761,000 | 155,735 | 20.1 | 92,058 | 11.9 | 5,184 | 33.3 | 320 | 2.1 | 3,470 | 22.3 |
| 1942† | 8,057,000 | 156,232 | 19.4 | 87,777 | 10.9 | 5,17[illegible] | 33.1 | 326 | 2.1 | 3,445 | 22.1 |
| 1941† | 7,995,000 | 136,159 | 17.0 | 86,582 | 10.8 | 4,661 | 34.2 | 340 | 2.5 | 3,202 | 23.5 |
| 1940† | 7,905,000 | 124,615 | 15.8 | 89,099 | 11.3 | 4,398 | 35.3 | 369 | 3.0 | 3,152 | 25.3 |
| 1939† | 7,890,000 | 118,852 | 15.1 | 87,623 | 11.1 | 4,526 | 38.1 | 375 | 3.2 | 2,978 | 25.1 |
| 1938‡ | 7,866,000 | 122,562 | 15.6 | 84,769 | 10.8 | 5,016 | 40.9 | 412 | 3.4 | 3,207 | 26.2 |
| 1937‡ | 7,857,000 | 115,282 | 14.7 | 87,739 | 11.2 | 4,967 | 43.1 | 450 | 3.9 | 3,058 | 26.5 |
| 1936‡ | 7,840,000 | 112,167 | 14.3 | [illegible],806 | 11.8 | 5,246 | 46.8 | 500 | 4.5 | 3,099 | 27.6 |
| 1935‡ | 7,797,000 | 111,884 | 14.3 | 85,518 | 11.0 | 5,138 | 45.9 | 555 | 5.0 | 3,308 | 29.6 |
| 1934‡ | 7,772,000 | 110,226 | 14.2 | [illegible],205 | 11.2 | 5,825 | 52.8 | 568 | 5.2 | 3,333 | 30.2 |
| 1933‡ | 7,768,000 | 107,910 | 13.9 | 82,513 | 10.6 | 5,284 | 49.0 | 537 | 5.0 | 3,219 | 29.8 |
| 1932‡ | 7,736,000 | 111,512 | 14.4 | 83,180 | 10.8 | 5,884 | 52.8 | 625 | 5.6 | 3,446 | 30.9 |
| 1931‡ | 7,687,000 | 118,788 | 15.5 | 85,788 | 11.2 | 6,961 | 58.6 | 659 | 5.5 | 4,080 | 34.3 |
| 1930‡ | 7,644,000 | 128,121 | 16.8 | 83,591 | 10.9 | 7,152 | 55.8 | 699 | 5.5 | 4,311 | 33.6 |
| 1929‡ | 7,606,000 | 128,633 | 16.9 | 87,738 | 11.5 | 7,[illegible]11 | 61.4 | 874 | 6.8 | 4,452 | 34.6 |
| 1928‡ | 7,576,000 | 129,667 | 17.1 | [illegible],195 | 11.9 | 8,326 | 64.2 | 743 | 5.7 | 4,677 | 36.1 |
| 1927‡ | 7,519,000 | 133,662 | 17.8 | 82,849 | 11.[illegible] | 8,605 | 64.4 | 743 | 5.6 | 4,693 | 35.1 |
| 1926‡ | 7,395,000 | 133,939 | 18.1 | 85,331 | 11.5 | 9,294 | 69.4 | 871 | 6.5 | 4,879 | 36.4 |
| 1925‡ | 7,306,000 | 135,437 | 18.5 | 81,593 | 11.2 | 9,822 | 72.5 | 789 | 5.8 | 4,885 | 36.1 |
| 1924‡ | 7,215,000 | 137,118 | 19.0 | 77,[illegible]82 | 10.7 | 9,734 | 71.0 | 844 | 6.2 | 5,290 | 38.6 |
| 1923‡ | 7,068,000 | 131,920 | 18.7 | 81,753 | 11.6 | 10,809 | 81.9 | 846 | 6.4 | 5,157 | 39.1 |
| 1922‡ | 6,958,000 | 134,050 | 19.3 | 75,771 | 10.9 | 10,195 | 76.1 | 847 | 6.3 | 4,826 | 36.0 |
| 1921‡ | 6,858,000 | -- | -- | 73,424 | 10.7 | 10,674 | -- | 944 | -- | -- | -- |
| 1920‡ | 6,663,000 | -- | -- | 82,296 | 12.4 | 11,[illegible]1 | -- | 1,141 | -- | -- | -- |
| 1919‡ | 6,392,000 | -- | -- | 77,256 | 12.1 | 11,148 | -- | 980 | -- | -- | -- |
| 1918‡ | [illegible],[illegible]71,[illegible] | -- | -- | 100,396 | 16.0 | 13,109 | -- | 1,160 | -- | -- | -- |

*Data for the years 1949-1959, incl., are resident data from tabulations of the Illinois Department of Public Health.
†Data for the years 1939-1948, incl., are resident data as published by the National Office of Vital Statistics.
‡Data for the years 1918-1938, incl., are Illinois occurrences as published by the National Office of Vital Statistics.

Table 2. -- SELECTED DATA ON LIVE BIRTHS AND FETAL DEATHS (STILLBIRTHS) BY PLACE OF RESIDENCE, ILLINOIS, CHICAGO, AND DOWNSTATE: 1950 - 1959

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | | | | | | | | | | |
| Live births total | 239,871 | 234,712 | 238,579 | 229,571 | 220,541 | 217,229 | 206,813 | 205,438 | 201,082 | 189,640 |
| Hospital | 235,231 | 229,838 | 233,537 | 224,153 | 214,527 | [illegible] | 200,710 | 198,696 | 193,322 | 180,553 |
| Non hospital | 4,640 | 4,874 | 5,042 | 5,418 | 6,014 | 5,952 | 6,103 | 6,742 | 7,760 | 9,087 |
| Attended by MD - DO | 4,453 | 4,705 | 4,856 | 4,871 | 5,725 | 5,572 | 5,813 | 6,388 | 7,361 | 8,813 |
| Other | 187 | 169 | [illegible] | 547 | [illegible] | 380 | 290 | 354 | 399 | 274 |
| Premature births | 18,072 | 17,410 | 17,690 | 16,710 | 15,973 | 15,443 | 15,124 | 14,635 | 14,446 | 12,701 |
| Sex race | | | | | | | | | | |
| White male | 103,666 | 101,782 | 104,118 | 100,732 | 97,375 | 96,409 | 93,260 | 93,605 | 91,957 | 87,275 |
| White female | 98,289 | 96,518 | 98,915 | 95,714 | 92,274 | 91,890 | 88,033 | 88,231 | 87,290 | 82,404 |
| Negro male | 18,713 | 17,921 | 17,598 | 16,270 | 15,121 | 14,245 | 12,559 | 11,547 | 10,662 | 10,079 |
| Negro female | 18,412 | 17,798 | 17,199 | 16,008 | 15,028 | 13,905 | 12,272 | 11,390 | 10,488 | 9,882 |
| Other races male | 379 | 383 | 399 | 471 | 388 | 410 | [illegible] | 324 | 339 | * |
| Other races female | 412 | 310 | 350 | 376 | 355 | 370 | 345 | 341 | 346 | * |
| Illegitimate births | 14,043 | 12,626 | 12,055 | 11,312 | 10,625 | 9,809 | 8,742 | 7,916 | 7,425 | 6,836 |
| White | 3,897 | 3,669 | 3,624 | 3,526 | 3,368 | 3,295 | 3,129 | 2,979 | 2,814 | 2,666 |
| Nonwhite | 10,146 | 8,957 | 8,431 | 7,786 | 7,257 | 6,514 | 5,613 | 4,937 | 4,611 | 4,170 |
| Fetal deaths total | 3,489 | 3,615 | 3,653 | 3,399 | 3,328 | 3,291 | 3,323 | 3,239 | 3,273 | 3,083 |
| Gestation 20 weeks | 44 | 50 | 37 | [illegible] | [illegible] | [illegible] | 44 | 32 | 35 | 21 |
| 20 - 27 weeks | 821 | 783 | 791 | 686 | 654 | 639 | 634 | 662 | 689 | 620 |
| 28 weeks and over | 2,608 | 2,760 | 2,808 | 2,639 | 2,623 | 2,615 | 2,630 | 2,534 | 2,525 | 2,417 |
| Not reported | 16 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 15 | 11 | [illegible] | 25 |

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| CHICAGO | | | | | | | | | | |
| Live births total | 91,206 | 90,391 | 92,488 | 89,007 | 86,819 | 86,819 | 81,634 | 82,721 | 81,801 | 78,254 |
| Hospital | 87,531 | 86,684 | 88,583 | 85,052 | 82,634 | 82,847 | 77,902 | 78,685 | 77,804 | 73,732 |
| Non hospital | 3,675 | 3,707 | 3,905 | 3,955 | 4,185 | 3,972 | 3,732 | 4,036 | 3,997 | 4,522 |
| Attended by MD - DO | 3,621 | 3,672 | 3,843 | 3,575 | 4,072 | 3,813 | 3,632 | 3,894 | 3,882 | 4,419 |
| Other | 54 | 35 | 62 | 380 | 113 | [illegible] | 100 | 142 | 115 | 103 |
| Premature births | 8,434 | 8,106 | 8,233 | 7,760 | 7,360 | 7,171 | 6,857 | 6,722 | 6,730 | 5,991 |
| Sex race | | | | | | | | | | |
| White male | 31,109 | 31,201 | 32,778 | 31,927 | 32,101 | 32,566 | 31,562 | 32,994 | 32,989 | 32,099 |
| White female | 29,324 | 29,725 | 31,039 | 30,554 | 30,017 | 31,177 | 29,831 | 31,037 | 31,469 | 30,281 |
| Negro male | 15,226 | 14,529 | 14,208 | 13,088 | 12,170 | 11,349 | 9,899 | 9,161 | 8,489 | 8,014 |
| Negro female | 15,016 | 14,443 | 13,916 | 12,774 | 11,936 | 11,092 | 9,784 | 8,962 | 8,253 | 7,860 |
| Other races male | 257 | 273 | 299 | 378 | 323 | 334 | 278 | 275 | 302 | * |
| Other races female | 274 | 220 | 248 | 286 | 272 | 301 | 280 | 292 | 299 | * |
| Illegitimate births | 10,269 | 9,055 | 8,778 | 8,272 | 7,883 | 7,148 | 6,387 | 5,752 | 5,212 | 4,799 |
| White | 1,630 | 1,513 | 1,625 | 1,674 | 1,722 | 1,641 | 1,597 | 1,536 | 1,306 | 1,291 |
| Nonwhite | 8,639 | 7,542 | 7,153 | 6,598 | 6,161 | 5,507 | 4,790 | 4,216 | 3,906 | 3,508 |
| Fetal deaths total | 1,562 | 1,583 | 1,640 | 1,478 | 1,403 | 1,472 | 1,367 | 1,391 | 1,420 | 1,412 |
| Gestation 20 weeks | 11 | 4 | 4 | 7 | 5 | [illegible] | 6 | 2 | [illegible] | 5 |
| 20 - 27 weeks | 401 | 367 | 377 | 306 | 295 | 289 | 255 | 266 | 288 | 306 |
| 28 weeks and over | 1,145 | 1,203 | 1,254 | 1,146 | 1,098 | 1,180 | 1,103 | 1,122 | 1,121 | 1,097 |
| Not reported | 5 | [illegible] | 5 | 19 | 5 | 2 | 3 | 1 | 3 | 4 |

| | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| DOWNSTATE | | | | | | | | | | |
| Live births total | 148,665 | 144,321 | 146,091 | 140,564 | 133,722 | 130,410 | 125,179 | 122,717 | 119,281 | 111,386 |
| Hospital | 147,700 | 143,154 | 144,954 | 139,101 | 131,893 | 128,430 | 122,808 | 120,011 | 115,518 | 106,821 |
| Non hospital | 965 | 1,167 | 1,137 | 1,463 | 1,829 | 1,980 | 2,371 | 2,706 | 3,763 | 4,565 |
| Attended by MD - DO | 832 | 1,033 | 1,013 | 1,296 | 1,653 | 1,759 | 2,181 | 2,494 | 3,479 | 4,394 |
| Other | 133 | [illegible] | [illegible] | 167 | [illegible] | 221 | 190 | 212 | 284 | 171 |
| Premature births | 9,638 | 9,304 | 9,457 | 8,950 | 8,613 | 8,272 | 8,267 | 7,913 | 7,716 | 6,710 |
| Sex race | | | | | | | | | | |
| White male | 72,557 | 70,581 | 71,340 | 68,805 | 65,274 | 63,843 | 61,698 | 60,611 | 58,968 | 80,565 |
| White female | 68,965 | 66,793 | 67,876 | 65,160 | 62,257 | 60,713 | 58,202 | 57,194 | 55,821 | 52,123 |
| Negro male | 3,487 | 3,392 | 3,390 | 3,182 | 2,951 | 2,896 | 2,660 | 2,386 | 2,173 | 2,065 |
| Negro female | 3,396 | 3,355 | 3,283 | 3,234 | 3,092 | 2,813 | 2,488 | 2,428 | 2,235 | 2,022 |
| Other races male | 122 | 110 | 100 | 93 | 65 | 76 | 66 | 49 | 37 | * |
| Other races female | 138 | 90 | 102 | 90 | 83 | 69 | 65 | 49 | 47 | * |
| Illegitimate births | 3,774 | 3,571 | 3,277 | 3,040 | 2,742 | 2,661 | 2,355 | 2,164 | 2,213 | 2,037 |
| White | [illegible] | 2,156 | 1,999 | 1,852 | 1,646 | 1,654 | 1,532 | 1,443 | 1,508 | 1,375 |
| Nonwhite | 1,507 | 1,415 | [illegible] | 1,188 | 1,096 | 1,007 | 823 | 721 | 705 | 662 |
| Fetal deaths total | 1,927 | 2,032 | 2,013 | 1,921 | 1,925 | 1,819 | 1,956 | 1,848 | 1,853 | 1,671 |
| Gestation 20 weeks | 33 | 46 | 33 | 38 | 35 | 28 | 38 | 30 | 27 | 16 |
| 20 - 27 weeks | 420 | 416 | 414 | 380 | 359 | 350 | 379 | 396 | 401 | 314 |
| 28 weeks and over | 1,463 | 1,557 | 1,554 | 1,493 | 1,525 | 1,435 | 1,527 | 1,412 | 1,404 | 1,320 |
| Not reported | 11 | 13 | 12 | 10 | 6 | 6 | 12 | 10 | 21 | 21 |

*Races classified only as white and nonwhite in 1950.

Table 3. -- MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS BY CAUSE AND AGE: 1950-1959

| Cause of death | All ages | Age of mother | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | 15-19 years | 20-24 years | 25-29 years | 30-34 years | 35-39 years | 40-44 years | 45-49 years | 50-54 years | 55-59 years |
| ALL CAUSES | 889 | 55 | 159 | 199 | 211 | 184 | 72 | 6 | 2 | 1 |
| COMPLICATIONS OF PREGNANCY | 392 | 27 | 78 | 83 | 94 | 74 | 31 | 2 | 2 | 1 |
| Infections of genito-urinary tract | 13 | 1 | 5 | 2 | 5 | -- | -- | -- | -- | -- |
| Toxemias | 225 | 20 | 45 | 45 | 48 | 46 | 17 | 1 | 2 | 1 |
| Hypertensive disease | 20 | 1 | 3 | 4 | 3 | 4 | 3 | -- | 1 | 1 |
| Renal disease | 28 | 1 | 9 | 4 | 5 | 5 | 4 | -- | -- | -- |
| Pre-eclampsia | 15 | -- | 5 | 1 | 4 | 4 | 1 | -- | -- | -- |
| Eclampsia | 88 | 11 | 13 | 22 | 22 | 16 | 4 | -- | -- | -- |
| Other toxemias | 74 | 7 | 15 | 14 | 14 | 17 | 5 | 1 | 1 | -- |
| Placenta previa | 3 | -- | -- | -- | 1 | 1 | 1 | -- | -- | -- |
| Other hemorrhage of pregnancy | 9 | -- | 2 | 3 | -- | 4 | -- | -- | -- | -- |
| Ectopic pregnancy | 101 | 5 | 14 | 24 | 30 | 19 | 9 | -- | -- | -- |
| Anemia of pregnancy | 2 | -- | 1 | -- | 1 | -- | -- | -- | -- | -- |
| Pregnancy with malposition of fetus in uterus | 1 | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| Other complications of pregnancy | 37 | 1 | 10 | 8 | 9 | 4 | 4 | 1 | -- | -- |
| Pregnancy associated with other conditions | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| ABORTIONS | 94 | 10 | 18 | 30 | 16 | 11 | 9 | -- | -- | -- |
| Without mention of sepsis or toxemia | 30 | 3 | 4 | 10 | 5 | 6 | 2 | -- | -- | -- |
| With sepsis | 56 | 6 | 12 | 19 | 10 | 3 | 6 | -- | -- | -- |
| With toxemia | 8 | 1 | 2 | 1 | 1 | 2 | 1 | -- | -- | -- |
| DELIVERY WITHOUT COMPLICATION | 28 | -- | 7 | 8 | 6 | 6 | 1 | -- | -- | -- |
| DELIVERY WITH SPECIFIED COMPLICATION | 225 | 8 | 28 | 47 | 59 | 58 | 24 | 1 | -- | -- |
| Placenta previa or antepartum hemorrhage | 66 | 1 | 9 | 9 | 14 | 23 | 10 | -- | -- | -- |
| Retained placenta | 8 | 1 | 1 | 2 | 4 | -- | -- | -- | -- | -- |
| Other postpartum hemorrhage | 65 | 2 | 6 | 18 | 16 | 15 | 8 | -- | -- | -- |
| Abnormality of bony pelvis | 5 | 1 | -- | 1 | 1 | 1 | 1 | -- | -- | -- |
| Disproportion or malposition of fetus | 14 | -- | 4 | 2 | 7 | -- | -- | 1 | -- | -- |
| Prolonged labor of other orgin | 17 | 1 | 3 | 3 | 5 | 2 | 3 | -- | -- | -- |
| Laceration of perineum, without mention of other laceration | 1 | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| Trauma | 34 | 2 | 2 | 6 | 10 | 12 | 2 | -- | -- | -- |
| Other complications | 15 | -- | 3 | 5 | 2 | 5 | -- | -- | -- | -- |
| COMPLICATIONS OF THE PUERPERIUM | 153 | 10 | 28 | 31 | 36 | 35 | 7 | 3 | -- | -- |
| Urinary infection without other sepsis | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| Sepsis of childbirth and the puerperium | 35 | 3 | 4 | 7 | 12 | 8 | 1 | -- | -- | -- |
| Puerperal phlebitis and thrombosis | 29 | 1 | 6 | 10 | 5 | 5 | 2 | -- | -- | -- |
| Puerperal pulmonary embolism | 41 | 2 | 10 | 5 | 10 | 12 | 1 | 1 | -- | -- |
| Puerperal eclampsia | 18 | 3 | 3 | 4 | 4 | 4 | -- | -- | -- | -- |
| Other forms of puerperal toxemia | 2 | -- | -- | 1 | -- | 1 | -- | -- | -- | -- |
| Cerebral hemorrhage in the puerperium | 18 | -- | 2 | 3 | 4 | 4 | 3 | 2 | -- | -- |
| Other and unspecified complications of the puerperium | 6 | 1 | 3 | 1 | -- | 1 | -- | -- | -- | -- |

Table 3a. -- MATERNAL DEATHS BY SELECTED CAUSE GROUPS* FOR ILLINOIS: 1950 - 1959

| Year | Total deaths | Causes of death | | | |
|---|---|---|---|---|---|
| | | Hemorrhage | Toxemias | Infections | All other |
| 1950 - 1959 | 889 | 313 | 253 | 134 | 189 |
| 1959 | 72 | 24 | 14 | 17 | 17 |
| 1958 | 74 | 31 | 18 | 11 | 14 |
| 1957 | 80 | 31 | 27 | 10 | 12 |
| 1956 | 77 | 29 | 19 | 9 | 20 |
| 1955 | 83 | 31 | 19 | 14 | 19 |
| 1954 | 92 | 29 | 35 | 8 | 20 |
| 1953 | 98 | 33 | 24 | 14 | 27 |
| 1952 | 92 | 32 | 30 | 13 | 17 |
| 1951 | 107 | 32 | 30 | 22 | 23 |
| 1950 | 114 | 41 | 37 | 16 | 20 |

Source: Annual tabulations.

*International Statistical Classification of Diseases, Injuries, and Causes of Death, 6th and 7th Revisions, World Health Organization.

| Cause | Codes |
|---|---|
| Hemorrhage | 643, 644, 645, 650, 670, 671, 672, 677. |
| Toxemais | 642, 652, 685, 686. |
| Infections | 640, 641, 651, 680, 681, 682, 683, 689. |
| All other | 646, 647, 648, 649, 660, 673, 674, 675, 676, 678, 684, 687, 688. |

Table 4. -- INFANT DEATHS BY COUNTY OF RESIDENCE: 1950 - 1959

| County | Total | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | 54,802 | 5,990 | 5,857 | 6,070 | 5,642 | 5,478 | 5,442 | 5,326 | 5,117 | 5,024 | 4,856 |
| Adams | 355 | 37 | 35 | 40 | 41 | 43 | 27 | 40 | 30 | 30 | 32 |
| Alexander | 186 | 13 | 17 | 11 | 15 | 16 | 18 | 24 | 27 | 20 | 25 |
| Bond | 62 | 4 | 7 | 6 | 7 | 11 | 7 | 4 | 8 | 4 | 4 |
| Boone | 121 | 12 | 18 | 12 | 11 | 7 | 9 | 16 | 17 | 8 | 11 |
| Brown | 24 | 2 | 3 | 2 | 1 | 2 | -- | 3 | -- | 10 | 1 |
| Bureau | 188 | 14 | 21 | 22 | 18 | 18 | 20 | 20 | 21 | 18 | 16 |
| Calhoun | 26 | 4 | 3 | 1 | 3 | 2 | 7 | 1 | 1 | 1 | 3 |
| Carroll | 107 | 9 | 8 | 12 | 9 | 8 | 18 | 12 | 7 | 13 | 11 |
| Cass | 91 | 10 | 10 | 10 | 11 | 6 | 10 | 10 | 5 | 6 | 13 |
| Champaign | 647 | 80 | 80 | 63 | 74 | 72 | 63 | 61 | 52 | 54 | 48 |
| Christian | 183 | 16 | 20 | 17 | 16 | 25 | 11 | 19 | 16 | 21 | 22 |
| Clark | 71 | 6 | 4 | 5 | 6 | 6 | 8 | 6 | 12 | 7 | 11 |
| Clay | 84 | 9 | 5 | 10 | 8 | 8 | 3 | 11 | 10 | 6 | 14 |
| Clinton | 145 | 12 | 12 | 16 | 25 | 15 | 14 | 7 | 12 | 11 | 21 |
| Coles | 212 | 16 | 25 | 13 | 24 | 22 | 28 | 24 | 15 | 21 | 24 |
| Cook | 29,388 | 3,343 | 3,205 | 3,411 | 3,109 | 2,983 | 2,951 | 2,743 | 2,607 | 2,625 | 2,411 |
| Crawford | 92 | 6 | 6 | 12 | 6 | 13 | 8 | 11 | 5 | 12 | 13 |
| Cumberland | 42 | 4 | 4 | 6 | 3 | 5 | 3 | 3 | 4 | 3 | 7 |
| De Kalb | 203 | 23 | 17 | 24 | 22 | 20 | 16 | 20 | 17 | 24 | 20 |
| De Witt | 90 | 9 | 12 | 6 | 12 | 11 | 4 | 11 | 8 | 8 | 9 |
| Douglas | 99 | 10 | 11 | 14 | 11 | 10 | 10 | 9 | 6 | 9 | 9 |
| Du Page | 1,047 | 142 | 145 | 134 | 92 | 120 | 108 | 85 | 81 | 70 | 70 |
| Edgar | 121 | 8 | 9 | 10 | 10 | 13 | 5 | 14 | 9 | 14 | 29 |
| Edwards | 33 | 2 | 2 | 2 | 2 | 3 | 8 | 3 | 2 | 2 | 7 |
| Effingham | 103 | 11 | 11 | 3 | 5 | 10 | 9 | 16 | 11 | 14 | 13 |
| Fayette | 104 | 9 | 7 | 9 | 10 | 10 | 9 | 9 | 16 | 8 | 17 |
| Ford | 82 | 8 | 8 | 6 | 6 | 7 | 10 | 8 | 15 | 8 | 6 |
| Franklin | 179 | 22 | 21 | 18 | 17 | 9 | 16 | 13 | 17 | 19 | 18 |
| Fulton | 190 | 20 | 5 | 21 | 22 | 15 | 28 | 20 | 24 | 19 | 13 |
| Gallatin | 56 | 7 | 7 | 6 | 2 | 6 | 5 | 4 | 2 | 8 | 9 |
| Greene | 98 | 11 | 7 | 11 | 7 | 13 | 10 | 10 | 7 | 14 | 8 |
| Grundy | 110 | 14 | 7 | 15 | 13 | 7 | 10 | 10 | 14 | 6 | 14 |
| Hamilton | 36 | 2 | 1 | 3 | 4 | 1 | 9 | 4 | 4 | 1 | 7 |
| Hancock | 121 | 11 | 16 | 12 | 5 | 7 | 11 | 8 | 12 | 22 | 17 |
| Hardin | 45 | 3 | 5 | 1 | 4 | 7 | 4 | 8 | 6 | 4 | 3 |
| Henderson | 33 | 5 | 2 | 5 | 2 | 4 | 2 | 2 | 1 | 5 | 5 |
| Henry | 232 | 20 | 24 | 25 | 16 | 18 | 25 | 20 | 28 | 37 | 19 |
| Iroquois | 168 | 15 | 14 | 14 | 29 | 17 | 16 | 16 | 11 | 22 | 14 |
| Jackson | 210 | 20 | 26 | 9 | 19 | 15 | 20 | 28 | 28 | 27 | 18 |
| Jasper | 52 | 5 | 2 | 4 | 8 | 4 | 5 | 6 | 6 | 5 | 7 |
| Jefferson | 204 | 22 | 19 | 16 | 15 | 16 | 22 | 24 | 25 | 23 | 22 |
| Jersey | 80 | 7 | 10 | 17 | 7 | 11 | 7 | 12 | 6 | 3 | 5 |
| Jo Daviess | 98 | 10 | 6 | 5 | 13 | 14 | 8 | 7 | 16 | 7 | 12 |
| Johnson | 37 | 1 | -- | 2 | 2 | 1 | 7 | 11 | 6 | 4 | 3 |
| Kane | 997 | 125 | 125 | 111 | 110 | 90 | 97 | 99 | 92 | 73 | 75 |
| Kankakee | 435 | 53 | 44 | 58 | 46 | 39 | 35 | 44 | 35 | 38 | 43 |
| Kendall | 79 | 13 | 8 | 10 | 11 | 10 | 5 | 6 | 2 | 7 | 7 |
| Knox | 286 | 36 | 25 | 27 | 36 | 27 | 27 | 36 | 25 | 22 | 25 |
| Lake | 1,422 | 148 | 179 | 178 | 149 | 156 | 139 | 127 | 138 | 116 | 95 |
| La Salle | 558 | 55 | 54 | 58 | 53 | 68 | 53 | 66 | 52 | 51 | 48 |

Table 4. -- INFANT DEATHS BY COUNTY OF RESIDENCE: 1950 - 1959--Continued

| County | Total | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Lawrence | 96 | 12 | 9 | 6 | 10 | 8 | 5 | 9 | 14 | 13 | 10 |
| Lee | 169 | 22 | 17 | 10 | 17 | 23 | 15 | 17 | 22 | 23 | 23 |
| Livingston | 191 | 20 | 17 | 9 | 26 | 25 | 22 | 17 | 22 | 19 | 14 |
| Logan | 144 | 12 | 15 | 20 | 13 | 13 | 13 | 11 | 12 | 24 | 11 |
| McDonough | 130 | 17 | 10 | 15 | 16 | 10 | 16 | 10 | 11 | 6 | 17 |
| McHenry | 363 | 58 | 47 | 52 | 38 | 21 | 29 | 24 | 39 | 28 | 27 |
| McLean | 394 | 26 | 44 | 48 | 37 | 39 | 39 | 31 | 35 | 41 | 54 |
| Macon | 651 | 68 | 81 | 60 | 49 | 72 | 67 | 72 | 65 | 64 | 53 |
| Macoupin | 185 | 14 | 26 | 16 | 22 | 17 | 21 | 16 | 19 | 9 | 25 |
| Madison | 1,298 | 141 | 142 | 126 | 118 | 134 | 132 | 131 | 151 | 122 | 101 |
| Marion | 231 | 18 | 27 | 18 | 12 | 21 | 33 | 24 | 20 | 27 | 31 |
| Marshall | 59 | 8 | 4 | 4 | 9 | 7 | 5 | 5 | 7 | 3 | 7 |
| Mason | 75 | 8 | 7 | 10 | 4 | 7 | 8 | 5 | 8 | 3 | 15 |
| Massac | 82 | 2 | 4 | 6 | 7 | 7 | 14 | 10 | 13 | 12 | 7 |
| Menard | 47 | 1 | 6 | 3 | 3 | 3 | 5 | 6 | 5 | 9 | 6 |
| Mercer | 81 | 6 | 2 | 6 | 9 | 10 | 6 | 6 | 10 | 10 | 16 |
| Monroe | 87 | 7 | 9 | 5 | 9 | 6 | 8 | 6 | 15 | 10 | 12 |
| Montgomery | 146 | 18 | 12 | 16 | 11 | 12 | 16 | 16 | 15 | 13 | 17 |
| Morgan | 161 | 13 | 13 | 10 | 17 | 13 | 22 | 15 | 21 | 15 | 22 |
| Moultrie | 63 | 8 | 5 | 6 | 5 | 11 | 5 | 2 | 9 | 5 | 7 |
| Ogle | 183 | 23 | 19 | 27 | 18 | 24 | 16 | 20 | 10 | 11 | 15 |
| Peoria | 1,053 | 100 | 96 | 133 | 112 | 89 | 103 | 117 | 96 | 117 | 90 |
| Perry | 107 | 6 | 11 | 8 | 12 | 10 | 10 | 10 | 16 | 12 | 12 |
| Piatt | 82 | 7 | 6 | 9 | 10 | 7 | 3 | 12 | 12 | 6 | 10 |
| Pike | 91 | 10 | 6 | 6 | 7 | 7 | 10 | 11 | 6 | 11 | 17 |
| Pope | 24 | 1 | 1 | 5 | 4 | -- | 4 | 3 | -- | 3 | 3 |
| Pulaski | 132 | 12 | 3 | 18 | 9 | 17 | 10 | 13 | 16 | 18 | 16 |
| Putnam | 25 | 1 | 1 | -- | 5 | 3 | 1 | 1 | 6 | 4 | 3 |
| Randolph | 143 | 16 | 12 | 18 | 9 | 16 | 17 | 15 | 15 | 10 | 15 |
| Richland | 77 | 10 | 8 | 6 | 4 | 9 | 6 | 11 | 6 | 9 | 8 |
| Rock Island | 881 | 98 | 85 | 105 | 76 | 85 | 72 | 84 | 105 | 80 | 91 |
| St. Clair | 1,727 | 171 | 172 | 194 | 173 | 179 | 177 | 185 | 157 | 161 | 158 |
| Saline | 127 | 12 | 12 | 8 | 13 | 10 | 4 | 14 | 15 | 23 | 16 |
| Sangamon | 830 | 86 | 86 | 74 | 73 | 74 | 82 | 85 | 101 | 88 | 81 |
| Schuyler | 31 | 5 | 4 | 1 | 3 | 3 | 3 | 1 | -- | 5 | 6 |
| Scott | 39 | 3 | 5 | 4 | 7 | 6 | 6 | 4 | -- | 2 | 2 |
| Shelby | 101 | 5 | 9 | 11 | 6 | 11 | 7 | 10 | 11 | 8 | 23 |
| Stark | 27 | 1 | 4 | -- | 6 | 2 | 5 | 1 | 4 | -- | 4 |
| Stephenson | 222 | 16 | 27 | 26 | 25 | 22 | 31 | 20 | 14 | 14 | 23 |
| Tazewell | 485 | 43 | 43 | 46 | 50 | 53 | 51 | 59 | 57 | 42 | 41 |
| Union | 96 | 9 | 11 | 12 | 10 | 12 | 5 | 13 | 6 | 8 | 8 |
| Vermilion | 581 | 58 | 56 | 52 | 50 | 48 | 67 | 51 | 61 | 74 | 54 |
| Wabash | 61 | 5 | 5 | 6 | 7 | 9 | 3 | 7 | 5 | 8 | 6 |
| Warren | 129 | 8 | 8 | 11 | 15 | 13 | 17 | 19 | 12 | 10 | 12 |
| Washington | 54 | 9 | 3 | 1 | 4 | 6 | 3 | 6 | 9 | 9 | 4 |
| Wayne | 104 | 13 | 9 | 8 | 7 | 7 | 12 | 13 | 12 | 11 | 12 |
| White | 140 | 2 | 10 | 8 | 10 | 11 | 7 | 10 | 14 | 9 | 19 |
| Whiteside | 350 | 35 | 33 | 31 | 36 | 32 | 27 | 46 | 40 | 28 | 42 |
| Will | 1,060 | 108 | 132 | 121 | 137 | 93 | 99 | 134 | 84 | 69 | 91 |
| Williamson | 197 | 21 | 17 | 17 | 17 | 18 | 28 | 16 | 24 | 17 | 22 |
| Winnebago | 1,241 | 163 | 133 | 144 | 139 | 105 | 108 | 118 | 114 | 111 | 106 |
| Woodford | 125 | 9 | 12 | 11 | 16 | 15 | 12 | 15 | 9 | 10 | 16 |
| Unknown place | 45 | 6 | 6 | 3 | 5 | 3 | 10 | 6 | 4 | 2 | 1 |

Table 5. -- INFANT DEATH RATES BY COUNTY OF RESIDENCE, ILLINOIS: 1950 - 1959
(Rates per 1,000 live births)

| County | Live births | No. | Rate | County | Live births | No. | Rate |
|---|---|---|---|---|---|---|---|
| ILLINOIS | 2,183,476 | 54,802 | 25.1 | Livingston | 8,459 | 191 | 22.6 |
| | | | | Logan | 5,691 | 144 | 25.3 |
| Adams | 13,850 | 355 | 25.6 | McDonough | 5,873 | 130 | 22.1 |
| Alexander | 3,628 | 186 | 51.3 | McHenry | 15,921 | 363 | 22.8 |
| Bond | 2,896 | 62 | 21.4 | | | | |
| Boone | 4,233 | 121 | 28.6 | McLean | 18,039 | 394 | 21.8 |
| | | | | Macon | 26,369 | 651 | 24.7 |
| Brown | 1,246 | 24 | 19.3 | Macoupin | 8,330 | 185 | 22.2 |
| Bureau | 7,796 | 188 | 24.1 | Madison | 51,582 | 1,298 | 25.2 |
| Calhoun | 1,298 | 26 | 20.0 | | | | |
| Carroll | 4,311 | 107 | 24.8 | Marion | 8,547 | 231 | 27.0 |
| | | | | Marshall | 2,795 | 59 | 21.1 |
| Cass | 3,038 | 91 | 30.0 | Mason | 3,022 | 75 | 24.8 |
| Champaign | 26,992 | 647 | 24.0 | Massac | 3,050 | 82 | 26.9 |
| Christian | 8,268 | 183 | 22.1 | | | | |
| Clark | 3,382 | 71 | 21.0 | Menard | 1,838 | 47 | 25.6 |
| | | | | Mercer | 3,545 | 81 | 22.8 |
| Clay | 3,487 | 84 | 24.1 | Monroe | 3,074 | 87 | 28.3 |
| Clinton | 5,991 | 145 | 24.2 | Montgomery | 6,408 | 146 | 22.8 |
| Coles | 9,183 | 212 | 23.1 | | | | |
| Cook | 1,141,046 | 29,388 | 25.8 | Morgan | 6,408 | 161 | 25.1 |
| | | | | Moultrie | 2,998 | 63 | 21.0 |
| Crawford | 3,909 | 92 | 23.5 | Ogle | 8,291 | 183 | 22.1 |
| Cumberland | 2,123 | 42 | 19.8 | Peoria | 44,358 | 1,053 | 23.7 |
| De Kalb | 10,504 | 203 | 19.3 | | | | |
| De Witt | 3,595 | 90 | 25.0 | Perry | 3,883 | 107 | 27.6 |
| | | | | Piatt | 3,161 | 82 | 25.9 |
| Douglas | 4,235 | 99 | 23.4 | Pike | 4,200 | 91 | 21.7 |
| Du Page | 53,203 | 1,047 | 19.7 | Pope | 749 | 24 | 32.0 |
| Edgar | 4,786 | 121 | 25.3 | | | | |
| Edwards | 1,659 | 33 | 19.9 | Pulaski | 2,570 | 132 | 51.4 |
| | | | | Putnam | 994 | 25 | 25.2 |
| Effingham | 5,535 | 103 | 18.6 | Randolph | 5,813 | 143 | 24.6 |
| Fayette | 4,436 | 104 | 23.4 | Richland | 3,605 | 77 | 21.4 |
| Ford | 3,601 | 82 | 22.8 | | | | |
| Franklin | 8,958 | 218 | 24.4 | Rock Island | 33,321 | 881 | 26.4 |
| | | | | St. Clair | 62,167 | 1,727 | 27.8 |
| Fulton | 8,449 | 191 | 22.6 | Saline | 4,821 | 127 | 26.3 |
| Gallatin | 1,605 | 56 | 34.9 | Sangamon | 32,562 | 830 | 25.5 |
| Greene | 3,668 | 98 | 26.7 | | | | |
| Grundy | 4,956 | 110 | 22.2 | Schuyler | 1,844 | 31 | 16.8 |
| | | | | Scott | 1,425 | 39 | 27.4 |
| Hamilton | 1,899 | 36 | 19.0 | Shelby | 4,996 | 101 | 20.2 |
| Hancock | 5,103 | 121 | 23.7 | Stark | 1,794 | 27 | 15.1 |
| Hardin | 1,269 | 45 | 35.5 | | | | |
| Henderson | 1,831 | 33 | 18.0 | Stephenson | 9,603 | 222 | 23.1 |
| | | | | Tazewell | 23,087 | 485 | 21.0 |
| Henry | 10,312 | 232 | 22.5 | Union | 3,069 | 96 | 31.3 |
| Iroquois | 7,249 | 168 | 23.2 | Vermilion | 20,933 | 561 | 26.8 |
| Jackson | 7,996 | 210 | 26.3 | | | | |
| Jasper | 2,495 | 52 | 20.8 | Wabash | 3,190 | 61 | 19.5 |
| | | | | Warren | 4,501 | 125 | 27.8 |
| Jefferson | 7,082 | 204 | 28.8 | Washington | 2,410 | 54 | 22.4 |
| Jersey | 3,754 | 80 | 21.3 | Wayne | 3,915 | 104 | 26.6 |
| Jo Daviess | 5,100 | 98 | 19.2 | | | | |
| Johnson | 1,364 | 37 | 27.1 | White | 4,304 | 100 | 23.2 |
| | | | | Whiteside | 15,616 | 350 | 23.9 |
| Kane | 41,788 | 907 | 23.9 | Will | 38,579 | 1,060 | 27.5 |
| Kankakee | 18,183 | 435 | 23.9 | Williamson | 8,179 | 197 | 24.1 |
| Kendall | 3,134 | 79 | 25.2 | | | | |
| Knox | 12,248 | 286 | 23.4 | Winnebago | 48,196 | 1,241 | 25.7 |
| | | | | Woodford | 5,605 | 126 | 22.5 |
| Lake | 59,911 | 1,422 | 23.7 | | | | |
| La Salle | 24,776 | 558 | 22.5 | | | | |
| Lawrence | 3,831 | 96 | 25.1 | Unknown place in Illinois | 84 | 45 | -0- |
| Lee | 7,564 | 189 | 25.0 | | | | |

Table 6. --PRINCIPAL CAUSES OF DEATH AMONG INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959

| County of residence | All causes | Infectious and parasitic diseases | Leukemia and aleukemia | Diseases of endocrine glands | Mongolism | Meningitis, except meningococcal and tuberculous | Pneumonia | Bronchitis | Hernia of abdominal cavity | Intestinal obstruction | Diarrhea and enteritis | Disease of pancreas | Congenital malformations |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | 54,802 | 525 | 52 | 208 | 86 | 287 | 8,228 | 549 | 354 | 204 | 1,439 | 34 | 8,273 |
| Adams | 355 | 4 | -- | 1 | -- | 1 | 20 | 2 | 2 | 1 | 3 | -- | 80 |
| Alexander | 186 | 2 | -- | -- | -- | -- | 35 | 6 | -- | 1 | 13 | -- | 27 |
| Bond | 62 | 3 | -- | -- | -- | -- | 5 | 1 | -- | 1 | -- | -- | 7 |
| Boone | 121 | 1 | -- | 1 | 1 | -- | 6 | -- | -- | 1 | 2 | -- | 21 |
| Brown | 24 | 1 | -- | -- | -- | -- | 6 | -- | -- | -- | -- | -- | 2 |
| Bureau | 188 | 3 | -- | 1 | -- | 1 | 17 | 3 | 4 | 1 | 3 | -- | 34 |
| Calhoun | 26 | -- | -- | -- | -- | 1 | 2 | -- | -- | -- | -- | -- | 6 |
| Carroll | 107 | 3 | -- | 2 | -- | -- | 6 | -- | 1 | -- | 3 | -- | 10 |
| Cass | 91 | 1 | -- | -- | -- | -- | 8 | 1 | -- | 1 | 1 | -- | 9 |
| Champaign | 647 | 4 | -- | 9 | 1 | 6 | 65 | 5 | 3 | 4 | 16 | -- | 103 |
| Christian | 183 | 1 | 2 | -- | -- | -- | 23 | 2 | 1 | -- | 2 | -- | 28 |
| Clark | 71 | -- | -- | -- | -- | -- | 6 | -- | 1 | -- | -- | -- | 13 |
| Clay | 84 | -- | -- | -- | -- | -- | 7 | 1 | 1 | 1 | 1 | -- | 19 |
| Clinton | 145 | 4 | 1 | 1 | -- | 3 | 14 | -- | -- | -- | 2 | -- | 18 |
| Coles | 212 | 3 | -- | -- | -- | 2 | 35 | 1 | 1 | 1 | 4 | -- | 23 |
| Cook | 29,388 | 238 | 21 | 86 | 39 | 166 | 5,508 | 344 | 182 | 97 | 865 | 15 | 4,010 |
| Crawford | 92 | -- | -- | 1 | -- | 2 | 7 | -- | 1 | -- | 3 | -- | 15 |
| Cumberland | 42 | -- | -- | -- | -- | -- | 6 | -- | -- | -- | 2 | -- | 10 |
| De Kalb | 203 | 1 | -- | 1 | -- | 1 | 25 | 1 | -- | -- | 4 | -- | 34 |
| De Witt | 90 | 1 | -- | -- | -- | -- | 10 | 3 | -- | -- | 1 | -- | 15 |
| Douglas | 99 | 3 | -- | 2 | -- | 1 | 10 | -- | -- | -- | 3 | -- | 12 |
| Du Page | 1,047 | 11 | -- | 1 | 3 | 8 | 109 | 8 | 4 | 9 | 17 | 2 | 196 |
| Edgar | 121 | 2 | 1 | -- | 1 | -- | 8 | 1 | -- | -- | 5 | -- | 22 |
| Edwards | 33 | 1 | -- | -- | -- | 1 | 3 | -- | -- | -- | 1 | -- | 6 |
| Effingham | 103 | 4 | -- | 1 | -- | -- | 6 | 1 | 2 | -- | 3 | -- | 16 |
| Fayette | 104 | 5 | 1 | -- | 1 | 1 | 12 | -- | 1 | 2 | 2 | -- | 16 |
| Ford | 82 | 1 | -- | -- | -- | -- | 5 | 2 | -- | -- | 3 | -- | 17 |
| Franklin | 170 | 1 | -- | 2 | 2 | -- | 25 | 1 | 3 | 1 | 3 | -- | 36 |
| Fulton | 190 | 4 | -- | -- | -- | -- | 20 | 1 | 2 | -- | 2 | -- | 43 |
| Gallatin | 56 | -- | 1 | -- | -- | -- | 10 | -- | -- | -- | 3 | -- | 4 |
| Greene | 98 | 3 | -- | -- | -- | -- | 8 | -- | -- | -- | -- | -- | 15 |
| Grundy | 110 | 2 | -- | 1 | -- | 1 | 7 | 1 | 2 | -- | 4 | -- | 23 |
| Hamilton | 36 | 1 | 1 | -- | -- | -- | 4 | -- | 1 | -- | 5 | -- | 6 |
| Hancock | 121 | 2 | -- | -- | -- | -- | 10 | 1 | -- | -- | 5 | -- | 17 |
| Hardin | 45 | 1 | -- | -- | -- | -- | 9 | -- | -- | 1 | 2 | -- | 10 |
| Henderson | 33 | -- | -- | -- | -- | -- | 5 | -- | 1 | -- | 1 | 1 | 1 |
| Henry | 232 | 1 | 1 | 1 | 1 | 2 | 23 | -- | -- | 1 | 5 | 1 | 42 |
| Iroquois | 168 | 2 | 1 | 1 | 1 | 2 | 10 | -- | -- | 1 | 1 | -- | 32 |
| Jackson | 210 | 3 | -- | 1 | -- | 3 | 24 | 3 | -- | 1 | 3 | -- | 46 |
| Jasper | 52 | -- | -- | -- | -- | -- | 7 | -- | -- | -- | 1 | -- | 5 |
| Jefferson | 204 | -- | -- | -- | 1 | -- | 21 | -- | 1 | -- | 6 | -- | 37 |
| Jersey | 80 | 4 | -- | -- | -- | -- | 7 | -- | 1 | 1 | -- | -- | 13 |
| Jo Daviess | 98 | 1 | -- | 3 | -- | -- | 6 | 1 | 1 | -- | 1 | -- | 16 |
| Johnson | 37 | -- | -- | -- | -- | 1 | 4 | 1 | -- | -- | 2 | -- | 8 |
| Kane | 997 | 11 | 1 | 6 | 3 | 4 | 92 | 6 | 10 | 6 | 27 | 2 | 174 |
| Kankakee | 435 | 4 | -- | -- | -- | 3 | 55 | 2 | 6 | -- | 15 | -- | 67 |
| Kendall | 79 | -- | -- | 1 | -- | -- | 9 | -- | 2 | -- | 2 | -- | 14 |
| Knox | 286 | 3 | -- | 2 | -- | -- | 28 | 5 | 3 | 3 | 4 | -- | 54 |
| Lake | 1,422 | 13 | 3 | 10 | 4 | 11 | 137 | 15 | 13 | 6 | 28 | 1 | 247 |
| La Salle | 558 | 7 | 1 | 3 | 2 | -- | 76 | 8 | 4 | 3 | 7 | 1 | 107 |

Table 6. -- PRINCIPAL CAUSES OF DEATH AMONG INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959--Continued

| County of residence | Injury at birth | Asphyxia and atelectasis | | | Sepsis of newborn | Neonatal disorders arising from certain diseases of mother during pregnancy | Hemolytic disease of newborn | Hemorrhagic disease | Nutritional maladjustment | Ill-defined diseases peculiar to early infancy | Immaturity, without mention of other cause | Accidents | All other causes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Without mention of immaturity | With immaturity | | | | | | | | | |
| ILLINOIS | 5,719 | 14,512 | 3,633 | [illegible] | 1[illegible]7 | 241 | 1,331 | 372 | 111 | [illegible]1 | 7,471 | 1,376 | 2,542 |
| Adams | 59 | 53 | 19 | 34 | -- | [illegible] | 14 | [illegible] | -- | [illegible] | 87 | [illegible] | 16 |
| Alexander | 16 | 30 | 17 | 13 | 1 | [illegible] | 3 | -- | [illegible] | [illegible] | 24 | 7 | 11 |
| Bond | 10 | 9 | 3 | 6 | -- | -- | 4 | [illegible] | -- | [illegible] | 7 | 3 | 6 |
| Boone | 20 | 30 | [illegible] | [illegible] | 1 | -- | 4 | 1 | -- | [illegible] | 10 | 7 | 11 |
| Brown | 2 | 3 | -- | 3 | -- | -- | -- | -- | -- | -- | 5 | 1 | 4 |
| Bureau | 20 | 46 | 15 | 31 | -- | 3 | 6 | [illegible] | -- | [illegible] | 29 | [illegible] | [illegible] |
| Calhoun | 9 | 1 | -- | 1 | -- | -- | [illegible] | -- | -- | -- | 2 | 2 | 1 |
| Carroll | 17 | 21 | [illegible] | 14 | -- | [illegible] | 4 | 1 | -- | [illegible] | 24 | 1 | 5 |
| Cass | 11 | [illegible] | 9 | 19 | -- | -- | [illegible] | -- | -- | -- | 22 | [illegible] | 3 |
| Champaign | 77 | 149 | 39 | 110 | -- | [illegible] | 21 | [illegible] | -- | 14 | 106 | 20 | 31 |
| Christian | 18 | 29 | 14 | 15 | 1 | 2 | [illegible] | [illegible] | [illegible] | [illegible] | 49 | [illegible] | 6 |
| Clark | 6 | 12 | 5 | 7 | -- | -- | [illegible] | -- | [illegible] | [illegible] | 20 | 4 | 3 |
| Clay | 6 | 11 | 5 | 6 | -- | -- | -- | -- | 1 | [illegible] | 18 | 4 | 10 |
| Clinton | 28 | 18 | 6 | 12 | -- | -- | [illegible] | -- | -- | [illegible] | 35 | [illegible] | 9 |
| Coles | [illegible] | [illegible] | 24 | 12 | -- | [illegible] | [illegible] | 1 | [illegible] | 2 | 44 | [illegible] | 15 |
| Cook | 2,528 | 9,380 | 2,071 | 7,309 | 103 | [illegible]0 | [illegible]37 | [illegible]2[illegible] | [illegible]1 | [illegible]1[illegible] | 3,067 | 495 | 1,090 |
| Crawford | 10 | 24 | 12 | 12 | 1 | 1 | 2 | 1 | 1 | 6 | [illegible] | 4 | 5 |
| Cumberland | [illegible] | 9 | 1 | [illegible] | -- | 1 | 1 | -- | -- | 1 | 5 | 1 | 2 |
| De Kalb | 27 | 44 | 12 | 32 | 1 | 4 | 6 | -- | -- | 6 | 23 | 7 | 18 |
| De Witt | 7 | 28 | 10 | 18 | -- | -- | 1 | -- | 1 | -- | 13 | [illegible] | 5 |
| Douglas | 13 | 23 | [illegible] | 15 | -- | 1 | 1 | -- | -- | 3 | 16 | 4 | 7 |
| Du Page | 125 | 252 | 71 | 181 | 3 | 7 | 37 | [illegible] | 1 | [illegible] | [illegible] | 19 | 67 |
| Edgar | 19 | 8 | 5 | 3 | -- | [illegible] | 2 | -- | 1 | [illegible] | 35 | 6 | 3 |
| Edwards | 5 | 1 | -- | 1 | -- | -- | -- | -- | -- | 1 | 8 | 2 | 4 |
| Effingham | 6 | 12 | [illegible] | 7 | -- | 1 | 5 | 1 | -- | 2 | 36 | 2 | 5 |
| Fayette | 12 | 20 | 10 | 10 | -- | -- | 1 | [illegible] | -- | 1 | 17 | -- | 10 |
| Ford | 14 | 16 | 5 | 11 | -- | -- | [illegible] | -- | -- | 2 | 12 | [illegible] | 4 |
| Franklin | 12 | 36 | 18 | 18 | -- | -- | [illegible] | [illegible] | 1 | 1 | 23 | [illegible] | 9 |
| Fulton | 21 | 42 | 11 | 31 | -- | [illegible] | [illegible] | -- | [illegible] | 2 | 30 | [illegible] | [illegible] |
| Gallatin | 3 | 9 | 3 | [illegible] | -- | -- | 1 | [illegible] | [illegible] | 1 | 9 | [illegible] | [illegible] |
| Greene | 19 | 19 | 5 | 14 | -- | 1 | [illegible] | -- | -- | 3 | 16 | [illegible] | 7 |
| Grundy | 12 | 27 | [illegible] | 19 | -- | [illegible] | [illegible] | 1 | [illegible] | 1 | 14 | [illegible] | [illegible] |
| Hamilton | 2 | 4 | 3 | 1 | -- | -- | -- | -- | -- | -- | [illegible] | 1 | 3 |
| Hancock | 20 | 19 | 4 | 15 | -- | -- | 1 | -- | -- | 10 | 28 | [illegible] | 3 |
| Hardin | [illegible] | 5 | 1 | [illegible] | -- | -- | -- | 1 | 1 | 1 | 6 | [illegible] | 2 |
| Henderson | 3 | [illegible] | 2 | 2 | -- | -- | -- | 1 | -- | 3 | 5 | -- | 1 |
| Henry | 40 | 46 | 12 | 34 | [illegible] | 3 | [illegible] | [illegible] | -- | 5 | 26 | 10 | 11 |
| Iroquois | [illegible] | 38 | 9 | 29 | 1 | [illegible] | [illegible] | [illegible] | 1 | 7 | 23 | 7 | 4 |
| Jackson | 27 | [illegible] | 10 | 22 | 1 | [illegible] | 1 | 1 | [illegible] | 5 | 38 | [illegible] | 9 |
| Jasper | 7 | 4 | 2 | [illegible] | -- | 1 | [illegible] | -- | -- | 1 | 13 | 3 | 9 |
| Jefferson | 19 | 40 | 18 | [illegible] | -- | -- | [illegible] | [illegible] | [illegible] | 3 | 43 | [illegible] | 15 |
| Jersey | 12 | 12 | [illegible] | 10 | 1 | -- | 1 | -- | -- | 1 | 18 | 3 | [illegible] |
| Jo Daviess | 14 | 23 | [illegible] | 17 | -- | [illegible] | 5 | -- | -- | 2 | 16 | 3 | 5 |
| Johnson | 4 | 2 | 1 | 1 | [illegible] | [illegible] | -- | -- | -- | 4 | [illegible] | -- | 1 |
| Kane | 131 | [illegible]1 | 77 | 144 | [illegible] | [illegible] | 30 | [illegible] | [illegible] | 13 | 156 | 40 | 45 |
| Kankakee | 44 | 88 | 20 | 68 | [illegible] | [illegible] | [illegible] | [illegible] | 1 | [illegible] | 80 | 19 | 18 |
| Kendall | [illegible] | 18 | 10 | [illegible] | -- | -- | 2 | -- | -- | 3 | 13 | 3 | [illegible] |
| Knox | [illegible] | 76 | 25 | 51 | -- | -- | [illegible] | -- | [illegible] | [illegible] | 42 | 10 | 7 |
| Lake | 178 | 286 | 66 | 220 | [illegible] | [illegible] | 30 | [illegible] | [illegible] | 21 | 236 | 54 | 104 |
| La Salle | 66 | 140 | 30 | [illegible]10 | -- | [illegible] | 17 | -- | [illegible] | 5 | 71 | 13 | 19 |

Table 6. -- PRINCIPAL CAUSES OF DEATH AMONG INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959 -- Continued

| County of residence | All causes | Infectious and parasitic diseases | Leukemia and aleukemia | Diseases of endocrine glands | Mongolism | Meningitis, except meningococcal and tuberculous | Pneumonia | Bronchitis | Hernia of abdominal cavity | Intestinal obstruction | Diarrhea and enteritis | Disease of pancreas | Congenital malformations |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Lawrence | 96 | 1 | -- | -- | -- | 1 | 16 | -- | -- | -- | -- | 1 | 20 |
| Lee | 189 | 3 | -- | -- | -- | -- | 21 | 1 | -- | 1 | 1 | -- | 42 |
| Livingston | 191 | 1 | -- | -- | 1 | -- | 23 | 2 | -- | 2 | 7 | -- | 37 |
| Logan | 144 | 2 | -- | -- | -- | -- | 14 | 4 | 1 | -- | 3 | 1 | 25 |
| McDonough | 130 | 1 | -- | 3 | 1 | -- | 12 | 3 | 1 | -- | 2 | -- | 23 |
| McHenry | 363 | 4 | -- | 5 | -- | 4 | 29 | 4 | 3 | 3 | 7 | 1 | 61 |
| McLean | 394 | 2 | 1 | -- | -- | -- | 37 | 3 | 1 | 1 | 9 | -- | 73 |
| Macon | 651 | 7 | 1 | 2 | 1 | 1 | 59 | 8 | 5 | 3 | 18 | -- | 110 |
| Macoupin | 185 | 2 | -- | -- | -- | 1 | 17 | 1 | -- | -- | 4 | -- | 37 |
| Madison | 1,298 | 18 | 1 | 1 | 7 | 6 | 113 | 8 | 9 | 7 | 35 | -- | 202 |
| Marion | 231 | 4 | -- | 1 | 1 | 1 | 28 | 1 | 2 | 3 | 11 | 1 | 35 |
| Marshall | 59 | 1 | -- | -- | -- | -- | 6 | -- | -- | -- | 2 | -- | 17 |
| Mason | 75 | -- | -- | 1 | -- | -- | 6 | 2 | -- | -- | -- | -- | 13 |
| Massac | 82 | 1 | -- | -- | -- | 1 | 12 | -- | 1 | 1 | 2 | -- | 15 |
| Menard | 47 | 3 | -- | -- | -- | 1 | 1 | 1 | -- | -- | 1 | -- | 7 |
| Mercer | 81 | 1 | -- | -- | -- | -- | 10 | 2 | 2 | -- | -- | -- | 13 |
| Monroe | 87 | -- | -- | -- | -- | -- | 7 | -- | 1 | -- | 3 | -- | 11 |
| Montgomery | 146 | 1 | -- | -- | 1 | 3 | 12 | -- | 1 | 2 | 1 | -- | 29 |
| Morgan | 161 | 2 | 1 | -- | -- | 1 | 15 | -- | -- | 1 | 2 | -- | 24 |
| Moultrie | 63 | 2 | -- | -- | 1 | -- | 4 | 2 | -- | -- | -- | -- | 13 |
| Ogle | 183 | 2 | -- | 1 | -- | -- | 15 | -- | 1 | -- | 3 | -- | 31 |
| Peoria | 1,053 | 7 | -- | 20 | 1 | 4 | 121 | 8 | 4 | 1 | 10 | -- | 167 |
| Perry | 107 | 3 | -- | 1 | -- | 1 | 13 | 1 | -- | -- | 1 | -- | 18 |
| Piatt | 82 | -- | -- | 1 | 1 | -- | 4 | 1 | 2 | -- | 4 | -- | 11 |
| Pike | 91 | 1 | -- | -- | -- | -- | 7 | -- | 1 | -- | 1 | -- | 13 |
| Pope | 24 | -- | -- | -- | -- | 1 | 3 | -- | -- | -- | -- | -- | 4 |
| Pulaski | 132 | 2 | -- | -- | -- | -- | 30 | -- | 1 | 1 | 12 | -- | 24 |
| Putnam | 25 | -- | -- | 1 | -- | -- | 2 | -- | -- | -- | 1 | -- | 6 |
| Randolph | 143 | -- | -- | 1 | -- | -- | 12 | 1 | 1 | -- | 3 | -- | 28 |
| Richland | 77 | 1 | -- | -- | -- | 3 | 3 | 1 | -- | -- | 1 | -- | 10 |
| Rock Island | 881 | 8 | -- | 3 | 1 | 2 | 95 | -- | 13 | 5 | 17 | 2 | 137 |
| St. Clair | 1,727 | 14 | 3 | 1 | 1 | 9 | 276 | 13 | 9 | 6 | 53 | 1 | 224 |
| Saline | 127 | 2 | -- | 1 | -- | -- | 12 | -- | 2 | 1 | 6 | -- | 19 |
| Sangamon | 830 | 7 | -- | 4 | 2 | 12 | 44 | 11 | 8 | 2 | 11 | -- | 150 |
| Schuyler | 31 | -- | -- | -- | -- | -- | 5 | -- | -- | -- | -- | 1 | 2 |
| Scott | 39 | -- | -- | -- | -- | -- | 8 | -- | -- | -- | -- | -- | 5 |
| Shelby | 101 | -- | -- | -- | 1 | -- | 12 | -- | 1 | 2 | 2 | -- | 16 |
| Stark | 27 | -- | -- | -- | -- | 1 | 1 | -- | -- | -- | -- | -- | 1 |
| Stephenson | 222 | 3 | 1 | 2 | 2 | 2 | 22 | 3 | 3 | -- | 6 | -- | 36 |
| Tazewell | 485 | 7 | 2 | 10 | -- | 2 | 58 | 4 | 3 | 4 | 6 | -- | 76 |
| Union | 96 | 1 | -- | -- | -- | -- | 13 | -- | -- | 1 | 2 | -- | 12 |
| Vermilion | 561 | 8 | 1 | -- | -- | -- | 91 | 3 | 2 | -- | 10 | 1 | 88 |
| Wabash | 61 | -- | -- | -- | -- | -- | 9 | 2 | 1 | -- | 3 | -- | 14 |
| Warren | 125 | 2 | -- | 1 | -- | -- | 13 | -- | 1 | 2 | 2 | -- | 3 |
| Washington | 54 | 1 | -- | -- | -- | -- | 5 | -- | -- | -- | 1 | -- | 4 |
| Wayne | 104 | -- | -- | -- | -- | 1 | 17 | 3 | -- | -- | 3 | -- | 21 |
| White | 100 | 4 | -- | 1 | -- | -- | 13 | -- | -- | 1 | 1 | 1 | 12 |
| Whiteside | 350 | 7 | 2 | 1 | -- | 1 | 28 | 8 | 3 | 2 | 11 | 1 | 78 |
| Will | 1,060 | 12 | 2 | 1 | 2 | 6 | 136 | 10 | 6 | 2 | 39 | -- | 147 |
| Williamson | 197 | 5 | -- | 1 | -- | -- | 15 | 3 | 2 | 2 | 4 | -- | 32 |
| Winnebago | 1,241 | 8 | 2 | 5 | 2 | 7 | 133 | 5 | 1 | 4 | 21 | -- | 243 |
| Woodford | 125 | 4 | -- | 1 | -- | -- | 5 | 1 | 1 | -- | 4 | -- | 28 |
| Unknown place | 45 | -- | -- | -- | -- | -- | 4 | 2 | -- | -- | -- | -- | -- |

Table 6. -- PRINCIPAL CAUSES OF DEATH AMONG INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959--Continued

| County of residence | Injury at birth | Asphyxia and atelectasis | | | Sepsis of newborn | Neonatal disorders arising from certain diseases of mother during pregnancy | Hemolytic disease of newborn | Hemorrhagic disease | Nutritional maladjustment | Ill-defined diseases peculiar to early infancy | Immaturity, without mention of other cause | Accidents | All other causes |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Without mention of immaturity | With immaturity | | | | | | | | | |
| Lawrence | 13 | 11 | 5 | 6 | -- | 1 | -- | 1 | 1 | -- | 20 | 3 | 7 |
| Lee | 17 | 44 | 24 | 20 | -- | 1 | 3 | 1 | 1 | 5 | 30 | 6 | 5 |
| Livingston | 28 | 28 | 12 | 16 | -- | 2 | 8 | -- | -- | 4 | 31 | 6 | 11 |
| Logan | 17 | 22 | 10 | 12 | 1 | 1 | 3 | -- | 1 | 6 | 33 | 4 | 6 |
| McDonough | 22 | 19 | 6 | 13 | -- | 1 | 1 | -- | -- | -- | 30 | 1 | 10 |
| McHenry | 41 | 65 | 22 | 43 | 4 | 3 | 19 | 3 | -- | 3 | 60 | 33 | 11 |
| McLean | 52 | 99 | 26 | 73 | 1 | 4 | 12 | 1 | 1 | 3 | 61 | 19 | 14 |
| Macon | 55 | 132 | 46 | 86 | 1 | 3 | 14 | 4 | -- | 14 | 163 | 12 | 38 |
| Macoupin | 29 | 20 | 7 | 13 | 2 | 2 | 5 | -- | -- | 1 | 41 | 4 | 19 |
| Madison | 169 | 257 | 84 | 173 | 4 | 8 | 37 | 3 | 2 | 28 | 257 | 48 | 78 |
| Marion | 29 | 39 | 17 | 22 | -- | 1 | 13 | -- | 1 | 3 | 31 | 9 | 17 |
| Marshall | 6 | 12 | 4 | 8 | -- | -- | 3 | 1 | -- | -- | 6 | 2 | 3 |
| Mason | 7 | 24 | 4 | 20 | -- | -- | 3 | 1 | -- | 3 | 6 | 1 | 8 |
| Massac | 9 | 10 | -- | 10 | -- | -- | 2 | 1 | -- | 3 | 16 | 3 | 5 |
| Menard | 5 | 13 | 4 | 9 | -- | -- | 1 | -- | -- | -- | 11 | -- | 3 |
| Mercer | 9 | 20 | 5 | 15 | -- | -- | 2 | 1 | -- | 2 | 9 | 6 | 4 |
| Monroe | 11 | 16 | 3 | 13 | -- | -- | 2 | -- | -- | 7 | 20 | 2 | 7 |
| Montgomery | 25 | 19 | 6 | 13 | -- | -- | 7 | -- | 1 | 1 | 23 | 6 | 4 |
| Morgan | 17 | 53 | 12 | 41 | 1 | -- | 7 | 2 | -- | 2 | 22 | 6 | 3 |
| Moultrie | 12 | 13 | 6 | 7 | -- | -- | -- | -- | -- | -- | 9 | 4 | 3 |
| Ogle | 24 | 46 | 13 | 33 | 1 | 2 | 3 | 2 | -- | 4 | 31 | 10 | 7 |
| Peoria | 153 | 280 | 52 | 228 | 2 | 6 | 30 | 2 | 2 | 11 | 160 | 16 | 48 |
| Perry | 21 | 13 | 4 | 9 | 1 | -- | 1 | -- | 1 | 3 | 21 | 3 | 5 |
| Piatt | 15 | 16 | 4 | 12 | -- | -- | -- | 2 | -- | 2 | 14 | 3 | 5 |
| Pike | 15 | 13 | -- | 13 | -- | -- | 2 | -- | -- | -- | 29 | 4 | 1 |
| Pope | 3 | 6 | 3 | 3 | -- | -- | -- | -- | -- | 1 | 4 | -- | 2 |
| Pulaski | 9 | 11 | 3 | 8 | -- | 1 | -- | -- | -- | 3 | 18 | 4 | 14 |
| Putnam | 3 | 3 | -- | 3 | -- | -- | 1 | -- | -- | 1 | 6 | -- | 1 |
| Randolph | 20 | 22 | 5 | 17 | -- | -- | -- | -- | 1 | 4 | 32 | 6 | 13 |
| Richland | 6 | 6 | 2 | 4 | -- | -- | 2 | -- | -- | 2 | 28 | 5 | 6 |
| Rock Island | 100 | 159 | 41 | 118 | 10 | 9 | 28 | 3 | 7 | 16 | 184 | 28 | 52 |
| St. Clair | 207 | 315 | 127 | 188 | 9 | 12 | 38 | 14 | 6 | 35 | 305 | 51 | 125 |
| Saline | 11 | 18 | 6 | 12 | 1 | -- | 1 | -- | 1 | 4 | 24 | 5 | 12 |
| Sangamon | 101 | 131 | 45 | 86 | 4 | 1 | 29 | 4 | 2 | 9 | 212 | 37 | 49 |
| Schuyler | 2 | 10 | 4 | 6 | -- | -- | -- | -- | -- | 3 | 7 | -- | 1 |
| Scott | 8 | 5 | 4 | 1 | -- | -- | 1 | -- | -- | -- | 8 | 3 | 1 |
| Shelby | 14 | 15 | 10 | 5 | 1 | -- | 2 | 2 | -- | 2 | 21 | 1 | 5 |
| Stark | 8 | 7 | 1 | 6 | -- | 1 | -- | 1 | -- | -- | -- | 1 | 1 |
| Stephenson | 71 | 45 | 11 | 34 | 1 | 1 | 6 | 1 | 1 | 2 | 32 | 8 | 16 |
| Tazewell | 75 | 114 | 25 | 89 | -- | 3 | 11 | 4 | 2 | 1 | 65 | 11 | 17 |
| Union | 17 | 13 | 5 | 8 | -- | 1 | 1 | 2 | -- | 3 | 22 | 3 | 4 |
| Vermilion | 42 | 148 | 39 | 109 | 1 | 1 | 13 | 1 | 4 | 9 | 70 | 11 | 30 |
| Wabash | 5 | 6 | 4 | 2 | 1 | 1 | 1 | -- | -- | -- | 11 | -- | 6 |
| Warren | 22 | 16 | 4 | 12 | -- | -- | -- | -- | 1 | 11 | 10 | 1 | 10 |
| Washington | 12 | 17 | 4 | 13 | 1 | -- | 1 | -- | -- | 1 | 5 | -- | 3 |
| Wayne | 7 | 18 | 8 | 10 | 1 | 1 | 5 | -- | -- | 1 | 15 | 4 | 7 |
| White | 12 | 18 | 5 | 13 | -- | -- | 6 | -- | -- | 1 | 9 | 3 | 4 |
| Whiteside | 40 | 76 | 25 | 51 | -- | 3 | 10 | 1 | 1 | 17 | 24 | 14 | 22 |
| Will | 133 | 253 | 94 | 159 | 9 | 8 | 26 | 1 | 1 | 19 | 141 | 61 | 50 |
| Williamson | 19 | 38 | 15 | 23 | -- | -- | 6 | -- | 1 | 1 | 30 | 15 | 11 |
| Winnebago | 166 | 230 | 52 | 178 | 5 | 4 | 27 | 4 | 3 | 27 | 228 | 50 | 57 |
| Woodford | 18 | 32 | 12 | 20 | 1 | 1 | 5 | 1 | -- | -- | 12 | 1 | 6 |
| Unknown place | 3 | 12 | 10 | 2 | -- | -- | -- | -- | -- | -- | 4 | 3 | 20 |

Table 7A. -- PRINCIPAL CAUSES OF DEATH AMONG INFANTS OF ALL RACES UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959

| Cause | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| NUMBER | | | | | | | | | | |
| ALL CAUSES | 5,990 | 5,857 | 6,070 | 5,642 | 5,479 | 5,442 | 5,326 | 5,117 | 5,024 | 4,856 |
| Infectious and parasitic diseases | 51 | 38 | 45 | 39 | 40 | 48 | 57 | 77 | 75 | 55 |
| Leukemia and aleukemia | 9 | 4 | 2 | 3 | 9 | 4 | 3 | 4 | 7 | 7 |
| Diseases of endocrine glands | 17 | 8 | 18 | 17 | 18 | 21 | 17 | 30 | 27 | 35 |
| Mongolism | 10 | 7 | 6 | 3 | 8 | 11 | 8 | 10 | 11 | 12 |
| Meningitis, except meningococcal and tuberculous | 37 | 37 | 38 | 35 | 27 | 20 | 39 | 21 | 16 | 17 |
| Pneumonia | 1,082 | 1,043 | 1,138 | 914 | 852 | 739 | 719 | 653 | 533 | 555 |
| Bronchitis | 53 | 42 | 58 | 58 | 79 | 60 | 56 | 60 | 38 | 45 |
| Hernia of abdominal cavity | 41 | 37 | 38 | 38 | 28 | 36 | 37 | 25 | 39 | 36 |
| Intestinal obstruction | 22 | 23 | 20 | 18 | 17 | 20 | 19 | 18 | 31 | 16 |
| Diarrhea and enteritis | 97 | 131 | 135 | 136 | 186 | 166 | 209 | 113 | 101 | 115 |
| Disease of pancreas | 12 | 9 | -- | -- | 2 | 1 | 2 | 4 | 1 | 3 |
| Congenital malformations | 816 | 860 | 844 | 884 | 792 | 798 | 812 | 801 | 846 | 820 |
| Injury at birth | 530 | 519 | 532 | 541 | 575 | 523 | 610 | 609 | 641 | 640 |
| Asphyxia and atelectasis | 1,818 | 1,694 | 1,639 | 1,587 | 1,449 | 1,509 | 1,346 | 1,198 | 1,207 | 1,065 |
| Without mention of immaturity | 352 | 370 | 366 | 332 | 333 | 416 | 385 | 393 | 361 | 325 |
| With immaturity | 1,466 | 1,324 | 1,273 | 1,255 | 1,116 | 1,093 | 961 | 805 | 846 | 740 |
| Sepsis of newborn | 23 | 39 | 26 | 29 | 18 | 9 | 11 | 9 | 11 | 12 |
| Neonatal disorders arising from certain diseases of mother during pregnancy | 26 | 12 | 31 | 20 | 22 | 26 | 21 | 21 | 18 | 44 |
| Hemolytic disease of newborn | 119 | 131 | 127 | 152 | 119 | 137 | 131 | 145 | 153 | 117 |
| Hemorrhagic disease | 25 | 42 | 33 | 39 | 28 | 50 | 42 | 38 | 41 | 34 |
| Nutritional maladjustment | 15 | 9 | 8 | 4 | 7 | 11 | 7 | 21 | 12 | 17 |
| Ill-defined diseases peculiar to early infancy | 141 | 128 | 55 | 57 | 47 | 52 | 51 | 40 | 53 | 77 |
| Immaturity, without mention of other cause | 684 | 651 | 701 | 642 | 751 | 779 | 782 | 865 | 819 | 797 |
| Accidents | 154 | 152 | 146 | 130 | 111 | 150 | 123 | 136 | 145 | 129 |
| All other causes | 209 | 241 | 380 | 296 | 294 | 272 | 224 | 219 | 199 | 208 |

Table 7A. -- PRINCIPAL CAUSES OF DEATH AMONG INFANTS OF ALL RACES UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959--Continued

| Cause | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PERCENT | | | | | | | | | | |
| ALL CAUSES | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | [illegible] |
| Infectious and parasitic diseases | 0.85 | 0.65 | 0.74 | 0.69 | 0.73 | 0.88 | 1.07 | 1.51 | 1.49 | 1.13 |
| Leukemia and aleukemia | 0.15 | 0.07 | 0.03 | 0.05 | 0.16 | 0.07 | 0.06 | 0.08 | 0.14 | 0.14 |
| Diseases of endocrine glands | 0.28 | 0.13 | 0.30 | 0.30 | 0.33 | 0.39 | 0.32 | 0.59 | 0.54 | 0.72 |
| Mongolism | 0.17 | 0.12 | 0.10 | 0.05 | 0.15 | 0.20 | 0.15 | 0.20 | 0.22 | 0.25 |
| Meningitis, except meningococcal and tuberculous | 0.62 | 0.63 | 0.63 | 0.62 | 0.49 | 0.37 | 0.73 | 0.41 | 0.32 | 0.35 |
| Pneumonia | 18.06 | 17.81 | 18.75 | [illegible] | 15.55 | 13.58 | 13.50 | 12.76 | 10.61 | 11.43 |
| Bronchitis | 0.88 | 0.72 | 0.96 | 1.03 | 1.44 | 1.10 | 1.05 | 1.17 | 0.76 | 0.93 |
| Hernia of abdominal cavity | 0.67 | 0.63 | 0.63 | 0.67 | 0.51 | 0.66 | 0.69 | 0.49 | 0.77 | 0.74 |
| Intestinal obstruction | 0.37 | 0.39 | 0.33 | 0.32 | 0.31 | 0.37 | 0.36 | 0.35 | 0.62 | 0.33 |
| Diarrhea and enteritis | 1.62 | 2.24 | 3.05 | 2.41 | 3.39 | 3.05 | 3.92 | 2.21 | 2.01 | 2.37 |
| Disease of pancreas | 0.20 | 0.15 | - - | -0- | 0.04 | 0.02 | 0.04 | [illegible] | [illegible] | 0.08 |
| Congenital malformations | 13.62 | 14.68 | 13.90 | 15.67 | 14.45 | 14.66 | 15.25 | 15.65 | 16.84 | 16.89 |
| Injury at birth | 8.85 | 8.86 | 8.76 | 9.59 | 10.49 | 9.61 | 11.45 | 11.90 | 12.76 | 13.18 |
| Asphyxia and atelectasis | 30.35 | 28.93 | 27.00 | 28.13 | 26.45 | 27.72 | 25.27 | 23.41 | 24.03 | 21.93 |
| Without mention of immaturity | 5.88 | 6.32 | 6.03 | 5.89 | 6.08 | 7.64 | 7.23 | 7.68 | 7.19 | 6.69 |
| With immaturity | 24.47 | 22.61 | 20.97 | 22.24 | 20.37 | 20.08 | 18.04 | 15.73 | 16.84 | 15.24 |
| Sepsis of newborn | 0.38 | 0.67 | 0.43 | 0.51 | 0.33 | 0.17 | 0.21 | 0.18 | 0.22 | 0.25 |
| Neonatal disorders arising from certain diseases of mother during pregnancy | 0.43 | 0.20 | 0.51 | 0.36 | 0.40 | 0.48 | 0.39 | 0.41 | 0.36 | 0.90 |
| Hemolytic disease of newborn | 1.99 | 2.24 | 2.09 | 2.69 | 2.17 | 2.52 | 2.46 | 2.83 | 3.04 | 2.41 |
| Hemorrhagic disease | 0.42 | 0.72 | 0.54 | 0.69 | 0.51 | 0.92 | 0.79 | 0.74 | 0.81 | 0.70 |
| Nutritional maladjustment | 0.25 | 0.15 | 0.13 | 0.07 | 0.13 | 0.20 | 0.13 | 0.41 | 0.24 | 0.35 |
| Ill-defined diseases peculiar to early infancy | 2.35 | 2.19 | 0.91 | 1.01 | 0.86 | 0.96 | 0.96 | 0.78 | 1.05 | 1.58 |
| Immaturity, without mention of other cause | 11.42 | 11.11 | 11.55 | 11.38 | 13.71 | 14.31 | 14.68 | 16.90 | 16.30 | 16.42 |
| Accidents | 2.57 | 2.60 | 2.40 | 2.31 | 2.03 | [illegible] | 2.31 | 2.66 | 2.89 | 2.66 |
| All other causes | [illegible] | 4.11 | 6.26 | 5.25 | 5.37 | 5.00 | 4.21 | 4.28 | 3.96 | 4.28 |

Table 7B. -- PRINCIPAL CAUSES OF DEATH AMONG WHITE INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959

| Cause | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| NUMBER | | | | | | | | | | |
| ALL CAUSES | 4,509 | 4,453 | 4,507 | 4,294 | 4,183 | 4,279 | 4,267 | 4,195 | 4,177 | 4,144 |
| Infectious and parasitic diseases | 42 | 28 | 38 | 30 | 26 | 38 | 50 | 53 | 56 | 45 |
| Leukemia and aleukemia | 9 | 4 | 2 | 2 | 9 | 3 | 3 | 3 | 7 | 7 |
| Diseases of endocrine glands | 16 | 8 | 16 | 14 | 1 | 20 | 16 | 26 | 26 | 32 |
| Mongolism | 9 | 7 | 6 | 3 | 8 | 10 | 8 | 10 | 11 | 12 |
| Meningitis, except meningococcal and tuberculous | 24 | 29 | 27 | 26 | 23 | 12 | 28 | 15 | 14 | 14 |
| Pneumonia | 587 | 629 | 598 | 527 | 509 | 458 | 460 | 441 | 378 | 435 |
| Bronchitis | 40 | 34 | 42 | 40 | 43 | 28 | 43 | 41 | 29 | 35 |
| Hernia of abdominal cavity | 36 | 32 | 35 | 37 | 20 | 34 | 35 | 23 | 35 | 34 |
| Intestinal obstruction | 18 | 15 | 16 | 15 | 16 | 15 | 13 | 16 | 29 | 15 |
| Diarrhea and enteritis | 58 | 75 | 84 | 77 | 94 | 91 | 137 | 83 | 75 | 84 |
| Disease of pancreas | 12 | 8 | -- | -- | 1 | 1 | 2 | 3 | 1 | 3 |
| Congenital malformations | 741 | 770 | 752 | 787 | 716 | 724 | 725 | 735 | 778 | 751 |
| Injury at birth | 445 | 440 | 455 | 471 | 506 | 450 | 521 | 527 | 569 | 573 |
| Asphyxia and atelectasis | 1,294 | 1,236 | 1,227 | 1,149 | 1,052 | 1,150 | 1,044 | 984 | 969 | 866 |
| Without mention of immaturity | 277 | 285 | 260 | 246 | 246 | 328 | 307 | 317 | 276 | 275 |
| With immaturity | 1,017 | 951 | 967 | 903 | 806 | 822 | 737 | 667 | 693 | 591 |
| Sepsis of newborn | 20 | 29 | 16 | 20 | 12 | 8 | 10 | 5 | 10 | 8 |
| Neonatal disorders arising from certain diseases of mother during pregnancy | 24 | 12 | 29 | 17 | 20 | 25 | 21 | 18 | 16 | 42 |
| Hemolytic disease of newborn | 113 | 121 | 117 | 141 | 108 | 128 | 122 | 141 | 147 | 109 |
| Hemorrhagic disease | 20 | 33 | 26 | 28 | 24 | 40 | 34 | 33 | 29 | 25 |
| Nutritional maladjustment | 11 | 7 | 4 | 3 | 4 | 8 | 4 | 18 | 11 | 13 |
| Ill-defined diseases peculiar to early infancy | 129 | 114 | 50 | 47 | 36 | 47 | 45 | 39 | 48 | 69 |
| Immaturity, without mention of other cause | 570 | 502 | 539 | 512 | 600 | 642 | 668 | 690 | 651 | 681 |
| Accidents | 121 | 124 | 115 | 102 | 92 | 123 | 94 | 111 | 120 | 105 |
| All other causes | 170 | 196 | 313 | 246 | 247 | 224 | 184 | 180 | 168 | 186 |

Table 7B. -- PRINCIPAL CAUSES OF DEATH AMONG WHITE INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959--Continued

| Cause | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PERCENT | | | | | | | | | | |
| ALL CAUSES | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 |
| Infectious and parasitic diseases | 0.93 | 0.63 | 0.84 | 0.70 | 0.62 | 0.89 | 1.17 | 1.26 | 1.34 | 1.09 |
| Leukemia and aleukemia | 0.20 | 0.09 | 0.05 | 0.05 | 0.21 | 0.07 | 0.07 | 0.07 | 0.17 | 0.17 |
| Diseases of endocrine glands. | 0.35 | 0.18 | 0.35 | 0.33 | 0.41 | 0.47 | 0.38 | 0.62 | 0.62 | 0.77 |
| Mongolism | 0.20 | 0.16 | 0.13 | 0.07 | 0.19 | 0.23 | 0.19 | 0.24 | 0.26 | 0.29 |
| Meningitis, except meningococcal and tuberculous | 0.53 | 0.65 | 0.60 | 0.61 | 0.55 | 0.28 | 0.66 | 0.36 | 0.34 | 0.34 |
| Pneumonia | 13.02 | 14.13 | 13.27 | 12.27 | 12.17 | 10.70 | 10.78 | 10.51 | 9.05 | 10.50 |
| Bronchitis | 0.89 | 0.76 | 0.93 | 0.93 | 1.03 | 0.65 | 1.01 | 0.98 | 0.69 | 0.85 |
| Hernia of abdominal cavity | 0.80 | 0.72 | 0.78 | 0.86 | 0.48 | 0.79 | 0.82 | 0.55 | 0.84 | 0.82 |
| Intestinal obstruction | 0.40 | 0.34 | 0.35 | 0.35 | 0.38 | 0.35 | 0.30 | 0.38 | 0.69 | 0.36 |
| Diarrhea and enteritis | 1.29 | 1.68 | 1.86 | 1.79 | 2.25 | 2.13 | 3.21 | 1.98 | 1.80 | 2.03 |
| Disease of pancreas | 0.27 | 0.18 | -0- | -0- | 0.02 | 0.02 | 0.05 | 0.07 | 0.03 | 0.07 |
| Congenital malformations | 16.43 | 17.29 | 16.69 | 18.33 | 17.12 | 16.92 | 16.99 | 17.52 | 18.63 | 18.12 |
| Injury at birth | 9.87 | 9.88 | 10.10 | 10.97 | 12.10 | 10.52 | 12.21 | 12.56 | 13.62 | 13.83 |
| Asphyxia and atelectasis | 28.69 | 27.76 | 27.23 | 26.76 | 25.15 | 26.88 | 24.47 | 23.46 | 23.20 | 20.90 |
| Without mention of immaturity | 6.14 | 6.40 | 5.77 | 5.73 | 5.88 | 7.67 | 7.20 | 7.56 | 6.61 | 6.64 |
| With immaturity | 22.55 | 21.36 | 21.46 | 21.03 | 19.27 | 19.21 | 17.27 | 15.90 | 16.59 | 14.26 |
| Sepsis of newborn | 0.44 | 0.65 | 0.35 | 0.47 | 0.29 | 0.19 | 0.23 | 0.12 | 0.24 | 0.19 |
| Neonatal disorders arising from certain diseases of mother during pregnancy | 0.53 | 0.27 | 0.64 | 0.40 | 0.48 | 0.58 | 0.49 | 0.43 | 0.38 | 1.01 |
| Hemolytic disease of newborn | 2.51 | 2.72 | 2.60 | 3.28 | 2.58 | 2.99 | 2.86 | 3.36 | 3.52 | 2.63 |
| Hemorrhagic disease | 0.44 | 0.74 | 0.58 | 0.65 | 0.57 | 0.94 | 0.80 | 0.79 | 0.69 | 0.60 |
| Nutritional maladjustment | 0.25 | 0.16 | 0.09 | 0.07 | 0.10 | 0.19 | 0.09 | 0.43 | 0.26 | 0.31 |
| Ill-defined diseases peculiar to early infancy | 2.86 | 2.56 | 1.11 | 1.09 | 0.86 | 1.10 | 1.05 | 0.93 | 1.15 | 1.67 |
| Immaturity, without mention of other cause | 12.64 | 11.27 | 11.96 | 11.32 | 14.34 | 15.00 | 15.66 | 16.45 | 15.59 | 16.43 |
| Accidents | 2.69 | 2.78 | 2.55 | 2.37 | 2.20 | 2.87 | 2.20 | 2.64 | 2.87 | 2.53 |
| All other causes | 3.77 | 4.40 | 6.94 | 5.73 | 5.90 | 5.24 | 4.31 | 4.29 | 4.02 | 4.49 |

Table 7C. -- PRINCIPAL CAUSES OF DEATH AMONG NONWHITE INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959

| Cause | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| NUMBER | | | | | | | | | | |
| ALL CAUSES | 1,481 | 1,404 | 1,563 | 1,348 | 1,296 | 1,163 | 1,059 | 922 | 847 | 712 |
| Infectious and parasitic diseases | 9 | 10 | 7 | 9 | 14 | 10 | 7 | 24 | 19 | 10 |
| Leukemia and aleukemia | -- | -- | -- | 1 | -- | 1 | -- | 1 | -- | -- |
| Diseases of endocrine glands | 1 | — | 2 | 3 | 1 | 1 | 1 | 4 | 1 | 3 |
| Mongolism | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | -- |
| Meningitis, except meningococcal and tuberculous | 13 | 8 | 11 | 9 | 4 | 8 | 11 | 6 | 2 | 3 |
| Pneumonia | 495 | 414 | 540 | 387 | 343 | 281 | 259 | 212 | 155 | 120 |
| Bronchitis | 13 | 8 | 16 | 18 | 36 | 32 | 13 | 19 | 9 | 10 |
| Hernia of abdominal cavity | 4 | 5 | 3 | 1 | 8 | 2 | 2 | 2 | 4 | 2 |
| Intestinal obstruction | 4 | 8 | 4 | 3 | 1 | 5 | 6 | 2 | 2 | 1 |
| Diarrhea and enteritis | 39 | 56 | 101 | 59 | 92 | 75 | 72 | 30 | 26 | 31 |
| Disease of pancreas | -- | 1 | -- | -- | 1 | -- | -- | 1 | -- | -- |
| Congenital malformations | 75 | 90 | 92 | 97 | 76 | 74 | 87 | 66 | 68 | 69 |
| Injury at birth | 85 | 79 | 77 | 70 | 69 | 73 | 89 | 82 | 72 | 67 |
| Asphyxia and atelectasis | 524 | 458 | 412 | 438 | 397 | 359 | 302 | 214 | 238 | 199 |
| Without mention of immaturity | 75 | 85 | 106 | 86 | 87 | 88 | 78 | 76 | 85 | 50 |
| With immaturity | 449 | 373 | 306 | 352 | 310 | 271 | 224 | 138 | 153 | 149 |
| Sepsis of newborn | 3 | 10 | 10 | 9 | 6 | 1 | 1 | 4 | 1 | 4 |
| Neonatal disorders arising from certain diseases of mother during pregnancy | 2 | — | 2 | 3 | 2 | 1 | -- | 3 | 2 | 2 |
| Hemolytic disease of newborn | 6 | 10 | 10 | 11 | 11 | 9 | 9 | 4 | 6 | 8 |
| Hemorrhagic disease | 5 | 9 | 7 | 11 | 4 | 10 | 8 | 5 | 12 | 9 |
| Nutritional maladjustment | 4 | 2 | 4 | 1 | 3 | 3 | 3 | 3 | 1 | 4 |
| Ill-defined diseases peculiar to early infancy | 12 | 14 | 5 | 10 | 11 | 5 | 6 | 1 | 5 | 8 |
| Immaturity, without mention of other cause | 114 | 149 | 162 | 130 | 151 | 137 | 114 | 175 | 168 | 116 |
| Accidents | 33 | 28 | 31 | 28 | 19 | 27 | 29 | 25 | 25 | 24 |
| All other causes | 39 | 45 | 67 | 50 | 47 | 48 | 40 | 39 | 31 | 22 |

Table 7C. -- PRINCIPAL CAUSES OF DEATH AMONG NONWHITE INFANTS UNDER ONE YEAR OF AGE, ILLINOIS: 1950 - 1959--Continued

| Cause | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|---|---|
| PERCENT | | | | | | | | | | |
| ALL CAUSES | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 | 100.00 |
| Infectious and parasitic diseases | 0.61 | 0.71 | 0.45 | 0.67 | 1.08 | 0.86 | 0.66 | 2.60 | 2.24 | 1.41 |
| Leukemia and aleukemia | -0- | -0- | -0- | 0.07 | -0- | 0.09 | -0- | 0.11 | -0- | -0- |
| Diseases of endocrine glands | 0.07 | -0- | 0.13 | 0.22 | 0.08 | 0.09 | 0.09 | 0.43 | 0.12 | 0.42 |
| Mongolism | 0.07 | -0- | -0- | -0- | -0- | 0.09 | -0- | -0- | -0- | -0- |
| Meningitis, except meningococcal and tuberculous | 0.88 | 0.57 | 0.70 | 0.67 | 0.31 | 0.69 | 1.04 | 0.65 | 0.24 | 0.42 |
| Pneumonia | 33.42 | 29.49 | 34.55 | 28.71 | 26.46 | 24.16 | 24.46 | 23.00 | 18.30 | 16.86 |
| Bronchitis | 0.88 | 0.57 | 1.02 | 1.34 | 2.78 | 2.75 | 1.23 | 2.06 | 1.06 | 1.41 |
| Hernia of abdominal cavity | 0.27 | 0.36 | 0.19 | 0.07 | 0.62 | 0.17 | 0.19 | 0.22 | 0.47 | 0.28 |
| Intestinal obstruction | 0.27 | 0.57 | 0.26 | 0.22 | 0.08 | 0.43 | 0.57 | 0.22 | 0.24 | 0.14 |
| Diarrhea and enteritis | 2.63 | 3.99 | 6.46 | 4.38 | 7.10 | 6.45 | 6.80 | 3.25 | 3.07 | 4.36 |
| Disease of pancreas | -0- | 0.07 | -0- | -0- | 0.08 | -0- | -0- | 0.11 | -0- | -0- |
| Congenital malformations | 5.06 | 6.41 | 5.89 | 7.20 | 5.86 | 6.36 | 8.21 | 7.16 | 8.03 | 9.69 |
| Injury at birth | 5.74 | 5.63 | 4.93 | 5.19 | 5.32 | 6.27 | 8.40 | 8.89 | 8.50 | 9.41 |
| Asphyxia and atelectasis | 35.38 | 32.62 | 26.36 | 32.49 | 30.63 | 30.86 | 28.52 | 23.21 | 28.09 | 27.95 |
| Without mention of immaturity | 5.06 | 6.05 | 6.78 | 6.38 | 6.71 | 7.56 | 7.37 | 8.24 | 10.03 | 7.02 |
| With immaturity | 30.32 | 26.57 | 19.58 | 26.11 | 23.92 | 23.30 | 21.15 | 14.97 | 18.06 | 20.93 |
| Sepsis of newborn | 0.20 | 0.71 | 0.64 | 0.67 | 0.46 | 0.09 | 0.09 | 0.43 | 0.12 | 0.56 |
| Neonatal disorders arising from certain diseases of mother during pregnancy | 0.13 | -0- | 0.13 | 0.22 | 0.15 | 0.09 | -0- | 0.33 | 0.24 | 0.28 |
| Hemolytic disease of newborn | 0.41 | 0.71 | 0.64 | 0.82 | 0.85 | 0.77 | 0.85 | 0.43 | 0.71 | 1.12 |
| Hemorrhagic disease | 0.34 | 0.64 | 0.45 | 0.82 | 0.31 | 0.86 | 0.76 | 0.54 | 1.42 | 1.26 |
| Nutritional maladjustment | 0.27 | 0.14 | 0.26 | 0.07 | 0.23 | 0.26 | 0.28 | 0.33 | 0.12 | 0.56 |
| Ill-defined diseases peculiar to early infancy | 0.81 | 1.00 | 0.32 | 0.74 | 0.85 | 0.43 | 0.57 | 0.11 | 0.59 | 1.12 |
| Immaturity, without mention of other cause | 7.70 | 10.61 | 10.36 | 9.64 | 11.65 | 11.78 | 10.76 | 18.98 | 19.83 | 16.29 |
| Accidents | 2.23 | 1.99 | 1.98 | 2.08 | 1.47 | 2.32 | 2.74 | 2.71 | 2.95 | 3.37 |
| All other causes | 2.63 | 3.21 | 4.28 | 3.71 | 3.63 | 4.13 | 3.78 | 4.23 | 3.66 | 3.09 |

Table 8A. -- LEADING CAUSES OF CHILDHOOD MORTALITY AMONG ILLINOIS RESIDENTS AGES 1 - 4 YEARS: 1950 - 1959

1959

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 840 |
| 1. | All accidents | E800-E962 | 221 |
| 2. | Influenza and pneumonia | 480-493 | 201 |
| 3. | Malignant neoplasms | 140-205 | 90 |
| 4. | Congenital malformations | 750-759 | 81 |
| 5. | Bronchitis | 500-502 | 28 |
| 6. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 23 |
| 7. | Meningitis, except meningococcal and tuberculous | 340 | 20 |
| 8. | Meningococcal infections | 057 | 18 |
| 9. | Tuberculosis, all forms | 001-019 | 9 |
| 9. | Cerebral spastic infantile paralysis | 351 | 9 |

1958

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 946 |
| 1. | All accidents | E800-E962 | 238 |
| 2. | Influenza and pneumonia | 480-493 | 183 |
| 3. | Malignant neoplasms | 140-205 | 105 |
| 4. | Congenital malformations | 750-759 | 103 |
| 5. | Bronchitis | 500-502 | 31 |
| 6. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 30 |
| 7. | Measles | 085 | 22 |
| 8. | Meningococcal infections | 057 | 21 |
| 9. | Meningitis, except meningococcal and tuberculous | 340 | 20 |
| 10. | Fibrocystic disease of pancreas | 587.3 | 14 |

1955

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 892 |
| 1. | All accidents | E800-E962 | 244 |
| 2. | Influenza and pneumonia | 480-493 | 164 |
| 3. | Malignant neoplasms | 140-205 | 107 |
| 4. | Congenital malformations | 750-759 | 82 |
| 5. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 32 |
| 6. | Bronchitis | 500-502 | 31 |
| 7. | Meningitis, except meningococcal and tuberculous | 340 | 17 |
| 8. | Meningococcal infections | 057 | 16 |
| 9. | Cerebral spastic infantile paralysis | 351 | 13 |
| 10. | Tuberculosis, all forms | 001-019 | 12 |

1954

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 794 |
| 1. | All accidents | E800-E962 | 219 |
| 2. | Influenza and pneumonia | 480-493 | 153 |
| 3. | Malignant neoplasms | 140-205 | 81 |
| 4. | Congenital malformations | 750-759 | 68 |
| 5. | Bronchitis | 500-502 | 24 |
| 6. | Tuberculosis, all forms | 001-019 | 17 |
| 7. | Meningococcal infections | 057 | 17 |
| 8. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 17 |
| 9. | Meningitis, except meningococcal and tuberculous | 340 | 16 |
| 10. | Encephalitis, myelitis, and encephalomyelitis - (except acute infections) | 343 | 12 |

1951

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 833 |
| 1. | All accidents | E800-E962 | 198 |
| 2. | Influenza and pneumonia | 480-493 | 149 |
| 3. | Malignant neoplasms | 140-205 | 89 |
| 4. | Congenital malformations | 750-759 | 88 |
| 5. | Tuberculosis, all forms | 001-019 | 42 |
| 6. | Bronchitis | 500-502 | 26 |
| 7. | Meningococcal infections | 057 | 20 |
| 7. | Meningitis, except meningococcal and tuberculous | 340 | 20 |
| 7. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 20 |
| 10. | Measles | 085 | 13 |
| 10. | Nephritis and nephrosis | 590-594 | 13 |

1950

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 824 |
| 1. | All accidents | E800-E962 | 211 |
| 2. | Influenza and pneumonia | 480-493 | 124 |
| 3. | Malignant neoplasms | 140-205 | 86 |
| 4. | Congenital malformations | 750-759 | 76 |
| 5. | Tuberculosis, all forms | 001-019 | 43 |
| 6. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 27 |
| 7. | Nephritis and nephrosis | 590-594 | 19 |
| 8. | Meningococcal infections | 057 | 16 |
| 9. | Bronchitis | 500-502 | 15 |
| 10. | Meningitis, except meningococcal and tuberculous | 340 | 14 |
| 10. | Appendicitis | 550-553 | 14 |

[1]International Classification of Diseases, Injuries, and Causes of Death, 1955 Revision, World Health Organization.
[2]International Classification of Diseases, Injuries, and Causes of Death, 1948 Revision, World Health Organization.

Table 8A. -- LEADING CAUSES OF CHILDHOOD MORTALITY AMONG ILLINOIS RESIDENTS AGES 1 - 4 YEARS: 1 9 5 0 - 1 9 5 9--Continued

1 9 5 7

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 896 |
| 1. | All accidents | E800-E962 | 229 |
| 2. | Influenza and pneumonia | 480-493 | 215 |
| 3. | Congenital malformations | 750-759 | 95 |
| 4. | Malignant neoplasms | 140-205 | 91 |
| 5. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 19 |
| 6. | Meningitis, except meningococcal and tuberculous | 340 | 19 |
| 7. | Meningococcal infections | 057 | 14 |
| 7. | Heart diseases | 410-443 | 14 |
| 9. | Vascular lesions affecting central nervous system | 330-334 | 13 |
| 9. | Bronchitis | 500-502 | 13 |

1 9 5 6

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 870 |
| 1. | All accidents | E800-E962 | 226 |
| 2. | Influenza and pneumonia | 480-493 | 168 |
| 3. | Congenital malformations | 750-759 | 101 |
| 4. | Malignant neoplasms | 140-205 | 98 |
| 5. | Measles | 085 | 28 |
| 6. | Bronchitis | 500-502 | 24 |
| 7. | Tuberculosis - all forms | 001-019 | 21 |
| 8. | Meningitis, except meningococcal and tuberculous | 340 | 19 |
| 8. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 19 |
| 10. | Poliomyelitis, acute | 080 | 14 |

1 9 5 3

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 917 |
| 1. | All accidents | E800-E962 | 222 |
| 2. | Influenza and pneumonia | 480-493 | 177 |
| 3. | Congenital malformations | 750-759 | 105 |
| 4. | Malignant neoplasms | 140-205 | 90 |
| 5. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 32 |
| 6. | Meningococcal infections | 057 | 30 |
| 7. | Meningitis, except meningococcal and tuberculous | 340 | 26 |
| 8. | Tuberculosis - all forms | 001-019 | 24 |
| 8. | Bronchitis | 500-502 | 24 |
| 10. | Acute upper respiratory infections | 470-475 | 14 |

1 9 5 2

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 947 |
| 1. | All accidents | E800-E962 | 252 |
| 2. | Influenza and pneumonia | 480-493 | 160 |
| 3. | Malignant neoplasms | 140-205 | 95 |
| 4. | Congenital malformations | 750-759 | 79 |
| 5. | Tuberculosis - all forms | 001-019 | 48 |
| 6. | Bronchitis | 500-502 | 31 |
| 7. | Meningococcal infections | 057 | 30 |
| 8. | Poliomyelitis, acute | 080 | 23 |
| 8. | Gastritis, enteritis, duodenitis, and colitis | 543, 571-572 | 23 |
| 10. | Meningitis, except meningococcal and tuberculous | 340 | 22 |

1 9 5 9

| CAUSE | No. |
|---|---|
| All accidents | 221 |
| Influenza and pneumonia | 201 |
| Malignant neoplasms | 90 |
| Congenital malformations | 81 |
| Bronchitis | 28 |
| Gastro-enteritis, chronic enteritis, and colitis | 23 |
| Meningitis, except meningococcal and tuberculous | 20 |
| Meningococcal infections | 18 |
| Tuberculosis - all forms | 9 |
| Cerebral spastic infantile paralysis | 9 |




[1]International Classification of Diseases, Injuries, and Causes of Death, 1948 Revision, World Health Organization.

Table 8B. -- LEADING CAUSES OF CHILDHOOD MORTALITY AMONG ILLINOIS RESIDENTS AGES 5 - 14 YEARS: 1950 - 1959

1959

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 839 |
| 1. | All accidents | E800-E962 | 321 |
| 2. | Malignant neoplasms | 140-205 | 139 |
| 3. | Congenital malformations | 750-759 | 67 |
| 4. | Influenza and penumonia | 480-493 | 59 |
| 5. | Heart diseases | 410-443 | 21 |
| 6. | Cerebral spastic infantile paralysis | 351 | 13 |
| 7. | Nephritis, acute and chronic | 590-594 | 12 |
| 8. | Fibrocystic disease of pancreas | 587.3 | 11 |
| 9. | Vascular lesions affecting central nervous system | 330-334 | 9 |
| 10. | Acute infectious encephalitis | 082, 083 | 8 |
| 10. | Bronchitis | 500-502 | 8 |

1958

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 866 |
| 1. | All accidents | E800-E962 | 385 |
| 2. | Malignant neoplasms | 140-205 | 109 |
| 3. | Congenital malformations | 750-759 | 65 |
| 4. | Influenza and pneumonia | 480-493 | 53 |
| 5. | Cerebral spastic infantile paralysis | 351 | 15 |
| 6. | Heart diseases | 410-443 | 14 |
| 7. | Nephritis, acute and chronic | 590-594 | 12 |
| 7. | Acute infectious encephalitis | 082 | 12 |
| 9. | Epilepsy | 353 | 10 |
| 9. | Homicide | E964, E980-E985 | 10 |

1955

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 733 |
| 1. | All accidents | E800-E962 | 283 |
| 2. | Malignant neoplasms | 140-205 | 133 |
| 3. | Congenital malformations | 750-759 | 51 |
| 4. | Influenza and pneumonia | 480-493 | 38 |
| 5. | Nephritis, acute and chronic | 590-594 | 18 |
| 6. | Poliomyelitis, acute | 080 | 13 |
| 7. | Heart diseases | 410-443 | 12 |
| 8. | Benign and unspecified neoplasms | 210-239 | 11 |
| 9. | Rheumatic fever | 400-402 | 10 |
| 9. | Appendicitis | 550-553 | 10 |

1954

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 736 |
| 1. | All accidents | E800-E962 | 281 |
| 2. | Malignant neoplasms | 140-205 | 107 |
| 3. | Influenza and pneumonia | 480-493 | 59 |
| 4. | Acute poliomyelitis | 080 | 32 |
| 4. | Congenital malformations | 750-759 | 32 |
| 6. | Rheumatic fever | 400-402 | 21 |
| 7. | Nephritis, acute and chronic | 590-594 | 18 |
| 8. | Benign and unspecified neoplasms | 210-239 | 12 |
| 8. | Heart diseases | 410-443 | 12 |
| 10. | Meningococcal infections | 057 | 6 |
| 10. | Tuberculosis, all forms | 001-019 | 6 |

1951

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 690 |
| 1. | All accidents | E800-E96Z | 252 |
| 2. | Malignant neoplasms | 140-205 | 83 |
| 3. | Influenza and pneumonia | 480-493 | 49 |
| 4. | Poliomyelitis, acute | 080 | 39 |
| 5. | Congenital malformations | 750-759 | 31 |
| 6. | Nephritis, acute and chronic | 590-594 | 28 |
| 7. | Heart diseases | 410-443 | 19 |
| 8. | Tuberculosis, all forms | 001-019 | 14 |
| 9. | Benign and unspecified neoplasms | 210-239 | 13 |
| 10. | Homicide | E964, E980-E985 | 11 |

1950

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 705 |
| 1. | All accidents | E800-E962 | 267 |
| 2. | Malignant neoplasms | 140-205 | 87 |
| 3. | Poliomyelitis, acute | 080 | 38 |
| 4. | Heart diseases | 410-443 | 31 |
| 4. | Influenza and pneumonia | 480-493 | 31 |
| 6. | Tuberculosis, all forms | 001-019 | 28 |
| 7. | Congenital malformations | 750-759 | 22 |
| 8. | Rheumatic fever | 400-402 | 21 |
| 9. | Nephritis, acute and chronic | 590-594 | 17 |
| 10. | Appendicitis | 550-553 | 14 |

[1]International Classification of Diseases, Injuries, and Causes of Death, 1955 Revision, World Health Organization.
[2]International Classification of Diseases, Injuries, and Causes of Death, 1948 Revision, World Health Organization.

Table 8B. -- LEADING CAUSES OF CHILDHOOD MORTALITY AMONG ILLINOIS RESIDENTS AGES 5 - 14 YEARS: 1950 - 1959 -- Continued

1957

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 830 |
| 1. | All accidents | E800-E962 | 328 |
| 2. | Malignant neoplasms | 140-205 | 137 |
| 3. | Influenza and pneumonia | 480-493 | 70 |
| 4. | Congenital malformations | 750-759 | 66 |
| 5. | Nephritis, acute and chronic | 590-594 | 18 |
| 6. | Vascular lesions affecting central nervous system | 330-334 | 14 |
| 7. | Homicide | E964, E980-E985 | 13 |
| 8. | Cerebral spastic infantile paralysis | 351 | 12 |
| 9. | Benign and unspecified neoplasms | 210-239 | 10 |
| 9. | Epilepsy | 353 | 10 |
| 9. | Rheumatic fever | 400-402 | 10 |
| 9. | Appendicitis | 550-553 | 10 |

1956

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 797 |
| 1. | All accidents | E800-E962 | 322 |
| 2. | Malignant neoplasms | 140-205 | 120 |
| 3. | Influenza and pneumonia | 480-493 | 61 |
| 4. | Congenital malformations | 750-759 | 43 |
| 5. | Nephritis, acute and chronic | 590-594 | 24 |
| 6. | Heart diseases | 410-443 | 20 |
| 7. | Rheumatic fever | 400-402 | 14 |
| 8. | Poliomyelitis, acute | 080 | 13 |
| 9. | Appendicitis | 550-553 | 9 |
| 10. | Benign and unspecified neoplasms | 210-239 | 8 |

1953

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 804 |
| 1. | All accidents | E800-E962 | 328 |
| 2. | Malignant neoplasms | 140-205 | 92 |
| 3. | Influenza and pneumonia | 480-493 | 63 |
| 4. | Poliomyelitis, acute | 080 | 32 |
| 5. | Congenital malformations | 750-759 | 27 |
| 6. | Heart diseases | 410-443 | 21 |
| 7. | Nephritis, acute and chronic | 590-594 | 18 |
| 8. | Appendicitis | 550-553 | 15 |
| 9. | Rheumatic fever | 400-402 | 13 |
| 10. | Tuberculosis, all forms | 001-019 | 10 |

1952

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 864 |
| 1. | All accidents | E800-E962 | 302 |
| 2. | Malignant neoplasms | 140-205 | 115 |
| 3. | Poliomyelitis, acute | 080 | 85 |
| 4. | Influenza and pneumonia | 480-493 | 42 |
| 5. | Congenital malformations | 750-759 | 36 |
| 6. | Nephritis, acute and chronic | 590-594 | 25 |
| 7. | Rheumatic fever | 400-402 | 20 |
| 7. | Appendicitis | 550-553 | 20 |
| 9. | Tuberculosis, all forms | 001-019 | 19 |
| 10. | Heart diseases | 410-443 | 14 |

1959

| Cause | No. |
|---|---|
| All accidents | 321 |
| Malignant neoplasms | 139 |
| Congenital malformations | 67 |
| Influenza and pneumonia | 59 |
| Heart diseases | 21 |
| Cerebral spastic infantile paralysis | 13 |
| Nephritis, acute and chronic | 12 |
| Fibrocystic disease of pancreas | 11 |
| Vascular lesions affecting central nervous system | 9 |
| Acute infectious encephalitis | 8 |
| Bronchitis | 8 |



[1]International Classification of Diseases, Injuries, and Causes of Death, 1948 Revision, World Health Organization.

Table 8C -- LEADING CAUSES OF CHILDHOOD MORTALITY AMONG ILLINOIS RESIDENTS AGES 15 - 24 YEARS: 1950 - 1959

1959

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,220 |
| 1. | All accidents | E800-E962 | 595 |
| 2. | Malignant neoplasms | 140-205 | 119 |
| 3. | Homicide | E964, E980-E985 | 73 |
| 4. | Suicide | E963, E970-E979 | 67 |
| 5. | Heart diseases | 410-443 | 57 |
| 6. | Influenza and pneumonia | 480-493 | 34 |
| 7. | Congenital malformations | 750-759 | 27 |
| 8. | Maternal causes | 640-689 | 23 |
| 9. | Vascular lesions affecting central nervous system | 330-334 | 22 |
| 10. | Nephritis, acute and chronic | 590-594 | 20 |

1958

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,285 |
| 1. | All accidents | E800-E962 | 661 |
| 2. | Malignant neoplasms | 140-205 | 108 |
| 3. | Homicide | E964, E980-E985 | 76 |
| 4. | Suicide | E963, E970-E979 | 57 |
| 5. | Heart diseases | 410-443 | 55 |
| 6. | Influenza and pneumonia | 480-493 | 36 |
| 7. | Congenital malformations | 750-759 | 30 |
| 7. | Nephritis, acute and chronic | 590-594 | 30 |
| 9. | Vascular lesions affecting central nervous system | 330-334 | 19 |
| 9. | Maternal causes | 640-689 | 19 |

1955

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,202 |
| 1. | All accidents | E800-E962 | 644 |
| 2. | Malignant neoplasms | 140-205 | 107 |
| 3. | Homicide | E964, E980-E985 | 59 |
| 4. | Heart diseases | 410-443 | 56 |
| 5. | Influenza and pneumonia | 480-493 | 37 |
| 6. | Suicide | E963, E970-E979 | 34 |
| 7. | Nephritis, acute and chronic | 590-594 | 28 |
| 8. | Vascular lesions affecting central nervous system | 330-334 | 18 |
| 9. | Congenital malformations | 750-759 | 14 |
| 10. | Tuberculosis, all forms | 001-019 | 13 |

1954

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,224 |
| 1. | All accidents | E800-E962 | 634 |
| 2. | Malignant neoplasms | 140-205 | 89 |
| 3. | Heart diseases | 410-443 | 81 |
| 4. | Homicide | E964, E980-E985 | 60 |
| 5. | Suicide | E963, E970-E979 | 39 |
| 6. | Influenza and pneumonia | 480-493 | 33 |
| 7. | Tuberculosis, all forms | 001-019 | 31 |
| 8. | Nephritis, acute and chronic | 590-594 | 30 |
| 9. | Maternal causes | 640-689 | 22 |
| 10. | Vascular lesions affecting central nervous system | 330-334 | 19 |
| 10. | Congenital malformations | 750-759 | 19 |

1951

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,321 |
| 1. | All accidents | E800-E962 | 581 |
| 2. | Malignant neoplasms | 140-205 | 121 |
| 3. | Heart diseases | 410-443 | 89 |
| 4. | Tuberculosis, all forms | 001-019 | 88 |
| 5. | Homicide | E964, E980-E985 | 62 |
| 6. | Nephritis, acute and chronic | 590-594 | 42 |
| 6. | Suicide | E963, E970-E979 | 42 |
| 8. | Maternal causes | 640-689 | 32 |
| 9. | Influenza and pneumonia | 480-493 | 26 |
| 10. | Poliomyelitis, acute | 080 | 25 |

1950

| Rank | Cause | 6th rev. no.[2] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,382 |
| 1. | All accidents | E800-E962 | 586 |
| 2. | Tuberculosis, all forms | 001-019 | 131 |
| 3. | Heart diseases | 410-443 | 105 |
| 4. | Malignant neoplasms | 140-205 | 92 |
| 5. | Suicide | E963, E970-E979 | 61 |
| 6. | Homicide | E964, E980-E985 | 54 |
| 7. | Nephritis, acute and chronic | 590-594 | 44 |
| 8. | Influenza and pneumonia | 480-493 | 28 |
| 9. | Poliomyelitis, acute | 080 | 25 |
| 10. | Maternal causes | 640-689 | 22 |

[1]International Classification of Diseases, Injuries, and Causes of Death, 1955 Revision, World Health Organization.
[2]International Classification of Diseases, Injuries, and Causes of Death, 1948 Revision, World Health Organization.

Table 8C. -- LEADING CAUSES OF CHILDHOOD MORTALITY AMONG ILLINOIS RESIDENTS AGES 15-24 YEARS: 1950-1959 -- Continued

1957

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,273 |
| 1. | All accidents | E800-E962 | 597 |
| 2. | Malignant neoplasms | 140-205 | 95 |
| 3. | Homicide | E964, E980-E985 | 94 |
| 4. | Heart diseases | 410-443 | 81 |
| 5. | Influenza and pneumonia | 480-493 | 71 |
| 6. | Suicide | E963, E970-E979 | 46 |
| 7. | Vascular lesions affecting central nervous system | 330-334 | 31 |
| 8. | Nephritis, acute and chronic | 590-594 | 23 |
| 8. | Congenital malformations | 750-759 | 23 |
| 10. | Maternal causes | 640-689 | 14 |

1956

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,241 |
| 1. | All accidents | E800-E962 | 654 |
| 2. | Malignant neoplasms | 140-205 | 91 |
| 3. | Heart diseases | 410-443 | 69 |
| 4. | Homicide | E964, E980-E985 | 61 |
| 5. | Nephritis, acute and chronic | 590-594 | 40 |
| 6. | Suicide | E963, E970-E979 | 38 |
| 7. | Influenza and pneumonia | 480-493 | 35 |
| 8. | Maternal causes | 640-689 | 19 |
| 9. | Congenital malformations | 750-759 | 18 |
| 10. | Poliomyelitis, acute | 080 | 17 |
| 10. | Vascular lesions affecting central nervous system | 330-334 | 17 |

1953

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,283 |
| 1. | All accidents | E800-E962 | 647 |
| 2. | Malignant neoplasms | 140-205 | 92 |
| 3. | Heart diseases | 410-443 | 72 |
| 4. | Homicide | E964, E980-E985 | 61 |
| 5. | Influenza and pneumonia | 480-493 | 41 |
| 6. | Nephritis, acute and chronic | 590-594 | 40 |
| 7. | Tuberculosis, all forms | 001-019 | 36 |
| 8. | Suicide | E963, E970-E979 | 32 |
| 9. | Maternal causes | 640-689 | 21 |
| 9. | Congenital malformations | 750-759 | 21 |

1952

| Rank | Cause | 6th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,413 |
| 1. | All accidents | E800-E962 | 638 |
| 2. | Malignant neoplasms | 140-205 | 128 |
| 3. | Tuberculosis, all forms | 001-019 | 76 |
| 4. | Heart diseases | 410-443 | 74 |
| 5. | Homicide | E964, E980-E985 | 72 |
| 6. | Suicide | E963, E970-E979 | 46 |
| 7. | Poliomyelitis, acute | 080 | 42 |
| 8. | Nephritis, acute and chronic | 590-594 | 34 |
| 9. | Maternal causes | 640-689 | 32 |
| 10. | Infleunza and pneumonia | 480-493 | 30 |

1959




[1]International Classification of Diseases, Injuries, and Causes of Death, 1948 Revision, World Health Organization.

Table 9. -- LIVE BIRTH RATES IN VARIOUS COUNTRIES: 1920 - 1958

(Rates are calculated per 1,000 population)

| Year | United States of America | Egypt | England and Wales | France | Germany | India | Italy | Japan | Mexico | Nether-lands | New Zealand | Sweden | Switz-erland |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1958 | 24.3 | ... | 16.8 | 18.1 | 17.0 | 23.9 | 17.9 | 18.0 | 44.5 | 21.1 | 25.2 | 14.2 | 17.6 |
| 1957 | 25.0 | ... | 16.5 | 18.4 | 17.0 | 19.8 | 18.1 | 17.2 | 47.3 | 21.2 | 24.9 | 14.5 | 17.7 |
| 1956 | 24.9 | ... | 16.1 | 18.5 | 16.5 | 20.1 | 18.1 | 18.5 | 46.8 | 21.2 | 24.7 | 14.8 | 17.4 |
| 1955 | 24.6 | ... | 15.5 | 18.6 | 16.0 | 27.0 | 18.1 | 19.4 | 46.4 | 21.4 | 24.9 | 14.8 | 17.1 |
| 1954 | 24.9 | ... | 15.6 | 18.9 | 16.1 | 24.4 | 18.2 | 20.0 | 46.4 | 21.6 | 24.7 | 14.6 | 17.0 |
| 1953 | 24.6 | ... | 15.9 | 18.9 | 15.8 | 24.8 | 17.7 | 21.5 | 45.0 | 21.8 | 24.1 | 15.4 | 17.0 |
| 1952 | 24.7 | ... | 15.7 | 19.4 | 16.0 | 25.4 | 17.9 | 23.4 | 43.8 | 22.4 | 24.8 | 15.5 | 17.4 |
| 1951 | 24.5 | 44.7 | 15.8 | 19.7 | 16.0 | 24.9 | 18.4 | 25.3 | 44.6 | 22.3 | 24.4 | 15.6 | 17.2 |
| 1950 | 23.5 | 44.4 | 16.1 | 20.6 | 16.2 | 24.9 | 19.6 | 28.1 | 45.5 | 22.7 | 24.7 | 16.4 | 18.1 |
| 1949 | 23.9 | 41.8 | 17.0 | 21.0 | 16.8 | 26.4 | 20.3 | 33.0 | 44.4 | 23.7 | 25.0 | 17.4 | 18.4 |
| 1948 | 24.2 | 42.7 | 18.1 | 21.1 | 16.6 | 25.2 | 21.9 | 33.5 | 44.6 | 25.3 | 25.6 | 18.4 | 19.2 |
| 1947 | 25.8 | 43.6 | 20.7 | 21.8 | 16.5 | 26.4 | 22.3 | 34.3 | 45.3 | 27.8 | 26.7 | 18.9 | 19.4 |
| 1946 | 23.3 | 41.2 | 19.4 | 20.9 | 16.4 | 28.8 | 23.0 | ... | 42.9 | 30.2 | 25.3 | 19.7 | 20.0 |
| 1945 | 19.6 | 42.7 | 16.2 | 16.6 | ... | 28.0 | 18.3 | ... | 44.9 | 22.6 | 23.2 | 20.4 | 20.1 |
| 1944 | 20.2 | 39.8 | 17.9 | 16.3 | ... | 25.8 | 18.3 | ... | 44.2 | 24.0 | 21.6 | 20.6 | 19.6 |
| 1943 | 21.5 | 38.7 | 16.6 | 15.8 | 16.0 | 26.1 | 19.9 | 30.2 | 45.5 | 23.0 | 19.7 | 19.3 | 19.2 |
| 1942 | 20.9 | 37.6 | 16.0 | 14.5 | 14.9 | 39.5 | 20.5 | 30.2 | 45.5 | 21.0 | 21.7 | 17.7 | 18.4 |
| 1941 | 18.9 | 40.4 | 14.4 | 13.1 | 18.6 | 32.1 | 20.9 | 31.1 | 43.5 | 20.3 | 22.8 | 15.6 | 16.9 |
| 1940 | 17.9 | 41.3 | 14.6 | 13.8 | 20.0 | 32.0 | 23.5 | 29.4 | 44.3 | 20.8 | 21.2 | 15.1 | 15.2 |
| 1939 | 17.3 | 42.0 | 13.2 | 14.7 | 20.3 | 32.7 | 23.6 | 26.6 | 44.6 | 20.6 | 18.7 | 15.4 | 15.2 |
| 1938 | 17.6 | 43.2 | 15.1 | 14.9 | 19.7 | 33.3 | 23.7 | 27.1 | 43.5 | 20.5 | 17.9 | 14.9 | 15.2 |
| 1937 | 17.1 | 42.4 | 14.9 | 15.0 | 18.8 | 33.7 | 22.9 | 30.8 | 44.1 | 19.8 | 17.3 | 14.4 | 14.9 |
| 1936 | 16.7 | 44.2 | 14.8 | 15.3 | 19.0 | 34.8 | 22.4 | 30.0 | 43.0 | 20.1 | 16.1 | 14.3 | 15.6 |
| 1935 | 16.9 | 41.3 | 14.7 | 15.5 | 18.9 | 34.3 | 23.3 | 31.7 | 42.3 | 20.2 | 16.2 | 13.8 | 16.0 |
| 1934 | 17.2 | 42.2 | 14.8 | 16.4 | 18.0 | 33.4 | 23.4 | 30.0 | 44.3 | 20.7 | 17.5 | 13.7 | 16.7 |
| 1933 | 16.6 | 43.8 | 14.4 | 16.4 | 14.7 | 35.5 | 23.7 | 31.5 | 42.1 | 20.8 | 17.5 | 13.7 | 16.7 |
| 1932 | 17.4 | 42.6 | 15.3 | 17.5 | 15.1 | 33.7 | 23.8 | 32.9 | 43.3 | 22.0 | 17.5 | 14.5 | 16.7 |
| 1931 | 18.0 | 44.5 | 15.8 | 17.5 | 16.0 | 34.3 | 24.9 | 32.2 | 43.8 | 22.2 | 17.5 | 14.8 | 16.7 |
| 1930 | 18.9 | 45.4 | 16.3 | 18.0 | 17.5 | 32.9 | 26.7 | 32.4 | 49.6 | 23.1 | 17.5 | 15.4 | 16.7 |
| 1929 | 18.8 | 44.2 | 16.3 | 17.7 | 17.9 | 32.7 | 25.6 | 32.8 | 39.4 | 22.8 | 20.2 | 15.2 | 17.8 |
| 1928 | 19.7 | 43.6 | 16.7 | 18.3 | 18.6 | 34.4 | 26.5 | 34.2 | 32.3 | 23.3 | 20.2 | 16.1 | 17.8 |
| 1927 | 20.5 | 44.0 | 16.6 | 18.2 | 18.4 | 33.1 | 27.5 | 33.5 | 30.5 | 23.1 | 20.2 | 16.1 | 17.8 |
| 1926 | 20.5 | 44.3 | 17.8 | 18.8 | 19.5 | 33.0 | 27.7 | 34.7 | 31.2 | 23.8 | 20.2 | 16.3 | 17.8 |
| 1925 | 21.3 | 43.6 | 18.3 | 19.0 | 20.7 | 32.3 | 28.4 | 35.0 | 33.2 | 24.2 | 20.2 | 17.6 | 17.8 |
| 1924 | 22.2 | 43.9 | 18.8 | 18.7 | 20.5 | 33.5 | 28.4 | 34.0 | 30.9 | 25.1 | 23.0 | 18.1 | 20.0 |
| 1923 | 22.1 | 43.2 | 19.7 | 19.1 | 21.2 | 34.3 | 28.2 | 35.3 | 32.0 | 26.0 | 23.0 | 18.9 | 20.0 |
| 1922 | 22.3 | 43.1 | 20.4 | 19.3 | 23.0 | 31.5 | 30.2 | 34.4 | 31.5 | 25.9 | 23.0 | 19.6 | 20.0 |
| 1921 | 24.2 | 41.8 | 22.4 | 20.7 | 25.3 | 32.1 | 30.3 | 35.2 | ... | 27.4 | 23.0 | 21.5 | 20.0 |
| 1920 | 23.7 | 32.3 | 25.5 | 21.4 | 25.9 | 32.6 | 31.8 | 36.3 | ... | 28.3 | 23.0 | 23.6 | 20.0 |

Table 10. -- INFANT MORTALITY RATES AND PERCENTAGE DISTRIBUTION ACCORDING TO AGE (IN DAY, WEEK, AND MONTH) IN VARIOUS COUNTRIES

| Country | Latest year available | Infant mortality rates per 1,000 live born | | | | | | Percentage | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 1 year | Under 1 day | 2 days to 6 days | 1 week to 3 weeks | 4 weeks to 5 mos. | 6 mos. to 11 mos. | Under 1 year | Under 1 day | 2 days to 6 days | 1 week to 3 weeks | 4 weeks to 5 mos. | 6 mos. to 11 mos. |
| United States of America | 1955 | 26.4 | 10.0 | 7.0 | 2.1 | 5.2 | 2.1 | 100.0 | 37.9 | 26.4 | 8.1 | 19.7 | 7.9 |
| Australia | 1956 | 21.7 | 8.0 | 5.6 | 2.0 | 3.9 | 2.2 | 100.0 | 36.6 | 25.8 | 9.4 | 18.1 | 10.1 |
| Austria | 1956 | 43.3 | 13.4 | 8.9 | 4.2 | 12.3 | 4.5 | 100.0 | 30.9 | 20.5 | 9.7 | 28.6 | 10.3 |
| Canada | 1956 | 31.9 | 9.8 | 6.9 | 3.4 | 8.6 | 3.2 | 100.0 | 30.5 | 21.7 | 10.7 | 27.0 | 10.1 |
| Ceylon | 1953 | 71.2 | 29.8 | | 12.8 | 18.4 | 10.1 | 100.0 | 41.8 | | 17.9 | 25.9 | 14.3 |
| Denmark | 1956 | 24.9 | 6.5 | 8.8 | 2.4 | 4.8 | 2.4 | 100.0 | 25.9 | 35.2 | 9.7 | 19.4 | 9.8 |
| England and Wales* | 1954 | 25.5 | 7.6 | 7.4 | 2.8 | 5.6 | 2.1 | 100.0 | 29.7 | 28.8 | 11.1 | 22.1 | 8.3 |
| Finland | 1956 | 25.4 | 5.8 | 7.9 | 2.6 | 6.0 | 3.1 | 100.0 | 22.8 | 31.1 | 10.1 | 23.8 | 12.2 |
| France* | 1956 | 31.6 | 11.6 | | 4.3 | 10.2 | 5.5 | 100.0 | 36.6 | | 13.9 | 32.3 | 17.5 |
| Germany (West) | 1955 | 41.5 | 15.6 | 8.2 | 4.1 | 10.0 | 3.7 | 100.0 | 37.6 | 19.7 | 9.8 | 24.0 | 8.9 |
| Italy | 1955 | 50.9 | 9.4 | 9.0 | 7.4 | 16.7 | 8.4 | 100.0 | 18.4 | 17.6 | 14.6 | 32.8 | 16.6 |
| Japan | 1956 | 40.6 | 3.3 | 10.2 | 9.4 | 12.5 | 5.1 | 100.0 | 8.1 | 25.2 | 23.2 | 30.9 | 12.6 |
| Netherlands | 1956 | 19.0 | 5.6 | 5.5 | 1.9 | 4.0 | 2.0 | 100.0 | 29.3 | 29.0 | 10.1 | 21.3 | 10.3 |
| New Zealand | 1956 | 19.4 | 11.6 | | 1.8 | 4.0 | 2.0 | 100.0 | 59.7 | | 9.1 | 20.8 | 10.4 |
| Sweden | 1955 | 17.4 | 5.0 | 6.4 | 1.5 | 2.8 | 1.7 | 100.0 | 28.5 | 37.0 | 8.6 | 16.2 | 9.7 |
| Switzerland | 1955 | 26.5 | 10.5 | 5.8 | 2.6 | 4.8 | 2.8 | 100.0 | 39.6 | 22.0 | 9.7 | 18.0 | 10.7 |

*Provisional.

Table 11. -- ANNUAL MATERNITY DEATH RATES IN VARIOUS COUNTRIES: 1950 - 1957

(Rates are calculated per 100,000 population)

| Country | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 | 1950 |
|---|---|---|---|---|---|---|---|---|
| United States of America | 41.0 | 40.9 | 47.0 | 52.4 | 61.1 | 67.8 | 75.0 | 83.3 |
| White | 27.6 | 28.7 | 32.8 | 37.2 | 44.1 | 48.9 | 54.9 | 61.1 |
| Nonwhite | 117.0 | 110.7 | 130.3 | 143.8 | 166.2 | 188.0 | 201.2 | 221.6 |
| Australia | 62.6 | 56.1 | 64.0 | 68.7 | 62.3 | 94.2 | 105.0 | 109.1 |
| Austria | 90.1 | 121.7 | 105.9 | 110.6 | 131.2 | 148.5 | 160.6 | 174.3 |
| Belgium | † | 57.3 | 80.4 | 94.2 | 84.2 | 89.7 | 112.4 | 148.3 |
| Canada | 54.4 | 61.2 | 75.8 | 71.7 | 77.7 | 92.9 | 106.6 | 113.2 |
| Ceylon | 370.8 | 376.5 | 405.2 | 456.8 | 485.0 | 579.8 | 577.0 | 555.5 |
| Denmark | 41.2 | 48.2 | 42.9 | 68.1 | 83.1 | 59.8 | 79.7 | 77.9 |
| England and Wales | 48.2 | 57.0 | 65.7 | 71.2 | 77.0 | 73.9 | 83.5 | 88.9 |
| Finland | 88.5 | 111.4 | 104.7 | 106.8 | 133.2 | 125.1 | 121.5 | 145.8 |
| France | 57.6 | 55.3 | 61.1 | 67.7 | 72.0 | 76.1 | 81.1 | 85.7 |
| Germany (West) | 127.6 | 138.7 | 156.7 | 151.8 | 168.2 | 188.9 | 184.3 | 206.2 |
| Israel | 46.9 | 48.4 | 73.2 | 92.6 | 76.6 | 75.3 | 76.3 | 96.3 |
| Italy | 114.5 | 118.6 | 133.3 | 130.3 | 137.9 | 153.2 | 149.0 | 153.2 |
| Japan | 171.2 | 170.4 | 178.8 | 184.3 | 180.6 | 170.4 | 172.7 | 176.1 |
| Netherlands | 59.5 | 67.0 | 60.9 | 68.2 | 80.0 | 77.8 | 83.1 | 105.5 |
| New Zealand | † | 39.7 | 44.1 | 51.6 | 53.9 | 71.0 | 69.4 | 90.3 |
| Norway | 60.7 | 68.6 | 67.7 | 62.2 | 73.0 | 100.0 | 95.8 | 102.5 |
| Scotland | 46.9 | 53.5 | 46.5 | 75.8 | 94.6 | 101.8 | 109.2 | 114.6 |
| Sweden | 36.4 | 34.3 | 49.4 | 54.2 | 61.7 | 59.0 | 64.2 | 61.5 |
| Switzerland | † | 75.1 | 104.3 | 107.5 | 122.8 | 112.5 | 150.2 | 138.0 |

†Data not yet available.

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

BULK RATE
U. S. Postage
PAID
Springfield, Ill
Permit No. 10

RETURN POSTAGE GUARANTEED

PERIODICAL LIBRARIAN
PERIODICAL DIVISION
U OF I LIBRARY
URBANA ILLINOIS



PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

I 16 11v
960

# VITAL STATISTICS ILLINOIS

THE LIBRARY OF THE
JUL 3 1962
UNIVERSITY OF ILLINOIS

19 60

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

# VITAL STATISTICS ILLINOIS

19 60



ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS
March, 1962

STATE OF ILLINOIS

# DEPARTMENT OF PUBLIC HEALTH

Franklin D. Yoder, M. D.
Director

## BUREAU OF STATISTICS

Springfield, Illinois
March, 1962

1960
of 2

# TABLE OF CONTENTS

Page

PART I -- FOUR DECADES OF ILLINOIS VITAL STATISTICS ..... 1

Introduction ..... 1

Population ..... 1

Specific birth and death rates ..... 2

Adjusted birth and death rates ..... 4

PART II -- DESCRIPTION OF 1960 ILLINOIS VITAL EVENTS ..... 6

Live births ..... 6

Fetal deaths ..... 6

Perinatal mortality ..... 7

Infant deaths ..... 7

Maternal deaths ..... 8

Leading causes of death ..... 8

Other causes ..... 9

## TEXT TABLES

### PART I

Table — Page

I -- Net population changes due to natural increase and migration in Illinois from 1950 to 1960 ..... 2

II -- Twenty-year summary of population change in Illinois, Chicago Metropolitan Area, and remainder of the state: 1940 to 1960 ..... 2

III -- Total population, percent distribution by age, and median age, Illinois: 1960, 1940, 1920, 1900, and 1880 ..... 2

IV -- Specific live birth rates by race and age of mother, Illinois: 1960, 1950, 1940, 1930, and 1922 ..... 3

V -- Age-specific death rates with percent decline, Illinois: 1960, 1950, 1940, 1930, and 1920 ..... 3

VI -- Death rates by race for selected causes of death, Illinois: 1960, 1950, 1940, 1930, and 1920 ..... 4

VII -- Crude and adjusted live birth rates by race, Illinois: 1960, 1950, 1940, 1930, and 1922 ..... 4

VIII -- Crude and age adjusted death rates, United States and Illinois: 1960, 1950, 1940, 1930, and 1920 ..... 4

### PART II

Table — Page

A -- Resident live births by race classified by sex, legitimacy status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1960 ..... 6

B -- Causes of fetal death among infants born to Illinois mothers in 1960 ..... 7

C -- Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1960 ..... 7

D -- Ten leading causes of infant deaths by age, Illinois residents: 1960 ..... 8

E -- Components of resident heart disease deaths, Illinois: 1960 ..... 9

F -- Resident cancer deaths by primary site and age, Illinois: 1960 ..... 9

TABLE OF CONTENTS -- Continued

PART II -- Continued


Table — Page

G -- Resident deaths due to vascular lesions affecting the central nervous system, Illinois: 1960 ..... 9

H -- Accidental deaths among Illinois residents by type of accident and age of decedent: 1960 ..... 10

I -- Accidental deaths occurring in Illinois by type of accident and place where accident occurred by population class: 1960 ..... 10


MAP AND CHART


Map of population by counties: 1960 ..... 5

Crude mortality rates for selected causes of death, Illinois: 1921 - 1960 ..... 54


TABULAR SECTION


Table — Page

1. -- Live births, deaths, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with ratios, Illinois: 1918 - 1960 ..... 11

2A. -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of Illinois counties: 1960 ..... 12

2B. -- Live birth rates and infant death, neonatal death, and stillbirth race – specific rates among residents of Illinois counties: 1960 ..... 14

3A. -- Live births, infants deaths, neonatal deaths, and stillbirths by race among residents of the larger cities of Illinois: 1960 ..... 16

3B. -- Live birth rates and infant death, neonatal death, and stillbirth race – specific rates among residents of the larger cities of Illinois: 1960 ..... 18

4. -- Live births, stillbirths by gestation, and infant deaths by age among residents of Illinois counties: 1960 ..... 20

5. -- Live births, stillbirths by gestation, and infant deaths by age among residents of the larger cities of Illinois: 1960 ..... 22

6. -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 1960 ..... 24

7. -- Live births with percentage rates for premature births, and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 1960 ..... 26

8A. -- The twelve leading causes of death, by age and color, among residents of Illinois, Chicago, and Downstate: 1960 ..... 28

8B. -- Death rates for the twelve leading causes, by age and color among residents of Illinois, Chicago, and Downstate: 1960 ..... 31

9A. -- Deaths from important causes among residents of Illinois counties: 1960 ..... 34

9B. -- Death rates for important causes among residents of Illinois counties: 1960 ..... 38

10A. -- Deaths from important causes among residents of the larger cities of Illinois: 1960 ..... 42

10B. -- Death rates for important causes among residents of the larger cities of Illinois: 1960 ..... 46

11. -- Ten leading causes of death in selected age groups, Illinois: 1960 ..... 50

12. -- Cases of notifiable disease reported to the Illinois Department of Public Health, Illinois, Chicago, and Downstate: 1951 to 1960 ..... 51

## INTRODUCTION

The framers of the United States Constitution provided that once each decade the membership in the House of Representatives be adjusted in accordance with the results of a nation-wide census. The eighteenth census under this provision was taken as of April 1, 1960. Except for the rates shown in Table 1, page 11, where the estimated midyear population is used, figures taken directly from publications based on this census are used in this report.

It was recognized eighty years ago that these periodic censuses were too far apart to supply data needed to keep pace with the demands of a rapidly growing nation. So the census findings began to be augmented with data from vital records. From a small beginning in 1880, this procedure continued until the entire United States was covered in 1933. Each decade, the findings gleaned from birth, death, marriage and divorce records are compared with corresponding data provided by the census to establish benchmarks for the future and to compare current developments with the past. To accomplish this, vital rates are adjusted to account for the differences in age, sex, and race at different times or places. To facilitate comparisons with other areas of the nation, the adjusted rates in this report are based on the United States population as enumerated on April 1, 1940. Adjusted rates by their very construction are fictitious. Consequently, they cannot be used out of their setting without risking misinterpretation.

Through the years the cooperative efforts of State, local and Federal agencies have steadily improved the coverage and quality of birth and death registration in Illinois until now it is virtually complete and of excellent quality. Prior to 1918 for deaths and 1922 for births, there exist but fragments of data in isolated local and state sources. Beginning with these dates, Table 1, page 11 provides a state summary of important vital events.

## POPULATION

The population in Illinois on April 1, 1960 was 10,081,158, of which 9,010,252 were white and 1,070,906 were nonwhite. These represented an overall increase of 15.7 percent since April 1, 1950; an increase of 12.0 percent among the white and 60.8 percent among the nonwhite. The sex ratio of the total population in 1960 was 96.6 males per 100 females. It was 97.0 for the white and 93.4 for the nonwhite.

Although the state gained 1,368,982 persons during the decade, 51 of the 102 counties lost 82,536 persons among them. Forty-four of these were among the 56 counties that lost population from 1940 to 1950. The state's second most populous county is Du Page in the Chicago area. It increased 102.8 percent in ten years to 313,459. The least populous county is Pope in the southeastern part of the state. It decreased 29.7 percent to 4,061. These two counties characterize the migration pattern of the state for the past several decades: The southern counties have generally continued to decline while the northern counties have generally continued to grow. The counties that increased in population from 1950 to 1960 are shaded on the map on page 5.

Chicago lost 1.9 percent of its population in the great transition that took place in the city from 1950 to 1960. The composition of its present 3,550,404 inhabitants changed markedly in age and race during the decade. However, the change in sex ratio was moderate, dropping from 96.4 males per 100 females in 1950 to 94.7 in 1960. The population under 20 years of age increased 19.8 percent to 1,187,224 while the population between the ages of 20 and 65 years decreased 14.4 percent to 2,016,605. The population 65 years of age and over increased 26.6 percent to 346,575. During the decade, the nonwhite population in the city increased 328,219 and the white population decreased 398,777. In 1960 in Chicago, half of the nonwhite population was under 25.4 years of age and half of the white population was under 35.6 years. This age difference of 10.2 years is reflected in the number of deaths from selected causes by age and race given in Table 8A pages 28 to 30 and in the lower unadjusted death rate of 10.0 per 1,000 population for the nonwhite races as compared with 12.6 for the white race.

Table I shows the principal sources of population change during the decade 1950 to 1960 for the state, the eight metropolitan areas and the remainder of the state. Hidden behind the net in-migration of 144,943 for the state are the tremendous shifts in population composition of the type presented for Chicago in the previous paragraph. The complex pattern evolving from these changes requires that detailed vital statistics analyses and interpretations be an integral part of public health program planning.

Table I -- NET POPULATION CHANGES DUE TO NATURAL INCREASE AND MIGRATION IN ILLINOIS FROM 1950 TO 1960

| Area | Counties | Population | | Source of population change | | | Percent change |
|---|---|---|---|---|---|---|---|
| | | 1960 | 1950 | Total | Excess births over deaths | Migration | |
| ILLINOIS | 102 | 10,081,158 | 8,712,176 | 1,368,982 | 1,224,039 | 144,943 | 15.7 |
| Inside Metropolitan Areas: | | | | | | | |
| Total | 15 | 7,754,932 | 6,439,062 | 1,315,870 | 1,002,190 | 313,680 | 20.4 |
| Chicago | 6* | 6,220,913 | 5,177,868 | 1,043,045 | 780,883 | 262,162 | 20.1 |
| Champaign-Urbana | 1 | 132,436 | 106,100 | 26,336 | 18,904 | 7,432 | 24.8 |
| Decatur | 1 | 118,257 | 98,853 | 19,404 | 15,966 | 3,438 | 19.6 |
| East St. Louis | 2* | 487,198 | 388,302 | 98,896 | 73,075 | 25,821 | 25.5 |
| Peoria | 2 | 288,833 | 250,512 | 38,321 | 43,679 | -5,358 | 15.3 |
| Rockford | 1 | 209,765 | 152,385 | 57,380 | 33,042 | 24,338 | 37.7 |
| Rock Island | 1* | 150,991 | 133,558 | 17,433 | 19,660 | -2,227 | 13.1 |
| Springfield | 1 | 146,539 | 131,484 | 15,055 | 16,981 | -1,926 | 11.5 |
| Outside Metropolitan Areas: | | | | | | | |
| Total | 87 | 2,326,226 | 2,273,114 | 53,112 | 222,386 | -169,274 | 2.3 |
| Increasing counties | 36 | 1,369,873 | 1,234,225 | 135,648 | 149,130 | -13,482 | 11.0 |
| Decreasing counties | 51 | 956,353 | 1,038,889 | -82,536 | 73,256 | -155,792 | -7.9 |
| Residence unknown** | -- | -- | -- | -- | -537 | 537 | -0- |

*Illinois part of a two-state metropolitan area.

**During the decade there were 83 live births and 620 deaths for which the county of residence could not be determined. The difference of 537 is subtracted and added to provide the state totals shown.

Table II shows how the Chicago Metropolitan Area has dominated the migration pattern from 1940 to 1960.

Table II -- TWENTY YEAR SUMMARY OF POPULATION CHANGE IN ILLINOIS, CHICAGO METROPOLITAN AREA, AND REMAINDER OF THE STATE: 1940 TO 1960

| Item | Illinois | Chicago metropolitan area* | | Remainder of state |
|---|---|---|---|---|
| | | Chicago | Remainder | |
| Population on April 1, 1940 | 7,897,241 | 3,396,808 | 1,172,835 | 3,327,598 |
| Excess live births over deaths | 708,208 | 299,980 | 123,340 | 284,888 |
| Net migration | 105,727 | -75,826 | 260,731 | -78,178 |
| Population on April 1, 1950 | 8,712,176 | 3,620,962 | 1,556,906 | 3,534,308 |
| Excess live births over deaths | 1,224,039 | 448,712 | 332,171 | 443,156 |
| Net migration | 144,943 | -519,270 | 781,432 | -117,219 |
| Population on April 1, 1960 | 10,081,158 | 3,550,404 | 2,670,509 | 3,860,245 |

*Cook, Du Page, Kane, Lake, McHenry, and Will counties.

Table III presents in capsule form the percentage composition of the state's population at selected censuses. In 1880, half the state's population was under the age of 20.6 years. In 1950, the age had risen to 32.7 years. In 1960, the half-way mark had dropped to 31.2 years.

The predominately "school-age population" (ages 5 to 19 years) has declined from 35.2 percent of the state's total in 1880 to 25.4 percent in 1960, even though the actual number has more than doubled. The high birth rates before 1900, the declining age-specific death rates for all except the oldest ages since then and the out-migration of young people from the state have led to a steady increase in the proportion of persons 65 years of age and over.

Table III -- TOTAL POPULATION, PERCENT DISTRIBUTION BY AGE, AND MEDIAN AGE, ILLINOIS: 1960, 1940, 1920, 1900, AND 1880

(The median is the age that divides the total population into two equal parts)

| Year | Total population | Percent of total | | | | | | | Median (years) |
|---|---|---|---|---|---|---|---|---|---|
| | | All ages | Under 5 | 5 to 19 | 20 to 44 | 45 to 64 | 65 and over | Unknown age | |
| 1960 | 10,081,158 | 100.0 | 11.2 | 25.4 | 32.3 | 21.4 | 9.7 | -- | 31.2 |
| 1940 | 7,897,241 | 100.0 | 6.9 | 23.2 | 40.6 | 22.1 | 7.2 | -- | 31.5 |
| 1920 | 6,485,280 | 100.0 | 10.1 | 27.5 | 40.7 | 17.0 | 4.6 | 0.1 | 27.0 |
| 1900 | 4,821,550 | 100.0 | 11.4 | 31.1 | 40.0 | 13.3 | 4.0 | 0.2 | 23.9 |
| 1880 | 3,077,871 | 100.0 | 13.5 | 35.2 | 36.2 | 12.3 | 2.8 | -- | 20.6 |

## SPECIFIC BIRTH AND DEATH RATES

To measure more precisely the contributions of various segments of the population to the total live birth rate and the total death rate, specific rates and ratios are used.

For many decades, probably for more than a century, a steady decline in the number of children born into an Illinois family has been observed. The minimum was reached during the 1930 to 1940 decade. Since that time a phenomenal rise has occurred. An estimate of this trend in fertility can be obtained by dividing the number of children under the age of five years at a given time by the number of females between the ages of 20 and 45 years in the population at that time. In 1880, in Illinois there were 784 children under five years of age for each 1,000 females in the 20 to 44 age group.

This rate dropped almost uniformly each census to a low of 336 in 1940. In 1960, it had risen to 677. The magnitude of this reversal in the downward trend in such a short period of time accounts for the many school and other youth problems now confronting the state's citizens.

Another useful measure of fertility is found by dividing the number of children born during a given year to a group of females in a specified age range by the number in the group. These specific birth rates by age and race from 1922 to 1960 are shown in Table IV. The specific birth rates for each age group under 45 years was higher in 1960 than it was for the corresponding groups in 1940. Those under 25 years more than doubled during the past twenty years.

Table IV -- SPECIFIC LIVE BIRTH RATES BY RACE AND AGE OF MOTHER, ILLINOIS: 1960, 1950, 1940, 1930, AND 1922

(Not corrected for underregistration of live births. Rates are per 1,000 female population in each class as enumerated at the nearest census)

| Race and age | 1960 | 1950 | 1940 | 1930 | 1922[b] |
|---|---|---|---|---|---|
| ALL RACES: | | | | | |
| All ages[a] | 86.2 | 74.5 | 43.4 | 52.2 | 65.9 |
| 10-14 years | 0.7 | 0.6 | 0.3 | 0.4 | 0.2 |
| 15-19 years | 48.4 | 65.4 | 32.8 | 37.7 | 41.9 |
| 20-24 years | 259.2 | 182.7 | 109.8 | 111.2 | 125.1 |
| 25-29 years | 203.3 | 158.4 | 106.4 | 105.2 | 111.0 |
| 30-34 years | 117.9 | 96.8 | 64.1 | 75.6 | 97.3 |
| 35-39 years | 58.1 | 45.7 | 34.1 | 45.4 | 63.8 |
| 40-44 years | 14.9 | 11.4 | 7.1 | 16.4 | 24.2 |
| 45-49 years | 0.8 | 1.7 | 0.9 | 1.6 | 2.6 |
| WHITE | | | | | |
| All ages[a] | 81.7 | 73.2 | 49.0 | 52.3 | 66.2 |
| 10-14 years | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 |
| 15-19 years | 69.9 | 56.1 | 32.8 | 35.0 | 40.0 |
| 20-24 years | 251.9 | 178.6 | 107.9 | 111.1 | 125.5 |
| 25-29 years | 201.0 | 156.7 | 108.6 | 108.2 | 129.2 |
| 30-34 years | 115.9 | 95.3 | 71.0 | 77.6 | 99.1 |
| 35-39 years | 56.8 | 46.2 | 35.0 | 46.8 | 65.1 |
| 40-44 years | 14.6 | 11.2 | 10.3 | 17.0 | 24.7 |
| 45-49 years | 0.8 | 0.7 | 0.8 | 1.6 | 2.6 |
| NONWHITE | | | | | |
| All ages[a] | 121.5 | 88.9 | 48.6 | 49.6 | 57.1 |
| 10-14 years | 4.7 | 4.5 | 2.8 | 2.0 | 2.4 |
| 15-19 years | 194.7 | 165.6 | 109.8 | 104.0 | 112.4 |
| 20-24 years | 307.3 | 220.5 | 132.1 | 108.2 | 116.3 |
| 25-29 years | 217.4 | 171.4 | 68.3 | 62.1 | 77.7 |
| 30-34 years | 131.7 | 82.3 | 43.5 | 44.5 | 51.0 |
| 35-39 years | 68.0 | 37.7 | 22.3 | 25.7 | 30.5 |
| 40-44 years | 17.9 | 9.7 | 6.2 | 9.1 | 9.9 |
| 45-49 years | 0.9 | 1.1 | 1.1 | 0.9 | 1.2 |

[a]"All ages" includes the live births where age of mother is unknown and excludes the live births where age of mother is 50 years or older.

[b]Rates for 1922 are based on the Census taken on January 1, 1920.

The age-specific death rates for Illinois for the period 1920 to 1960 are shown in Table V.

Table V -- AGE SPECIFIC DEATH RATES WITH PERCENT DECLINE, ILLINOIS: 1960, 1950, 1940, 1930, AND 1920

(Resident rates, 1960, 1950, and 1940, occurrence rates, 1930, and 1920)

| Age group | Deaths per 100,000 population at census | | | | | Percent decline* |
|---|---|---|---|---|---|---|
| | 1960 | 1950 | 1940 | 1930 | 1920 | |
| All ages | 1,022 | 1,059 | 1,128 | 1,095 | 1,269 | 19 |
| Under 1 year | 2,574 | 3,032 | 4,154 | 6,031 | 9,460 | 73 |
| 1 to 4 years | 105 | 138 | 273 | 497 | 982 | 89 |
| 5 to 14 years | 44 | 56 | 107 | 187 | 280 | 84 |
| 15 to 24 years | 99 | 117 | 185 | 291 | 459 | 78 |
| 25 to 34 years | 143 | 167 | 287 | 409 | 650 | 78 |
| 35 to 44 years | 311 | 361 | 597 | 665 | 794 | 61 |
| 45 to 54 years | 777 | 909 | 1,106 | 1,205 | 1,233 | 37 |
| 55 to 64 years | 1,800 | 2,038 | 2,325 | 2,460 | 2,415 | 25 |
| 65 to 74 years | 4,047 | 4,398 | 5,101 | 5,183 | 5,333 | 24 |
| 75 to 84 years | 9,024 | 9,843 | 11,752 | 11,[illegible] | 11,770 | 23 |
| 85 years and over | 20,766 | 20,546 | 20,689 | [illegible] | 24,788 | 16 |

*Percent decline in rate from 1920 to 1960.

The final column of the table gives a measure of the decline in rate for each age group for the forty-year span covered. The control of communicable diseases has led to very large reductions in the preschool and elementary school age groups. In fact, substantial reductions are shown for all ages under 45 years.

Age-specific death rates by race for selected causes of death for Illinois, Chicago, and Downstate for 1960 are shown in Table 8B, pages 31 to 33.

A group of selected causes of death chosen to reflect the changing conditions since 1920 appears in Table VI. Even though many major changes have occurred in classifying the causes of death during the past forty years, it is still possible to observe some important trends in the table. The cardiovascular-renal diseases, cancer and cirrhosis of the liver have continued to move upward while accidents, diabetes mellitus, suicide and the listed communicable diseases including tuberculosis, have moved downward. Race differences for cancer, influenza and pneumonia, tuberculosis, syphilis, homicides and suicides are marked. Several of the diseases showing a downward trend are listed among the leading causes of death on page 8 .

Table VI -- DEATH RATES BY RACE FOR SELECTED CAUSES OF DEATH, ILLINOIS: 1960, 1950, 1940, 1930, AND 1920

(Deaths per 100,000 population by race as enumerated at census; by residence, 1960 and 1950, by occurrence, 1940, 1930, and 1920)

| Selected causes of death | Total | | | | | White | | | | | Nonwhite | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1960 | 1950 | 1940 | 1930 | 1920 | 1960 | 1950 | 1940 | 1930 | 1920 | 1960 | 1950 | 1940 | 1930 | 1920 |
| ALL CAUSES | 1,022.1 | 1,061.6 | 1,117.2 | 1,094.6 | 1,235.2 | 1,025.8 | 1,052.8 | 1,093.4 | 1,063.8 | 1,211.1 | 990.7 | 1,168.6 | 1,572.4 | 1,762.6 | 2,022.5 |
| Cardiovascular-renal diseases | 596.3 | 599.3 | 550.2 | 426.5 | 357.5 | 611.0 | 602.2 | 544.3 | n.a. | n.a. | 472.2 | 564.2 | 663.1 | n.a. | n.a. |
| Heart diseases | 444.2 | 438.1 | 350.7 | 223.8 | 158.9 | 456.0 | 440.8 | 346.4 | 219.8 | n.a. | 344.8 | 405.2 | 432.3 | 309.3 | n.a. |
| Vascular lesions of central nervous system | 106.6 | 106.1 | 85.1 | 76.9 | 75.6 | 108.4 | 107.0 | 84.7 | 76.6 | n.a. | 91.6 | 95.6 | 92.9 | 84.4 | n.a. |
| Chronic nephritis and renal sclerosis | 7.0 | 20.6 | 92.4 | 102.6 | 84.7 | 6.8 | 19.8 | 91.1 | 100.1 | n.a. | 8.9 | 30.8 | 115.5 | 156.4 | n.a. |
| Residual | 38.5 | 34.5 | 22.0 | 23.2 | 38.3 | 39.8 | 34.6 | 22.1 | n.a. | n.a. | 27.0 | 32.6 | 22.4 | n.a. | n.a. |
| Cancer, all sites | 168.7 | 166.6 | 144.1 | 112.3 | 89.9 | 173.0 | 168.7 | 145.0 | 113.4 | 90.1 | 132.4 | 141.1 | 127.2 | 89.8 | 82.5 |
| Respiratory system | 25.8 | 17.0 | 9.5 | 3.8 | n.a.* | 26.5 | 17.5 | 9.6 | n.a. | n.a. | 20.0 | 11.1 | 9.2 | n.a. | n.a. |
| Digestive organs | 61.6 | 68.7 | 68.2 | 58.1 | 49.0 | 62.9 | 69.9 | 69.0 | 58.9 | 49.4 | 51.1 | 54.3 | 53.7 | 40.9 | 35.4 |
| Other sites | 81.3 | 80.9 | 66.4 | 50.4 | n.a. | 83.6 | 81.3 | 66.4 | n.a. | n.a. | 61.3 | 75.7 | 64.3 | n.a. | n.a. |
| All accidents | 43.8 | 57.6 | 73.2 | 78.6 | 69.5 | 43.2 | 56.7 | 73.0 | 77.9 | n.a. | 48.3 | 78.3 | 77.6 | 92.8 | n.a. |
| Motor vehicle | 18.2 | 23.4 | 29.4 | 28.9 | 10.9 | 18.7 | 23.4 | 29.4 | 29.0 | n.a. | 13.6 | 23.9 | 30.0 | 25.8 | n.a. |
| Other accidents | 25.6 | 34.2 | 43.8 | 49.7 | 58.6 | 24.5 | 33.3 | 43.6 | 48.9 | n.a. | 34.6 | 44.4 | 47.6 | 67.0 | n.a. |
| Influenza and pneumonia | 41.5 | 29.1 | 53.4 | 79.9 | 209.0 | 35.9 | 27.3 | 50.3 | 76.0 | 202.3 | 88.8 | 51.9 | 113.7 | 164.7 | 426.6 |
| Diabetes mellitus | 14.9 | 19.5 | 34.1 | 22.2 | 17.5 | 14.8 | 20.1 | 34.1 | 22.2 | 17.6 | 15.9 | 12.0 | 34.3 | 21.0 | 17.2 |
| Cirrhosis of liver | 12.9 | 11.5 | 11.4 | 10.1 | 8.5 | 13.2 | 11.9 | 11.5 | 10.1 | 8.5 | 10.0 | 7.5 | 9.4 | 8.9 | 8.6 |
| Congenital malformations | 10.4 | 12.2 | 9.4 | 12.3 | 16.0 | 10.3 | 12.2 | 9.4 | 12.5 | n.a. | 11.7 | 12.8 | 8.4 | 8.6 | n.a. |
| Suicide | 9.7 | 11.7 | 14.6 | 18.1 | 11.4 | 10.4 | 12.2 | 15.0 | 18.6 | 11.5 | 3.9 | 5.6 | 6.9 | 9.5 | 8.6 |
| Ulcers of stomach and duodenum | 7.7 | 6.8 | 7.5 | 7.2 | 4.0 | 7.8 | 6.9 | 7.6 | 7.1 | n.a. | 6.9 | 5.0 | 6.6 | 10.7 | n.a. |
| Tuberculosis, all forms | 6.2 | 24.5 | 46.2 | 63.2 | 98.6 | 5.1 | 18.6 | 37.0 | 52.9 | 90.6 | 16.1 | 95.3 | 220.3 | 285.6 | 358.3 |
| Typhoid and paratyphoid fever | -0- | 0.0 | 0.5 | 2.0 | 5.7 | -0- | 0.0 | 0.5 | 1.9 | 5.6 | -0- | -0- | 1.0 | 3.6 | 10.6 |
| Whooping cough | 0.0 | 0.2 | 0.8 | 2.4 | 8.3 | 0.0 | 0.2 | 0.8 | 2.2 | 7.8 | 0.2 | 0.6 | 1.3 | 7.1 | 23.3 |
| Diphtheria | 0.0 | 0.0 | 1.1 | 7.1 | 16.9 | 0.0 | 0.0 | 1.0 | 6.9 | 17.1 | -0- | 0.2 | 2.3 | 11.3 | 11.1 |
| Syphilis | 0.8 | 4.9 | 13.4 | 16.0 | 18.6 | 0.6 | 4.1 | 10.7 | 13.2 | n.a. | 2.6 | 14.6 | 64.1 | 75.6 | n.a. |
| Homicide | 5.0 | 4.8 | 4.6 | 10.5 | 7.2 | 2.6 | 2.3 | 2.6 | 7.9 | 6.0 | 25.6 | 34.7 | 42.5 | 66.7 | 45.0 |
| Senility | 0.1 | 2.6 | 2.9 | 5.2 | 8.6 | 0.1 | 2.6 | 2.9 | 5.2 | n.a. | 0.1 | 2.0 | 3.3 | 5.0 | n.a. |
| Symptoms and ill-defined causes | 2.2 | 2.4 | 2.6 | 6.6 | 3.4 | 2.0 | 2.5 | 2.5 | 5.7 | 3.2 | 3.2 | 2.3 | 4.3 | 26.7 | 11.6 |

Source: Adapted from Vital Statistics rates in the United States, 1900 - 1940.
Mortality Statistics (United States), 1920, 1930, and 1940.
Vital Statistics of the United States, 1950.
Tabulations in Illinois Bureau of Statistics, 1960.

*Cancer of respiratory system death rate in United States in 1920 was 1.7.

n.a. -- Not available.

## ADJUSTED BIRTH AND DEATH RATES

When the specific birth rates shown in Table IV are applied to the 1940 United States population as a standard the adjusted birth rates shown in Table VII are obtained. The crude and adjusted birth rates in Illinois in 1940 were almost identical, but population changes have kept the rate much lower (23.7) than it would have been (31.5). On the other hand, if the age composition had remained the same the death rate would have shown a drop from the observed 10.2 per 1,000 population to 7.8. Table VIII shows that after age adjustment the United States and Illinois have almost parallel death rates for the period 1920 to 1960.

Table VII -- CRUDE AND ADJUSTED LIVE BIRTH RATES BY RACE, ILLINOIS: 1960, 1950, 1940, 1930, AND 1922

(No adjustment made for underregistration of live births. Resident rates, 1960, 1950, and 1940; occurrence rates, 1930, and 1922)

| Year | All races | | White | | Nonwhite | |
|---|---|---|---|---|---|---|
| | Crude* | Adjusted** | Crude* | Adjusted** | Crude* | Adjusted** |
| 1960 | 23.7 | 31.5 | 22.3 | 30.0 | 35.7 | 44.6 |
| 1950 | 21.8 | 24.1 | 21.1 | 23.3 | 29.9 | 31.5 |
| 1940 | 15.8 | 15.6 | 15.7 | 15.3 | 17.6 | 18.5 |
| 1930 | 16.8 | 16.5 | 16.7 | 16.5 | 17.9 | 17.0 |
| 1922 | 20.7 | 19.9 | 20.7 | 20.0 | 20.2 | 19.1 |

*Live births per 1,000 population at nearest census.

**Live births per 1,000 population after age and sex adjustment (direct method) using United States population by race in 1940 as standard.

Table VIII -- CRUDE AND AGE ADJUSTED DEATH RATES, UNITED STATES AND ILLINOIS: 1960, 1950, 1940, 1930, AND 1920

(Resident rates, 1960, 1950, and 1940; occurrence rates, 1930, and 1920)

| Year | United States | | Illinois | |
|---|---|---|---|---|
| | Crude rate* | Adjusted rate** | Crude rate* | Adjusted rate** |
| 1960 | 9.5 | 7.7 | 10.2 | 7.8 |
| 1950 | 9.6 | 8.4 | 10.6 | 8.7 |
| 1940 | 10.8 | 10.8 | 11.3 | 10.8 |
| 1930 | 11.3 | 12.5 | 11.0 | 12.2 |
| 1920 | 13.0 | 14.2 | 12.7 | 14.2 |

*Deaths per 1,000 population of census.

**Deaths per 1,000 population after age adjustment (direct method) using United States population in 1940 as standard.

The population being used as the base for rate adjustment is quite arbitrary. However, some actual existing population is usually chosen because its composition is more apt to be similar to that for which the specific rates have been computed. Through adjustment it is possible to remove one by one the effects that such major characteristics as sex, race, age and cause of death have on the crude rate. The importance of the individual effects can be studied. For example, the principal reason that the Illinois crude birth rate was not as high in 1960 as the adjusted figure suggested it should be, can be traced to the net loss of over 85,000 females in the age group 20 to 29 years between 1940 and 1960.

## POPULATION BY COUNTIES: 1960



# PART II -- DESCRIPTION OF 1960 ILLINOIS VITAL EVENTS

## LIVE BIRTHS

In Table A are listed several characteristics associated with the 238,760 resident live births in Illinois in 1960. Of the live births, 38,277 were among the nonwhite races. The proportion of nonwhite live births in the state increased each year from 10.5 percent in 1950 to 16.0 percent in 1960. Of the nonwhite births, 2,496 occurred outside of a hospital, as compared with 1,887 white births. On the average, the negro mothers were younger than the mothers of other races.

Table IV, page 3, indicates that one out of every four females in the age group 20 to 24 years in the entire state had a child in 1960. Among the nonwhite races, one out of every five females in the child-bearing ages under 20 had a child in 1960. These high proportions suggest that health education materials directed to young people should include information on maternal and child care.

Table 2A, page 12, and Table 3A, page 16, show the number of live births by race in each county and large city. The corresponding rates are in Tables 2B, page 14, and 3B, page 18.

A child weighing less than 5 pounds and 8 ounces (2,501 grams) is classed as "premature" by the American Academy of Pediatrics. A premature child requires special care and special services in order to increase his chance of survival. In 1960, in Illinois there were 18,020 children below this weight. Table 6, page 24, shows that they accounted for 7.55 percent of all live births in the state. The proportion of premature live births has increased rather steadily from 6.70 percent in 1950. As a group, negro children weigh less than white children at birth. So the increasing proportion of prematurely born children, based on weight, is primarily a reflection of the increasing proportion of negro children being born. By county, the proportion ranged from 3.12 percent in Richland County to 14.93 percent in Pope County. By large city (Table 7, page 26), the proportion ranged from 3.18 percent in Homewood to 10.70 percent in North Chicago.

For the entire state, 98.2 percent of all live-born children were born in a hospital. In nine counties (Table 6), all of the resident babies were born in a hospital. Gallatin - 87.6 percent, Alexander - 86.8 percent and Pulaski - 85.4 percent, were the only counties reporting less than 90 percent. Chicago (Table 7) reported 96.1 percent, the least for any of the 116 cities of 10,000 or over population in the state.

## FETAL DEATHS

There were 3,528 fetal deaths reported in Illinois in 1960. Of these, 1,176, or one-third,

Table A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER, ILLINOIS, CHICAGO, AND DOWNSTATE: 1960

| | Illinois | | | | Chicago | | | | Downstate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Negro | Other | Total | White | Negro | Other | Total | White | Negro | Other |
| TOTAL | 238,760 | 200,483 | 37,519 | 758 | 88,537 | 57,673 | 30,370 | 494 | 150,223 | 142,810 | 7,149 | 264 |
| Sex: | | | | | | | | | | | | |
| Male | 122,190 | 102,945 | 18,869 | 376 | 45,180 | 29,661 | 15,284 | 235 | 77,010 | 73,284 | 3,585 | 141 |
| Female | 116,570 | 97,538 | 18,750 | 382 | 43,357 | 28,012 | 15,086 | 259 | 73,213 | 69,526 | 3,564 | 123 |
| Legitimacy: | | | | | | | | | | | | |
| Legitimate | 224,375 | 196,316 | 27,306 | 753 | 78,198 | 55,946 | 21,762 | 490 | 146,177 | 140,370 | 5,544 | 263 |
| Illegitimate | 14,385 | 4,167 | 10,213 | 5 | 10,339 | 1,727 | 8,608 | 4 | 4,046 | 2,440 | 1,605 | 1 |
| Place of birth and attendant: | | | | | | | | | | | | |
| In hospital | 234,377 | 198,596 | 35,029 | 752 | 85,100 | 56,521 | 28,090 | 489 | 149,277 | 142,075 | 6,939 | 263 |
| Other place | 4,383 | 1,887 | 2,490 | 6 | 3,437 | 1,152 | 2,280 | 5 | 946 | 735 | 210 | 1 |
| Physician | 4,197 | 1,801 | 2,390 | 6 | 3,375 | 1,125 | 2,245 | 5 | 822 | 676 | 145 | 1 |
| Midwife | 53 | 5 | 48 | -- | 6 | 2 | 4 | -- | 47 | 3 | 44 | -- |
| Other | 133 | 81 | 52 | -- | 56 | 25 | 31 | -- | 77 | 56 | 21 | -- |
| Age of mother: | | | | | | | | | | | | |
| 10-14 years | 302 | 78 | 224 | -- | 208 | 25 | 183 | -- | 94 | 53 | 41 | -- |
| 15-19 years | 28,525 | 21,614 | 6,892 | 19 | 11,280 | 5,721 | 5,546 | 13 | 17,245 | 15,893 | 1,346 | 6 |
| 20-24 years | 80,137 | 67,582 | 12,415 | 140 | 30,806 | 20,635 | 10,077 | 94 | 49,331 | 46,947 | 2,338 | 46 |
| 25-29 years | 62,860 | 53,536 | 9,033 | 291 | 22,717 | 15,090 | 7,444 | 183 | 40,143 | 38,446 | 1,589 | 108 |
| 30-34 years | 40,516 | 34,685 | 5,629 | 202 | 14,202 | 9,573 | 4,501 | 128 | 26,314 | 25,112 | 1,128 | 74 |
| 35-39 years | 20,974 | 18,181 | 2,701 | 92 | 7,472 | 5,262 | 2,146 | 64 | 13,502 | 12,919 | 555 | 28 |
| 40-44 years | 5,165 | 4,560 | 593 | 12 | 1,766 | 1,296 | 459 | 11 | 3,399 | 3,264 | 134 | 1 |
| 45-49 years* | 261 | 234 | 25 | 2 | 84 | 69 | 14 | 1 | 177 | 165 | 11 | - |
| Unstated | 20 | 13 | 7 | -- | 2 | 2 | -- | -- | 18 | 11 | 7 | -- |

*Age group 45-49 includes two white mothers in Downstate, age 50 or over.

were of forty weeks' gestation or over, according to Table 4, page 20. These represent losses of full-term children during or just prior to delivery. A distribution of all causes of fetal death is shown in Table B. The proportion of ill-defined and unknown causes is 32.1 percent. This high proportion could probably be reduced through the joint efforts of the family, the physician, the community, and the hospital in determining the causes associated with fetal losses and instituting remedies.

## PERINATAL MORTALITY

Table C summarizes the perinatal losses for Illinois, Chicago, and Downstate by sex and race. Since many causes of death among children under seven days of age are closely associated with the prenatal period and delivery, the addition of the deaths of children in this age group to the fetal deaths provides an estimate of pregnancy wastage. The division of the number lost by the total of the live births and the fetal deaths provides a ratio that is a reasonable estimate of the risk of losing a child before he has a chance to adjust to his external environment. This result multiplied by 1,000 is called "the perinatal mortality ratio." The negro male child has the highest ratio, 50.6, and white female child has the lowest, 24.6. The ratios are higher in Chicago than they are in the remainder of the state.

In Tables 4 and 5 are shown data by county and larger cities on live births, fetal deaths by period of gestation, and infant deaths for selected ages under one year. From these data, the extent of perinatal loss can be obtained for any of the counties and larger cities in Illinois.

Table B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS IN 1960

| Cause | Number | Percent |
|---|---|---|
| ALL CAUSES | 3,528 | 100.0 |
| Cause in the mother: | | |
| Chronic disease in mother | 82 | 2.3 |
| Acute disease in mother | 18 | 0.5 |
| Diseases and conditions of pregnancy and childbirth | 223 | 6.3 |
| Difficulties in labor | 129 | 3.7 |
| Other causes in mother | 9 | 0.3 |
| Placenta and cord conditions without mention of prolapsed cord | 1,203 | 34.1 |
| Placenta and prolapsed cord conditions | 123 | 3.5 |
| Birth injuries | 22 | 0.6 |
| Malformations of foetus | 218 | 6.2 |
| Disease of foetus | 367 | 10.4 |
| Ill-defined causes in mother and foetus | 895 | 25.4 |
| Cause unknown | 239 | 6.7 |

Source: Tabulations in Illinois Bureau of Statistics.

## INFANT DEATHS

Deaths of children under one year of age are given in Table D by cause and in Tables 2 through 7 for the counties and large cities. Statewide, the infant death rate was 25.0 per 1,000 live births. The infant death rate has remained almost unchanged for ten years. The high rates were in four counties, Pulaski - 68.2, Union - 46.1, Hardin - 41.7, and Alexander - 41.1. For the state, the rates were 22.2 for the white race and 39.6 for the other races. In 1960, there were 5,959 infant deaths. Of these, 3,931, or 66.0 percent died during the first week of life and 391, or 6.5 percent, died between the age of 7 days and 28 days. As shown in Table D, the deaths of these 4,322 children are predominately due to prenatal and delivery causes. After the child has lived his first four weeks his external environment begins to reap its toll through influenza and pneumonia, accidents, gastro-intestinal upsets, and the like.

Table C. -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE: 1960
(This table includes 43 fetal deaths of less than 20 weeks' gestation)

| | Illinois | | | | Chicago | | | | Downstate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Negro | Other | Total | White | Negro | Other | Total | White | Negro | Other |
| Both sexes: | | | | | | | | | | | | |
| Fetal deaths | 3,528 | 2,641 | 880 | 7 | 1,584 | 851 | 728 | 5 | 1,944 | 1,790 | 152 | 2 |
| Deaths under 1 week of age | 3,931 | 3,049 | 865 | 17 | 1,603 | 891 | 703 | 9 | 2,328 | 2,158 | 162 | 8 |
| Total | 7,459 | 5,690 | 1,745 | 24 | 3,187 | 1,742 | 1,431 | 14 | 4,272 | 3,948 | 314 | 10 |
| Live births and fetal deaths | 242,288 | 203,124 | 38,399 | 765 | 90,121 | [illegible] | 31,098 | 400 | 152,167 | 144,600 | 7,301 | 265 |
| Ratio* | 30.8 | 28.0 | 45.4 | 31.4 | 35.4 | 29.8 | 46.0 | 28.1 | 28.1 | 27.3 | 43.0 | 37.6 |
| Male | | | | | | | | | | | | |
| Fetal deaths | 1,931 | 1,440 | 487 | 4 | 866 | 459 | 405 | 2 | 1,065 | 981 | [illegible] | 2 |
| Deaths under 1 week of age | [illegible] | 1,825 | 493 | 12 | 942 | 444 | 303 | 5 | 1,388 | 1,281 | 101 | 6 |
| Total | 4,261 | 3,265 | 980 | 16 | 1,808 | 1,003 | 798 | 7 | 2,453 | 2,262 | [illegible] | 8 |
| Live births and fetal deaths | 124,121 | 104,385 | 19,356 | 380 | 46,046 | 30,120 | 15,689 | 237 | 78,075 | 74,265 | 3,667 | 143 |
| Ratio* | 34.3 | 31.3 | 50.6 | 42.1 | 39.3 | 33.3 | 50.9 | 29.5 | 31.4 | 30.5 | 40.6 | 62.9 |
| Female: | | | | | | | | | | | | |
| Fetal deaths | 1,597 | 1,201 | 393 | 3 | 718 | 392 | 323 | 3 | 879 | 809 | [illegible] | [illegible] |
| Deaths under 1 week of age | 1,601 | 1,224 | 372 | 5 | 661 | 347 | 310 | 4 | 940 | 877 | [illegible] | [illegible] |
| Total | 3,198 | 2,425 | 765 | 8 | 1,379 | 739 | 633 | 7 | 1,819 | 1,686 | 132 | 1 |
| Live births and fetal deaths | 118,167 | 98,739 | 19,043 | 385 | 44,075 | 28,404 | 15,409 | 262 | 74,092 | 70,335 | 3,634 | 123 |
| Ratio* | 27.1 | 24.6 | [illegible] | 20.8 | 31.3 | 26.0 | 41.1 | [illegible] | 24.6 | [illegible] | 36.3 | [illegible] |

*Perinatal mortality ratio is (fetal deaths of 20 weeks' gestation and over plus deaths under one week of age) per 1,000 (live births plus fetal deaths of 20 weeks' gestation and over). See Table A. for live births.

Table D. -- TEN LEADING CAUSES OF INFANT DEATHS BY AGE, ILLINOIS RESIDENTS: 1960

| Neonatal (under 28 days of age) | | | Ages 28 days to 1 year | | |
|---|---|---|---|---|---|
| Cause | Number | Percent | Cause | Number | Percent |
| ALL CAUSES | 4,322 | 100.0 | ALL CAUSES | 1,637 | 100.0 |
| 1. Postnatal asphyxia and atelectasis | 1,883 | 43.6 | 1. Influenza and pneumonia | 826 | 50.5 |
| 2. Immaturity, unqualified | 657 | 15.2 | 2. Congenital malformations | 283 | 17.3 |
| 3. Birth injury | 492 | 11.4 | a. Monstrosity | 3 | 0.2 |
| 4. Congenital malformations | 477 | 11.0 | b. Spina bifida and meningocele | 26 | 1.6 |
| a. Monstrosity | 54 | 1.2 | 3. Accidents | 117 | 7.1 |
| b. Spina bifida and meningocele | 32 | 0.7 | 4. Gastro-enteritis and colitis | 86 | 5.3 |
| 5. Pneumonia of newborn | 253 | 5.9 | 5. Meningitis, except meningococcal and tuberculous | 37 | 2.3 |
| 6. Ill-defined diseases of early infancy | 180 | 4.2 | 6. Bronchitis | 28 | 1.7 |
| a. Hyaline membrane disease | 105 | 2.4 | 7. Hernia, intestinal obstructions | 18 | 1.1 |
| 7. Erythroblastosis | 127 | 2.9 | 8. Nutritional maladjustment | 17 | 1.0 |
| 8. Hemorrhagic disease of newborn | 39 | 0.9 | 9. Malignant neoplasms | 15 | 0.9 |
| 9. Hernia, intestinal obstructions | 36 | 0.8 | a. Leukemia and aleukemia | 6 | 0.4 |
| 10. Disorders arising from certain diseases of mother during pregnancy | 20 | 0.5 | 10. Meningococcal infections | 11 | 0.7 |

Source: Tabulations in Illinois Bureau of Statistics.

In 1960, the infant death rate for the white race in Chicago was 23.4 per 1,000 live births and 39.4 for the nonwhite races. In Chicago, 30.6 percent of the 2,565 infant deaths occurred after the child had reached his twenty-eighth day of life. For the remainder of the state the proportion was 25.1 percent. By race, the proportionate losses for the age group 28 days to one year in Chicago were white - 26.7 percent, nonwhite - 34.9 percent. Downstate, they were white - 23.8 percent, nonwhite - 38.6 percent.

## MATERNAL DEATHS

The 70 maternal deaths in 1960 continued the downward trend shown in Table 1, page 11. The rate was 2.9 per 10,000 live births as contrasted with 67.9 in 1929, the highest for the period from 1922 to 1960. The principal causes in 1960 were hemorrhage with 14 deaths, toxemias of pregnancy with 13 deaths and sepsis with 12 deaths. Tables 6 and 7 list the number of deaths in each county and large city. Of the 38 Cook County deaths, 30 were residents of Chicago. Kane County with 6 resident deaths was next highest.

## LEADING CAUSES OF DEATH

By race, the leading causes show some marked differences. In decreasing order of importance, the leading causes for the white race in 1960 were 1) heart diseases, 2) cancer, 3) vascular lesions of the central nervous system, 4) accidents, 5) influenza and pneumonia, 6) diseases of early infancy, 7) arteriosclerosis, 8) diabetes mellitus, 9) cirrhosis of the liver, and 10) suicide. They accounted for 81,851, or 88.6 percent of the 92,428 deaths of white persons. The leading causes for the nonwhite races were 1) heart diseases, 2) cancer, 3) vascular lesions of the central nervous system, 4) influenza and pneumonia, 5) diseases of early infancy, 6) accidents, 7) homicide, 8) tuberculosis, 9) diabetes mellitus, and 10) congenital malformations. They accounted for 9,222 or 86.9 percent, of the 10,610 nonwhite deaths.

Tables 8, 9, and 10 present data on the important causes of death. Tables 8A and 8B list the causes by race and age group, with rates, for Illinois, Chicago, and the remainder of the state. Tables 9 and 10 show the principal cardiovascular diseases and other important causes by county and large city. On page 50, in Table 11, are shown the principal causes of death in each of several age groups. (For infants, the causes are presented in Table D.)

Tables E, F, G, H, and I provide detailed information on the first four leading causes. Of the 90 heart disease deaths under the age of 25 years (Table E), 30 were from chronic rheumatic heart disease and 15 from degenerative heart diseases. Table F shows that leukemias and nervous system cancers are important causes of death among young persons. Subarachnoid hemorrhage of nontraumatic origin accounted for 22 of the 41 deaths of persons under age 25 from vascular lesions, according to Table G. In Table H is presented evidence that motor vehicle accidents, particularly collision with another motor vehicle and running off the roadway, are the principal sources of fatal accidents among persons ages 15 to 24 years. The 38 deaths from mechanical suffocation of infants included 7 deaths involving plastic bags. Fatal falls accounted for 158 of the 224 acci-

Table E. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1960

| Age | Heart diseases | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Chronic rheumatic | Arteriosclerotic including coronary | Degenerative heart | Acute and subacute bacterial endocarditis | Acute myocarditis not specified as rheumatic | Acute pericarditis specified as nonrheumatic | Functional disease | Congestive heart failure | Other and unspecified | Hypertensive |
| ALL AGES | 44,783 | 1,008 | 34,619 | 4,070 | 46 | 65 | 9 | 269 | 178 | 777 | 3,742 |
| Under 1 year | 12 | -- | 2 | 3 | -- | 5 | -- | 1 | 1 | -- | -- |
| 1-4 years | 6 | -- | -- | 3 | -- | -- | -- | 1 | -- | 2 | -- |
| 5-14 years | 17 | 5 | 1 | 3 | 1 | 2 | 1 | 1 | -- | 2 | 1 |
| 15-24 years | 55 | 25 | 7 | 6 | 5 | 3 | -- | -- | -- | 8 | 1 |
| 25-44 years | 1,482 | 204 | 879 | 84 | 7 | 14 | 1 | 9 | 11 | 149 | 124 |
| 45-64 years | 11,610 | 466 | 9,190 | 605 | 23 | 18 | 4 | 53 | 40 | 380 | 831 |
| 65-74 years | 13,034 | 198 | 10,578 | 935 | 8 | 11 | 1 | 62 | 49 | 114 | 1,078 |
| 75-84 years | 12,626 | 85 | 9,714 | 1,406 | 2 | 6 | 1 | 87 | 47 | 88 | 1,190 |
| 85 and over | 5,941 | 25 | 4,248 | 1,025 | -- | 6 | 1 | 55 | 30 | 34 | 517 |

Source: Tabulations in Illinois Bureau of Statistics.

Table F. -- RESIDENT CANCER DEATHS BY PRIMARY SITE AND AGE, ILLINOIS: 1960

| Age | Total | Primary site | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Buccal cavity and pharynx | Stomach | Digestive organs except stomach | Bronchus, lung, and pleura | Other sites, respiratory system* | Breast | Genital organs | Nervous system, incl. brain | Other and unspecified sites | Leukemia and aleukemia | Lymphosarcoma |
| ALL AGES | 17,005 | 376 | 1,389 | 4,824 | 1,104 | 1,498 | 1,661 | 2,401 | 392 | 1,814 | 764 | 782 |
| Under 1 year | 15 | -- | -- | 2 | -- | -- | -- | -- | 2 | 4 | [illegible] | 1 |
| 1-4 years | 117 | -- | -- | 2 | -- | 1 | -- | 4 | 26 | 21 | 54 | [illegible] |
| 5-14 years | 136 | -- | -- | 2 | -- | 1 | -- | 2 | 35 | 22 | 62 | 12 |
| 15-24 years | 125 | 1 | -- | 7 | -- | 1 | -- | 12 | 13 | 26 | 35 | 30 |
| 25-44 years | 1,162 | 19 | 43 | 188 | 55 | 87 | 194 | 205 | 71 | 118 | 71 | 111 |
| 45-64 years | 6,377 | 175 | 381 | 1,619 | 595 | 681 | 771 | 838 | 191 | 620 | [illegible] | [illegible] |
| 65-74 years | 5,182 | [illegible] | 512 | 1,627 | 347 | 493 | 398 | 735 | 50 | 520 | 193 | [illegible] |
| 75-84 years | 3,110 | 62 | 363 | 1,091 | 101 | 203 | 229 | 475 | 4 | 372 | [illegible] | [illegible] |
| 85 and over | 781 | 15 | 90 | 286 | 6 | 31 | 69 | 130 | -- | 111 | [illegible] | [illegible] |

*Includes 44 deaths from neoplasms of respiratory system, primary site unknown.
Source: Tabulations in Illinois Bureau of Statistics.

dental deaths among persons aged 85 years and over. Of the 909 deaths among persons in the age group 65 to 84 years, 295 involved motor vehicles and 380 resulted from falls. Table I shows that the chances of being fatally injured in an automobile accident in the rural part of Illinois are about four times those in cities of 10,000 or more population. The other accidents show no important differences between town and country.

## OTHER CAUSES

Ulcer of the stomach and duodenum - 777, and chronic nephritis and renal sclerosis - 708, were other important causes of death in 1960. Tuberculosis - 630, syphilis - 85, infectious hepatitis - 61, meningococcal infections - 48, septicemias - 46, acute infectious encephalitis - 24, measles - 18, chickenpox - 13, poliomyelitis - 12, and tetanus - 10, were the leading infectious and parasitic diseases. There were no deaths from typhoid fever, paratyphoid fever, and food poisoning. Diphtheria accounted for one death and whooping cough, three.

Table G. -- RESIDENT DEATHS DUE TO VASCULAR LESIONS AFFECTING THE CENTRAL NERVOUS SYSTEM, ILLINOIS: 1960

| Age | Total | Type of vascular lesion | | | | |
|---|---|---|---|---|---|---|
| | | Subarachnoid hemorrhage | Cerebral hemorrhage | Cerebral embolism and thrombosis | Spasm of cerebral arteries | Other |
| ALL AGES | 10,745 | 322 | 6,341 | 3,258 | -- | [illegible] |
| Under 1 year | [illegible] | 3 | 3 | -- | -- | [illegible] |
| 1-4 years | 3 | -- | -- | [illegible] | -- | [illegible] |
| 5-14 years | 11 | 7 | 3 | -- | -- | [illegible] |
| 15-24 years | 19 | 12 | [illegible] | [illegible] | -- | [illegible] |
| 25-44 years | 283 | 97 | 160 | [illegible] | -- | [illegible] |
| 45-64 years | 1,841 | 142 | 1,198 | 424 | -- | 77 |
| 65-74 years | 3,065 | 41 | 1,926 | 899 | -- | 199 |
| 75-84 years | 3,727 | 14 | 2,139 | 1,251 | -- | 323 |
| 85 and over | 1,788 | 6 | 906 | 663 | -- | 216 |

Source: Tabulations in Illinois Bureau of Statistics.

Table H. -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1960

| Age | Total | TRANSPORT ACCIDENTS | | | | | | | | | | | | | NON - TRANSPORT ACCIDENTS | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Motor vehicle | | | | | | | | | Other transport | | | | | | | | | | | |
| | | Collision | | | | | | Non-collision | | | | | | | | | | | | | | |
| | | Pedestrian | Other motor vehicle | R. R. train | Bicycle | Animal or animal drawn vehicle | Fixed object | Running off road | Other traffic | Other motor vehicle accidents | Other road vehicle | Water transport | Aircraft | Railway | Poisonings | Falls | Fire | Firearms | Mechanical suffocation | Drowning | Other | Therapeutic and non-therapeutic complications |
| NUMBER: | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 4,412 | 348 | 745 | 102 | 18 | -- | 82 | 354 | 171 | 13 | 13 | 53 | 87 | 74 | 214 | 840 | 369 | 100 | 56 | 243 | 508 | 22 |
| Under 1 year | 130 | -- | 12 | 1 | -- | -- | 2 | 3 | 2 | -- | -- | -- | 1 | -- | 1 | 12 | 18 | -- | 38 | 2 | 38 | -- |
| 1-4 years | 257 | 36 | 20 | 2 | -- | -- | 2 | 2 | 5 | -- | -- | 1 | 1 | 1 | 40 | 29 | 62 | 1 | 1 | 16 | 38 | 1 |
| 5-14 years | 283 | 40 | 22 | 8 | 14 | -- | 1 | 8 | 11 | 1 | 5 | 3 | 4 | 4 | 8 | 14 | 38 | 13 | 5 | 58 | 25 | -- |
| 15-24 years | 636 | 21 | 165 | 12 | 3 | -- | 31 | 121 | 49 | 1 | 3 | 11 | 13 | 4 | 27 | 15 | 13 | 34 | 3 | 58 | 50 | 2 |
| 25-44 years | 962 | 41 | 217 | 32 | -- | -- | 24 | 112 | 51 | 5 | -- | 29 | 43 | 25 | 64 | 55 | 57 | 23 | 5 | 45 | 129 | 5 |
| 45-64 years | 1,011 | 84 | 198 | 28 | -- | -- | 14 | 73 | 32 | 4 | 4 | 6 | 22 | 29 | 56 | 177 | 74 | 24 | 3 | 42 | 131 | 10 |
| 65-84 years | 909 | 111 | 102 | 19 | 1 | -- | 7 | 35 | 18 | 2 | 1 | 3 | 3 | 11 | 18 | 380 | 89 | 5 | -- | 19 | 83 | 2 |
| 85 and over | 224 | 15 | 9 | -- | -- | -- | 1 | -- | 3 | -- | -- | -- | -- | 1 | -- | 158 | 18 | -- | -- | 3 | 14 | 2 |
| RATE: | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 43.8 | 3.5 | 7.4 | 1.0 | 0.2 | -0- | 0.8 | 3.5 | 1.7 | 0.1 | 0.1 | 0.5 | 0.9 | 0.7 | 2.1 | 8.3 | 3.7 | 1.0 | 0.6 | 2.4 | 5.0 | 0.2 |
| Under 1 year | 56.2 | -0- | 5.2 | 0.4 | -0- | -0- | 0.9 | 1.3 | 0.9 | -0- | -0- | -0- | 0.4 | -0- | 0.4 | 5.2 | 7.8 | -0- | 16.4 | 0.9 | 16.4 | -0- |
| 1-4 years | 28.6 | 4.0 | 2.2 | 0.2 | -0- | -0- | 0.2 | 0.2 | 0.6 | -0- | -0- | 0.1 | 0.1 | -0- | 4.5 | 3.2 | 6.9 | 0.1 | 0.1 | 1.8 | 4.2 | 0.1 |
| 5-14 years | 15.1 | 2.1 | 1.2 | 0.4 | 0.7 | -0- | 0.1 | 0.4 | 0.6 | 0.1 | 0.3 | 0.2 | 0.2 | 0.2 | 0.4 | 0.7 | 2.0 | 0.7 | 0.3 | 3.1 | 1.3 | -0- |
| 15-24 years | 50.1 | 1.7 | 13.0 | 0.9 | 0.2 | -0- | 2.4 | 9.5 | 3.9 | 0.1 | 0.2 | 0.9 | 1.0 | 0.3 | 2.1 | 1.2 | 1.0 | 2.7 | 0.2 | 4.6 | 3.9 | 0.2 |
| 25-44 years | 36.0 | 1.5 | 8.1 | 1.2 | -0- | -0- | 0.9 | 4.2 | 1.9 | 0.2 | -0- | 1.1 | 1.6 | 0.9 | 2.4 | 2.1 | 2.1 | 0.9 | 0.2 | 1.7 | 4.8 | 0.2 |
| 45-64 years | 46.7 | 3.9 | 9.2 | 1.3 | -0- | -0- | 0.6 | 3.4 | 1.5 | 0.2 | 0.2 | 0.3 | 1.0 | 1.3 | 2.6 | 8.2 | 3.4 | 1.1 | 0.1 | 1.9 | 6.1 | 0.5 |
| 65-84 years | 98.5 | 12.0 | 11.1 | 2.1 | 0.1 | -0- | 0.8 | 3.8 | 2.0 | 0.2 | 0.1 | 0.3 | 0.3 | 1.2 | 2.0 | 41.2 | 9.6 | 0.5 | -0- | 2.1 | 9.0 | 0.2 |
| 85 and over | 430.2 | 28.8 | 17.3 | -0- | -0- | -0- | 1.9 | -0- | 5.8 | -0- | -0- | -0- | -0- | 1.9 | -0- | 303.5 | 34.6 | -0- | -0- | 5.8 | 26.9 | 3.8 |

Source: Tabulations in Illinois Bureau of Statistics.

Table I. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1960

| PLACE OF INJURY | All accidents | MOTOR VEHICLE | | | | NON-MOTOR VEHICLE | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Pedestrian | Other vehicle | Other | Occupational | | Home | | | Public | | |
| | | | | | | Farm | Non-farm | Fire and explosion | Falls | Other | Drowning | Falls | Other |
| NUMBER: | | | | | | | | | | | | | |
| All accidents | 4,203* | 1,741 | 331 | 738 | 672 | 63 | 255 | 309 | 548 | 413 | 212 | 205 | 457 |
| Place by population class: | | | | | | | | | | | | | |
| Chicago | 1,157 | 278 | 155 | 54 | 69 | -- | 82 | 153 | 189 | 142 | 74 | 99 | 140 |
| Cities of 100,000-500,000 | 62 | 21 | 11 | 5 | 5 | -- | 4 | 6 | 15 | 4 | 2 | 3 | 7 |
| Cities of 50,000- 99,999 | 174 | 67 | 19 | 26 | 22 | -- | 11 | 18 | 32 | 17 | 7 | 9 | 13 |
| Cities of 25,000- 49,999 | 223 | 77 | 22 | 24 | 31 | -- | 17 | 18 | 46 | 37 | 7 | 7 | 14 |
| Cities of 10,000- 24,999 | 258 | 82 | 24 | 28 | 30 | -- | 18 | 18 | 45 | 47 | 5 | 8 | 35 |
| Counties exclusive of cities of 10,000 and over | 1,989 | 1,170 | 92 | 581 | 497 | 62 | 114 | 91 | 139 | 140 | 109 | 18 | 146 |
| RATE PER 100,000 POPULATION: | | | | | | | | | | | | | |
| Place by population class: | | | | | | | | | | | | | |
| Chicago | 32.6 | 7.8 | 4.4 | 1.5 | 1.9 | -0- | 2.3 | 4.3 | 5.3 | 4.0 | 2.1 | 2.8 | 3.9 |
| Cities of 100,000-500,000 | 27.0 | 9.1 | 4.8 | 2.2 | 2.2 | -0- | 1.7 | 2.6 | 6.5 | 1.7 | 0.9 | 1.3 | 3.0 |
| Cities of 50,000- 99,999 | 21.6 | 8.3 | 2.4 | 3.2 | 2.7 | -0- | 1.4 | 2.2 | 4.0 | 2.1 | 0.9 | 1.1 | 1.6 |
| Cities of 25,000- 49,999 | 25.0 | 8.6 | 2.5 | 2.7 | 3.5 | -0- | 1.9 | 2.0 | 5.2 | 4.2 | 0.8 | 0.8 | 1.6 |
| Cities of 10,000- 24,999 | 22.3 | 7.1 | 2.1 | 2.4 | 2.6 | -0- | 1.6 | 1.6 | 3.9 | 4.1 | 0.4 | 0.7 | 3.0 |
| Counties exclusive of cities of 10,000 and over | 57.6 | 33.9 | 2.7 | 16.8 | 14.4 | 1.8 | 3.3 | 2.6 | 4.0 | 4.1 | 3.2 | 0.5 | 4.2 |

*Exclusive of 340 accidental deaths occurring in Illinois where the place of injury was either not stated or reported as Out-of-State.
Source: Tabulations in Illinois Bureau of Statistics.

Table 1. -- LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS, WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1960

(Live birth rates and death rates per 1,000 estimated midyear population. Infant and neonatal death rates and fetal death ratios per 1,000 live births. Maternal death rates per 10,000 live births)

| Year | Estimated population | Live births | | Deaths | | Infant deaths | | Neonatal deaths | | Maternal deaths | | Fetal deaths | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Ratio |
| 1960*... | 10,113,000 | 238,760 | 23.6 | 103,038 | 10.2 | 5,959 | 25.0 | 4,322 | 18.1 | 70 | 2.9 | 3,528 | 14.8 |
| 1959*... | 9,974,000 | 239,871 | 24.0 | 101,406 | 10.2 | 5,990 | 25.0 | 4,318 | 18.0 | 72 | 3.0 | 3,489 | 14.5 |
| 1958*... | 9,832,000 | 234,712 | 23.9 | 101,729 | 10.3 | 5,857 | 25.0 | 4,211 | 17.9 | 74 | 3.2 | 3,615 | 15.4 |
| 1957*... | 9,559,000 | 238,579 | 25.0 | 102,293 | 10.7 | 6,070 | 25.4 | 4,417 | 18.5 | 80 | 3.4 | 3,616 | 15.2 |
| 1956*... | 9,368,000 | 229,571 | 24.5 | 96,956 | 10.3 | 5,642 | 24.6 | 4,158 | 18.1 | 77 | 3.4 | 3,399 | 14.8 |
| 1955*... | 9,228,000 | 220,541 | 23.9 | 95,585 | 10.4 | 5,479 | 24.8 | 3,969 | 18.0 | 83 | 3.8 | 3,328 | 15.1 |
| 1954*... | 9,087,000 | 217,229 | 23.9 | 92,307 | 10.2 | 5,442 | 25.1 | 4,018 | 18.5 | 92 | 4.2 | 3,233 | 14.9 |
| 1953*... | 8,952,000 | 206,813 | 23.1 | 96,607 | 10.8 | 5,326 | 25.8 | 3,812 | 18.4 | 98 | 4.7 | 3,323 | 16.1 |
| 1952*... | 8,868,000 | 205,438 | 23.2 | 94,173 | 10.6 | 5,115 | 24.9 | 3,721 | 18.1 | 92 | 4.5 | 3,239 | 15.8 |
| 1951*... | 8,736,000 | 201,082 | 23.0 | 93,254 | 10.7 | 5,023 | 25.0 | 3,776 | 18.8 | 107 | 5.3 | 3,270 | 16.3 |
| 1950*... | 8,754,000 | 189,640 | 21.7 | 92,260 | 10.5 | 4,855 | 25.6 | 3,580 | 18.9 | 114 | 6.0 | 3,084 | 16.3 |
| 1949†... | 8,670,000 | 189,313 | 21.8 | 92,568 | 10.7 | 5,195 | 27.4 | 3,812 | 20.1 | 132 | 7.0 | 3,274 | 17.3 |
| 1948†... | 8,552,000 | 184,871 | 21.6 | 91,328 | 10.7 | 5,123 | 27.7 | 3,792 | 20.5 | 151 | 8.2 | 3,284 | 17.8 |
| 1947†... | 8,341,000 | 196,007 | 23.5 | 93,686 | 11.2 | 5,672 | 28.9 | 4,236 | 21.6 | 204 | 10.4 | 3,669 | 18.7 |
| 1946†... | 8,155,000 | 174,825 | 21.4 | 89,566 | 11.0 | 5,316 | 30.4 | 4,015 | 23.0 | 237 | 13.6 | 3,667 | 21.0 |
| 1945†... | 7,601,000 | 138,705 | 18.2 | 90,116 | 11.9 | 4,377 | 31.6 | 3,001 | 21.6 | 235 | 16.9 | 2,951 | 21.3 |
| 1944†... | 7,719,000 | 142,005 | 18.4 | 88,180 | 11.4 | 4,602 | 32.4 | 3,107 | 21.9 | 254 | 17.9 | 3,158 | 22.2 |
| 1943†... | 7,761,000 | 155,735 | 20.1 | 92,058 | 11.9 | 5,184 | 33.3 | 3,474 | 22.3 | 320 | 20.5 | 3,470 | 22.3 |
| 1942†... | 8,057,000 | 156,232 | 19.4 | 87,777 | 10.9 | 5,170 | 33.1 | 3,613 | 23.1 | 326 | 20.9 | 3,445 | 22.1 |
| 1941†... | 7,995,000 | 136,159 | 17.0 | 86,582 | 10.8 | 4,661 | 34.2 | 3,215 | 23.6 | 340 | 25.0 | 3,202 | 23.5 |
| 1940†... | 7,905,000 | 124,615 | 15.8 | 89,099 | 11.3 | 4,398 | 35.3 | 3,004 | 24.1 | 369 | 29.6 | 3,152 | 25.3 |
| 1939†... | 7,890,000 | 118,852 | 15.1 | 87,623 | 11.1 | 4,526 | 38.1 | 3,042 | 25.6 | 375 | 31.6 | 2,978 | 25.1 |
| 1938‡... | 7,866,000 | 122,562 | 15.6 | 84,769 | 10.8 | 5,016 | 40.9 | 3,244 | 26.5 | 412 | 33.6 | 3,207 | 26.2 |
| 1937‡... | 7,857,000 | 115,282 | 14.7 | 87,739 | 11.2 | 4,967 | 43.1 | 3,208 | 27.8 | 450 | 39.0 | 3,058 | 26.5 |
| 1936‡... | 7,840,000 | 112,167 | 14.3 | 92,806 | 11.8 | 5,246 | 46.8 | 3,315 | 29.6 | 500 | 44.6 | 3,099 | 27.6 |
| 1935‡... | 7,797,000 | 111,884 | 14.3 | 85,518 | 11.0 | 5,138 | 45.9 | 3,380 | 30.2 | 555 | 49.6 | 3,308 | 29.6 |
| 1934‡... | 7,772,000 | 110,226 | 14.2 | 87,205 | 11.2 | 5,825 | 52.8 | 3,633 | 33.0 | 568 | 51.5 | 3,333 | 30.2 |
| 1933‡... | 7,768,000 | 107,910 | 13.9 | 82,513 | 10.6 | 5,284 | 49.0 | 3,402 | 31.5 | 537 | 49.8 | 3,219 | 29.8 |
| 1932‡... | 7,736,000 | 111,512 | 14.4 | 83,180 | 10.8 | 5,884 | 52.8 | 3,639 | 32.6 | 625 | 56.0 | 3,446 | 30.9 |
| 1931‡... | 7,687,000 | 118,788 | 15.5 | 85,788 | 11.2 | 6,961 | 58.6 | 4,067 | 34.2 | 659 | 55.5 | 4,080 | 34.3 |
| 1930‡... | 7,644,000 | 128,121 | 16.8 | 83,591 | 10.9 | 7,152 | 55.8 | 4,356 | 34.0 | 699 | 54.6 | 4,311 | 33.6 |
| 1929‡... | 7,606,000 | 128,633 | 16.9 | 87,788 | 11.5 | 7,901 | 61.4 | 4,751 | 36.9 | 874 | 67.9 | 4,452 | 34.6 |
| 1928‡... | 7,576,000 | 129,667 | 17.1 | 90,195 | 11.9 | 8,326 | 64.2 | 4,760 | 36.7 | 743 | 57.3 | 4,677 | 36.1 |
| 1927‡... | 7,519,000 | 133,662 | 17.8 | 82,849 | 11.0 | 8,605 | 64.4 | 4,989 | 37.3 | 743 | 55.6 | 4,693 | 35.1 |
| 1926‡... | 7,395,000 | 133,939 | 18.1 | 85,331 | 11.5 | 9,294 | 69.4 | 5,043 | 37.7 | 871 | 65.0 | 4,879 | 36.4 |
| 1925‡... | 7,306,000 | 135,437 | 18.5 | 81,593 | 11.2 | 9,822 | 72.5 | 5,156 | 38.1 | 789 | 58.3 | 4,885 | 36.1 |
| 1924‡... | 7,215,000 | 137,118 | 19.0 | 77,133 | 10.7 | 9,734 | 71.0 | 5,475 | 39.9 | 844 | 61.6 | 5,290 | 38.6 |
| 1923‡... | 7,068,000 | 131,920 | 18.7 | 81,753 | 11.6 | 10,809 | 81.9 | 5,467 | 41.4 | 846 | 64.1 | 5,157 | 39.1 |
| 1922‡... | 6,958,000 | 134,050 | 19.3 | 75,771 | 10.9 | 10,195 | 76.1 | 5,438 | 40.6 | 847 | 63.2 | 4,826 | 36.0 |
| 1921‡... | 6,858,000 | n.a. | n.a. | 73,424 | 10.7 | 10,674 | n.a. | 5,620 | n.a. | 944 | n.a. | n.a. | n.a. |
| 1920‡... | 6,663,000 | n.a. | n.a. | 82,296 | 12.4 | 11,641 | n.a. | 5,584 | n.a. | 1,141 | n.a. | n.a. | n.a. |
| 1919‡... | 6,392,000 | n.a. | n.a. | 77,256 | 12.1 | 11,148 | n.a. | 5,317 | n.a. | 960 | n.a. | n.a. | n.a. |
| 1918‡... | 6,275,000 | n.a. | n.a. | 100,396 | 16.0 | 13,109 | n.a. | 5,897 | n.a. | 1,160 | n.a. | n.a. | n.a. |

*Data for the years 1950-1960, incl., are resident data from tabulations of the Illinois Department of Public Health.

†Data for the years 1939-1949, incl., are resident data as published by the National Office of Vital Statistics.

‡Data for the years 1918-1938, incl., are Illinois occurrences as published by the U. S. Bureau of the Census.

n.a. (not available) Illinois admitted to United States Birth Registration Area in 1922.

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960

| COUNTY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ILLINOIS.. | 238,760 | 200,483 | 38,277 | 5,959 | 4,443 | 1,516 | 4,322 | 3,347 | 975 | 3,528 | 2,641 | 887 |
| ADAMS..... | 1,446 | 1,393 | 53 | 27 | 24 | 3 | 23 | 20 | 3 | 14 | 14 | — |
| ALEXANDER.... | 341 | 190 | 151 | 14 | 8 | 6 | 6 | 5 | 1 | 6 | — | 6 |
| BOND..... | 290 | 288 | 2 | 4 | 4 | — | 3 | 3 | — | 3 | 3 | — |
| BOONE..... | 477 | 475 | 2 | 11 | 11 | — | 7 | 7 | — | 6 | 6 | — |
| BROWN..... | 108 | 108 | — | 3 | 3 | — | 3 | 3 | — | 3 | 3 | — |
| BUREAU..... | 747 | 746 | 1 | 23 | 23 | — | 16 | 16 | — | 11 | 11 | — |
| CALHOUN..... | 124 | 124 | — | 2 | 2 | — | 2 | 2 | — | 1 | 1 | — |
| CARROLL..... | 387 | 384 | 3 | 12 | 12 | — | 10 | 10 | — | 6 | 6 | — |
| CASS..... | 285 | 285 | — | 8 | 8 | — | 5 | 5 | — | 8 | 8 | — |
| CHAMPAIGN.... | 2,954 | 2,724 | 230 | 78 | 65 | 13 | 55 | 46 | 9 | 47 | 41 | 6 |
| CHRISTIAN.... | 808 | 805 | 3 | 24 | 24 | — | 16 | 16 | — | 12 | 12 | — |
| CLARK..... | 308 | 308 | — | 10 | 10 | — | 6 | 6 | — | 1 | 1 | — |
| CLAY..... | 302 | 302 | — | 3 | 3 | — | 3 | 3 | — | 3 | 3 | — |
| CLINTON..... | 586 | 585 | 1 | 15 | 14 | 1 | 13 | 12 | 1 | 6 | 6 | — |
| COLES..... | 921 | 912 | 9 | 22 | 21 | 1 | 18 | 17 | 1 | 10 | 10 | — |
| COOK..... | 125,923 | 93,389 | 32,534 | 3,261 | 1,983 | 1,278 | 2,308 | 1,475 | 833 | 2,036 | 1,255 | 781 |
| CRAWFORD..... | 382 | 382 | — | 8 | 8 | — | 6 | 6 | — | — | — | — |
| CUMBERLAND... | 209 | 209 | — | 4 | 4 | — | 4 | 4 | — | 1 | 1 | — |
| DE KALB..... | 1,221 | 1,215 | 6 | 20 | 20 | — | 16 | 16 | — | 20 | 20 | — |
| DE WITT..... | 314 | 314 | — | 5 | 5 | — | 3 | 3 | — | 5 | 5 | — |
| DOUGLAS..... | 447 | 447 | — | 14 | 14 | — | 12 | 12 | — | 7 | 7 | — |
| DU PAGE..... | 7,251 | 7,225 | 26 | 152 | 152 | — | 119 | 119 | — | 102 | 101 | 1 |
| EDGAR..... | 442 | 441 | 1 | 5 | 5 | — | 2 | 2 | — | 9 | 9 | — |
| EDWARDS..... | 134 | 131 | 3 | 2 | 2 | — | 2 | 2 | — | 2 | 2 | — |
| EFFINGHAM.... | 599 | 599 | — | 14 | 14 | — | 12 | 12 | — | 12 | 12 | — |
| FAYETTE..... | 379 | 377 | 2 | 7 | 7 | — | 4 | 4 | — | 3 | 3 | — |
| FORD..... | 349 | 348 | 1 | 9 | 9 | — | 4 | 4 | — | 3 | 3 | — |
| FRANKLIN..... | 604 | 604 | — | 12 | 12 | — | 8 | 8 | — | 6 | 6 | — |
| FULTON..... | 846 | 843 | 3 | 21 | 21 | — | 15 | 15 | — | 11 | 11 | — |
| GALLATIN..... | 137 | 135 | 2 | 2 | 2 | — | 1 | 1 | — | 3 | 3 | — |
| GREENE..... | 338 | 338 | — | 5 | 5 | — | 4 | 4 | — | 10 | 10 | — |
| GRUNDY..... | 531 | 531 | — | 16 | 16 | — | 13 | 13 | — | 7 | 7 | — |
| HAMILTON..... | 153 | 152 | 1 | — | — | — | — | — | — | 2 | 2 | — |
| HANCOCK..... | 457 | 456 | 1 | 7 | 7 | — | 5 | 5 | — | 8 | 8 | — |
| HARDIN..... | 96 | 96 | — | 4 | 4 | — | 2 | 2 | — | 1 | 1 | — |
| HENDERSON.... | 161 | 161 | — | 3 | 3 | — | 2 | 2 | — | 5 | 5 | — |
| HENRY..... | 1,056 | 1,041 | 15 | 19 | 17 | 2 | 11 | 10 | 1 | 15 | 15 | — |
| IROQUOIS..... | 688 | 685 | 3 | 19 | 19 | — | 13 | 13 | — | 6 | 6 | — |
| JACKSON..... | 881 | 821 | 60 | 21 | 17 | 4 | 13 | 12 | 1 | 4 | 4 | — |
| JASPER..... | 245 | 243 | 2 | 2 | 2 | — | 2 | 2 | — | 1 | 1 | — |
| JEFFERSON.... | 609 | 584 | 25 | 15 | 15 | — | 10 | 10 | — | 13 | 12 | 1 |
| JERSEY..... | 418 | 417 | 1 | 14 | 14 | — | 12 | 12 | — | 4 | 4 | — |
| JO DAVIESS... | 520 | 519 | 1 | 14 | 14 | — | 12 | 12 | — | 10 | 10 | — |
| JOHNSON..... | 123 | 121 | 2 | 3 | 3 | — | 1 | 1 | — | — | — | — |
| KANE..... | 5,127 | 4,989 | 138 | 128 | 122 | 6 | 93 | 89 | 4 | 62 | 58 | 4 |
| KANKAKEE..... | 2,050 | 1,857 | 193 | 50 | 37 | 13 | 30 | 26 | 4 | 27 | 22 | 5 |
| KENDALL..... | 431 | 431 | — | 7 | 7 | — | 7 | 7 | — | 7 | 7 | — |
| KNOX..... | 1,276 | 1,224 | 52 | 31 | 26 | 5 | 26 | 22 | 4 | 14 | 14 | — |
| LAKE..... | 7,268 | 6,753 | 515 | 161 | 145 | 16 | 114 | 101 | 13 | 90 | 78 | 12 |
| LA SALLE..... | 2,554 | 2,538 | 16 | 65 | 63 | 2 | 44 | 44 | — | 31 | 30 | 1 |

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

| COUNTY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAWRENCE | 359 | 350 | 9 | 4 | 4 | — | 4 | 4 | — | 4 | 3 | 1 |
| LEE | 749 | 737 | 12 | 24 | 24 | — | 19 | 19 | — | 10 | 9 | 1 |
| LIVINGSTON | 853 | 852 | 1 | 25 | 25 | — | 14 | 14 | — | 12 | 12 | — |
| LOGAN | 608 | 605 | 3 | 10 | 10 | — | 8 | 8 | — | 8 | 8 | — |
| MC DONOUGH | 565 | 561 | 4 | 16 | 16 | — | 12 | 12 | — | 7 | 7 | — |
| MC HENRY | 2,136 | 2,135 | 1 | 56 | 56 | — | 37 | 37 | — | 30 | 30 | — |
| MC LEAN | 1,857 | 1,819 | 38 | 38 | 35 | 3 | 34 | 31 | 3 | 26 | 26 | — |
| MACON | 2,780 | 2,573 | 207 | 50 | 46 | 4 | 37 | 35 | 2 | 29 | 28 | 1 |
| MACOUPIN | 774 | 774 | — | 21 | 21 | — | 17 | 17 | — | 11 | 11 | — |
| MADISON | 5,489 | 5,087 | 402 | 117 | 101 | 16 | 84 | 74 | 10 | 74 | 66 | 8 |
| MARION | 801 | 765 | 36 | 22 | 20 | 2 | 15 | 13 | 2 | 13 | 13 | — |
| MARSHALL | 266 | 265 | 1 | 8 | 8 | — | 6 | 6 | — | 2 | 2 | — |
| MASON | 317 | 317 | — | 11 | 11 | — | 11 | 11 | — | 3 | 3 | — |
| MASSAC | 287 | 266 | 21 | 6 | 5 | 1 | 5 | 4 | 1 | 4 | 4 | — |
| MENARD | 185 | 185 | — | 6 | 6 | — | 6 | 6 | — | 3 | 3 | — |
| MERCER | 365 | 365 | — | 11 | 11 | — | 10 | 10 | — | 7 | 7 | — |
| MONROE | 357 | 356 | 1 | 7 | 7 | — | 5 | 5 | — | 1 | 1 | — |
| MONTGOMERY | 621 | 620 | 1 | 14 | 14 | — | 9 | 9 | — | 10 | 10 | — |
| MORGAN | 680 | 664 | 16 | 15 | 13 | 2 | 12 | 11 | 1 | 4 | 4 | — |
| MOULTRIE | 275 | 274 | 1 | 1 | 1 | — | 1 | 1 | — | 6 | 6 | — |
| OGLE | 849 | 845 | 4 | 21 | 21 | — | 17 | 17 | — | 8 | 8 | — |
| PEORIA | 4,608 | 4,196 | 412 | 116 | 98 | 18 | 93 | 78 | 15 | 57 | 49 | 8 |
| PERRY | 345 | 339 | 6 | 6 | 6 | — | 6 | 6 | — | 1 | 1 | — |
| PIATT | 313 | 313 | — | 4 | 4 | — | 4 | 4 | — | 4 | 4 | — |
| PIKE | 397 | 397 | — | 7 | 7 | — | 7 | 7 | — | 4 | 4 | — |
| POPE | 67 | 65 | 2 | 2 | 2 | — | 2 | 2 | — | 3 | 3 | — |
| PULASKI | 220 | 111 | 109 | 15 | 5 | 10 | 8 | 4 | 4 | 7 | 1 | 6 |
| PUTNAM | 86 | 86 | — | 1 | 1 | — | 1 | 1 | — | 2 | 2 | — |
| RANDOLPH | 534 | 525 | 9 | 8 | 7 | 1 | 5 | 4 | 1 | 5 | 5 | — |
| RICHLAND | 385 | 385 | — | 3 | 3 | — | 3 | 3 | — | 6 | 6 | — |
| ROCK ISLAND | 3,631 | 3,468 | 163 | 95 | 91 | 4 | 76 | 73 | 3 | 62 | 58 | 4 |
| ST. CLAIR | 6,867 | 5,302 | 1,565 | 177 | 123 | 54 | 125 | 98 | 27 | 82 | 64 | 18 |
| SALINE | 417 | 403 | 14 | 9 | 9 | — | 8 | 8 | — | 7 | 5 | 2 |
| SANGAMON | 3,470 | 3,255 | 215 | 87 | 80 | 7 | 72 | 69 | 3 | 53 | 51 | 2 |
| SCHUYLER | 157 | 157 | — | 4 | 4 | — | 1 | 1 | — | 3 | 3 | — |
| SCOTT | 136 | 136 | — | 5 | 5 | — | 4 | 4 | — | 2 | 2 | — |
| SHELBY | 446 | 446 | — | 9 | 9 | — | 8 | 8 | — | 9 | 9 | — |
| STARK | 168 | 168 | — | 3 | 3 | — | 3 | 3 | — | 2 | 2 | — |
| STEPHENSON | 1,046 | 1,004 | 42 | 17 | 17 | — | 12 | 12 | — | 10 | 8 | 2 |
| TAZEWELL | 2,514 | 2,509 | 5 | 50 | 50 | — | 36 | 36 | — | 23 | 23 | — |
| UNION | 282 | 282 | — | 13 | 12 | 1 | 11 | 11 | — | 1 | 1 | — |
| VERMILION | 2,124 | 1,949 | 175 | 51 | 45 | 6 | 41 | 37 | 4 | 21 | 19 | 2 |
| WABASH | 296 | 296 | — | 8 | 8 | — | 7 | 7 | — | 6 | 6 | — |
| WARREN | 419 | 414 | 5 | 11 | 11 | — | 7 | 7 | — | 8 | 7 | 1 |
| WASHINGTON | 206 | 206 | — | 5 | 5 | — | 5 | 5 | — | 1 | 1 | — |
| WAYNE | 348 | 348 | — | 12 | 12 | — | 10 | 10 | — | 4 | 4 | — |
| WHITE | 357 | 357 | — | 9 | 9 | — | 7 | 7 | — | 3 | 3 | — |
| WHITESIDE | 1,545 | 1,542 | 3 | 48 | 48 | — | 40 | 40 | — | 16 | 15 | 1 |
| WILL | 4,820 | 4,429 | 391 | 126 | 111 | 15 | 94 | 88 | 6 | 59 | 55 | 4 |
| WILLIAMSON | 868 | 854 | 14 | 16 | 15 | 1 | 9 | 9 | — | 15 | 15 | — |
| WINNEBAGO | 5,614 | 5,283 | 331 | 158 | 140 | 18 | 116 | 101 | 15 | 78 | 69 | 9 |
| WOODFORD | 597 | 597 | — | 15 | 15 | — | 12 | 12 | — | 7 | 7 | — |
| UNSPECIFIED | 1 | 1 | — | 10 | 7 | 3 | 10 | 7 | 3 | 21 | 21 | — |

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960

(LIVE BIRTH RATES PER 1,000 POPULATION AS OF APRIL 1, 1960. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| COUNTY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ILLINOIS | 23.7 | 22.3 | 35.7 | 25.0 | 22.2 | 39.6 | 18.1 | 16.7 | 25.5 | 14.8 | 13.2 | 23.2 |
| ADAMS | 21.1 | 20.8 | 37.2 | 18.7 | 17.2 | 56.6 | 15.9 | 14.4 | 56.6 | 9.7 | 10.1 | -0- |
| ALEXANDER | 21.2 | 17.7 | 28.4 | 41.1 | 42.1 | 39.7 | 17.6 | 26.3 | 6.6 | 17.6 | -0- | 39.7 |
| BOND | 20.6 | 20.6 | 22.7 | 13.8 | 13.9 | -0- | 10.3 | 10.4 | -0- | 10.3 | 10.4 | -0- |
| BOONE | 23.5 | 23.4 | 39.2 | 23.1 | 23.2 | -0- | 14.7 | 14.7 | -0- | 12.6 | 12.6 | -0- |
| BROWN | 17.4 | 17.4 | -0- | 27.8 | 27.8 | -0- | 27.8 | 27.8 | -0- | 27.8 | 27.8 | -0- |
| BUREAU | 19.9 | 19.9 | 22.2 | 30.8 | 30.8 | -0- | 21.4 | 21.4 | -0- | 14.7 | 14.7 | -0- |
| CALHOUN | 20.9 | 20.9 | -0- | 16.1 | 16.1 | -0- | 16.1 | 16.1 | -0- | 8.1 | 8.1 | -0- |
| CARROLL | 19.8 | 19.8 | 29.4 | 31.0 | 31.2 | -0- | 25.8 | 26.0 | -0- | 15.5 | 15.6 | -0- |
| CASS | 19.6 | 19.6 | -0- | 28.1 | 28.1 | -0- | 17.5 | 17.5 | -0- | 28.1 | 28.1 | -0- |
| CHAMPAIGN | 22.3 | 21.9 | 29.4 | 26.4 | 23.9 | 56.5 | 18.6 | 16.9 | 39.1 | 15.9 | 15.1 | 26.1 |
| CHRISTIAN | 21.7 | 21.7 | 26.8 | 29.7 | 29.8 | -0- | 19.8 | 19.9 | -0- | 14.9 | 14.9 | -0- |
| CLARK | 18.6 | 18.6 | -0- | 32.5 | 32.5 | -0- | 19.5 | 19.5 | -0- | 3.2 | 3.2 | -0- |
| CLAY | 19.1 | 19.1 | -0- | 9.9 | 9.9 | -0- | 9.9 | 9.9 | -0- | 9.9 | 9.9 | -0- |
| CLINTON | 24.4 | 24.4 | 12.7 | 25.6 | 23.9 | 1,000.0 | 22.2 | 20.5 | 1,000.0 | 10.2 | 10.3 | -0- |
| COLES | 21.5 | 21.4 | 39.0 | 23.9 | 23.0 | 111.1 | 19.5 | 18.6 | 111.1 | 10.9 | 11.0 | -0- |
| COOK | 24.5 | 22.0 | 36.6 | 25.9 | 21.2 | 39.3 | 18.3 | 15.8 | 25.6 | 16.2 | 13.4 | 24.0 |
| CRAWFORD | 18.4 | 18.4 | -0- | 20.9 | 20.9 | -0- | 15.7 | 15.7 | -0- | -0- | -0- | -0- |
| CUMBERLAND | 21.0 | 21.0 | -0- | 19.1 | 19.1 | -0- | 19.1 | 19.1 | -0- | 4.8 | 4.8 | -0- |
| DE KALB | 23.6 | 23.6 | 18.6 | 16.4 | 16.5 | -0- | 13.1 | 13.2 | -0- | 16.4 | 16.5 | -0- |
| DE WITT | 18.2 | 18.2 | -0- | 15.9 | 15.9 | -0- | 9.6 | 9.6 | -0- | 15.9 | 15.9 | -0- |
| DOUGLAS | 23.2 | 23.2 | -0- | 31.3 | 31.3 | -0- | 26.8 | 26.8 | -0- | 15.7 | 15.7 | -0- |
| DU PAGE | 23.1 | 23.1 | 20.7 | 21.0 | 21.0 | -0- | 16.4 | 16.5 | -0- | 14.1 | 14.0 | 38.5 |
| EDGAR | 19.6 | 19.7 | 8.9 | 11.3 | 11.3 | -0- | 4.5 | 4.5 | -0- | 20.4 | 20.4 | -0- |
| EDWARDS | 16.9 | 16.5 | 150.0 | 14.9 | 15.3 | -0- | 14.9 | 15.3 | -0- | 14.9 | 15.3 | -0- |
| EFFINGHAM | 25.9 | 25.9 | -0- | 23.4 | 23.4 | -0- | 20.0 | 20.0 | -0- | 20.0 | 20.0 | -0- |
| FAYETTE | 17.3 | 17.5 | 4.8 | 18.5 | 18.6 | -0- | 10.6 | 10.6 | -0- | 7.9 | 8.0 | -0- |
| FORD | 21.0 | 21.0 | 16.7 | 25.8 | 25.9 | -0- | 11.5 | 11.5 | -0- | 8.6 | 8.6 | -0- |
| FRANKLIN | 15.4 | 15.4 | -0- | 19.9 | 19.9 | -0- | 13.2 | 13.2 | -0- | 9.9 | 9.9 | -0- |
| FULTON | 20.2 | 20.2 | 20.8 | 24.8 | 24.9 | -0- | 17.7 | 17.8 | -0- | 13.0 | 13.0 | -0- |
| GALLATIN | 17.9 | 17.9 | 23.5 | 14.6 | 14.8 | -0- | 7.3 | 7.4 | -0- | 21.9 | 22.2 | -0- |
| GREENE | 19.4 | 19.4 | -0- | 14.8 | 14.8 | -0- | 11.8 | 11.8 | -0- | 29.6 | 29.6 | -0- |
| GRUNDY | 23.8 | 23.8 | -0- | 30.1 | 30.1 | -0- | 24.5 | 24.5 | -0- | 13.2 | 13.2 | -0- |
| HAMILTON | 15.3 | 15.2 | 500.0 | -0- | -0- | -0- | -0- | -0- | -0- | 13.1 | 13.2 | -0- |
| HANCOCK | 18.6 | 18.6 | 35.7 | 15.3 | 15.4 | -0- | 10.9 | 11.0 | -0- | 17.5 | 17.5 | -0- |
| HARDIN | 16.3 | 16.4 | -0- | 41.7 | 41.7 | -0- | 20.8 | 20.8 | -0- | 10.4 | 10.4 | -0- |
| HENDERSON | 19.5 | 19.6 | -0- | 18.6 | 18.6 | -0- | 12.4 | 12.4 | -0- | 31.1 | 31.1 | -0- |
| HENRY | 21.4 | 21.3 | 28.8 | 18.0 | 16.3 | 133.3 | 10.4 | 9.6 | 66.7 | 14.2 | 14.4 | -0- |
| IROQUOIS | 20.5 | 20.5 | 19.6 | 27.6 | 27.7 | -0- | 18.9 | 19.0 | -0- | 8.7 | 8.8 | -0- |
| JACKSON | 20.9 | 21.0 | 19.4 | 23.8 | 20.7 | 66.7 | 14.8 | 14.6 | 16.7 | 4.5 | 4.9 | -0- |
| JASPER | 21.6 | 21.4 | 117.6 | 8.2 | 8.2 | -0- | 8.2 | 8.2 | -0- | 4.1 | 4.1 | -0- |
| JEFFERSON | 18.8 | 18.6 | 27.6 | 24.6 | 25.7 | -0- | 16.4 | 17.1 | -0- | 21.3 | 20.5 | 40.0 |
| JERSEY | 24.6 | 24.6 | 20.4 | 33.5 | 33.6 | -0- | 28.7 | 28.8 | -0- | 9.6 | 9.6 | -0- |
| JO DAVIESS | 23.8 | 23.8 | 90.9 | 26.9 | 27.0 | -0- | 23.1 | 23.1 | -0- | 19.2 | 19.3 | -0- |
| JOHNSON | 17.8 | 17.5 | 83.3 | 24.4 | 24.8 | -0- | 8.1 | 8.3 | -0- | -0- | -0- | -0- |
| KANE | 24.6 | 24.5 | 28.0 | 25.0 | 24.7 | 43.5 | 18.1 | 17.8 | 29.0 | 12.1 | 11.6 | 29.0 |
| KANKAKEE | 22.3 | 22.1 | 23.8 | 24.4 | 19.9 | 67.4 | 14.6 | 14.0 | 20.7 | 13.2 | 11.8 | 25.9 |
| KENDALL | 24.6 | 24.6 | -0- | 16.2 | 16.2 | -0- | 16.2 | 16.2 | -0- | 16.2 | 16.2 | -0- |
| KNOX | 20.8 | 20.6 | 27.7 | 24.3 | 21.2 | 96.2 | 20.4 | 18.0 | 76.9 | 11.0 | 11.4 | -0- |
| LAKE | 24.8 | 24.0 | 40.6 | 22.2 | 21.5 | 31.1 | 15.7 | 15.0 | 25.2 | 12.4 | 11.6 | 23.3 |
| LASALLE | 23.1 | 23.0 | 28.8 | 25.5 | 24.8 | 125.0 | 17.2 | 17.3 | -0- | 12.1 | 11.8 | 62.5 |

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

(LIVE BIRTH RATES PER 1,000 POPULATION AS OF APRIL 1, 1960. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| COUNTY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAWRENCE | 19.4 | 18.8 | 48.4 | 11.1 | 11.4 | -0- | 11.1 | 11.4 | -0- | 11.1 | 8.6 | 111.1 |
| LEE | 19.3 | 19.4 | 14.7 | 32.0 | 32.6 | -0- | 25.4 | 25.8 | -0- | 13.4 | 12.2 | 83.3 |
| LIVINGSTON | 21.1 | 21.6 | 1.0 | 29.3 | 29.3 | -0- | 16.4 | 16.4 | -0- | 14.1 | 14.1 | -0- |
| LOGAN | 18.1 | 18.3 | 5.4 | 16.4 | 16.5 | -0- | 13.2 | 13.2 | -0- | 13.2 | 13.2 | -0- |
| MC DONOUGH | 19.5 | 19.5 | 23.1 | 28.3 | 28.5 | -0- | 21.2 | 21.4 | -0- | 12.4 | 12.5 | -0- |
| MC HENRY | 25.4 | 25.4 | 8.6 | 26.2 | 26.2 | -0- | 17.3 | 17.3 | -0- | 14.0 | 14.1 | -0- |
| MC LEAN | 22.1 | 22.0 | 28.9 | 20.5 | 19.2 | 78.9 | 18.3 | 17.0 | 78.9 | 14.0 | 14.3 | -0- |
| MACON | 23.5 | 22.9 | 34.0 | 18.0 | 17.9 | 19.3 | 13.3 | 13.6 | 9.7 | 10.4 | 10.9 | 4.8 |
| MACOUPIN | 17.8 | 17.8 | -0- | 27.1 | 27.1 | -0- | 22.0 | 22.0 | -0- | 14.2 | 14.2 | -0- |
| MADISON | 24.4 | 23.9 | 33.3 | 21.3 | 19.9 | 39.8 | 15.3 | 14.5 | 24.9 | 13.5 | 13.0 | 19.9 |
| MARION | 20.4 | 20.1 | 26.4 | 27.5 | 26.1 | 55.6 | 18.7 | 17.0 | 55.6 | 16.2 | 17.0 | -0- |
| MARSHALL | 19.9 | 19.9 | 71.4 | 30.1 | 30.2 | -0- | 22.6 | 22.6 | -0- | 7.5 | 7.5 | -0- |
| MASON | 20.9 | 20.9 | -0- | 34.7 | 34.7 | -0- | 34.7 | 34.7 | -0- | 9.5 | 9.5 | -0- |
| MASSAC | 20.0 | 20.0 | 20.3 | 20.9 | 18.8 | 47.6 | 17.4 | 15.0 | 47.6 | 13.9 | 15.0 | -0- |
| MENARD | 20.0 | 20.0 | -0- | 32.4 | 32.4 | -0- | 32.4 | 32.4 | -0- | 16.2 | 16.2 | -0- |
| MERCER | 21.3 | 21.3 | -0- | 30.1 | 30.1 | -0- | 27.4 | 27.4 | -0- | 19.2 | 19.2 | -0- |
| MONROE | 23.0 | 23.0 | 90.9 | 19.6 | 19.7 | -0- | 14.0 | 14.0 | -0- | 2.8 | 2.8 | -0- |
| MONTGOMERY | 19.9 | 19.9 | 6.6 | 22.5 | 22.6 | -0- | 14.5 | 14.5 | -0- | 16.1 | 16.1 | -0- |
| MORGAN | 18.6 | 18.8 | 13.1 | 22.1 | 19.6 | 125.0 | 17.6 | 16.6 | 62.5 | 5.9 | 6.0 | -0- |
| MOULTRIE | 20.2 | 20.1 | 71.4 | 3.6 | 3.6 | -0- | 3.6 | 3.6 | -0- | 21.8 | 21.9 | -0- |
| OGLE | 22.3 | 22.2 | 81.6 | 24.7 | 24.9 | -0- | 20.0 | 20.1 | -0- | 9.4 | 9.5 | -0- |
| PEORIA | 24.4 | 23.5 | 39.6 | 25.2 | 23.4 | 43.7 | 20.2 | 18.6 | 36.4 | 12.4 | 11.7 | 19.4 |
| PERRY | 18.0 | 18.0 | 16.3 | 17.4 | 17.7 | -0- | 17.4 | 17.7 | -0- | 2.9 | 2.9 | -0- |
| PIATT | 20.9 | 20.9 | -0- | 12.8 | 12.8 | -0- | 12.8 | 12.8 | -0- | 12.8 | 12.8 | -0- |
| PIKE | 19.3 | 19.3 | -0- | 17.6 | 17.6 | -0- | 17.6 | 17.6 | -0- | 10.1 | 10.1 | -0- |
| POPE | 16.5 | 16.3 | 28.2 | 29.9 | 30.8 | -0- | 29.9 | 30.8 | -0- | 44.8 | 46.2 | -0- |
| PULASKI | 21.0 | 16.6 | 28.7 | 68.2 | 45.0 | 91.7 | 36.4 | 36.0 | 36.7 | 31.8 | 9.0 | 55.0 |
| PUTNAM | 18.8 | 18.9 | -0- | 11.6 | 11.6 | -0- | 11.6 | 11.6 | -0- | 23.3 | 23.3 | -0- |
| RANDOLPH | 17.8 | 18.4 | 6.1 | 15.0 | 13.3 | 111.1 | 9.4 | 7.6 | 111.1 | 9.4 | 9.5 | -0- |
| RICHLAND | 23.6 | 23.7 | -0- | 7.8 | 7.8 | -0- | 7.8 | 7.8 | -0- | 15.6 | 15.6 | -0- |
| ROCK ISLAND | 24.0 | 23.7 | 37.3 | 26.2 | 26.2 | 24.5 | 20.9 | 21.0 | 18.4 | 17.1 | 16.7 | 24.5 |
| ST. CLAIR | 26.2 | 24.7 | 32.5 | 25.8 | 23.2 | 34.5 | 18.2 | 18.5 | 17.3 | 11.9 | 12.1 | 11.5 |
| SALINE | 15.9 | 15.9 | 16.4 | 21.6 | 22.3 | -0- | 19.2 | 19.9 | -0- | 16.8 | 12.4 | 142.9 |
| SANGAMON | 23.7 | 23.2 | 35.7 | 25.1 | 24.6 | 32.6 | 20.7 | 21.2 | 14.0 | 15.3 | 15.7 | 9.3 |
| SCHUYLER | 18.0 | 18.0 | -0- | 25.5 | 25.5 | -0- | 6.4 | 6.4 | -0- | 19.1 | 19.1 | -0- |
| SCOTT | 21.3 | 21.3 | -0- | 36.8 | 36.8 | -0- | 29.4 | 29.4 | -0- | 14.7 | 14.7 | -0- |
| SHELBY | 19.1 | 19.1 | -0- | 20.2 | 20.2 | -0- | 17.9 | 17.9 | -0- | 20.2 | 20.2 | -0- |
| STARK | 20.6 | 20.6 | -0- | 17.9 | 17.9 | -0- | 17.9 | 17.9 | -0- | 11.9 | 11.9 | -0- |
| STEPHENSON | 22.6 | 22.5 | 28.2 | 16.3 | 16.9 | -0- | 11.5 | 12.0 | -0- | 9.6 | 8.0 | 47.6 |
| TAZEWELL | 25.2 | 25.2 | 96.2 | 19.9 | 19.9 | -0- | 14.3 | 14.3 | -0- | 9.1 | 9.2 | -0- |
| UNION | 16.0 | 16.3 | -0- | 46.1 | 42.6 | -0- | 39.0 | 39.0 | -0- | 3.5 | 3.5 | -0- |
| VERMILION | 22.1 | 21.4 | 33.3 | 24.0 | 23.1 | 34.3 | 19.3 | 19.0 | 22.9 | 9.9 | 9.7 | 11.4 |
| WABASH | 21.1 | 21.1 | -0- | 27.0 | 27.0 | -0- | 23.6 | 23.6 | -0- | 20.3 | 20.3 | -0- |
| WARREN | 19.4 | 19.5 | 15.2 | 26.3 | 26.6 | -0- | 16.7 | 16.9 | -0- | 19.1 | 16.9 | 200.0 |
| WASHINGTON | 15.2 | 15.2 | -0- | 24.3 | 24.3 | -0- | 24.3 | 24.3 | -0- | 4.9 | 4.9 | -0- |
| WAYNE | 18.3 | 18.3 | -0- | 34.5 | 34.5 | -0- | 28.7 | 28.7 | -0- | 11.5 | 11.5 | -0- |
| WHITE | 18.4 | 18.5 | -0- | 25.2 | 25.2 | -0- | 19.6 | 19.6 | -0- | 8.4 | 8.4 | -0- |
| WHITESIDE | 25.8 | 25.8 | 19.1 | 31.1 | 31.1 | -0- | 25.9 | 25.9 | -0- | 10.4 | 9.7 | 333.3 |
| WILL | 25.2 | 24.7 | 32.2 | 26.1 | 25.1 | 38.4 | 19.5 | 19.9 | 15.3 | 12.2 | 12.4 | 10.2 |
| WILLIAMSON | 18.8 | 18.8 | 19.6 | 18.4 | 17.6 | 71.4 | 10.4 | 10.5 | -0- | 17.3 | 17.6 | -0- |
| WINNEBAGO | 26.8 | 26.3 | 37.8 | 28.1 | 26.5 | 54.4 | 20.7 | 19.1 | 45.3 | 13.9 | 13.1 | 27.2 |
| WOODFORD | 24.3 | 24.3 | -0- | 25.1 | 25.1 | -0- | 20.1 | 20.1 | -0- | 11.7 | 11.7 | -0- |

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960

| CITY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALTON | 1,071 | 899 | 172 | 25 | 18 | 7 | 18 | 13 | 5 | 13 | 9 | 4 |
| ARLINGTON HEIGHTS | 771 | 770 | 1 | 15 | 15 | -- | 13 | 13 | -- | 10 | 10 | -- |
| AURORA | 1,730 | 1,646 | 84 | 55 | 53 | 2 | 38 | 37 | 1 | 28 | 24 | 4 |
| BELLEVILLE | 1,012 | 1,005 | 7 | 22 | 21 | 1 | 21 | 20 | 1 | 14 | 14 | -- |
| BELLWOOD | 475 | 473 | 2 | 12 | 12 | -- | 10 | 10 | -- | 4 | 4 | -- |
| BELVIDERE | 274 | 273 | 1 | 7 | 7 | -- | 6 | 6 | -- | 4 | 4 | -- |
| BERWYN | 1,045 | 1,043 | 2 | 15 | 15 | -- | 12 | 12 | -- | 15 | 15 | -- |
| BLOOMINGTON | 891 | 856 | 35 | 15 | 12 | 3 | 14 | 11 | 3 | 16 | 16 | -- |
| BLUE ISLAND | 557 | 535 | 22 | 11 | 10 | 1 | 8 | 7 | 1 | 9 | 7 | 2 |
| BROOKFIELD | 418 | 417 | 1 | 7 | 7 | -- | 4 | 4 | -- | 1 | 1 | -- |
| CAHOKIA | 435 | 434 | 1 | 13 | 12 | 1 | 12 | 11 | 1 | 2 | 2 | -- |
| CALUMET CITY | 653 | 653 | -- | 15 | 15 | -- | 9 | 9 | -- | 3 | 3 | -- |
| CANTON | 273 | 270 | 3 | 4 | 4 | -- | 2 | 2 | -- | 4 | 4 | -- |
| CARBONDALE | 288 | 249 | 39 | 7 | 5 | 2 | 4 | 4 | -- | 1 | 1 | -- |
| CARPENTERSVILLE | 588 | 587 | 1 | 13 | 13 | -- | 9 | 9 | -- | 4 | 4 | -- |
| CENTRALIA | 301 | 266 | 35 | 9 | 7 | 2 | 7 | 5 | 2 | 8 | 8 | -- |
| CENTREVILLE | 276 | 130 | 146 | 13 | 2 | 11 | 6 | 2 | 4 | 4 | 1 | 3 |
| CHAMPAIGN | 1,296 | 1,125 | 171 | 27 | 20 | 7 | 20 | 15 | 5 | 21 | 16 | 5 |
| CHARLESTON | 198 | 197 | 1 | 4 | 4 | -- | 4 | 4 | -- | 1 | 1 | -- |
| CHICAGO | 88,537 | 57,673 | 30,864 | 2,565 | 1,347 | 1,218 | 1,780 | 988 | 792 | 1,584 | 851 | 733 |
| CHICAGO HEIGHTS | 1,226 | 961 | 265 | 42 | 29 | 13 | 26 | 19 | 7 | 27 | 15 | 12 |
| CICERO | 1,366 | 1,366 | -- | 23 | 23 | -- | 18 | 18 | -- | 14 | 14 | -- |
| COLLINSVILLE | 371 | 360 | 11 | 6 | 6 | -- | 4 | 4 | -- | 3 | 3 | -- |
| DANVILLE | 1,016 | 854 | 162 | 27 | 21 | 6 | 21 | 17 | 4 | 9 | 7 | 2 |
| DECATUR | 1,978 | 1,771 | 207 | 37 | 33 | 4 | 28 | 26 | 2 | 19 | 18 | 1 |
| DE KALB | 434 | 431 | 3 | 8 | 8 | -- | 7 | 7 | -- | 9 | 9 | -- |
| DEERFIELD | 343 | 343 | -- | 6 | 6 | -- | 6 | 6 | -- | 4 | 4 | -- |
| DES PLAINES | 1,093 | 1,092 | 1 | 17 | 17 | -- | 15 | 15 | -- | 5 | 5 | -- |
| DIXON | 318 | 308 | 10 | 11 | 11 | -- | 9 | 9 | -- | 8 | 7 | 1 |
| DOLTON | 570 | 570 | -- | 10 | 10 | -- | 7 | 7 | -- | 7 | 7 | -- |
| DOWNERS GROVE | 568 | 566 | 2 | 12 | 12 | -- | 11 | 11 | -- | 7 | 7 | -- |
| EAST MOLINE | 378 | 352 | 26 | 8 | 6 | 2 | 7 | 5 | 2 | 9 | 8 | 1 |
| EAST PEORIA | 365 | 365 | -- | 12 | 12 | -- | 11 | 11 | -- | 4 | 4 | -- |
| EAST ST. LOUIS | 2,491 | 1,212 | 1,279 | 71 | 32 | 39 | 45 | 26 | 19 | 34 | 20 | 14 |
| EDWARDSVILLE | 230 | 219 | 11 | 5 | 4 | 1 | 4 | 3 | 1 | 1 | -- | 1 |
| ELGIN | 964 | 917 | 47 | 29 | 25 | 4 | 23 | 21 | 2 | 9 | 9 | -- |
| ELMHURST | 739 | 738 | 1 | 13 | 13 | -- | 7 | 7 | -- | 14 | 14 | -- |
| ELMWOOD PARK | 498 | 498 | -- | 10 | 10 | -- | 9 | 9 | -- | 5 | 5 | -- |
| EVANSTON | 1,643 | 1,321 | 322 | 35 | 27 | 8 | 29 | 22 | 7 | 26 | 15 | 11 |
| EVERGREEN PARK | 458 | 458 | -- | 9 | 9 | -- | 6 | 6 | -- | 7 | 7 | -- |
| FOREST PARK | 358 | 356 | 2 | 15 | 15 | -- | 14 | 14 | -- | 6 | 6 | -- |
| FRANKLIN PARK | 447 | 447 | -- | 7 | 7 | -- | 7 | 7 | -- | 6 | 6 | -- |
| FREEPORT | 623 | 582 | 41 | 12 | 12 | -- | 9 | 9 | -- | 4 | 2 | 2 |
| GALESBURG | 781 | 736 | 45 | 20 | 15 | 5 | 17 | 13 | 4 | 10 | 10 | -- |
| GLENCOE | 99 | 96 | 3 | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| GLEN ELLYN | 359 | 358 | 1 | 13 | 13 | -- | 12 | 12 | -- | 7 | 7 | -- |
| GLENVIEW | 539 | 539 | -- | 10 | 10 | -- | 8 | 8 | -- | 6 | 6 | -- |
| GRANITE CITY | 1,123 | 1,119 | 4 | 24 | 24 | -- | 19 | 19 | -- | 20 | 20 | -- |
| HARVEY | 830 | 733 | 97 | 18 | 16 | 2 | 14 | 13 | 1 | 11 | 10 | 1 |
| HIGHLAND PARK | 407 | 405 | 2 | 8 | 8 | -- | 5 | 5 | -- | 5 | 5 | -- |
| HINSDALE | 269 | 269 | -- | 5 | 5 | -- | 4 | 4 | -- | 1 | 1 | -- |
| HOMEWOOD | 220 | 219 | 1 | 5 | 5 | -- | 4 | 4 | -- | 5 | 5 | -- |
| JACKSONVILLE | 356 | 340 | 16 | 9 | 7 | 2 | 8 | 7 | 1 | 2 | 2 | -- |
| JOLIET | 1,586 | 1,450 | 136 | 41 | 37 | 4 | 31 | 30 | 1 | 19 | 18 | 1 |
| KANKAKEE | 699 | 589 | 110 | 20 | 14 | 6 | 12 | 9 | 3 | 15 | 12 | 3 |
| KEWANEE | 346 | 331 | 15 | 6 | 4 | 2 | 4 | 3 | 1 | 2 | 2 | -- |
| LA GRANGE | 374 | 342 | 32 | 9 | 6 | 3 | 8 | 5 | 3 | 6 | 6 | -- |
| LA GRANGE PARK | 232 | 231 | 1 | -- | -- | -- | -- | -- | -- | 2 | 2 | -- |

TABLE 3A. — LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

| CITY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAKE FOREST | 150 | 147 | 3 | 4 | 4 | — | 3 | 3 | — | 2 | 2 | — |
| LANSING | 400 | 400 | — | 8 | 8 | — | 8 | 8 | — | — | — | — |
| LA SALLE | 230 | 228 | 2 | 7 | 7 | — | 6 | 6 | — | 2 | 2 | — |
| LINCOLN | 289 | 286 | 3 | 5 | 5 | — | 5 | 5 | — | 3 | 3 | — |
| LINCOLNWOOD | 126 | 126 | — | 4 | 4 | — | 4 | 4 | — | 1 | 1 | — |
| LOMBARD | 623 | 622 | 1 | 20 | 20 | — | 15 | 15 | — | 7 | 7 | — |
| MACOMB | 236 | 233 | 3 | 7 | 7 | — | 6 | 6 | — | 4 | 4 | — |
| MARION | 237 | 230 | 7 | 3 | 2 | 1 | 2 | 2 | — | 7 | 7 | — |
| MARKHAM | 363 | 295 | 68 | 6 | 5 | 1 | 4 | 3 | 1 | 9 | 7 | 2 |
| MATTOON | 465 | 457 | 8 | 8 | 7 | 1 | 8 | 7 | 1 | 7 | 7 | — |
| MAYWOOD | 630 | 461 | 169 | 14 | 9 | 5 | 11 | 8 | 3 | 10 | 6 | 4 |
| MELROSE PARK | 851 | 846 | 5 | 6 | 6 | — | 5 | 5 | — | 15 | 15 | — |
| MOLINE | 1,043 | 1,029 | 14 | 31 | 31 | — | 24 | 24 | — | 15 | 15 | — |
| MONMOUTH | 218 | 213 | 5 | 4 | 4 | — | 1 | 1 | — | 4 | 3 | 1 |
| MORTON GROVE | 454 | 446 | 8 | 7 | 7 | — | 6 | 6 | — | 6 | 6 | — |
| MOUNT PROSPECT | 501 | 500 | 1 | 8 | 8 | — | 8 | 8 | — | 3 | 3 | — |
| MOUNT VERNON | 327 | 302 | 25 | 10 | 10 | — | 6 | 6 | — | 9 | 8 | 1 |
| MUNDELEIN | 340 | 339 | 1 | 4 | 4 | — | 1 | 1 | — | 6 | 6 | — |
| NAPERVILLE | 325 | 324 | 1 | 8 | 8 | — | 7 | 7 | — | 8 | 8 | — |
| NILES | 529 | 529 | — | 7 | 7 | — | 4 | 4 | — | 3 | 3 | — |
| NORMAL | 244 | 241 | 3 | 9 | 9 | — | 7 | 7 | — | 2 | 2 | — |
| NORRIDGE | 312 | 311 | 1 | 4 | 4 | — | 4 | 4 | — | 4 | 4 | — |
| NORTH CHICAGO | 589 | 400 | 189 | 12 | 6 | 6 | 8 | 4 | 4 | 6 | 2 | 4 |
| NORTHLAKE | 258 | 258 | — | 3 | 3 | — | 2 | 2 | — | 6 | 6 | — |
| NORTHBROOK | 389 | 388 | 1 | 9 | 9 | — | 7 | 7 | — | 1 | 1 | — |
| OAK LAWN | 1,438 | 1,437 | 1 | 29 | 29 | — | 23 | 23 | — | 26 | 26 | — |
| OAK PARK | 1,130 | 1,128 | 2 | 16 | 16 | — | 12 | 12 | — | 13 | 13 | — |
| OTTAWA | 515 | 513 | 2 | 16 | 16 | — | 13 | 13 | — | 9 | 9 | — |
| PALATINE | 376 | 376 | — | 7 | 7 | — | 6 | 6 | — | 4 | 4 | — |
| PARK FOREST | 998 | 990 | 8 | 16 | 15 | 1 | 14 | 13 | 1 | 11 | 11 | — |
| PARK RIDGE | 540 | 540 | — | 9 | 9 | — | 6 | 6 | — | 7 | 7 | — |
| PEKIN | 675 | 672 | 3 | 10 | 10 | — | 8 | 8 | — | 5 | 5 | — |
| PEORIA | 2,451 | 2,061 | 390 | 69 | 52 | 17 | 56 | 42 | 14 | 37 | 29 | 8 |
| PERU | 244 | 244 | — | 4 | 4 | — | 1 | 1 | — | 1 | 1 | — |
| QUINCY | 980 | 928 | 52 | 25 | 22 | 3 | 21 | 18 | 3 | 11 | 11 | — |
| RANTOUL | 134 | 134 | — | 15 | 10 | 5 | 7 | 4 | 3 | 9 | 8 | 1 |
| RIVERDALE | 279 | 279 | — | 6 | 6 | — | 2 | 2 | — | 4 | 4 | — |
| RIVER FOREST | 140 | 139 | 1 | 5 | 5 | — | 4 | 4 | — | 1 | 1 | — |
| ROCK FALLS | 326 | 326 | — | 8 | 8 | — | 6 | 6 | — | 3 | 3 | — |
| ROCKFORD | 3,299 | 3,092 | 207 | 104 | 90 | 14 | 77 | 65 | 12 | 52 | 46 | 6 |
| ROCK ISLAND | 1,201 | 1,080 | 121 | 32 | 30 | 2 | 27 | 26 | 1 | 22 | 19 | 3 |
| ROLLING MEADOWS | 375 | 375 | — | 11 | 11 | — | 10 | 10 | — | 6 | 6 | — |
| SKOKIE | 1,106 | 1,102 | 4 | 25 | 25 | — | 18 | 18 | — | 20 | 20 | — |
| SOUTH HOLLAND | 282 | 281 | 1 | 2 | 2 | — | 2 | 2 | — | 2 | 2 | — |
| SPRINGFIELD | 2,007 | 1,797 | 210 | 57 | 50 | 7 | 45 | 42 | 3 | 33 | 31 | 2 |
| STERLING | 424 | 422 | 2 | 13 | 13 | — | 11 | 11 | — | 4 | 4 | — |
| STREATOR | 407 | 396 | 11 | 13 | 11 | 2 | 8 | 8 | — | 7 | 6 | 1 |
| SUMMIT | 307 | 236 | 71 | 13 | 8 | 5 | 10 | 7 | 3 | 4 | 3 | 1 |
| URBANA | 826 | 768 | 58 | 18 | 17 | 1 | 15 | 14 | 1 | 9 | 9 | — |
| VILLA PARK | 557 | 557 | — | 8 | 8 | — | 7 | 7 | — | 10 | 10 | — |
| WAUKEGAN | 1,698 | 1,461 | 237 | 41 | 31 | 10 | 30 | 21 | 9 | 23 | 15 | 8 |
| WESTCHESTER | 364 | 364 | — | 5 | 5 | — | 4 | 4 | — | 4 | 4 | — |
| WESTERN SPRINGS | 155 | 155 | — | -- | -- | -- | -- | -- | -- | 1 | 1 | — |
| WHEATON | 500 | 488 | 12 | 8 | 8 | — | 7 | 7 | — | 7 | 6 | 1 |
| WILMETTE | 475 | 474 | 1 | 10 | 10 | — | 5 | 5 | — | 4 | 4 | — |
| WINNETKA | 146 | 144 | 2 | 2 | 2 | — | 2 | 2 | — | 5 | 5 | — |
| WOOD RIVER | 252 | 251 | 1 | 7 | 7 | — | 4 | 4 | — | 2 | 2 | — |
| ZION | 379 | 354 | 25 | 9 | 9 | — | 6 | 6 | — | 2 | 2 | — |

TABLE 38. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960

(LIVE BIRTH RATES PER 1,000 POPULATION ON APRIL 1, 1960. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| CITY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALTON | 24.9 | 23.6 | 34.5 | 23.3 | 20.0 | 40.7 | 16.8 | 14.5 | 29.1 | 12.1 | 10.0 | 23.3 |
| ARLINGTON HEIGHTS | 27.7 | 27.6 | 34.5 | 19.5 | 19.5 | -0- | 16.9 | 16.9 | -0- | 13.0 | 13.0 | -0- |
| AURORA | 27.2 | 26.8 | 36.6 | 31.8 | 32.2 | 23.8 | 22.0 | 22.5 | 11.9 | 16.2 | 14.6 | 47.6 |
| BELLEVILLE | 27.2 | 27.1 | 29.7 | 21.7 | 20.9 | 142.9 | 20.8 | 19.9 | 142.9 | 13.8 | 13.9 | -0- |
| BELLWOOD | 22.9 | 22.8 | 100.0 | 25.3 | 25.4 | -0- | 21.1 | 21.1 | -0- | 8.4 | 8.5 | -0- |
| BELVIDERE | 24.4 | 24.4 | 25.6 | 25.5 | 25.6 | -0- | 21.9 | 22.0 | -0- | 14.6 | 14.7 | -0- |
| BERWYN | 19.3 | 19.3 | 37.7 | 14.4 | 14.4 | -0- | 11.5 | 11.5 | -0- | 14.4 | 14.4 | -0- |
| BLOOMINGTON | 24.6 | 24.3 | 32.2 | 16.8 | 14.0 | 85.7 | 15.7 | 12.9 | 85.7 | 18.0 | 18.7 | -0- |
| BLUE ISLAND | 28.4 | 27.7 | 68.1 | 19.7 | 18.7 | 45.5 | 14.4 | 13.1 | 45.5 | 16.2 | 13.1 | 90.9 |
| BROOKFIELD | 20.5 | 20.4 | 33.3 | 16.7 | 16.8 | -0- | 9.6 | 9.6 | -0- | 2.4 | 2.4 | -0- |
| CAHOKIA | 27.5 | 27.5 | 16.1 | 29.9 | 27.6 | 1,000.0 | 27.6 | 25.3 | 1,000.0 | 4.6 | 4.6 | -0- |
| CALUMET CITY | 26.1 | 26.2 | -0- | 23.0 | 23.0 | -0- | 13.8 | 13.8 | -0- | 4.6 | 4.6 | -0- |
| CANTON | 20.1 | 20.0 | 25.2 | 14.7 | 14.8 | -0- | 7.3 | 7.4 | -0- | 14.7 | 14.8 | -0- |
| CARBONDALE | 19.6 | 19.6 | 19.7 | 24.3 | 20.1 | 51.3 | 13.9 | 16.1 | -0- | 3.5 | 4.0 | -0- |
| CARPENTERSVILLE | 33.7 | 33.7 | 41.7 | 22.1 | 22.1 | -0- | 15.3 | 15.3 | -0- | 6.8 | 6.8 | -0- |
| CENTRALIA | 21.6 | 21.2 | 26.3 | 29.9 | 26.3 | 57.1 | 23.3 | 18.8 | 57.1 | 26.6 | 30.1 | -0- |
| CENTREVILLE | 21.6 | 23.1 | 20.5 | 47.1 | 15.4 | 75.3 | 21.7 | 15.4 | 27.4 | 14.5 | 7.7 | 20.5 |
| CHAMPAIGN | 26.1 | 25.2 | 35.0 | 20.8 | 17.8 | 40.9 | 15.4 | 13.3 | 29.2 | 16.2 | 14.2 | 29.2 |
| CHARLESTON | 18.8 | 18.8 | 27.8 | 20.2 | 20.3 | -0- | 20.2 | 20.3 | -0- | 5.1 | 5.1 | -0- |
| CHICAGO | 24.9 | 21.3 | 36.8 | 29.0 | 23.4 | 39.4 | 20.1 | 17.1 | 25.7 | 17.9 | 14.8 | 23.7 |
| CHICAGO HEIGHTS | 35.7 | 34.6 | 40.4 | 34.3 | 30.2 | 49.1 | 21.2 | 19.8 | 26.4 | 22.0 | 15.6 | 45.3 |
| CICERO | 19.8 | 19.8 | -0- | 16.8 | 16.8 | -0- | 13.2 | 13.2 | -0- | 10.2 | 10.2 | -0- |
| COLLINSVILLE | 26.1 | 25.9 | 34.0 | 16.2 | 16.7 | -0- | 10.8 | 11.1 | -0- | 8.1 | 8.3 | -0- |
| DANVILLE | 24.3 | 22.9 | 35.2 | 26.6 | 24.6 | 37.0 | 20.7 | 19.9 | 24.7 | 8.9 | 8.2 | 12.3 |
| DECATUR | 25.4 | 24.6 | 34.4 | 18.7 | 18.6 | 19.3 | 14.2 | 14.7 | 9.7 | 9.6 | 10.2 | 4.8 |
| DE KALB | 23.5 | 23.4 | 33.7 | 18.4 | 18.6 | -0- | 16.1 | 16.2 | -0- | 20.7 | 20.9 | -0- |
| DEERFIELD | 29.1 | 29.1 | -0- | 17.5 | 17.5 | -0- | 17.5 | 17.5 | -0- | 11.7 | 11.7 | -0- |
| DES PLAINES | 31.3 | 31.3 | 20.8 | 15.6 | 15.6 | -0- | 13.7 | 13.7 | -0- | 4.6 | 4.6 | -0- |
| DIXON | 16.3 | 16.4 | 13.2 | 34.6 | 35.7 | -0- | 28.3 | 29.2 | -0- | 25.2 | 22.7 | 100.0 |
| DOLTON | 30.4 | 30.4 | -0- | 17.5 | 17.5 | -0- | 12.3 | 12.3 | -0- | 12.3 | 12.3 | -0- |
| DOWNERS GROVE | 26.9 | 26.8 | 35.7 | 21.1 | 21.2 | -0- | 19.4 | 19.4 | -0- | 12.3 | 12.4 | -0- |
| EAST MOLINE | 22.6 | 22.6 | 22.7 | 21.2 | 17.0 | 76.9 | 18.5 | 14.2 | 76.9 | 23.8 | 22.7 | 38.5 |
| EAST PEORIA | 29.7 | 29.7 | -0- | 32.9 | 32.9 | -0- | 30.1 | 30.1 | -0- | 11.0 | 11.0 | -0- |
| EAST ST. LOUIS | 30.5 | 26.7 | 35.1 | 28.5 | 26.4 | 30.5 | 18.1 | 21.5 | 14.9 | 13.6 | 16.5 | 10.9 |
| EDWARDSVILLE | 23.0 | 22.9 | 24.5 | 21.7 | 18.3 | 90.9 | 17.4 | 13.7 | 90.9 | 4.3 | -0- | 90.9 |
| ELGIN | 19.5 | 19.2 | 28.5 | 30.1 | 27.3 | 85.1 | 23.9 | 22.9 | 42.6 | 9.3 | 9.8 | -0- |
| ELMHURST | 20.0 | 20.0 | 15.9 | 17.6 | 17.6 | -0- | 9.5 | 9.5 | -0- | 18.9 | 19.0 | -0- |
| ELMWOOD PARK | 20.9 | 20.9 | -0- | 20.1 | 20.1 | -0- | 18.1 | 18.1 | -0- | 10.0 | 10.0 | -0- |
| EVANSTON | 20.7 | 18.9 | 33.7 | 21.3 | 20.4 | 24.8 | 17.7 | 16.7 | 21.7 | 15.8 | 11.4 | 34.2 |
| EVERGREEN PARK | 18.9 | 19.0 | -0- | 19.7 | 19.7 | -0- | 13.1 | 13.1 | -0- | 15.3 | 15.3 | -0- |
| FOREST PARK | 24.8 | 24.7 | 58.8 | 41.9 | 42.1 | -0- | 39.1 | 39.3 | -0- | 16.8 | 16.9 | -0- |
| FRANKLIN PARK | 24.4 | 24.4 | -0- | 15.7 | 15.7 | -0- | 15.7 | 15.7 | -0- | 13.4 | 13.4 | -0- |
| FREEPORT | 23.4 | 23.0 | 31.3 | 19.3 | 20.6 | -0- | 14.4 | 15.5 | -0- | 6.4 | 3.4 | 48.8 |
| GALESBURG | 21.0 | 20.7 | 26.8 | 25.6 | 20.4 | 111.1 | 21.8 | 17.7 | 88.9 | 12.8 | 13.6 | -0- |
| GLENCOE | 9.5 | 9.8 | 4.4 | -0- | -0- | -0- | -0- | -0- | -0- | -0- | -0- | -0- |
| GLEN ELLYN | 22.5 | 22.5 | 12.2 | 36.2 | 36.3 | -0- | 33.4 | 33.5 | -0- | 19.5 | 19.6 | -0- |
| GLENVIEW | 29.7 | 29.8 | -0- | 18.6 | 18.6 | -0- | 14.8 | 14.8 | -0- | 11.1 | 11.1 | -0- |
| GRANITE CITY | 28.0 | 28.0 | 44.4 | 21.4 | 21.4 | -0- | 16.9 | 17.0 | -0- | 17.8 | 17.9 | -0- |
| HARVEY | 28.6 | 27.1 | 48.4 | 21.7 | 21.8 | 20.6 | 16.9 | 17.7 | 10.3 | 13.3 | 13.6 | 10.3 |
| HIGHLAND PARK | 15.9 | 16.2 | 3.6 | 19.7 | 19.8 | -0- | 12.3 | 12.3 | -0- | 12.3 | 12.3 | -0- |
| HINSDALE | 20.9 | 21.1 | -0- | 18.6 | 18.6 | -0- | 14.9 | 14.9 | -0- | 3.7 | 3.7 | -0- |
| HOMEWOOD | 16.5 | 16.4 | 100.0 | 22.7 | 22.8 | -0- | 18.2 | 18.3 | -0- | 22.7 | 22.8 | -0- |
| JACKSONVILLE | 16.4 | 16.6 | 13.2 | 25.3 | 20.6 | 125.0 | 22.5 | 20.6 | 62.5 | 5.6 | 5.9 | -0- |
| JOLIET | 23.7 | 23.4 | 28.9 | 25.9 | 25.5 | 29.4 | 19.5 | 20.7 | 7.4 | 12.0 | 12.4 | 7.4 |
| KANKAKEE | 25.3 | 23.6 | 41.2 | 28.6 | 23.8 | 54.5 | 17.2 | 15.3 | 27.3 | 21.5 | 20.4 | 27.3 |
| KEWANEE | 21.2 | 20.9 | 30.7 | 17.3 | 12.1 | 133.3 | 11.6 | 9.1 | 66.7 | 5.8 | 6.0 | -0- |
| LA GRANGE | 24.5 | 24.1 | 28.7 | 24.1 | 17.5 | 93.8 | 21.4 | 14.6 | 93.8 | 16.0 | 17.5 | -0- |
| LA GRANGE PARK | 16.8 | 16.8 | 125.0 | -0- | -0- | -0- | -0- | -0- | -0- | 8.6 | 8.7 | -0- |

TABLE 3B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

(LIVE BIRTH RATES PER 1,000 POPULATION ON APRIL 1, 1960. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| CITY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAKE FOREST | 14.0 | 14.1 | 11.5 | 26.7 | 27.2 | -0- | 20.0 | 20.4 | -0- | 13.3 | 13.6 | -0- |
| LANSING | 22.1 | 22.1 | -0- | 20.0 | 20.0 | -0- | 20.0 | 20.0 | -0- | -0- | -0- | -0- |
| LA SALLE | 19.3 | 19.2 | 400.0 | 30.4 | 30.7 | -0- | 26.1 | 26.3 | -0- | 8.7 | 8.8 | -0- |
| LINCOLN | 17.1 | 17.3 | 8.1 | 17.3 | 17.5 | -0- | 17.3 | 17.5 | -0- | 10.4 | 10.5 | -0- |
| LINCOLNWOOD | 10.7 | 10.8 | -0- | 31.7 | 31.7 | -0- | 31.7 | 31.7 | -0- | 7.9 | 7.9 | -0- |
| LOMBARD | 27.6 | 27.6 | 41.7 | 32.1 | 32.2 | -0- | 24.1 | 24.1 | -0- | 11.2 | 11.3 | -0- |
| MACOMB | 19.4 | 19.5 | 17.5 | 29.7 | 30.0 | -0- | 25.4 | 25.8 | -0- | 16.9 | 17.2 | -0- |
| MARION | 21.0 | 21.0 | 22.2 | 12.7 | 8.7 | 142.9 | 8.4 | 8.7 | -0- | 29.5 | 30.4 | -0- |
| MARKHAM | 31.0 | 32.1 | 26.9 | 16.5 | 16.9 | 14.7 | 11.0 | 10.2 | 14.7 | 24.8 | 23.7 | 29.4 |
| MATTOON | 24.4 | 24.2 | 44.9 | 17.2 | 15.3 | 125.0 | 17.2 | 15.3 | 125.0 | 15.1 | 15.3 | -0- |
| MAYWOOD | 23.1 | 20.9 | 31.8 | 22.2 | 19.5 | 29.6 | 17.5 | 17.4 | 17.8 | 15.9 | 13.0 | 23.7 |
| MELROSE PARK | 38.2 | 36.5 | 42.0 | 7.1 | 7.1 | -0- | 5.9 | 5.9 | -0- | 17.6 | 17.7 | -0- |
| MOLINE | 24.4 | 24.3 | 38.4 | 29.7 | 30.1 | -0- | 23.0 | 23.3 | -0- | 14.4 | 14.6 | -0- |
| MONMOUTH | 21.0 | 21.2 | 16.4 | 18.3 | 18.8 | -0- | 4.6 | 4.7 | -0- | 18.3 | 14.1 | 200.0 |
| MORTON GROVE | 22.1 | 21.9 | 57.6 | 15.4 | 15.7 | -0- | 13.2 | 13.5 | -0- | 13.2 | 13.5 | -0- |
| MOUNT PROSPECT | 26.5 | 26.5 | 33.3 | 16.0 | 16.0 | -0- | 16.0 | 16.0 | -0- | 6.0 | 6.0 | -0- |
| MOUNT VERNON | 21.0 | 20.6 | 28.2 | 30.6 | 33.1 | -0- | 18.3 | 19.9 | -0- | 27.5 | 26.5 | 40.0 |
| MUNDELEIN | 32.3 | 32.3 | 38.5 | 11.8 | 11.8 | -0- | 2.9 | 2.9 | -0- | 17.6 | 17.7 | -0- |
| NAPERVILLE | 25.1 | 25.1 | 34.5 | 24.6 | 24.7 | -0- | 21.5 | 21.6 | -0- | 24.6 | 24.7 | -0- |
| NILES | 25.9 | 26.0 | -0- | 13.2 | 13.2 | -0- | 7.6 | 7.6 | -0- | 5.7 | 5.7 | -0- |
| NORMAL | 18.3 | 18.3 | 15.9 | 36.9 | 37.3 | -0- | 28.7 | 29.0 | -0- | 8.2 | 8.3 | -0- |
| NORRIDGE | 22.1 | 22.1 | 35.7 | 12.8 | 12.9 | -0- | 12.8 | 12.9 | -0- | 12.8 | 12.9 | -0- |
| NORTHBROOK | 33.4 | 33.5 | 27.8 | 23.1 | 23.2 | -0- | 18.0 | 18.0 | -0- | 2.6 | 2.6 | -0- |
| NORTH CHICAGO | 28.7 | 25.5 | 39.4 | 20.4 | 15.0 | 31.7 | 13.6 | 10.0 | 21.2 | 10.2 | 5.0 | 21.2 |
| NORTHLAKE | 20.9 | 21.0 | -0- | 11.6 | 11.6 | -0- | 7.8 | 7.8 | -0- | 23.3 | 23.3 | -0- |
| OAK LAWN | 52.3 | 52.4 | 38.5 | 20.2 | 20.2 | -0- | 16.0 | 16.0 | -0- | 18.1 | 18.1 | -0- |
| OAK PARK | 18.5 | 18.5 | 9.2 | 14.2 | 14.2 | -0- | 10.6 | 10.6 | -0- | 11.5 | 11.5 | -0- |
| OTTAWA | 26.5 | 26.6 | 16.3 | 31.1 | 31.2 | -0- | 25.2 | 25.3 | -0- | 17.5 | 17.5 | -0- |
| PALATINE | 32.7 | 32.7 | -0- | 18.6 | 18.6 | -0- | 16.0 | 16.0 | -0- | 10.6 | 10.6 | -0- |
| PARK FOREST | 33.3 | 33.2 | 41.7 | 16.0 | 15.2 | 125.0 | 14.0 | 13.1 | 125.0 | 11.0 | 11.1 | -0- |
| PARK RIDGE | 16.5 | 16.6 | -0- | 16.7 | 16.7 | -0- | 11.1 | 11.1 | -0- | 13.0 | 13.0 | -0- |
| PEKIN | 24.0 | 23.9 | 214.3 | 14.8 | 14.9 | -0- | 11.9 | 11.9 | -0- | 7.4 | 7.4 | -0- |
| PEORIA | 23.8 | 22.1 | 39.9 | 28.2 | 25.2 | 43.6 | 22.8 | 20.4 | 35.9 | 15.1 | 14.1 | 20.5 |
| PERU | 23.3 | 23.3 | -0- | 16.4 | 16.4 | -0- | 4.1 | 4.1 | -0- | 4.1 | 4.1 | -0- |
| QUINCY | 22.4 | 21.8 | 40.5 | 25.5 | 23.7 | 57.7 | 21.4 | 19.4 | 57.7 | 11.2 | 11.9 | -0- |
| RANTOUL | 6.1 | 6.4 | -0- | 111.9 | 74.6 | -0- | 52.2 | 29.9 | -0- | 67.2 | 59.7 | -0- |
| RIVERDALE | 23.2 | 23.3 | -0- | 21.5 | 21.5 | -0- | 7.2 | 7.2 | -0- | 14.3 | 14.3 | -0- |
| RIVER FOREST | 11.0 | 11.0 | 23.3 | 35.7 | 36.0 | -0- | 28.6 | 28.8 | -0- | 7.1 | 7.2 | -0- |
| ROCK FALLS | 31.8 | 31.8 | -0- | 24.5 | 24.5 | -0- | 18.4 | 18.4 | -0- | 9.2 | 9.2 | -0- |
| ROCKFORD | 26.0 | 25.5 | 38.0 | 31.5 | 29.1 | 67.6 | 23.3 | 21.0 | 58.0 | 15.8 | 14.9 | 29.0 |
| ROCK ISLAND | 23.2 | 22.0 | 43.5 | 26.6 | 27.8 | 16.5 | 22.5 | 24.1 | 8.3 | 18.3 | 17.6 | 24.8 |
| ROLLING MEADOWS | 34.5 | 34.5 | -0- | 29.3 | 29.3 | -0- | 26.7 | 26.7 | -0- | 16.0 | 16.0 | -0- |
| SKOKIE | 18.6 | 18.6 | 14.8 | 22.6 | 22.7 | -0- | 16.3 | 16.3 | -0- | 18.1 | 18.1 | -0- |
| SOUTH HOLLAND | 27.1 | 27.0 | 62.5 | 7.1 | 7.1 | -0- | 7.1 | 7.1 | -0- | 7.1 | 7.1 | -0- |
| SPRINGFIELD | 24.1 | 23.2 | 36.8 | 28.4 | 27.8 | 33.3 | 22.4 | 23.4 | 14.3 | 16.4 | 17.3 | 9.5 |
| STERLING | 27.0 | 27.0 | 24.1 | 30.7 | 30.8 | -0- | 25.9 | 26.1 | -0- | 9.4 | 9.5 | -0- |
| STREATOR | 24.1 | 23.7 | 58.8 | 31.9 | 27.8 | 181.8 | 19.7 | 20.2 | -0- | 17.2 | 15.2 | 90.9 |
| SUMMIT | 29.6 | 27.8 | 37.6 | 42.3 | 33.9 | 70.4 | 32.6 | 29.7 | 42.3 | 13.0 | 12.7 | 14.1 |
| URBANA | 30.3 | 30.0 | 33.9 | 21.8 | 22.1 | 17.2 | 18.2 | 18.2 | 17.2 | 10.9 | 11.7 | -0- |
| VILLA PARK | 27.3 | 27.4 | -0- | 14.4 | 14.4 | -0- | 12.6 | 12.6 | -0- | 18.0 | 18.0 | -0- |
| WAUKEGAN | 30.5 | 28.6 | 50.6 | 24.1 | 21.2 | 42.2 | 17.7 | 14.4 | 38.0 | 13.5 | 10.3 | 33.8 |
| WESTCHESTER | 20.1 | 20.1 | -0- | 13.7 | 13.7 | -0- | 11.0 | 11.0 | -0- | 11.0 | 11.0 | -0- |
| WESTERN SPRINGS | 14.3 | 14.3 | -0- | -0- | -0- | -0- | -0- | -0- | -0- | 6.5 | 6.5 | -0- |
| WHEATON | 20.6 | 20.4 | 30.5 | 16.0 | 16.4 | -0- | 14.0 | 14.3 | -0- | 14.0 | 12.3 | 83.3 |
| WILMETTE | 16.8 | 16.9 | 4.4 | 21.1 | 21.1 | -0- | 10.5 | 10.5 | -0- | 8.4 | 8.4 | -0- |
| WINNETKA | 10.9 | 11.0 | 7.3 | 13.7 | 13.9 | -0- | 13.7 | 13.9 | -0- | 34.2 | 34.7 | -0- |
| WOOD RIVER | 21.5 | 21.5 | 111.1 | 27.8 | 27.9 | -0- | 15.9 | 15.9 | -0- | 7.9 | 8.0 | -0- |
| ZION | 31.7 | 31.2 | 43.0 | 23.7 | 25.4 | -0- | 15.8 | 16.9 | -0- | 5.3 | 5.6 | -0- |

TABLE 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960

| COUNTY | TOTAL LIVE BIRTHS | STILLBIRTHS | | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | GESTATION (IN WEEKS) | | | | | | | | TOTAL | AGE | | |
| | | | LESS THAN 20 | 20 TO 23 | 24 TO 27 | 28 TO 31 | 32 TO 35 | 36 TO 39 | 40 AND OVER | NOT STATED | | LESS THAN 7 DA. | 7-28 DAYS | 1-11 MO. |
| ILLINOIS | 238,760 | 3,528 | 43 | 411 | 382 | 427 | 440 | 624 | 1,176 | 25 | 5,959 | 3,931 | 391 | 1,637 |
| ADAMS | 1,446 | 14 | — | — | 2 | 2 | 1 | 6 | 3 | — | 27 | 20 | 3 | 4 |
| ALEXANDER | 341 | 6 | — | 1 | — | — | — | 1 | 4 | — | 14 | 5 | 1 | 8 |
| BOND | 290 | 3 | — | 2 | — | — | — | — | 1 | — | 4 | 3 | — | 1 |
| BOONE | 477 | 6 | 1 | 1 | — | — | 1 | 1 | 2 | — | 11 | 6 | 1 | 4 |
| BROWN | 108 | 3 | — | — | 1 | — | 1 | 1 | — | — | 3 | 3 | — | — |
| BUREAU | 747 | 11 | — | — | — | — | — | 3 | 7 | 1 | 23 | 16 | — | 7 |
| CALHOUN | 124 | 1 | — | — | — | — | — | — | 1 | — | 2 | 2 | — | — |
| CARROLL | 387 | 6 | 1 | 2 | — | 1 | — | — | 2 | — | 12 | 10 | — | 2 |
| CASS | 285 | 8 | — | 1 | — | 1 | 3 | 1 | 2 | — | 8 | 5 | — | 3 |
| CHAMPAIGN | 2,954 | 47 | 1 | 3 | 9 | 5 | 4 | 13 | 12 | — | 78 | 53 | 2 | 23 |
| CHRISTIAN | 808 | 12 | — | 1 | 1 | 1 | 1 | 4 | 4 | — | 24 | 14 | 2 | 8 |
| CLARK | 308 | 1 | — | — | — | — | — | — | 1 | — | 10 | 5 | 1 | 4 |
| CLAY | 302 | 3 | — | — | 1 | — | — | 1 | 1 | — | 3 | 3 | — | — |
| CLINTON | 586 | 6 | — | 1 | 1 | 2 | 2 | — | — | — | 15 | 12 | 1 | 2 |
| COLES | 921 | 10 | — | — | 1 | 2 | 2 | 1 | 4 | — | 22 | 18 | — | 4 |
| COOK | 125,923 | 2,036 | 15 | 242 | 221 | 263 | 264 | 334 | 688 | 9 | 3,261 | 2,080 | 228 | 953 |
| CRAWFORD | 382 | — | — | — | — | — | — | — | — | — | 8 | 6 | — | 2 |
| CUMBERLAND | 209 | 1 | — | — | — | — | — | — | 1 | — | 4 | 3 | 1 | — |
| DE KALB | 1,221 | 20 | — | 2 | 2 | — | 4 | 5 | 7 | — | 20 | 16 | — | 4 |
| DE WITT | 314 | 5 | — | — | — | 1 | 1 | 1 | 2 | — | 5 | 3 | — | 2 |
| DOUGLAS | 447 | 7 | — | — | — | 1 | 2 | 3 | 1 | — | 14 | 10 | 2 | 2 |
| DU PAGE | 7,251 | 102 | 1 | 9 | 11 | 15 | 17 | 24 | 25 | — | 152 | 110 | 9 | 33 |
| EDGAR | 442 | 9 | 1 | 1 | — | 1 | 1 | 3 | 2 | — | 5 | 2 | — | 3 |
| EDWARDS | 134 | 2 | — | 2 | — | — | — | — | — | — | 2 | 2 | — | — |
| EFFINGHAM | 599 | 12 | — | 2 | 1 | — | 2 | 4 | 3 | — | 14 | 11 | 1 | 2 |
| FAYETTE | 379 | 3 | — | — | — | — | 1 | — | 1 | 1 | 7 | 2 | 2 | 3 |
| FORD | 349 | 3 | — | — | — | — | 1 | 2 | — | — | 9 | 4 | — | 5 |
| FRANKLIN | 604 | 6 | — | 1 | 2 | 1 | — | 1 | 1 | — | 12 | 7 | 1 | 4 |
| FULTON | 846 | 11 | — | — | 1 | 4 | — | — | 6 | — | 21 | 11 | 4 | 6 |
| GALLATIN | 137 | 3 | — | — | 1 | — | — | — | 1 | 1 | 2 | 1 | — | 1 |
| GREENE | 338 | 10 | — | 3 | — | 2 | 2 | 1 | 1 | 1 | 5 | 4 | — | 1 |
| GRUNDY | 531 | 7 | 1 | 1 | 1 | — | — | 2 | 2 | — | 16 | 13 | — | 3 |
| HAMILTON | 153 | 2 | — | — | — | 1 | — | — | 1 | — | — | — | — | — |
| HANCOCK | 457 | 8 | — | 1 | 2 | 1 | — | 1 | 3 | — | 7 | 5 | — | 2 |
| HARDIN | 96 | 1 | — | — | 1 | — | — | — | — | — | 4 | 2 | — | 2 |
| HENDERSON | 161 | 5 | — | — | — | — | — | 1 | 4 | — | 3 | 2 | — | 1 |
| HENRY | 1,056 | 15 | — | 1 | 1 | 2 | 1 | 3 | 7 | — | 19 | 10 | 1 | 8 |
| IROQUOIS | 688 | 6 | — | 1 | — | 1 | — | 2 | 2 | — | 19 | 12 | 1 | 6 |
| JACKSON | 881 | 4 | — | 1 | — | — | — | 1 | 2 | — | 21 | 10 | 3 | 8 |
| JASPER | 245 | 1 | — | — | — | — | — | — | 1 | — | 2 | 2 | — | — |
| JEFFERSON | 609 | 13 | — | 2 | 1 | 1 | 2 | 3 | 4 | — | 15 | 10 | — | 5 |
| JERSEY | 418 | 4 | — | 1 | 1 | — | — | 1 | 1 | — | 14 | 12 | — | 2 |
| JO DAVIESS | 520 | 10 | — | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 14 | 10 | 2 | 2 |
| JOHNSON | 123 | — | — | — | — | — | — | — | — | — | 3 | 1 | — | 2 |
| KANE | 5,127 | 62 | 3 | 7 | 6 | 5 | 5 | 17 | 18 | 1 | 128 | 87 | 6 | 35 |
| KANKAKEE | 2,050 | 27 | — | 3 | 1 | 3 | 5 | 4 | 10 | 1 | 50 | 28 | 2 | 20 |
| KENDALL | 431 | 7 | — | 1 | 3 | 1 | 1 | 1 | — | — | 7 | 7 | — | — |
| KNOX | 1,276 | 14 | 1 | 1 | 2 | 2 | 1 | 3 | 4 | — | 31 | 24 | 2 | 5 |
| LAKE | 7,268 | 90 | — | 15 | 9 | 11 | 10 | 13 | 30 | 2 | 161 | 105 | 9 | 47 |
| LA SALLE | 2,554 | 31 | — | 2 | 3 | 3 | 3 | 10 | 10 | — | 65 | 42 | 2 | 21 |

TABLE 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

| COUNTY | TOTAL LIVE BIRTHS | STILLBIRTHS | | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | GESTATION (IN WEEKS) | | | | | | | | TOTAL | AGE | | |
| | | | LESS THAN 20 | 20 TO 23 | 24 TO 27 | 28 TO 31 | 32 TO 35 | 36 TO 39 | 40 AND OVER | NOT STATED | | LESS THAN 7 DA. | 7-28 DAYS | 1-11 MO. |
| LAWRENCE | 359 | 4 | — | 1 | — | — | 1 | — | 2 | — | 4 | 3 | 1 | — |
| LEE | 749 | 10 | 1 | — | — | 1 | 1 | — | 7 | — | 24 | 19 | — | 5 |
| LIVINGSTON | 853 | 12 | — | — | 1 | 2 | 3 | 4 | 1 | 1 | 25 | 13 | 1 | 11 |
| LOGAN | 608 | 8 | 1 | 1 | 2 | — | 1 | — | 3 | — | 10 | 6 | 2 | 2 |
| MC DONOUGH | 565 | 7 | 1 | 2 | — | — | 1 | — | 3 | — | 16 | 12 | — | 4 |
| MC HENRY | 2,136 | 30 | 1 | 3 | 4 | 5 | 2 | 9 | 6 | — | 56 | 33 | 4 | 19 |
| MC LEAN | 1,857 | 26 | — | 1 | 3 | 2 | 4 | 7 | 9 | — | 38 | 31 | 3 | 4 |
| MACON | 2,780 | 29 | — | 2 | 3 | 5 | 4 | 6 | 9 | — | 50 | 35 | 2 | 13 |
| MACOUPIN | 774 | 11 | 1 | 1 | — | — | 2 | 1 | 6 | — | 21 | 14 | 3 | 4 |
| MADISON | 5,489 | 74 | 2 | 14 | 7 | 8 | 9 | 13 | 21 | — | 117 | 75 | 9 | 33 |
| MARION | 801 | 13 | 1 | 1 | 1 | 1 | 1 | 4 | 4 | — | 22 | 13 | 2 | 7 |
| MARSHALL | 266 | 2 | — | — | 1 | — | — | — | 1 | — | 8 | 6 | — | 2 |
| MASON | 317 | 3 | — | — | — | — | — | 1 | 1 | 1 | 11 | 10 | 1 | — |
| MASSAC | 287 | 4 | — | — | 1 | 1 | 2 | — | — | — | 6 | 5 | — | 1 |
| MENARD | 185 | 3 | — | — | — | — | — | 1 | 2 | — | 6 | 6 | — | — |
| MERCER | 365 | 7 | — | 2 | — | — | 1 | 1 | 3 | — | 11 | 9 | 1 | 1 |
| MONROE | 357 | 1 | — | — | — | — | 1 | — | — | — | 7 | 5 | — | 2 |
| MONTGOMERY | 621 | 10 | — | — | 1 | — | 1 | 4 | 4 | — | 14 | 9 | — | 5 |
| MORGAN | 680 | 4 | — | — | — | — | 1 | 2 | 1 | — | 15 | 11 | 1 | 3 |
| MOULTRIE | 275 | 6 | — | 1 | — | 2 | — | — | 3 | — | 1 | 1 | — | — |
| OGLE | 849 | 8 | — | 2 | 1 | — | 1 | 2 | 2 | — | 21 | 16 | 1 | 4 |
| PEORIA | 4,608 | 57 | — | 4 | 8 | 6 | 12 | 5 | 22 | — | 116 | 85 | 8 | 23 |
| PERRY | 345 | 1 | — | — | — | — | 1 | — | — | — | 6 | 6 | — | — |
| PIATT | 313 | 4 | — | 2 | 1 | 1 | — | — | — | — | 4 | 4 | — | — |
| PIKE | 397 | 4 | — | — | 1 | — | — | — | 3 | — | 7 | 6 | 1 | — |
| POPE | 67 | 3 | — | 2 | — | — | — | — | 1 | — | 2 | 2 | — | — |
| PULASKI | 220 | 7 | — | — | 2 | 1 | 1 | 2 | 1 | — | 15 | 7 | 1 | 7 |
| PUTNAM | 86 | 2 | — | — | 1 | — | — | 1 | — | — | 1 | — | 1 | — |
| RANDOLPH | 534 | 5 | — | 1 | — | — | 2 | — | 2 | — | 8 | 5 | — | 3 |
| RICHLAND | 385 | 6 | — | 1 | — | — | — | 2 | 3 | — | 3 | 3 | — | — |
| ROCK ISLAND | 3,631 | 62 | 1 | 4 | 7 | 8 | 3 | 8 | 29 | 2 | 95 | 74 | 2 | 19 |
| ST. CLAIR | 6,867 | 82 | — | 12 | 3 | 12 | 8 | 18 | 29 | — | 177 | 111 | 14 | 52 |
| SALINE | 417 | 7 | — | — | 1 | 3 | 1 | — | 2 | — | 9 | 7 | 1 | 1 |
| SANGAMON | 3,470 | 53 | — | 9 | 5 | 3 | 8 | 7 | 21 | — | 87 | 66 | 6 | 15 |
| SCHUYLER | 157 | 3 | — | — | — | — | — | 1 | 2 | — | 4 | 1 | — | 3 |
| SCOTT | 136 | 2 | — | — | — | 1 | 1 | — | — | — | 5 | 3 | 1 | 1 |
| SHELBY | 445 | 9 | — | — | — | — | 1 | 2 | 6 | — | 9 | 7 | 1 | 1 |
| STARK | 168 | 2 | — | — | — | — | 1 | — | 1 | — | 3 | 3 | — | — |
| STEPHENSON | 1,046 | 10 | — | — | 1 | 1 | — | 2 | 6 | — | 17 | 11 | 1 | 5 |
| TAZEWELL | 2,514 | 23 | — | 3 | 4 | 2 | 2 | 3 | 8 | 1 | 50 | 32 | 4 | 14 |
| UNION | 282 | 1 | — | — | — | 1 | — | — | — | — | 13 | 11 | — | 2 |
| VERMILION | 2,124 | 21 | — | 7 | 2 | 1 | 2 | 3 | 6 | — | 51 | 35 | 6 | 10 |
| WABASH | 296 | 6 | — | — | 1 | 1 | 1 | 2 | — | 1 | 8 | 7 | — | 1 |
| WARREN | 419 | 8 | — | — | 5 | — | 1 | 1 | 1 | — | 11 | 4 | 3 | 4 |
| WASHINGTON | 206 | 1 | — | — | — | — | — | 1 | — | — | 5 | 4 | 1 | — |
| WAYNE | 348 | 4 | — | — | — | — | — | 2 | 2 | — | 12 | 9 | 1 | 2 |
| WHITE | 357 | 3 | — | — | 1 | — | — | — | 2 | — | 9 | 6 | 1 | 2 |
| WHITESIDE | 1,545 | 16 | 1 | 2 | 2 | 2 | — | 2 | 7 | — | 48 | 38 | 2 | 8 |
| WILL | 4,820 | 59 | 2 | 9 | 11 | 3 | 5 | 13 | 16 | — | 126 | 87 | 7 | 32 |
| WILLIAMSON | 868 | 15 | — | — | 3 | 5 | 1 | 2 | 4 | — | 16 | 6 | 3 | 7 |
| WINNEBAGO | 5,614 | 78 | 3 | 7 | 8 | 12 | 10 | 16 | 22 | — | 158 | 109 | 7 | 42 |
| WOODFORD | 597 | 7 | — | 1 | — | — | — | 2 | 4 | — | 15 | 11 | 1 | 3 |
| UNSPECIFIED | 1 | 21 | 3 | 4 | 3 | 3 | 4 | — | 4 | — | 10 | 10 | — | — |

TABLE 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960

| CITY | TOTAL LIVE BIRTHS | STILLBIRTHS | | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | GESTATION (IN WEEKS) | | | | | | | | TOTAL | AGE | | |
| | | | LESS THAN 20 | 20 TO 23 | 24 TO 27 | 28 TO 31 | 32 TO 35 | 36 TO 39 | 40 AND OVER | NOT STATED | | LESS THAN 7 DA. | 7-28 DAYS | 1-11 MO. |
| ALTON | 1,071 | 13 | — | 1 | 1 | 2 | 2 | 3 | 4 | — | 25 | 18 | — | 7 |
| ARLINGTON HEIGHTS | 771 | 10 | — | 1 | 2 | 3 | 1 | 1 | 2 | — | 15 | 12 | 1 | 2 |
| AURORA | 1,730 | 28 | 2 | 5 | 2 | 3 | 2 | 5 | 8 | 1 | 55 | 38 | — | 17 |
| BELLEVILLE | 1,012 | 14 | — | 4 | — | 2 | 3 | 2 | 3 | — | 22 | 20 | 1 | 1 |
| BELLWOOD | 475 | 4 | — | — | 1 | — | — | 2 | 1 | — | 12 | 8 | 2 | 2 |
| BELVIDERE | 274 | 4 | 1 | 1 | — | — | 1 | 1 | — | — | 7 | 5 | 1 | 1 |
| BERWYN | 1,045 | 15 | — | 1 | — | 1 | 3 | 3 | 5 | 2 | 15 | 10 | 2 | 3 |
| BLOOMINGTON | 891 | 16 | — | — | 1 | 2 | 2 | 5 | 6 | — | 15 | 12 | 2 | 1 |
| BLUE ISLAND | 557 | 9 | — | 1 | 2 | 2 | 1 | 2 | 1 | — | 11 | 7 | 1 | 3 |
| BROOKFIELD | 418 | 1 | — | — | 1 | — | — | — | — | — | 7 | 4 | — | 3 |
| CAHOKIA | 435 | 2 | — | — | — | 2 | — | — | — | — | 13 | 10 | 2 | 1 |
| CALUMET CITY | 653 | 3 | 1 | 1 | 1 | — | — | — | — | — | 15 | 8 | 1 | 6 |
| CANTON | 273 | 4 | — | — | — | 2 | — | — | 2 | — | 4 | 2 | — | 2 |
| CARBONDALE | 288 | 1 | — | — | — | — | — | — | 1 | — | 7 | 3 | 1 | 3 |
| CARPENTERSVILLE | 589 | 4 | — | 1 | 1 | — | — | 1 | 1 | — | 13 | 7 | 2 | 4 |
| CENTRALIA | 301 | 8 | — | — | 1 | 1 | 2 | 1 | 3 | — | 9 | 6 | 1 | 2 |
| CENTREVILLE | 276 | 4 | — | — | — | 2 | — | 1 | 1 | — | 13 | 6 | — | 7 |
| CHAMPAIGN | 1,296 | 21 | — | — | 4 | 1 | 2 | 6 | 8 | — | 27 | 19 | 1 | 7 |
| CHARLESTON | 198 | 1 | — | — | — | — | — | 1 | — | — | 4 | 4 | — | — |
| CHICAGO | 88,537 | 1,584 | 8 | 191 | 173 | 208 | 200 | 250 | 552 | 2 | 2,565 | 1,603 | 177 | 785 |
| CHICAGO HEIGHTS | 1,226 | 27 | 2 | 4 | 3 | 2 | 4 | 4 | 7 | 1 | 42 | 23 | 3 | 16 |
| CICERO | 1,366 | 14 | — | 2 | — | 2 | 2 | 4 | 4 | — | 23 | 17 | 1 | 5 |
| COLLINSVILLE | 371 | 3 | — | 1 | 1 | — | — | 1 | — | — | 6 | 4 | — | 2 |
| DANVILLE | 1,016 | 9 | — | 3 | 2 | 1 | — | 1 | 2 | — | 27 | 20 | 1 | 6 |
| DECATUR | 1,978 | 19 | — | 2 | 1 | 4 | 3 | 3 | 6 | — | 37 | 26 | 2 | 9 |
| DE KALB | 434 | 9 | — | 2 | 1 | — | 4 | — | 2 | — | 8 | 7 | — | 1 |
| DEERFIELD | 343 | 4 | — | 1 | 1 | 1 | 1 | — | — | — | 6 | 6 | — | — |
| DES PLAINES | 1,093 | 5 | — | 1 | 1 | — | — | — | 3 | — | 17 | 15 | — | 2 |
| DIXON | 318 | 8 | 1 | — | — | 1 | 1 | — | 5 | — | 11 | 9 | — | 2 |
| DOLTON | 570 | 7 | — | — | — | 3 | 1 | 1 | 2 | — | 10 | 6 | 1 | 3 |
| DOWNERS GROVE | 568 | 7 | — | — | 2 | 1 | — | 1 | 3 | — | 12 | 10 | 1 | 1 |
| EAST MOLINE | 378 | 9 | 1 | — | 2 | 1 | — | 2 | 3 | — | 8 | 7 | — | 1 |
| EAST PEORIA | 365 | 4 | — | — | — | 1 | — | 1 | 2 | — | 12 | 8 | 3 | 1 |
| EAST ST. LOUIS | 2,491 | 34 | — | 4 | 2 | 2 | 4 | 10 | 12 | — | 71 | 40 | 5 | 26 |
| EDWARDSVILLE | 230 | 1 | — | 1 | — | — | — | — | — | — | 5 | 4 | — | 1 |
| ELGIN | 964 | 9 | — | — | 1 | — | — | 4 | 4 | — | 29 | 22 | 1 | 6 |
| ELMHURST | 739 | 14 | — | 3 | 3 | 1 | 1 | 2 | 4 | — | 13 | 7 | — | 6 |
| ELMWOOD PARK | 498 | 5 | — | 2 | — | — | — | 1 | 2 | — | 10 | 7 | 2 | 1 |
| EVANSTON | 1,643 | 26 | — | 5 | 2 | 3 | 4 | 4 | 8 | — | 35 | 25 | 4 | 6 |
| EVERGREEN PARK | 458 | 7 | — | — | — | — | — | 3 | 4 | — | 9 | 6 | — | 3 |
| FOREST PARK | 358 | 6 | — | — | — | 1 | — | 2 | 3 | — | 15 | 14 | — | 1 |
| FRANKLIN PARK | 447 | 6 | — | — | — | — | — | 1 | 4 | 1 | 7 | 7 | — | — |
| FREEPORT | 623 | 4 | — | — | — | 1 | — | — | 3 | — | 12 | 8 | 1 | 3 |
| GALESBURG | 781 | 10 | 1 | — | 2 | 1 | — | 2 | 4 | — | 20 | 15 | 2 | 3 |
| GLENCOE | 99 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| GLEN ELLYN | 359 | 7 | — | 1 | 1 | — | 1 | 1 | 3 | — | 13 | 11 | 1 | 1 |
| GLENVIEW | 539 | 6 | — | 1 | — | 1 | 1 | 1 | 2 | — | 10 | 8 | — | 2 |
| GRANITE CITY | 1,123 | 20 | 1 | 7 | 1 | 1 | 1 | 3 | 6 | — | 24 | 18 | 1 | 5 |
| HARVEY | 830 | 11 | — | 1 | 1 | — | 2 | 2 | 5 | — | 18 | 14 | — | 4 |
| HIGHLAND PARK | 407 | 5 | — | 1 | 1 | — | 1 | 2 | — | — | 8 | 5 | — | 3 |
| HINSDALE | 269 | 1 | — | — | — | — | — | 1 | — | — | 5 | 2 | 2 | 1 |
| HOMEWOOD | 220 | 5 | — | 1 | — | — | 1 | 2 | 1 | — | 5 | 4 | — | 1 |
| JACKSONVILLE | 356 | 2 | — | — | — | — | — | 1 | 1 | — | 9 | 8 | — | 1 |
| JOLIET | 1,586 | 19 | 2 | 2 | 3 | — | 2 | 5 | 5 | — | 41 | 29 | 2 | 10 |
| KANKAKEE | 699 | 15 | — | 3 | — | 2 | 3 | 2 | 5 | — | 20 | 11 | 1 | 8 |
| KEWANEE | 346 | 2 | — | — | — | 1 | — | — | 1 | — | 6 | 3 | 1 | 2 |
| LA GRANGE | 374 | 6 | — | — | 1 | 1 | 1 | 1 | 2 | — | 9 | 7 | 1 | 1 |
| LA GRANGE PARK | 232 | 2 | — | — | — | — | — | — | 2 | — | — | — | — | — |

TABLE 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

| CITY | TOTAL LIVE BIRTHS | STILLBIRTHS | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | GESTATION (IN WEEKS) | | | | | | | TOTAL | AGE | | |
| | | | LESS THAN 20 | 20 TO 23 | 24 TO 27 | 28 TO 31 | 32 TO 35 | 36 TO 39 | 40 AND OVER | NOT STATED | | LESS THAN 7 DA. | 7-28 DAYS | 1-11 MO. |
| LAKE FOREST | 150 | 2 | — | 1 | — | — | 1 | — | — | — | 4 | 3 | — | 1 |
| LANSING | 400 | — | — | — | — | — | — | — | — | — | 8 | 7 | 1 | — |
| LA SALLE | 230 | 2 | — | — | — | — | — | 1 | 1 | — | 7 | 5 | 1 | 1 |
| LINCOLN | 289 | 3 | — | 1 | 1 | — | — | — | 1 | — | 5 | 4 | 1 | — |
| LINCOLNWOOD | 126 | 1 | — | — | — | 1 | — | — | — | — | 4 | 3 | 1 | — |
| LOMBARD | 623 | 7 | 1 | — | — | — | 1 | 3 | 2 | — | 20 | 15 | — | 5 |
| MACOMB | 236 | 4 | 1 | — | — | — | 1 | — | 2 | — | 7 | 6 | — | 1 |
| MARION | 237 | 7 | — | — | — | 4 | 1 | — | 2 | — | 3 | — | 2 | 1 |
| MARKHAM | 363 | 9 | — | 2 | 1 | — | 1 | 2 | 3 | — | 6 | 4 | — | 2 |
| MATTOON | 465 | 7 | — | — | 1 | 2 | 1 | — | 3 | — | 8 | 8 | — | — |
| MAYWOOD | 630 | 10 | — | 1 | — | — | 6 | — | 3 | — | 14 | 11 | — | 3 |
| MELROSE PARK | 851 | 15 | — | 2 | 3 | 1 | 5 | 2 | 2 | — | 6 | 4 | 1 | 1 |
| MOLINE | 1,043 | 15 | — | 1 | 2 | 3 | 1 | 2 | 5 | 1 | 31 | 23 | 1 | 7 |
| MONMOUTH | 218 | 4 | — | — | 3 | — | — | 1 | — | — | 4 | 1 | — | 3 |
| MORTON GROVE | 454 | 6 | — | 1 | 1 | — | — | 1 | 3 | — | 7 | 6 | — | 1 |
| MOUNT PROSPECT | 501 | 3 | — | — | — | 1 | — | 2 | — | — | 8 | 8 | — | — |
| MOUNT VERNON | 327 | 9 | — | 2 | 1 | 1 | 1 | 2 | 2 | — | 10 | 6 | — | 4 |
| MUNDELEIN | 340 | 6 | — | 2 | — | — | — | — | 4 | — | 4 | 1 | — | 3 |
| NAPERVILLE | 325 | 8 | — | 1 | — | 2 | 2 | 3 | — | — | 8 | 7 | — | 1 |
| NILES | 529 | 3 | — | 1 | — | — | — | 1 | 1 | — | 7 | 4 | — | 3 |
| NORMAL | 244 | 2 | — | — | — | — | — | 1 | 1 | — | 9 | 6 | 1 | 2 |
| NORRIDGE | 312 | 4 | — | — | — | 1 | 1 | — | 2 | — | 4 | 4 | — | — |
| NORTHBROOK | 389 | 1 | — | — | — | 1 | — | — | — | — | 9 | 6 | 1 | 2 |
| NORTH CHICAGO | 589 | 6 | — | 1 | 1 | — | 1 | 1 | 2 | — | 12 | 8 | — | 4 |
| NORTHLAKE | 258 | 6 | — | 1 | — | 1 | 3 | — | 1 | — | 3 | 1 | 1 | 1 |
| OAK LAWN | 1,498 | 26 | 1 | 3 | 1 | 4 | 2 | 8 | 7 | — | 29 | 22 | 1 | 6 |
| OAK PARK | 1,130 | 13 | — | 1 | 2 | 4 | 3 | 2 | 1 | — | 16 | 11 | 1 | 4 |
| OTTAWA | 515 | 9 | — | 2 | 2 | — | 2 | 2 | 1 | — | 16 | 13 | — | 3 |
| PALATINE | 376 | 4 | — | — | — | — | 1 | 1 | 1 | 1 | 7 | 5 | 1 | 1 |
| PARK FOREST | 998 | 11 | 1 | 2 | 2 | 2 | 2 | 1 | 1 | — | 16 | 12 | 2 | 2 |
| PARK RIDGE | 540 | 7 | — | — | — | — | 1 | 2 | 4 | — | 9 | 4 | 2 | 3 |
| PEKIN | 675 | 5 | — | 2 | 1 | — | — | — | 1 | 1 | 10 | 8 | — | 2 |
| PEORIA | 2,451 | 37 | — | 2 | 6 | 4 | 8 | 3 | 14 | — | 69 | 49 | 7 | 13 |
| PERU | 244 | 1 | — | — | — | — | — | — | 1 | — | 4 | 1 | — | 3 |
| QUINCY | 980 | 11 | — | — | 1 | 2 | 1 | 4 | 3 | — | 25 | 18 | 3 | 4 |
| RANTOUL | 134 | 9 | — | 2 | 3 | 2 | — | 1 | 1 | — | 15 | 6 | 1 | 8 |
| RIVERDALE | 279 | 4 | — | — | — | 2 | — | 1 | 1 | — | 6 | 1 | 1 | 4 |
| RIVER FOREST | 140 | 1 | — | — | — | — | — | — | — | 1 | 5 | 4 | — | 1 |
| ROCK FALLS | 326 | 3 | — | — | — | 1 | — | 1 | 1 | — | 8 | 6 | — | 2 |
| ROCKFORD | 3,299 | 52 | 3 | 2 | 7 | 11 | 7 | 8 | 14 | — | 104 | 73 | 4 | 27 |
| ROCK ISLAND | 1,201 | 22 | — | 2 | 2 | 3 | 2 | 3 | 9 | 1 | 32 | 27 | — | 5 |
| ROLLING MEADOWS | 375 | 6 | — | — | 2 | 1 | — | 1 | 2 | — | 11 | 10 | — | 1 |
| SKOKIE | 1,106 | 20 | — | — | 7 | 1 | 3 | 4 | 5 | — | 25 | 17 | 1 | 7 |
| SOUTH HOLLAND | 282 | 2 | — | — | — | — | 1 | — | 1 | — | 2 | 2 | — | — |
| SPRINGFIELD | 2,007 | 33 | — | 6 | 3 | 3 | 6 | 4 | 11 | — | 57 | 42 | 3 | 12 |
| STERLING | 424 | 4 | — | — | 1 | 1 | — | — | 2 | — | 13 | 10 | 1 | 2 |
| STREATOR | 407 | 7 | — | — | — | 1 | — | 4 | 2 | — | 13 | 8 | — | 5 |
| SUMMIT | 307 | 4 | — | 1 | — | 2 | — | — | 1 | — | 13 | 8 | 2 | 3 |
| URBANA | 826 | 9 | 1 | — | 2 | — | 1 | 4 | 1 | — | 18 | 15 | — | 3 |
| VILLA PARK | 557 | 10 | — | 1 | — | 3 | 1 | 3 | 2 | — | 8 | 7 | — | 1 |
| WAUKEGAN | 1,698 | 23 | — | 5 | — | 3 | 2 | 3 | 9 | 1 | 41 | 27 | 3 | 11 |
| WESTCHESTER | 364 | 4 | 1 | 1 | — | 1 | 1 | — | — | — | 5 | 3 | 1 | 1 |
| WESTERN SPRINGS | 155 | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| WHEATON | 500 | 7 | — | — | 2 | 1 | 2 | — | 2 | — | 8 | 6 | 1 | 1 |
| WILMETTE | 475 | 4 | — | — | — | — | — | 1 | 3 | — | 10 | 5 | — | 5 |
| WINNETKA | 146 | 5 | — | — | 1 | 2 | — | 1 | — | 1 | 2 | 2 | — | — |
| WOOD RIVER | 252 | 2 | — | — | — | — | 1 | 1 | — | — | 7 | 3 | 1 | 3 |
| ZION | 379 | 2 | — | — | 1 | 1 | — | — | — | — | 9 | 5 | 1 | 3 |

TABLE 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960

| COUNTY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE BIRTHS[1] | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7-28 DAYS | | 1-11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | No. | RATE[3] | No. | RATE[3] | No. | RATE[3] | |
| ILLINOIS | 238,760 | 18,020 | 7.55 | 234,377 | 98.16 | 3,931 | 16.5 | 391 | 1.6 | 1,637 | 6.9 | 70 |
| ADAMS | 1,446 | 84 | 5.81 | 1,443 | 99.79 | 20 | 13.8 | 3 | 2.1 | 4 | 2.8 | — |
| ALEXANDER | 341 | 23 | 6.74 | 296 | 86.80 | 5 | 14.7 | 1 | 2.9 | 8 | 23.5 | 1 |
| BOND | 290 | 19 | 6.55 | 289 | 99.66 | 3 | 10.3 | — | -0- | 1 | 3.4 | — |
| BOONE | 477 | 24 | 5.03 | 476 | 99.79 | 6 | 12.6 | 1 | 2.1 | 4 | 8.4 | — |
| BROWN | 108 | 3 | 2.78 | 108 | 100.00 | 3 | 27.8 | — | -0- | — | -0- | — |
| BUREAU | 747 | 40 | 5.35 | 741 | 99.20 | 16 | 21.4 | — | -0- | 7 | 9.4 | — |
| CALHOUN | 124 | 8 | 6.45 | 120 | 96.77 | 2 | 16.1 | — | -0- | — | -0- | — |
| CARROLL | 387 | 26 | 6.72 | 382 | 98.71 | 10 | 25.8 | — | -0- | 2 | 5.2 | — |
| CASS | 285 | 16 | 5.61 | 283 | 99.30 | 5 | 17.5 | — | -0- | 3 | 10.5 | — |
| CHAMPAIGN | 2,954 | 188 | 6.36 | 2,943 | 99.63 | 53 | 17.9 | 2 | 0.7 | 23 | 7.8 | — |
| CHRISTIAN | 808 | 57 | 7.05 | 802 | 99.26 | 14 | 17.3 | 2 | 2.5 | 8 | 9.9 | — |
| CLARK | 308 | 25 | 8.12 | 295 | 95.78 | 5 | 16.2 | 1 | 3.2 | 4 | 13.0 | — |
| CLAY | 302 | 13 | 4.30 | 287 | 95.03 | 3 | 9.9 | — | -0- | — | -0- | — |
| CLINTON | 586 | 23 | 3.92 | 586 | 100.00 | 12 | 20.5 | 1 | 1.7 | 2 | 3.4 | 1 |
| COLES | 921 | 59 | 6.41 | 918 | 99.67 | 18 | 19.5 | — | -0- | 4 | 4.3 | — |
| COOK | 125,923 | 10,610 | 8.43 | 122,288 | 97.11 | 2,080 | 16.5 | 228 | 1.8 | 955 | 7.6 | 38 |
| CRAWFORD | 382 | 22 | 5.76 | 378 | 98.95 | 6 | 15.7 | — | -0- | 2 | 5.2 | — |
| CUMBERLAND | 209 | 9 | 4.31 | 205 | 98.09 | 3 | 14.4 | 1 | 4.8 | — | -0- | — |
| DE KALB | 1,221 | 69 | 5.65 | 1,216 | 99.59 | 16 | 13.1 | — | -0- | 4 | 3.3 | — |
| DE WITT | 314 | 22 | 7.01 | 311 | 99.04 | 3 | 9.6 | — | -0- | 2 | 6.4 | — |
| DOUGLAS | 447 | 31 | 6.94 | 443 | 99.11 | 10 | 22.4 | 2 | 4.5 | 2 | 4.5 | — |
| DU PAGE | 7,251 | 421 | 5.81 | 7,220 | 99.57 | 110 | 15.2 | 9 | 1.2 | 33 | 4.6 | 2 |
| EDGAR | 442 | 27 | 6.11 | 436 | 98.64 | 2 | 4.5 | — | -0- | 3 | 6.8 | — |
| EDWARDS | 134 | 10 | 7.46 | 132 | 98.51 | 2 | 14.9 | — | -0- | — | -0- | — |
| EFFINGHAM | 599 | 31 | 5.18 | 599 | 100.00 | 11 | 18.4 | 1 | 1.7 | 2 | 3.3 | — |
| FAYETTE | 379 | 16 | 4.22 | 377 | 99.47 | 2 | 5.3 | 2 | 5.3 | 3 | 7.9 | — |
| FORD | 349 | 16 | 4.58 | 347 | 99.43 | 4 | 11.5 | — | -0- | 5 | 14.3 | — |
| FRANKLIN | 604 | 43 | 7.12 | 597 | 98.84 | 7 | 11.6 | 1 | 1.7 | 4 | 6.6 | — |
| FULTON | 846 | 46 | 5.44 | 840 | 99.29 | 11 | 13.0 | 4 | 4.7 | 6 | 7.1 | 1 |
| GALLATIN | 137 | 12 | 8.76 | 120 | 87.59 | 1 | 7.3 | — | -0- | 1 | 7.3 | — |
| GREENE | 338 | 29 | 8.58 | 333 | 98.52 | 4 | 11.8 | — | -0- | 1 | 3.0 | — |
| GRUNDY | 531 | 37 | 6.97 | 528 | 99.44 | 13 | 24.5 | — | -0- | 3 | 5.6 | — |
| HAMILTON | 153 | 8 | 5.23 | 152 | 99.35 | — | -0- | — | -0- | — | -0- | — |
| HANCOCK | 457 | 27 | 5.91 | 454 | 99.34 | 5 | 10.9 | — | -0- | 2 | 4.4 | — |
| HARDIN | 96 | 5 | 5.21 | 93 | 96.88 | 2 | 20.8 | — | -0- | 2 | 20.8 | — |
| HENDERSON | 161 | 18 | 11.18 | 161 | 100.00 | 2 | 12.4 | — | -0- | 1 | 6.2 | — |
| HENRY | 1,056 | 79 | 7.48 | 1,053 | 99.72 | 10 | 9.5 | 1 | 0.9 | 8 | 7.6 | — |
| IROQUOIS | 688 | 52 | 7.56 | 672 | 97.67 | 12 | 17.4 | 1 | 1.5 | 6 | 8.7 | — |
| JACKSON | 881 | 46 | 5.22 | 878 | 99.66 | 10 | 11.4 | 3 | 3.4 | 8 | 9.1 | 2 |
| JASPER | 245 | 13 | 5.31 | 244 | 99.59 | 2 | 8.2 | — | -0- | — | -0- | — |
| JEFFERSON | 609 | 39 | 6.40 | 604 | 99.18 | 10 | 16.4 | — | -0- | 5 | 8.2 | 1 |
| JERSEY | 418 | 24 | 5.74 | 405 | 96.89 | 12 | 28.7 | — | -0- | 2 | 4.8 | — |
| JO DAVIESS | 520 | 31 | 5.96 | 516 | 99.23 | 10 | 19.2 | 2 | 3.8 | 2 | 3.8 | — |
| JOHNSON | 123 | 9 | 7.32 | 121 | 98.37 | 1 | 8.1 | — | -0- | 2 | 16.3 | — |
| KANE | 5,127 | 335 | 6.53 | 5,108 | 99.63 | 87 | 17.0 | 6 | 1.2 | 35 | 6.8 | 6 |
| KANKAKEE | 2,050 | 153 | 7.46 | 2,034 | 99.22 | 28 | 13.7 | 2 | 1.0 | 20 | 9.8 | — |
| KENDALL | 431 | 26 | 6.03 | 429 | 99.54 | 7 | 16.2 | — | -0- | — | -0- | — |
| KNOX | 1,276 | 94 | 7.37 | 1,267 | 99.29 | 24 | 18.8 | 2 | 1.6 | 5 | 3.9 | — |
| LAKE | 7,268 | 539 | 7.42 | 7,215 | 99.27 | 105 | 14.4 | 9 | 1.2 | 47 | 6.5 | 1 |
| LA SALLE | 2,554 | 174 | 6.81 | 2,546 | 99.69 | 42 | 16.4 | 2 | 0.8 | 21 | 8.2 | 1 |

[1] PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2] NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
[3] RATES PER 1,000 LIVE BIRTHS.

TABLE 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

| COUNTY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE BIRTHS[1] | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7-28 DAYS | | 1-11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NO. | RATE[3] | NO. | RATE[3] | NO. | RATE[3] | |
| LAWRENCE | 359 | 17 | 4.74 | 355 | 98.89 | 3 | 8.4 | 1 | 2.8 | — | -0- | — |
| LEE | 749 | 46 | 6.14 | 746 | 99.60 | 19 | 25.4 | — | -0- | 5 | 6.7 | — |
| LIVINGSTON | 853 | 58 | 6.80 | 852 | 99.88 | 13 | 15.2 | 1 | 1.2 | 11 | 12.9 | — |
| LOGAN | 608 | 40 | 6.58 | 606 | 99.67 | 6 | 9.9 | 2 | 3.3 | 2 | 3.3 | — |
| MC DONOUGH | 565 | 41 | 7.26 | 563 | 99.65 | 12 | 21.2 | — | -0- | 4 | 7.1 | — |
| MC HENRY | 2,136 | 123 | 5.76 | 2,125 | 99.49 | 33 | 15.4 | 4 | 1.9 | 19 | 8.9 | 1 |
| MC LEAN | 1,857 | 124 | 6.68 | 1,849 | 99.57 | 31 | 16.7 | 3 | 1.6 | 4 | 2.2 | — |
| MACON | 2,780 | 196 | 7.05 | 2,775 | 99.82 | 35 | 12.6 | 2 | 0.7 | 13 | 4.7 | 3 |
| MACOUPIN | 774 | 47 | 6.07 | 767 | 99.10 | 14 | 18.1 | 3 | 3.9 | 4 | 5.2 | — |
| MADISON | 5,489 | 368 | 6.70 | 5,455 | 99.38 | 75 | 13.7 | 9 | 1.6 | 33 | 6.0 | 1 |
| MARION | 801 | 59 | 7.37 | 789 | 98.50 | 13 | 16.2 | 2 | 2.5 | 7 | 8.7 | — |
| MARSHALL | 266 | 21 | 7.89 | 265 | 99.62 | 6 | 22.6 | — | -0- | 2 | 7.5 | — |
| MASON | 317 | 20 | 6.31 | 316 | 99.68 | 10 | 31.5 | 1 | 3.2 | — | -0- | — |
| MASSAC | 287 | 18 | 6.27 | 287 | 100.00 | 5 | 17.4 | — | -0- | 1 | 3.5 | — |
| MENARD | 185 | 12 | 6.49 | 184 | 99.46 | 6 | 32.4 | — | -0- | — | -0- | — |
| MERCER | 365 | 17 | 4.66 | 364 | 99.73 | 9 | 24.7 | 1 | 2.7 | 1 | 2.7 | — |
| MONROE | 357 | 18 | 5.04 | 356 | 99.72 | 5 | 14.0 | — | -0- | 2 | 5.6 | — |
| MONTGOMERY | 621 | 27 | 4.35 | 619 | 99.68 | 9 | 14.5 | — | -0- | 5 | 8.1 | — |
| MORGAN | 680 | 41 | 6.03 | 678 | 99.71 | 11 | 16.2 | 1 | 1.5 | 3 | 4.4 | — |
| MOULTRIE | 275 | 11 | 4.00 | 266 | 96.73 | 1 | 3.6 | — | -0- | — | -0- | — |
| OGLE | 849 | 51 | 6.01 | 845 | 99.53 | 16 | 18.8 | 1 | 1.2 | 4 | 4.7 | — |
| PEORIA | 4,608 | 315 | 6.84 | 4,585 | 99.50 | 85 | 18.4 | 8 | 1.7 | 23 | 5.0 | 2 |
| PERRY | 345 | 24 | 6.96 | 344 | 99.71 | 6 | 17.4 | — | -0- | — | -0- | — |
| PIATT | 313 | 13 | 4.15 | 313 | 100.00 | 4 | 12.8 | — | -0- | — | -0- | — |
| PIKE | 397 | 25 | 6.30 | 396 | 99.75 | 6 | 15.1 | 1 | 2.5 | — | -0- | — |
| POPE | 67 | 10 | 14.93 | 66 | 98.51 | 2 | 29.9 | — | -0- | — | -0- | — |
| PULASKI | 220 | 27 | 12.27 | 188 | 85.45 | 7 | 31.8 | 1 | 4.5 | 7 | 31.8 | — |
| PUTNAM | 86 | 7 | 8.14 | 86 | 100.00 | — | -0- | 1 | 11.6 | — | -0- | — |
| RANDOLPH | 534 | 46 | 8.61 | 530 | 99.25 | 5 | 9.4 | — | -0- | 3 | 5.6 | — |
| RICHLAND | 385 | 12 | 3.12 | 385 | 100.00 | 3 | 7.8 | — | -0- | — | -0- | — |
| ROCK ISLAND | 3,691 | 243 | 6.69 | 3,607 | 99.34 | 74 | 20.4 | 2 | 0.6 | 19 | 5.2 | 1 |
| ST. CLAIR | 6,867 | 573 | 8.34 | 6,815 | 99.24 | 111 | 16.2 | 14 | 2.0 | 52 | 7.6 | 2 |
| SALINE | 417 | 30 | 7.19 | 416 | 99.76 | 7 | 16.8 | 1 | 2.4 | 1 | 2.4 | — |
| SANGAMON | 3,470 | 231 | 6.66 | 3,458 | 99.65 | 66 | 19.0 | 6 | 1.7 | 15 | 4.3 | 1 |
| SCHUYLER | 157 | 9 | 5.73 | 154 | 98.09 | 1 | 6.4 | — | -0- | 3 | 19.1 | — |
| SCOTT | 136 | 6 | 4.41 | 136 | 100.00 | 3 | 22.1 | 1 | 7.4 | 1 | 7.4 | — |
| SHELBY | 446 | 21 | 4.71 | 444 | 99.55 | 7 | 15.7 | 1 | 2.2 | 1 | 2.2 | — |
| STARK | 168 | 7 | 4.17 | 167 | 99.40 | 3 | 17.9 | — | -0- | — | -0- | — |
| STEPHENSON | 1,046 | 68 | 6.50 | 1,037 | 99.14 | 11 | 10.5 | 1 | 1.0 | 5 | 4.8 | — |
| TAZEWELL | 2,514 | 143 | 5.69 | 2,504 | 99.60 | 32 | 12.7 | 4 | 1.6 | 14 | 5.6 | — |
| UNION | 282 | 22 | 7.80 | 279 | 98.94 | 11 | 39.0 | — | -0- | 2 | 7.1 | — |
| VERMILION | 2,124 | 164 | 7.72 | 2,118 | 99.72 | 35 | 16.5 | 6 | 2.8 | 10 | 4.7 | 1 |
| WABASH | 296 | 27 | 9.12 | 295 | 99.66 | 7 | 23.6 | — | -0- | 1 | 3.4 | — |
| WARREN | 419 | 26 | 6.21 | 416 | 99.28 | 4 | 9.5 | 3 | 7.2 | 4 | 9.5 | — |
| WASHINGTON | 206 | 11 | 5.34 | 198 | 96.12 | 4 | 19.4 | 1 | 4.9 | — | -0- | — |
| WAYNE | 348 | 20 | 5.75 | 337 | 96.84 | 9 | 25.9 | 1 | 2.9 | 2 | 5.7 | — |
| WHITE | 357 | 29 | 8.12 | 354 | 99.16 | 6 | 16.8 | 1 | 2.8 | 2 | 5.6 | — |
| WHITESIDE | 1,545 | 83 | 5.37 | 1,539 | 99.61 | 38 | 24.6 | 2 | 1.3 | 8 | 5.2 | — |
| WILL | 4,820 | 298 | 6.02 | 4,803 | 99.65 | 87 | 18.0 | 7 | 1.5 | 32 | 6.6 | 1 |
| WILLIAMSON | 868 | 52 | 5.99 | 865 | 99.65 | 4 | 4.9 | 3 | 3.5 | 7 | 8.1 | — |
| WINNEBAGO | 5,614 | 358 | 6.38 | 5,595 | 99.66 | 109 | 19.4 | 7 | 1.2 | 42 | 7.5 | 3 |
| WOODFORD | 597 | 42 | 7.04 | 594 | 99.50 | 11 | 18.4 | 1 | 1.7 | 3 | 5.0 | — |
| UNSPECIFIED | 1 | -- | | -- | | 18 | | — | | — | | -- |

[1] PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2] NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
[3] RATES PER 1,000 LIVE BIRTHS.

TABLE 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS, AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960

| CITY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE BIRTHS[1] | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7-28 DAYS | | 1-11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | No. | RATE[3] | No. | RATE[3] | No. | RATE[3] | |
| ALTON | 1,071 | 65 | 6.07 | 1,065 | 99.44 | 18 | 16.8 | — | -0- | 7 | 6.5 | — |
| ARLINGTON HEIGHTS | 771 | 36 | 4.67 | 764 | 99.09 | 12 | 15.6 | 1 | 1.3 | 2 | 2.6 | — |
| AURORA | 1,730 | 117 | 6.76 | 1,722 | 99.54 | 38 | 22.0 | — | -0- | 17 | 9.8 | — |
| BELLEVILLE | 1,012 | 66 | 6.52 | 1,011 | 99.90 | 20 | 19.8 | 1 | 1.0 | 1 | 1.0 | 1 |
| BELLWOOD | 475 | 36 | 7.58 | 475 | 100.00 | 8 | 16.8 | 2 | 4.2 | 2 | 4.2 | — |
| BELVIDERE | 274 | 16 | 5.84 | 274 | 100.00 | 5 | 18.2 | 1 | 3.6 | 1 | 3.6 | — |
| BERWYN | 1,045 | 59 | 5.65 | 1,043 | 99.81 | 10 | 9.6 | 2 | 1.9 | 3 | 2.9 | — |
| BLOOMINGTON | 891 | 53 | 5.95 | 885 | 99.33 | 12 | 13.5 | 2 | 2.2 | 1 | 1.1 | — |
| BLUE ISLAND | 557 | 36 | 6.46 | 556 | 99.82 | 7 | 12.6 | 1 | 1.8 | 3 | 5.4 | — |
| BROOKFIELD | 418 | 29 | 6.94 | 416 | 99.52 | 4 | 9.6 | — | -0- | 3 | 7.2 | — |
| CAHOKIA | 435 | 27 | 6.21 | 434 | 99.77 | 10 | 23.0 | 2 | 4.6 | 1 | 2.3 | — |
| CALUMET CITY | 653 | 35 | 5.36 | 651 | 99.69 | 8 | 12.3 | 1 | 1.6 | 6 | 9.2 | — |
| CANTON | 273 | 9 | 3.30 | 271 | 99.27 | 2 | 7.3 | — | -0- | 2 | 7.3 | — |
| CARBONDALE | 288 | 15 | 5.21 | 287 | 99.65 | 3 | 10.4 | 1 | 3.5 | 3 | 10.4 | — |
| CARPENTERSVILLE | 588 | 44 | 7.48 | 587 | 99.83 | 7 | 11.9 | 2 | 3.4 | 4 | 6.8 | — |
| CENTRALIA | 301 | 31 | 10.30 | 294 | 97.67 | 6 | 19.9 | 1 | 3.3 | 2 | 6.6 | — |
| CENTREVILLE | 276 | 29 | 10.51 | 270 | 97.83 | 6 | 21.7 | — | -0- | 7 | 25.4 | — |
| CHAMPAIGN | 1,296 | 86 | 6.64 | 1,290 | 99.54 | 19 | 14.7 | 1 | 0.8 | 7 | 5.4 | — |
| CHARLESTON | 198 | 12 | 6.06 | 198 | 100.00 | 4 | 20.2 | — | -0- | — | -0- | — |
| CHICAGO | 88,537 | 8,231 | 9.30 | 85,100 | 96.12 | 1,603 | 18.1 | 177 | 2.0 | 785 | 8.9 | 30 |
| CHICAGO HEIGHTS | 1,226 | 110 | 8.97 | 1,207 | 98.45 | 23 | 18.8 | 3 | 2.4 | 16 | 13.1 | 1 |
| CICERO | 1,366 | 92 | 6.73 | 1,361 | 99.63 | 17 | 12.4 | 1 | 0.7 | 5 | 3.7 | 1 |
| COLLINSVILLE | 371 | 31 | 8.36 | 370 | 99.73 | 4 | 10.8 | — | -0- | 2 | 5.4 | — |
| DANVILLE | 1,016 | 87 | 8.56 | 1,013 | 99.70 | 20 | 19.7 | 1 | 1.0 | 6 | 5.9 | 1 |
| DECATUR | 1,978 | 149 | 7.53 | 1,975 | 99.85 | 26 | 13.1 | 2 | 1.0 | 9 | 4.6 | 1 |
| DE KALB | 434 | 28 | 6.45 | 431 | 99.31 | 7 | 16.1 | — | -0- | 1 | 2.3 | — |
| DEERFIELD | 343 | 29 | 8.45 | 340 | 99.13 | 6 | 17.5 | — | -0- | — | -0- | — |
| DES PLAINES | 1,093 | 67 | 6.13 | 1,086 | 99.36 | 15 | 13.7 | — | -0- | 2 | 1.8 | — |
| DIXON | 318 | 20 | 6.29 | 318 | 100.00 | 9 | 28.3 | — | -0- | 2 | 6.3 | — |
| DOLTON | 570 | 26 | 4.56 | 568 | 99.65 | 6 | 10.5 | 1 | 1.8 | 3 | 5.3 | — |
| DOWNERS GROVE | 568 | 35 | 6.16 | 565 | 99.47 | 10 | 17.6 | 1 | 1.8 | 1 | 1.8 | — |
| EAST MOLINE | 378 | 27 | 7.14 | 375 | 99.21 | 7 | 18.5 | — | -0- | 1 | 2.6 | — |
| EAST PEORIA | 365 | 32 | 8.77 | 362 | 99.18 | 8 | 21.9 | 3 | 8.2 | 1 | 2.7 | — |
| EAST ST. LOUIS | 2,491 | 258 | 10.36 | 2,454 | 98.51 | 40 | 16.1 | 5 | 2.0 | 26 | 10.4 | 1 |
| EDWARDSVILLE | 230 | 20 | 8.70 | 230 | 100.00 | 4 | 17.4 | — | -0- | 1 | 4.3 | — |
| ELGIN | 964 | 57 | 5.91 | 960 | 99.59 | 22 | 22.8 | 1 | 1.0 | 6 | 6.2 | — |
| ELMHURST | 739 | 27 | 3.65 | 739 | 100.00 | 7 | 9.5 | — | -0- | 6 | 8.1 | — |
| ELMWOOD PARK | 498 | 35 | 7.03 | 498 | 100.00 | 7 | 14.1 | 2 | 4.0 | 1 | 2.0 | — |
| EVANSTON | 1,643 | 124 | 7.55 | 1,636 | 99.57 | 25 | 15.2 | 4 | 2.4 | 6 | 3.7 | — |
| EVERGREEN PARK | 458 | 23 | 5.02 | 457 | 99.78 | 6 | 13.1 | — | -0- | 3 | 6.6 | — |
| FOREST PARK | 358 | 29 | 8.10 | 357 | 99.72 | 14 | 39.1 | — | -0- | 1 | 2.8 | — |
| FRANKLIN PARK | 447 | 28 | 6.26 | 442 | 98.88 | 7 | 15.7 | — | -0- | — | -0- | — |
| FREEPORT | 623 | 48 | 7.70 | 620 | 99.52 | 8 | 12.8 | 1 | 1.6 | 3 | 4.8 | — |
| GALESBURG | 781 | 59 | 7.55 | 780 | 99.87 | 15 | 19.2 | 2 | 2.6 | 3 | 3.8 | — |
| GLENCOE | 99 | 7 | 7.07 | 99 | 100.00 | — | -0- | — | -0- | — | -0- | — |
| GLEN ELLYN | 359 | 19 | 5.29 | 356 | 99.16 | 11 | 30.6 | 1 | 2.8 | 1 | 2.8 | — |
| GLENVIEW | 539 | 35 | 6.49 | 536 | 99.44 | 8 | 14.8 | — | -0- | 2 | 3.7 | — |
| GRANITE CITY | 1,123 | 73 | 6.50 | 1,120 | 99.73 | 18 | 16.0 | 1 | 0.9 | 5 | 4.5 | 1 |
| HARVEY | 830 | 59 | 7.11 | 826 | 99.52 | 14 | 16.9 | — | -0- | 4 | 4.8 | — |
| HIGHLAND PARK | 407 | 34 | 8.35 | 404 | 99.26 | 5 | 12.3 | — | -0- | 3 | 7.4 | — |
| HINSDALE | 269 | 9 | 3.35 | 268 | 99.63 | 2 | 7.4 | 2 | 7.4 | 1 | 3.7 | — |
| HOMEWOOD | 220 | 7 | 3.18 | 220 | 100.00 | 4 | 18.2 | — | -0- | 1 | 4.5 | — |
| JACKSONVILLE | 356 | 23 | 6.46 | 354 | 99.44 | 8 | 22.5 | — | -0- | 1 | 2.8 | — |
| JOLIET | 1,586 | 93 | 5.86 | 1,585 | 99.94 | 29 | 18.3 | 2 | 1.3 | 10 | 6.3 | 1 |
| KANKAKEE | 699 | 60 | 8.58 | 694 | 99.28 | 11 | 15.7 | 1 | 1.4 | 8 | 11.4 | — |
| KEWANEE | 346 | 23 | 6.65 | 345 | 99.71 | 3 | 8.7 | 1 | 2.9 | 2 | 5.8 | — |
| LA GRANGE | 374 | 29 | 7.75 | 374 | 100.00 | 7 | 18.7 | 1 | 2.7 | 1 | 2.7 | — |
| LA GRANGE PARK | 232 | 12 | 5.17 | 231 | 99.57 | — | -0- | — | -0- | — | -0- | — |

[1] PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2] NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 3A AND 3B.
[3] RATES PER 1,000 LIVE BIRTHS.

TABLE 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS, AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

| CITY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE BIRTHS[1] | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7-28 DAYS | | 1-11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | No. | RATE[3] | No. | RATE[3] | No. | RATE[3] | |
| LAKE FOREST | 150 | 10 | 6.67 | 150 | 100.00 | 3 | 20.0 | — | -0- | 1 | 6.7 | — |
| LANSING | 400 | 22 | 5.50 | 400 | 100.00 | 7 | 17.5 | 1 | 2.5 | — | -0- | — |
| LA SALLE | 230 | 11 | 4.78 | 230 | 100.00 | 5 | 21.7 | 1 | 4.3 | 1 | 4.3 | — |
| LINCOLN | 289 | 25 | 8.65 | 288 | 99.65 | 4 | 13.8 | 1 | 3.5 | — | -0- | — |
| LINCOLNWOOD | 126 | 6 | 4.76 | 126 | 100.00 | 3 | 23.8 | 1 | 7.9 | — | -0- | — |
| LOMBARD | 623 | 42 | 6.74 | 621 | 99.68 | 15 | 24.1 | — | -0- | 5 | 8.0 | — |
| MACOMB | 236 | 20 | 8.47 | 236 | 100.00 | 6 | 25.4 | — | -0- | 1 | 4.2 | — |
| MARION | 237 | 18 | 7.59 | 236 | 99.58 | — | -0- | 2 | 8.4 | 1 | 4.2 | — |
| MARKHAM | 363 | 24 | 6.61 | 361 | 99.45 | 4 | 11.0 | — | -0- | 2 | 5.5 | — |
| MATTOON | 465 | 31 | 6.67 | 464 | 99.78 | 8 | 17.2 | — | -0- | — | -0- | — |
| MAYWOOD | 630 | 55 | 8.73 | 622 | 98.73 | 11 | 17.5 | — | -0- | 3 | 4.8 | — |
| MELROSE PARK | 851 | 52 | 6.11 | 847 | 99.53 | 4 | 4.7 | 1 | 1.2 | 1 | 1.2 | — |
| MOLINE | 1,043 | 80 | 7.67 | 1,038 | 99.52 | 23 | 22.1 | 1 | 1.0 | 7 | 6.7 | — |
| MONMOUTH | 218 | 13 | 5.96 | 217 | 99.54 | 1 | 4.6 | — | -0- | 3 | 13.8 | — |
| MORTON GROVE | 454 | 29 | 6.39 | 451 | 99.34 | 6 | 13.2 | — | -0- | 1 | 2.2 | 1 |
| MOUNT PROSPECT | 501 | 33 | 6.59 | 500 | 99.80 | 8 | 16.0 | — | -0- | — | -0- | — |
| MOUNT VERNON | 327 | 22 | 6.73 | 325 | 99.39 | 6 | 18.3 | — | -0- | 4 | 12.2 | 1 |
| MUNDELEIN | 340 | 18 | 5.29 | 340 | 100.00 | 1 | 2.9 | — | -0- | 3 | 8.8 | — |
| NAPERVILLE | 325 | 21 | 6.46 | 323 | 99.38 | 7 | 21.5 | — | -0- | 1 | 3.1 | — |
| NILES | 529 | 28 | 5.29 | 527 | 99.62 | 4 | 7.6 | — | -0- | 3 | 5.7 | — |
| NORMAL | 244 | 15 | 6.15 | 244 | 100.00 | 6 | 24.6 | 1 | 4.1 | 2 | 8.2 | — |
| NORRIDGE | 312 | 22 | 7.05 | 312 | 100.00 | 4 | 12.8 | — | -0- | — | -0- | — |
| NORTHBROOK | 389 | 25 | 6.43 | 386 | 99.23 | 6 | 15.4 | 1 | 2.6 | 2 | 5.1 | — |
| NORTH CHICAGO | 589 | 63 | 10.70 | 582 | 98.81 | 8 | 13.6 | — | -0- | 4 | 6.8 | — |
| NORTHLAKE | 258 | 17 | 6.59 | 256 | 99.22 | 1 | 3.9 | 1 | 3.9 | 1 | 3.9 | — |
| OAK LAWN | 1,438 | 90 | 6.26 | 1,435 | 99.79 | 22 | 15.3 | 1 | 0.7 | 6 | 4.2 | — |
| OAK PARK | 1,130 | 68 | 6.02 | 1,126 | 99.65 | 11 | 9.7 | 1 | 0.9 | 4 | 3.5 | — |
| OTTAWA | 515 | 38 | 7.38 | 514 | 99.81 | 13 | 25.2 | — | -0- | 3 | 5.8 | — |
| PALATINE | 376 | 28 | 7.45 | 370 | 98.40 | 5 | 13.3 | 1 | 2.7 | 1 | 2.7 | — |
| PARK FOREST | 998 | 61 | 6.11 | 994 | 99.60 | 12 | 12.0 | 2 | 2.0 | 2 | 2.0 | — |
| PARK RIDGE | 540 | 22 | 4.07 | 539 | 99.81 | 4 | 7.4 | 2 | 3.7 | 3 | 5.6 | — |
| PEKIN | 675 | 37 | 5.48 | 675 | 100.00 | 8 | 11.9 | — | -0- | 2 | 3.0 | — |
| PEORIA | 2,451 | 194 | 7.92 | 2,436 | 99.39 | 49 | 20.0 | 7 | 2.9 | 13 | 5.3 | 2 |
| PERU | 244 | 13 | 5.33 | 244 | 100.00 | 1 | 4.1 | — | -0- | 3 | 12.3 | — |
| QUINCY | 980 | 66 | 6.73 | 979 | 99.90 | 18 | 18.4 | 3 | 3.1 | 4 | 4.1 | — |
| RANTOUL | 134 | 9 | 6.72 | 133 | 99.25 | 6 | 44.8 | 1 | 7.5 | 8 | 59.7 | — |
| RIVERDALE | 279 | 10 | 3.58 | 274 | 98.21 | 1 | 3.6 | 1 | 3.6 | 4 | 14.3 | — |
| RIVER FOREST | 140 | 8 | 5.71 | 139 | 99.29 | 4 | 28.6 | — | -0- | 1 | 7.1 | — |
| ROCK FALLS | 326 | 19 | 5.83 | 325 | 99.69 | 6 | 18.4 | — | -0- | 2 | 6.1 | — |
| ROCKFORD | 3,299 | 238 | 7.21 | 3,288 | 99.67 | 73 | 22.1 | 4 | 1.2 | 27 | 8.2 | 3 |
| ROCK ISLAND | 1,201 | 92 | 7.66 | 1,192 | 99.25 | 27 | 22.5 | — | -0- | 5 | 4.2 | — |
| ROLLING MEADOWS | 375 | 15 | 4.00 | 373 | 99.47 | 10 | 26.7 | — | -0- | 1 | 2.7 | — |
| SKOKIE | 1,106 | 80 | 7.23 | 1,104 | 99.82 | 17 | 15.4 | 1 | 0.9 | 7 | 6.3 | 1 |
| SOUTH HOLLAND | 282 | 16 | 5.67 | 280 | 99.29 | 2 | 7.1 | — | -0- | — | -0- | — |
| SPRINGFIELD | 2,007 | 149 | 7.42 | 2,004 | 99.85 | 42 | 20.9 | 3 | 1.5 | 12 | 6.0 | — |
| STERLING | 424 | 19 | 4.48 | 424 | 100.00 | 10 | 23.6 | 1 | 2.4 | 2 | 4.7 | — |
| STREATOR | 407 | 31 | 7.62 | 407 | 100.00 | 8 | 19.7 | — | -0- | 5 | 12.3 | 1 |
| SUMMIT | 307 | 18 | 5.86 | 303 | 98.70 | 8 | 26.1 | 2 | 6.5 | 3 | 9.8 | — |
| URBANA | 826 | 57 | 6.90 | 824 | 99.76 | 15 | 18.2 | — | -0- | 3 | 3.6 | — |
| VILLA PARK | 557 | 36 | 6.46 | 556 | 99.82 | 7 | 12.6 | — | -0- | 1 | 1.8 | — |
| WAUKEGAN | 1,698 | 138 | 8.13 | 1,692 | 99.65 | 27 | 15.9 | 3 | 1.8 | 11 | 6.5 | — |
| WESTCHESTER | 364 | 16 | 4.40 | 363 | 99.73 | 3 | 8.2 | 1 | 2.7 | 1 | 2.7 | — |
| WESTERN SPRINGS | 155 | 5 | 3.23 | 155 | 100.00 | — | -0- | — | -0- | -- | -0- | 1 |
| WHEATON | 500 | 24 | 4.80 | 495 | 99.00 | 6 | 12.0 | 1 | 2.0 | 1 | 2.0 | — |
| WILMETTE | 475 | 21 | 4.42 | 471 | 99.16 | 5 | 10.5 | — | -0- | 5 | 10.5 | — |
| WINNETKA | 146 | 11 | 7.53 | 146 | 100.00 | 2 | 13.7 | — | -0- | — | -0- | — |
| WOOD RIVER | 252 | 19 | 7.54 | 252 | 100.00 | 3 | 11.9 | 1 | 4.0 | 3 | 11.9 | — |
| ZION | 379 | 22 | 5.80 | 373 | 98.42 | 5 | 13.2 | 1 | 2.6 | 3 | 7.9 | — |

[1] PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2] NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 3A AND 3B.
[3] RATES PER 1,000 LIVE BIRTHS.

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1960

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| ILLINOIS, ALL CAUSES | 103,038 | 6,906 | 822 | 1,254 | 6,097 | 26,488 | 50,659 | 10,812 |
| WHITE | 92,425 | 5,116 | 694 | 1,057 | 4,666 | 22,917 | 47,571 | 10,404 |
| NONWHITE | 10,613 | 1,790 | 128 | 197 | 1,431 | 3,571 | 3,088 | 408 |
| 1. HEART DISEASE | 44,783 | 18 | 17 | 55 | 1,482 | 11,610 | 25,660 | 5,941 |
| WHITE | 41,091 | 12 | 13 | 38 | 1,092 | 10,043 | 24,171 | 5,722 |
| NONWHITE | 3,692 | 6 | 4 | 17 | 390 | 1,567 | 1,489 | 219 |
| A. ARTERIOSCLEROTIC | 34,619 | 2 | 1 | 7 | 879 | 9,190 | 20,292 | 4,248 |
| WHITE | 32,275 | 2 | 1 | 5 | 706 | 8,183 | 19,268 | 4,110 |
| NONWHITE | 2,344 | -- | -- | 2 | 173 | 1,007 | 1,024 | 138 |
| B. OTHER | 10,164 | 16 | 16 | 48 | 603 | 2,420 | 5,368 | 1,693 |
| WHITE | 8,816 | 10 | 12 | 33 | 386 | 1,860 | 4,903 | 1,612 |
| NONWHITE | 1,348 | 6 | 4 | 15 | 217 | 560 | 465 | 81 |
| 2. MALIGNANT NEOPLASMS | 17,005 | 132 | 136 | 125 | 1,162 | 6,377 | 8,292 | 781 |
| WHITE | 15,587 | 111 | 126 | 113 | 1,002 | 5,691 | 7,796 | 748 |
| NONWHITE | 1,418 | 21 | 10 | 12 | 160 | 686 | 496 | 33 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM | 10,745 | 11 | 11 | 19 | 283 | 1,841 | 6,792 | 1,788 |
| WHITE | 9,764 | 9 | 11 | 15 | 192 | 1,479 | 6,335 | 1,723 |
| NONWHITE | 981 | 2 | -- | 4 | 91 | 362 | 457 | 65 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY | 4,809 | 4,610 | 62 | 28 | 40 | 54 | 14 | 1 |
| WHITE | 3,762 | 3,587 | 52 | 25 | 35 | 50 | 13 | -- |
| NONWHITE | 1,047 | 1,023 | 10 | 3 | 5 | 4 | 1 | 1 |
| 5. ACCIDENTS | 4,412 | 387 | 283 | 636 | 962 | 1,011 | 909 | 224 |
| WHITE | 3,895 | 255 | 234 | 566 | 827 | 926 | 870 | 217 |
| NONWHITE | 517 | 132 | 49 | 70 | 135 | 85 | 39 | 7 |
| A. MOTOR VEHICLE | 1,833 | 87 | 105 | 403 | 482 | 433 | 295 | 28 |
| WHITE | 1,687 | 71 | 92 | 375 | 436 | 401 | 286 | 26 |
| NONWHITE | 146 | 16 | 13 | 28 | 46 | 32 | 9 | 2 |
| B. OTHER | 2,579 | 300 | 178 | 233 | 480 | 578 | 614 | 196 |
| WHITE | 2,208 | 184 | 142 | 191 | 391 | 525 | 584 | 191 |
| NONWHITE | 371 | 116 | 36 | 42 | 89 | 53 | 30 | 5 |
| 6. PNEUMONIA AND INFLUENZA | 4,187 | 1,027 | 69 | 47 | 230 | 737 | 1,585 | 492 |
| WHITE | 3,233 | 579 | 52 | 37 | 134 | 557 | 1,410 | 464 |
| NONWHITE | 954 | 448 | 17 | 10 | 96 | 180 | 175 | 28 |
| 7. GENERAL ARTERIOSCLEROSIS | 2,096 | -- | -- | -- | 5 | 138 | 1,225 | 728 |
| WHITE | 1,981 | -- | -- | -- | 3 | 110 | 1,164 | 704 |
| NONWHITE | 115 | -- | -- | -- | 2 | 28 | 61 | 24 |
| 8. DIABETES MELLITUS | 1,507 | 4 | 14 | 7 | 87 | 459 | 857 | 79 |
| WHITE | 1,337 | 4 | 13 | 6 | 66 | 384 | 791 | 73 |
| NONWHITE | 170 | -- | 1 | 1 | 21 | 75 | 66 | 6 |
| 9. CIRRHOSIS OF LIVER | 1,296 | 4 | 3 | 5 | 217 | 690 | 367 | 10 |
| WHITE | 1,189 | 4 | 2 | 3 | 176 | 641 | 354 | 9 |
| NONWHITE | 107 | -- | 1 | 2 | 41 | 49 | 13 | 1 |
| 10. SUICIDE | 977 | -- | 6 | 56 | 265 | 393 | 244 | 13 |
| WHITE | 935 | -- | 6 | 53 | 240 | 380 | 243 | 13 |
| NONWHITE | 42 | -- | -- | 3 | 25 | 13 | 1 | -- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART | 909 | -- | -- | -- | 69 | 189 | 507 | 144 |
| WHITE | 794 | -- | -- | -- | 24 | 151 | 478 | 141 |
| NONWHITE | 115 | -- | -- | -- | 45 | 38 | 29 | 3 |
| 12. OTHER CIRCULATORY DISEASES | 834 | 5 | 2 | 5 | 45 | 271 | 456 | 50 |
| WHITE | 778 | 4 | 2 | 5 | 39 | 238 | 441 | 49 |
| NONWHITE | 56 | 1 | -- | -- | 6 | 33 | 15 | 1 |

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1960--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| CHICAGO, ALL CAUSES | 42,550 | 2,978 | 296 | 446 | 3,043 | 12,806 | 20,039 | 2,942 |
| WHITE | 34,173 | 1,531 | 190 | 284 | 1,827 | 9,937 | 17,733 | 2,671 |
| NONWHITE | 8,377 | 1,447 | 106 | 162 | 1,216 | 2,868 | 2,306 | 271 |
| 1. HEART DISEASE | 19,084 | 7 | 7 | 33 | 858 | 5,845 | 10,577 | 1,757 |
| WHITE | 16,185 | 2 | 3 | 18 | 508 | 4,570 | 9,470 | 1,614 |
| NONWHITE | 2,899 | 5 | 4 | 15 | 350 | 1,275 | 1,107 | 143 |
| A. ARTERIOSCLEROTIC | 14,770 | — | — | 3 | 457 | 4,450 | 8,525 | 1,335 |
| WHITE | 12,942 | — | — | 2 | 302 | 3,639 | 7,749 | 1,250 |
| NONWHITE | 1,828 | — | — | 1 | 155 | 811 | 776 | 85 |
| B. OTHER | 4,314 | 7 | 7 | 30 | 401 | 1,395 | 2,052 | 422 |
| WHITE | 3,243 | 2 | 3 | 16 | 206 | 931 | 1,721 | 364 |
| NONWHITE | 1,071 | 5 | 4 | 14 | 195 | 464 | 331 | 58 |
| 2. MALIGNANT NEOPLASMS | 7,170 | 46 | 48 | 52 | 473 | 2,915 | 3,413 | 223 |
| WHITE | 6,056 | 27 | 40 | 41 | 347 | 2,361 | 3,042 | 198 |
| NONWHITE | 1,114 | 19 | 8 | 11 | 126 | 554 | 371 | 25 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM | 3,735 | 3 | 4 | 8 | 155 | 869 | 2,274 | 422 |
| WHITE | 3,005 | 2 | 4 | 5 | 76 | 592 | 1,941 | 385 |
| NONWHITE | 730 | 1 | — | 3 | 79 | 277 | 333 | 37 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY | 1,962 | 1,884 | 21 | 13 | 16 | 22 | 5 | 1 |
| WHITE | 1,117 | 1,061 | 12 | 10 | 11 | 19 | 4 | — |
| NONWHITE | 845 | 823 | 9 | 3 | 5 | 3 | 1 | 1 |
| 5. ACCIDENTS | 1,483 | 169 | 95 | 165 | 313 | 399 | 299 | 43 |
| WHITE | 1,084 | 62 | 55 | 112 | 210 | 334 | 273 | 38 |
| NONWHITE | 399 | 107 | 40 | 53 | 103 | 65 | 26 | 5 |
| A. MOTOR VEHICLE | 436 | 20 | 26 | 82 | 99 | 124 | 81 | 4 |
| WHITE | 340 | 9 | 16 | 66 | 70 | 102 | 75 | 2 |
| NONWHITE | 96 | 11 | 10 | 16 | 29 | 22 | 6 | 2 |
| B. OTHER | 1,047 | 149 | 69 | 83 | 214 | 275 | 218 | 39 |
| WHITE | 744 | 53 | 39 | 46 | 140 | 232 | 198 | 36 |
| NONWHITE | 303 | 96 | 30 | 37 | 74 | 43 | 20 | 3 |
| 6. PNEUMONIA AND INFLUENZA | 2,188 | 602 | 33 | 19 | 165 | 457 | 762 | 150 |
| WHITE | 1,383 | 234 | 19 | 10 | 83 | 301 | 611 | 125 |
| NONWHITE | 805 | 368 | 14 | 9 | 82 | 156 | 151 | 25 |
| 7. GENERAL ARTERIOSCLEROSIS | 675 | — | — | -- | 2 | 72 | 444 | 157 |
| WHITE | 594 | — | — | -- | -- | 49 | 402 | 143 |
| NONWHITE | 81 | — | — | -- | 2 | 23 | 42 | 14 |
| 8. DIABETES MELLITUS | 612 | 2 | 6 | 2 | 45 | 210 | 325 | 22 |
| WHITE | 481 | 2 | 5 | 1 | 29 | 151 | 274 | 19 |
| NONWHITE | 131 | — | 1 | 1 | 16 | 59 | 51 | 3 |
| 9. CIRRHOSIS OF LIVER | 787 | — | 2 | 2 | 148 | 428 | 203 | 4 |
| WHITE | 692 | — | 1 | — | 111 | 386 | 191 | 3 |
| NONWHITE | 95 | — | 1 | 2 | 37 | 42 | 12 | 1 |
| 10. SUICIDE | 335 | — | 1 | 21 | 112 | 130 | 68 | 3 |
| WHITE | 299 | — | 1 | 18 | 91 | 119 | 67 | 3 |
| NONWHITE | 36 | — | — | 3 | 21 | 11 | 1 | -- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART | 376 | — | — | — | 52 | 94 | 197 | 33 |
| WHITE | 278 | — | — | — | 12 | 63 | 172 | 31 |
| NONWHITE | 98 | — | — | — | 40 | 31 | 25 | 2 |
| 12. OTHER CIRCULATORY DISEASES | 282 | 1 | — | 1 | 17 | 110 | 143 | 10 |
| WHITE | 238 | — | — | 1 | 12 | 84 | 132 | 9 |
| NONWHITE | 44 | 1 | — | — | 5 | 26 | 11 | 1 |

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1960--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| DOWNSTATE, ALL CAUSES | 60,488 | 3,928 | 526 | 808 | 3,054 | 13,682 | 30,620 | 7,870 |
| WHITE | 58,252 | 3,585 | 504 | 773 | 2,839 | 12,980 | 29,838 | 7,733 |
| NONWHITE | 2,236 | 343 | 22 | 35 | 215 | 702 | 782 | 137 |
| 1. HEART DISEASE | 25,699 | 11 | 10 | 22 | 624 | 5,765 | 15,083 | 4,184 |
| WHITE | 24,906 | 10 | 10 | 20 | 584 | 5,473 | 14,701 | 4,108 |
| NONWHITE | 793 | 1 | — | 2 | 40 | 292 | 382 | 76 |
| A. ARTERIOSCLEROTIC | 19,849 | 2 | 1 | 4 | 422 | 4,740 | 11,767 | 2,913 |
| WHITE | 19,333 | 2 | 1 | 3 | 404 | 4,544 | 11,519 | 2,860 |
| NONWHITE | 516 | — | — | 1 | 18 | 196 | 248 | 53 |
| B. OTHER | 5,850 | 9 | 9 | 18 | 202 | 1,025 | 3,316 | 1,271 |
| WHITE | 5,573 | 8 | 9 | 17 | 180 | 929 | 3,182 | 1,248 |
| NONWHITE | 277 | 1 | — | 1 | 22 | 96 | 134 | 23 |
| 2. MALIGNANT NEOPLASMS | 9,835 | 86 | 88 | 73 | 689 | 3,462 | 4,879 | 558 |
| WHITE | 9,531 | 84 | 86 | 72 | 655 | 3,330 | 4,754 | 550 |
| NONWHITE | 304 | 2 | 2 | 1 | 34 | 132 | 125 | 8 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM | 7,010 | 8 | 7 | 11 | 128 | 972 | 4,518 | 1,366 |
| WHITE | 6,759 | 7 | 7 | 10 | 116 | 887 | 4,394 | 1,338 |
| NONWHITE | 251 | 1 | — | 1 | 12 | 85 | 124 | 28 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY | 2,847 | 2,726 | 41 | 15 | 24 | 32 | 9 | — |
| WHITE | 2,645 | 2,526 | 40 | 15 | 24 | 31 | 9 | — |
| NONWHITE | 202 | 200 | 1 | — | — | 1 | — | — |
| 5. ACCIDENTS | 2,929 | 218 | 188 | 471 | 649 | 612 | 610 | 181 |
| WHITE | 2,811 | 193 | 179 | 454 | 617 | 592 | 597 | 179 |
| NONWHITE | 118 | 25 | 9 | 17 | 32 | 20 | 13 | 2 |
| A. MOTOR VEHICLE | 1,397 | 67 | 79 | 321 | 383 | 309 | 214 | 24 |
| WHITE | 1,347 | 62 | 76 | 309 | 366 | 299 | 211 | 24 |
| NONWHITE | 50 | 5 | 3 | 12 | 17 | 10 | 3 | — |
| B. OTHER | 1,532 | 151 | 109 | 150 | 266 | 303 | 396 | 157 |
| WHITE | 1,464 | 131 | 103 | 145 | 251 | 293 | 386 | 155 |
| NONWHITE | 68 | 20 | 6 | 5 | 15 | 10 | 10 | 2 |
| 6. PNEUMONIA AND INFLUENZA | 1,999 | 425 | 36 | 28 | 65 | 280 | 823 | 342 |
| WHITE | 1,850 | 345 | 33 | 27 | 51 | 256 | 799 | 339 |
| NONWHITE | 149 | 80 | 3 | 1 | 14 | 24 | 24 | 3 |
| 7. GENERAL ARTERIOSCLEROSIS | 1,421 | — | — | -- | 3 | 66 | 781 | 571 |
| WHITE | 1,387 | — | — | -- | 3 | 61 | 762 | 561 |
| NONWHITE | 34 | — | — | -- | -- | 5 | 19 | 10 |
| 8. DIABETES MELLITUS | 895 | 2 | 8 | 5 | 42 | 249 | 532 | 57 |
| WHITE | 856 | 2 | 8 | 5 | 37 | 233 | 517 | 54 |
| NONWHITE | 39 | — | — | -- | 5 | 16 | 15 | 3 |
| 9. CIRRHOSIS OF LIVER | 509 | 4 | 1 | 3 | 69 | 262 | 164 | 6 |
| WHITE | 497 | 4 | 1 | 3 | 65 | 255 | 163 | 6 |
| NONWHITE | 12 | — | — | -- | 4 | 7 | 1 | — |
| 10. SUICIDE | 642 | — | 5 | 35 | 153 | 263 | 176 | 10 |
| WHITE | 636 | — | 5 | 35 | 149 | 261 | 176 | 10 |
| NONWHITE | 6 | — | — | -- | 4 | 2 | — | — |
| 11. HYPERTENSION WITHOUT MENTION OF HEART | 533 | — | — | -- | 17 | 95 | 310 | 111 |
| WHITE | 516 | — | — | -- | 12 | 88 | 306 | 110 |
| NONWHITE | 17 | — | — | -- | 5 | 7 | 4 | 1 |
| 12. OTHER CIRCULATORY DISEASES | 552 | 4 | 2 | 4 | 28 | 161 | 313 | 40 |
| WHITE | 540 | 4 | 2 | 4 | 27 | 154 | 309 | 40 |
| NONWHITE | 12 | — | — | -- | 1 | 7 | 4 | -- |

TABLE 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1960

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960. IN EACH SPECIFIC GROUP)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| ILLINOIS, ALL CAUSES | 1,022.1 | 611.0 | 43.9 | 98.9 | 228.0 | 1,224.8 | 5,489.4 | 20,765.6 |
| WHITE | 1,025.8 | 529.8 | 42.2 | 93.7 | 197.1 | 1,155.2 | 5,462.5 | 21,126.6 |
| NONWHITE | 990.7 | 1,088.6 | 56.6 | 140.5 | 466.2 | 1,997.8 | 5,939.1 | 14,463.0 |
| 1. HEART DISEASE | 444.2 | 1.6 | 0.9 | 4.3 | 55.4 | 536.8 | 2,780.5 | 11,410.3 |
| WHITE | 456.0 | 1.2 | 0.8 | 3.4 | 46.1 | 506.2 | 2,775.5 | 11,619.2 |
| NONWHITE | 344.8 | 3.7 | 1.8 | 12.1 | 127.0 | 876.9 | 2,863.8 | 7,763.2 |
| A. ARTERIOSCLEROTIC | 343.4 | 0.2 | 0.1 | 0.6 | 32.9 | 424.9 | 2,198.8 | 8,158.7 |
| WHITE | 358.2 | 0.2 | 0.1 | 0.4 | 29.8 | 412.5 | 2,212.5 | 8,345.9 |
| NONWHITE | 218.9 | -0- | -0- | 1.4 | 56.4 | 563.5 | 1,969.5 | 4,891.9 |
| B. OTHER | 100.8 | 1.4 | 0.9 | 3.8 | 22.6 | 111.9 | 581.7 | 3,251.6 |
| WHITE | 97.8 | 1.0 | 0.7 | 2.9 | 16.3 | 93.8 | 563.0 | 3,273.4 |
| NONWHITE | 125.9 | 3.7 | 1.8 | 10.7 | 70.7 | 313.4 | 894.3 | 2,871.3 |
| 2. MALIGNANT NEOPLASMS | 168.7 | 11.7 | 7.3 | 9.9 | 43.5 | 294.9 | 898.5 | 1,500.0 |
| WHITE | 173.0 | 11.5 | 7.7 | 10.0 | 42.3 | 286.8 | 895.2 | 1,518.9 |
| NONWHITE | 132.4 | 12.8 | 4.4 | 8.6 | 52.1 | 383.9 | 954.0 | 1,169.8 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM | 106.6 | 1.0 | 0.6 | 1.5 | 10.6 | 85.1 | 736.0 | 3,434.0 |
| WHITE | 108.4 | 0.9 | 0.7 | 1.3 | 8.1 | 74.5 | 727.4 | 3,498.8 |
| NONWHITE | 91.6 | 1.2 | -0- | 2.9 | 29.6 | 202.6 | 878.9 | 2,304.1 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY | 47.7 | 407.9 | 3.3 | 2.2 | 1.5 | 2.5 | 1.5 | 1.9 |
| WHITE | 41.8 | 371.3 | 3.2 | 2.2 | 1.5 | 2.5 | 1.5 | -0- |
| NONWHITE | 97.8 | 622.8 | 4.4 | 2.1 | 1.6 | 2.2 | 1.9 | 35.4 |
| 5. ACCIDENTS | 43.8 | 34.2 | 15.1 | 50.1 | 36.0 | 46.7 | 98.5 | 430.2 |
| WHITE | 43.2 | 26.4 | 14.2 | 50.2 | 34.9 | 46.7 | 99.9 | 440.6 |
| NONWHITE | 48.3 | 80.4 | 21.7 | 49.9 | 44.0 | 47.6 | 75.0 | 248.1 |
| A. MOTOR VEHICLE | 18.2 | 7.7 | 5.6 | 31.8 | 18.0 | 20.0 | 32.0 | 53.8 |
| WHITE | 18.7 | 7.3 | 5.6 | 33.2 | 18.4 | 20.2 | 32.8 | 52.8 |
| NONWHITE | 13.6 | 9.7 | 5.8 | 20.0 | 15.0 | 17.9 | 17.3 | 70.9 |
| B. OTHER | 25.6 | 26.5 | 9.5 | 18.4 | 18.0 | 26.7 | 66.5 | 376.4 |
| WHITE | 24.5 | 19.0 | 8.6 | 16.9 | 16.5 | 26.5 | 67.1 | 387.8 |
| NONWHITE | 34.6 | 70.6 | 15.9 | 30.0 | 29.0 | 29.7 | 57.7 | 177.2 |
| 6. PNEUMONIA AND INFLUENZA | 41.5 | 90.9 | 3.7 | 3.7 | 8.6 | 34.1 | 171.7 | 944.9 |
| WHITE | 35.9 | 60.1 | 3.2 | 3.3 | 5.7 | 28.1 | 161.9 | 942.2 |
| NONWHITE | 88.8 | 271.5 | 7.5 | 7.1 | 31.3 | 100.2 | 336.6 | 992.6 |
| 7. GENERAL ARTERIOSCLEROSIS | 20.8 | -0- | -0- | -0- | 0.2 | 6.4 | 132.7 | 1,398.2 |
| WHITE | 22.0 | -0- | -0- | -0- | 0.1 | 5.5 | 133.7 | 1,429.6 |
| NONWHITE | 10.7 | -0- | -0- | -0- | 0.7 | 15.7 | 117.3 | 850.8 |
| 8. DIABETES MELLITUS | 14.9 | 0.4 | 0.7 | 0.6 | 3.3 | 21.2 | 92.9 | 151.7 |
| WHITE | 14.8 | 0.4 | 0.8 | 0.5 | 2.8 | 19.4 | 90.8 | 148.2 |
| NONWHITE | 15.9 | -0- | 0.4 | 0.7 | 6.8 | 42.0 | 126.9 | 212.7 |
| 9. CIRRHOSIS OF LIVER | 12.9 | 0.4 | 0.2 | 0.4 | 8.1 | 31.9 | 39.8 | 19.2 |
| WHITE | 13.2 | 0.4 | 0.1 | 0.3 | 7.4 | 32.3 | 40.6 | 18.3 |
| NONWHITE | 10.0 | -0- | 0.4 | 1.4 | 13.4 | 27.4 | 25.0 | 35.4 |
| 10. SUICIDE | 9.7 | -0- | 0.3 | 4.4 | 9.9 | 18.2 | 26.4 | 25.0 |
| WHITE | 10.4 | -0- | 0.4 | 4.7 | 10.1 | 19.2 | 27.9 | 26.4 |
| NONWHITE | 3.9 | -0- | -0- | 2.1 | 8.1 | 7.3 | 1.9 | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART | 9.0 | -0- | -0- | -0- | 2.6 | 8.7 | 54.9 | 276.6 |
| WHITE | 8.8 | -0- | -0- | -0- | 1.0 | 7.6 | 54.9 | 286.3 |
| NONWHITE | 10.7 | -0- | -0- | -0- | 14.7 | 21.3 | 55.8 | 106.3 |
| 12. OTHER CIRCULATORY DISEASES | 8.3 | 0.4 | 0.1 | 0.4 | 1.7 | 12.5 | 49.4 | 96.0 |
| WHITE | 8.6 | 0.4 | 0.1 | 0.4 | 1.6 | 12.0 | 50.6 | 99.5 |
| NONWHITE | 5.2 | 0.6 | -0- | -0- | 2.0 | 18.5 | 28.8 | 35.4 |

TABLE 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1960--CONTINUED

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960. IN EACH SPECIFIC GROUP)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| CHICAGO, ALL CAUSES | 1,198.5 | 782.3 | 50.7 | 99.6 | 318.0 | 1,534.3 | 6,026.9 | 20,891.9 |
| WHITE | 1,259.8 | 612.3 | 46.5 | 83.6 | 257.0 | 1,427.4 | 6,017.1 | 22,807.1 |
| NONWHITE | 999.7 | 1,108.9 | 60.4 | 150.3 | 494.2 | 2,072.1 | 6,103.3 | 13,993.2 |
| 1. HEART DISEASE | 537.5 | 1.8 | 1.2 | 7.4 | 89.7 | 700.3 | 3,181.1 | 12,476.9 |
| WHITE | 596.6 | 0.8 | 0.7 | 5.3 | 71.5 | 656.4 | 3,213.3 | 13,298.2 |
| NONWHITE | 346.1 | 3.8 | 2.3 | 13.9 | 142.2 | 921.2 | 2,929.9 | 7,352.2 |
| A. ARTERIOSCLEROTIC | 416.0 | -0- | -0- | 0.7 | 47.8 | 533.2 | 2,564.0 | 9,480.2 |
| WHITE | 477.1 | -0- | -0- | 0.6 | 42.5 | 522.7 | 2,629.4 | 10,299.1 |
| NONWHITE | 218.2 | -0- | -0- | 0.9 | 63.0 | 585.9 | 2,053.8 | 4,370.2 |
| B. OTHER | 121.5 | 1.8 | 1.2 | 6.7 | 41.9 | 167.1 | 617.2 | 2,996.7 |
| WHITE | 119.5 | 0.8 | 0.7 | 4.7 | 29.0 | 133.7 | 584.0 | 2,999.1 |
| NONWHITE | 127.9 | 3.8 | 2.3 | 13.0 | 79.3 | 335.2 | 876.1 | 2,982.0 |
| 2. MALIGNANT NEOPLASMS | 201.9 | 12.1 | 8.2 | 11.6 | 49.4 | 349.3 | 1,026.5 | 1,583.6 |
| WHITE | 223.2 | 10.8 | 9.8 | 12.1 | 48.8 | 339.1 | 1,032.2 | 1,631.4 |
| NONWHITE | 133.0 | 14.6 | 4.6 | 10.2 | 51.2 | 400.3 | 981.9 | 1,285.3 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM | 105.2 | 0.8 | 0.7 | 1.8 | 16.2 | 104.1 | 683.9 | 2,996.7 |
| WHITE | 110.8 | 0.8 | 1.0 | 1.5 | 10.7 | 85.0 | 658.6 | 3,172.1 |
| NONWHITE | 87.1 | 0.8 | -0- | 2.8 | 32.1 | 200.1 | 881.3 | 1,902.3 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY | 55.3 | 494.9 | 3.6 | 2.9 | 1.7 | 2.6 | 1.5 | 7.1 |
| WHITE | 41.2 | 423.8 | 2.9 | 2.9 | 1.5 | 2.7 | 1.4 | -0- |
| NONWHITE | 100.9 | 631.6 | 5.1 | 2.8 | 2.0 | 2.2 | 2.6 | 51.4 |
| 5. ACCIDENTS | 41.8 | 44.4 | 16.3 | 36.9 | 32.7 | 47.8 | 89.9 | 305.4 |
| WHITE | 40.0 | 24.8 | 13.5 | 33.0 | 29.5 | 48.0 | 92.6 | 313.1 |
| NONWHITE | 47.6 | 82.1 | 22.8 | 49.2 | 41.9 | 47.0 | 68.8 | 257.1 |
| A. MOTOR VEHICLE | 12.3 | 5.3 | 4.5 | 18.3 | 10.3 | 14.9 | 24.4 | 28.4 |
| WHITE | 12.5 | 3.6 | 3.9 | 19.4 | 9.8 | 14.7 | 25.4 | 16.5 |
| NONWHITE | 11.5 | 8.4 | 5.7 | 14.8 | 11.8 | 15.9 | 15.9 | 102.8 |
| B. OTHER | 29.5 | 39.1 | 11.8 | 18.5 | 22.4 | 32.9 | 65.6 | 276.9 |
| WHITE | 27.4 | 21.2 | 9.5 | 13.5 | 19.7 | 33.3 | 67.2 | 296.6 |
| NONWHITE | 36.2 | 73.7 | 17.1 | 34.3 | 30.1 | 31.1 | 52.9 | 154.2 |
| 6. PNEUMONIA AND INFLUENZA | 61.6 | 158.1 | 5.7 | 4.2 | 17.2 | 54.8 | 229.2 | 1,065.2 |
| WHITE | 51.1 | 94.3 | 4.6 | 2.9 | 11.7 | 43.4 | 207.3 | 1,029.9 |
| NONWHITE | 95.7 | 280.9 | 8.0 | 8.4 | 33.3 | 112.0 | 399.7 | 1,285.3 |
| 7. GENERAL ARTERIOSCLEROSIS | 19.0 | -0- | -0- | -0- | 0.2 | 8.6 | 133.5 | 1,114.9 |
| WHITE | 21.9 | -0- | -0- | -0- | -0- | 7.0 | 136.4 | 1,178.2 |
| NONWHITE | 9.7 | -0- | -0- | -0- | 0.8 | 16.6 | 111.2 | 719.8 |
| 8. DIABETES MELLITUS | 17.2 | 0.5 | 1.0 | 0.4 | 4.7 | 25.2 | 97.7 | 156.2 |
| WHITE | 17.7 | 0.8 | 1.2 | 0.3 | 4.1 | 21.7 | 93.0 | 156.5 |
| NONWHITE | 15.6 | -0- | 0.6 | 0.9 | 6.5 | 42.6 | 135.0 | 154.2 |
| 9. CIRRHOSIS OF LIVER | 22.2 | -0- | 0.3 | 0.4 | 15.5 | 51.3 | 61.1 | 28.4 |
| WHITE | 25.5 | -0- | 0.2 | -0- | 15.6 | 55.4 | 64.8 | 24.7 |
| NONWHITE | 11.3 | -0- | 0.6 | 1.9 | 15.0 | 30.3 | 31.8 | 51.4 |
| 10. SUICIDE | 9.4 | -0- | 0.2 | 4.7 | 11.7 | 15.6 | 20.5 | 21.3 |
| WHITE | 11.0 | -0- | 0.2 | 5.3 | 12.8 | 17.1 | 22.7 | 24.7 |
| NONWHITE | 4.3 | -0- | -0- | 2.8 | 8.5 | 7.9 | 2.6 | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART | 10.6 | -0- | -0- | -0- | 5.4 | 11.3 | 59.2 | 234.3 |
| WHITE | 10.2 | -0- | -0- | -0- | 1.7 | 9.0 | 58.4 | 255.4 |
| NONWHITE | 11.7 | -0- | -0- | -0- | 16.3 | 22.4 | 66.2 | 102.8 |
| 12. OTHER CIRCULATORY DISEASES | 7.9 | 0.3 | -0- | 0.2 | 1.8 | 13.2 | 43.0 | 71.0 |
| WHITE | 8.8 | -0- | -0- | 0.3 | 1.7 | 12.1 | 44.8 | 74.2 |
| NONWHITE | 5.3 | 0.8 | -0- | -0- | 2.0 | 18.8 | 29.1 | 51.4 |

TABLE 8B. -- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1960--CONTINUED

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960. IN EACH SPECIFIC GROUP)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| DOWNSTATE, ALL CAUSES | 926.2 | 524.0 | 40.9 | 98.5 | 177.9 | 1,030.2 | 5,186.6 | 20,718.7 |
| WHITE | 925.0 | 501.0 | 40.8 | 98.1 | 171.4 | 1,008.0 | 5,178.8 | 20,838.6 |
| NONWHITE | 958.6 | 1,010.5 | 43.5 | 108.1 | 353.0 | 1,742.4 | 5,502.8 | 15,639.3 |
| 1. HEART DISEASE | 393.5 | 1.5 | 0.8 | 2.7 | 36.3 | 434.1 | 2,554.9 | 11,014.9 |
| WHITE | 395.5 | 1.4 | 0.8 | 2.5 | 35.3 | 425.0 | 2,551.6 | 11,070.1 |
| NONWHITE | 340.0 | 2.9 | -0- | 6.2 | 65.7 | 724.8 | 2,688.1 | 8,675.8 |
| A. ARTERIOSCLEROTIC | 303.9 | 0.3 | 0.1 | 0.5 | 24.6 | 356.9 | 1,993.2 | 7,668.8 |
| WHITE | 307.0 | 0.3 | 0.1 | 0.4 | 24.4 | 352.9 | 1,999.3 | 7,707.0 |
| NONWHITE | 221.2 | -0- | -0- | 3.1 | 29.6 | 486.5 | 1,745.1 | 6,050.2 |
| B. OTHER | 89.6 | 1.2 | 0.7 | 2.2 | 11.8 | 77.2 | 561.7 | 3,346.1 |
| WHITE | 88.5 | 1.1 | 0.7 | 2.2 | 10.9 | 72.1 | 552.3 | 3,363.1 |
| NONWHITE | 118.8 | 2.9 | -0- | 3.1 | 36.1 | 238.3 | 942.9 | 2,625.6 |
| 2. MALIGNANT NEOPLASMS | 150.6 | 11.5 | 6.8 | 8.9 | 40.1 | 260.7 | 826.4 | 1,469.0 |
| WHITE | 151.3 | 11.7 | 7.0 | 9.1 | 39.6 | 258.6 | 825.1 | 1,482.1 |
| NONWHITE | 130.3 | 5.9 | 4.0 | 3.1 | 55.8 | 327.6 | 879.6 | 913.2 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM | 107.3 | 1.1 | 0.5 | 1.3 | 7.5 | 73.2 | 765.3 | 3,596.2 |
| WHITE | 107.3 | 1.0 | 0.6 | 1.3 | 7.0 | 68.9 | 762.6 | 3,605.6 |
| NONWHITE | 107.6 | 2.9 | -0- | 3.1 | 19.7 | 211.0 | 872.6 | 3,196.3 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY | 43.6 | 363.7 | 3.2 | 1.8 | 1.4 | 2.4 | 1.5 | -0- |
| WHITE | 42.0 | 353.0 | 3.2 | 1.9 | 1.4 | 2.4 | 1.6 | -0- |
| NONWHITE | 86.6 | 589.2 | 2.0 | -0- | -0- | 2.5 | -0- | -0- |
| 5. ACCIDENTS | 44.8 | 29.1 | 14.6 | 57.4 | 37.8 | 46.1 | 103.3 | 476.5 |
| WHITE | 44.6 | 27.0 | 14.5 | 57.6 | 37.3 | 46.0 | 103.6 | 482.4 |
| NONWHITE | 50.6 | 73.7 | 17.8 | 52.5 | 52.5 | 49.6 | 91.5 | 228.3 |
| A. MOTOR VEHICLE | 21.4 | 8.9 | 6.1 | 39.1 | 22.3 | 23.3 | 36.2 | 63.2 |
| WHITE | 21.4 | 8.7 | 6.1 | 39.2 | 22.1 | 23.2 | 36.6 | 64.7 |
| NONWHITE | 21.4 | 14.7 | 5.9 | 37.1 | 27.9 | 24.8 | 21.1 | -0- |
| B. OTHER | 23.5 | 20.1 | 8.5 | 18.3 | 15.5 | 22.8 | 67.1 | 413.3 |
| WHITE | 23.2 | 18.3 | 8.3 | 18.4 | 15.2 | 22.8 | 67.0 | 417.7 |
| NONWHITE | 29.2 | 58.9 | 11.9 | 15.4 | 24.6 | 24.8 | 70.4 | 228.3 |
| 6. PNEUMONIA AND INFLUENZA | 30.6 | 56.7 | 2.8 | 3.4 | 3.8 | 21.1 | 139.4 | 900.4 |
| WHITE | 29.4 | 48.2 | 2.7 | 3.4 | 3.1 | 19.9 | 138.7 | 913.5 |
| NONWHITE | 63.9 | 235.7 | 5.9 | 3.1 | 23.0 | 59.6 | 168.9 | 342.5 |
| 7. GENERAL ARTERIOSCLEROSIS | 21.8 | -0- | -0- | -0- | 0.2 | 5.0 | 132.3 | 1,503.2 |
| WHITE | 22.0 | -0- | -0- | -0- | 0.2 | 4.7 | 132.3 | 1,511.8 |
| NONWHITE | 14.6 | -0- | -0- | -0- | -0- | 12.4 | 133.7 | 1,141.6 |
| 8. DIABETES MELLITUS | 13.7 | 0.3 | 0.6 | 0.6 | 2.4 | 18.7 | 90.1 | 150.1 |
| WHITE | 13.6 | 0.3 | 0.6 | 0.6 | 2.2 | 18.1 | 89.7 | 145.5 |
| NONWHITE | 16.7 | -0- | -0- | -0- | 8.2 | 39.7 | 105.6 | 342.5 |
| 9. CIRRHOSIS OF LIVER | 7.8 | 0.5 | 0.1 | 0.4 | 4.0 | 19.7 | 27.8 | 15.8 |
| WHITE | 7.9 | 0.6 | 0.1 | 0.4 | 3.9 | 19.8 | 28.3 | 16.2 |
| NONWHITE | 5.1 | -0- | -0- | -0- | 6.6 | 17.4 | 7.0 | -0- |
| 10. SUICIDE | 9.8 | -0- | 0.4 | 4.3 | 8.9 | 19.8 | 29.8 | 26.3 |
| WHITE | 10.1 | -0- | 0.4 | 4.4 | 9.0 | 20.3 | 30.5 | 26.9 |
| NONWHITE | 2.6 | -0- | -0- | -0- | 6.6 | 5.0 | -0- | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART | 8.2 | -0- | -0- | -0- | 1.0 | 7.2 | 52.5 | 292.2 |
| WHITE | 8.2 | -0- | -0- | -0- | 0.7 | 6.8 | 53.1 | 296.4 |
| NONWHITE | 7.3 | -0- | -0- | -0- | 8.2 | 17.4 | 28.1 | 114.2 |
| 12. OTHER CIRCULATORY DISEASES | 8.5 | 0.5 | 0.2 | 0.5 | 1.6 | 12.1 | 53.0 | 105.3 |
| WHITE | 8.6 | 0.6 | 0.2 | 0.5 | 1.6 | 12.0 | 53.6 | 107.8 |
| NONWHITE | 5.1 | -0- | -0- | -0- | 1.6 | 17.4 | 28.1 | -0- |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ILLINOIS | 103,038 | 59,405 | 34,619 | 10,164 | 10,745 | 2,096 | 909 | 834 | 38 |
| ADAMS | 921 | 572 | 320 | 68 | 126 | 31 | 15 | 12 | — |
| ALEXANDER | 255 | 150 | 91 | 24 | 26 | 5 | 1 | 3 | — |
| BOND | 186 | 106 | 63 | 25 | 16 | — | — | 2 | — |
| BOONE | 209 | 132 | 83 | 17 | 30 | 2 | — | -- | -- |
| BROWN | 98 | 65 | 31 | 10 | 19 | 4 | — | -- | 1 |
| BUREAU | 415 | 252 | 137 | 41 | 54 | 12 | 2 | 6 | — |
| CALHOUN | 69 | 42 | 25 | 7 | 7 | 1 | — | 2 | — |
| CARROLL | 223 | 140 | 73 | 25 | 32 | 5 | 1 | 4 | — |
| CASS | 206 | 130 | 84 | 12 | 24 | 5 | 3 | 2 | — |
| CHAMPAIGN | 900 | 476 | 251 | 83 | 107 | 20 | 4 | 11 | — |
| CHRISTIAN | 457 | 258 | 162 | 24 | 54 | 8 | 7 | 3 | — |
| CLARK | 226 | 146 | 67 | 33 | 32 | 8 | 3 | 3 | — |
| CLAY | 179 | 112 | 57 | 26 | 25 | 2 | 1 | 1 | — |
| CLINTON | 266 | 167 | 98 | 27 | 30 | 5 | 3 | 3 | 1 |
| COLES | 478 | 287 | 147 | 36 | 85 | 9 | 7 | 3 | — |
| COOK | 53,832 | 30,570 | 18,591 | 5,383 | 4,870 | 862 | 469 | 377 | 18 |
| CRAWFORD | 237 | 149 | 82 | 29 | 31 | 2 | 1 | 4 | — |
| CUMBERLAND | 126 | 82 | 44 | 7 | 25 | 3 | 1 | 2 | — |
| DE KALB | 472 | 267 | 164 | 38 | 47 | 11 | 2 | 5 | — |
| DE WITT | 245 | 161 | 97 | 40 | 16 | 4 | 4 | — | — |
| DOUGLAS | 219 | 125 | 50 | 35 | 36 | 3 | — | 1 | — |
| DU PAGE | 1,946 | 1,036 | 577 | 179 | 199 | 43 | 14 | 23 | 1 |
| EDGAR | 263 | 172 | 82 | 23 | 52 | 12 | 1 | 2 | — |
| EDWARDS | 110 | 70 | 32 | 20 | 11 | 6 | — | 1 | — |
| EFFINGHAM | 230 | 125 | 58 | 33 | 24 | 6 | 2 | 2 | — |
| FAYETTE | 256 | 172 | 72 | 38 | 45 | 13 | 3 | 1 | — |
| FORD | 192 | 116 | 68 | 14 | 30 | 3 | 1 | — | — |
| FRANKLIN | 617 | 407 | 265 | 54 | 56 | 21 | 8 | 3 | — |
| FULTON | 513 | 298 | 167 | 42 | 64 | 15 | 6 | 4 | — |
| GALLATIN | 121 | 71 | 20 | 25 | 21 | 1 | 3 | 1 | — |
| GREENE | 263 | 172 | 70 | 47 | 43 | 8 | 2 | 2 | — |
| GRUNDY | 216 | 122 | 73 | 9 | 34 | 2 | 2 | 2 | — |
| HAMILTON | 134 | 90 | 38 | 26 | 13 | 9 | 3 | 1 | — |
| HANCOCK | 295 | 203 | 121 | 23 | 48 | 6 | 3 | 2 | — |
| HARDIN | 76 | 47 | 23 | 6 | 15 | 2 | — | 1 | — |
| HENDERSON | 90 | 49 | 28 | 10 | 8 | 2 | 1 | — | — |
| HENRY | 560 | 350 | 199 | 42 | 83 | 13 | 8 | 5 | — |
| IROQUOIS | 331 | 210 | 121 | 38 | 39 | 4 | 2 | 6 | — |
| JACKSON | 432 | 268 | 148 | 50 | 44 | 15 | 6 | 5 | — |
| JASPER | 129 | 87 | 57 | 12 | 16 | 1 | — | 1 | — |
| JEFFERSON | 390 | 196 | 100 | 42 | 41 | 8 | 2 | 3 | — |
| JERSEY | 157 | 84 | 38 | 22 | 18 | 3 | 1 | 2 | — |
| JO DAVIESS | 249 | 152 | 81 | 23 | 36 | 7 | — | 5 | — |
| JOHNSON | 110 | 73 | 46 | 11 | 10 | 2 | 3 | — | 1 |
| KANE | 1,882 | 1,058 | 613 | 160 | 233 | 21 | 15 | 13 | 3 |
| KANKAKEE | 771 | 474 | 299 | 58 | 82 | 26 | 5 | 4 | — |
| KENDALL | 143 | 77 | 43 | 10 | 18 | 2 | 3 | 1 | — |
| KNOX | 611 | 364 | 228 | 39 | 71 | 10 | 8 | 8 | — |
| LAKE | 2,026 | 1,085 | 655 | 179 | 191 | 33 | 11 | 15 | 1 |
| LA SALLE | 1,218 | 717 | 413 | 101 | 162 | 27 | 5 | 8 | 1 |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | DIABETES MELLITUS | CIRRHOSIS OF LIVER | CONGENITAL MALFORMATIONS | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ILLINOIS | 17,005 | 4,412 | 1,833 | 2,579 | 4,187 | 3,758 | 1,507 | 1,296 | 1,051 | 977 |
| ADAMS | 141 | 32 | 10 | 22 | 23 | 17 | 14 | 10 | 9 | 7 |
| ALEXANDER | 34 | 8 | 2 | 6 | 13 | 6 | 2 | — | 2 | 1 |
| BOND | 29 | 8 | 4 | 4 | 6 | 3 | 4 | 1 | — | 3 |
| BOONE | 31 | 15 | 7 | 8 | 4 | 5 | 3 | 1 | 3 | 2 |
| BROWN | 9 | 3 | — | 3 | 4 | 3 | 1 | — | -- | 1 |
| BUREAU | 75 | 16 | 5 | 11 | 11 | 15 | 5 | 3 | 2 | 3 |
| CALHOUN | 11 | 6 | 3 | 3 | 2 | 2 | — | — | -- | 1 |
| CARROLL | 32 | 5 | 1 | 4 | 7 | 7 | 6 | — | 4 | 5 |
| CASS | 29 | 8 | 3 | 5 | 1 | 5 | 3 | 1 | 2 | 3 |
| CHAMPAIGN | 194 | 54 | 25 | 29 | 36 | 51 | 14 | 7 | 10 | 10 |
| CHRISTIAN | 77 | 24 | 13 | 11 | 19 | 14 | 7 | 5 | 5 | 1 |
| CLARK | 23 | 12 | 10 | 2 | 5 | 4 | 6 | 4 | 2 | — |
| CLAY | 25 | 8 | 5 | 3 | 7 | 3 | 6 | 1 | 1 | 2 |
| CLINTON | 39 | 13 | 6 | 7 | 6 | 10 | 2 | 1 | 3 | 2 |
| COLES | 64 | 24 | 13 | 11 | 22 | 14 | 9 | 2 | 5 | 5 |
| COOK | 9,286 | 1,950 | 661 | 1,289 | 2,556 | 2,067 | 778 | 928 | 498 | 444 |
| CRAWFORD | 33 | 5 | 2 | 3 | 6 | 7 | 6 | 1 | 2 | 2 |
| CUMBERLAND | 21 | 6 | 1 | 5 | 3 | 3 | 1 | — | 1 | 1 |
| DE KALB | 83 | 22 | 12 | 10 | 17 | 12 | 9 | 2 | 4 | 11 |
| DE WITT | 32 | 18 | 9 | 9 | 10 | 3 | 1 | — | 2 | 2 |
| DOUGLAS | 30 | 17 | 6 | 11 | 8 | 10 | 2 | 1 | 1 | 1 |
| DU PAGE | 396 | 101 | 57 | 44 | 57 | 101 | 26 | 22 | 31 | 15 |
| EDGAR | 35 | 12 | 7 | 5 | 5 | 2 | 5 | 2 | -- | 4 |
| EDWARDS | 18 | 3 | 1 | 2 | 1 | 2 | 3 | — | -- | -- |
| EFFINGHAM | 31 | 5 | 1 | 4 | 11 | 10 | 8 | 1 | 2 | 3 |
| FAYETTE | 39 | 4 | 2 | 2 | 7 | 3 | 6 | — | 2 | 2 |
| FORD | 28 | 12 | 9 | 3 | 12 | 3 | 1 | 1 | 1 | — |
| FRANKLIN | 93 | 29 | 14 | 15 | 12 | 7 | 8 | 5 | 1 | 7 |
| FULTON | 78 | 27 | 16 | 11 | 15 | 14 | 12 | 2 | 5 | 8 |
| GALLATIN | 20 | 10 | 5 | 5 | 2 | 1 | 3 | — | -- | -- |
| GREENE | 33 | 9 | 2 | 7 | 11 | 4 | 2 | 4 | — | 4 |
| GRUNDY | 39 | 14 | 6 | 8 | 4 | 12 | 1 | — | 2 | — |
| HAMILTON | 18 | 5 | 3 | 2 | 1 | — | 3 | — | -- | 1 |
| HANCOCK | 47 | 10 | 2 | 8 | 5 | 4 | 3 | — | 3 | — |
| HARDIN | 10 | 7 | 2 | 5 | 2 | 3 | 1 | — | -- | -- |
| HENDERSON | 13 | 7 | 1 | 6 | 5 | 2 | 1 | — | -- | 3 |
| HENRY | 102 | 37 | 19 | 18 | 19 | 9 | 8 | 1 | 4 | 2 |
| IROQUOIS | 51 | 16 | 9 | 7 | 12 | 10 | 4 | — | 4 | 3 |
| JACKSON | 55 | 21 | 10 | 11 | 16 | 11 | 8 | 6 | 4 | 5 |
| JASPER | 13 | 4 | — | 4 | 5 | 1 | 2 | 1 | 2 | — |
| JEFFERSON | 52 | 26 | 12 | 14 | 15 | 10 | 6 | 3 | 4 | 1 |
| JERSEY | 21 | 5 | 1 | 4 | 9 | 8 | 2 | 2 | 3 | 4 |
| JO DAVIESS | 37 | 14 | 6 | 8 | 6 | 8 | 4 | 2 | 5 | 5 |
| JOHNSON | 18 | 7 | 4 | 3 | 4 | 1 | 1 | — | 1 | 1 |
| KANE | 307 | 104 | 59 | 45 | 81 | 81 | 24 | 14 | 22 | 26 |
| KANKAKEE | 110 | 36 | 19 | 17 | 26 | 26 | 12 | 10 | 6 | 10 |
| KENDALL | 25 | 7 | 3 | 4 | 2 | 5 | 3 | 1 | 2 | — |
| KNOX | 85 | 38 | 19 | 19 | 23 | 26 | 12 | 7 | 3 | 4 |
| LAKE | 352 | 133 | 73 | 60 | 56 | 95 | 26 | 25 | 31 | 28 |
| LA SALLE | 180 | 71 | 42 | 29 | 35 | 42 | 20 | 13 | 12 | 19 |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAWRENCE | 237 | 146 | 59 | 36 | 30 | 11 | 7 | 3 | — |
| LEE | 367 | 219 | 123 | 31 | 43 | 16 | 1 | 5 | — |
| LIVINGSTON | 414 | 232 | 133 | 39 | 45 | 7 | 3 | 5 | — |
| LOGAN | 320 | 204 | 117 | 21 | 42 | 14 | 8 | 1 | 1 |
| MC DONOUGH | 330 | 203 | 106 | 39 | 41 | 6 | 2 | 9 | — |
| MC HENRY | 761 | 415 | 227 | 58 | 103 | 16 | 6 | 4 | 1 |
| MC LEAN | 857 | 528 | 325 | 36 | 127 | 21 | 11 | 8 | — |
| MACON | 1,087 | 639 | 337 | 106 | 140 | 32 | 12 | 12 | — |
| MACOUPIN | 592 | 366 | 195 | 57 | 81 | 17 | 5 | 10 | 1 |
| MADISON | 1,861 | 1,036 | 536 | 220 | 204 | 41 | 19 | 15 | 1 |
| MARION | 494 | 298 | 154 | 55 | 70 | 7 | 6 | 6 | — |
| MARSHALL | 170 | 103 | 64 | 16 | 11 | 9 | 1 | 2 | — |
| MASON | 188 | 120 | 74 | 18 | 21 | 3 | 3 | 1 | — |
| MASSAC | 184 | 114 | 56 | 22 | 29 | 6 | 1 | — | — |
| MENARD | 128 | 82 | 47 | 14 | 13 | 3 | 2 | 2 | 1 |
| MERCER | 196 | 118 | 67 | 31 | 12 | 3 | 2 | 3 | — |
| MONROE | 196 | 119 | 74 | 14 | 11 | 17 | 2 | 1 | — |
| MONTGOMERY | 466 | 294 | 168 | 40 | 68 | 9 | 7 | 2 | — |
| MORGAN | 389 | 254 | 137 | 35 | 61 | 14 | 2 | 5 | — |
| MOULTRIE | 182 | 120 | 76 | 4 | 32 | 4 | 3 | 1 | — |
| OGLE | 399 | 212 | 117 | 42 | 41 | 5 | 1 | 6 | — |
| PEORIA | 1,969 | 1,110 | 595 | 145 | 208 | 119 | 21 | 22 | — |
| PERRY | 197 | 122 | 71 | 17 | 28 | 5 | — | 1 | — |
| PIATT | 149 | 91 | 39 | 15 | 24 | 9 | 2 | 1 | 1 |
| PIKE | 282 | 180 | 108 | 29 | 30 | 9 | 1 | 3 | — |
| POPE | 64 | 44 | 20 | 10 | 12 | 1 | 1 | — | — |
| PULASKI | 150 | 77 | 38 | 11 | 23 | 2 | — | 3 | — |
| PUTNAM | 56 | 32 | 20 | 5 | 6 | 1 | — | -- | -- |
| RANDOLPH | 351 | 249 | 121 | 46 | 61 | 15 | 4 | 2 | — |
| RICHLAND | 212 | 124 | 74 | 20 | 20 | 6 | 2 | 2 | — |
| ROCK ISLAND | 1,455 | 879 | 525 | 118 | 158 | 57 | 15 | 5 | 1 |
| ST CLAIR | 2,511 | 1,423 | 743 | 325 | 267 | 40 | 28 | 19 | 1 |
| SALINE | 403 | 270 | 154 | 63 | 45 | 6 | — | 2 | — |
| SANGAMON | 1,707 | 1,023 | 611 | 137 | 213 | 23 | 13 | 26 | — |
| SCHUYLER | 125 | 82 | 31 | 31 | 16 | 3 | — | 1 | — |
| SCOTT | 95 | 55 | 39 | 4 | 7 | 3 | 2 | — | — |
| SHELBY | 264 | 162 | 76 | 39 | 36 | 3 | 3 | 5 | — |
| STARK | 109 | 61 | 31 | 13 | 14 | 2 | 1 | — | — |
| STEPHENSON | 493 | 277 | 141 | 56 | 56 | 11 | 9 | 4 | — |
| TAZEWELL | 704 | 374 | 198 | 75 | 74 | 16 | 4 | 7 | — |
| UNION | 210 | 130 | 59 | 27 | 28 | 14 | 1 | 1 | — |
| VERMILION | 1,120 | 666 | 373 | 102 | 143 | 31 | 10 | 6 | 1 |
| WABASH | 184 | 107 | 67 | 17 | 18 | 5 | — | -- | -- |
| WARREN | 279 | 170 | 67 | 47 | 42 | 7 | 4 | 3 | — |
| WASHINGTON | 207 | 131 | 68 | 16 | 33 | 9 | 3 | 2 | — |
| WAYNE | 205 | 119 | 59 | 40 | 15 | 3 | — | 2 | — |
| WHITE | 251 | 152 | 90 | 16 | 35 | 4 | 1 | 6 | — |
| WHITESIDE | 370 | 318 | 176 | 59 | 60 | 11 | 7 | 5 | — |
| WILL | 1,619 | 935 | 516 | 215 | 154 | 28 | 7 | 15 | — |
| WILLIAMSON | 619 | 379 | 235 | 51 | 63 | 21 | 7 | 1 | 1 |
| WINNEBAGO | 1,763 | 903 | 518 | 112 | 204 | 33 | 15 | 20 | 1 |
| WOODFORD | 268 | 170 | 102 | 25 | 27 | 12 | 2 | 2 | — |
| UNSPECIFIED | 79 | 34 | 10 | 18 | 1 | 3 | — | 2 | — |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | DIABETES MELLITUS | CIRRHOSIS OF LIVER | CONGENITAL MALFORMATIONS | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAWRENCE | 29 | 14 | 6 | 8 | 14 | 1 | 3 | — | 2 | 1 |
| LEE | 53 | 22 | 13 | 9 | 5 | 19 | 6 | 4 | 1 | 3 |
| LIVINGSTON | 63 | 27 | 10 | 17 | 15 | 13 | 13 | 3 | 5 | 8 |
| LOGAN | 52 | 19 | 9 | 10 | 8 | 6 | 4 | — | 1 | 4 |
| MC DONOUGH | 40 | 12 | 3 | 9 | 14 | 9 | 7 | 2 | 4 | 5 |
| MC HENRY | 135 | 52 | 27 | 25 | 27 | 30 | 10 | 5 | 16 | 9 |
| MC LEAN | 128 | 41 | 18 | 23 | 27 | 26 | 10 | 5 | 11 | 7 |
| MACON | 181 | 41 | 22 | 19 | 38 | 33 | 12 | 11 | 13 | 10 |
| MACOUPIN | 91 | 23 | 10 | 13 | 23 | 15 | 10 | 3 | 3 | 9 |
| MADISON | 317 | 108 | 42 | 66 | 45 | 70 | 23 | 14 | 28 | 20 |
| MARION | 84 | 14 | 10 | 4 | 16 | 13 | 6 | 4 | 5 | 8 |
| MARSHALL | 20 | 15 | 8 | 7 | 7 | 6 | — | 2 | 3 | 1 |
| MASON | 26 | 3 | 2 | 1 | 6 | 10 | 3 | 1 | 1 | 1 |
| MASSAC | 28 | 8 | 2 | 6 | 5 | 4 | 6 | — | 1 | 2 |
| MENARD | 17 | 4 | 1 | 3 | 3 | 5 | 3 | — | 1 | 2 |
| MERCER | 29 | 9 | 1 | 8 | 7 | 7 | 3 | 4 | 2 | 1 |
| MONROE | 31 | 12 | 5 | 7 | 6 | 5 | 5 | 1 | 1 | 1 |
| MONTGOMERY | 53 | 28 | 14 | 14 | 23 | 8 | 8 | — | 4 | 9 |
| MORGAN | 53 | 17 | 7 | 10 | 7 | 10 | 3 | 4 | 2 | 5 |
| MOULTRIE | 27 | 6 | 2 | 4 | 4 | 1 | 4 | 2 | 1 | 1 |
| OGLE | 71 | 31 | 16 | 15 | 9 | 14 | 6 | 1 | 5 | 7 |
| PEORIA | 329 | 88 | 39 | 49 | 91 | 79 | 25 | 14 | 25 | 28 |
| PERRY | 29 | 11 | 4 | 7 | 3 | 6 | 3 | 1 | — | 2 |
| PIATT | 19 | 7 | 6 | 1 | 7 | 4 | 4 | 1 | — | 1 |
| PIKE | 38 | 11 | 5 | 6 | 8 | 6 | 5 | 2 | 2 | 3 |
| POPE | 9 | 3 | 1 | 2 | — | 2 | — | — | -- | 1 |
| PULASKI | 22 | 8 | 2 | 6 | 15 | 8 | 1 | 1 | 3 | — |
| PUTNAM | 9 | 4 | 2 | 2 | 2 | — | 1 | 1 | — | — |
| RANDOLPH | 41 | 11 | 5 | 6 | 10 | 4 | 6 | 1 | 3 | 1 |
| RICHLAND | 33 | 15 | 8 | 7 | 10 | 3 | 4 | — | -- | -- |
| ROCK ISLAND | 227 | 60 | 23 | 37 | 33 | 69 | 20 | 11 | 20 | 21 |
| ST CLAIR | 412 | 103 | 43 | 60 | 98 | 103 | 37 | 20 | 34 | 20 |
| SALINE | 58 | 13 | 6 | 7 | 10 | 7 | 3 | 3 | 4 | 3 |
| SANGAMON | 279 | 63 | 25 | 38 | 46 | 55 | 25 | 11 | 22 | 21 |
| SCHUYLER | 14 | 7 | 5 | 2 | 3 | 1 | 5 | — | 2 | 2 |
| SCOTT | 14 | 3 | 2 | 1 | 5 | 3 | 1 | — | 2 | 1 |
| SHELBY | 42 | 8 | 3 | 5 | 8 | 7 | 5 | 1 | 1 | 1 |
| STARK | 14 | 11 | 8 | 3 | 5 | 2 | 2 | 1 | 1 | 1 |
| STEPHENSON | 100 | 23 | 12 | 11 | 15 | 11 | 8 | 2 | 4 | 2 |
| TAZEWELL | 91 | 48 | 26 | 22 | 35 | 29 | 12 | 1 | 9 | 9 |
| UNION | 29 | 6 | 3 | 3 | 6 | 10 | 7 | 1 | 1 | 1 |
| VERMILION | 192 | 55 | 23 | 32 | 48 | 28 | 7 | 10 | 15 | 14 |
| WABASH | 30 | 11 | 6 | 5 | 4 | 6 | 2 | 2 | 2 | — |
| WARREN | 49 | 21 | 6 | 15 | 7 | 5 | 3 | — | 3 | 5 |
| WASHINGTON | 25 | 11 | 7 | 4 | 11 | 4 | 2 | — | 3 | — |
| WAYNE | 32 | 13 | 9 | 4 | 6 | 8 | 2 | 1 | 2 | 1 |
| WHITE | 40 | 8 | 2 | 6 | 9 | 6 | 8 | — | 2 | 3 |
| WHITESIDE | 83 | 54 | 24 | 30 | 13 | 32 | 9 | 2 | 11 | 5 |
| WILL | 245 | 71 | 39 | 32 | 38 | 79 | 26 | 29 | 24 | 13 |
| WILLIAMSON | 93 | 28 | 12 | 16 | 14 | 6 | 11 | 7 | 6 | 8 |
| WINNEBAGO | 297 | 85 | 44 | 41 | 77 | 99 | 21 | 11 | 29 | 26 |
| WOODFORD | 36 | 9 | 2 | 7 | 11 | 8 | 3 | 4 | 5 | 6 |
| UNSPECIFIED | 2 | 9 | 1 | 8 | 5 | 1 | — | 2 | — | 2 |

TABLE 98. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ILLINOIS | 1,022.1 | 589.3 | 343.4 | 100.8 | 106.6 | 20.8 | 9.0 | 8.3 | 0.4 |
| ADAMS | 1,345.2 | 835.4 | 467.4 | 99.3 | 184.0 | 45.3 | 21.9 | 17.5 | -0- |
| ALEXANDER | 1,587.7 | 933.9 | 566.6 | 149.4 | 161.9 | 31.1 | 6.2 | 18.7 | -0- |
| BOND | 1,322.9 | 753.9 | 448.1 | 177.8 | 113.8 | -0- | -0- | 14.2 | -0- |
| BOONE | 1,028.2 | 649.4 | 408.3 | 83.6 | 147.6 | 9.8 | -0- | -0- | -0- |
| BROWN | 1,578.1 | 1,046.7 | 499.2 | 161.0 | 306.0 | 64.4 | -0- | -0- | 16.1 |
| BUREAU | 1,103.9 | 670.3 | 364.4 | 109.1 | 143.6 | 31.9 | 5.3 | 16.0 | -0- |
| CALHOUN | 1,163.0 | 707.9 | 421.4 | 118.0 | 118.0 | 16.9 | -0- | 33.7 | -0- |
| CARROLL | 1,143.2 | 717.7 | 374.2 | 128.2 | 164.0 | 25.6 | 5.1 | 20.5 | -0- |
| CASS | 1,416.9 | 894.1 | 577.8 | 82.5 | 165.1 | 34.4 | 20.6 | 13.8 | -0- |
| CHAMPAIGN | 679.6 | 359.4 | 189.5 | 62.7 | 80.8 | 15.1 | 3.0 | 8.3 | -0- |
| CHRISTIAN | 1,228.3 | 693.4 | 435.4 | 64.5 | 145.1 | 21.5 | 18.8 | 8.1 | -0- |
| CLARK | 1,365.9 | 882.4 | 404.9 | 199.4 | 193.4 | 48.4 | 18.1 | 18.1 | -0- |
| CLAY | 1,131.8 | 708.2 | 360.4 | 164.4 | 158.1 | 12.6 | 6.3 | 6.3 | -0- |
| CLINTON | 1,107.0 | 695.0 | 407.8 | 112.4 | 124.8 | 20.8 | 12.5 | 12.5 | 4.2 |
| COLES | 1,115.3 | 669.6 | 343.0 | 84.0 | 198.3 | 21.0 | 16.3 | 7.0 | -0- |
| COOK | 1,049.4 | 595.9 | 362.4 | 104.9 | 94.9 | 16.8 | 9.1 | 7.3 | 0.4 |
| CRAWFORD | 1,142.1 | 718.0 | 395.2 | 139.8 | 149.4 | 9.6 | 4.8 | 19.3 | -0- |
| CUMBERLAND | 1,268.1 | 825.3 | 442.8 | 70.5 | 251.6 | 30.2 | 10.1 | 20.1 | -0- |
| DE KALB | 912.7 | 516.3 | 317.1 | 73.5 | 90.9 | 21.3 | 3.9 | 9.7 | -0- |
| DE WITT | 1,420.0 | 933.2 | 562.2 | 231.8 | 92.7 | 23.2 | 23.2 | -0- | -0- |
| DOUGLAS | 1,138.1 | 649.6 | 259.8 | 181.9 | 187.1 | 15.6 | -0- | 5.2 | -0- |
| DU PAGE | 620.8 | 330.5 | 184.1 | 57.1 | 63.5 | 13.7 | 4.5 | 7.3 | 0.3 |
| EDGAR | 1,166.3 | 762.7 | 363.6 | 102.0 | 230.6 | 53.2 | 4.4 | 8.9 | -0- |
| EDWARDS | 1,385.4 | 881.6 | 403.0 | 251.9 | 138.5 | 75.6 | -0- | 12.6 | -0- |
| EFFINGHAM | 995.4 | 541.0 | 251.0 | 142.8 | 103.9 | 26.0 | 8.7 | 8.7 | -0- |
| FAYETTE | 1,166.5 | 783.7 | 328.1 | 173.2 | 205.0 | 59.2 | 13.7 | 4.6 | -0- |
| FORD | 1,156.2 | 698.5 | 409.5 | 84.3 | 180.7 | 18.1 | 6.0 | -0- | -0- |
| FRANKLIN | 1,570.7 | 1,036.1 | 674.6 | 137.5 | 142.6 | 53.5 | 20.4 | 7.6 | -0- |
| FULTON | 1,222.8 | 710.3 | 398.1 | 100.1 | 152.5 | 35.8 | 14.3 | 9.5 | -0- |
| GALLATIN | 1,584.2 | 929.6 | 261.8 | 327.3 | 274.9 | 13.1 | 39.3 | 13.1 | -0- |
| GREENE | 1,506.3 | 985.1 | 400.9 | 269.2 | 246.3 | 45.8 | 11.5 | 11.5 | -0- |
| GRUNDY | 966.4 | 545.9 | 326.6 | 40.3 | 152.1 | 8.9 | 8.9 | 8.9 | -0- |
| HAMILTON | 1,338.7 | 899.1 | 379.6 | 259.7 | 129.9 | 89.9 | 30.0 | 10.0 | -0- |
| HANCOCK | 1,200.5 | 826.1 | 492.4 | 93.6 | 195.3 | 24.4 | 12.2 | 8.1 | -0- |
| HARDIN | 1,292.7 | 799.5 | 391.2 | 102.1 | 255.1 | 34.0 | -0- | 17.0 | -0- |
| HENDERSON | 1,092.6 | 594.9 | 339.9 | 121.4 | 97.1 | 24.3 | 12.1 | -0- | -0- |
| HENRY | 1,135.5 | 709.7 | 403.5 | 85.2 | 168.3 | 26.4 | 16.2 | 10.1 | -0- |
| IROQUOIS | 986.2 | 625.7 | 360.5 | 113.2 | 116.2 | 11.9 | 6.0 | 17.9 | -0- |
| JACKSON | 1,024.9 | 635.8 | 351.1 | 118.6 | 104.4 | 35.6 | 14.2 | 11.9 | -0- |
| JASPER | 1,137.0 | 766.8 | 502.4 | 105.8 | 141.0 | 8.8 | -0- | 8.8 | -0- |
| JEFFERSON | 1,206.9 | 606.5 | 309.5 | 130.0 | 126.9 | 24.8 | 6.2 | 9.3 | -0- |
| JERSEY | 922.3 | 493.5 | 223.2 | 129.2 | 105.7 | 17.6 | 5.9 | 11.7 | -0- |
| JO DAVIESS | 1,141.1 | 696.6 | 371.2 | 105.4 | 165.0 | 32.1 | -0- | 22.9 | -0- |
| JOHNSON | 1,587.8 | 1,053.7 | 664.0 | 158.8 | 144.3 | 28.9 | 43.3 | -0- | 14.4 |
| KANE | 903.7 | 508.1 | 294.4 | 76.8 | 111.9 | 10.1 | 7.2 | 6.2 | 1.4 |
| KANKAKEE | 837.5 | 514.9 | 324.8 | 63.0 | 89.1 | 28.2 | 5.4 | 4.3 | -0- |
| KENDALL | 815.3 | 439.0 | 245.2 | 57.0 | 102.6 | 11.4 | 17.1 | 5.7 | -0- |
| KNOX | 997.1 | 594.0 | 372.1 | 63.6 | 115.9 | 16.3 | 13.1 | 13.1 | -0- |
| LAKE | 689.9 | 369.5 | 223.1 | 61.0 | 65.0 | 11.2 | 3.7 | 5.1 | 0.3 |
| LA SALLE | 1,099.3 | 647.1 | 372.7 | 91.2 | 146.2 | 24.4 | 4.5 | 7.2 | 0.9 |

TABLE 98. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | DIABETES MELLITUS | CIRRHOSIS OF LIVER | CONGENITAL MALFORMATIONS | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ILLINOIS | 168.7 | 43.8 | 18.2 | 25.6 | 41.5 | 37.3 | 14.9 | 12.9 | 10.4 | 9.7 |
| ADAMS | 205.9 | 46.7 | 14.6 | 32.1 | 33.6 | 24.8 | 20.4 | 14.6 | 13.1 | 10.2 |
| ALEXANDER | 211.7 | 49.8 | 12.5 | 37.4 | 80.9 | 37.4 | 12.5 | -0- | 12.5 | 6.2 |
| BOND | 206.3 | 56.9 | 28.4 | 28.4 | 42.7 | 21.3 | 28.4 | 7.1 | -0- | 21.3 |
| BOONE | 152.5 | 73.8 | 34.4 | 39.4 | 19.7 | 24.6 | 14.8 | 4.9 | 14.8 | 9.8 |
| BROWN | 144.9 | 48.3 | -0- | 48.3 | 64.4 | 48.3 | 16.1 | -0- | -0- | 16.1 |
| BUREAU | 199.5 | 42.6 | 13.3 | 29.3 | 29.3 | 39.9 | 13.3 | 8.0 | 5.3 | 8.0 |
| CALHOUN | 185.4 | 101.1 | 50.6 | 50.6 | 33.7 | 33.7 | -0- | -0- | -0- | 16.9 |
| CARROLL | 164.0 | 25.6 | 5.1 | 20.5 | 35.9 | 35.9 | 30.8 | -0- | 20.5 | 25.6 |
| CASS | 199.5 | 55.0 | 20.6 | 34.4 | 6.9 | 34.4 | 20.6 | 6.9 | 13.8 | 20.6 |
| CHAMPAIGN | 101.2 | 40.8 | 18.9 | 21.9 | 27.2 | 38.5 | 10.6 | 5.3 | 7.6 | 7.6 |
| CHRISTIAN | 207.0 | 64.5 | 34.9 | 29.6 | 51.1 | 37.6 | 18.8 | 13.4 | 13.4 | 2.7 |
| CLARK | 139.0 | 72.5 | 60.4 | 12.1 | 30.2 | 24.2 | 36.3 | 24.2 | 12.1 | -0- |
| CLAY | 158.1 | 50.6 | 31.6 | 19.0 | 44.3 | 19.0 | 37.9 | 6.3 | 6.3 | 12.6 |
| CLINTON | 162.3 | 54.1 | 25.0 | 29.1 | 25.0 | 41.6 | 8.3 | 4.2 | 12.5 | 8.3 |
| COLES | 149.3 | 56.0 | 30.3 | 25.7 | 51.3 | 32.7 | 21.0 | 4.7 | 11.7 | 11.7 |
| COOK | 181.0 | 38.0 | 12.9 | 25.1 | 49.8 | 40.3 | 15.2 | 18.1 | 9.7 | 8.7 |
| CRAWFORD | 159.0 | 24.1 | 9.6 | 14.5 | 28.9 | 33.7 | 28.9 | 4.8 | 9.6 | 9.6 |
| CUMBERLAND | 211.4 | 60.4 | 10.1 | 50.3 | 30.2 | 30.2 | 10.1 | -0- | 10.1 | 10.1 |
| DE KALB | 160.5 | 42.5 | 23.2 | 19.3 | 32.9 | 23.2 | 17.4 | 3.9 | 7.7 | 21.3 |
| DE WITT | 185.5 | 104.3 | 52.2 | 52.2 | 58.0 | 17.4 | 5.8 | -0- | 11.6 | 11.6 |
| DOUGLAS | 155.9 | 88.3 | 31.2 | 57.2 | 41.6 | 52.0 | 10.4 | 5.2 | 5.2 | 5.2 |
| DU PAGE | 126.3 | 32.2 | 18.2 | 14.0 | 18.2 | 32.2 | 8.3 | 7.0 | 9.9 | 4.8 |
| EDGAR | 155.2 | 53.2 | 31.0 | 22.2 | 22.2 | 8.9 | 22.2 | 8.9 | -0- | 17.7 |
| EDWARDS | 226.7 | 37.8 | 12.6 | 25.2 | 12.6 | 25.2 | 37.8 | -0- | -0- | -0- |
| EFFINGHAM | 134.2 | 21.6 | 4.3 | 17.3 | 47.6 | 43.3 | 34.6 | 4.3 | 8.7 | 13.0 |
| FAYETTE | 177.7 | 18.2 | 9.1 | 9.1 | 31.9 | 13.7 | 27.3 | -0- | 9.1 | 9.1 |
| FORD | 168.6 | 72.3 | 54.2 | 18.1 | 72.3 | 18.1 | 6.0 | 6.0 | 6.0 | -0- |
| FRANKLIN | 236.8 | 73.8 | 35.6 | 38.2 | 30.5 | 17.8 | 20.4 | 12.7 | 2.5 | 17.8 |
| FULTON | 185.9 | 64.4 | 38.1 | 26.2 | 35.8 | 33.4 | 28.6 | 4.8 | 11.9 | 19.1 |
| GALLATIN | 261.8 | 130.9 | 65.5 | 65.5 | 26.2 | 13.1 | 39.3 | -0- | -0- | -0- |
| GREENE | 189.0 | 51.5 | 11.5 | 40.1 | 63.0 | 22.9 | 11.5 | 22.9 | -0- | 22.9 |
| GRUNDY | 174.5 | 62.6 | 26.8 | 35.8 | 17.9 | 53.7 | 4.5 | -0- | 8.9 | -0- |
| HAMILTON | 179.8 | 50.0 | 30.0 | 20.0 | 10.0 | -0- | 30.0 | -0- | -0- | 10.0 |
| HANCOCK | 191.3 | 40.7 | 8.1 | 32.6 | 20.3 | 16.3 | 12.2 | -0- | 12.2 | -0- |
| HARDIN | 170.1 | 119.1 | 34.0 | 85.0 | 34.0 | 51.0 | 17.0 | -0- | -0- | -0- |
| HENDERSON | 157.8 | 85.0 | 12.1 | 72.8 | 60.7 | 24.3 | 12.1 | -0- | -0- | 36.4 |
| HENRY | 206.8 | 75.0 | 38.5 | 36.5 | 38.5 | 18.2 | 16.2 | 2.0 | 8.1 | 4.1 |
| IROQUOIS | 152.0 | 47.7 | 26.8 | 20.9 | 35.8 | 29.8 | 11.9 | -0- | 11.9 | 8.9 |
| JACKSON | 130.5 | 49.8 | 23.7 | 26.1 | 38.0 | 26.1 | 19.0 | 14.2 | 9.5 | 11.9 |
| JASPER | 114.6 | 35.3 | -0- | 35.3 | 44.1 | 8.8 | 17.6 | 8.8 | 17.6 | -0- |
| JEFFERSON | 160.9 | 80.5 | 37.1 | 43.3 | 46.4 | 30.9 | 18.6 | 9.3 | 12.4 | 3.1 |
| JERSEY | 123.4 | 29.4 | 5.9 | 23.5 | 52.9 | 47.0 | 11.7 | 11.7 | 17.6 | 23.5 |
| JO DAVIESS | 169.6 | 64.2 | 27.5 | 36.7 | 27.5 | 36.7 | 18.3 | 9.2 | 22.9 | 22.9 |
| JOHNSON | 259.8 | 101.0 | 57.7 | 43.3 | 57.7 | 14.4 | 14.4 | -0- | 14.4 | 14.4 |
| KANE | 147.4 | 49.9 | 28.3 | 21.6 | 38.9 | 38.9 | 11.5 | 6.7 | 10.6 | 12.5 |
| KANKAKEE | 119.5 | 39.1 | 20.6 | 18.5 | 28.2 | 28.2 | 13.0 | 10.9 | 6.5 | 10.9 |
| KENDALL | 142.5 | 39.9 | 17.1 | 22.8 | 11.4 | 28.5 | 17.1 | 5.7 | 11.4 | -0- |
| KNOX | 138.7 | 62.0 | 31.0 | 31.0 | 37.5 | 42.4 | 19.6 | 11.4 | 4.9 | 6.5 |
| LAKE | 119.9 | 45.3 | 24.9 | 20.4 | 19.1 | 32.4 | 8.9 | 8.5 | 10.6 | 9.5 |
| LA SALLE | 162.5 | 64.1 | 37.9 | 26.2 | 31.6 | 37.9 | 18.1 | 11.7 | 10.8 | 17.1 |

TABLE 9B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAWRENCE | 1,278.3 | 787.5 | 318.2 | 194.2 | 161.8 | 59.3 | 37.8 | 16.2 | -0- |
| LEE | 947.1 | 565.2 | 317.4 | 80.0 | 111.0 | 41.3 | 2.6 | 12.9 | -0- |
| LIVINGSTON | 1,026.3 | 575.1 | 329.7 | 96.7 | 111.5 | 17.4 | 7.4 | 12.4 | -0- |
| LOGAN | 950.8 | 606.1 | 347.6 | 62.4 | 124.8 | 41.6 | 23.8 | 3.0 | 3.0 |
| MC DONOUGH | 1,140.8 | 701.7 | 366.4 | 134.8 | 141.7 | 20.7 | 6.9 | 31.1 | -0- |
| MC HENRY | 903.7 | 492.8 | 269.6 | 68.9 | 122.3 | 19.0 | 7.1 | 4.8 | 1.2 |
| MC LEAN | 1,021.7 | 629.5 | 387.5 | 42.9 | 151.4 | 25.0 | 13.1 | 9.5 | -0- |
| MACON | 919.2 | 540.3 | 285.0 | 89.6 | 118.4 | 27.1 | 10.1 | 10.1 | -0- |
| MACOUPIN | 1,360.2 | 840.9 | 448.0 | 131.0 | 186.1 | 39.1 | 11.5 | 23.0 | 2.3 |
| MADISON | 828.3 | 461.1 | 238.6 | 97.9 | 90.8 | 18.2 | 8.5 | 6.7 | 0.4 |
| MARION | 1,255.4 | 757.3 | 391.4 | 139.8 | 177.9 | 17.8 | 15.2 | 15.2 | -0- |
| MARSHALL | 1,274.9 | 772.5 | 480.0 | 120.0 | 82.5 | 67.5 | 7.5 | 15.0 | -0- |
| MASON | 1,237.4 | 789.8 | 487.1 | 118.5 | 138.2 | 19.7 | 19.7 | 6.6 | -0- |
| MASSAC | 1,283.0 | 794.9 | 390.5 | 153.4 | 202.2 | 41.8 | 7.0 | -0- | -0- |
| MENARD | 1,384.1 | 886.7 | 508.2 | 151.4 | 140.6 | 32.4 | 21.6 | 21.6 | 10.8 |
| MERCER | 1,142.9 | 688.1 | 390.7 | 180.8 | 70.0 | 17.5 | 11.7 | 17.5 | -0- |
| MONROE | 1,263.9 | 767.4 | 477.2 | 90.3 | 70.9 | 109.6 | 12.9 | 6.4 | -0- |
| MONTGOMERY | 1,491.5 | 941.0 | 537.7 | 128.0 | 217.6 | 28.8 | 22.4 | 6.4 | -0- |
| MORGAN | 1,063.7 | 694.5 | 374.6 | 95.7 | 166.8 | 38.3 | 5.5 | 13.7 | -0- |
| MOULTRIE | 1,334.8 | 880.1 | 557.4 | 29.3 | 234.7 | 29.3 | 22.0 | 7.3 | -0- |
| OGLE | 1,047.1 | 556.3 | 307.0 | 110.2 | 107.6 | 13.1 | 2.6 | 15.7 | -0- |
| PEORIA | 1,041.6 | 587.2 | 314.7 | 76.7 | 110.0 | 62.9 | 11.1 | 11.6 | -0- |
| PERRY | 1,026.9 | 635.9 | 370.1 | 88.6 | 146.0 | 26.1 | -0- | 5.2 | -0- |
| PIATT | 996.0 | 608.3 | 260.7 | 100.3 | 160.4 | 60.2 | 13.4 | 6.7 | 6.7 |
| PIKE | 1,372.1 | 475.8 | 525.5 | 141.1 | 146.0 | 43.8 | 4.9 | 14.6 | -0- |
| POPE | 1,576.0 | 1,083.5 | 492.5 | 246.2 | 295.5 | 24.6 | 24.6 | -0- | -0- |
| PULASKI | 1,429.9 | 734.0 | 362.2 | 104.9 | 219.3 | 19.1 | -0- | 28.6 | -0- |
| PUTNAM | 1,225.4 | 700.2 | 437.6 | 109.4 | 131.3 | 21.9 | -0- | -0- | -0- |
| RANDOLPH | 1,170.5 | 830.3 | 403.5 | 153.4 | 203.4 | 50.0 | 13.3 | 6.7 | -0- |
| RICHLAND | 1,300.7 | 760.8 | 454.0 | 122.7 | 122.7 | 36.8 | 12.3 | 12.3 | -0- |
| ROCK ISLAND | 963.6 | 582.2 | 347.7 | 78.2 | 104.6 | 37.8 | 9.9 | 3.3 | 0.7 |
| ST. CLAIR | 956.5 | 542.1 | 283.0 | 123.8 | 101.7 | 15.2 | 10.7 | 7.2 | 0.4 |
| SALINE | 1,536.6 | 1,029.5 | 587.2 | 240.2 | 171.6 | 22.9 | -0- | 7.6 | -0- |
| SANGAMON | 1,164.9 | 698.1 | 417.0 | 93.5 | 145.4 | 15.7 | 8.9 | 17.7 | -0- |
| SCHUYLER | 1,429.2 | 937.6 | 354.4 | 354.4 | 182.9 | 34.3 | -0- | 11.4 | -0- |
| SCOTT | 1,489.7 | 862.5 | 611.6 | 62.7 | 109.8 | 47.0 | 31.4 | -0- | -0- |
| SHELBY | 1,128.0 | 692.2 | 324.7 | 166.6 | 153.8 | 12.8 | 12.8 | 21.4 | -0- |
| STARK | 1,337.1 | 748.3 | 380.3 | 159.5 | 171.7 | 24.5 | 12.3 | -0- | -0- |
| STEPHENSON | 1,066.9 | 599.5 | 305.1 | 121.2 | 121.2 | 23.8 | 19.5 | 8.7 | -0- |
| TAZEWELL | 705.5 | 374.8 | 198.4 | 75.2 | 74.2 | 16.0 | 4.0 | 7.0 | -0- |
| UNION | 1,190.1 | 736.8 | 334.4 | 153.0 | 158.7 | 79.3 | 5.7 | 5.7 | -0- |
| VERMILION | 1,164.5 | 692.5 | 387.8 | 106.1 | 148.7 | 32.2 | 10.4 | 6.2 | 1.0 |
| WABASH | 1,309.9 | 761.7 | 477.0 | 121.0 | 128.1 | 35.6 | -0- | -0- | -0- |
| WARREN | 1,292.4 | 787.5 | 310.4 | 217.7 | 194.6 | 32.4 | 18.5 | 13.9 | -0- |
| WASHINGTON | 1,525.5 | 965.4 | 501.1 | 117.9 | 243.2 | 66.3 | 22.1 | 14.7 | -0- |
| WAYNE | 1,078.5 | 626.1 | 310.4 | 210.4 | 78.9 | 15.8 | -0- | 10.5 | -0- |
| WHITE | 1,295.6 | 784.6 | 464.6 | 82.6 | 180.7 | 20.6 | 5.2 | 31.0 | -0- |
| WHITESIDE | 951.8 | 531.0 | 293.9 | 98.5 | 100.2 | 18.4 | 11.7 | 8.3 | -0- |
| WILL | 844.9 | 488.0 | 269.3 | 112.2 | 80.4 | 14.6 | 3.7 | 7.8 | -0- |
| WILLIAMSON | 1,342.2 | 821.8 | 509.6 | 110.6 | 136.6 | 45.5 | 15.2 | 2.2 | 2.2 |
| WINNEBAGO | 840.5 | 430.5 | 246.9 | 53.4 | 97.3 | 15.7 | 7.2 | 9.5 | 0.5 |
| WOODFORD | 1,090.4 | 691.6 | 415.0 | 101.7 | 109.8 | 48.8 | 8.1 | 8.1 | -0- |

TABLE 98. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1960--CONTINUED

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | DIABETES MELLITUS | CIRRHOSIS OF LIVER | CONGENITAL MALFORMATIONS | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAWRENCE | 156.4 | 75.5 | 32.4 | 43.1 | 75.5 | 5.4 | 16.2 | -0- | 10.8 | 5.4 |
| LEE | 136.8 | 56.8 | 33.5 | 23.2 | 12.9 | 49.0 | 15.5 | 10.3 | 2.6 | 7.7 |
| LIVINGSTON | 156.2 | 66.9 | 24.8 | 42.1 | 37.2 | 32.2 | 32.2 | 7.4 | 12.4 | 19.8 |
| LOGAN | 154.5 | 56.5 | 26.7 | 29.7 | 23.8 | 17.8 | 11.9 | -0- | 3.0 | 11.9 |
| MC DONOUGH | 138.3 | 41.5 | 10.4 | 31.1 | 48.4 | 31.1 | 24.2 | 6.9 | 13.8 | 17.3 |
| MC HENRY | 160.3 | 61.8 | 32.1 | 29.7 | 32.1 | 35.6 | 11.9 | 5.9 | 19.0 | 10.7 |
| MC LEAN | 152.6 | 48.9 | 21.5 | 27.4 | 32.2 | 31.0 | 11.9 | 6.0 | 13.1 | 8.3 |
| MACON | 153.1 | 34.7 | 18.6 | 16.1 | 32.1 | 27.9 | 10.1 | 9.3 | 11.0 | 8.5 |
| MACOUPIN | 209.1 | 52.8 | 23.0 | 29.9 | 52.8 | 34.5 | 23.0 | 6.9 | 6.9 | 20.7 |
| MADISON | 141.1 | 48.1 | 18.7 | 29.4 | 20.0 | 31.2 | 10.2 | 6.2 | 12.5 | 8.9 |
| MARION | 213.5 | 35.6 | 25.4 | 10.2 | 40.7 | 33.0 | 15.2 | 10.2 | 12.7 | 20.3 |
| MARSHALL | 150.0 | 112.5 | 60.0 | 52.5 | 52.5 | 45.0 | -0- | 15.0 | 22.5 | 7.5 |
| MASON | 171.1 | 19.7 | 13.2 | 6.6 | 39.5 | 65.8 | 19.7 | 6.6 | 6.6 | 6.6 |
| MASSAC | 195.2 | 55.8 | 13.9 | 41.8 | 34.9 | 27.9 | 41.8 | -0- | 7.0 | 13.9 |
| MENARD | 183.8 | 43.3 | 10.8 | 32.4 | 32.4 | 54.1 | 32.4 | -0- | 10.8 | 21.6 |
| MERCER | 169.1 | 52.5 | 5.8 | 46.6 | 40.8 | 40.8 | 17.5 | 23.3 | 11.7 | 5.8 |
| MONROE | 199.9 | 77.4 | 32.2 | 45.1 | 38.7 | 32.2 | 32.2 | 6.4 | 6.4 | 6.4 |
| MONTGOMERY | 169.6 | 89.6 | 44.8 | 44.8 | 73.6 | 25.6 | 25.6 | -0- | 12.8 | 28.8 |
| MORGAN | 144.9 | 46.5 | 19.1 | 27.3 | 19.1 | 27.3 | 8.2 | 10.9 | 5.5 | 13.7 |
| MOULTRIE | 198.0 | 44.0 | 14.7 | 29.3 | 29.3 | 7.3 | 29.3 | 14.7 | 7.3 | 7.3 |
| OGLE | 186.3 | 81.4 | 42.0 | 39.4 | 23.6 | 36.7 | 15.7 | 2.6 | 13.1 | 18.4 |
| PEORIA | 174.0 | 46.6 | 20.6 | 25.9 | 48.1 | 41.8 | 13.2 | 7.4 | 13.2 | 14.8 |
| PERRY | 151.2 | 57.3 | 20.9 | 36.5 | 15.6 | 31.3 | 15.6 | 5.2 | -0- | 10.4 |
| PIATT | 127.0 | 46.8 | 40.1 | 6.7 | 46.8 | 26.7 | 26.7 | 6.7 | -0- | 6.7 |
| PIKE | 184.9 | 53.5 | 24.3 | 29.2 | 38.9 | 29.2 | 24.3 | 9.7 | 9.7 | 14.6 |
| POPE | 221.6 | 73.9 | 24.6 | 49.2 | -0- | 49.2 | -0- | -0- | -0- | 24.6 |
| PULASKI | 209.7 | 76.3 | 19.1 | 57.2 | 143.0 | 76.3 | 9.5 | 9.5 | 28.6 | -0- |
| PUTNAM | 196.9 | 87.5 | 43.8 | 43.8 | 43.8 | -0- | 21.9 | 21.9 | -0- | -0- |
| RANDOLPH | 136.7 | 36.7 | 16.7 | 20.0 | 33.3 | 13.3 | 20.0 | 3.3 | 10.0 | 3.3 |
| RICHLAND | 202.5 | 92.0 | 49.1 | 42.9 | 61.4 | 18.4 | 24.5 | -0- | -0- | -0- |
| ROCK ISLAND | 150.3 | 39.7 | 15.2 | 24.5 | 21.9 | 45.7 | 13.2 | 7.3 | 13.2 | 13.9 |
| ST. CLAIR | 156.9 | 39.2 | 16.4 | 22.9 | 37.3 | 39.2 | 14.1 | 7.6 | 13.0 | 7.6 |
| SALINE | 221.1 | 49.6 | 22.9 | 26.7 | 38.1 | 26.7 | 11.4 | 11.4 | 15.3 | 11.4 |
| SANGAMON | 190.4 | 43.0 | 17.1 | 25.9 | 31.4 | 37.5 | 17.1 | 7.5 | 15.0 | 14.3 |
| SCHUYLER | 160.1 | 80.0 | 57.2 | 22.9 | 34.3 | 11.4 | 57.2 | -0- | 22.9 | 22.9 |
| SCOTT | 219.5 | 47.0 | 31.4 | 15.7 | 78.4 | 47.0 | 15.7 | -0- | 31.4 | 15.7 |
| SHELBY | 179.5 | 34.2 | 12.8 | 21.4 | 34.2 | 29.9 | 21.4 | 4.3 | 4.3 | 4.3 |
| STARK | 171.7 | 134.9 | 98.1 | 36.8 | 61.3 | 24.5 | 24.5 | 12.3 | 12.3 | 12.3 |
| STEPHENSON | 216.4 | 49.8 | 26.0 | 23.8 | 32.5 | 23.8 | 17.3 | 4.3 | 8.7 | 4.3 |
| TAZEWELL | 91.2 | 48.1 | 26.1 | 22.0 | 35.1 | 29.1 | 12.0 | 1.0 | 9.0 | 9.0 |
| UNION | 164.4 | 34.0 | 17.0 | 17.0 | 34.0 | 56.7 | 39.7 | 5.7 | 5.7 | 5.7 |
| VERMILION | 199.6 | 57.2 | 23.9 | 33.3 | 49.9 | 29.1 | 7.3 | 10.4 | 15.6 | 14.6 |
| WABASH | 213.6 | 78.3 | 42.7 | 35.6 | 28.5 | 42.7 | 14.2 | 14.2 | 14.2 | -0- |
| WARREN | 227.0 | 97.3 | 27.8 | 69.5 | 32.4 | 23.2 | 13.9 | -0- | 13.9 | 23.2 |
| WASHINGTON | 184.2 | 81.1 | 51.6 | 29.5 | 81.1 | 29.5 | 14.7 | -0- | 22.1 | -0- |
| WAYNE | 168.4 | 68.4 | 47.3 | 21.0 | 31.6 | 42.1 | 10.5 | 5.3 | 10.5 | 5.3 |
| WHITE | 206.5 | 41.3 | 10.3 | 31.0 | 46.5 | 31.0 | 41.3 | -0- | 10.3 | 15.5 |
| WHITESIDE | 138.6 | 90.2 | 40.1 | 50.1 | 21.7 | 53.4 | 15.0 | 3.3 | 18.4 | 8.3 |
| WILL | 127.9 | 37.1 | 20.4 | 16.7 | 19.8 | 41.2 | 13.6 | 15.1 | 12.5 | 6.8 |
| WILLIAMSON | 201.7 | 60.7 | 26.0 | 34.7 | 30.4 | 13.0 | 23.9 | 15.2 | 13.0 | 17.3 |
| WINNEBAGO | 141.6 | 40.5 | 21.0 | 19.5 | 36.7 | 47.2 | 10.0 | 5.2 | 13.8 | 12.4 |
| WOODFORD | 146.5 | 36.6 | 8.1 | 28.5 | 44.8 | 32.5 | 12.2 | 16.3 | 20.3 | 24.4 |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ALTON | 456 | 248 | 119 | 49 | 55 | 17 | 3 | 4 | 1 |
| ARLINGTON HEIGHTS | 179 | 106 | 56 | 22 | 19 | 5 | 2 | 2 | — |
| AURORA | 688 | 279 | 228 | 55 | 79 | 6 | 6 | 3 | 2 |
| BELLEVILLE | 477 | 288 | 157 | 50 | 61 | 9 | 8 | 3 | — |
| BELLWOOD | 119 | 60 | 37 | 11 | 9 | 1 | 2 | — | — |
| BELVIDERE | 131 | 88 | 59 | 10 | 17 | 2 | — | — | — |
| BERWYN | 612 | 383 | 236 | 60 | 68 | 6 | 7 | 6 | — |
| BLOOMINGTON | 438 | 276 | 165 | 23 | 62 | 12 | 8 | 6 | — |
| BLUE ISLAND | 221 | 131 | 82 | 19 | 19 | 4 | 5 | 2 | — |
| BROOKFIELD | 175 | 100 | 54 | 28 | 9 | 7 | — | 2 | — |
| CAHOKIA | 58 | 22 | 10 | 7 | 5 | — | — | — | — |
| CALUMET CITY | 166 | 85 | 58 | 11 | 14 | 1 | 1 | — | — |
| CANTON | 180 | 114 | 61 | 19 | 23 | 8 | 1 | 2 | — |
| CARBONDALE | 120 | 78 | 45 | 10 | 17 | 4 | — | 2 | — |
| CARPENTERSVILLE | 66 | 27 | 13 | 8 | 6 | — | — | — | — |
| CENTRALIA | 205 | 127 | 56 | 31 | 29 | 3 | 4 | 4 | — |
| CENTREVILLE | 84 | 40 | 19 | 14 | 5 | 2 | — | — | — |
| CHAMPAIGN | 375 | 203 | 120 | 32 | 40 | 6 | 1 | 4 | — |
| CHARLESTON | 133 | 81 | 41 | 7 | 26 | 4 | 3 | — | — |
| CHICAGO | 42,550 | 24,168 | 14,770 | 4,314 | 3,735 | 675 | 376 | 282 | 16 |
| CHICAGO HEIGHTS | 317 | 159 | 85 | 25 | 34 | 9 | 4 | 2 | — |
| CICERO | 727 | 425 | 285 | 46 | 81 | 6 | 3 | 4 | — |
| COLLINSVILLE | 155 | 91 | 57 | 17 | 11 | 2 | 1 | 3 | — |
| DANVILLE | 557 | 315 | 181 | 42 | 62 | 18 | 7 | 4 | 1 |
| DECATUR | 831 | 484 | 259 | 85 | 101 | 20 | 9 | 10 | — |
| DE KALB | 159 | 95 | 55 | 14 | 18 | 3 | — | 5 | — |
| DEERFIELD | 62 | 33 | 15 | 3 | 12 | 2 | 1 | — | — |
| DES PLAINES | 240 | 147 | 84 | 28 | 25 | 7 | — | 3 | — |
| DIXON | 160 | 101 | 48 | 17 | 24 | 10 | — | 2 | — |
| DOLTON | 83 | 46 | 27 | 6 | 12 | — | — | 1 | — |
| DOWNERS GROVE | 156 | 78 | 41 | 15 | 17 | 2 | 2 | 1 | — |
| EAST MOLINE | 147 | 90 | 55 | 11 | 14 | 9 | 1 | — | — |
| EAST PEORIA | 86 | 32 | 18 | 8 | 4 | 1 | — | 1 | — |
| EAST ST. LOUIS | 1,117 | 626 | 317 | 166 | 117 | 8 | 11 | 6 | 1 |
| EDWARDSVILLE | 106 | 63 | 32 | 14 | 12 | 2 | 1 | 2 | — |
| ELGIN | 530 | 319 | 194 | 44 | 69 | 5 | 5 | 2 | — |
| ELMHURST | 253 | 139 | 73 | 26 | 28 | 7 | — | 5 | — |
| ELMWOOD PARK | 206 | 121 | 78 | 20 | 18 | 4 | — | 1 | — |
| EVANSTON | 816 | 506 | 293 | 74 | 101 | 13 | 11 | 14 | — |
| EVERGREEN PARK | 148 | 95 | 52 | 19 | 18 | 1 | 3 | 2 | — |
| FOREST PARK | 184 | 119 | 65 | 26 | 25 | 1 | — | 2 | — |
| FRANKLIN PARK | 104 | 47 | 25 | 13 | 5 | 3 | — | 1 | — |
| FREEPORT | 318 | 183 | 100 | 28 | 42 | 7 | 4 | 2 | — |
| GALESBURG | 367 | 228 | 142 | 26 | 45 | 5 | 6 | 4 | — |
| GLENCOE | 62 | 34 | 22 | 7 | 5 | — | — | — | — |
| GLEN ELLYN | 122 | 64 | 36 | 8 | 15 | 1 | 1 | 3 | — |
| GLENVIEW | 116 | 54 | 31 | 10 | 13 | — | — | — | — |
| GRANITE CITY | 291 | 162 | 78 | 43 | 29 | 9 | 1 | 2 | — |
| HARVEY | 260 | 132 | 82 | 14 | 25 | 4 | 5 | 2 | — |
| HIGHLAND PARK | 187 | 109 | 64 | 18 | 24 | — | 2 | 1 | — |
| HINSDALE | 107 | 72 | 39 | 15 | 14 | 2 | 1 | 1 | — |
| HOMEWOOD | 87 | 45 | 30 | 6 | 4 | 3 | — | 2 | — |
| JACKSONVILLE | 251 | 171 | 92 | 22 | 43 | 9 | 1 | 4 | — |
| JOLIET | 728 | 432 | 228 | 101 | 77 | 14 | 5 | 7 | — |
| KANKAKEE | 345 | 217 | 141 | 20 | 34 | 17 | 3 | 2 | — |
| KEWANEE | 209 | 129 | 70 | 18 | 30 | 4 | 6 | 1 | — |
| LA GRANGE | 164 | 89 | 50 | 13 | 21 | 2 | 3 | — | — |
| LA GRANGE PARK | 90 | 57 | 35 | 9 | 8 | 3 | 1 | 1 | — |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | DIABETES MELLITUS | CIRRHOSIS OF LIVER | CONGENITAL MALFORMATIONS | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ALTON | 87 | 21 | 4 | 17 | 9 | 15 | 7 | 1 | 7 | 7 |
| ARLINGTON HEIGHTS | 20 | 11 | 6 | 5 | 8 | 7 | 1 | 1 | 9 | — |
| AURORA | 123 | 31 | 16 | 15 | 23 | 33 | 7 | 4 | 10 | 8 |
| BELLEVILLE | 88 | 10 | 3 | 7 | 9 | 18 | 8 | 5 | 3 | 1 |
| BELLWOOD | 21 | 1 | — | 1 | 5 | 10 | 3 | 2 | 1 | 2 |
| BELVIDERE | 19 | 7 | 4 | 3 | 1 | 4 | 1 | 1 | 2 | 1 |
| BERWYN | 123 | 15 | 10 | 5 | 14 | 10 | 12 | 6 | 6 | 3 |
| BLOOMINGTON | 65 | 21 | 6 | 15 | 14 | 10 | 3 | 1 | 4 | 5 |
| BLUE ISLAND | 36 | 9 | 7 | 2 | 6 | 7 | — | -- | 1 | -- |
| BROOKFIELD | 41 | 7 | 2 | 5 | 7 | 3 | — | 1 | — | 2 |
| CAHOKIA | 10 | 5 | 4 | 1 | 2 | 10 | 1 | 2 | 4 | — |
| CALUMET CITY | 32 | 6 | 1 | 5 | 6 | 8 | 7 | 4 | 3 | — |
| CANTON | 30 | 3 | 2 | 1 | 7 | 2 | 4 | 1 | -- | 1 |
| CARBONDALE | 12 | 3 | 1 | 2 | 5 | 3 | 2 | 2 | 1 | 3 |
| CARPENTERSVILLE | 14 | 4 | 2 | 2 | — | 8 | -- | -- | 2 | -- |
| CENTRALIA | 37 | 5 | 3 | 2 | 6 | 6 | 3 | 2 | 2 | 1 |
| CENTREVILLE | 15 | 2 | — | 2 | 9 | 6 | 2 | -- | -- | -- |
| CHAMPAIGN | 52 | 20 | 7 | 13 | 12 | 18 | 7 | 3 | 4 | 5 |
| CHARLESTON | 11 | 12 | 6 | 6 | 3 | 3 | 5 | 1 | 2 | 2 |
| CHICAGO | 7,170 | 1,483 | 436 | 1,047 | 2,188 | 1,626 | 612 | 787 | 336 | 335 |
| CHICAGO HEIGHTS | 56 | 14 | 5 | 9 | 17 | 24 | 8 | 5 | 4 | 2 |
| CICERO | 135 | 25 | 10 | 15 | 16 | 16 | 10 | 14 | 7 | 13 |
| COLLINSVILLE | 26 | 11 | 6 | 5 | 4 | 4 | — | 1 | 3 | 1 |
| DANVILLE | 104 | 26 | 8 | 18 | 24 | 17 | 4 | 6 | 5 | 7 |
| DECATUR | 144 | 33 | 19 | 14 | 25 | 23 | 8 | 10 | 13 | 4 |
| DE KALB | 24 | 5 | 4 | 1 | 5 | 6 | 2 | -- | 1 | 3 |
| DEERFIELD | 12 | 3 | 2 | 1 | 4 | 4 | — | 1 | 2 | -- |
| DES PLAINES | 33 | 14 | 7 | 7 | 7 | 14 | 3 | 1 | 3 | 1 |
| DIXON | 14 | 13 | 5 | 8 | 2 | 9 | 2 | 2 | 1 | 1 |
| DOLTON | 15 | 4 | 2 | 2 | 2 | 4 | -- | -- | 4 | 1 |
| DOWNERS GROVE | 36 | 6 | 4 | 2 | 4 | 11 | 1 | 2 | — | -- |
| EAST MOLINE | 21 | 7 | 1 | 6 | 2 | 6 | 2 | 1 | 2 | 5 |
| EAST PEORIA | 19 | 5 | 4 | 1 | 3 | 9 | 2 | -- | 3 | — |
| EAST ST. LOUIS | 178 | 46 | 20 | 26 | 55 | 39 | 14 | 7 | 15 | 8 |
| EDWARDSVILLE | 15 | 3 | 1 | 2 | 2 | 4 | 1 | 2 | 1 | 2 |
| ELGIN | 81 | 21 | 15 | 6 | 26 | 19 | 7 | 4 | 4 | 7 |
| ELMHURST | 55 | 13 | 7 | 6 | 8 | 7 | 3 | 3 | 3 | 1 |
| ELMWOOD PARK | 51 | 4 | 3 | 1 | 6 | 8 | 5 | 5 | — | 1 |
| EVANSTON | 140 | 19 | 7 | 12 | 28 | 28 | 11 | 6 | 10 | 1 |
| EVERGREEN PARK | 23 | 3 | 1 | 2 | 1 | 4 | 3 | -- | 5 | 2 |
| FOREST PARK | 27 | 4 | -- | 4 | 4 | 13 | 2 | 3 | 2 | 2 |
| FRANKLIN PARK | 23 | 7 | 4 | 3 | 1 | 6 | 3 | 3 | 2 | 3 |
| FREEPORT | 62 | 9 | 4 | 5 | 9 | 8 | 5 | 2 | 2 | — |
| GALESBURG | 49 | 16 | 9 | 7 | 10 | 17 | 6 | 6 | 2 | 1 |
| GLENCOE | 14 | 4 | 2 | 2 | 2 | — | — | 1 | — | -- |
| GLEN ELLYN | 23 | 5 | 2 | 3 | 5 | 10 | -- | 1 | 2 | 1 |
| GLENVIEW | 31 | 6 | 3 | 3 | 4 | 8 | -- | 1 | 2 | — |
| GRANITE CITY | 52 | 8 | 3 | 5 | 7 | 16 | 2 | 5 | 5 | 1 |
| HARVEY | 49 | 14 | 4 | 10 | 9 | 13 | 7 | 5 | 4 | 2 |
| HIGHLAND PARK | 36 | 8 | 4 | 4 | 4 | 5 | 2 | 2 | 1 | 2 |
| HINSDALE | 16 | 3 | 2 | 1 | 2 | 3 | — | 2 | — | 3 |
| HOMEWOOD | 21 | 5 | 1 | 4 | 2 | 4 | 1 | -- | 2 | -- |
| JACKSONVILLE | 31 | 9 | 3 | 6 | 7 | 7 | 1 | 3 | 2 | 2 |
| JOLIET | 112 | 26 | 17 | 9 | 16 | 26 | 10 | 19 | 8 | 6 |
| KANKAKEE | 46 | 13 | 4 | 9 | 11 | 11 | 6 | 7 | 1 | 1 |
| KEWANEE | 36 | 11 | 2 | 9 | 12 | 2 | 3 | -- | 1 | -- |
| LA GRANGE | 25 | 12 | 7 | 5 | 6 | 6 | 4 | 3 | 2 | 1 |
| LA GRANGE PARK | 14 | 5 | 1 | 4 | 1 | — | 1 | -- | -- | ? |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAKE FOREST | 81 | 47 | 30 | 5 | 7 | 4 | -- | 1 | -- |
| LANSING | 84 | 43 | 28 | 5 | 4 | 3 | 1 | 2 | -- |
| LA SALLE | 150 | 78 | 48 | 16 | 10 | 3 | -- | 1 | -- |
| LINCOLN | 165 | 107 | 58 | 11 | 20 | 10 | 6 | 1 | 1 |
| LINCOLNWOOD | 58 | 33 | 22 | 5 | 4 | 1 | 1 | -- | -- |
| LOMBARD | 154 | 82 | 41 | 17 | 21 | 2 | -- | 1 | -- |
| MACOMB | 132 | 78 | 38 | 18 | 15 | 3 | -- | 4 | -- |
| MARION | 161 | 106 | 63 | 11 | 23 | 9 | -- | -- | -- |
| MARKHAM | 58 | 23 | 13 | 3 | 6 | -- | 1 | -- | -- |
| MATTOON | 246 | 158 | 79 | 21 | 49 | 4 | 4 | 1 | -- |
| MAYWOOD | 282 | 166 | 100 | 28 | 27 | 7 | 3 | 1 | -- |
| MELROSE PARK | 199 | 117 | 67 | 19 | 21 | 6 | 3 | 1 | -- |
| MOLINE | 445 | 264 | 151 | 36 | 55 | 15 | 5 | 2 | -- |
| MONMOUTH | 156 | 91 | 40 | 22 | 21 | 3 | 3 | 2 | -- |
| MORTON GROVE | 104 | 51 | 31 | 12 | 5 | 2 | 1 | -- | -- |
| MOUNT PROSPECT | 89 | 42 | 28 | 5 | 8 | 1 | -- | -- | -- |
| MOUNT VERNON | 210 | 103 | 43 | 28 | 25 | 3 | 2 | 2 | -- |
| MUNDELEIN | 48 | 17 | 15 | 1 | -- | 1 | -- | -- | -- |
| NAPERVILLE | 92 | 49 | 32 | 7 | 6 | 2 | 1 | 1 | -- |
| NILES | 128 | 71 | 50 | 6 | 12 | 1 | 1 | 1 | -- |
| NORMAL | 88 | 49 | 30 | 3 | 11 | 3 | 2 | -- | -- |
| NORRIDGE | 70 | 38 | 23 | 9 | 6 | -- | -- | -- | -- |
| NORTHBROOK | 62 | 28 | 18 | 3 | 6 | 1 | -- | -- | -- |
| NORTH CHICAGO | 113 | 57 | 32 | 7 | 13 | 2 | -- | 3 | -- |
| NORTHLAKE | 63 | 39 | 26 | 9 | 2 | 2 | -- | -- | -- |
| OAK LAWN | 272 | 135 | 80 | 35 | 17 | -- | 1 | 2 | -- |
| OAK PARK | 749 | 473 | 259 | 101 | 82 | 16 | 6 | 9 | -- |
| OTTAWA | 234 | 133 | 66 | 33 | 30 | 3 | 1 | -- | -- |
| PALATINE | 89 | 50 | 29 | 7 | 12 | 2 | -- | -- | -- |
| PARK FOREST | 94 | 39 | 24 | 5 | 7 | 2 | -- | 1 | -- |
| PARK RIDGE | 211 | 127 | 84 | 16 | 21 | 5 | 1 | -- | -- |
| PEKIN | 266 | 146 | 81 | 98 | 29 | 4 | -- | 3 | -- |
| PEORIA | 1,312 | 746 | 421 | 101 | 136 | 58 | 14 | 16 | -- |
| PERU | 121 | 87 | 61 | 7 | 14 | 2 | 1 | 1 | 1 |
| QUINCY | 660 | 404 | 219 | 53 | 98 | 20 | 7 | 7 | -- |
| RANTOUL | 63 | 24 | 13 | 4 | 6 | 1 | -- | -- | -- |
| RIVERDALE | 104 | 61 | 31 | 13 | 13 | 1 | 2 | 1 | -- |
| RIVER FOREST | 110 | 60 | 28 | 11 | 14 | 4 | 2 | 1 | -- |
| ROCK FALLS | 91 | 55 | 32 | 11 | 7 | 2 | 2 | 1 | -- |
| ROCKFORD | 1,252 | 658 | 384 | 75 | 143 | 24 | 13 | 18 | 1 |
| ROCK ISLAND | 556 | 338 | 211 | 41 | 59 | 17 | 6 | 3 | 1 |
| ROLLING MEADOWS | 37 | 9 | 3 | 5 | 1 | -- | -- | -- | -- |
| SKOKIE | 319 | 166 | 106 | 18 | 36 | 1 | 2 | 3 | -- |
| SOUTH HOLLAND | 63 | 37 | 23 | 3 | 8 | 1 | -- | 2 | -- |
| SPRINGFIELD | 1,174 | 704 | 420 | 97 | 143 | 17 | 10 | 17 | -- |
| STERLING | 148 | 81 | 48 | 15 | 12 | 3 | 2 | 1 | -- |
| STREATOR | 205 | 130 | 75 | 2 | 45 | 5 | 1 | 2 | -- |
| SUMMIT | 101 | 42 | 26 | 6 | 7 | 2 | 1 | -- | -- |
| URBANA | 230 | 133 | 62 | 23 | 33 | 10 | -- | 5 | -- |
| VILLA PARK | 105 | 52 | 36 | 6 | 7 | -- | 2 | 1 | -- |
| WAUKEGAN | 434 | 235 | 132 | 53 | 36 | 8 | 2 | 4 | -- |
| WESTCHESTER | 91 | 48 | 29 | 9 | 6 | -- | -- | 4 | -- |
| WESTERN SPRINGS | 61 | 45 | 25 | 3 | 14 | 2 | -- | 1 | -- |
| WHEATON | 126 | 69 | 33 | 16 | 13 | 3 | 2 | 2 | -- |
| WILMETTE | 218 | 140 | 81 | 16 | 34 | 4 | 1 | 3 | 1 |
| WINNETKA | 103 | 55 | 28 | 8 | 13 | 2 | 2 | 2 | -- |
| WOOD RIVER | 79 | 45 | 25 | 7 | 8 | 2 | 1 | 2 | -- |
| ZION | 118 | 72 | 44 | 12 | 14 | -- | 2 | -- | -- |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | DIABETES MELLITUS | CIRRHOSIS OF LIVER | CONGENITAL MALFORMATIONS | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAKE FOREST | 18 | 3 | 1 | 2 | — | 3 | — | — | -- | 2 |
| LANSING | 21 | 3 | 2 | 1 | 2 | 8 | — | — | -- | — |
| LA SALLE | 19 | 13 | 8 | 5 | 6 | 6 | 4 | 2 | — | 2 |
| LINCOLN | 26 | 9 | 5 | 4 | 4 | 4 | 2 | — | 1 | — |
| LINCOLNWOOD | 10 | 2 | 1 | 1 | 2 | 3 | 1 | 1 | 1 | 1 |
| LOMBARD | 27 | 8 | 5 | 3 | 5 | 13 | 2 | 2 | 4 | 1 |
| MACOMB | 17 | 2 | 1 | 1 | 7 | 4 | 3 | 1 | 3 | 3 |
| MARION | 17 | 10 | 6 | 4 | 1 | — | 3 | 1 | 2 | 1 |
| MARKHAM | 10 | 9 | 4 | 5 | 3 | 3 | 2 | — | 1 | 1 |
| MATTOON | 38 | 7 | 4 | 3 | 14 | 6 | 3 | 1 | 1 | 2 |
| MAYWOOD | 48 | 14 | 7 | 7 | 7 | 10 | 4 | 3 | 2 | — |
| MELROSE PARK | 36 | 6 | 1 | 5 | 10 | 3 | 4 | 3 | 2 | 2 |
| MOLINE | 75 | 16 | 5 | 11 | 8 | 23 | 7 | 3 | 4 | 5 |
| MONMOUTH | 34 | 13 | 4 | 9 | 5 | 1 | 2 | — | 1 | 2 |
| MORTON GROVE | 28 | 2 | 1 | 1 | 1 | 5 | 2 | 3 | 1 | — |
| MOUNT PROSPECT | 20 | 10 | 9 | 1 | 2 | 5 | — | — | 2 | 2 |
| MOUNT VERNON | 28 | 12 | 5 | 7 | 12 | 6 | 1 | 3 | 3 | — |
| MUNDELEIN | 13 | 2 | 1 | 1 | 3 | 1 | 2 | — | 3 | 1 |
| NAPERVILLE | 16 | 4 | 3 | 1 | 2 | 6 | 2 | 3 | 2 | — |
| NILES | 27 | 7 | 4 | 3 | 4 | 4 | 2 | 2 | 5 | 2 |
| NORMAL | 15 | 4 | — | 4 | 5 | 5 | — | 1 | 3 | 1 |
| NORRIDGE | 15 | 6 | 5 | 1 | 1 | 3 | 1 | — | 1 | 1 |
| NORTHBROOK | 8 | 3 | 2 | 1 | 2 | 6 | 2 | 1 | 2 | 1 |
| NORTH CHICAGO | 17 | 9 | 4 | 5 | 5 | 7 | 4 | 5 | 1 | 2 |
| NORTHLAKE | 9 | 1 | — | 1 | 2 | 2 | — | -- | -- | — |
| OAK LAWN | 46 | 17 | 7 | 10 | 11 | 17 | 6 | 6 | 10 | 2 |
| OAK PARK | 142 | 13 | 6 | 7 | 24 | 8 | 9 | 7 | 8 | 5 |
| OTTAWA | 32 | 18 | 14 | 4 | 8 | 12 | 3 | 2 | 3 | 4 |
| PALATINE | 18 | 4 | 2 | 2 | 5 | 4 | — | 2 | 1 | — |
| PARK FOREST | 15 | 9 | 6 | 3 | 2 | 11 | 3 | — | 7 | 1 |
| PARK RIDGE | 45 | 5 | 3 | 2 | 5 | 3 | 1 | 3 | 4 | — |
| PEKIN | 38 | 16 | 10 | 6 | 12 | 7 | 7 | — | 2 | 4 |
| PEORIA | 219 | 55 | 21 | 34 | 67 | 47 | 11 | 11 | 14 | 21 |
| PERU | 14 | 4 | 3 | 1 | 3 | 1 | 2 | 3 | 2 | 2 |
| QUINCY | 99 | 23 | 7 | 16 | 19 | 16 | 6 | 9 | 7 | 5 |
| RANTOUL | 9 | 5 | 3 | 2 | 6 | 7 | 1 | — | 2 | 1 |
| RIVERDALE | 20 | 2 | — | 2 | 6 | 2 | 1 | 1 | — | 1 |
| RIVER FOREST | 29 | 5 | 3 | 2 | 5 | 3 | 1 | 1 | 1 | 1 |
| ROCK FALLS | 11 | 11 | 6 | 5 | 1 | 3 | 3 | — | 2 | — |
| ROCKFORD | 204 | 61 | 30 | 31 | 57 | 66 | 12 | 8 | 16 | 19 |
| ROCK ISLAND | 94 | 23 | 8 | 15 | 12 | 25 | 7 | 5 | 6 | 5 |
| ROLLING MEADOWS | 9 | — | — | — | 1 | 7 | 1 | 1 | 5 | — |
| SKOKIE | 76 | 8 | 4 | 4 | 10 | 15 | 5 | 6 | 3 | 7 |
| SOUTH HOLLAND | 11 | 3 | — | 3 | 3 | 2 | 1 | — | -- | — |
| SPRINGFIELD | 195 | 38 | 9 | 29 | 32 | 33 | 20 | 7 | 13 | 16 |
| STERLING | 19 | 14 | 5 | 9 | 2 | 9 | 1 | 2 | 2 | 2 |
| STREATOR | 30 | 5 | 2 | 3 | 4 | 7 | 2 | 1 | 1 | 3 |
| SUMMIT | 18 | 7 | 6 | 1 | 4 | 9 | 4 | 1 | 3 | 2 |
| URBANA | 33 | 12 | 7 | 5 | 9 | 14 | 1 | 1 | 2 | 3 |
| VILLA PARK | 29 | 2 | 1 | 1 | 4 | 6 | 3 | 1 | 2 | — |
| WAUKEGAN | 67 | 26 | 11 | 15 | 10 | 25 | 5 | 4 | 7 | 3 |
| WESTCHESTER | 25 | 3 | 2 | 1 | 3 | 3 | — | — | 2 | 2 |
| WESTERN SPRINGS | 7 | — | — | — | 2 | — | — | 1 | — | 2 |
| WHEATON | 27 | 4 | 2 | 2 | 3 | 6 | 1 | 3 | 1 | 2 |
| WILMETTE | 30 | 7 | 1 | 6 | 13 | 4 | 3 | 5 | 2 | 1 |
| WINNETKA | 34 | 4 | 1 | 3 | 1 | 2 | 2 | 1 | — | — |
| WOOD RIVER | 8 | 1 | 1 | — | 4 | 2 | 3 | — | 4 | 2 |
| ZION | 13 | 5 | 4 | 1 | 6 | 4 | 1 | 2 | 3 | 2 |

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ALTON | 1,059.3 | 576.1 | 276.4 | 113.8 | 127.8 | 39.5 | 7.0 | 9.3 | 2.3 |
| ARLINGTON HEIGHTS | 642.1 | 380.2 | 200.9 | 78.9 | 68.2 | 17.9 | 7.2 | 7.2 | -0- |
| AURORA | 1,079.8 | 437.9 | 357.8 | 86.3 | 124.0 | 9.4 | 9.4 | 4.7 | 3.1 |
| BELLEVILLE | 1,280.1 | 772.9 | 421.3 | 134.2 | 163.7 | 24.2 | 21.5 | 8.1 | -0- |
| BELLWOOD | 574.1 | 289.4 | 178.5 | 53.1 | 43.4 | 4.8 | 9.6 | -0- | -0- |
| BELVIDERE | 1,167.2 | 784.1 | 525.7 | 89.1 | 151.5 | 17.8 | -0- | -0- | -0- |
| BERWYN | 1,128.7 | 706.3 | 435.2 | 110.7 | 125.4 | 11.1 | 12.9 | 11.1 | -0- |
| BLOOMINGTON | 1,207.6 | 760.9 | 454.9 | 63.4 | 170.9 | 33.1 | 22.1 | 16.5 | -0- |
| BLUE ISLAND | 1,126.5 | 667.8 | 418.0 | 96.8 | 96.8 | 20.4 | 25.5 | 10.2 | -0- |
| BROOKFIELD | 856.6 | 489.5 | 264.3 | 137.1 | 44.1 | 34.3 | -0- | 9.8 | -0- |
| CAHOKIA | 366.4 | 139.0 | 63.2 | 44.2 | 31.6 | -0- | -0- | -0- | -0- |
| CALUMET CITY | 664.0 | 340.0 | 232.0 | 44.0 | 56.0 | 4.0 | 4.0 | -0- | -0- |
| CANTON | 1,324.7 | 839.0 | 448.9 | 139.8 | 169.3 | 58.9 | 7.4 | 14.7 | -0- |
| CARBONDALE | 818.0 | 531.7 | 306.7 | 68.2 | 115.9 | 27.3 | -0- | 13.6 | -0- |
| CARPENTERSVILLE | 378.8 | 155.0 | 74.6 | 45.9 | 34.4 | -0- | -0- | -0- | -0- |
| CENTRALIA | 1,474.4 | 913.4 | 402.8 | 223.0 | 208.6 | 21.6 | 28.8 | 28.8 | -0- |
| CENTREVILLE | 657.8 | 313.3 | 148.8 | 109.6 | 39.2 | 15.7 | -0- | -0- | -0- |
| CHAMPAIGN | 756.3 | 409.4 | 242.0 | 64.5 | 80.7 | 12.1 | 2.0 | 8.1 | -0- |
| CHARLESTON | 1,266.1 | 771.1 | 390.3 | 66.6 | 247.5 | 38.1 | 28.6 | -0- | -0- |
| CHICAGO | 1,198.5 | 680.7 | 416.0 | 121.5 | 105.2 | 19.0 | 10.6 | 7.9 | 0.5 |
| CHICAGO HEIGHTS | 923.4 | 463.1 | 247.6 | 72.8 | 99.0 | 26.2 | 11.7 | 5.8 | -0- |
| CICERO | 1,051.6 | 614.8 | 412.3 | 66.5 | 117.2 | 8.7 | 4.3 | 5.8 | -0- |
| COLLINSVILLE | 1,090.2 | 640.1 | 400.9 | 119.6 | 77.4 | 14.1 | 7.0 | 21.1 | -0- |
| DANVILLE | 1,330.8 | 752.6 | 432.4 | 100.3 | 148.1 | 43.0 | 16.7 | 9.6 | 2.4 |
| DECATUR | 1,065.3 | 620.5 | 332.0 | 109.0 | 129.5 | 25.6 | 11.5 | 12.8 | -0- |
| DE KALB | 860.1 | 513.9 | 297.5 | 75.7 | 97.4 | 16.2 | -0- | 27.0 | -0- |
| DEERFIELD | 526.0 | 280.0 | 127.3 | 25.5 | 101.8 | 17.0 | 8.5 | -0- | -0- |
| DES PLAINES | 688.0 | 421.4 | 240.8 | 80.3 | 71.7 | 20.1 | -0- | 8.6 | -0- |
| DIXON | 817.8 | 516.2 | 245.3 | 86.9 | 122.7 | 51.1 | -0- | 10.2 | -0- |
| DOLTON | 442.8 | 245.4 | 144.0 | 32.0 | 64.0 | -0- | -0- | 5.3 | -0- |
| DOWNERS GROVE | 737.4 | 368.7 | 193.8 | 70.9 | 80.4 | 9.5 | 9.5 | 4.7 | -0- |
| EAST MOLINE | 878.6 | 537.9 | 328.7 | 65.7 | 83.7 | 53.8 | 6.0 | -0- | -0- |
| EAST PEORIA | 698.6 | 260.0 | 146.2 | 65.0 | 32.5 | 8.1 | -0- | 8.1 | -0- |
| EAST ST. LOUIS | 1,367.0 | 766.1 | 387.9 | 203.2 | 143.2 | 9.8 | 13.5 | 7.3 | 1.2 |
| EDWARDSVILLE | 1,060.4 | 630.3 | 320.1 | 140.1 | 120.0 | 20.0 | 10.0 | 20.0 | -0- |
| ELGIN | 1,071.9 | 645.1 | 392.3 | 89.0 | 139.5 | 10.1 | 10.1 | 4.0 | -0- |
| ELMHURST | 684.0 | 375.8 | 197.3 | 70.3 | 75.7 | 18.9 | -0- | 13.5 | -0- |
| ELMWOOD PARK | 863.2 | 507.0 | 326.8 | 83.8 | 75.4 | 16.8 | -0- | 4.2 | -0- |
| EVANSTON | 1,029.2 | 638.2 | 369.6 | 93.3 | 127.4 | 16.4 | 13.9 | 17.7 | -0- |
| EVERGREEN PARK | 612.1 | 392.9 | 215.1 | 78.6 | 74.4 | 4.1 | 12.4 | 8.3 | -0- |
| FOREST PARK | 1,273.2 | 823.4 | 449.8 | 179.9 | 173.0 | 6.9 | -0- | 13.8 | -0- |
| FRANKLIN PARK | 567.6 | 256.5 | 136.4 | 71.0 | 27.3 | 16.4 | -0- | 5.5 | -0- |
| FREEPORT | 1,194.2 | 687.2 | 375.5 | 105.2 | 157.7 | 26.3 | 15.0 | 7.5 | -0- |
| GALESBURG | 985.4 | 612.2 | 381.3 | 69.8 | 120.8 | 13.4 | 16.1 | 10.7 | -0- |
| GLENCOE | 592.1 | 324.7 | 210.1 | 66.8 | 47.7 | -0- | -0- | -0- | -0- |
| GLEN ELLYN | 763.8 | 400.7 | 225.4 | 50.1 | 93.9 | 6.3 | 6.3 | 18.8 | -0- |
| GLENVIEW | 639.8 | 297.8 | 171.0 | 55.2 | 71.7 | -0- | -0- | -0- | -0- |
| GRANITE CITY | 726.2 | 404.3 | 194.6 | 107.3 | 72.4 | 22.5 | 2.5 | 5.0 | -0- |
| HARVEY | 894.4 | 454.1 | 282.1 | 48.2 | 86.0 | 13.8 | 17.2 | 6.9 | -0- |
| HIGHLAND PARK | 732.4 | 426.9 | 250.7 | 70.5 | 94.0 | -0- | 7.8 | 3.9 | -0- |
| HINSDALE | 832.1 | 559.9 | 303.3 | 116.6 | 108.9 | 15.6 | 7.8 | 7.8 | -0- |
| HOMEWOOD | 650.7 | 336.5 | 224.4 | 44.9 | 29.9 | 22.4 | -0- | 15.0 | -0- |
| JACKSONVILLE | 1,157.2 | 788.4 | 424.2 | 101.4 | 198.2 | 41.5 | 4.6 | 18.4 | -0- |
| JOLIET | 1,090.1 | 646.9 | 341.4 | 151.2 | 115.3 | 21.0 | 7.5 | 10.5 | -0- |
| KANKAKEE | 1,247.0 | 784.4 | 509.7 | 72.3 | 122.9 | 61.4 | 10.8 | 7.2 | -0- |
| KEWANEE | 1,280.3 | 790.2 | 428.8 | 110.3 | 183.8 | 24.5 | 36.8 | 6.1 | -0- |
| LA GRANGE | 1,072.9 | 582.3 | 327.1 | 85.1 | 137.4 | 13.1 | 19.6 | -0- | -0- |
| LA GRANGE PARK | 652.5 | 413.3 | 253.8 | 65.3 | 58.0 | 21.8 | 7.3 | 7.3 | -0- |

TABLE 108. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | DIABETES MELLITUS | CIRRHOSIS OF LIVER | CONGENITAL MALFORMATIONS | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ALTON | 202.1 | 48.8 | 9.3 | 39.5 | 20.9 | 34.8 | 16.3 | 2.3 | 16.3 | 16.3 |
| ARLINGTON HEIGHTS | 71.7 | 39.5 | 21.5 | 17.9 | 28.7 | 25.1 | 3.6 | 3.6 | 32.3 | -0- |
| AURORA | 193.0 | 48.7 | 25.1 | 23.5 | 36.1 | 51.8 | 11.0 | 6.3 | 15.7 | 12.6 |
| BELLEVILLE | 236.2 | 26.8 | 8.1 | 18.8 | 24.2 | 48.3 | 21.5 | 13.4 | 8.1 | 2.7 |
| BELLWOOD | 101.3 | 4.8 | -0- | 4.8 | 24.1 | 48.2 | 14.5 | 9.6 | 4.8 | 9.6 |
| BELVIDERE | 169.3 | 62.4 | 35.6 | 26.7 | 8.9 | 35.6 | 8.9 | 8.9 | 17.8 | 8.9 |
| BERWYN | 226.8 | 27.7 | 18.4 | 9.2 | 25.8 | 18.4 | 22.1 | 11.1 | 11.1 | 5.5 |
| BLOOMINGTON | 179.2 | 57.9 | 16.5 | 41.4 | 38.6 | 27.6 | 8.3 | 2.8 | 11.0 | 13.8 |
| BLUE ISLAND | 183.5 | 45.9 | 35.7 | 10.2 | 30.6 | 35.7 | -0- | -0- | 5.1 | -0- |
| BROOKFIELD | 200.7 | 34.3 | 9.8 | 24.5 | 34.3 | 14.7 | -0- | 4.9 | -0- | 9.8 |
| CAHOKIA | 63.2 | 31.6 | 25.3 | 6.3 | 12.6 | 63.2 | 6.3 | 12.6 | 25.3 | -0- |
| CALUMET CITY | 128.0 | 24.0 | 4.0 | 20.0 | 24.0 | 32.0 | 28.0 | 16.0 | 12.0 | -0- |
| CANTON | 220.8 | 22.1 | 14.7 | 7.4 | 51.5 | 14.7 | 29.4 | 7.4 | -0- | 7.4 |
| CARBONDALE | 81.8 | 20.4 | 6.8 | 13.6 | 34.1 | 20.4 | 13.6 | 13.6 | 6.8 | 20.4 |
| CARPENTERSVILLE | 80.3 | 23.0 | 11.5 | 11.5 | -0- | 45.9 | -0- | -0- | 11.5 | -0- |
| CENTRALIA | 266.1 | 36.0 | 21.6 | 14.4 | 43.2 | 43.2 | 21.6 | 14.4 | 14.4 | 7.2 |
| CENTREVILLE | 117.5 | 15.7 | -0- | 15.7 | 70.5 | 47.0 | 15.7 | -0- | -0- | -0- |
| CHAMPAIGN | 104.9 | 40.3 | 14.1 | 26.2 | 24.2 | 36.3 | 14.1 | 6.1 | 8.1 | 10.1 |
| CHARLESTON | 104.7 | 114.2 | 57.1 | 57.1 | 28.6 | 28.6 | 47.6 | 9.5 | 19.0 | 19.0 |
| CHICAGO | 201.9 | 41.8 | 12.3 | 29.5 | 61.6 | 45.8 | 17.2 | 22.2 | 9.5 | 9.4 |
| CHICAGO HEIGHTS | 163.1 | 40.8 | 14.6 | 26.2 | 49.5 | 69.9 | 23.3 | 14.6 | 11.7 | 5.8 |
| CICERO | 195.3 | 36.2 | 14.5 | 21.7 | 23.1 | 23.1 | 14.5 | 20.3 | 10.1 | 18.8 |
| COLLINSVILLE | 182.9 | 77.4 | 42.2 | 35.2 | 28.1 | 28.1 | -0- | 7.0 | 21.1 | 7.0 |
| DANVILLE | 248.5 | 62.1 | 19.1 | 43.0 | 57.3 | 40.6 | 9.6 | 14.3 | 11.9 | 16.7 |
| DECATUR | 184.6 | 42.3 | 24.4 | 17.9 | 32.0 | 29.5 | 10.3 | 12.8 | 16.7 | 5.1 |
| DE KALB | 129.8 | 27.0 | 21.6 | 5.4 | 27.0 | 32.5 | 10.8 | -0- | 5.4 | 16.2 |
| DEERFIELD | 101.8 | 25.5 | 17.0 | 8.5 | 33.9 | 33.9 | -0- | 8.5 | 17.0 | -0- |
| DES PLAINES | 94.6 | 40.1 | 20.1 | 20.1 | 20.1 | 40.1 | 8.6 | 2.9 | 8.6 | 2.9 |
| DIXON | 71.6 | 66.4 | 25.6 | 40.9 | 10.2 | 46.0 | 10.2 | 10.2 | 5.1 | 5.1 |
| DOLTON | 80.0 | 21.3 | 10.7 | 10.7 | 10.7 | 21.3 | -0- | -0- | 21.3 | 5.3 |
| DOWNERS GROVE | 170.2 | 28.4 | 18.9 | 9.5 | 18.9 | 52.0 | 4.7 | 9.5 | -0- | -0- |
| EAST MOLINE | 125.5 | 41.8 | 6.0 | 35.9 | 12.0 | 35.9 | 12.0 | 6.0 | 12.0 | 29.9 |
| EAST PEORIA | 154.3 | 40.6 | 32.5 | 8.1 | 24.4 | 73.1 | 16.2 | -0- | 24.4 | -0- |
| EAST ST. LOUIS | 217.8 | 56.3 | 24.5 | 31.8 | 67.3 | 47.7 | 17.1 | 8.6 | 18.4 | 9.8 |
| EDWARDSVILLE | 150.1 | 30.0 | 10.0 | 20.0 | 20.0 | 40.0 | 10.0 | 20.0 | 10.0 | 20.0 |
| ELGIN | 163.8 | 42.5 | 30.3 | 12.1 | 52.6 | 38.4 | 14.2 | 8.1 | 8.1 | 14.2 |
| ELMHURST | 148.7 | 35.1 | 18.9 | 16.2 | 21.6 | 18.9 | 8.1 | 8.1 | 8.1 | 2.7 |
| ELMWOOD PARK | 213.7 | 16.8 | 12.6 | 4.2 | 25.1 | 33.5 | 21.0 | 21.0 | -0- | 4.2 |
| EVANSTON | 176.6 | 24.0 | 8.8 | 15.1 | 35.3 | 35.3 | 13.9 | 7.6 | 12.6 | 1.3 |
| EVERGREEN PARK | 95.1 | 12.4 | 4.1 | 8.3 | 4.1 | 16.5 | 12.4 | -0- | 20.7 | 8.3 |
| FOREST PARK | 186.8 | 27.7 | -0- | 27.7 | 27.7 | 90.0 | 13.8 | 20.8 | 13.8 | 13.8 |
| FRANKLIN PARK | 125.5 | 38.2 | 21.8 | 16.4 | 5.5 | 32.7 | 16.4 | 16.4 | 10.9 | 16.4 |
| FREEPORT | 232.8 | 33.8 | 15.0 | 18.8 | 33.8 | 30.0 | 18.8 | 7.5 | 7.5 | -0- |
| GALESBURG | 131.6 | 43.0 | 24.2 | 18.8 | 26.9 | 45.6 | 16.1 | 16.1 | 5.4 | 2.7 |
| GLENCOE | 133.7 | 38.2 | 19.1 | 19.1 | 19.1 | -0- | -0- | 9.5 | -0- | -0- |
| GLEN ELLYN | 144.0 | 31.3 | 12.5 | 18.8 | 31.3 | 62.6 | -0- | 6.3 | 12.5 | 6.3 |
| GLENVIEW | 171.0 | 33.1 | 16.5 | 16.5 | 22.1 | 44.1 | -0- | 5.5 | 11.0 | -0- |
| GRANITE CITY | 129.8 | 20.0 | 7.5 | 12.5 | 17.5 | 39.9 | 5.0 | 12.5 | 12.5 | 2.5 |
| HARVEY | 168.6 | 48.2 | 13.8 | 34.4 | 31.0 | 44.7 | 24.1 | 17.2 | 13.8 | 6.9 |
| HIGHLAND PARK | 141.0 | 31.3 | 15.7 | 15.7 | 15.7 | 19.6 | 7.8 | 7.8 | 3.9 | 7.8 |
| HINSDALE | 124.4 | 23.3 | 15.6 | 7.8 | 15.6 | 23.3 | -0- | 15.6 | -0- | 23.3 |
| HOMEWOOD | 157.1 | 37.4 | 7.5 | 29.9 | 15.0 | 29.9 | 7.5 | -0- | 15.0 | -0- |
| JACKSONVILLE | 142.9 | 41.5 | 13.8 | 27.7 | 32.3 | 32.3 | 4.6 | 13.8 | 9.2 | 9.2 |
| JOLIET | 167.7 | 38.9 | 25.5 | 13.5 | 24.0 | 38.9 | 15.0 | 28.5 | 12.0 | 9.0 |
| KANKAKEE | 166.3 | 47.0 | 14.5 | 32.5 | 39.8 | 39.8 | 21.7 | 25.3 | 3.6 | 3.6 |
| KEWANEE | 220.5 | 67.4 | 12.3 | 55.1 | 73.5 | 12.3 | 18.4 | -0- | 6.1 | -0- |
| LA GRANGE | 163.6 | 78.5 | 45.8 | 32.7 | 39.3 | 39.3 | 26.2 | 19.6 | 13.1 | 6.5 |
| LA GRANGE PARK | 101.5 | 36.3 | 7.3 | 29.0 | 7.3 | -0- | 7.3 | -0- | -0- | 14.5 |

TABLE 108. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAKE FOREST | 757.9 | 439.8 | 280.7 | 46.8 | 65.5 | 37.4 | -0- | 9.4 | -0- |
| LANSING | 464.1 | 237.6 | 154.7 | 27.6 | 22.1 | 16.6 | 5.5 | 11.1 | -0- |
| LA SALLE | 1,260.8 | 655.6 | 403.5 | 134.5 | 84.1 | 25.2 | -0- | 8.4 | -0- |
| LINCOLN | 976.9 | 633.5 | 343.4 | 65.1 | 118.4 | 59.2 | 35.5 | 5.9 | 5.9 |
| LINCOLNWOOD | 493.9 | 281.0 | 187.3 | 42.6 | 34.1 | 8.5 | 8.5 | -0- | -0- |
| LOMBARD | 682.6 | 363.5 | 181.7 | 75.4 | 93.1 | 8.9 | -0- | 4.4 | -0- |
| MACOMB | 1,087.8 | 642.8 | 313.1 | 148.3 | 123.6 | 24.7 | -0- | 33.0 | -0- |
| MARION | 1,428.1 | 940.2 | 558.8 | 97.6 | 204.0 | 79.8 | -0- | -0- | -0- |
| MARKHAM | 495.6 | 196.5 | 111.1 | 25.6 | 51.3 | -0- | 8.5 | -0- | -0- |
| MATTOON | 1,288.8 | 827.7 | 413.9 | 110.0 | 256.7 | 21.0 | 21.0 | 5.2 | -0- |
| MAYWOOD | 1,031.8 | 607.4 | 365.9 | 102.5 | 98.8 | 25.6 | 11.0 | 3.7 | -0- |
| MELROSE PARK | 892.7 | 524.9 | 300.6 | 85.2 | 94.2 | 26.9 | 13.5 | 4.5 | -0- |
| MOLINE | 1,042.0 | 618.2 | 353.6 | 84.3 | 128.8 | 35.1 | 11.7 | 4.7 | -0- |
| MONMOUTH | 1,504.0 | 877.4 | 385.7 | 212.1 | 202.5 | 28.9 | 28.9 | 19.3 | -0- |
| MORTON GROVE | 506.5 | 248.4 | 151.0 | 58.4 | 24.4 | 9.7 | 4.9 | -0- | -0- |
| MOUNT PROSPECT | 470.8 | 222.2 | 148.1 | 26.4 | 42.3 | 5.3 | -0- | -0- | -0- |
| MOUNT VERNON | 1,349.1 | 661.7 | 276.2 | 179.9 | 160.6 | 19.3 | 12.8 | 12.8 | -0- |
| MUNDELEIN | 456.0 | 161.5 | 142.5 | 9.5 | -0- | 9.5 | -0- | -0- | -0- |
| NAPERVILLE | 711.4 | 378.9 | 247.4 | 54.1 | 46.4 | 15.5 | 7.7 | 7.7 | -0- |
| NILES | 627.7 | 348.2 | 245.2 | 29.4 | 58.8 | 4.9 | 4.9 | 4.9 | -0- |
| NORMAL | 658.8 | 366.8 | 224.6 | 22.5 | 82.4 | 22.5 | 15.0 | -0- | -0- |
| NORRIDGE | 496.9 | 269.8 | 163.3 | 63.9 | 42.6 | -0- | -0- | -0- | -0- |
| NORTHBROOK | 532.9 | 240.7 | 154.7 | 25.8 | 51.6 | 8.6 | -0- | -0- | -0- |
| NORTH CHICAGO | 550.8 | 277.8 | 156.0 | 34.1 | 63.4 | 9.7 | -0- | 14.6 | -0- |
| NORTHLAKE | 511.4 | 316.6 | 211.1 | 73.1 | 16.2 | 16.2 | -0- | -0- | -0- |
| OAK LAWN | 990.1 | 491.4 | 291.2 | 127.4 | 61.9 | -0- | 3.6 | 7.3 | -0- |
| OAK PARK | 1,226.0 | 774.2 | 423.9 | 165.3 | 134.2 | 26.2 | 9.8 | 14.7 | -0- |
| OTTAWA | 1,205.7 | 685.3 | 340.1 | 170.0 | 154.6 | 15.5 | 5.2 | -0- | -0- |
| PALATINE | 773.6 | 434.6 | 252.1 | 60.8 | 104.3 | 17.4 | -0- | -0- | -0- |
| PARK FOREST | 313.4 | 130.0 | 80.0 | 16.7 | 23.3 | 6.7 | -0- | 3.3 | -0- |
| PARK RIDGE | 646.1 | 388.9 | 257.2 | 49.0 | 64.3 | 15.3 | 3.1 | -0- | -0- |
| PEKIN | 945.1 | 518.7 | 287.8 | 348.2 | 103.0 | 14.2 | -0- | 10.7 | -0- |
| PEORIA | 1,271.8 | 723.1 | 408.1 | 97.9 | 131.8 | 56.2 | 13.6 | 15.5 | -0- |
| PERU | 1,156.8 | 831.7 | 583.2 | 66.9 | 133.8 | 19.1 | 9.6 | 9.6 | 9.6 |
| QUINCY | 1,507.1 | 922.5 | 500.1 | 121.0 | 223.8 | 45.7 | 16.0 | 16.0 | -0- |
| RANTOUL | 284.9 | 108.5 | 58.8 | 18.1 | 27.1 | 4.5 | -0- | -0- | -0- |
| RIVERDALE | 866.1 | 508.0 | 258.2 | 108.3 | 108.3 | 8.3 | 16.7 | 8.3 | -0- |
| RIVER FOREST | 866.5 | 472.6 | 220.6 | 86.6 | 110.3 | 31.5 | 15.8 | 7.9 | -0- |
| ROCK FALLS | 886.9 | 536.0 | 311.9 | 107.2 | 68.2 | 19.5 | 19.5 | 9.7 | -0- |
| ROCKFORD | 988.1 | 519.3 | 303.1 | 59.2 | 112.9 | 18.9 | 10.3 | 14.2 | 0.8 |
| ROCK ISLAND | 1,072.1 | 651.7 | 406.8 | 79.1 | 113.8 | 32.8 | 11.6 | 5.8 | 1.9 |
| ROLLING MEADOWS | 340.1 | 82.7 | 27.6 | 46.0 | 9.2 | -0- | -0- | -0- | -0- |
| SKOKIE | 537.4 | 279.6 | 178.6 | 30.3 | 60.6 | 1.7 | 3.4 | 5.1 | -0- |
| SOUTH HOLLAND | 605.1 | 355.4 | 220.9 | 28.8 | 76.8 | 9.6 | -0- | 19.2 | -0- |
| SPRINGFIELD | 1,409.9 | 845.4 | 504.4 | 116.5 | 171.7 | 20.4 | 12.0 | 20.4 | -0- |
| STERLING | 943.4 | 516.3 | 306.0 | 95.6 | 76.5 | 19.1 | 12.7 | 6.4 | -0- |
| STREATOR | 1,215.3 | 770.7 | 444.6 | 11.9 | 266.8 | 29.6 | 5.9 | 11.9 | -0- |
| SUMMIT | 973.6 | 404.9 | 250.6 | 57.8 | 67.5 | 19.3 | 9.6 | -0- | -0- |
| URBANA | 842.7 | 487.3 | 227.2 | 84.3 | 120.9 | 36.6 | -0- | 18.3 | -0- |
| VILLA PARK | 514.9 | 255.0 | 176.5 | 29.4 | 34.3 | -0- | 9.8 | 4.9 | -0- |
| WAUKEGAN | 778.9 | 421.8 | 236.9 | 95.1 | 64.6 | 14.4 | 3.6 | 7.2 | -0- |
| WESTCHESTER | 503.0 | 265.3 | 160.3 | 49.7 | 33.2 | -0- | -0- | 22.1 | -0- |
| WESTERN SPRINGS | 562.8 | 415.2 | 230.7 | 27.7 | 129.2 | 18.5 | -0- | 9.2 | -0- |
| WHEATON | 518.3 | 283.8 | 135.7 | 65.8 | 53.5 | 12.3 | 8.2 | 8.2 | -0- |
| WILMETTE | 771.2 | 495.3 | 286.5 | 56.6 | 120.3 | 14.2 | 3.5 | 10.6 | 3.5 |
| WINNETKA | 770.5 | 411.4 | 209.5 | 59.8 | 97.2 | 15.0 | 15.0 | 15.0 | -0- |
| WOOD RIVER | 675.6 | 384.8 | 213.8 | 59.9 | 68.4 | 17.1 | 8.6 | 17.1 | -0- |
| ZION | 988.2 | 603.0 | 368.5 | 100.5 | 117.2 | -0- | 16.7 | -0- | -0- |

TABLE 108. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1960--CONTINUED

(RATES PER 100,000 POPULATION AS OF APRIL 1, 1960)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | DIABETES MELLITUS | CIRRHOSIS OF LIVER | CONGENITAL MALFORMATIONS | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAKE FOREST | 168.4 | 28.1 | 9.4 | 18.7 | -0- | 28.1 | -0- | -0- | -0- | 18.7 |
| LANSING | 116.0 | 16.6 | 11.1 | 5.5 | 11.1 | 44.2 | -0- | -0- | -0- | -0- |
| LA SALLE | 159.7 | 109.3 | 67.2 | 42.0 | 50.4 | 50.4 | 33.6 | 16.8 | -0- | 16.8 |
| LINCOLN | 153.9 | 53.3 | 29.6 | 23.7 | 23.7 | 23.7 | 11.8 | -0- | 5.9 | -0- |
| LINCOLNWOOD | 85.1 | 17.0 | 8.5 | 8.5 | 17.0 | 25.5 | 8.5 | 8.5 | 8.5 | 8.5 |
| LOMBARD | 119.7 | 35.5 | 22.2 | 13.3 | 22.2 | 57.6 | 8.9 | 8.9 | 17.7 | 4.4 |
| MACOMB | 140.1 | 16.5 | 8.2 | 8.2 | 57.7 | 33.0 | 24.7 | 8.2 | 24.7 | 24.7 |
| MARION | 150.8 | 88.7 | 53.2 | 35.5 | 8.9 | -0- | 26.6 | 8.9 | 17.7 | 8.9 |
| MARKHAM | 85.4 | 76.9 | 34.2 | 42.7 | 25.6 | 25.6 | 17.1 | -0- | 8.5 | 8.5 |
| MATTOON | 199.1 | 36.7 | 21.0 | 15.7 | 73.3 | 31.4 | 15.7 | 5.2 | 5.2 | 10.5 |
| MAYWOOD | 175.6 | 51.2 | 25.6 | 25.6 | 25.6 | 36.6 | 14.6 | 11.0 | 7.3 | -0- |
| MELROSE PARK | 161.5 | 26.9 | 4.5 | 22.4 | 44.9 | 13.5 | 17.9 | 13.5 | 9.0 | 9.0 |
| MOLINE | 175.6 | 37.5 | 11.7 | 25.8 | 18.7 | 53.9 | 16.4 | 7.0 | 9.4 | 11.7 |
| MONMOUTH | 327.8 | 125.3 | 38.6 | 86.8 | 48.2 | 9.6 | 19.3 | -0- | 9.6 | 19.3 |
| MORTON GROVE | 136.4 | 9.7 | 4.9 | 4.9 | 4.9 | 24.4 | 9.7 | 14.6 | 4.9 | -0- |
| MOUNT PROSPECT | 105.8 | 52.9 | 47.6 | 5.3 | 10.6 | 26.4 | -0- | -0- | 10.6 | 10.6 |
| MOUNT VERNON | 179.9 | 77.1 | 32.1 | 45.0 | 77.1 | 38.5 | 6.4 | 19.3 | 19.3 | -0- |
| MUNDELEIN | 123.5 | 19.0 | 9.5 | 9.5 | 28.5 | 9.5 | 19.0 | -0- | 28.5 | 9.5 |
| NAPERVILLE | 123.7 | 30.9 | 23.2 | 7.7 | 15.5 | 46.4 | 15.5 | 23.2 | 15.5 | -0- |
| NILES | 132.4 | 34.3 | 19.6 | 14.7 | 19.6 | 19.6 | 9.8 | 9.8 | 24.5 | 9.8 |
| NORMAL | 112.3 | 29.9 | -0- | 29.9 | 37.4 | 37.4 | -0- | 7.5 | 22.5 | 7.5 |
| NORRIDGE | 106.5 | 42.6 | 35.5 | 7.1 | 7.1 | 21.3 | 7.1 | -0- | 7.1 | 7.1 |
| NORTHBROOK | 68.8 | 25.8 | 17.2 | 8.6 | 17.2 | 51.6 | 17.2 | 8.6 | 17.2 | 8.6 |
| NORTH CHICAGO | 82.9 | 43.9 | 19.5 | 24.4 | 24.4 | 34.1 | 19.5 | 24.4 | 4.9 | 9.7 |
| NORTHLAKE | 73.1 | 8.1 | -0- | 8.1 | 16.2 | 16.2 | -0- | -0- | -0- | -0- |
| OAK LAWN | 167.4 | 61.9 | 25.5 | 36.4 | 40.0 | 61.9 | 21.8 | 21.8 | 36.4 | 7.3 |
| OAK PARK | 232.4 | 21.3 | 9.8 | 11.5 | 39.3 | 13.1 | 14.7 | 11.5 | 13.1 | 8.2 |
| OTTAWA | 164.9 | 92.7 | 72.1 | 20.6 | 41.2 | 61.8 | 15.5 | 10.3 | 15.5 | 20.6 |
| PALATINE | 156.5 | 34.8 | 17.4 | 17.4 | 43.5 | 34.8 | -0- | 17.4 | 8.7 | -0- |
| PARK FOREST | 50.0 | 30.0 | 20.0 | 10.0 | 6.7 | 36.7 | 10.0 | -0- | 23.3 | 3.3 |
| PARK RIDGE | 137.8 | 15.3 | 9.2 | 6.1 | 15.3 | 9.2 | 3.1 | 9.2 | 12.2 | -0- |
| PEKIN | 135.0 | 56.8 | 35.5 | 21.3 | 42.6 | 24.9 | 24.9 | -0- | 7.1 | 14.2 |
| PEORIA | 212.3 | 53.3 | 20.4 | 33.0 | 64.9 | 45.6 | 10.7 | 10.7 | 13.6 | 20.4 |
| PERU | 133.8 | 38.2 | 28.7 | 9.6 | 28.7 | 9.6 | 19.1 | 28.7 | 19.1 | 19.1 |
| QUINCY | 226.1 | 52.5 | 16.0 | 36.5 | 43.4 | 36.5 | 13.7 | 20.6 | 16.0 | 11.4 |
| RANTOUL | 40.7 | 22.6 | 13.6 | 9.0 | 27.1 | 31.7 | 4.5 | -0- | 9.0 | 4.5 |
| RIVERDALE | 166.6 | 16.7 | -0- | 16.7 | 50.0 | 16.7 | 8.3 | 8.3 | -0- | 8.3 |
| RIVER FOREST | 228.4 | 39.4 | 23.6 | 15.8 | 39.4 | 23.6 | 7.9 | 7.9 | 7.9 | 7.9 |
| ROCK FALLS | 107.2 | 107.2 | 58.5 | 48.7 | 9.7 | 29.2 | 29.2 | -0- | 19.5 | -0- |
| ROCKFORD | 161.0 | 48.1 | 23.7 | 24.5 | 45.0 | 52.1 | 9.5 | 6.3 | 12.6 | 15.0 |
| ROCK ISLAND | 181.2 | 44.3 | 15.4 | 28.9 | 23.1 | 48.2 | 13.5 | 9.6 | 11.6 | 9.6 |
| ROLLING MEADOWS | 82.7 | -0- | -0- | -0- | 9.2 | 64.3 | 9.2 | 9.2 | 46.0 | -0- |
| SKOKIE | 128.0 | 13.5 | 6.7 | 6.7 | 16.8 | 25.3 | 8.4 | 10.1 | 5.1 | 11.8 |
| SOUTH HOLLAND | 105.6 | 28.8 | -0- | 28.8 | 28.8 | 19.2 | 9.6 | -0- | -0- | -0- |
| SPRINGFIELD | 234.2 | 45.6 | 10.8 | 34.8 | 38.4 | 39.6 | 24.0 | 8.4 | 15.6 | 19.2 |
| STERLING | 121.1 | 89.2 | 31.9 | 57.4 | 12.7 | 57.4 | 6.4 | 12.7 | 12.7 | 12.7 |
| STREATOR | 177.9 | 29.6 | 11.9 | 17.8 | 23.7 | 41.5 | 11.9 | 5.9 | 5.9 | 17.8 |
| SUMMIT | 173.5 | 67.5 | 57.8 | 9.6 | 38.6 | 86.8 | 38.6 | 9.6 | 28.9 | 19.3 |
| URBANA | 120.9 | 44.0 | 25.6 | 18.3 | 33.0 | 51.3 | 3.7 | 3.7 | 7.3 | 4.0 |
| VILLA PARK | 122.6 | 9.8 | 4.9 | 4.9 | 19.6 | 29.4 | 14.7 | 4.9 | 9.8 | -0- |
| WAUKEGAN | 120.2 | 46.7 | 19.7 | 26.9 | 17.9 | 44.9 | 9.0 | 7.2 | 12.6 | 5.4 |
| WESTCHESTER | 138.2 | 16.6 | 11.1 | 5.5 | 16.6 | 16.6 | -0- | -0- | 11.1 | 11.1 |
| WESTERN SPRINGS | 64.6 | -0- | -0- | -0- | 18.5 | -0- | -0- | 9.2 | -0- | 18.5 |
| WHEATON | 111.1 | 16.5 | 8.2 | 8.2 | 12.3 | 24.7 | 4.1 | 12.3 | 4.1 | 8.2 |
| WILMETTE | 106.1 | 24.8 | 3.5 | 21.2 | 46.0 | 14.2 | 10.6 | 17.7 | 7.1 | 3.5 |
| WINNETKA | 254.3 | 29.9 | 7.5 | 22.4 | 7.5 | 15.0 | 15.0 | 7.5 | -0- | -0- |
| WOOD RIVER | 68.4 | 8.6 | 8.6 | -0- | 34.2 | 17.1 | 25.7 | -0- | 34.2 | 17.1 |
| ZION | 108.9 | 41.9 | 33.5 | 8.4 | 50.2 | 33.5 | 8.4 | 16.7 | 25.1 | 16.7 |

Table 11. -- TEN LEADING CAUSES OF DEATH IN SELECTED AGE GROUPS, ILLINOIS: 1960

Age 1-4 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 947 |
| 1. | Accidents | E800-E962 | 257 |
| | a. Motor vehicle | (E810-E835, E960) | (67) |
| | b. Other | (residue of E800-E962) | (190) |
| 2. | Influenza and pneumonia | 480-493 | 198 |
| 3. | Malignant neoplasms | 140-205 | 117 |
| 4. | Congenital malformations | 750-759 | 92 |
| 5. | Meningitis, except meningococcal and tuberculous | 340 | 31 |
| 6. | Gastro-enteritis, chronic enteritis and colitis | 571-572 | 28 |
| 7. | Meningococcal infections | 057 | 24 |
| 8. | Bronchitis | 500-502 | 20 |
| 9. | Homicide | E964, E980-E985 | 13 |
| 9. | Fibrocystic disease of pancreas | 587.3 | 13 |

Age 5-14 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 822 |
| 1. | Accidents | E800-E962 | 283 |
| | a. Motor vehicle | (E810-E835, E960) | (105) |
| | b. Other | (residue of E800-E962) | (178) |
| 2. | Malignant neoplasms | 140-205 | 136 |
| 3. | Influenza and pneumonia | 480-493 | 69 |
| 4. | Congenital malformations | 750-759 | 62 |
| 5. | Nephritis, acute and chronic | 590-594 | 18 |
| 6. | Heart diseases | 410-443 | 17 |
| 7. | Diabetes mellitus | 260 | 14 |
| 8. | Cerebral spastic infantile paralysis | 351 | 13 |
| 9. | Homicide | E964, E980-E985 | 12 |
| 10. | Vascular lesions affecting central nervous system | 330-334 | 11 |

Age 15-24 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,254 |
| 1. | Accidents | E800-E962 | 636 |
| | a. Motor vehicle | (E810-E835, E960) | (403) |
| | b. Other | (residue of E800-E962) | (233) |
| 2. | Malignant neoplasms | 140-205 | 125 |
| 3. | Homicide | E964, E980-E985 | 76 |
| 4. | Suicide | E963, E970-E979 | 56 |
| 5. | Heart diseases | 410-443 | 55 |
| 6. | Influenza and pneumonia | 480-493 | 47 |
| 7. | Congenital malformations | 750-759 | 28 |
| 8. | Vascular lesions affecting central nervous system | 330-334 | 19 |
| 9. | Maternal causes | 640-689 | 16 |
| 9. | Epilepsy | 353 | 16 |

Age 25-44 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 6,097 |
| 1. | Heart diseases | 410-443 | 1,482 |
| 2. | Malignant neoplasms | 140-205 | 1,162 |
| 3. | Accidents | E800-E962 | 962 |
| | a. Motor vehicle | (E810-E835, E960) | (482) |
| | b. Other | (residue of E800-E962) | (480) |
| 4. | Vascular lesions affecting central nervous system | 330-334 | 283 |
| 5. | Suicide | E963, E970-E979 | 265 |
| 6. | Homicide | E964, E980-E985 | 249 |
| 7. | Influenza and pneumonia | 480-493 | 230 |
| 8. | Cirrhosis of liver | 581 | 217 |
| 9. | Tuberculosis | 001-019 | 110 |
| 10. | Nephritis, acute and chronic | 590-594 | 99 |

Age 45-64 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 26,488 |
| 1. | Heart diseases | 410-443 | 11,610 |
| 2. | Malignant neoplasms | 140-205 | 6,377 |
| 3. | Vascular lesions affecting central nervous system | 330-334 | 1,841 |
| 4. | Accidents | E800-E962 | 1,011 |
| | a. Motor vehicle | (E810-E835, E960) | (433) |
| | b. Other | (residue of E800-E962) | (578) |
| 5. | Influenza and pneumonia | 480-493 | 737 |
| 6. | Cirrhosis of liver | 581 | 690 |
| 7. | Diabetes mellitus | 260 | 459 |
| 8. | Suicide | E963, E970-E979 | 393 |
| 9. | Ulcers of stomach and duodenum | 540, 541 | 293 |
| 10. | Tuberculosis | 001-019 | 281 |

Age 65 years and over

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 61,471 |
| 1. | Heart diseases | 410-443 | 31,601 |
| 2. | Malignant neoplasms | 140-205 | 9,073 |
| 3. | Vascular lesions affecting central nervous system | 330-334 | 8,580 |
| 4. | Influenza and pneumonia | 480-493 | 2,077 |
| 5. | General arteriosclerosis | 450 | 1,953 |
| 6. | Accidents | E800-E962 | 1,133 |
| | a. Motor vehicle | (E810-E835, E960) | (323) |
| | b. Other | (residue of E800-E962) | (810) |
| 7. | Diabetes mellitus | 260 | 936 |
| 8. | Hypertension without mention of heart disease | 440-447 | 651 |
| 9. | Nephritis, acute and chronic | 590-594 | 442 |
| 10. | Ulcers of stomach and duodenum | 540-541 | 426 |

[1]Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955 Revision, World Health Organization.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: ILLINOIS, CHICAGO, AND DOWNSTATE: 1951 - 1960

| Disease | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 |
|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | | | | | | | | | | |
| Actinomycosis | -- | 3 | 1 | 3 | 2 | 1 | 2 | -- | -- | -- |
| Amebiasis cases and carriers | 450 | 348 | 279 | 310 | 428 | 478 | 771 | 598 | 639 | 706 |
| Anthrax | 1 | -- | -- | -- | -- | -- | 1 | 1 | 1 | -- |
| Brucellosis | 74 | 71 | 83 | 120 | 133 | 140 | 203 | 243 | 294 | 445 |
| Chancroid | 44 | 41 | 43 | 22 | 57 | 229 | 211 | 126 | 106 | 417 |
| Chickenpox | 13,370 | 9,669 | 11,631 | 15,804 | 14,495 | 17,139 | 11,427 | 17,968 | 15,540 | 15,437 |
| Conjunctivitis, all forms | -- | 3 | 49 | 63 | 50 | 60 | 109 | 64 | 31 | 50 |
| Diarrhea of newborn | 19 | 11 | 159 | 238 | 198 | 107 | 97 | 72 | 68 | 243 |
| Diphtheria cases and carriers | 21 | 80 | 73 | 45 | 201 | 238 | 316 | 258 | 89 | 149 |
| Dysentery bacillary cases and carriers | 206 | 324 | 230 | 234 | 192 | 464 | 640 | 570 | 386 | 323 |
| Encephalitis, acute and post | 167 | 133 | 218 | 130 | 146 | 130 | 109 | 98 | 107 | 71 |
| Erysipelas | * | * | 140 | 107 | 120 | 106 | 218 | 176 | 138 | 100 |
| Food infections | 156 | 337 | 457 | 381 | 335 | 230 | 595 | 213 | 128 | 196 |
| Food poisonings | 240 | 364 | 310 | 135 | 548 | 124 | 451 | 160 | 141 | 46 |
| German measles | 1,723 | 2,148 | 15,431 | 4,866 | 6,314 | 1,583 | 1,419 | 3,344 | 6,108 | 1,541 |
| Gonorrhea | 22,608 | 18,596 | 21,522 | 19,738 | 20,169 | 21,110 | 21,810 | 21,014 | 16,555 | 20,471 |
| Hepatitis, infectious and serum | 1,707 | 895 | 706 | 728 | 700 | 1,028 | 2,464 | 1,048 | 241 | 156 |
| Impetigo contagiosa | 6 | 2 | 6 | 2 | 7 | 20 | 17 | -- | 7 | 15 |
| Influenza, all forms | * | * | 632 | 141,518 | 66 | 69 | 153 | 1,931 | 159 | 243 |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | 4 | 63 | 4 | 2 | 1 |
| Leprosy | 1 | 1 | -- | 4 | -- | -- | 1 | -- | -- | -- |
| Leptospirosis | 3 | 1 | -- | 1 | -- | 1 | 1 | -- | -- | -- |
| Malaria | -- | 2 | 3 | 3 | 2 | 3 | 1 | 3 | 6 | 5 |
| Measles | 22,448 | 10,913 | 24,413 | 10,826 | 41,952 | 14,742 | 32,983 | 16,722 | 32,239 | 18,164 |
| Meningitis meningococcal | 158 | 168 | 175 | 162 | 147 | 188 | 190 | 256 | 282 | 219 |
| Meningitis, other | 634 | 545 | 734 | 463 | 286 | 258 | 250 | 251 | 263 | 220 |
| Mononucleosis infectious | * | * | 501 | 336 | 362 | 230 | 75 | 31 | 6 | -- |
| Mumps | 10,551 | 5,424 | 9,538 | 6,888 | 6,750 | 12,309 | 10,219 | 7,502 | 10,751 | 6,979 |
| Paratyphoid cases and carriers | 8 | 7 | 3 | 2 | 15 | 5 | 18 | 13 | 14 | 11 |
| Pneumonia, all forms | * | * | 3,587 | 3,271 | 2,843 | 2,724 | 2,808 | 2,815 | 2,830 | 2,977 |
| Poliomyelitis | 145 | 332 | 204 | 307 | 1,957 | 1,408 | 2,212 | 2,040 | 4,001 | 1,699 |
| Psittacosis and ornithosis | 7 | 11 | 7 | 18 | 39 | 40 | 32 | 34 | 9 | 6 |
| Rabies in man | -- | -- | -- | -- | -- | -- | 1 | -- | 1 | -- |
| Rheumatic fever | 1,598 | 1,446 | 1,327 | 854 | 897 | 379 | 420 | 335 | 238 | 196 |
| Ringworm of the scalp | 124 | 158 | 185 | 161 | 262 | 428 | 651 | 576 | 568 | 528 |
| Rocky Mountain spotted fever | 10 | 1 | 9 | 6 | 6 | 2 | 11 | 5 | 7 | 6 |
| Scarlet fever and strep throat | 4,402 | 7,473 | 4,501 | 5,359 | 3,383 | 3,183 | 3,953 | 4,403 | 4,140 | 3,031 |
| Syphilis | 6,639 | 8,510 | 7,355 | 6,891 | 4,985 | 4,323 | 5,117 | 5,832 | 8,024 | 9,435 |
| Tetanus | 20 | 18 | 24 | 20 | 28 | 29 | 40 | 29 | 33 | 22 |
| Toxoplasmosis | -- | -- | 3 | -- | -- | 1 | -- | -- | -- | -- |
| Trachoma | -- | -- | -- | -- | -- | -- | 1 | -- | -- | 5 |
| Trichinosis | 8 | 2 | 3 | 6 | 2 | 2 | 2 | 16 | 4 | 4 |
| Tuberculosis | 4,063 | 4,220 | 4,616 | 5,123 | 5,450 | 5,813 | 5,811 | 5,606 | 4,481 | 6,949 |
| Tularemia | 37 | 48 | 61 | 33 | 45 | 50 | 101 | 29 | 67 | 74 |
| Typhoid cases and carriers | 28 | 34 | 38 | 30 | 44 | 51 | 66 | 76 | 55 | 82 |
| Typhus cases and carriers | 1 | -- | 1 | 12 | 2 | 2 | 4 | 1 | -- | 1 |
| Vincent's infection | * | * | 134 | 97 | 75 | 63 | 51 | 56 | 34 | 58 |
| Whooping cough | 442 | 1,714 | 947 | 880 | 569 | 1,801 | 1,874 | 579 | 705 | 1,452 |

*Deleted from list of reportable diseases in Illinois in July, 1959.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: ILLINOIS, CHICAGO, AND DOWNSTATE: 1951 - 1960--Continued

| Disease | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 |
|---|---|---|---|---|---|---|---|---|---|---|
| CHICAGO | | | | | | | | | | |
| Actinomycosis | -- | -- | 1 | 2 | 2 | -- | -- | -- | -- | -- |
| Amebiasis cases and carriers | 31 | 40 | 77 | 141 | 113 | 195 | 156 | 215 | 335 | 454 |
| Anthrax | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Brucellosis | 12 | 1 | 6 | 6 | 16 | 11 | 5 | 36 | 5 | 30 |
| Chancroid | 35 | 40 | 35 | 17 | 36 | 223 | 204 | 115 | 98 | 405 |
| Chickenpox | 3,238 | 1,770 | 3,191 | 3,496 | 3,529 | 5,349 | 3,757 | 5,056 | 4,806 | 5,644 |
| Conjunctivitis, all forms | -- | 1 | 28 | 12 | 19 | 19 | 23 | 23 | 14 | 38 |
| Diarrhea of newborn | 11 | 5 | 143 | 225 | 170 | 98 | 94 | 70 | 36 | 154 |
| Diphtheria cases and carriers | 7 | 70 | 66 | 42 | 189 | 228 | 302 | 238 | 72 | 116 |
| Dysentery bacillary cases and carriers | 73 | 59 | 70 | 35 | 59 | 87 | 68 | 41 | 69 | 165 |
| Encephalitis, acute and post | 54 | 41 | 80 | 33 | 56 | 51 | 35 | 43 | 50 | 18 |
| Erysipelas | 21 | 39 | 27 | 19 | 25 | 19 | 44 | 49 | 28 | 28 |
| Food infections | 41 | 43 | 228 | 208 | 86 | 90 | 68 | 85 | 46 | 62 |
| Food poisonings | 182 | 202 | 185 | 2 | 142 | -- | -- | 1 | -- | -- |
| German measles | 496 | 630 | 2,091 | 773 | 1,466 | 542 | 400 | 975 | 901 | 416 |
| Gonorrhea | 19,525 | 16,102 | 19,313 | 17,372 | 17,560 | 18,308 | 18,824 | 17,477 | 12,717 | 17,039 |
| Hepatitis, infectious and serum | 406 | 251 | 155 | 139 | 131 | 212 | 197 | 88 | 35 | 13 |
| Impetigo contagiosa | -- | -- | -- | -- | 1 | 4 | -- | -- | -- | -- |
| Influenza, all forms | 38 | 13 | 63 | 521 | 10 | 8 | 29 | 162 | 52 | 170 |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | 1 | 46 | -- | -- | -- |
| Leprosy | -- | -- | -- | 2 | -- | -- | 1 | -- | -- | -- |
| Leptospirosis | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| Malaria | -- | 1 | -- | 2 | 1 | 1 | -- | 3 | 4 | 4 |
| Measles | 6,995 | 5,276 | 10,060 | 2,754 | 17,761 | 5,106 | 19,255 | 4,254 | 14,017 | 5,417 |
| Meningitis meningococcal | 57 | 94 | 99 | 76 | 57 | 99 | 80 | 130 | 143 | 134 |
| Meningitis, other | 279 | 243 | 260 | 195 | 133 | 114 | 124 | 137 | 128 | 145 |
| Mononucleosis infectious | 13 | 17 | 27 | 8 | 20 | 21 | 8 | -- | 3 | -- |
| Mumps | 1,941 | 1,042 | 1,967 | 1,705 | 1,156 | 4,043 | 1,682 | 1,921 | 3,189 | 1,909 |
| Paratyphoid cases and carriers | 1 | 3 | -- | 2 | 7 | 2 | 3 | 4 | 5 | 3 |
| Pneumonia, all forms | 2,562 | 2,470 | 2,720 | 2,586 | 2,382 | 2,290 | 2,422 | 2,346 | 2,394 | 2,294 |
| Poliomyelitis | 34 | 48 | 16 | 28 | 1,207 | 399 | 652 | 343 | 1,203 | 382 |
| Psittacosis and ornithosis | -- | -- | -- | -- | 5 | 6 | 2 | 5 | 3 | 4 |
| Rabies in man | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Rheumatic fever | 349 | 399 | 462 | 9 | 8 | 277 | 294 | 258 | 207 | 159 |
| Ringworm of the scalp | 73 | 84 | 142 | 94 | 120 | 248 | 363 | 364 | 460 | 368 |
| Rocky Mountain spotted fever | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Scarlet fever and strep throat | 802 | 1,267 | 1,183 | 2,236 | 1,356 | 1,287 | 1,436 | 1,623 | 1,525 | 1,108 |
| Syphilis | 5,266 | 7,083 | 5,759 | 4,503 | 3,184 | 2,529 | 2,869 | 3,076 | 4,365 | 5,128 |
| Tetanus | 2 | 5 | 9 | 5 | 5 | 9 | 17 | 4 | 11 | 5 |
| Toxoplasmosis | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Trachoma | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- |
| Trichinosis | 4 | 1 | -- | 3 | -- | 2 | 2 | 2 | 4 | 2 |
| Tuberculosis | 2,815 | 2,790 | 3,094 | 3,623 | 3,841 | 4,216 | 4,011 | 3,737 | 2,515 | 5,034 |
| Tularemia | -- | -- | 1 | -- | -- | 2 | -- | 4 | 3 | 1 |
| Typhoid cases and carriers | 6 | 12 | 12 | 13 | 9 | 14 | 18 | 24 | 14 | 11 |
| Typhus cases and carriers | -- | -- | -- | 12 | 2 | 2 | 4 | 1 | -- | 1 |
| Vincent's infection | * | * | -- | -- | -- | -- | -- | -- | -- | -- |
| Whooping cough | 294 | 1,186 | 709 | 695 | 368 | 1,013 | 931 | 220 | 360 | 608 |

*Deleted from list of reportable diseases in Illinois in July, 1959.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH: ILLINOIS, CHICAGO, AND DOWNSTATE: 1951 - 1960--Continued

| Disease | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 | 1951 |
|---|---|---|---|---|---|---|---|---|---|---|
| DOWNSTATE | | | | | | | | | | |
| Actinomycosis | -- | 3 | -- | 1 | -- | 1 | 2 | -- | -- | -- |
| Amebiasis cases and carriers | 419 | 308 | 202 | 169 | 315 | 283 | 615 | 383 | 304 | 252 |
| Anthrax | 1 | -- | -- | -- | -- | -- | 1 | -- | 1 | -- |
| Brucellosis | 62 | 70 | 77 | 114 | 117 | 129 | 197 | 207 | 286 | 415 |
| Chancroid | 9 | 1 | 8 | 5 | 21 | 6 | 7 | 11 | 8 | 12 |
| Chickenpox | 10,132 | 7,899 | 8,440 | 12,308 | 10,966 | 11,790 | 7,670 | 12,912 | 10,734 | 9,793 |
| Conjunctivitis, all forms | -- | 2 | 21 | 51 | 31 | 41 | 86 | 41 | 17 | 12 |
| Diarrhea of newborn | 8 | 6 | 16 | 13 | 28 | 9 | 3 | 2 | 32 | 89 |
| Diphtheria cases and carriers | 14 | 10 | 7 | 3 | 12 | 10 | 14 | 20 | 17 | 33 |
| Dysentery bacillary cases and carriers | 133 | 265 | 160 | 199 | 133 | 377 | 572 | 529 | 317 | 158 |
| Encephalitis, acute and post | 113 | 92 | 138 | 97 | 90 | 79 | 74 | 55 | 57 | 53 |
| Erysipelas | * | * | 113 | 88 | 95 | 87 | 174 | 127 | 110 | 72 |
| Food infections | 115 | 294 | 229 | 173 | 249 | 140 | 527 | 128 | 82 | 134 |
| Food poisonings | 58 | 162 | 125 | 133 | 406 | 124 | 451 | 159 | 141 | 46 |
| German measles | 1,227 | 1,518 | 13,340 | 4,093 | 4,848 | 1,041 | 1,019 | 2,369 | 5,207 | 1,125 |
| Gonorrhea | 3,083 | 2,494 | 2,209 | 2,366 | 2,609 | 2,802 | 2,986 | 3,537 | 3,838 | 3,432 |
| Hepatitis, infectious and serum | 1,301 | 644 | 551 | 589 | 569 | 816 | 2,267 | 960 | 206 | 143 |
| Impetigo contagiosa | 6 | 2 | 6 | 2 | 6 | 16 | 17 | -- | 7 | 15 |
| Influenza, all forms | * | * | 569 | 140,997 | 56 | 61 | 124 | 1,769 | 107 | 73 |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | 3 | 17 | 4 | 2 | 1 |
| Leprosy | 1 | 1 | -- | 2 | -- | -- | -- | -- | -- | -- |
| Leptospirosis | 3 | 1 | -- | 1 | -- | 1 | -- | -- | -- | -- |
| Malaria | -- | 1 | 3 | 1 | 1 | 2 | 1 | -- | 2 | 1 |
| Measles | 15,453 | 5,637 | 14,353 | 8,072 | 24,191 | 9,636 | 13,728 | 12,468 | 18,222 | 12,747 |
| Meningitis meningococcal | 101 | 74 | 76 | 86 | 90 | 89 | 110 | 126 | 139 | 85 |
| Meningitis, other | 355 | 302 | 474 | 268 | 153 | 144 | 126 | 114 | 135 | 75 |
| Mononucleosis infectious | * | * | 474 | 328 | 342 | 209 | 67 | 31 | 3 | -- |
| Mumps | 8,610 | 4,382 | 7,571 | 5,183 | 5,594 | 8,266 | 8,537 | 5,581 | 7,562 | 5,070 |
| Paratyphoid cases and carriers | 7 | 4 | 3 | -- | 8 | 3 | 15 | 9 | 9 | 8 |
| Pneumonia, all forms | * | * | 867 | 685 | 461 | 434 | 386 | 469 | 436 | 683 |
| Poliomyelitis | 111 | 284 | 188 | 279 | 750 | 1,009 | 1,560 | 1,697 | 2,798 | 1,317 |
| Psittacosis and ornithosis | 7 | 11 | 7 | 18 | 34 | 34 | 30 | 29 | 6 | 2 |
| Rabies in man | -- | -- | -- | -- | -- | -- | 1 | -- | 1 | -- |
| Rheumatic fever | 1,249 | 1,047 | 865 | 845 | 889 | 102 | 126 | 77 | 31 | 37 |
| Ringworm of the scalp | 51 | 74 | 43 | 67 | 142 | 180 | 288 | 212 | 108 | 160 |
| Rocky Mountain spotted fever | 10 | 1 | 9 | 5 | 6 | 2 | 11 | 5 | 7 | 6 |
| Scarlet fever and strep throat | 3,600 | 6,206 | 3,318 | 3,123 | 2,027 | 1,896 | 2,517 | 2,780 | 2,615 | 1,923 |
| Syphilis | 1,373 | 1,427 | 1,596 | 2,388 | 1,801 | 1,794 | 2,248 | 2,756 | 3,659 | 4,307 |
| Tetanus | 18 | 13 | 15 | 15 | 23 | 20 | 23 | 25 | 22 | 17 |
| Toxoplasmosis | -- | -- | 3 | -- | -- | 1 | -- | -- | -- | -- |
| Trachoma | -- | -- | -- | -- | -- | -- | -- | -- | -- | 5 |
| Trichinosis | 4 | 1 | 3 | 3 | 2 | -- | -- | 14 | -- | 2 |
| Tuberculosis | 1,248 | 1,430 | 1,522 | 1,500 | 1,609 | 1,597 | 1,800 | 1,869 | 1,966 | 1,915 |
| Tularemia | 37 | 48 | 60 | 33 | 45 | 48 | 101 | 25 | 64 | 73 |
| Typhoid cases and carriers | 22 | 22 | 26 | 17 | 35 | 37 | 48 | 52 | 41 | 71 |
| Typhus cases and carriers | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| Vincent's infection | * | * | 134 | 97 | 75 | 63 | 51 | 56 | 34 | 58 |
| Whooping cough | 148 | 528 | 238 | 185 | 201 | 788 | 943 | 359 | 345 | 844 |

*Deleted from list of reportable diseases in Illinois in July, 1959.

# CRUDE MORTALITY RATES FOR SELECTED CAUSES OF DEATH; ILLINOIS, 1921-1960

Causes of death were classified by the 3rd revision of the International List of Causes of Death for the years 1921-29, by the 4th revision for the years 1930-39, by the 5th revision for the years 1940-53. Deaths for the years 1949-53 were also classified by the 6th revision (International Statistical Classification of Diseases, Injuries, and Causes of Death). For 1954 and subsequent years only the 6th revision is used. The dotted line indicates mortality classified by the 6th revision.

For 1921-1939 the rates are for deaths OCCURRING in Illinois, while for 1940 and subsequent years the data refer to deaths among RESIDENTS OF Illinois, irrespective of the place of death. All rates are per 100,000 population estimated as of midyear.




These are RATIO charts; equal vertical distances represent equal PERCENTAGE changes in rate.

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill.
Permit No. 101

LIBRARY DOCUMENTS DIV
UNIVERSITY OF ILLINOIS
URBANA ILLINOIS
3 15

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

514.1
I2 611v
961

# VITAL STATISTICS ILLINOIS

19 61

THE LIBRARY OF THE
MAR 26 1963
UNIVERSITY OF ILLINOIS

ILLINOIS DEPARTMENT OF PUBLIC HEALTH

SPRINGFIELD, ILLINOIS

# VITAL STATISTICS ILLINOIS

19  61



ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS
January, 1963

STATE OF ILLINOIS

DEPARTMENT OF PUBLIC HEALTH

Franklin D. Yoder, M. D.
Director

BUREAU OF STATISTICS

Springfield, Illinois

January, 1963

# TABLE OF CONTENTS


Page

DESCRIPTION OF 1961 ILLINOIS VITAL EVENTS . . . . . 1

General summary . . . . . 1
Live births . . . . . 1
Fetal deaths . . . . . 2
Perinatal mortality . . . . . 2
Infant deaths . . . . . 3
Maternal deaths . . . . . 4
Leading causes of death . . . . . 4
Other causes . . . . . 5
Notifiable disease case reports . . . . . 6


## TEXT TABLES


Table — Page

A -- Resident live births by race classified by sex, legitimacy status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1961 . . . . . 1

B -- Causes of fetal death among infants born to Illinois mothers in 1961 . . . . . 2

C -- Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1961 . . . . . 3

D -- Ten leading causes of infant deaths by age, Illinois residents: 1961 . . . . . 3

E -- Ten leading causes of deaths among the white and nonwhite races, Illinois residents: 1961 . . . . . 4

F -- Components of resident heart disease deaths, Illinois: 1961 . . . . . 5

G -- Resident cancer deaths by primary site and age, Illinois: 1961 . . . . . 5

H -- Resident deaths due to vascular lesions affecting the central nervous system, Illinois: 1961 . . . . . 6

I -- Accidental deaths among Illinois residents by type of accident and age of decedent: 1961 . . . . . 7

J -- Accidental deaths occurring in Illinois by type of accident and place where accident occurred by population class: 1961 . . . . . 7


## MAP AND CHART


Page

Map of population by counties: 1961 . . . . . 6
Crude mortality rates for selected causes of death, Illinois: 1920 - 1961 . . . . . 8

TABLE OF CONTENTS -- Continued

TABULAR SECTION


| Table | | Page |
|---|---|---|
| 1. | -- Live births, deaths, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with ratios, Illinois: 1918 - 1961 | 9 |
| 2A. | -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of Illinois counties: 1961 | 10 |
| 2B. | -- Live birth rates and infant death, neonatal death, and stillbirth race-specific rates among residents of Illinois counties: 1961 | 12 |
| 3A. | -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of the larger cities of Illinois: 1961 | 14 |
| 3B. | -- Live birth rates and infant death, neonatal death, and stillbirth race-specific rates among residents of the larger cities of Illinois: 1961 | 16 |
| 4. | -- Live births, stillbirths by gestation, and infant deaths by age among residents of Illinois counties: 1961 | 18 |
| 5. | -- Live births, stillbirths by gestation, and infant deaths by age among residents of the larger cities of Illinois: 1961 | 20 |
| 6. | -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 1961 | 22 |
| 7. | -- Live births with percentage rates for premature births, and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 1961 | 24 |
| 8A. | -- The twelve leading causes of death, by age and color, among residents of Illinois, Chicago, and Downstate: 1961 | 26 |
| 8B. | -- Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 1961 | 29 |
| 9A | -- Deaths from important causes among residents of Illinois counties: 1961 | 32 |
| 9B. | -- Death rates for important causes among residents of Illinois counties: 1961 | 36 |
| 10A. | -- Deaths from important causes among residents of the larger cities of Illinois: 1961 | 40 |
| 10B. | -- Death rates for important causes among residents of the larger cities of Illinois: 1961 | 44 |
| 11. | -- Ten leading causes of death in selected age groups, Illinois: 1961 | 48 |
| 12. | -- Cases of notifiable disease reported to the Illinois Department of Public Health for Illinois, Chicago, and Downstate: 1952 - 1961 | 49 |

## EXPLANATION OF SYMBOLS

| | |
|---|---|
| Quantity zero in frequency tables | -- |
| Rate or percent more than 0 but less than 0.05 | 0.0 |
| Figures within parenthesis not included in totals | ( ) |
| Rate zero corresponding to -- on frequency table | -0- |

# DESCRIPTION OF 1961 ILLINOIS VITAL EVENTS

## GENERAL SUMMARY

Table 1, page 9, gives summary data for the period 1918 to 1961 for deaths from all causes, infant deaths, neonatal deaths and maternal deaths and for the period 1922 to 1961 for live births and fetal deaths. During the past decade, the rates have not generally shown very much change. The high birth rates occurred in 1956 and 1957 when they were respectively 24.5 and 25.0 per 1,000 midyear population. The birth rate in 1961 was 23.1. The death rate during the decade has varied between a high of 10.8 per 1,000 population in 1953 and a low of 9.9 in 1961. The infant death rate ranged from 25.8 per 1,000 live births in 1953 to 24.3 in 1961. The maternal death rate has shown a consistent downward trend from 5.3 per 10,000 live births in 1951 to 2.6 in 1961. The fetal death ratio has been slowly moving in the same direction, falling from 16.3 per 1,000 live births in 1951 to 14.6 in 1961. The rates for deaths from all causes, infant and neonatal deaths and maternal deaths in 1961 were the lowest shown for the period given by Table 1.

## LIVE BIRTHS

Live births among Illinois residents declined for the second year. In 1961, there were 237,051 compared with the all-time high of 239,871 in 1959. However, the highest birth rate, 25.0, for the period shown in Table 1, occurred in 1957. The reported 87,989 live births among Chicago residents indicated a continuing downward trend since the high of 92,488 in 1957. By color, the white births in 1961 represented 83.5 percent of the state total. The proportion of white resident births in Chicago has dropped each year from 79.7 percent in 1950 to 64.3 percent in 1961. Table A presents a number of characteristics associated with live births.

Tables 2A, page 10, and 3A, page 14, give the number of live births among the residents of each county and of the 117 cities having an estimated 10,000 or more population at midyear. Corresponding rates are shown in Tables 2B, page 12, and 3B, page 16. In general, an area with a low birth rate has a higher than average proportion of its population concentrated at the ends of the life span. If the area also has a high

Table A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER, ILLINOIS, CHICAGO, AND DOWNSTATE: 1961

| | Illinois | | | | Chicago | | | | Downstate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Negro | Other | Total | White | Negro | Other | Total | White | Negro | Other |
| TOTAL | 237,051 | 197,921 | 38,321 | 809 | 87,989 | 56,574 | 30,917 | 498 | 149,062 | 141,347 | 7,404 | 311 |
| Sex: | | | | | | | | | | | | |
| Male | 121,132 | 101,338 | 19,364 | 430 | 44,870 | 28,996 | 15,612 | 262 | 76,262 | 72,342 | 3,752 | 168 |
| Female | 115,919 | 96,583 | 18,957 | 379 | 43,119 | 27,578 | 15,305 | 236 | 72,800 | 69,005 | 3,652 | 143 |
| Legitimacy: | | | | | | | | | | | | |
| Legitimate | 221,505 | 193,244 | 27,459 | 802 | 76,968 | 54,634 | 21,842 | 492 | 144,537 | 138,610 | 5,617 | 310 |
| Illegitimate | 15,546 | 4,677 | 10,862 | 7 | 11,021 | 1,940 | 9,075 | 6 | 4,525 | 2,737 | 1,787 | 1 |
| Place of birth and attendant: | | | | | | | | | | | | |
| In hospital | 232,876 | 196,094 | 35,977 | 805 | 84,613 | 55,358 | 28,760 | 495 | 148,263 | 140,736 | 7,217 | 310 |
| Other place | | | | | | | | | | | | |
| Physician | 3,945 | 1,723 | 2,218 | 4 | 3,270 | 1,170 | 2,097 | 3 | 675 | 553 | 121 | 1 |
| Midwife | 113 | 32 | 81 | -- | 72 | 28 | 44 | -- | 41 | 4 | 37 | -- |
| Other | 117 | 72 | 45 | -- | 34 | 18 | 16 | -- | 83 | 54 | 29 | -- |
| Age of mother: | | | | | | | | | | | | |
| 10 - 14 years | 372 | 97 | 275 | -- | 253 | 42 | 211 | -- | 119 | 55 | 64 | -- |
| 15 - 19 years | 30,540 | 22,269 | 7,216 | 19 | 11,797 | 6,035 | 5,750 | 12 | 17,707 | 16,234 | 1,466 | 7 |
| 20 - 24 years | 79,966 | 67,330 | 12,494 | 142 | 30,832 | 20,530 | 10,219 | 83 | 49,134 | 46,800 | 2,275 | 59 |
| 25 - 29 years | 61,733 | 52,273 | 9,145 | 315 | 22,255 | 14,659 | 7,407 | 189 | 39,478 | 37,614 | 1,738 | 126 |
| 30 - 34 years | 39,271 | 33,462 | 5,600 | 209 | 13,676 | 9,036 | 4,513 | 127 | 25,595 | 24,426 | 1,087 | 82 |
| 35 - 39 years | 20,683 | 17,684 | 2,891 | 108 | 7,289 | 4,934 | 2,281 | 74 | 13,394 | 12,750 | 610 | 34 |
| 40 - 44 years | 5,254 | 4,575 | 664 | 15 | 1,814 | 1,288 | 514 | 12 | 3,440 | 3,287 | 150 | 3 |
| 45 - 49 years | 253 | 223 | 29 | 1 | 73 | 50 | 22 | 1 | 180 | 173 | 7 | -- |
| Unstated | 15 | 8 | 7 | -- | -- | -- | -- | -- | 15 | 8 | 7 | -- |

Source: Tabulations in Illinois Bureau of Statistics.

death rate (Tables 9B, page 36 and 10B, page 44), the concentration is primarily at the older end of the span.

The proportions of prematurely born children and hospital deliveries are shown in Table 6, page 22, for counties and Table 7, page 24, for cities. A child weighing 5 pounds, 8 ounces (2,500 grams) or less at birth is classed as premature. Sex and race influence birth weight, with the female negro child being the lightest weight and the male white the heaviest in Illinois. Thus the proportion of nonwhite live births, available from Tables 2A and 3A, is part of the evidence used to determine if the percentage of prematures for a given place reflects a local problem. The proportion of premature live births ranged from 1.14 percent in Stark County and 2.04 percent in Western Springs to 9.69 percent in Lawrence County and 14.41 percent in River Forest. The state average was 7.67 percent as compared with 7.55 percent in 1960 and 6.70 percent in 1950. The proportion in Chicago was 9.54 percent.

The proportion of hospital births has risen steadily from 56.7 percent in 1935, the first year for which data are available, to 98.2 percent in 1961. There were 4,175 non-hospital deliveries in 1961. Of these, 230 were not attended by a physician. A special physician-attended home delivery program in Chicago accounted for nearly all of its 3,376 non-hospital deliveries. For the first time, in every county of the state over 90 percent of the resident live births occurred in a hospital. Among the 117 largest cities, only Centralia with 85.5 percent had less than 90 percent. In 18 counties all of the resident live births were reported to have occurred in a hospital.

## FETAL DEATHS

The importance of fetal death registration by length of gestation period is increasing. According to Table 4, page 18, of the 3,472 resident fetal deaths in 1961 in Illinois, 343 or 9.9 percent were from twenty to twenty-three weeks' gestation and 1,135 or 32.7 percent were full term (forty weeks and over). Studies show that these two gestation periods are of especial importance in measuring the extent of pregnancy losses: The lower period because of possible failure to register the event and the upper because of the high proportion reported. Causes of fetal deaths are given in Table B. Of the causes, 32.7 percent are ill-defined or unknown. In Illinois, twenty weeks is the legal lower limit for registering a fetal death, unless the fetus is part of a multiple birth of which one or more children are live-born. In this latter event, the fetus must be registered.

Table B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS IN 1961

| Cause | Number | Percent |
|---|---|---|
| ALL CAUSES | 3,472 | [illegible] |
| Cause in the mother: | | |
| Chronic disease in mother | [illegible] | [illegible] |
| Acute disease in mother | [illegible] | 0.2 |
| Diseases and conditions of pregnancy and childbirth | 193 | 5.6 |
| Difficulties in labor | [illegible] | 3.9 |
| Other causes in mother | 22 | 0.6 |
| Placenta and cord conditions without mention of prolapsed cord | 1,130 | 32.6 |
| Placenta and prolapsed cord conditions | [illegible] | 4.0 |
| Birth injuries | 32 | 0.9 |
| Malformations of foetus | 218 | 6.3 |
| Disease of foetus | 381 | [illegible] |
| Ill-defined causes in mother and foetus | 895 | 25.8 |
| Cause unknown | 241 | 6.9 |

Source: Tabulations in Illinois Bureau of Statistics.

## PERINATAL MORTALITY

Because of the common problems involved, the fetal deaths and early infant deaths are often combined to make a new mortality measure. Table C presents data for Illinois, Chicago, and the remainder of the state for 1961. The definition of the perinatal mortality ratio used is described in the footnote to the table. Ratios for each county and large city can be computed from data in Tables 4 and 5. The American Medical Association's Perinatal Mortality Ratios I and II can also be computed from these tables. Perinatal mortality largely reflects genetic, pre-delivery and delivery conditions. The classification of fetal deaths in Table B and neonatal deaths in Table D shows the extent of these conditions. According to Tables D, page 3, and 9A, page 32, there were very few postneonatal deaths related to these conditions. Of these deaths, 600 were due to congenital malformations. Of special importance is that out of 4,209 neonatal deaths, 680 or 16.2 percent were assigned to immaturity without an associated cause.

Table C. -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE 1961
(This table includes 53 fetal deaths of less than 20 weeks' gestation)

| | Illinois | | | | Chicago | | | | Downstate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Negro | Other | Total | White | Negro | Other | Total | White | Negro | Other |
| Both sexes: | | | | | | | | | | | | |
| Fetal deaths | 3,472 | 2,598 | 869 | 5 | 1,502 | 806 | 692 | 4 | 1,970 | 1,792 | 174 | 4 |
| Deaths under 1 week of age | 3,817 | 2,918 | 890 | 9 | 1,531 | 828 | 699 | 4 | 2,286 | 2,090 | 191 | 5 |
| Total | 7,289 | 5,516 | 1,756 | 17 | 3,033 | 1,634 | 1,391 | 8 | 4,256 | 3,882 | 365 | 9 |
| Live births and fetal deaths | 240,523 | 200,519 | 39,187 | 817 | 89,491 | 57,380 | 31,609 | 502 | 151,032 | 143,139 | 7,578 | 315 |
| Ratio* | 30.3 | 27.5 | 44.8 | 20.8 | 33.9 | 28.5 | 44.0 | 15.9 | 28.2 | 27.1 | 48.2 | 28.6 |
| Male: | | | | | | | | | | | | |
| Fetal deaths | 1,853 | 1,396 | 454 | 3 | 807 | 441 | 366 | -- | 1,046 | 955 | 88 | 3 |
| Deaths under 1 week of age | 2,219 | 1,749 | 467 | 3 | 874 | 511 | 363 | -- | 1,345 | 1,238 | 104 | 3 |
| Total | 4,072 | 3,145 | 921 | 6 | 1,681 | 952 | 729 | -- | 2,391 | 2,193 | 192 | 6 |
| Live births and fetal deaths | 122,985 | 102,734 | 19,818 | 433 | 45,677 | 29,437 | 15,978 | 262 | 77,308 | 73,297 | 3,840 | 171 |
| Ratio* | 33.1 | 30.6 | 46.5 | 13.9 | 36.8 | 32.3 | 45.6 | -0- | 30.9 | 30.0 | 50.0 | 35.1 |
| Female: | | | | | | | | | | | | |
| Fetal deaths | 1,619 | 1,202 | 412 | 5 | 695 | 365 | 326 | 4 | 924 | 837 | 86 | 1 |
| Deaths under 1 week of age | 1,598 | 1,169 | 423 | 6 | 657 | 317 | 336 | 4 | 941 | 852 | 87 | 2 |
| Total | 3,217 | 2,371 | 835 | 11 | 1,352 | 682 | 662 | 8 | 1,865 | 1,689 | 173 | 3 |
| Live births and fetal deaths | 117,538 | 97,785 | 19,369 | 384 | 43,814 | 27,943 | 15,631 | 240 | 73,724 | 69,842 | 3,738 | 144 |
| Ratio* | 27.4 | 24.2 | 43.1 | 28.6 | 30.9 | 24.4 | 42.4 | 33.3 | 25.3 | 24.2 | 46.3 | 20.8 |

*Perinatal mortality ratio is 1,000 times (fetal deaths of 20 weeks' gestation and over plus deaths under one week of age) divided by (live births plus fetal deaths of 20 weeks' gestation and over). See Table A for live births.

Table D. -- TEN LEADING CAUSES OF INFANT DEATHS BY AGE, ILLINOIS RESIDENTS: 1961

| Neonatal (Under 28 days of age) | | | Ages 28 days to 1 year | | |
|---|---|---|---|---|---|
| Cause | Number | Percent | Cause | Number | Percent |
| ALL CAUSES | 4,209 | 100.0 | ALL CAUSES | 1,548 | 100.0 |
| 1. Postnatal asphyxia and atelectasis | 1,740 | 41.3 | 1. Influenza and pneumonia | 752 | 48.6 |
| 2. Immaturity, unqualified | 680 | 16.2 | 2. Congenital malformations | 294 | 19.0 |
| 3. Birth injury | 466 | 11.1 | a. Monstrosity | (1) | (0.1) |
| 4. Congenital malformations | 521 | 12.4 | b. Spina bifida and meningocele | (35) | (2.3) |
| a. Monstrosity | (59) | (1.4) | 3. Gastro-enteritis and colitis | 106 | 6.8 |
| b. Spina bifida and meningocele | (33) | (0.8) | 4. Accidents | 105 | 6.8 |
| 5. Pneumonia of newborn | 270 | 6.4 | a. Mechanical suffocation in bed | (34) | (2.2) |
| 6. Ill-defined diseases of early infancy | 171 | 4.1 | b. Suffocation by inhalation and ingestion of food | (17) | (1.1) |
| 7. Erythroblastosis | 121 | 2.9 | c. Falls | (12) | (0.8) |
| 8. Hernia, intestinal obstructions | 42 | 1.0 | 5. Bronchitis | 36 | 2.3 |
| 9. Hemorrhagic disease of newborn | 30 | 0.7 | 6. Meningitis, except meningococcal and tuberculous | 20 | 1.3 |
| 10. Disorders arising from certain diseases of mother during pregnancy | 25 | 0.6 | 7. Hernia, intestinal obstructions | 17 | 1.1 |
| | | | 8. Acute infectious encephalitis | 12 | 0.8 |
| | | | 9. Meningococcal infections | 8 | 0.5 |
| | | | 10. Malignant neoplasms | 7 | 0.5 |
| | | | a. Leukemia and aleukemia | (3) | (0.2) |

Source: Tabulations in Illinois Bureau of Statistics.

## INFANT DEATHS

Death data on children under one year of age are given by cause in Table D and by county and large city in Tables 2 through 7. Influenza (4), pneumonia (1,018), and accidents (122) accounted for 1,144 of the 5,757 infant deaths in Illinois in 1961. Deaths under the age of one week accounted for 3,817 or 66.3 percent of the infant deaths.

The infant death rate was 24.3 per 1,000 live births. The rate among the white infants has declined from 24.4 in 1950 to 21.7 in 1961. Among the nonwhite infants, the rate increased from 35.6 in 1950 to 44.0 in 1957 and then decreased to 37.5 in 1961.

## MATERNAL DEATHS

An all-time low of 61 maternal deaths in 1961 was less than one-tenth of the number reported in Table 1 for 30 years earlier. The steady decline reflects the continued success of several organizations in reducing maternal mortality. By race, there were 35 white and 26 nonwhite deaths. The rates per 10,000 live births were 2.6 for all races, 1.8 for the white race, and 6.6 for the other races. In 1950, of the 114 maternal deaths, 91 were among the white race and 23 among the other races. The corresponding rates were 6.0 for all races, 5.4 for the white, and 11.5 for the nonwhite.

In 1961, the principal causes of maternal death were hemorrhage (15), toxemias (12), and infections (15). In 1960, the corresponding figures were 25, 13, and 13, as compared with 41, 37, and 16 in 1950.

## LEADING CAUSES OF DEATH

Leading causes of death in 1961 are given by race and age in Table 8A, page 26, with rates in Table 8B, page 29. These same causes plus acute rheumatic fever are given for each county in Table 9A, page 32, and for each large city in Table 10A, page 40. The rates per 100,000 mid-year population are presented in Table 9B, page 36, and Table 10B, page 44. Special tabulations on heart diseases, cancer, vascular lesions, and accidents are presented in Tables F, G, H, I, and J. In Table 11, page 48, are shown the leading causes for several age groups. (Corresponding data are shown for infants in Table D.) A series of charts on page 8 shows the trend since 1920 for ten important diseases.

Table E presents the ten leading causes of death by race. These ten causes account for nearly nine-tenths of all deaths for both white and nonwhite races. A comparison of the ages by race in Illinois shows that the nonwhite races are younger than the white. Consequently they have a lower death rate for all causes combined and a much lower proportion of deaths from heart disease and vascular lesions of the central nervous system. They have a far higher proportion of deaths from diseases of early infancy, influenza and pneumonia. As Table 8B shows, the death rates from influenza and pneumonia by age among the nonwhite persons are generally three to four times that of white persons for all ages under 85 years.

Of the 75 heart disease deaths under the age of 25 years, chronic rheumatic heart disease accounted for 28 (Table F). There were 401 deaths from cancer among persons under 25 years. The brain and nervous system (72) and the leukemias (168) were the leading causes in this age group according to Table G. Subarachnoid hemorrhage and cerebral hemorrhage caused 41 out of the 51 nontraumatic vascular lesion deaths under the age of 25. (Table H).

Table E. -- TEN LEADING CAUSES OF DEATHS AMONG THE WHITE AND NONWHITE RACES, ILLINOIS RESIDENTS: 1961
(Rates are per 100,000 estimated population as of July 1, 1961)

| WHITE | | | | NONWHITE | | | |
|---|---|---|---|---|---|---|---|
| Cause | Number | Rate | Percent | Cause | Number | Rate | Percent |
| ALL CAUSES | 91,250 | 995.3 | 100.0 | ALL CAUSES | 10,446 | 958.3 | 100.0 |
| 1. Heart disease | 40,695 | 443.9 | 44.6 | 1. Heart disease | 3,689 | 338.4 | 35.3 |
| 2. Cancer | 15,790 | 172.2 | 17.3 | 2. Cancer | 1,459 | 133.9 | 14.0 |
| 3. Vascular lesions affecting the central nervous system | 9,510 | 103.7 | 10.4 | 3. Diseases of early infancy | 941 | 86.3 | 9.0 |
| 4. Accidents | 3,859 | 42.1 | 4.2 | 4. Vascular lesions affecting the central nervous system | 910 | 83.5 | 8.7 |
| 5. Influenza and pneumonia | 2,891 | 31.5 | 3.2 | 5. Influenza and pneumonia | 863 | 79.2 | 8.3 |
| 6. Diseases of early infancy | 2,666 | 29.1 | 2.9 | 6. Accidents | 521 | 47.8 | 5.0 |
| 7. Arteriosclerosis | 1,862 | 20.3 | 2.0 | 7. Homicide | 301 | 27.6 | 2.9 |
| 8. Diabetes mellitus | 1,391 | 15.2 | 1.5 | 8. Diabetes mellitus | 175 | 16.1 | 1.7 |
| 9. Cirrhosis of the liver | 1,177 | 12.8 | 1.3 | 9. Congenital malformations | 129 | 11.8 | 1.2 |
| 10. Congenital malformations | 992 | 10.8 | 1.1 | 10. Tuberculosis | 121 | 11.1 | 1.1 |

Source: Tabulations in Illinois Bureau of Statistics.

Table F. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1961

| Age | Heart diseases | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Chronic rheumatic | Arteriosclerotic including coronary | Degenerative heart | Acute and subacute bacterial endocarditis | Acute myocarditis not specified as rheumatic | Acute pericarditis specified as non-rheumatic | Functional disease | Congestive heart failure | Other and unspecified | Hypertensive |
| ALL AGES | 44,384 | 963 | 34,661 | 3,748 | 51 | 68 | 15 | 236 | 131 | 1,101 | 3,410 |
| Under 1 year | 6 | -- | -- | 1 | 1 | 1 | -- | 1 | -- | 2 | -- |
| 1-4 years | 8 | 2 | -- | 3 | -- | -- | -- | 1 | -- | 1 | 1 |
| 5-14 years | 10 | 3 | 1 | 1 | -- | 4 | -- | -- | -- | 1 | -- |
| 15-24 years | 51 | 23 | 5 | 2 | 1 | 3 | -- | 3 | 1 | 12 | 1 |
| 25-44 years | 1,432 | 185 | 818 | 61 | 15 | 17 | 3 | 12 | 3 | 225 | 93 |
| 45-64 years | 11,319 | 470 | 8,833 | 585 | 20 | 14 | 7 | 24 | 27 | 574 | 765 |
| 65-74 years | 12,872 | 171 | 10,553 | 878 | 8 | 9 | 3 | 59 | 38 | 146 | 1,007 |
| 75-84 years | 12,899 | 85 | 10,119 | 1,330 | 5 | 10 | 2 | 94 | 41 | 95 | 1,118 |
| 85 and over | 5,787 | 24 | 4,332 | 887 | 1 | 10 | -- | 42 | 21 | 45 | 425 |

Source: Tabulations in Illinois Bureau of Statistics.

Table G. -- RESIDENT CANCER DEATHS BY PRIMARY SITE AND AGE, ILLINOIS: 1961

| Age | Total | Primary site | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Buccal cavity and pharynx | Stomach | Digestive organs except stomach | Bronchus, lung and pleura | Other sites, respiratory system* | Breast | Genital organs | Nervous system, incl. brain | Other and unspecified sites | Leukemia and aleukemia | Lymphosarcoma |
| ALL AGES | 17,249 | 401 | 1,309 | 4,952 | 1,367 | 1,329 | 1,643 | 2,434 | 393 | 1,796 | 792 | 833 |
| Under 1 year | 9 | -- | -- | -- | -- | -- | -- | -- | 2 | 3 | 3 | 1 |
| 1-4 years | 104 | -- | 1 | 4 | -- | -- | -- | 3 | 15 | 20 | 54 | 7 |
| 5-14 years | 175 | -- | -- | 2 | -- | -- | -- | 5 | 42 | 25 | 82 | 19 |
| 15-24 years | 113 | 1 | 2 | 4 | 1 | 3 | 1 | 15 | 13 | 17 | 29 | 27 |
| 25-44 years | 1,164 | 21 | 49 | 181 | 76 | 57 | 199 | 206 | 76 | 96 | 78 | 125 |
| 45-64 years | 6,348 | 171 | 330 | 1,627 | 693 | 634 | 730 | 853 | 193 | 584 | 208 | 325 |
| 65-74 years | 5,181 | 106 | 462 | 1,638 | 460 | 412 | 404 | 714 | 45 | 540 | 182 | 218 |
| 75-84 years | 3,295 | 89 | 366 | 1,164 | 120 | 182 | 242 | 505 | 6 | 391 | 128 | 102 |
| 85 and over | 860 | 13 | 99 | 332 | 17 | 41 | 67 | 133 | 1 | 120 | 28 | 9 |

*Includes 37 deaths from neoplasms of respiratory system, primary site unknown.
Source: Tabulations in Illinois Bureau of Statistics.

Persons in the age group 15 to 24 years led in the death rate from motor vehicle collisions and running off the roadway. Nearly half (303 out of 621) of all accidental deaths in this age group fall into these two categories. Two-thirds of the accidental deaths among persons 85 years of age and older were due to falls. Many types of accidents are associated with the size of the community where they occur. Table J indicates that the accident fatality rate was twice as high in the rural communities as in Chicago and about three times as high as in the smaller cities. Two-thirds of the fatal motor vehicle accidents occurred in the country areas of the state.

## OTHER CAUSES

Ulcers of stomach and duodenum (747), chronic nephritis and renal sclerosis (648), and hernia and intestinal obstruction (534), were also important causes in 1961. Tuberculosis (496), syphilis (64), meningococcal infections (37), chickenpox (10), tetanus (7), and poliomyelitis (1) declined from 1960. Infectious hepatitis (72), septicemias (50), acute infectious encephalitis (39), and measles (20) increased. Influenza deaths decreased from 184 in 1960 to 53 in 1961. Other deaths included 1 from typhoid fever, 1 from whooping cough, and 3 from food poisonings. No deaths were reported from either diphtheria or paratyphoid fever.

## NOTIFIABLE DISEASE CASE REPORTS

On Table 12, pages 49 to 51, are listed the case reports received each year from 1951 through 1961 in Illinois, Chicago, and the remainder of the state. The decline in reportable poliomyelitis cases is usually attributed to the introduction of the Salk vaccine in 1955. The rapid increase in rheumatic fever case reports is the result of the prophylactic drug program provided by the Act of the Illinois General Assembly in 1957.

Table H. -- RESIDENT DEATHS DUE TO VASCULAR LESIONS AFFECTING THE CENTRAL NERVOUS SYSTEM, ILLINOIS: 1961

| Age | Total | Type of vascular lesion | | | | |
|---|---|---|---|---|---|---|
| | | Subarachnoid hemorrhage | Cerebral hemorrhage | Cerebral embolism and thrombosis | Spasm of cerebral arteries | Other |
| ALL AGES | 10,420 | 303 | 6,029 | 3,257 | -- | 831 |
| Under 1 year | 8 | 2 | 4 | -- | -- | 2 |
| 1-4 years | 4 | -- | 2 | 2 | -- | -- |
| 5-14 years | 12 | 3 | 7 | -- | -- | 2 |
| 15-24 years | 27 | 12 | 11 | 3 | -- | 1 |
| 25-44 years | 253 | 97 | 129 | 24 | -- | 3 |
| 45-64 years | 1,806 | 139 | 1,160 | 433 | -- | 74 |
| 65-74 years | 2,856 | 30 | 1,708 | 947 | -- | 171 |
| 75-84 years | 3,616 | 17 | 2,079 | 1,184 | -- | 336 |
| 85 and over | 1,838 | 3 | 929 | 664 | -- | 242 |

Source: Tabulations in Illinois Bureau of Statistics.

POPULATION BY COUNTIES: 1961




Source: Bureau of Statistics, Illinois Department of Public Health.

Table L -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1961

| Age | Total | TRANSPORT ACCIDENTS | | | | | | | | | | | | | NON - TRANSPORT ACCIDENTS | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Motor vehicle | | | | | | | | | Other transport | | | | | | | | | | | |
| | | Collision | | | | | | Non-collision | | | | | | | | | | | | | | |
| | | Pedestrian | Other motor vehicle | R. R. train | Bicycle | Animal or animal drawn vehicle | Fixed object | Running off road | Other traffic | Other motor vehicle accidents | Other road vehicle | Water transport | Aircraft | Railway | Poisonings | Falls | Fire | Firearms | Mechanical suffocation | Drowning | Other | Therapeutic and non-therapeutic complications |
| NUMBER: | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 4,380 | 372 | 810 | 96 | 24 | 2 | 69 | 371 | 164 | 20 | 8 | 50 | 46 | 70 | 223 | 808 | 347 | 94 | 48 | 219 | 504 | 35 |
| Under 1 year | 122 | -- | 6 | -- | -- | -- | -- | [illegible] | [illegible] | 1 | -- | -- | 1 | -- | 4 | 12 | 8 | -- | 42 | 4 | 41 | 1 |
| 1-4 years | 244 | 40 | 15 | 4 | -- | -- | -- | 6 | 3 | -- | -- | 4 | 2 | 1 | 29 | 27 | 40 | 5 | 1 | 24 | 43 | -- |
| 5-14 years | 336 | 56 | 46 | 4 | 20 | 1 | -- | [illegible] | 11 | 3 | 2 | 6 | 2 | 3 | 3 | 9 | 37 | 23 | 1 | 60 | 42 | 1 |
| 15-24 years | 621 | 26 | 179 | 21 | 1 | -- | 23 | 124 | 50 | 3 | 2 | 13 | 10 | 7 | 25 | 11 | 14 | 24 | -- | 49 | 39 | -- |
| 25-44 years | 922 | 44 | 202 | 24 | 1 | 1 | 29 | 138 | 52 | 7 | 1 | 18 | 23 | 13 | 64 | 86 | 56 | 15 | 2 | 30 | 111 | 5 |
| 45-64 years | 1,018 | 71 | 233 | 28 | 2 | -- | 12 | 69 | 31 | 4 | 1 | 8 | 8 | 26 | 78 | 144 | 94 | 23 | 2 | 33 | 141 | 10 |
| 65-84 years | 937 | 123 | 123 | 13 | -- | -- | 5 | 25 | 15 | 2 | 2 | 1 | -- | 17 | 19 | 390 | 87 | 4 | -- | 17 | 78 | 16 |
| 85 and over | 180 | 12 | 6 | 2 | -- | -- | -- | 2 | 1 | -- | -- | -- | -- | 3 | 1 | 129 | 11 | -- | -- | 2 | 9 | 2 |
| RATE: | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 42.7 | 3.6 | 7.9 | 0.9 | 0.2 | 0.0 | 0.7 | 3.6 | 1.6 | 0.2 | 0.1 | 0.5 | 0.4 | 0.7 | 2.2 | 7.9 | 3.4 | 0.9 | 0.5 | 2.1 | 4.9 | 0.3 |
| Under 1 year | 51.5 | -0- | 2.5 | -0- | -0- | -0- | -0- | 0.4 | 0.4 | 0.4 | -0- | -0- | 0.4 | -0- | 1.7 | 5.1 | 3.4 | -0- | 17.7 | 1.7 | 17.3 | 0.4 |
| 1-4 years | 26.7 | 4.4 | 1.6 | 0.4 | -0- | -0- | -0- | 0.7 | 0.3 | -0- | -0- | 0.4 | 0.2 | 0.1 | 3.2 | 3.0 | 4.4 | 0.5 | 0.1 | 2.6 | 4.7 | -0- |
| 5-14 years | 17.6 | 2.9 | 2.4 | 0.2 | 1.1 | 0.1 | -0- | 0.3 | 0.6 | 0.2 | 0.1 | 0.3 | 0.1 | 0.2 | 0.2 | 0.5 | 1.9 | 1.2 | 0.1 | 3.2 | 2.2 | 0.1 |
| 15-24 years | 48.1 | 2.0 | 13.9 | 1.6 | 0.1 | -0- | 1.8 | 9.6 | 3.9 | 0.2 | 0.2 | 1.0 | 0.8 | 0.5 | 1.9 | 0.9 | 1.1 | 1.9 | -0- | 3.8 | 3.0 | -0- |
| 25-44 years | 33.9 | 1.6 | 7.4 | 0.9 | 0.0 | 0.0 | 1.1 | 5.1 | 1.9 | 0.3 | 0.0 | 0.7 | 0.8 | 0.5 | 2.4 | 3.2 | 2.1 | 0.6 | 0.1 | 1.1 | 4.1 | 0.2 |
| 45-64 years | 46.3 | 3.2 | 10.6 | 1.3 | 0.1 | -0- | 0.5 | 3.1 | 1.4 | 0.2 | 0.0 | 0.4 | 0.4 | 1.2 | 3.5 | 6.5 | 4.3 | 1.0 | 0.1 | 1.5 | 6.4 | 0.5 |
| 65-84 years | 99.8 | 13.1 | 13.1 | 1.4 | -0- | -0- | 0.5 | 2.7 | 1.6 | 0.2 | 0.2 | 0.1 | -0- | 1.8 | 2.0 | 41.5 | 9.3 | 0.4 | -0- | 1.8 | 8.3 | 1.7 |
| 85 and over | 339.6 | 22.6 | 11.3 | 3.8 | -0- | -0- | -0- | 3.8 | 1.9 | -0- | -0- | -0- | -0- | 5.7 | 1.9 | 243.4 | 20.8 | -0- | -0- | 3.8 | 17.0 | 3.8 |

Source: Tabulations in Illinois Bureau of Statistics.

Table J. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1961

| PLACE OF INJURY | All accidents | MOTOR VEHICLE | | | | NON-MOTOR VEHICLE | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Pedestrian | Other vehicle | Other | Occupational | | Home | | | Public | | |
| | | | | | | Farm | Non-farm | Fire and explosion | Falls | Other | Drowning | Falls | Other |
| NUMBER: | | | | | | | | | | | | | |
| All accidents | 4,301 | 1,843 | 341 | 789 | 713 | 72 | 259 | 263 | 494 | 447 | 166 | 210 | 547 |
| Place by population class: | | | | | | | | | | | | | |
| Chicago | 1,090 | 290 | 146 | 63 | 81 | -- | 97 | 110 | 146 | 138 | 64 | 115 | 130 |
| Cities of 100,000-500,000 | 62 | 18 | [illegible] | [illegible] | 2 | -- | 2 | 5 | 21 | 5 | 2 | 5 | 4 |
| Cities of 50,000- 99,999 | 224 | 72 | 25 | 22 | 25 | -- | 16 | 21 | 38 | 37 | 7 | 5 | 28 |
| Cities of 25,000- 49,999 | 201 | 93 | 23 | 31 | 39 | -- | 18 | 9 | 34 | 24 | 5 | 6 | 12 |
| Cities of 10,000- 24,999 | 260 | 99 | 32 | 33 | 34 | -- | 18 | 16 | 46 | 46 | 9 | 9 | 17 |
| Counties exclusive of cities of 10,000 and over | 2,116 | 1,213 | 99 | 610 | 504 | 70 | 104 | 92 | 145 | 157 | 77 | 29 | 229 |
| Place unknown* | 348 | 58 | 8 | 22 | 28 | 2 | 4 | 10 | 64 | 40 | 2 | 41 | 127 |
| RATE PER 100,000 POPULATION: | | | | | | | | | | | | | |
| Place by population class: | | | | | | | | | | | | | |
| Chicago | 30.7 | 8.2 | 4.1 | 1.8 | 2.3 | -0- | 2.7 | 3.1 | 4.1 | 3.9 | 1.8 | 3.2 | 3. |
| Cities of 100,000-500,000 | 26.7 | 7.7 | 3.4 | 3.4 | 0.9 | -0- | 0.9 | 2.2 | 9.0 | 2.2 | 0.9 | 2.2 | 1. |
| Cities of 50,000- 99,999 | 26.0 | 8.3 | 2.9 | 2.6 | 2.9 | -0- | 1.9 | 2.4 | 4.4 | 4.3 | 0.8 | 0.6 | 3. |
| Cities of 25,000- 49,999 | 23.6 | 10.9 | 2.7 | 3.6 | 4.6 | -0- | 2.1 | 1.1 | 4.0 | 2.8 | 0.6 | 0.7 | 1. |
| Cities of 10,000- 24,999 | 21.9 | 8.4 | 2.7 | 2.8 | 2.9 | -0- | 1.5 | 1.4 | 3.9 | 3.9 | 0.8 | 0.8 | 1. |
| Counties exclusive of cities of 10,000 and over | 59.2 | 33.9 | 2.8 | 17.1 | 14.1 | 2.0 | 2.9 | 2.6 | 4.1 | 4.4 | 2.2 | 0.8 | 6. |

*These are accidental deaths occurring in Illinois with place of injury either not stated or reported as Out-of-State.
Source: Tabulations in Illinois Bureau of Statistics.

# CRUDE MORTALITY RATES FOR SELECTED CAUSES OF DEATH, ILLINOIS: 1920 - 1961

The Revisions of the International List of Causes of Death used were: the 2nd for 1920, 3rd for 1925, 4th for 1930 and 1935, 5th for 1940 and 1945, both 5th and 6th for 1950, and 7th for 1955 through 1961. The width of the break in the trend at 1950 shows the effect of the change in classification procedures from the 5th to the 6th Revision.

Data for 1920 through 1935 refer to deaths which occurred in Illinois; 1940 and later rates refer to deaths among residents of Illinois, irrespective of the place of death.

(All death rates are per 100,000 population estimated as of midyear)































These are RATIO charts: equal vertical distances represent equal PERCENTAGE changes in rate.

Table 1. -- LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS, WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1961

(Live birth rates and death rates per 1,000 estimated midyear population. Infant and neonatal death rates and fetal death ratios per 1,000 live births. Maternal death rates per 10,000 live births)

| Year | Estimated population | Live births | | Deaths | | Infant deaths | | Neonatal deaths | | Maternal deaths | | Fetal deaths | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Ratio |
| 1961* | 10,258,000 | 237,051 | 23.1 | 101,696 | 9.9 | 5,757 | 24.3 | 4,209 | 17.8 | 61 | 2.6 | 3,472 | 14.6 |
| 1960* | 10,113,000 | 238,760 | 23.6 | 103,038 | 10.2 | 5,959 | 25.0 | 4,322 | 18.1 | 70 | 2.9 | 3,528 | 14.8 |
| 1959* | 9,974,000 | 239,871 | 24.0 | 101,406 | 10.2 | 5,990 | 25.0 | 4,318 | 18.0 | 72 | 3.0 | 3,489 | 14.5 |
| 1958* | 9,832,000 | 234,712 | 23.9 | 101,729 | 10.3 | 5,857 | 25.0 | 4,211 | 17.9 | 74 | 3.2 | 3,615 | 15.4 |
| 1957* | 9,559,000 | 238,579 | 25.0 | 102,293 | 10.7 | 6,070 | 25.4 | 4,417 | 18.5 | 80 | 3.4 | 3,616 | 15.2 |
| 1956* | 9,368,000 | 229,571 | 24.5 | 96,956 | 10.3 | 5,642 | 24.6 | 4,158 | 18.1 | 77 | 3.4 | 3,399 | 14.8 |
| 1955* | 9,228,000 | 220,541 | 23.9 | 95,585 | 10.4 | 5,479 | 24.8 | 3,969 | 18.0 | 83 | 3.8 | 3,328 | 15.1 |
| 1954* | 9,087,000 | 217,229 | 23.9 | 92,307 | 10.2 | 5,442 | 25.1 | 4,018 | 18.5 | 92 | 4.2 | 3,233 | 14.9 |
| 1953* | 8,952,000 | 206,813 | 23.1 | 96,607 | 10.8 | 5,326 | 25.8 | 3,812 | 18.4 | 98 | 4.7 | 3,323 | 16.1 |
| 1952* | 8,868,000 | 205,438 | 23.2 | 94,173 | 10.6 | 5,115 | 24.9 | 3,721 | 18.1 | 92 | 4.5 | 3,239 | 15.8 |
| 1951* | 8,736,000 | 201,082 | 23.0 | 93,254 | 10.7 | 5,023 | 25.0 | 3,776 | 18.8 | 107 | 5.3 | 3,270 | 16.3 |
| 1950* | 8,754,000 | 189,640 | 21.7 | 92,260 | 10.5 | 4,855 | 25.6 | 3,580 | 18.9 | 114 | 6.0 | 3,084 | 16.3 |
| 1949† | 8,670,000 | 189,313 | 21.8 | 92,568 | 10.7 | 5,195 | 27.4 | 3,812 | 20.1 | 132 | 7.0 | 3,274 | 17.3 |
| 1948† | 8,552,000 | 184,871 | 21.6 | 91,328 | 10.7 | 5,123 | 27.7 | 3,792 | 20.5 | 151 | 8.2 | 3,284 | 17.8 |
| 1947† | 8,341,000 | 196,007 | 23.5 | 93,686 | 11.2 | 5,672 | 28.9 | 4,236 | 21.6 | 204 | 10.4 | 3,669 | 18.7 |
| 1946† | 8,155,000 | 174,825 | 21.4 | 89,566 | 11.0 | 5,316 | 30.4 | 4,015 | 23.0 | 237 | 13.6 | 3,667 | 21.0 |
| 1945† | 7,601,000 | 138,705 | 18.2 | 90,116 | 11.9 | 4,377 | 31.6 | 3,001 | 21.6 | 235 | 16.9 | 2,951 | 21.3 |
| 1944† | 7,719,000 | 142,005 | 18.4 | 88,180 | 11.4 | 4,602 | 32.4 | 3,107 | 21.9 | 254 | 17.9 | 3,158 | 22.2 |
| 1943† | 7,761,000 | 155,735 | 20.1 | 92,058 | 11.9 | 5,184 | 33.3 | 3,474 | 22.3 | 320 | 20.5 | 3,470 | 22.3 |
| 1942† | 8,057,000 | 156,232 | 19.4 | 87,777 | 10.9 | 5,170 | 33.1 | 3,613 | 23.1 | 326 | 20.9 | 3,445 | 22.1 |
| 1941† | 7,995,000 | 136,159 | 17.0 | 86,582 | 10.8 | 4,661 | 34.2 | 3,215 | 23.6 | 340 | 25.0 | 3,202 | 23.5 |
| 1940† | 7,905,000 | 124,615 | 15.8 | 89,099 | 11.3 | 4,398 | 35.3 | 3,004 | 24.1 | 369 | 29.6 | 3,152 | 25.3 |
| 1939† | 7,890,000 | 118,852 | 15.1 | 87,623 | 11.1 | 4,526 | 38.1 | 3,042 | 25.6 | 375 | 31.6 | 2,978 | 25.1 |
| 1938‡ | 7,866,000 | 122,562 | 15.6 | 84,769 | 10.8 | 5,016 | 40.9 | 3,244 | 26.5 | 412 | 33.6 | 3,207 | 26.2 |
| 1937‡ | 7,857,000 | 115,282 | 14.7 | 87,739 | 11.2 | 4,967 | 43.1 | 3,208 | 27.8 | 450 | 39.0 | 3,058 | 26.5 |
| 1936‡ | 7,840,000 | 112,167 | 14.3 | 92,806 | 11.8 | 5,246 | 46.8 | 3,315 | 29.6 | 500 | 44.6 | 3,099 | 27.6 |
| 1935‡ | 7,797,000 | 111,884 | 14.3 | 85,518 | 11.0 | 5,138 | 45.9 | 3,380 | 30.2 | 555 | 49.6 | 3,308 | 29.6 |
| 1934‡ | 7,772,000 | 110,226 | 14.2 | 87,205 | 11.2 | 5,825 | 52.8 | 3,633 | 33.0 | 568 | 51.5 | 3,333 | 30.2 |
| 1933‡ | 7,768,000 | 107,910 | 13.9 | 82,513 | 10.6 | 5,284 | 49.0 | 3,402 | 31.5 | 537 | 49.8 | 3,219 | 29.8 |
| 1932‡ | 7,736,000 | 111,512 | 14.4 | 83,180 | 10.8 | 5,884 | 52.8 | 3,639 | 32.6 | 625 | 56.0 | 3,446 | 30.9 |
| 1931‡ | 7,687,000 | 118,788 | 15.5 | 85,788 | 11.2 | 6,961 | 58.6 | 4,067 | 34.2 | 659 | 55.5 | 4,080 | 34.3 |
| 1930‡ | 7,644,000 | 128,121 | 16.8 | 83,591 | 10.9 | 7,152 | 55.8 | 4,356 | 34.0 | 699 | 54.6 | 4,311 | 33.6 |
| 1929‡ | 7,606,000 | 128,633 | 16.9 | 87,788 | 11.5 | 7,901 | 61.4 | 4,751 | 36.9 | 874 | 67.9 | 4,452 | 34.6 |
| 1928‡ | 7,576,000 | 129,667 | 17.1 | 90,195 | 11.9 | 8,326 | 64.2 | 4,760 | 36.7 | 743 | 57.3 | 4,677 | 36.1 |
| 1927‡ | 7,519,000 | 133,662 | 17.8 | 82,849 | 11.0 | 8,605 | 64.4 | 4,989 | 37.3 | 743 | 55.6 | 4,693 | 35.1 |
| 1926‡ | 7,395,000 | 133,939 | 18.1 | 85,331 | 11.5 | 9,294 | 69.4 | 5,043 | 37.7 | 871 | 65.0 | 4,879 | 36.4 |
| 1925‡ | 7,306,000 | 135,437 | 18.5 | 81,593 | 11.2 | 9,822 | 72.5 | 5,156 | 38.1 | 789 | 58.3 | 4,885 | 36.1 |
| 1924‡ | 7,215,000 | 137,118 | 19.0 | 77,133 | 10.7 | 9,734 | 71.0 | 5,475 | 39.9 | 844 | 61.6 | 5,290 | 38.6 |
| 1923‡ | 7,068,000 | 131,920 | 18.7 | 81,753 | 11.6 | 10,809 | 81.9 | 5,467 | 41.4 | 846 | 64.1 | 5,157 | 39.1 |
| 1922‡ | 6,958,000 | 134,050 | 19.3 | 75,771 | 10.9 | 10,195 | 76.1 | 5,438 | 40.6 | 847 | 63.2 | 4,826 | 36.0 |
| 1921‡ | 6,858,000 | n.a. | n.a. | 73,424 | 10.7 | 10,674 | n.a. | 5,620 | n.a. | 944 | n.a. | n.a. | n.a. |
| 1920‡ | 6,663,000 | n.a. | n.a. | 82,296 | 12.4 | 11,641 | n.a. | 5,584 | n.a. | 1,141 | n.a. | n.a. | n.a. |
| 1919‡ | 6,392,000 | n.a. | n.a. | 77,256 | 12.1 | 11,148 | n.a. | 5,317 | n.a. | 960 | n.a. | n.a. | n.a. |
| 1918‡ | 6,275,000 | n.a. | n.a. | 100,396 | 16.0 | 13,109 | n.a. | 5,897 | n.a. | 1,160 | n.a. | n.a. | n.a. |

*Data for the years 1950-1961, incl., are resident data from tabulations of the Illinois Department of Public Health.

†Data for the years 1939-1949, incl., are resident data as published by the National Office of Vital Statistics.

‡Data for the years 1918-1938, incl., are Illinois occurrences as published by the U. S. Bureau of the Census.

n.a. (not available) Illinois admitted to United States Birth Registration Area in 1922.

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961

| COUNTY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ILLINOIS.. | 237,051 | 197,921 | 39,130 | 5,757 | 4,290 | 1,467 | 4,209 | 3,209 | 1,000 | 3,472 | 2,598 | 874 |
| ADAMS..... | 1,522 | 1,465 | 57 | 36 | 33 | 3 | 29 | 27 | 2 | 26 | 25 | 1 |
| ALEXANDER.... | 335 | 190 | 145 | 16 | 6 | 10 | 8 | 6 | 2 | 5 | 2 | 3 |
| BOND..... | 263 | 261 | 2 | 5 | 5 | -- | 4 | 4 | -- | 2 | 2 | -- |
| BOONE..... | 439 | 439 | -- | 14 | 14 | -- | 11 | 11 | -- | 8 | 8 | -- |
| BROWN..... | 124 | 124 | -- | 1 | 1 | -- | 1 | 1 | -- | 1 | 1 | -- |
| BUREAU..... | 750 | 749 | 1 | 13 | 13 | -- | 11 | 11 | -- | 10 | 10 | -- |
| CALHOUN..... | 117 | 117 | -- | 1 | 1 | -- | 1 | 1 | -- | 1 | 1 | -- |
| CARROLL..... | 382 | 377 | 5 | 14 | 13 | 1 | 13 | 12 | 1 | 5 | 5 | -- |
| CASS..... | 287 | 285 | 2 | 8 | 8 | -- | 7 | 7 | -- | 1 | 1 | -- |
| CHAMPAIGN.... | 2,979 | 2,730 | 249 | 65 | 57 | 8 | 50 | 45 | 5 | 38 | 34 | 4 |
| CHRISTIAN.... | 761 | 758 | 3 | 11 | 11 | -- | 7 | 7 | -- | 8 | 8 | -- |
| CLARK..... | 290 | 290 | -- | 11 | 11 | -- | 6 | 6 | -- | 6 | 6 | -- |
| CLAY..... | 314 | 314 | -- | 6 | 6 | -- | 5 | 5 | -- | 7 | 7 | -- |
| CLINTON..... | 613 | 611 | 2 | 17 | 17 | -- | 15 | 15 | -- | 8 | 8 | -- |
| COLES..... | 849 | 843 | 6 | 18 | 18 | -- | 12 | 12 | -- | 9 | 9 | -- |
| COOK..... | 125,551 | 92,430 | 33,121 | 3,204 | 1,997 | 1,207 | 2,275 | 1,455 | 820 | 2,039 | 1,293 | 746 |
| CRAWFORD..... | 376 | 376 | -- | 5 | 5 | -- | 5 | 5 | -- | 3 | 3 | -- |
| CUMBERLAND... | 178 | 178 | -- | 6 | 6 | -- | 3 | 3 | -- | 2 | 2 | -- |
| DE KALB..... | 1,209 | 1,198 | 11 | 26 | 26 | -- | 21 | 21 | -- | 15 | 15 | -- |
| DE WITT..... | 330 | 330 | -- | 8 | 8 | -- | 5 | 5 | -- | 5 | 5 | -- |
| DOUGLAS..... | 433 | 433 | -- | 5 | 5 | -- | 5 | 5 | -- | 2 | 2 | -- |
| DU PAGE..... | 7,403 | 7,362 | 41 | 135 | 135 | -- | 100 | 100 | -- | 89 | 89 | -- |
| EDGAR..... | 432 | 431 | 1 | 16 | 16 | -- | 10 | 10 | -- | 9 | 9 | -- |
| EDWARDS..... | 156 | 156 | -- | 6 | 6 | -- | 6 | 6 | -- | 1 | 1 | -- |
| EFFINGHAM.... | 599 | 599 | -- | 11 | 11 | -- | 8 | 8 | -- | 6 | 6 | -- |
| FAYETTE..... | 380 | 380 | -- | 7 | 7 | -- | 4 | 4 | -- | 5 | 5 | -- |
| FORD..... | 332 | 331 | 1 | 6 | 6 | -- | 4 | 4 | -- | 3 | 3 | -- |
| FRANKLIN..... | 638 | 636 | 2 | 14 | 14 | -- | 12 | 12 | -- | 8 | 8 | -- |
| FULTON..... | 804 | 800 | 4 | 16 | 16 | -- | 12 | 12 | -- | 6 | 6 | -- |
| GALLATIN..... | 147 | 145 | 2 | 2 | 2 | -- | 1 | 1 | -- | 5 | 5 | -- |
| GREENE..... | 369 | 369 | -- | 9 | 9 | -- | 6 | 6 | -- | 3 | 3 | -- |
| GRUNDY..... | 515 | 515 | -- | 12 | 12 | -- | 10 | 10 | -- | 8 | 8 | -- |
| HAMILTON..... | 178 | 178 | -- | 4 | 4 | -- | 3 | 3 | -- | 2 | 2 | -- |
| HANCOCK..... | 473 | 472 | 1 | 8 | 8 | -- | 7 | 7 | -- | 4 | 4 | -- |
| HARDIN..... | 110 | 110 | -- | 4 | 4 | -- | 2 | 2 | -- | 2 | 2 | -- |
| HENDERSON.... | 182 | 181 | 1 | 2 | 2 | -- | 2 | 2 | -- | -- | -- | -- |
| HENRY..... | 989 | 972 | 17 | 31 | 31 | -- | 28 | 28 | -- | 14 | 13 | 1 |
| IROQUOIS..... | 663 | 655 | 8 | 7 | 7 | -- | 6 | 6 | -- | 10 | 10 | -- |
| JACKSON..... | 919 | 834 | 85 | 18 | 17 | 1 | 17 | 16 | 1 | 9 | 8 | 1 |
| JASPER..... | 213 | 213 | -- | 6 | 6 | -- | 3 | 3 | -- | 2 | 2 | -- |
| JEFFERSON.... | 612 | 575 | 37 | 16 | 14 | 2 | 13 | 12 | 1 | 9 | 7 | 2 |
| JERSEY..... | 398 | 396 | 2 | 8 | 8 | -- | 7 | 7 | -- | 2 | 2 | -- |
| JO DAVIESS... | 512 | 512 | -- | 7 | 6 | 1 | 4 | 4 | -- | 6 | 6 | -- |
| JOHNSON..... | 114 | 114 | -- | 4 | 4 | -- | 2 | 2 | -- | 2 | 2 | -- |
| KANE..... | 5,355 | 5,174 | 181 | 134 | 123 | 11 | 106 | 96 | 10 | 66 | 65 | 1 |
| KANKAKEE..... | 2,042 | 1,825 | 217 | 46 | 39 | 7 | 32 | 29 | 3 | 25 | 21 | 4 |
| KENDALL..... | 502 | 502 | -- | 7 | 7 | -- | 5 | 5 | -- | 9 | 9 | -- |
| KNOX..... | 1,182 | 1,133 | 49 | 22 | 21 | 1 | 19 | 18 | 1 | 14 | 12 | 2 |
| LAKE..... | 7,099 | 6,562 | 537 | 166 | 143 | 23 | 115 | 100 | 15 | 68 | 55 | 13 |
| LA SALLE..... | 2,429 | 2,406 | 23 | 45 | 45 | -- | 37 | 37 | -- | 39 | 39 | -- |

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED

| COUNTY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAWRENCE..... | 320 | 319 | 1 | 4 | 4 | -- | 2 | 2 | -- | 2 | 2 | -- |
| LEE..... | 787 | 780 | 7 | 21 | 21 | -- | 18 | 18 | -- | 17 | 17 | -- |
| LIVINGSTON... | 826 | 822 | 4 | 22 | 22 | -- | 15 | 15 | -- | 11 | 11 | -- |
| LOGAN..... | 599 | 596 | 3 | 12 | 12 | -- | 6 | 6 | -- | 7 | 7 | -- |
| MC DONOUGH... | 538 | 534 | 4 | 13 | 13 | -- | 12 | 12 | -- | 8 | 8 | -- |
| MC HENRY..... | 2,109 | 2,106 | 3 | 46 | 46 | -- | 30 | 30 | -- | 31 | 31 | -- |
| MC LEAN..... | 1,918 | 1,876 | 42 | 36 | 33 | 3 | 28 | 26 | 2 | 18 | 18 | -- |
| MACON..... | 2,698 | 2,486 | 212 | 60 | 50 | 10 | 47 | 40 | 7 | 28 | 19 | 9 |
| MACOUPIN..... | 810 | 810 | -- | 9 | 9 | -- | 4 | 4 | -- | 12 | 12 | -- |
| MADISON..... | 5,353 | 4,985 | 368 | 134 | 120 | 14 | 112 | 99 | 13 | 66 | 61 | 5 |
| MARION..... | 845 | 804 | 41 | 20 | 18 | 2 | 15 | 13 | 2 | 10 | 9 | 1 |
| MARSHALL..... | 269 | 269 | -- | 7 | 7 | -- | 4 | 4 | -- | 5 | 5 | -- |
| MASON..... | 309 | 309 | -- | 11 | 11 | -- | 7 | 7 | -- | 3 | 3 | -- |
| MASSAC..... | 272 | 249 | 23 | 10 | 8 | 2 | 9 | 7 | 2 | 3 | 3 | -- |
| MENARD..... | 173 | 172 | 1 | 7 | 7 | -- | 4 | 4 | -- | 3 | 3 | -- |
| MERCER..... | 346 | 346 | -- | 9 | 9 | -- | 8 | 8 | -- | 3 | 3 | -- |
| MONROE..... | 305 | 304 | 1 | 10 | 10 | -- | 8 | 8 | -- | 3 | 3 | -- |
| MONTGOMERY... | 613 | 609 | 4 | 16 | 16 | -- | 13 | 13 | -- | 7 | 7 | -- |
| MORGAN..... | 691 | 657 | 34 | 11 | 11 | -- | 7 | 7 | -- | 3 | 2 | 1 |
| MOULTRIE..... | 278 | 278 | -- | 3 | 3 | -- | 3 | 3 | -- | 1 | 1 | -- |
| OGLE..... | 875 | 875 | -- | 19 | 19 | -- | 15 | 15 | -- | 14 | 14 | -- |
| PEORIA..... | 4,544 | 4,135 | 409 | 114 | 95 | 19 | 88 | 72 | 16 | 59 | 48 | 11 |
| PERRY..... | 333 | 326 | 7 | 7 | 7 | -- | 6 | 6 | -- | 8 | 7 | 1 |
| PIATT..... | 272 | 272 | -- | 1 | 1 | -- | 1 | 1 | -- | 4 | 4 | -- |
| PIKE..... | 371 | 370 | 1 | 5 | 5 | -- | 4 | 4 | -- | 2 | 2 | -- |
| POPE..... | 61 | 61 | -- | 1 | 1 | -- | 1 | 1 | -- | 1 | 1 | -- |
| PULASKI..... | 219 | 128 | 91 | 11 | 5 | 6 | 7 | 3 | 4 | 6 | -- | 6 |
| PUTNAM..... | 103 | 102 | 1 | 2 | 2 | -- | 1 | 1 | -- | 2 | 2 | -- |
| RANDOLPH..... | 659 | 652 | 7 | 9 | 8 | 1 | 7 | 7 | -- | 9 | 9 | -- |
| RICHLAND..... | 328 | 328 | -- | 5 | 5 | -- | 5 | 5 | -- | 7 | 7 | -- |
| ROCK ISLAND.. | 3,549 | 3,389 | 160 | 88 | 81 | 7 | 69 | 64 | 5 | 50 | 48 | 2 |
| ST. CLAIR.... | 6,479 | 4,835 | 1,644 | 157 | 89 | 68 | 117 | 68 | 49 | 80 | 57 | 23 |
| SALINE..... | 458 | 435 | 23 | 6 | 6 | -- | 4 | 4 | -- | 8 | 7 | 1 |
| SANGAMON..... | 3,412 | 3,208 | 204 | 98 | 90 | 8 | 76 | 72 | 4 | 48 | 43 | 5 |
| SCHUYLER..... | 143 | 143 | -- | 2 | 2 | -- | 1 | 1 | -- | 3 | 3 | -- |
| SCOTT..... | 136 | 136 | -- | 6 | 6 | -- | 5 | 5 | -- | 1 | 1 | -- |
| SHELBY..... | 431 | 430 | 1 | 11 | 11 | -- | 7 | 7 | -- | 9 | 9 | -- |
| STARK..... | 175 | 175 | -- | 2 | 2 | -- | 2 | 2 | -- | 3 | 3 | -- |
| STEPHENSON... | 1,040 | 975 | 65 | 24 | 21 | 3 | 14 | 11 | 3 | 16 | 15 | 1 |
| TAZEWELL..... | 2,459 | 2,457 | 2 | 39 | 39 | -- | 28 | 28 | -- | 20 | 20 | -- |
| UNION..... | 270 | 269 | 1 | 8 | 8 | -- | 6 | 6 | -- | 3 | 3 | -- |
| VERMILION.... | 2,118 | 1,962 | 156 | 62 | 56 | 6 | 48 | 45 | 3 | 30 | 25 | 5 |
| WABASH..... | 287 | 287 | -- | 5 | 5 | -- | 5 | 5 | -- | 7 | 7 | -- |
| WARREN..... | 446 | 439 | 7 | 8 | 8 | -- | 7 | 7 | -- | 7 | 7 | -- |
| WASHINGTON... | 199 | 198 | 1 | 5 | 5 | -- | 4 | 4 | -- | 3 | 3 | -- |
| WAYNE..... | 338 | 338 | -- | 6 | 6 | -- | 5 | 5 | -- | 3 | 3 | -- |
| WHITE..... | 345 | 345 | -- | 10 | 10 | -- | 6 | 6 | -- | 3 | 3 | -- |
| WHITESIDE.... | 1,410 | 1,405 | 5 | 27 | 27 | -- | 19 | 19 | -- | 17 | 16 | 1 |
| WILL..... | 4,877 | 4,508 | 369 | 141 | 121 | 20 | 108 | 97 | 11 | 60 | 49 | 11 |
| WILLIAMSON... | 840 | 817 | 23 | 26 | 24 | 2 | 19 | 17 | 2 | 19 | 19 | -- |
| WINNEBAGO.... | 5,400 | 5,010 | 390 | 111 | 96 | 15 | 80 | 70 | 10 | 85 | 72 | 13 |
| WOODFORD..... | 564 | 563 | 1 | 11 | 11 | -- | 8 | 8 | -- | 3 | 3 | -- |
| UNSPECIFIED.. | 2 | 1 | 1 | 10 | 4 | 6 | 9 | 3 | 6 | 14 | 14 | -- |

TABLE 28. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1961. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| COUNTY | LIVE BIRTHS | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ILLINOIS.. | 23.1 | 24.3 | 21.7 | 37.5 | 17.8 | 16.2 | 25.6 | 14.6 | 13.1 | 22.3 |
| ADAMS..... | 22.1 | 23.7 | 22.5 | 52.6 | 19.1 | 18.4 | 35.1 | 17.1 | 17.1 | 17.5 |
| ALEXANDER.... | 21.2 | 47.8 | 31.6 | 69.0 | 23.9 | 31.6 | 13.8 | 14.9 | 10.5 | 20.7 |
| BOND..... | 18.7 | 19.0 | 19.2 | -0- | 15.2 | 15.3 | -0- | 7.6 | 7.7 | -0- |
| BOONE..... | 21.2 | 31.9 | 31.9 | -0- | 25.1 | 25.1 | -0- | 18.2 | 18.2 | -0- |
| BROWN..... | 20.3 | 8.1 | 8.1 | -0- | 8.1 | 8.1 | -0- | 8.1 | 8.1 | -0- |
| BUREAU..... | 19.9 | 17.3 | 17.4 | -0- | 14.7 | 14.7 | -0- | 13.3 | 13.4 | -0- |
| CALHOUN..... | 19.8 | 8.5 | 8.5 | -0- | 8.5 | 8.5 | -0- | 8.5 | 8.5 | -0- |
| CARROLL..... | 19.5 | 36.6 | 34.5 | 200.0 | 34.0 | 31.8 | 200.0 | 13.1 | 13.3 | -0- |
| CASS..... | 19.8 | 27.9 | 28.1 | -0- | 24.4 | 24.6 | -0- | 3.5 | 3.5 | -0- |
| CHAMPAIGN.... | 21.8 | 21.8 | 20.9 | 32.1 | 16.8 | 16.5 | 20.1 | 12.8 | 12.5 | 16.1 |
| CHRISTIAN.... | 20.4 | 14.5 | 14.5 | -0- | 9.2 | 9.2 | -0- | 10.5 | 10.6 | -0- |
| CLARK..... | 17.6 | 37.9 | 38.0 | -0- | 20.7 | 20.7 | -0- | 20.7 | 20.7 | -0- |
| CLAY..... | 19.9 | 19.1 | 19.1 | -0- | 15.9 | 15.9 | -0- | 22.3 | 22.3 | -0- |
| CLINTON..... | 25.2 | 27.7 | 27.8 | -0- | 24.5 | 24.5 | -0- | 13.1 | 13.1 | -0- |
| COLES..... | 19.6 | 21.2 | 21.4 | -0- | 14.1 | 14.2 | -0- | 10.6 | 10.7 | -0- |
| COOK..... | 24.1 | 25.5 | 21.6 | 36.4 | 18.1 | 15.7 | 24.8 | 16.2 | 14.0 | 22.5 |
| CRAWFORD..... | 18.2 | 13.3 | 13.3 | -0- | 13.3 | 13.3 | -0- | 8.0 | 8.0 | -0- |
| CUMBERLAND... | 18.0 | 33.7 | 33.7 | -0- | 16.9 | 16.9 | -0- | 11.2 | 11.2 | -0- |
| DE KALB..... | 22.9 | 21.5 | 21.7 | -0- | 17.4 | 17.5 | -0- | 12.4 | 12.5 | -0- |
| DE WITT..... | 19.1 | 24.2 | 24.2 | -0- | 15.2 | 15.2 | -0- | 15.2 | 15.2 | -0- |
| DOUGLAS..... | 22.1 | 11.5 | 11.5 | -0- | 11.5 | 11.5 | -0- | 4.6 | 4.6 | -0- |
| DU PAGE..... | 22.7 | 18.2 | 18.3 | -0- | 13.5 | 13.6 | -0- | 12.0 | 12.1 | -0- |
| EDGAR..... | 19.1 | 37.0 | 37.1 | -0- | 23.1 | 23.2 | -0- | 20.8 | 20.9 | -0- |
| EDWARDS..... | 19.5 | 38.5 | 38.5 | -0- | 38.5 | 38.5 | -0- | 6.4 | 6.4 | -0- |
| EFFINGHAM.... | 25.5 | 18.4 | 18.4 | -0- | 13.4 | 13.4 | -0- | 10.0 | 10.0 | -0- |
| FAYETTE..... | 17.3 | 18.4 | 18.4 | -0- | 10.5 | 10.5 | -0- | 13.2 | 13.2 | -0- |
| FORD..... | 19.8 | 18.1 | 18.1 | -0- | 12.0 | 12.1 | -0- | 9.0 | 9.1 | -0- |
| FRANKLIN..... | 16.7 | 21.9 | 22.0 | -0- | 18.8 | 18.9 | -0- | 12.5 | 12.6 | -0- |
| FULTON..... | 19.1 | 19.9 | 20.0 | -0- | 14.9 | 15.0 | -0- | 7.5 | 7.5 | -0- |
| GALLATIN..... | 19.6 | 13.6 | 13.8 | -0- | 6.8 | 6.9 | -0- | 34.0 | 34.5 | -0- |
| GREENE..... | 21.2 | 24.4 | 24.4 | -0- | 16.3 | 16.3 | -0- | 8.1 | 8.1 | -0- |
| GRUNDY..... | 22.7 | 23.3 | 23.3 | -0- | 19.4 | 19.4 | -0- | 15.5 | 15.5 | -0- |
| HAMILTON..... | 18.0 | 22.5 | 22.5 | -0- | 16.9 | 16.9 | -0- | 11.2 | 11.2 | -0- |
| HANCOCK..... | 19.1 | 16.9 | 16.9 | -0- | 14.8 | 14.8 | -0- | 8.5 | 8.5 | -0- |
| HARDIN..... | 19.3 | 36.4 | 36.4 | -0- | 18.2 | 18.2 | -0- | 18.2 | 18.2 | -0- |
| HENDERSON.... | 22.2 | 11.0 | 11.0 | -0- | 11.0 | 11.0 | -0- | -- | -- | -0- |
| HENRY..... | 19.9 | 31.3 | 31.9 | -0- | 28.3 | 28.9 | -0- | 14.2 | 13.4 | 58.8 |
| IROQUOIS..... | 19.6 | 10.6 | 10.7 | -0- | 9.0 | 9.2 | -0- | 15.1 | 15.3 | -0- |
| JACKSON..... | 21.0 | 19.6 | 20.4 | 11.8 | 18.5 | 19.2 | 11.8 | 9.8 | 9.6 | 11.8 |
| JASPER..... | 18.8 | 28.2 | 28.2 | -0- | 14.1 | 14.1 | -0- | 9.4 | 9.4 | -0- |
| JEFFERSON.... | 19.0 | 26.1 | 24.3 | 54.1 | 21.2 | 20.9 | 27.0 | 14.7 | 12.2 | 54.1 |
| JERSEY..... | 22.9 | 20.1 | 20.2 | -0- | 17.6 | 17.7 | -0- | 5.0 | 5.1 | -0- |
| JO DAVIESS... | 23.2 | 13.7 | 11.7 | -0- | 7.8 | 7.8 | -0- | 11.7 | 11.7 | -0- |
| JOHNSON..... | 16.8 | 35.1 | 35.1 | -0- | 17.5 | 17.5 | -0- | 17.5 | 17.5 | -0- |
| KANE..... | 24.8 | 25.0 | 23.8 | 60.8 | 19.8 | 18.6 | 55.2 | 12.3 | 12.7 | 5.5 |
| KANKAKEE..... | 21.7 | 22.5 | 21.4 | 32.3 | 15.7 | 15.9 | 13.8 | 12.2 | 11.5 | 18.4 |
| KENDALL..... | 27.7 | 13.9 | 13.9 | -0- | 10.0 | 10.0 | -0- | 17.9 | 17.9 | -0- |
| KNOX..... | 19.1 | 18.6 | 18.5 | 20.4 | 16.1 | 15.9 | 20.4 | 11.8 | 10.6 | 40.8 |
| LAKE..... | 23.3 | 23.4 | 21.8 | 42.8 | 16.2 | 15.2 | 27.9 | 9.6 | 8.4 | 24.2 |
| LA SALLE..... | 21.7 | 18.5 | 18.7 | -0- | 15.2 | 15.4 | -0- | 16.1 | 16.2 | -0- |

TABLE 28. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1961. ALL OTHER RATES PER 1,000 LIVE BIRTHS

| COUNTY | LIVE BIRTHS | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAWRENCE..... | 17.3 | 12.5 | 12.5 | -0- | 6.2 | 6.3 | -0- | 6.2 | 6.3 | -0- |
| LEE..... | 20.1 | 26.7 | 26.9 | -0- | 22.9 | 23.1 | -0- | 21.6 | 21.8 | -0- |
| LIVINGSTON... | 20.2 | 26.6 | 26.8 | -0- | 18.2 | 18.2 | -0- | 13.3 | 13.4 | -0- |
| LOGAN..... | 17.7 | 20.0 | 20.1 | -0- | 10.0 | 10.1 | -0- | 11.7 | 11.7 | -0- |
| MC DONOUGH... | 18.4 | 24.2 | 24.3 | -0- | 22.3 | 22.5 | -0- | 14.9 | 15.0 | -0- |
| MC HENRY..... | 24.0 | 21.8 | 21.8 | -0- | 14.2 | 14.2 | -0- | 14.7 | 14.7 | -0- |
| MC LEAN..... | 22.5 | 18.8 | 17.6 | 71.4 | 14.6 | 13.9 | 47.6 | 9.4 | 9.6 | -0- |
| MACON..... | 22.5 | 22.2 | 20.1 | 47.2 | 17.4 | 16.1 | 33.0 | 10.4 | 7.6 | 42.5 |
| MACOUPIN..... | 18.6 | 11.1 | 11.1 | -0- | 4.9 | 4.9 | -0- | 14.8 | 14.8 | -0- |
| MADISON..... | 23.3 | 25.0 | 24.1 | 38.0 | 20.9 | 19.9 | 35.3 | 12.3 | 12.2 | 13.6 |
| MARION..... | 21.4 | 23.7 | 22.4 | 48.8 | 17.8 | 16.2 | 48.8 | 11.8 | 11.2 | 24.4 |
| MARSHALL..... | 20.1 | 26.0 | 26.0 | -0- | 14.9 | 14.9 | -0- | 18.6 | 18.6 | -0- |
| MASON..... | 20.5 | 35.6 | 35.6 | -0- | 22.7 | 22.7 | -0- | 9.7 | 9.7 | -0- |
| MASSAC..... | 18.9 | 36.8 | 32.1 | 87.0 | 33.1 | 28.1 | 87.0 | 11.0 | 12.0 | -0- |
| MENARD..... | 18.6 | 40.1 | 40.7 | -0- | 23.1 | 23.3 | -0- | 17.3 | 17.4 | -0- |
| MERCER..... | 20.2 | 26.0 | 26.0 | -0- | 23.1 | 23.1 | -0- | 8.7 | 8.7 | -0- |
| MONROE..... | 19.4 | 32.8 | 32.9 | -0- | 26.2 | 26.3 | -0- | 9.8 | 9.9 | -0- |
| MONTGOMERY... | 19.6 | 26.1 | 26.3 | -0- | 21.2 | 21.3 | -0- | 11.4 | 11.5 | -0- |
| MORGAN..... | 18.7 | 15.9 | 16.7 | -0- | 10.1 | 10.7 | -0- | 4.3 | 3.0 | 29.4 |
| MOULTRIE..... | 20.3 | 10.8 | 10.8 | -0- | 10.8 | 10.8 | -0- | 3.6 | 3.6 | -0- |
| OGLE..... | 22.6 | 21.7 | 21.7 | -0- | 17.1 | 17.1 | -0- | 16.0 | 16.0 | -0- |
| PEORIA..... | 23.7 | 25.1 | 23.0 | 46.5 | 19.4 | 17.4 | 39.1 | 13.0 | 11.6 | 26.9 |
| PERRY..... | 17.4 | 21.0 | 21.5 | -0- | 18.0 | 18.4 | -0- | 24.0 | 21.5 | 142.9 |
| PIATT..... | 18.0 | 3.7 | 3.7 | -0- | 3.7 | 3.7 | -0- | 14.7 | 14.7 | -0- |
| PIKE..... | 18.1 | 13.5 | 13.5 | -0- | 10.8 | 10.8 | -0- | 5.4 | 5.4 | -0- |
| POPE..... | 15.2 | 16.4 | 16.4 | -0- | 16.4 | 16.4 | -0- | 16.4 | 16.4 | -0- |
| PULASKI..... | 21.3 | 50.2 | 39.1 | 65.9 | 32.0 | 23.4 | 44.0 | 27.4 | -- | 65.9 |
| PUTNAM..... | 22.9 | 19.4 | 19.6 | -0- | 9.7 | 9.8 | -0- | 19.4 | 19.6 | -0- |
| RANDOLPH..... | 21.9 | 13.7 | 12.3 | 142.9 | 10.6 | 10.7 | -0- | 13.7 | 13.8 | -0- |
| RICHLAND..... | 20.2 | 15.2 | 15.2 | -0- | 15.2 | 15.2 | -0- | 21.3 | 21.3 | -0- |
| ROCK ISLAND.. | 23.2 | 24.8 | 23.9 | 43.8 | 19.4 | 18.9 | 31.2 | 14.1 | 14.2 | 12.5 |
| ST. CLAIR.... | 24.1 | 24.2 | 18.4 | 41.4 | 18.1 | 14.1 | 29.8 | 12.3 | 11.8 | 14.0 |
| SALINE..... | 17.5 | 13.1 | 13.8 | -0- | 8.7 | 9.2 | -0- | 17.5 | 16.1 | 43.5 |
| SANGAMON..... | 23.0 | 28.7 | 28.1 | 39.2 | 22.3 | 22.4 | 19.6 | 14.1 | 13.4 | 24.5 |
| SCHUYLER..... | 16.4 | 14.0 | 14.0 | -0- | 7.0 | 7.0 | -0- | 21.0 | 21.0 | -0- |
| SCOTT..... | 21.6 | 44.1 | 44.1 | -0- | 36.8 | 36.8 | -0- | 7.4 | 7.4 | -0- |
| SHELBY..... | 18.4 | 25.5 | 25.6 | -0- | 16.2 | 16.3 | -0- | 20.9 | 20.9 | -0- |
| STARK..... | 21.6 | 11.4 | 11.4 | -0- | 11.4 | 11.4 | -0- | 17.1 | 17.1 | -0- |
| STEPHENSON... | 22.3 | 23.1 | 21.5 | 46.2 | 13.5 | 11.3 | 46.2 | 15.4 | 15.4 | 15.4 |
| TAZEWELL..... | 24.1 | 15.9 | 15.9 | -0- | 11.4 | 11.4 | -0- | 8.1 | 8.1 | -0- |
| UNION..... | 15.3 | 29.6 | 29.7 | -0- | 22.2 | 22.3 | -0- | 11.1 | 11.2 | -0- |
| VERMILION.... | 21.8 | 29.3 | 28.5 | 38.5 | 22.7 | 22.9 | 19.2 | 14.2 | 12.7 | 32.1 |
| WABASH..... | 20.6 | 17.4 | 17.4 | -0- | 17.4 | 17.4 | -0- | 24.4 | 24.4 | -0- |
| WARREN..... | 20.8 | 17.9 | 18.2 | -0- | 15.7 | 15.9 | -0- | 15.7 | 15.9 | -0- |
| WASHINGTON... | 14.7 | 25.1 | 25.3 | -0- | 20.1 | 20.2 | -0- | 15.1 | 15.2 | -0- |
| WAYNE..... | 17.9 | 17.8 | 17.8 | -0- | 14.8 | 14.8 | -0- | 8.9 | 8.9 | -0- |
| WHITE..... | 17.9 | 29.0 | 29.0 | -0- | 17.4 | 17.4 | -0- | 8.7 | 8.7 | -0- |
| WHITESIDE.... | 23.1 | 19.1 | 19.2 | -0- | 13.5 | 13.5 | -0- | 12.1 | 11.4 | 200.0 |
| WILL..... | 24.6 | 28.9 | 26.8 | 54.2 | 22.1 | 21.5 | 29.8 | 12.3 | 10.9 | 29.8 |
| WILLIAMSON... | 18.3 | 31.0 | 29.4 | 87.0 | 22.6 | 20.8 | 87.0 | 22.6 | 23.3 | -0- |
| WINNEBAGO.... | 25.0 | 20.6 | 19.2 | 38.5 | 14.8 | 14.0 | 25.6 | 15.7 | 14.4 | 33.3 |
| WOODFORD..... | 22.7 | 19.5 | 19.5 | -0- | 14.2 | 14.2 | -0- | 5.3 | 5.3 | -0- |

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961

| CITY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALTON | 996 | 829 | 167 | 28 | 22 | 6 | 25 | 20 | 5 | 19 | 16 | 3 |
| ARLINGTON HEIGHTS | 743 | 741 | 2 | 15 | 15 | -- | 11 | 11 | -- | 17 | 17 | -- |
| AURORA | 1,863 | 1,742 | 121 | 53 | 46 | 7 | 43 | 37 | 6 | 24 | 23 | 1 |
| BELLEVILLE | 843 | 837 | 6 | 14 | 14 | -- | 9 | 9 | -- | 9 | 7 | 2 |
| BELLWOOD | 500 | 499 | 1 | 9 | 9 | -- | 9 | 9 | -- | 3 | 3 | -- |
| BELVIDERE | 238 | 238 | -- | 6 | 6 | -- | 5 | 5 | -- | 6 | 6 | -- |
| BERWYN | 1,049 | 1,044 | 5 | 19 | 19 | -- | 16 | 16 | -- | 12 | 12 | -- |
| BLOOMINGTON | 897 | 863 | 34 | 20 | 17 | 3 | 16 | 14 | 2 | 8 | 8 | -- |
| BLUE ISLAND | 548 | 521 | 27 | 13 | 13 | -- | 10 | 10 | -- | 8 | 8 | -- |
| BROOKFIELD | 406 | 406 | -- | 5 | 5 | -- | 4 | 4 | -- | 1 | 1 | -- |
| CAHOKIA | 439 | 439 | -- | 9 | 9 | -- | 7 | 7 | -- | 5 | 5 | -- |
| CALUMET CITY | 663 | 662 | 1 | 14 | 14 | -- | 11 | 11 | -- | 9 | 9 | -- |
| CANTON | 265 | 262 | 3 | 6 | 6 | -- | 5 | 5 | -- | 1 | 1 | -- |
| CARBONDALE | 314 | 256 | 58 | 8 | 7 | 1 | 8 | 7 | 1 | 4 | 3 | 1 |
| CARPENTERSVILLE | 574 | 572 | 2 | 9 | 9 | -- | 8 | 8 | -- | 9 | 9 | -- |
| CENTRALIA | 338 | 298 | 40 | 8 | 6 | 2 | 5 | 3 | 2 | 2 | 1 | 1 |
| CENTREVILLE | 301 | 115 | 186 | 4 | 2 | 2 | 3 | 1 | 2 | 9 | 4 | 5 |
| CHAMPAIGN | 1,327 | 1,161 | 166 | 25 | 21 | 4 | 20 | 18 | 2 | 14 | 11 | 3 |
| CHARLESTON | 193 | 193 | -- | 2 | 2 | -- | 2 | 2 | -- | 1 | 1 | -- |
| CHICAGO | 87,989 | 56,574 | 31,415 | 2,425 | 1,284 | 1,141 | 1,700 | 919 | 781 | 1,502 | 806 | 696 |
| CHICAGO HEIGHTS | 1,220 | 978 | 242 | 29 | 13 | 16 | 17 | 9 | 8 | 21 | 14 | 7 |
| CICERO | 1,323 | 1,321 | 2 | 26 | 26 | -- | 21 | 21 | -- | 18 | 18 | -- |
| COLLINSVILLE | 339 | 327 | 12 | 8 | 8 | -- | 7 | 7 | -- | 6 | 6 | -- |
| DANVILLE | 982 | 831 | 151 | 32 | 26 | 6 | 24 | 21 | 3 | 16 | 11 | 5 |
| DECATUR | 1,945 | 1,733 | 212 | 49 | 39 | 10 | 39 | 32 | 7 | 21 | 12 | 9 |
| DEERFIELD | 321 | 319 | 2 | 6 | 6 | -- | 5 | 5 | -- | 4 | 4 | -- |
| DE KALB | 416 | 413 | 3 | 8 | 8 | -- | 5 | 5 | -- | 5 | 5 | -- |
| DES PLAINES | 1,189 | 1,187 | 2 | 26 | 26 | -- | 23 | 23 | -- | 23 | 23 | -- |
| DIXON | 331 | 325 | 6 | 9 | 9 | -- | 8 | 8 | -- | 8 | 8 | -- |
| DOLTON | 529 | 527 | 2 | 3 | 3 | -- | 2 | 2 | -- | 6 | 6 | -- |
| DOWNERS GROVE | 568 | 566 | 2 | 5 | 5 | -- | 5 | 5 | -- | 8 | 8 | -- |
| EAST MOLINE | 408 | 371 | 37 | 12 | 10 | 2 | 10 | 8 | 2 | 10 | 8 | 2 |
| EAST PEORIA | 302 | 300 | 2 | 11 | 11 | -- | 8 | 8 | -- | 1 | 1 | -- |
| EAST ST. LOUIS | 2,418 | 1,098 | 1,320 | 82 | 21 | 61 | 61 | 18 | 43 | 32 | 17 | 15 |
| EDWARDSVILLE | 221 | 212 | 9 | 6 | 6 | -- | 4 | 4 | -- | 1 | 1 | -- |
| ELGIN | 1,114 | 1,070 | 44 | 29 | 26 | 3 | 22 | 19 | 3 | 14 | 14 | -- |
| ELK GROVE | 417 | 416 | 1 | 7 | 7 | -- | 6 | 6 | -- | 2 | 2 | -- |
| ELMHURST | 695 | 694 | 1 | 16 | 16 | -- | 12 | 12 | -- | 6 | 6 | -- |
| ELMWOOD PARK | 524 | 523 | 1 | 11 | 11 | -- | 10 | 10 | -- | 6 | 6 | -- |
| EVANSTON | 1,695 | 1,372 | 323 | 45 | 31 | 14 | 31 | 24 | 7 | 21 | 15 | 6 |
| EVERGREEN PARK | 414 | 413 | 1 | 11 | 11 | -- | 7 | 7 | -- | 4 | 4 | -- |
| FOREST PARK | 339 | 337 | 2 | 4 | 4 | -- | 3 | 3 | -- | 3 | 3 | -- |
| FRANKLIN PARK | 503 | 502 | 1 | 7 | 7 | -- | 7 | 7 | -- | 6 | 6 | -- |
| FREEPORT | 620 | 556 | 64 | 18 | 15 | 3 | 13 | 10 | 3 | 10 | 9 | 1 |
| GALESBURG | 727 | 682 | 45 | 17 | 16 | 1 | 14 | 13 | 1 | 10 | 8 | 2 |
| GLENCOE | 100 | 94 | 6 | 2 | 2 | -- | 2 | 2 | -- | 1 | 1 | -- |
| GLEN ELLYN | 407 | 403 | 4 | 9 | 9 | -- | 7 | 7 | -- | 6 | 6 | -- |
| GLENVIEW | 614 | 613 | 1 | 17 | 17 | -- | 13 | 13 | -- | 6 | 6 | -- |
| GRANITE CITY | 1,068 | 1,064 | 4 | 12 | 12 | -- | 10 | 10 | -- | 12 | 12 | -- |
| HARVEY | 880 | 785 | 95 | 18 | 15 | 3 | 15 | 12 | 3 | 21 | 16 | 5 |
| HIGHLAND PARK | 397 | 395 | 2 | 6 | 6 | -- | 6 | 6 | -- | 2 | 2 | -- |
| HINSDALE | 239 | 237 | 2 | 6 | 6 | -- | 3 | 3 | -- | 2 | 2 | -- |
| HOMEWOOD | 182 | 182 | -- | 7 | 7 | -- | 7 | 7 | -- | 3 | 3 | -- |
| JACKSONVILLE | 386 | 352 | 34 | 6 | 6 | -- | 4 | 4 | -- | 2 | 1 | 1 |
| JOLIET | 1,649 | 1,513 | 136 | 56 | 46 | 10 | 45 | 38 | 7 | 25 | 23 | 2 |
| KANKAKEE | 697 | 566 | 131 | 19 | 15 | 4 | 14 | 12 | 2 | 12 | 8 | 4 |
| KEWANEE | 306 | 290 | 16 | 6 | 6 | -- | 6 | 6 | -- | 7 | 6 | 1 |
| LA GRANGE | 370 | 332 | 38 | 7 | 5 | 2 | 6 | 4 | 2 | 6 | 5 | 1 |
| LA GRANGE PARK | 219 | 219 | -- | 2 | 2 | -- | 2 | 2 | -- | 1 | 1 | -- |

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961--CONTINUED

| CITY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAKE FOREST..... | 151 | 148 | 3 | -- | -- | -- | -- | -- | -- | 1 | 1 | -- |
| LANSING..... | 406 | 406 | -- | 9 | 9 | -- | 8 | 8 | -- | 8 | 8 | -- |
| LA SALLE..... | 225 | 225 | -- | 5 | 5 | -- | 4 | 4 | -- | 4 | 4 | -- |
| LINCOLN..... | 314 | 311 | 3 | 8 | 8 | -- | 3 | 3 | -- | 4 | 4 | -- |
| LINCOLNWOOD..... | 119 | 119 | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | -- |
| LOMBARD..... | 669 | 665 | 4 | 15 | 15 | -- | 11 | 11 | -- | 12 | 12 | -- |
| MACOMB..... | 232 | 228 | 4 | 4 | 4 | -- | 3 | 3 | -- | 5 | 5 | -- |
| MARION..... | 195 | 180 | 15 | 5 | 3 | 2 | 4 | 2 | 2 | 6 | 6 | -- |
| MARKHAM..... | 338 | 283 | 55 | 9 | 8 | 1 | 4 | 3 | 1 | 4 | 3 | 1 |
| MATTOON..... | 398 | 392 | 6 | 5 | 5 | -- | 3 | 3 | -- | 6 | 6 | -- |
| MAYWOOD..... | 602 | 405 | 197 | 16 | 12 | 4 | 13 | 10 | 3 | 11 | 6 | 5 |
| MELROSE PARK..... | 882 | 878 | 4 | 16 | 16 | -- | 10 | 10 | -- | 17 | 17 | -- |
| MOLINE..... | 976 | 966 | 10 | 25 | 25 | -- | 23 | 23 | -- | 19 | 19 | -- |
| MONMOUTH..... | 240 | 233 | 7 | 3 | 3 | -- | 2 | 2 | -- | 4 | 4 | -- |
| MORTON GROVE..... | 462 | 459 | 3 | 7 | 7 | -- | 6 | 6 | -- | 6 | 6 | -- |
| MOUNT PROSPECT... | 565 | 564 | 1 | 13 | 13 | -- | 9 | 9 | -- | 6 | 6 | -- |
| MOUNT VERNON..... | 331 | 295 | 36 | 7 | 5 | 2 | 5 | 4 | 1 | 7 | 5 | 2 |
| MUNDELEIN..... | 354 | 352 | 2 | 7 | 7 | -- | 5 | 5 | -- | 6 | 6 | -- |
| NAPERVILLE..... | 369 | 369 | -- | 11 | 11 | -- | 9 | 9 | -- | 2 | 2 | -- |
| NILES..... | 545 | 543 | 2 | 14 | 14 | -- | 9 | 9 | -- | 4 | 4 | -- |
| NORMAL..... | 292 | 288 | 4 | 3 | 3 | -- | 3 | 3 | -- | 2 | 2 | -- |
| NORRIDGE..... | 278 | 277 | 1 | 10 | 10 | -- | 7 | 7 | -- | 2 | 2 | -- |
| NORTH CHICAGO.... | 447 | 236 | 211 | 14 | 3 | 11 | 10 | 1 | 9 | 7 | 1 | 6 |
| NORTHBROOK..... | 380 | 378 | 2 | 8 | 8 | -- | 8 | 8 | -- | 3 | 3 | -- |
| NORTHLAKE..... | 244 | 243 | 1 | 8 | 8 | -- | 8 | 8 | -- | 9 | 9 | -- |
| OAK LAWN..... | 1,355 | 1,353 | 2 | 25 | 25 | -- | 20 | 20 | -- | 26 | 26 | -- |
| OAK PARK..... | 1,021 | 1,017 | 4 | 19 | 19 | -- | 14 | 14 | -- | 16 | 16 | -- |
| OTTAWA..... | 469 | 464 | 5 | 12 | 12 | -- | 11 | 11 | -- | 11 | 11 | -- |
| PALATINE..... | 364 | 362 | 2 | 5 | 5 | -- | 5 | 5 | -- | 7 | 7 | -- |
| PARK FOREST..... | 938 | 929 | 9 | 21 | 21 | -- | 19 | 19 | -- | 13 | 13 | -- |
| PARK RIDGE..... | 603 | 600 | 3 | 10 | 10 | -- | 8 | 8 | -- | 6 | 6 | -- |
| PEKIN..... | 697 | 697 | -- | 14 | 14 | -- | 9 | 9 | -- | 7 | 7 | -- |
| PEORIA..... | 2,502 | 2,111 | 391 | 78 | 59 | 19 | 62 | 46 | 16 | 35 | 24 | 11 |
| PERU..... | 219 | 219 | -- | 2 | 2 | -- | 1 | 1 | -- | 2 | 2 | -- |
| QUINCY..... | 969 | 916 | 53 | 22 | 20 | 2 | 18 | 17 | 1 | 17 | 16 | 1 |
| RANTOUL..... | 164 | 158 | 6 | 10 | 8 | 2 | 7 | 5 | 2 | 4 | 4 | -- |
| RIVERDALE..... | 244 | 244 | -- | 7 | 7 | -- | 5 | 5 | -- | -- | -- | -- |
| RIVER FOREST..... | 118 | 118 | -- | 5 | 5 | -- | 4 | 4 | -- | 1 | 1 | -- |
| ROCK FALLS..... | 268 | 268 | -- | 9 | 9 | -- | 8 | 8 | -- | 4 | 4 | -- |
| ROCKFORD..... | 3,085 | 2,844 | 241 | 71 | 62 | 9 | 53 | 48 | 5 | 60 | 49 | 11 |
| ROCK ISLAND..... | 1,171 | 1,060 | 111 | 34 | 29 | 5 | 26 | 23 | 3 | 13 | 13 | -- |
| ROLLING MEADOWS.. | 367 | 365 | 2 | 7 | 7 | -- | 6 | 6 | -- | 7 | 7 | -- |
| SKOKIE..... | 1,158 | 1,155 | 3 | 22 | 21 | 1 | 14 | 13 | 1 | 13 | 13 | -- |
| SOUTH HOLLAND.... | 335 | 335 | -- | 7 | 7 | -- | 4 | 4 | -- | 3 | 3 | -- |
| SPRINGFIELD..... | 1,934 | 1,735 | 199 | 64 | 56 | 8 | 44 | 40 | 4 | 27 | 22 | 5 |
| STERLING..... | 371 | 368 | 3 | 4 | 4 | -- | 3 | 3 | -- | 5 | 5 | -- |
| STREATOR..... | 441 | 423 | 18 | 9 | 9 | -- | 8 | 8 | -- | 6 | 6 | -- |
| SUMMIT..... | 305 | 242 | 63 | 9 | 6 | 3 | 7 | 6 | 1 | 7 | 4 | 3 |
| URBANA..... | 789 | 714 | 75 | 18 | 16 | 2 | 15 | 14 | 1 | 10 | 9 | 1 |
| VILLA PARK..... | 602 | 601 | 1 | 11 | 11 | -- | 11 | 11 | -- | 5 | 5 | -- |
| WAUKEGAN..... | 1,676 | 1,444 | 232 | 44 | 35 | 9 | 29 | 26 | 3 | 18 | 13 | 5 |
| WESTCHESTER..... | 298 | 298 | -- | 6 | 6 | -- | 3 | 3 | -- | 4 | 4 | -- |
| WESTERN SPRINGS.. | 147 | 147 | -- | 3 | 3 | -- | 1 | 1 | -- | 1 | 1 | -- |
| WHEATON..... | 472 | 456 | 16 | 9 | 9 | -- | 8 | 8 | -- | 8 | 8 | -- |
| WILMETTE..... | 471 | 471 | -- | 11 | 11 | -- | 11 | 11 | -- | 7 | 7 | -- |
| WINNETKA..... | 141 | 141 | -- | -- | -- | -- | -- | -- | -- | 5 | 5 | -- |
| WOOD RIVER..... | 249 | 248 | 1 | 5 | 5 | -- | 4 | 4 | -- | -- | -- | -- |
| ZION..... | 337 | 315 | 22 | 10 | 9 | 1 | 7 | 6 | 1 | 1 | 1 | -- |

TABLE 38. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1961. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| CITY | LIVE BIRTHS | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALTON | 22.8 | 28.1 | 26.5 | 35.9 | 25.1 | 24.1 | 29.9 | 19.1 | 19.3 | 18.0 |
| ARLINGTON HEIGHTS | 26.2 | 20.2 | 20.2 | -0- | 14.8 | 14.8 | -0- | 22.9 | 22.9 | -0- |
| AURORA | 29.0 | 28.4 | 26.4 | 57.9 | 23.1 | 21.2 | 49.6 | 12.9 | 13.2 | 8.3 |
| BELLEVILLE | 22.5 | 16.6 | 16.7 | -0- | 10.7 | 10.8 | -0- | 10.7 | 8.4 | 333.3 |
| BELLWOOD | 23.7 | 18.0 | 18.0 | -0- | 18.0 | 18.0 | -0- | 6.0 | 6.0 | -0- |
| BELVIDERE | 20.9 | 25.2 | 25.2 | -0- | 21.0 | 21.0 | -0- | 25.2 | 25.2 | -0- |
| BERWYN | 19.3 | 18.1 | 18.2 | -0- | 15.3 | 15.3 | -0- | 11.4 | 11.5 | -0- |
| BLOOMINGTON | 24.4 | 22.3 | 19.7 | 88.2 | 17.8 | 16.2 | 58.8 | 8.9 | 9.3 | -0- |
| BLUE ISLAND | 27.4 | 23.7 | 25.0 | -0- | 18.2 | 19.2 | -0- | 14.6 | 15.4 | -0- |
| BROOKFIELD | 19.7 | 12.3 | 12.3 | -0- | 9.9 | 9.9 | -0- | 2.5 | 2.5 | -0- |
| CAHOKIA | 26.9 | 20.5 | 20.5 | -0- | 15.9 | 15.9 | -0- | 11.4 | 11.4 | -0- |
| CALUMET CITY | 26.1 | 21.1 | 21.1 | -0- | 16.6 | 16.6 | -0- | 13.6 | 13.6 | -0- |
| CANTON | 19.5 | 22.6 | 22.9 | -0- | 18.9 | 19.1 | -0- | 3.8 | 3.8 | -0- |
| CARBONDALE | 19.6 | 25.5 | 27.3 | 17.2 | 25.5 | 27.3 | 17.2 | 12.7 | 11.7 | 17.2 |
| CARPENTERSVILLE | 32.1 | 15.7 | 15.7 | -0- | 13.9 | 14.0 | -0- | 15.7 | 15.7 | -0- |
| CENTRALIA | 24.3 | 23.7 | 20.1 | 50.0 | 14.8 | 10.1 | 50.0 | 5.9 | 3.4 | 25.0 |
| CENTREVILLE | 23.2 | 13.3 | 17.4 | 10.8 | 10.0 | 8.7 | 10.8 | 29.9 | 34.8 | 26.9 |
| CHAMPAIGN | 26.0 | 18.8 | 18.1 | 24.1 | 15.1 | 15.5 | 12.0 | 10.6 | 9.5 | 18.1 |
| CHARLESTON | 18.0 | 10.4 | 10.4 | -0- | 10.4 | 10.4 | -0- | 5.2 | 5.2 | -0- |
| CHICAGO | 24.8 | 27.6 | 22.7 | 36.3 | 19.3 | 16.2 | 24.9 | 17.1 | 14.2 | 22.2 |
| CHICAGO HEIGHTS | 34.7 | 23.8 | 13.3 | 66.1 | 13.9 | 9.2 | 33.1 | 17.2 | 14.3 | 28.9 |
| CICERO | 19.1 | 19.7 | 19.7 | -0- | 15.9 | 15.9 | -0- | 13.6 | 13.6 | -0- |
| COLLINSVILLE | 23.5 | 23.6 | 24.5 | -0- | 20.6 | 21.4 | -0- | 17.7 | 18.3 | -0- |
| DANVILLE | 23.3 | 32.6 | 31.3 | 39.7 | 24.4 | 25.3 | 19.9 | 16.3 | 13.2 | 33.1 |
| DECATUR | 24.6 | 25.2 | 22.5 | 47.2 | 20.1 | 18.5 | 33.0 | 10.8 | 6.9 | 42.5 |
| DEERFIELD | 26.5 | 18.7 | 18.8 | -0- | 15.6 | 15.7 | -0- | 12.5 | 12.5 | -0- |
| DE KALB | 22.1 | 19.2 | 19.4 | -0- | 12.0 | 12.1 | -0- | 12.0 | 12.1 | -0- |
| DES PLAINES | 33.3 | 21.9 | 21.9 | -0- | 19.3 | 19.4 | -0- | 19.3 | 19.4 | -0- |
| DIXON | 16.8 | 27.2 | 27.7 | -0- | 24.2 | 24.6 | -0- | 24.2 | 24.6 | -0- |
| DOLTON | 27.6 | 5.7 | 5.7 | -0- | 3.8 | 3.8 | -0- | 11.3 | 11.4 | -0- |
| DOWNERS GROVE | 26.5 | 8.8 | 8.8 | -0- | 8.8 | 8.8 | -0- | 14.1 | 14.1 | -0- |
| EAST MOLINE | 24.3 | 29.4 | 27.0 | 54.1 | 24.5 | 21.6 | 54.1 | 24.5 | 21.6 | 54.1 |
| EAST PEORIA | 24.2 | 36.4 | 36.7 | -0- | 26.5 | 26.7 | -0- | 3.3 | 3.3 | -0- |
| EAST ST. LOUIS | 29.1 | 33.9 | 19.1 | 46.2 | 25.2 | 16.4 | 32.6 | 13.2 | 15.5 | 11.4 |
| EDWARDSVILLE | 21.9 | 27.1 | 28.3 | -0- | 18.1 | 18.9 | -0- | 4.5 | 4.7 | -0- |
| ELGIN | 22.4 | 26.0 | 24.3 | 68.2 | 19.7 | 17.8 | 68.2 | 12.6 | 13.1 | -0- |
| ELK GROVE | 41.7 | 16.8 | 16.8 | -0- | 14.4 | 14.4 | -0- | 4.8 | 4.8 | -0- |
| ELMHURST | 18.6 | 23.0 | 23.1 | -0- | 17.3 | 17.3 | -0- | 8.6 | 8.6 | -0- |
| ELMWOOD PARK | 21.7 | 21.0 | 21.0 | -0- | 19.1 | 19.1 | -0- | 11.5 | 11.5 | -0- |
| EVANSTON | 21.2 | 26.5 | 22.6 | 43.3 | 18.3 | 17.5 | 21.7 | 11.5 | 10.9 | 18.6 |
| EVERGREEN PARK | 16.9 | 26.6 | 26.6 | -0- | 16.9 | 16.9 | -0- | 9.7 | 9.7 | -0- |
| FOREST PARK | 23.2 | 11.8 | 11.9 | -0- | 8.8 | 8.9 | -0- | 8.8 | 8.9 | -0- |
| FRANKLIN PARK | 26.9 | 13.9 | 13.9 | -0- | 13.9 | 13.9 | -0- | 11.9 | 12.0 | -0- |
| FREEPORT | 23.1 | 29.0 | 27.0 | 46.9 | 21.0 | 18.0 | 46.9 | 16.1 | 16.2 | 15.6 |
| GALESBURG | 19.4 | 23.4 | 23.5 | 22.2 | 19.3 | 19.1 | 22.2 | 13.8 | 11.7 | 44.4 |
| GLENCOE | 9.5 | 20.0 | 21.3 | -0- | 20.0 | 21.3 | -0- | 10.0 | 10.6 | -0- |
| GLEN ELLYN | 25.3 | 22.1 | 22.3 | -0- | 17.2 | 17.4 | -0- | 14.7 | 14.9 | -0- |
| GLENVIEW | 33.0 | 27.7 | 27.7 | -0- | 21.2 | 21.2 | -0- | 9.8 | 9.8 | -0- |
| GRANITE CITY | 26.0 | 11.2 | 11.3 | -0- | 9.4 | 9.4 | -0- | 11.2 | 11.3 | -0- |
| HARVEY | 29.9 | 20.5 | 19.1 | 31.6 | 17.0 | 15.3 | 31.6 | 23.9 | 20.4 | 52.6 |
| HIGHLAND PARK | 15.4 | 15.1 | 15.2 | -0- | 15.1 | 15.2 | -0- | 5.0 | 5.1 | -0- |
| HINSDALE | 18.4 | 25.1 | 25.3 | -0- | 12.6 | 12.7 | -0- | 8.4 | 8.4 | -0- |
| HOMEWOOD | 13.6 | 38.5 | 38.5 | -0- | 38.5 | 38.5 | -0- | 16.5 | 16.5 | -0- |
| JACKSONVILLE | 17.7 | 15.5 | 17.0 | -0- | 10.4 | 11.4 | -0- | 5.2 | 2.8 | 29.4 |
| JOLIET | 24.5 | 34.0 | 30.4 | 73.5 | 27.3 | 25.1 | 51.5 | 15.2 | 15.2 | 14.7 |
| KANKAKEE | 25.1 | 27.3 | 26.5 | 30.5 | 20.1 | 21.2 | 15.3 | 17.2 | 14.1 | 30.5 |
| KEWANEE | 18.7 | 19.6 | 20.7 | -0- | 19.6 | 20.7 | -0- | 22.9 | 20.7 | 62.5 |
| LA GRANGE | 23.9 | 18.9 | 15.1 | 52.6 | 16.2 | 12.0 | 52.6 | 16.2 | 15.1 | 26.3 |
| LA GRANGE PARK | 15.6 | 9.1 | 9.1 | -0- | 9.1 | 9.1 | -0- | 4.6 | 4.6 | -0- |

TABLE 38. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1961. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| CITY | LIVE BIRTHS | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAKE FOREST..... | 14.2 | -0- | -0- | -0- | -0- | -0- | -0- | 6.6 | 6.8 | -0- |
| LANSING..... | 22.2 | 22.2 | 22.2 | -0- | 19.7 | 19.7 | -0- | 19.7 | 19.7 | -0- |
| LA SALLE..... | 18.8 | 22.2 | 22.2 | -0- | 17.8 | 17.8 | -0- | 17.8 | 17.8 | -0- |
| LINCOLN..... | 18.5 | 25.5 | 25.7 | -0- | 9.6 | 9.6 | -0- | 12.7 | 12.9 | -0- |
| LINCOLNWOOD..... | 10.1 | -0- | -0- | -0- | -0- | -0- | -0- | 8.4 | 8.4 | -0- |
| LOMBARD..... | 29.2 | 22.4 | 22.6 | -0- | 16.4 | 16.5 | -0- | 17.9 | 18.0 | -0- |
| MACOMB..... | 19.0 | 17.2 | 17.5 | -0- | 12.9 | 13.2 | -0- | 21.6 | 21.9 | -0- |
| MARION..... | 17.3 | 25.6 | 16.7 | 133.3 | 20.5 | 11.1 | 133.3 | 30.8 | 33.3 | -0- |
| MARKHAM..... | 28.2 | 26.6 | 28.3 | 18.2 | 11.8 | 10.6 | 18.2 | 11.8 | 10.6 | 18.2 |
| MATTOON..... | 20.7 | 12.6 | 12.8 | -0- | 7.5 | 7.7 | -0- | 15.1 | 15.3 | -0- |
| MAYWOOD..... | 21.9 | 26.6 | 29.6 | 20.3 | 21.6 | 24.7 | 15.2 | 18.3 | 14.8 | 25.4 |
| MELROSE PARK..... | 38.5 | 18.1 | 18.2 | -0- | 11.3 | 11.4 | -0- | 19.3 | 19.4 | -0- |
| MOLINE..... | 22.3 | 25.6 | 25.9 | -0- | 23.6 | 23.8 | -0- | 19.5 | 19.7 | -0- |
| MONMOUTH..... | 23.1 | 12.5 | 12.9 | -0- | 8.3 | 8.6 | -0- | 16.7 | 17.2 | -0- |
| MORTON GROVE..... | 22.3 | 15.2 | 15.3 | -0- | 13.0 | 13.1 | -0- | 13.0 | 13.1 | -0- |
| MOUNT PROSPECT... | 29.3 | 23.0 | 23.0 | -0- | 15.9 | 16.0 | -0- | 10.6 | 10.6 | -0- |
| MOUNT VERNON..... | 21.2 | 21.1 | 16.9 | 55.6 | 15.1 | 13.6 | 27.8 | 21.1 | 16.9 | 55.6 |
| MUNDELEIN..... | 31.3 | 19.8 | 19.9 | -0- | 14.1 | 14.2 | -0- | 16.9 | 17.0 | -0- |
| NAPERVILLE..... | 28.2 | 29.8 | 29.8 | -0- | 24.4 | 24.4 | -0- | 5.4 | 5.4 | -0- |
| NILES..... | 26.2 | 25.7 | 25.8 | -0- | 16.5 | 16.6 | -0- | 7.3 | 7.4 | -0- |
| NORMAL..... | 21.3 | 10.3 | 10.4 | -0- | 10.3 | 10.4 | -0- | 6.8 | 6.9 | -0- |
| NORRIDGE..... | 19.3 | 36.0 | 36.1 | -0- | 25.2 | 25.3 | -0- | 7.2 | 7.2 | -0- |
| NORTH CHICAGO.... | 19.3 | 31.3 | 12.7 | 52.1 | 22.4 | 4.2 | 42.7 | 15.7 | 4.2 | 28.4 |
| NORTHBROOK..... | 31.1 | 21.1 | 21.2 | -0- | 21.1 | 21.2 | -0- | 7.9 | 7.9 | -0- |
| NORTHLAKE..... | 19.2 | 32.8 | 32.9 | -0- | 32.8 | 32.9 | -0- | 36.9 | 37.0 | -0- |
| OAK LAWN..... | 47.4 | 18.5 | 18.5 | -0- | 14.8 | 14.8 | -0- | 19.2 | 19.2 | -0- |
| OAK PARK..... | 16.7 | 18.6 | 18.7 | -0- | 13.7 | 13.8 | -0- | 15.7 | 15.7 | -0- |
| OTTAWA..... | 23.9 | 25.6 | 25.9 | -0- | 23.5 | 23.7 | -0- | 23.5 | 23.7 | -0- |
| PALATINE..... | 30.8 | 13.7 | 13.8 | -0- | 13.7 | 13.8 | -0- | 19.2 | 19.3 | -0- |
| PARK FOREST..... | 30.7 | 22.4 | 22.6 | -0- | 20.3 | 20.5 | -0- | 13.9 | 14.0 | -0- |
| PARK RIDGE..... | 18.3 | 16.6 | 16.7 | -0- | 13.3 | 13.3 | -0- | 10.0 | 10.0 | -0- |
| PEKIN..... | 24.4 | 20.1 | 20.1 | -0- | 12.9 | 12.9 | -0- | 10.0 | 10.0 | -0- |
| PEORIA..... | 24.0 | 31.2 | 27.9 | 48.6 | 24.8 | 21.8 | 40.9 | 14.0 | 11.4 | 28.1 |
| PERU..... | 20.9 | 9.1 | 9.1 | -0- | 4.6 | 4.6 | -0- | 9.1 | 9.1 | -0- |
| QUINCY..... | 21.7 | 22.7 | 21.8 | 37.7 | 18.6 | 18.6 | 18.9 | 17.5 | 17.5 | 18.9 |
| RANTOUL..... | 7.4 | 61.0 | 50.6 | 333.3 | 42.7 | 31.6 | 333.3 | 24.4 | 25.3 | -0- |
| RIVERDALE..... | 20.0 | 28.7 | 28.7 | -0- | 20.5 | 20.5 | -0- | -0- | -0- | -0- |
| RIVER FOREST..... | 9.3 | 42.4 | 42.4 | -0- | 33.9 | 33.9 | -0- | 8.5 | 8.5 | -0- |
| ROCK FALLS..... | 25.5 | 33.6 | 33.6 | -0- | 29.9 | 29.9 | -0- | 14.9 | 14.9 | -0- |
| ROCKFORD..... | 24.1 | 23.0 | 21.8 | 37.3 | 17.2 | 16.9 | 20.7 | 19.4 | 17.2 | 45.6 |
| ROCK ISLAND..... | 22.3 | 29.0 | 27.4 | 45.0 | 22.2 | 21.7 | 27.0 | 11.1 | 12.3 | -0- |
| ROLLING MEADOWS.. | 32.8 | 19.1 | 19.2 | -0- | 16.3 | 16.4 | -0- | 19.1 | 19.2 | -0- |
| SKOKIE..... | 19.3 | 19.0 | 18.2 | 333.3 | 12.1 | 11.3 | 333.3 | 11.2 | 11.3 | -0- |
| SOUTH HOLLAND.... | 31.9 | 20.9 | 20.9 | -0- | 11.9 | 11.9 | -0- | 9.0 | 9.0 | -0- |
| SPRINGFIELD..... | 23.1 | 33.1 | 32.3 | 40.2 | 22.8 | 23.1 | 20.1 | 14.0 | 12.7 | 25.1 |
| STERLING..... | 23.5 | 10.8 | 10.9 | -0- | 8.1 | 8.2 | -0- | 13.5 | 13.6 | -0- |
| STREATOR..... | 25.9 | 20.4 | 21.3 | -0- | 18.1 | 18.9 | -0- | 13.6 | 14.2 | -0- |
| SUMMIT..... | 29.0 | 29.5 | 24.8 | 47.6 | 23.0 | 24.8 | 15.9 | 23.0 | 16.5 | 47.6 |
| URBANA..... | 28.2 | 22.8 | 22.4 | 26.7 | 19.0 | 19.6 | 13.3 | 12.7 | 12.6 | 13.3 |
| VILLA PARK..... | 28.8 | 18.3 | 18.3 | -0- | 18.3 | 18.3 | -0- | 8.3 | 8.3 | -0- |
| WAUKEGAN..... | 29.6 | 26.3 | 24.2 | 38.8 | 17.3 | 18.0 | 12.9 | 10.7 | 9.0 | 21.6 |
| WESTCHESTER..... | 16.3 | 20.1 | 20.1 | -0- | 10.1 | 10.1 | -0- | 13.4 | 13.4 | -0- |
| WESTERN SPRINGS.. | 13.5 | 20.4 | 20.4 | -0- | 6.8 | 6.8 | -0- | 6.8 | 6.8 | -0- |
| WHEATON..... | 19.3 | 19.1 | 19.7 | -0- | 16.9 | 17.5 | -0- | 16.9 | 17.5 | -0- |
| WILMETTE..... | 16.6 | 23.4 | 23.4 | -0- | 23.4 | 23.4 | -0- | 14.9 | 14.9 | -0- |
| WINNETKA..... | 10.5 | -0- | -0- | -0- | -0- | -0- | -0- | 35.5 | 35.5 | -0- |
| WOOD RIVER..... | 20.9 | 20.1 | 20.2 | -0- | 16.1 | 16.1 | -0- | -0- | -0- | -0- |
| ZION..... | 27.6 | 29.7 | 28.6 | 45.5 | 20.8 | 19.0 | 45.5 | 3.0 | 3.2 | -0- |

TABLE 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961

| COUNTY | LIVE BIRTHS | STILLBIRTHS | | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | GESTATION IN WEEKS | | | | | | | | | TOTAL | AGE | | |
| | | TOTAL | LESS THAN 20 | 20-23 | 24-27 | 28-31 | 32-35 | 36-39 | 40 AND OVER | NOT STATED | | LESS THAN 28 DA. | 7-28 DA. | 1-11 MONTHS |
| ILLINOIS..... | 237,051 | 3,472 | 53 | 343 | 409 | 376 | 462 | 677 | 1,135 | 17 | 5,757 | 3,817 | 392 | 1,548 |
| ADAMS..... | 1,522 | 26 | -- | 2 | 4 | 3 | 4 | 7 | 6 | -- | 36 | 28 | 1 | 7 |
| ALEXANDER..... | 335 | 5 | -- | 1 | -- | -- | -- | 1 | 3 | -- | 16 | 7 | 1 | 8 |
| BOND..... | 263 | 2 | -- | -- | -- | 1 | -- | -- | 1 | -- | 5 | 4 | -- | 1 |
| BOONE..... | 439 | 8 | 2 | -- | 1 | 2 | 2 | -- | 1 | -- | 14 | 10 | 1 | 3 |
| BROWN..... | 124 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 1 | 1 | -- | -- |
| BUREAU..... | 750 | 10 | -- | 3 | 1 | 1 | 1 | 1 | 3 | -- | 13 | 9 | 2 | 2 |
| CALHOUN..... | 117 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 1 | -- | 1 | -- |
| CARROLL..... | 382 | 5 | -- | -- | 2 | -- | -- | 1 | 2 | -- | 14 | 9 | 4 | 1 |
| CASS..... | 287 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 8 | 7 | -- | 1 |
| CHAMPAIGN..... | 2,979 | 38 | 1 | 3 | 4 | 3 | 4 | 9 | 14 | -- | 65 | 47 | 3 | 15 |
| CHRISTIAN..... | 761 | 8 | -- | -- | -- | 1 | 2 | 2 | 3 | -- | 11 | 7 | -- | 4 |
| CLARK..... | 290 | 6 | -- | -- | 1 | 1 | 2 | 1 | 1 | -- | 11 | 5 | 1 | 5 |
| CLAY..... | 314 | 7 | -- | -- | -- | 3 | -- | -- | 4 | -- | 6 | 5 | -- | 1 |
| CLINTON..... | 613 | 8 | -- | 1 | -- | -- | 4 | 1 | 2 | -- | 17 | 14 | 1 | 2 |
| COLES..... | 849 | 9 | 1 | -- | 1 | -- | -- | 4 | 3 | -- | 18 | 9 | 3 | 6 |
| COOK..... | 125,551 | 2,039 | 20 | 211 | 258 | 238 | 283 | 399 | 627 | 3 | 3,204 | 2,052 | 223 | 929 |
| CRAWFORD..... | 376 | 3 | -- | -- | 1 | 1 | -- | -- | 1 | -- | 5 | 5 | -- | -- |
| CUMBERLAND..... | 178 | 2 | -- | 1 | -- | -- | -- | 1 | -- | -- | 6 | 3 | -- | 3 |
| DE KALB..... | 1,209 | 15 | -- | 2 | 4 | -- | 2 | 1 | 6 | -- | 26 | 20 | 1 | 5 |
| DE WITT..... | 330 | 5 | -- | 1 | -- | -- | 2 | 1 | 1 | -- | 8 | 5 | -- | 3 |
| DOUGLAS..... | 433 | 2 | 1 | -- | 1 | -- | -- | -- | -- | -- | 5 | 5 | -- | -- |
| DU PAGE..... | 7,403 | 89 | 4 | 6 | 9 | 12 | 13 | 15 | 30 | -- | 135 | 91 | 9 | 35 |
| EDGAR..... | 432 | 9 | -- | 2 | 2 | -- | 1 | 1 | 3 | -- | 16 | 10 | -- | 6 |
| EDWARDS..... | 156 | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | 6 | 6 | -- | -- |
| EFFINGHAM..... | 599 | 6 | -- | 1 | 2 | -- | 1 | 1 | 1 | -- | 11 | 8 | -- | 3 |
| FAYETTE..... | 380 | 5 | -- | 1 | -- | 1 | -- | 1 | 2 | -- | 7 | 4 | -- | 3 |
| FORD..... | 332 | 3 | -- | -- | -- | 2 | -- | 1 | -- | -- | 6 | 3 | 1 | 2 |
| FRANKLIN..... | 638 | 8 | 2 | -- | -- | -- | 1 | -- | 5 | -- | 14 | 10 | 2 | 2 |
| FULTON..... | 804 | 6 | -- | -- | 2 | 2 | -- | -- | 2 | -- | 16 | 12 | -- | 4 |
| GALLATIN..... | 147 | 5 | -- | -- | -- | 2 | -- | -- | 3 | -- | 2 | 1 | -- | 1 |
| GREENE..... | 369 | 3 | -- | 1 | 1 | -- | -- | -- | 1 | -- | 9 | 6 | -- | 3 |
| GRUNDY..... | 515 | 8 | 1 | 1 | -- | -- | -- | 4 | 2 | -- | 12 | 9 | 1 | 2 |
| HAMILTON..... | 178 | 2 | -- | -- | -- | 1 | -- | -- | 1 | -- | 4 | 3 | -- | 1 |
| HANCOCK..... | 473 | 4 | -- | -- | -- | 1 | -- | -- | 2 | 1 | 8 | 5 | 2 | 1 |
| HARDIN..... | 110 | 2 | -- | 1 | 1 | -- | -- | -- | -- | -- | 4 | 1 | 1 | 2 |
| HENDERSON..... | 182 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2 | 2 | -- | -- |
| HENRY..... | 989 | 14 | -- | 1 | 1 | 2 | -- | 1 | 9 | -- | 31 | 25 | 3 | 3 |
| IROQUOIS..... | 663 | 10 | -- | 1 | 1 | -- | 2 | -- | 6 | -- | 7 | 6 | -- | 1 |
| JACKSON..... | 919 | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 18 | 16 | 1 | 1 |
| JASPER..... | 213 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 6 | 3 | -- | 3 |
| JEFFERSON..... | 612 | 9 | -- | -- | 1 | 1 | -- | 2 | 5 | -- | 16 | 11 | 2 | 3 |
| JERSEY..... | 398 | 2 | -- | -- | -- | -- | 1 | -- | 1 | -- | 8 | 6 | 1 | 1 |
| JO DAVIESS..... | 512 | 6 | -- | -- | -- | -- | 1 | 3 | 2 | -- | 7 | 2 | 2 | 3 |
| JOHNSON..... | 114 | 2 | -- | 1 | -- | -- | -- | -- | 1 | -- | 4 | 2 | -- | 2 |
| KANE..... | 5,355 | 66 | 3 | 3 | 8 | 5 | 12 | 14 | 20 | 1 | 134 | 96 | 10 | 28 |
| KANKAKEE..... | 2,042 | 25 | -- | -- | 2 | 6 | 4 | 6 | 7 | -- | 46 | 27 | 5 | 14 |
| KENDALL..... | 502 | 9 | -- | 1 | 1 | -- | 1 | 3 | 2 | 1 | 7 | 5 | -- | 2 |
| KNOX..... | 1,182 | 14 | -- | 1 | 1 | -- | 3 | 5 | 4 | -- | 22 | 17 | 2 | 3 |
| LAKE..... | 7,099 | 68 | 1 | 9 | 11 | 4 | 6 | 10 | 25 | 2 | 166 | 102 | 13 | 51 |
| LA SALLE..... | 2,429 | 39 | 3 | 6 | 3 | 4 | 3 | 9 | 11 | -- | 45 | 30 | 7 | 8 |

TABLE 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED

| COUNTY | LIVE BIRTHS | STILLBIRTHS | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | GESTATION IN WEEKS | | | | | | | | TOTAL | AGE | | |
| | | TOTAL | LESS THAN 20 | 20-23 | 24-27 | 28-31 | 32-35 | 36-39 | 40 AND OVER | NOT STATED | | LESS THAN 28 DA. | 7-28 DA. | 1-11 MONTHS |
| LAWRENCE | 320 | 2 | 1 | -- | -- | 1 | -- | -- | -- | -- | 4 | 2 | -- | 2 |
| LEE | 787 | 17 | 1 | -- | 4 | -- | 2 | 2 | 8 | -- | 21 | 17 | 1 | 3 |
| LIVINGSTON | 826 | 11 | 1 | -- | 2 | -- | -- | 3 | 4 | 1 | 22 | 15 | -- | 7 |
| LOGAN | 599 | 7 | -- | -- | -- | -- | 2 | 1 | 4 | -- | 12 | 6 | -- | 6 |
| MC DONOUGH | 538 | 8 | -- | 2 | -- | -- | 2 | 1 | 3 | -- | 13 | 12 | -- | 1 |
| MC HENRY | 2,109 | 31 | -- | 3 | 1 | 1 | 4 | 4 | 17 | 1 | 46 | 27 | 3 | 16 |
| MC LEAN | 1,918 | 18 | -- | -- | 4 | 4 | 3 | 4 | 3 | -- | 36 | 26 | 2 | 8 |
| MACON | 2,698 | 28 | 1 | 6 | 1 | 3 | 4 | 5 | 8 | -- | 60 | 44 | 3 | 13 |
| MACOUPIN | 810 | 12 | -- | 3 | 1 | -- | -- | 6 | 2 | -- | 9 | 4 | -- | 5 |
| MADISON | 5,353 | 66 | -- | 10 | 6 | 4 | 5 | 15 | 26 | -- | 134 | 104 | 8 | 22 |
| MARION | 845 | 10 | -- | 1 | 1 | -- | 1 | 2 | 5 | -- | 20 | 12 | 3 | 5 |
| MARSHALL | 269 | 5 | -- | -- | 1 | -- | -- | -- | 4 | -- | 7 | 4 | -- | 3 |
| MASON | 309 | 3 | -- | -- | -- | -- | -- | 2 | 1 | -- | 11 | 7 | -- | 4 |
| MASSAC | 272 | 3 | -- | 1 | 1 | -- | 1 | -- | -- | -- | 10 | 9 | -- | 1 |
| MENARD | 173 | 3 | -- | 1 | -- | -- | -- | 1 | 1 | -- | 7 | 4 | -- | 3 |
| MERCER | 346 | 3 | -- | 1 | -- | -- | -- | 1 | 1 | -- | 9 | 7 | 1 | 1 |
| MONROE | 305 | 3 | -- | -- | -- | 1 | -- | 1 | 1 | -- | 10 | 6 | 2 | 2 |
| MONTGOMERY | 613 | 7 | -- | 1 | -- | 1 | -- | 1 | 4 | -- | 16 | 13 | -- | 3 |
| MORGAN | 691 | 3 | -- | -- | -- | 2 | 1 | -- | -- | -- | 11 | 6 | 1 | 4 |
| MOULTRIE | 278 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 3 | 3 | -- | -- |
| OGLE | 875 | 14 | 1 | 1 | -- | -- | 2 | 3 | 7 | -- | 19 | 13 | 2 | 4 |
| PEORIA | 4,544 | 59 | -- | 6 | 6 | 6 | 9 | 6 | 26 | -- | 114 | 83 | 5 | 26 |
| PERRY | 333 | 8 | -- | 1 | -- | 1 | -- | 5 | 1 | -- | 7 | 4 | 2 | 1 |
| PIATT | 272 | 4 | -- | -- | -- | 2 | -- | 1 | 1 | -- | 1 | 1 | -- | -- |
| PIKE | 371 | 2 | -- | 1 | -- | -- | -- | -- | 1 | -- | 5 | 4 | -- | 1 |
| POPE | 61 | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | 1 | 1 | -- | -- |
| PULASKI | 219 | 6 | -- | 2 | -- | 1 | 1 | 1 | 1 | -- | 11 | 3 | 4 | 4 |
| PUTNAM | 103 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 2 | 1 | -- | 1 |
| RANDOLPH | 659 | 9 | -- | 2 | -- | -- | -- | 5 | 2 | -- | 9 | 6 | 1 | 2 |
| RICHLAND | 328 | 7 | -- | -- | 1 | 1 | 2 | 1 | 2 | -- | 5 | 5 | -- | -- |
| ROCK ISLAND | 3,549 | 50 | 3 | 3 | 2 | 9 | 4 | 9 | 18 | 2 | 88 | 66 | 3 | 19 |
| ST. CLAIR | 6,479 | 80 | -- | 5 | 12 | 5 | 12 | 19 | 27 | -- | 157 | 106 | 11 | 40 |
| SALINE | 458 | 8 | -- | -- | -- | 3 | 3 | -- | 2 | -- | 6 | 4 | -- | 2 |
| SANGAMON | 3,412 | 48 | -- | 6 | 5 | 5 | 7 | 8 | 16 | 1 | 98 | 73 | 3 | 22 |
| SCHUYLER | 143 | 3 | -- | -- | -- | -- | -- | 2 | 1 | -- | 2 | 1 | -- | 1 |
| SCOTT | 136 | 1 | -- | -- | -- | -- | -- | -- | -- | 1 | 6 | 5 | -- | 1 |
| SHELBY | 431 | 9 | -- | 3 | -- | -- | 1 | 3 | 2 | -- | 11 | 7 | -- | 4 |
| STARK | 175 | 3 | -- | -- | -- | -- | -- | 1 | 2 | -- | 2 | 1 | 1 | -- |
| STEPHENSON | 1,040 | 16 | -- | 2 | -- | 2 | -- | 3 | 9 | -- | 24 | 14 | -- | 10 |
| TAZEWELL | 2,459 | 20 | 1 | -- | 2 | 2 | 1 | 7 | 7 | -- | 39 | 27 | 1 | 11 |
| UNION | 270 | 3 | -- | -- | 2 | -- | 1 | -- | -- | -- | 8 | 3 | 3 | 2 |
| VERMILION | 2,118 | 30 | -- | 4 | 4 | 2 | 4 | 7 | 9 | -- | 62 | 44 | 4 | 14 |
| WABASH | 287 | 7 | -- | -- | -- | 1 | 1 | -- | 5 | -- | 5 | 3 | 2 | -- |
| WARREN | 446 | 7 | -- | -- | -- | -- | 1 | 1 | 5 | -- | 8 | 5 | 2 | 1 |
| WASHINGTON | 199 | 3 | -- | -- | -- | 1 | -- | 1 | 1 | -- | 5 | 4 | -- | 1 |
| WAYNE | 338 | 3 | -- | -- | -- | -- | -- | -- | 3 | -- | 6 | 4 | 1 | 1 |
| WHITE | 345 | 3 | -- | -- | -- | -- | -- | 1 | 2 | -- | 10 | 6 | -- | 4 |
| WHITESIDE | 1,410 | 17 | 1 | 2 | 1 | 1 | 4 | 2 | 6 | -- | 27 | 18 | 1 | 8 |
| WILL | 4,877 | 60 | 1 | 7 | 13 | 7 | 13 | 9 | 9 | 1 | 141 | 98 | 10 | 33 |
| WILLIAMSON | 840 | 19 | -- | -- | 5 | 2 | 2 | 3 | 7 | -- | 26 | 17 | 2 | 7 |
| WINNEBAGO | 5,400 | 85 | 1 | 5 | 5 | 7 | 11 | 18 | 38 | -- | 111 | 74 | 6 | 31 |
| WOODFORD | 564 | 3 | -- | -- | -- | -- | 1 | -- | 2 | -- | 11 | 8 | -- | 3 |
| UNSPECIFIED | 2 | 14 | 1 | 2 | 4 | 1 | -- | 4 | 1 | 1 | 10 | 9 | -- | 1 |

TABLE 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961

| CITY | LIVE BIRTHS | STILLBIRTHS | | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | GESTATION IN WEEKS | | | | | | | | | TOTAL | AGE | | |
| | | TOTAL | LESS THAN 20 | 20-23 | 24-27 | 28-31 | 32-35 | 36-39 | 40 AND OVER | NOT STATED | | LESS THAN 28 DA. | 7-28 DA. | 1-11 MONTHS |
| ALTON | 996 | 19 | -- | 3 | 4 | 1 | 2 | 3 | 6 | -- | 28 | 23 | 2 | 3 |
| ARLINGTON HEIGHTS | 743 | 17 | 1 | 2 | 1 | 1 | 3 | 4 | 4 | 1 | 15 | 10 | 1 | 4 |
| AURORA | 1,863 | 24 | 1 | 2 | 2 | 2 | 8 | 4 | 5 | -- | 53 | 38 | 5 | 10 |
| BELLEVILLE | 843 | 9 | -- | -- | 1 | 1 | 1 | 2 | 4 | -- | 14 | 8 | 1 | 5 |
| BELLWOOD | 500 | 3 | -- | -- | -- | 1 | 1 | 1 | -- | -- | 9 | 8 | 1 | -- |
| BELVIDERE | 238 | 6 | 2 | -- | 1 | 2 | -- | -- | 1 | -- | 6 | 4 | 1 | 1 |
| BERWYN | 1,049 | 12 | -- | 4 | 1 | 2 | 1 | 3 | -- | 1 | 19 | 14 | 2 | 3 |
| BLOOMINGTON | 897 | 8 | -- | -- | -- | 1 | 3 | 3 | 1 | -- | 20 | 14 | 2 | 4 |
| BLUE ISLAND | 548 | 8 | -- | 1 | 3 | -- | -- | 1 | 3 | -- | 13 | 10 | -- | 3 |
| BROOKFIELD | 406 | 1 | 1 | -- | -- | -- | -- | -- | -- | -- | 5 | 4 | -- | 1 |
| CAHOKIA | 439 | 5 | -- | 1 | -- | 1 | 2 | 1 | -- | -- | 9 | 7 | -- | 2 |
| CALUMET CITY | 663 | 9 | -- | 1 | 1 | -- | 2 | 2 | 3 | -- | 14 | 10 | 1 | 3 |
| CANTON | 265 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 6 | 5 | -- | 1 |
| CARBONDALE | 314 | 4 | 1 | -- | -- | -- | 1 | 1 | 1 | -- | 8 | 8 | -- | -- |
| CARPENTERSVILLE | 574 | 9 | -- | -- | 2 | -- | 2 | 1 | 3 | 1 | 9 | 8 | -- | 1 |
| CENTRALIA | 338 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 8 | 3 | 2 | 3 |
| CENTREVILLE | 301 | 9 | -- | -- | 1 | 1 | 1 | 2 | 4 | -- | 4 | 3 | -- | 1 |
| CHAMPAIGN | 1,327 | 14 | -- | 1 | 1 | -- | 2 | 4 | 6 | -- | 25 | 20 | -- | 5 |
| CHARLESTON | 193 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 2 | 1 | 1 | -- |
| CHICAGO | 87,989 | 1,502 | 10 | 151 | 193 | 181 | 215 | 279 | 472 | 1 | 2,425 | 1,531 | 169 | 725 |
| CHICAGO HEIGHTS | 1,220 | 21 | -- | 4 | 4 | 1 | 1 | 3 | 8 | -- | 29 | 12 | 5 | 12 |
| CICERO | 1,323 | 18 | 1 | 1 | -- | 3 | 1 | 4 | 8 | -- | 26 | 21 | -- | 5 |
| COLLINSVILLE | 339 | 6 | -- | 1 | 1 | -- | -- | 2 | 2 | -- | 8 | 6 | 1 | 1 |
| DANVILLE | 982 | 16 | -- | 4 | 2 | -- | 2 | 4 | 4 | -- | 32 | 22 | 2 | 8 |
| DECATUR | 1,945 | 21 | 1 | 3 | 1 | 3 | 3 | 3 | 7 | -- | 49 | 37 | 2 | 10 |
| DEERFIELD | 321 | 4 | 1 | -- | -- | -- | -- | 2 | 1 | -- | 6 | 5 | -- | 1 |
| DE KALB | 416 | 5 | -- | 1 | 1 | -- | 1 | 1 | 1 | -- | 8 | 5 | -- | 3 |
| DES PLAINES | 1,189 | 23 | -- | 1 | 6 | -- | 5 | 4 | 7 | -- | 26 | 22 | 1 | 3 |
| DIXON | 331 | 8 | 1 | -- | 2 | -- | -- | 2 | 3 | -- | 9 | 8 | -- | 1 |
| DOLTON | 529 | 6 | -- | 1 | -- | 1 | 2 | 1 | 1 | -- | 3 | 2 | -- | 1 |
| DOWNERS GROVE | 568 | 8 | -- | -- | -- | 3 | 1 | 1 | 3 | -- | 5 | 5 | -- | -- |
| EAST MOLINE | 408 | 10 | 1 | 1 | -- | 2 | -- | 2 | 4 | -- | 12 | 8 | 2 | 2 |
| EAST PEORIA | 302 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 11 | 8 | -- | 3 |
| EAST ST. LOUIS | 2,418 | 32 | -- | 3 | 4 | 2 | 1 | 9 | 13 | -- | 82 | 55 | 6 | 21 |
| EDWARDSVILLE | 221 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 6 | 3 | 1 | 2 |
| ELGIN | 1,114 | 14 | 1 | -- | 3 | 2 | 1 | 5 | 2 | -- | 29 | 21 | 1 | 7 |
| ELK GROVE | 417 | 2 | -- | -- | 1 | -- | 1 | -- | -- | -- | 6 | 5 | 1 | 1 |
| ELMHURST | 695 | 6 | 2 | 1 | 1 | -- | 2 | -- | -- | -- | 16 | 12 | -- | 4 |
| ELMWOOD PARK | 524 | 6 | -- | 1 | 2 | -- | 2 | -- | 1 | -- | 11 | 10 | -- | 1 |
| EVANSTON | 1,695 | 21 | 1 | 1 | 4 | 4 | -- | 5 | 6 | -- | 45 | 30 | 1 | 14 |
| EVERGREEN PARK | 414 | 4 | -- | 1 | 2 | -- | -- | -- | 1 | -- | 11 | 6 | 1 | 4 |
| FOREST PARK | 339 | 3 | -- | 1 | -- | -- | 1 | -- | 1 | -- | 4 | 3 | -- | 1 |
| FRANKLIN PARK | 503 | 6 | -- | 1 | -- | -- | 1 | 1 | 3 | -- | 7 | 6 | 1 | -- |
| FREEPORT | 620 | 10 | -- | 1 | -- | 2 | -- | 1 | 6 | -- | 18 | 13 | -- | 5 |
| GALESBURG | 727 | 10 | -- | 1 | 1 | -- | 2 | 3 | 3 | -- | 17 | 12 | 2 | 3 |
| GLENCOE | 100 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 2 | 2 | -- | -- |
| GLEN ELLYN | 407 | 6 | -- | 1 | 1 | 1 | -- | 1 | 2 | -- | 9 | 6 | 1 | 2 |
| GLENVIEW | 614 | 6 | -- | -- | -- | -- | 2 | 3 | 1 | -- | 17 | 12 | 1 | 4 |
| GRANITE CITY | 1,068 | 12 | -- | 1 | -- | 1 | 1 | 3 | 6 | -- | 12 | 9 | 1 | 2 |
| HARVEY | 880 | 21 | 1 | 3 | 2 | 3 | 2 | 5 | 5 | -- | 18 | 14 | 1 | 3 |
| HIGHLAND PARK | 397 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 6 | 5 | 1 | -- |
| HINSDALE | 239 | 2 | -- | -- | 1 | -- | -- | 1 | -- | -- | 6 | 3 | -- | 3 |
| HOMEWOOD | 182 | 3 | -- | 1 | -- | -- | -- | 1 | 1 | -- | 7 | 6 | 1 | -- |
| JACKSONVILLE | 386 | 2 | -- | -- | -- | 1 | 1 | -- | -- | -- | 6 | 4 | -- | 2 |
| JOLIET | 1,649 | 25 | -- | 2 | 7 | 4 | 5 | 2 | 5 | -- | 56 | 40 | 5 | 11 |
| KANKAKEE | 697 | 12 | -- | -- | 2 | 5 | 2 | 2 | 1 | -- | 19 | 12 | 2 | 5 |
| KEWANEE | 306 | 7 | -- | -- | -- | -- | -- | 1 | 6 | -- | 6 | 6 | -- | -- |
| LA GRANGE | 370 | 6 | -- | -- | 1 | -- | 2 | 2 | 1 | -- | 7 | 5 | 1 | 1 |
| LA GRANGE PARK | 219 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 2 | 2 | -- | -- |

TABLE 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961--CONTINUED

| CITY | LIVE BIRTHS | STILLBIRTHS | | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | GESTATION IN WEEKS | | | | | | | | | TOTAL | AGE | | |
| | | TOTAL | LESS THAN 20 | 20-23 | 24-27 | 28-31 | 32-35 | 36-39 | 40 AND OVER | NOT STATED | | LESS THAN 28 DA. | 7-28 DA. | 1-11 MONTHS |
| LAKE FOREST..... | 151 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- |
| LANSING..... | 406 | 8 | -- | 1 | -- | -- | -- | 4 | 3 | -- | 9 | 7 | 1 | 1 |
| LA SALLE..... | 225 | 4 | -- | 2 | 1 | -- | -- | -- | 1 | -- | 5 | 3 | 1 | 1 |
| LINCOLN..... | 314 | 4 | -- | -- | -- | -- | 2 | -- | 2 | -- | 8 | 3 | -- | 5 |
| LINCOLNWOOD..... | 119 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| LOMBARD..... | 669 | 12 | -- | 1 | 3 | 1 | 2 | 2 | 3 | -- | 15 | 10 | 1 | 4 |
| MACOMB..... | 232 | 5 | -- | 2 | -- | -- | -- | 1 | 2 | -- | 4 | 3 | -- | 1 |
| MARION..... | 195 | 6 | -- | -- | 1 | 1 | -- | 1 | 3 | -- | 5 | 4 | -- | 1 |
| MARKHAM..... | 338 | 4 | -- | 2 | 1 | -- | -- | 1 | -- | -- | 9 | 3 | 1 | 5 |
| MATTOON..... | 398 | 6 | 1 | -- | 1 | -- | -- | 2 | 2 | -- | 5 | 2 | 1 | 2 |
| MAYWOOD..... | 602 | 11 | -- | -- | 2 | 1 | 2 | 4 | 2 | -- | 16 | 13 | -- | 3 |
| MELROSE PARK..... | 882 | 17 | -- | 3 | 3 | 3 | 3 | 1 | 4 | -- | 16 | 9 | 1 | 6 |
| MOLINE..... | 976 | 19 | 2 | 1 | -- | 2 | 2 | 5 | 6 | 1 | 25 | 23 | -- | 2 |
| MONMOUTH..... | 240 | 4 | -- | -- | -- | -- | 1 | -- | 3 | -- | 3 | -- | 2 | 1 |
| MORTON GROVE..... | 462 | 6 | -- | 1 | 1 | -- | -- | 2 | 2 | -- | 7 | 6 | -- | 1 |
| MOUNT PROSPECT... | 565 | 8 | -- | -- | 1 | 2 | -- | -- | 3 | -- | 13 | 9 | -- | 4 |
| MOUNT VERNON..... | 331 | 7 | -- | -- | 1 | 1 | -- | 2 | 3 | -- | 7 | 5 | -- | 2 |
| MUNDELEIN..... | 354 | 6 | -- | 1 | -- | 1 | -- | 2 | 2 | -- | 7 | 4 | 1 | 2 |
| NAPERVILLE..... | 369 | 2 | -- | -- | 1 | -- | 1 | -- | -- | -- | 11 | 8 | 1 | 2 |
| NILES..... | 545 | 4 | -- | 1 | -- | -- | -- | 2 | 1 | -- | 14 | 8 | 1 | 5 |
| NORMAL..... | 292 | 2 | -- | -- | 1 | 1 | -- | -- | -- | -- | 3 | 3 | -- | -- |
| NORRIDGE..... | 278 | 2 | -- | -- | -- | -- | 1 | -- | 1 | -- | 10 | 6 | 1 | 3 |
| NORTH CHICAGO.... | 447 | 7 | -- | -- | 2 | -- | 1 | -- | 3 | 1 | 14 | 7 | 3 | 4 |
| NORTHBROOK..... | 380 | 3 | -- | -- | -- | -- | 1 | 1 | 1 | -- | 8 | 8 | -- | -- |
| NORTHLAKE..... | 244 | 9 | -- | -- | -- | 2 | -- | 3 | 4 | -- | 8 | 8 | -- | -- |
| OAK LAWN..... | 1,355 | 26 | 1 | 2 | 5 | 6 | 3 | 5 | 4 | -- | 25 | 19 | 1 | 5 |
| OAK PARK..... | 1,021 | 16 | -- | 3 | 1 | 2 | 2 | 3 | 5 | -- | 19 | 13 | 1 | 5 |
| OTTAWA..... | 469 | 11 | 1 | 2 | 1 | 2 | 1 | 3 | 1 | -- | 12 | 10 | 1 | 1 |
| PALATINE..... | 364 | 7 | -- | 1 | 1 | 1 | 1 | 3 | -- | -- | 5 | 5 | -- | -- |
| PARK FOREST..... | 938 | 13 | -- | 2 | 1 | 3 | 2 | 3 | 2 | -- | 21 | 17 | 2 | 2 |
| PARK RIDGE..... | 603 | 6 | -- | 1 | 1 | -- | -- | 3 | 1 | -- | 10 | 7 | 1 | 2 |
| PEKIN..... | 697 | 7 | -- | -- | 1 | -- | -- | 4 | 2 | -- | 14 | 8 | 1 | 5 |
| PEORIA..... | 2,502 | 35 | -- | 6 | 4 | 3 | 3 | 5 | 14 | -- | 78 | 59 | 3 | 16 |
| PERU..... | 219 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 2 | 1 | -- | 1 |
| QUINCY..... | 969 | 17 | -- | 2 | 3 | 3 | 2 | 3 | 4 | -- | 22 | 18 | -- | 4 |
| RANTOUL..... | 164 | 4 | -- | -- | 2 | -- | -- | 1 | 1 | -- | 10 | 7 | -- | 3 |
| RIVERDALE..... | 244 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 7 | 5 | -- | 2 |
| RIVER FOREST..... | 118 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 5 | 3 | 1 | 1 |
| ROCK FALLS..... | 268 | 4 | 1 | 1 | -- | -- | -- | -- | 2 | -- | 9 | 8 | -- | 1 |
| ROCKFORD..... | 3,085 | 60 | 1 | 4 | 4 | 4 | 8 | 11 | 28 | -- | 71 | 48 | 5 | 18 |
| ROCK ISLAND..... | 1,171 | 13 | -- | 1 | 1 | 3 | -- | 1 | 6 | 1 | 34 | 25 | 1 | 8 |
| ROLLING MEADOWS.. | 367 | 7 | -- | 2 | 1 | 1 | 1 | 2 | -- | -- | 7 | 5 | 1 | 1 |
| SKOKIE..... | 1,158 | 13 | -- | -- | 3 | 1 | 1 | 4 | 4 | -- | 22 | 10 | 4 | 8 |
| SOUTH HOLLAND.... | 335 | 3 | -- | -- | 1 | 1 | -- | -- | 1 | -- | 7 | 3 | 1 | 3 |
| SPRINGFIELD..... | 1,934 | 27 | -- | 1 | 4 | 4 | 5 | 4 | 8 | 1 | 64 | 41 | 3 | 20 |
| STERLING..... | 371 | 5 | -- | 1 | -- | 1 | 2 | -- | 1 | -- | 4 | 3 | -- | 1 |
| STREATOR..... | 441 | 6 | -- | 1 | 1 | -- | 1 | 2 | 1 | -- | 9 | 6 | 2 | 1 |
| SUMMIT..... | 305 | 7 | -- | 1 | 2 | -- | 1 | -- | 3 | -- | 9 | 7 | -- | 2 |
| URBANA..... | 789 | 10 | -- | 1 | -- | 3 | 2 | 2 | 2 | -- | 18 | 13 | 2 | 3 |
| VILLA PARK..... | 602 | 5 | -- | -- | -- | -- | 1 | 1 | 3 | -- | 11 | 9 | 2 | -- |
| WAUKEGAN..... | 1,676 | 18 | -- | 6 | 5 | -- | 2 | -- | 5 | -- | 44 | 28 | 1 | 15 |
| WESTCHESTER..... | 298 | 4 | 1 | -- | -- | -- | -- | 3 | -- | -- | 6 | 3 | -- | 3 |
| WESTERN SPRINGS.. | 147 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 3 | 1 | -- | 2 |
| WHEATON..... | 472 | 8 | -- | 1 | -- | 2 | 1 | 2 | 2 | -- | 9 | 6 | 2 | 1 |
| WILMETTE..... | 471 | 7 | -- | 1 | -- | 1 | -- | 4 | 1 | -- | 11 | 9 | 2 | -- |
| WINNETKA..... | 141 | 5 | 1 | -- | -- | -- | 1 | 1 | 2 | -- | -- | -- | -- | -- |
| WOOD RIVER..... | 249 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 5 | 4 | -- | 1 |
| ZION..... | 337 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 10 | 6 | 1 | 3 |

TABLE 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961

| COUNTY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE[1] BIRTHS | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7 TO 28 DAYS | | 1 TO 11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NUMBER | RATE[3] | NUMBER | RATE[3] | NUMBER | RATE[3] | |
| ILLINOIS..... | 237,051 | 18,184 | 7.67 | 232,876 | 98.24 | 3,817 | 16.1 | 392 | 1.7 | 1,548 | 6.5 | 61 |
| ADAMS..... | 1,522 | 101 | 6.64 | 1,519 | 99.80 | 28 | 18.4 | 1 | 0.7 | 7 | 4.6 | -- |
| ALEXANDER..... | 335 | 32 | 9.55 | 306 | 91.34 | 7 | 20.9 | 1 | 3.0 | 8 | 23.9 | -- |
| BOND..... | 263 | 11 | 4.18 | 256 | 97.34 | 4 | 15.2 | -- | -0- | 1 | 3.8 | -- |
| BOONE..... | 439 | 30 | 6.83 | 437 | 99.54 | 10 | 22.8 | 1 | 2.3 | 3 | 6.8 | -- |
| BROWN..... | 124 | 6 | 4.84 | 123 | 99.19 | 1 | 8.1 | -- | -0- | -- | -0- | -- |
| BUREAU..... | 750 | 46 | 6.13 | 748 | 99.73 | 9 | 12.0 | 2 | 2.7 | 2 | 2.7 | 1 |
| CALHOUN..... | 117 | 7 | 5.98 | 111 | 94.87 | -- | -0- | 1 | 8.5 | -- | -0- | -- |
| CARROLL..... | 382 | 24 | 6.28 | 382 | 100.00 | 9 | 23.6 | 4 | 10.5 | 1 | 2.6 | -- |
| CASS..... | 287 | 19 | 6.62 | 286 | 99.65 | 7 | 24.4 | -- | -0- | 1 | 3.5 | -- |
| CHAMPAIGN..... | 2,979 | 188 | 6.31 | 2,969 | 99.66 | 47 | 15.8 | 3 | 1.0 | 15 | 5.0 | 2 |
| CHRISTIAN..... | 761 | 45 | 5.91 | 757 | 99.47 | 7 | 9.2 | -- | -0- | 4 | 5.3 | -- |
| CLARK..... | 290 | 20 | 6.90 | 286 | 98.62 | 5 | 17.2 | 1 | 3.4 | 5 | 17.2 | -- |
| CLAY..... | 314 | 24 | 7.64 | 301 | 95.86 | 5 | 15.9 | -- | -0- | 1 | 3.2 | -- |
| CLINTON..... | 613 | 30 | 4.89 | 611 | 99.67 | 14 | 22.8 | 1 | 1.6 | 2 | 3.3 | -- |
| COLES..... | 849 | 70 | 8.24 | 848 | 99.88 | 9 | 10.6 | 3 | 3.5 | 6 | 7.1 | 1 |
| COOK..... | 125,551 | 10,808 | 8.61 | 121,936 | 97.12 | 2,052 | 16.3 | 223 | 1.8 | 929 | 7.4 | 36 |
| CRAWFORD..... | 376 | 22 | 5.85 | 374 | 99.47 | 5 | 13.3 | -- | -0- | -- | -0- | 1 |
| CUMBERLAND..... | 178 | 10 | 5.62 | 177 | 99.44 | 3 | 16.9 | -- | -0- | 3 | 16.9 | -- |
| DE KALB..... | 1,209 | 82 | 6.78 | 1,201 | 99.34 | 20 | 16.5 | 1 | 0.8 | 5 | 4.1 | -- |
| DE WITT..... | 330 | 18 | 5.45 | 330 | 100.00 | 5 | 15.2 | -- | -0- | 3 | 9.1 | -- |
| DOUGLAS..... | 433 | 27 | 6.24 | 429 | 99.08 | 5 | 11.5 | -- | -0- | -- | -0- | -- |
| DU PAGE..... | 7,403 | 387 | 5.23 | 7,370 | 99.55 | 91 | 12.3 | 9 | 1.2 | 35 | 4.7 | 3 |
| EDGAR..... | 432 | 28 | 6.48 | 429 | 99.31 | 10 | 23.1 | -- | -0- | 6 | 13.9 | -- |
| EDWARDS..... | 156 | 13 | 8.33 | 156 | 100.00 | 6 | 38.4 | -- | -0- | -- | -0- | -- |
| EFFINGHAM..... | 599 | 40 | 6.68 | 598 | 99.83 | 8 | 13.4 | -- | -0- | 3 | 5.0 | -- |
| FAYETTE..... | 380 | 22 | 5.79 | 378 | 99.47 | 4 | 10.5 | -- | -0- | 3 | 7.9 | -- |
| FORD..... | 332 | 17 | 5.12 | 331 | 99.70 | 3 | 9.0 | 1 | 3.0 | 2 | 6.0 | -- |
| FRANKLIN..... | 638 | 51 | 7.99 | 633 | 99.22 | 10 | 15.7 | 2 | 3.1 | 2 | 3.1 | -- |
| FULTON..... | 804 | 45 | 5.60 | 802 | 99.75 | 12 | 14.9 | -- | -0- | 4 | 5.0 | -- |
| GALLATIN..... | 147 | 11 | 7.48 | 139 | 94.56 | 1 | 6.8 | -- | -0- | 1 | 6.8 | -- |
| GREENE..... | 369 | 24 | 6.50 | 365 | 98.92 | 6 | 16.3 | -- | -0- | 3 | 8.1 | -- |
| GRUNDY..... | 515 | 31 | 6.02 | 514 | 99.81 | 9 | 17.5 | 1 | 1.9 | 2 | 3.9 | 1 |
| HAMILTON..... | 178 | 8 | 4.49 | 178 | 100.00 | 3 | 16.9 | -- | -0- | 1 | 5.6 | -- |
| HANCOCK..... | 473 | 21 | 4.44 | 473 | 100.00 | 5 | 10.6 | 2 | 4.2 | 1 | 2.1 | -- |
| HARDIN..... | 110 | 7 | 6.36 | 110 | 100.00 | 1 | 9.1 | 1 | 9.1 | 2 | 18.2 | -- |
| HENDERSON..... | 182 | 10 | 5.49 | 180 | 98.90 | 2 | 11.0 | -- | -0- | -- | -0- | -- |
| HENRY..... | 989 | 65 | 6.57 | 986 | 99.70 | 25 | 25.3 | 3 | 3.0 | 3 | 3.0 | -- |
| IROQUOIS..... | 663 | 37 | 5.58 | 657 | 99.10 | 6 | 9.0 | -- | -0- | 1 | 1.5 | -- |
| JACKSON..... | 919 | 58 | 6.31 | 912 | 99.24 | 16 | 17.4 | 1 | 1.1 | 1 | 1.1 | -- |
| JASPER..... | 213 | 13 | 6.10 | 213 | 100.00 | 3 | 14.1 | -- | -0- | 3 | 14.1 | -- |
| JEFFERSON..... | 612 | 39 | 6.37 | 610 | 99.67 | 11 | 18.0 | 2 | 3.3 | 3 | 4.9 | -- |
| JERSEY..... | 398 | 24 | 6.03 | 393 | 98.74 | 6 | 15.1 | 1 | 2.5 | 1 | 2.5 | -- |
| JO DAVIESS..... | 512 | 29 | 5.66 | 507 | 99.02 | 2 | 3.9 | 2 | 3.9 | 3 | 5.9 | -- |
| JOHNSON..... | 114 | 3 | 2.63 | 112 | 98.25 | 2 | 17.5 | -- | -0- | 2 | 17.5 | -- |
| KANE..... | 5,355 | 334 | 6.24 | 5,340 | 99.72 | 96 | 17.9 | 10 | 1.9 | 28 | 5.2 | 1 |
| KANKAKEE..... | 2,042 | 165 | 8.08 | 2,034 | 99.61 | 27 | 13.2 | 5 | 2.4 | 14 | 6.9 | -- |
| KENDALL..... | 502 | 28 | 5.58 | 500 | 99.60 | 5 | 10.0 | -- | -0- | 2 | 4.0 | -- |
| KNOX..... | 1,182 | 68 | 5.75 | 1,179 | 99.75 | 17 | 14.4 | 2 | 1.7 | 3 | 2.5 | -- |
| LAKE..... | 7,099 | 517 | 7.28 | 7,060 | 99.45 | 102 | 14.4 | 13 | 1.8 | 51 | 7.2 | 2 |
| LA SALLE..... | 2,429 | 153 | 6.30 | 2,424 | 99.79 | 30 | 12.4 | 7 | 2.9 | 8 | 3.3 | 1 |

[1] PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2] NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
[3] RATES PER 1,000 LIVE BIRTHS.

TABLE 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED

| COUNTY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE[1] BIRTHS | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7 TO 28 DAYS | | 1 TO 11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NUMBER | RATE[3] | NUMBER | RATE[3] | NUMBER | RATE[3] | |
| LAWRENCE | 320 | 31 | 9.69 | 317 | 99.06 | 2 | 6.2 | -- | -0- | 2 | 6.2 | -- |
| LEE | 787 | 61 | 7.75 | 783 | 99.49 | 17 | 21.6 | 1 | 1.3 | 3 | 3.8 | -- |
| LIVINGSTON | 826 | 57 | 6.90 | 824 | 99.76 | 15 | 18.2 | -- | -0- | 7 | 8.5 | -- |
| LOGAN | 599 | 34 | 5.68 | 599 | 100.00 | 6 | 10.0 | -- | -0- | 6 | 10.0 | -- |
| MC DONOUGH | 538 | 28 | 5.20 | 536 | 99.63 | 12 | 22.3 | -- | -0- | 1 | 1.9 | -- |
| MC HENRY | 2,109 | 130 | 6.16 | 2,103 | 99.72 | 27 | 12.8 | 3 | 1.4 | 16 | 7.6 | -- |
| MC LEAN | 1,918 | 103 | 5.37 | 1,914 | 99.79 | 26 | 13.6 | 2 | 1.0 | 8 | 4.2 | -- |
| MACON | 2,698 | 206 | 7.64 | 2,694 | 99.85 | 44 | 16.3 | 3 | 1.1 | 13 | 4.8 | -- |
| MACOUPIN | 810 | 41 | 5.06 | 807 | 99.63 | 4 | 4.9 | -- | -0- | 5 | 6.2 | -- |
| MADISON | 5,353 | 397 | 7.42 | 5,302 | 99.05 | 104 | 19.4 | 8 | 1.5 | 22 | 4.1 | -- |
| MARION | 845 | 43 | 5.09 | 841 | 99.53 | 12 | 14.2 | 3 | 3.6 | 5 | 5.9 | 2 |
| MARSHALL | 269 | 10 | 3.72 | 268 | 99.63 | 4 | 14.9 | -- | -0- | 3 | 11.2 | -- |
| MASON | 309 | 22 | 7.12 | 308 | 99.68 | 7 | 22.7 | -- | -0- | 4 | 12.9 | -- |
| MASSAC | 272 | 23 | 8.46 | 272 | 100.00 | 9 | 33.1 | -- | -0- | 1 | 3.7 | -- |
| MENARD | 173 | 13 | 7.51 | 171 | 98.84 | 4 | 23.1 | -- | -0- | 3 | 17.3 | -- |
| MERCER | 346 | 23 | 6.65 | 342 | 98.84 | 7 | 20.2 | 1 | 2.9 | 1 | 2.9 | -- |
| MONROE | 305 | 20 | 6.56 | 305 | 100.00 | 6 | 19.7 | 2 | 6.6 | 2 | 6.6 | -- |
| MONTGOMERY | 613 | 33 | 5.38 | 613 | 100.00 | 13 | 21.2 | -- | -0- | 3 | 4.9 | -- |
| MORGAN | 691 | 47 | 6.80 | 691 | 100.00 | 6 | 8.7 | 1 | 1.4 | 4 | 5.8 | 1 |
| MOULTRIE | 278 | 18 | 6.47 | 274 | 98.56 | 3 | 10.8 | -- | -0- | -- | -0- | -- |
| OGLE | 875 | 48 | 5.49 | 871 | 99.54 | 13 | 14.9 | 2 | 2.3 | 4 | 4.6 | -- |
| PEORIA | 4,544 | 312 | 6.87 | 4,532 | 99.74 | 83 | 18.3 | 5 | 1.1 | 26 | 5.7 | 1 |
| PERRY | 333 | 20 | 6.01 | 333 | 100.00 | 4 | 12.0 | 2 | 6.0 | 1 | 3.0 | 1 |
| PIATT | 272 | 13 | 4.78 | 271 | 99.63 | 1 | 3.7 | -- | -0- | -- | -0- | -- |
| PIKE | 371 | 17 | 4.58 | 368 | 99.19 | 4 | 10.8 | -- | -0- | 1 | 2.7 | -- |
| POPE | 61 | 2 | 3.28 | 61 | 100.00 | 1 | 16.4 | -- | -0- | -- | -0- | -- |
| PULASKI | 219 | 15 | 6.85 | 201 | 91.78 | 3 | 13.7 | 4 | 18.3 | 4 | 18.3 | -- |
| PUTNAM | 103 | 3 | 2.91 | 103 | 100.00 | 1 | 9.7 | -- | -0- | 1 | 9.7 | -- |
| RANDOLPH | 659 | 37 | 5.61 | 651 | 98.79 | 6 | 9.1 | 1 | 1.5 | 2 | 3.0 | -- |
| RICHLAND | 328 | 15 | 4.57 | 325 | 99.09 | 5 | 15.2 | -- | -0- | -- | -0- | -- |
| ROCK ISLAND | 3,549 | 277 | 7.81 | 3,537 | 99.66 | 66 | 18.6 | 3 | 0.8 | 19 | 5.4 | 1 |
| ST. CLAIR | 6,479 | 548 | 8.46 | 6,434 | 99.31 | 106 | 16.4 | 11 | 1.7 | 40 | 6.2 | 1 |
| SALINE | 458 | 25 | 5.46 | 456 | 99.56 | 4 | 8.7 | -- | -0- | 2 | 4.4 | -- |
| SANGAMON | 3,412 | 258 | 7.56 | 3,398 | 99.59 | 73 | 21.4 | 3 | 0.9 | 22 | 6.4 | -- |
| SCHUYLER | 143 | 6 | 4.20 | 143 | 100.00 | 1 | 7.0 | -- | -0- | 1 | 7.0 | -- |
| SCOTT | 136 | 9 | 6.62 | 136 | 100.00 | 5 | 36.8 | -- | -0- | 1 | 7.4 | -- |
| SHELBY | 431 | 32 | 7.42 | 430 | 99.77 | 7 | 16.2 | -- | -0- | 4 | 9.3 | -- |
| STARK | 175 | 2 | 1.14 | 173 | 98.86 | 1 | 5.7 | 1 | 5.7 | -- | -0- | -- |
| STEPHENSON | 1,040 | 61 | 5.87 | 1,032 | 99.23 | 14 | 13.5 | -- | -0- | 10 | 9.6 | 1 |
| TAZEWELL | 2,459 | 131 | 5.33 | 2,455 | 99.84 | 27 | 11.0 | 1 | 0.4 | 11 | 4.5 | -- |
| UNION | 270 | 26 | 9.63 | 270 | 100.00 | 3 | 11.1 | 3 | 11.1 | 2 | 7.4 | -- |
| VERMILION | 2,118 | 156 | 7.37 | 2,111 | 99.67 | 44 | 20.8 | 4 | 1.9 | 14 | 6.6 | 1 |
| WABASH | 287 | 17 | 5.92 | 284 | 98.95 | 3 | 10.5 | 2 | 7.0 | -- | -0- | -- |
| WARREN | 446 | 27 | 6.05 | 444 | 99.55 | 5 | 11.2 | 2 | 4.5 | 1 | 2.2 | 1 |
| WASHINGTON | 199 | 7 | 3.52 | 194 | 97.49 | 4 | 20.1 | -- | -0- | 1 | 5.0 | -- |
| WAYNE | 338 | 15 | 4.44 | 333 | 98.52 | 4 | 11.8 | 1 | 3.0 | 1 | 3.0 | -- |
| WHITE | 345 | 26 | 7.54 | 344 | 99.71 | 6 | 17.4 | -- | -0- | 4 | 11.6 | 1 |
| WHITESIDE | 1,410 | 82 | 5.82 | 1,403 | 99.50 | 18 | 12.8 | 1 | 0.7 | 8 | 5.7 | -- |
| WILL | 4,877 | 367 | 7.53 | 4,865 | 99.75 | 98 | 20.1 | 10 | 2.1 | 33 | 6.8 | -- |
| WILLIAMSON | 840 | 58 | 6.90 | 838 | 99.76 | 17 | 20.2 | 2 | 2.4 | 7 | 8.3 | -- |
| WINNEBAGO | 5,400 | 340 | 6.30 | 5,383 | 99.69 | 74 | 13.7 | 6 | 1.1 | 31 | 5.7 | 1 |
| WOODFORD | 564 | 24 | 4.26 | 561 | 99.47 | 8 | 14.2 | -- | -0- | 3 | 5.3 | - |
| UNSPECIFIED | 2 | -- | | 2 | | 9 | | -- | | 1 | | -- |

[1] PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2] NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
[3] RATES PER 1,000 LIVE BIRTHS.

TABLE 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS, AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961

| CITY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE BIRTHS[1] | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7 TO 28 DAYS | | 1 TO 11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NUMBER | RATE[3] | NUMBER | RATE[3] | NUMBER | RATE[3] | |
| ALTON | 996 | 75 | 7.53 | 986 | 99.00 | 23 | 23.1 | 2 | 2.0 | 3 | 3.0 | -- |
| ARLINGTON HEIGHTS | 743 | 29 | 3.90 | 738 | 99.33 | 10 | 13.5 | 1 | 1.3 | 4 | 5.4 | -- |
| AURORA | 1,863 | 130 | 6.98 | 1,858 | 99.73 | 38 | 20.4 | 5 | 2.7 | 10 | 5.4 | -- |
| BELLEVILLE | 843 | 43 | 5.10 | 842 | 99.88 | 8 | 9.5 | 1 | 1.2 | 5 | 5.9 | -- |
| BELLWOOD | 500 | 39 | 7.80 | 497 | 99.40 | 8 | 16.0 | 1 | 2.0 | -- | -0- | -- |
| BELVIDERE | 238 | 14 | 5.88 | 238 | 100.00 | 4 | 16.8 | 1 | 4.2 | 1 | 4.2 | -- |
| BERWYN | 1,049 | 67 | 6.39 | 1,043 | 99.43 | 14 | 13.3 | 2 | 1.9 | 3 | 2.9 | -- |
| BLOOMINGTON | 897 | 51 | 5.69 | 897 | 100.00 | 14 | 15.6 | 2 | 2.2 | 4 | 4.5 | -- |
| BLUE ISLAND | 548 | 34 | 6.20 | 545 | 99.45 | 10 | 18.2 | -- | -0- | 3 | 5.5 | -- |
| BROOKFIELD | 406 | 24 | 5.91 | 404 | 99.51 | 4 | 9.9 | -- | -0- | 1 | 2.5 | -- |
| CAHOKIA | 439 | 26 | 5.92 | 439 | 100.00 | 7 | 15.9 | -- | -0- | 2 | 4.6 | -- |
| CALUMET CITY | 663 | 45 | 6.79 | 662 | 99.85 | 10 | 15.1 | 1 | 1.5 | 3 | 4.5 | -- |
| CANTON | 265 | 16 | 6.04 | 264 | 99.62 | 5 | 18.9 | -- | -0- | 1 | 3.8 | -- |
| CARBONDALE | 314 | 27 | 8.60 | 312 | 99.36 | 8 | 25.5 | -- | -0- | -- | -0- | -- |
| CARPENTERSVILLE | 574 | 34 | 5.92 | 574 | 100.00 | 8 | 13.9 | -- | -0- | 1 | 1.7 | -- |
| CENTRALIA | 393 | 17 | 4.33 | 336 | 85.50 | 3 | 7.6 | 2 | 5.1 | 3 | 7.6 | 1 |
| CENTREVILLE | 301 | 29 | 9.63 | 294 | 97.67 | 3 | 10.0 | -- | -0- | 1 | 3.3 | -- |
| CHAMPAIGN | 1,327 | 88 | 6.63 | 1,320 | 99.47 | 20 | 15.1 | -- | -0- | 5 | 3.8 | -- |
| CHARLESTON | 193 | 17 | 8.81 | 193 | 100.00 | 1 | 5.2 | 1 | 5.2 | -- | -0- | 1 |
| CHICAGO | 87,989 | 8,394 | 9.54 | 84,613 | 96.16 | 1,531 | 17.4 | 169 | 1.9 | 725 | 8.2 | 31 |
| CHICAGO HEIGHTS | 1,220 | 104 | 8.52 | 1,211 | 99.26 | 12 | 9.8 | 5 | 4.1 | 12 | 9.8 | -- |
| CICERO | 1,323 | 107 | 8.09 | 1,312 | 99.17 | 21 | 15.9 | -- | -0- | 5 | 3.8 | 1 |
| COLLINSVILLE | 339 | 29 | 8.55 | 337 | 99.41 | 6 | 17.7 | 1 | 2.9 | 1 | 2.9 | -- |
| DANVILLE | 982 | 73 | 7.43 | 980 | 99.80 | 22 | 22.4 | 2 | 2.0 | 8 | 8.1 | 1 |
| DECATUR | 1,945 | 143 | 7.35 | 1,941 | 99.79 | 37 | 19.0 | 2 | 1.0 | 10 | 5.1 | -- |
| DEERFIELD | 321 | 16 | 4.98 | 321 | 100.00 | 5 | 15.6 | -- | -0- | 1 | 3.1 | -- |
| DE KALB | 416 | 25 | 6.01 | 414 | 99.52 | 6 | 14.4 | -- | -0- | 3 | 7.2 | -- |
| DES PLAINES | 1,189 | 65 | 5.47 | 1,181 | 99.33 | 22 | 18.5 | 1 | 0.8 | 3 | 2.5 | -- |
| DIXON | 331 | 32 | 9.67 | 331 | 100.00 | 8 | 24.2 | -- | -0- | 1 | 3.0 | -- |
| DOLTON | 529 | 28 | 5.29 | 525 | 99.24 | 2 | 3.8 | -- | -0- | 1 | 1.9 | -- |
| DOWNERS GROVE | 568 | 25 | 4.40 | 567 | 99.82 | 5 | 8.8 | -- | -0- | -- | -0- | -- |
| EAST MOLINE | 408 | 34 | 8.33 | 407 | 99.75 | 8 | 19.6 | 2 | 4.9 | 2 | 4.9 | -- |
| EAST PEORIA | 302 | 17 | 5.63 | 302 | 100.00 | 8 | 26.5 | -- | -0- | 3 | 9.9 | -- |
| EAST ST. LOUIS | 2,418 | 276 | 11.41 | 2,390 | 98.84 | 55 | 22.7 | 6 | 2.5 | 21 | 8.7 | 1 |
| EDWARDSVILLE | 221 | 16 | 7.24 | 220 | 99.55 | 3 | 13.6 | 1 | 4.5 | 2 | 9.0 | -- |
| ELGIN | 1,114 | 57 | 5.12 | 1,110 | 99.64 | 21 | 18.9 | 1 | 0.9 | 7 | 6.3 | -- |
| ELK GROVE | 417 | 22 | 5.28 | 413 | 99.04 | 5 | 12.0 | 1 | 2.4 | 1 | 2.4 | -- |
| ELMHURST | 695 | 34 | 4.89 | 693 | 99.71 | 12 | 17.3 | -- | -0- | 4 | 5.8 | -- |
| ELMWOOD PARK | 524 | 37 | 7.06 | 522 | 99.62 | 10 | 19.1 | -- | -0- | 1 | 1.9 | -- |
| EVANSTON | 1,695 | 138 | 8.14 | 1,683 | 99.29 | 30 | 17.7 | 1 | 0.6 | 14 | 8.3 | 1 |
| EVERGREEN PARK | 414 | 25 | 6.04 | 414 | 100.00 | 6 | 14.5 | 1 | 2.4 | 4 | 9.7 | -- |
| FOREST PARK | 339 | 15 | 4.42 | 335 | 98.82 | 3 | 8.8 | -- | -0- | 1 | 2.9 | -- |
| FRANKLIN PARK | 503 | 33 | 6.56 | 501 | 99.60 | 6 | 11.9 | 1 | 2.0 | -- | -0- | -- |
| FREEPORT | 620 | 43 | 6.94 | 617 | 99.52 | 13 | 21.0 | -- | -0- | 5 | 8.1 | -- |
| GALESBURG | 727 | 50 | 6.88 | 726 | 99.86 | 12 | 16.5 | 2 | 2.8 | 3 | 4.1 | -- |
| GLENCOE | 100 | 8 | 8.00 | 99 | 99.00 | 2 | 20.0 | -- | -0- | -- | -0- | -- |
| GLEN ELLYN | 407 | 25 | 6.14 | 405 | 99.51 | 6 | 14.7 | 1 | 2.5 | 2 | 4.9 | -- |
| GLENVIEW | 614 | 47 | 7.65 | 611 | 99.51 | 12 | 19.5 | 1 | 1.6 | 4 | 6.5 | -- |
| GRANITE CITY | 1,068 | 58 | 5.43 | 1,065 | 99.72 | 9 | 8.4 | 1 | 0.9 | 2 | 1.9 | -- |
| HARVEY | 880 | 56 | 6.36 | 874 | 99.32 | 14 | 15.9 | 1 | 1.1 | 3 | 3.4 | -- |
| HIGHLAND PARK | 397 | 26 | 6.55 | 394 | 99.24 | 5 | 12.6 | 1 | 2.5 | -- | -0- | -- |
| HINSDALE | 239 | 14 | 5.86 | 238 | 99.58 | 3 | 12.6 | -- | -0- | 3 | 12.6 | -- |
| HOMEWOOD | 182 | 14 | 7.69 | 182 | 100.00 | 6 | 33.0 | 1 | 5.5 | -- | -0- | -- |
| JACKSONVILLE | 386 | 33 | 8.55 | 386 | 100.00 | 4 | 10.4 | -- | -0- | 2 | 5.2 | 1 |
| JOLIET | 1,649 | 129 | 7.82 | 1,648 | 99.94 | 40 | 24.3 | 5 | 3.0 | 11 | 6.7 | -- |
| KANKAKEE | 697 | 70 | 10.04 | 694 | 99.57 | 12 | 17.2 | 2 | 2.9 | 5 | 7.2 | -- |
| KEWANEE | 306 | 19 | 6.21 | 306 | 100.00 | 6 | 19.6 | -- | -0- | -- | -0- | -- |
| LA GRANGE | 370 | 29 | 7.84 | 368 | 99.46 | 5 | 13.5 | 1 | 2.7 | 1 | 2.7 | -- |
| LA GRANGE PARK | 219 | 13 | 5.94 | 219 | 100.00 | 2 | 9.1 | -- | -0- | -- | -0- | -- |

[1] PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2] NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 3A AND 3B.
[3] RATES PER 1,000 LIVE BIRTHS.

TABLE 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS, AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961 --CONTINUED

| CITY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE BIRTHS[1] | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7 TO 28 DAYS | | 1 TO 11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NUMBER | RATE[3] | NUMBER | RATE[3] | NUMBER | RATE[3] | |
| LAKE FOREST | 151 | 8 | 5.30 | 150 | 99.34 | -- | -0- | -- | -0- | -- | -0- | -- |
| LANSING | 406 | 12 | 2.96 | 404 | 99.51 | 7 | 17.2 | 1 | 2.5 | 1 | 2.5 | -- |
| LA SALLE | 225 | 14 | 6.22 | 225 | 100.00 | 3 | 13.3 | 1 | 4.4 | 1 | 4.4 | -- |
| LINCOLN | 314 | 20 | 6.37 | 314 | 100.00 | 3 | 9.6 | -- | -0- | 5 | 15.9 | -- |
| LINCOLNWOOD | 119 | 9 | 7.56 | 117 | 98.32 | -- | -0- | -- | -0- | -- | -0- | -- |
| LOMBARD | 669 | 30 | 4.48 | 667 | 99.70 | 10 | 14.9 | 1 | 1.5 | 4 | 6.0 | -- |
| MACOMB | 232 | 11 | 4.74 | 231 | 99.57 | 3 | 12.9 | -- | -0- | 1 | 4.3 | -- |
| MARION | 195 | 14 | 7.18 | 194 | 99.49 | 4 | 20.5 | -- | -0- | 1 | 5.1 | -- |
| MARKHAM | 338 | 14 | 4.14 | 336 | 99.41 | 3 | 8.9 | 1 | 3.0 | 5 | 14.8 | -- |
| MATTOON | 398 | 38 | 9.55 | 397 | 99.75 | 2 | 5.0 | 1 | 2.5 | 2 | 5.0 | -- |
| MAYWOOD | 602 | 57 | 9.47 | 596 | 99.00 | 13 | 21.6 | -- | -0- | 3 | 5.0 | -- |
| MELROSE PARK | 882 | 50 | 5.67 | 880 | 99.77 | 9 | 10.2 | 1 | 1.1 | 6 | 6.8 | -- |
| MOLINE | 976 | 61 | 6.25 | 973 | 99.69 | 23 | 23.6 | -- | -0- | 2 | 2.0 | -- |
| MONMOUTH | 240 | 15 | 6.25 | 239 | 99.58 | -- | -0- | 2 | 8.3 | 1 | 4.2 | -- |
| MORTON GROVE | 462 | 25 | 5.41 | 461 | 99.78 | 6 | 13.0 | -- | -0- | 1 | 2.2 | -- |
| MOUNT PROSPECT | 565 | 30 | 5.31 | 560 | 99.12 | 9 | 15.9 | -- | -0- | 4 | 7.1 | 1 |
| MOUNT VERNON | 331 | 25 | 7.55 | 331 | 100.00 | 5 | 15.1 | -- | -0- | 2 | 6.0 | -- |
| MUNDELEIN | 354 | 20 | 5.65 | 351 | 99.15 | 4 | 11.3 | 1 | 2.8 | 2 | 5.6 | -- |
| NAPERVILLE | 369 | 17 | 4.61 | 368 | 99.73 | 8 | 21.7 | 1 | 2.7 | 2 | 5.4 | -- |
| NILES | 545 | 39 | 7.16 | 540 | 99.08 | 8 | 14.7 | 1 | 1.8 | 5 | 9.2 | -- |
| NORMAL | 292 | 13 | 4.45 | 291 | 99.66 | 3 | 10.3 | 3 | 10.3 | -- | -0- | -- |
| NORRIDGE | 278 | 20 | 7.19 | 276 | 99.28 | 6 | 21.6 | 1 | 3.6 | 3 | 10.8 | -- |
| NORTH CHICAGO | 447 | 60 | 13.42 | 444 | 99.33 | 7 | 15.7 | 3 | 6.7 | 4 | 8.9 | 1 |
| NORTHBROOK | 380 | 23 | 6.05 | 380 | 100.00 | 8 | 21.1 | -- | -0- | -- | -0- | -- |
| NORTHLAKE | 244 | 23 | 9.43 | 243 | 99.59 | 8 | 32.8 | -- | -0- | -- | -0- | -- |
| OAK LAWN | 1,355 | 78 | 5.76 | 1,350 | 99.63 | 19 | 14.0 | 1 | 0.7 | 5 | 3.7 | -- |
| OAK PARK | 1,021 | 54 | 5.29 | 1,009 | 98.82 | 13 | 12.7 | 1 | 1.0 | 5 | 4.9 | 1 |
| OTTAWA | 469 | 32 | 6.82 | 468 | 99.79 | 10 | 21.3 | 1 | 2.1 | 1 | 2.1 | -- |
| PALATINE | 364 | 24 | 6.59 | 363 | 99.73 | 5 | 13.7 | -- | -0- | -- | -0- | -- |
| PARK FOREST | 948 | 62 | 6.54 | 938 | 98.95 | 17 | 17.9 | 2 | 2.1 | 2 | 2.1 | -- |
| PARK RIDGE | 603 | 33 | 5.47 | 602 | 99.83 | 7 | 11.6 | 1 | 1.7 | 2 | 3.3 | -- |
| PEKIN | 697 | 44 | 6.31 | 696 | 99.86 | 8 | 11.5 | 1 | 1.4 | 5 | 7.2 | -- |
| PEORIA | 2,502 | 211 | 8.43 | 2,496 | 99.76 | 59 | 23.6 | 3 | 1.2 | 16 | 6.4 | 1 |
| PERU | 219 | 10 | 4.57 | 219 | 100.00 | 1 | 4.6 | -- | -0- | 1 | 4.6 | 1 |
| QUINCY | 969 | 73 | 7.53 | 967 | 99.79 | 18 | 18.6 | -- | -0- | 4 | 4.1 | -- |
| RANTOUL | 164 | 16 | 9.76 | 164 | 100.00 | 7 | 42.7 | -- | -0- | 3 | 18.3 | 1 |
| RIVERDALE | 244 | 19 | 7.79 | 242 | 99.18 | 5 | 20.5 | -- | -0- | 2 | 8.2 | -- |
| RIVER FOREST | 118 | 17 | 14.41 | 118 | 100.00 | 3 | 25.4 | 1 | 8.5 | 1 | 8.5 | -- |
| ROCK FALLS | 268 | 21 | 7.84 | 267 | 99.63 | 8 | 29.9 | -- | -0- | 1 | 3.7 | -- |
| ROCKFORD | 3,085 | 206 | 6.68 | 3,077 | 99.74 | 48 | 15.6 | 5 | 1.6 | 18 | 5.8 | 1 |
| ROCK ISLAND | 1,171 | 112 | 9.56 | 1,168 | 99.74 | 25 | 21.3 | 1 | 0.9 | 8 | 6.8 | -- |
| ROLLING MEADOWS | 367 | 17 | 4.63 | 365 | 99.46 | 5 | 13.6 | 1 | 2.7 | 1 | 2.7 | -- |
| SKOKIE | 1,158 | 86 | 7.43 | 1,149 | 99.22 | 10 | 8.6 | 4 | 3.5 | 8 | 6.9 | 1 |
| SOUTH HOLLAND | 335 | 12 | 3.58 | 335 | 100.00 | 3 | 9.0 | 1 | 3.0 | 3 | 9.0 | -- |
| SPRINGFIELD | 1,934 | 170 | 8.79 | 1,925 | 99.53 | 41 | 21.2 | 3 | 1.6 | 20 | 10.3 | -- |
| STERLING | 371 | 22 | 5.93 | 371 | 100.00 | 3 | 8.1 | -- | -0- | 1 | 2.7 | -- |
| STREATOR | 441 | 38 | 8.62 | 440 | 99.77 | 6 | 13.6 | 2 | 4.5 | 1 | 2.3 | -- |
| SUMMIT | 305 | 32 | 10.49 | 302 | 99.02 | 7 | 23.0 | -- | -0- | 2 | 6.6 | -- |
| URBANA | 789 | 51 | 6.46 | 789 | 100.00 | 13 | 16.5 | 2 | 2.5 | 3 | 3.8 | -- |
| VILLA PARK | 602 | 32 | 5.32 | 601 | 99.83 | 9 | 15.0 | 2 | 3.3 | -- | -0- | -- |
| WAUKEGAN | 1,676 | 130 | 7.76 | 1,670 | 99.64 | 28 | 16.7 | 1 | 0.6 | 15 | 8.9 | 1 |
| WESTCHESTER | 298 | 13 | 4.36 | 297 | 99.66 | 3 | 10.1 | -- | -0- | 3 | 10.1 | -- |
| WESTERN SPRINGS | 147 | 3 | 2.04 | 147 | 100.00 | 1 | 6.8 | -- | -0- | 2 | 13.6 | -- |
| WHEATON | 472 | 21 | 4.45 | 468 | 99.15 | 6 | 12.7 | 2 | 4.2 | 1 | 2.1 | 2 |
| WILMETTE | 471 | 36 | 7.64 | 470 | 99.79 | 9 | 19.1 | 2 | 4.2 | -- | -0- | -- |
| WINNETKA | 141 | 6 | 4.26 | 141 | 100.00 | -- | -0- | -- | -0- | -- | -0- | -- |
| WOOD RIVER | 249 | 15 | 6.02 | 248 | 99.60 | 4 | 16.1 | -- | -0- | 1 | 4.0 | -- |
| ZION | 337 | 26 | 7.72 | 336 | 99.70 | 6 | 17.8 | 1 | 3.0 | 3 | 8.9 | -- |

[1] PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2] NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 3A AND 3B.
[3] RATES PER 1,000 LIVE BIRTHS.

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1961

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| ILLINOIS, ALL CAUSES..... | 101,696 | 6,671 | 867 | 1,278 | 5,873 | 25,778 | 50,498 | 10,731 |
| WHITE... | 91,250 | 4,983 | 736 | 1,045 | 4,521 | 22,318 | 47,327 | 10,320 |
| NONWHITE | 10,446 | 1,688 | 131 | 233 | 1,352 | 3,460 | 3,171 | 411 |
| 1. HEART DISEASE..... | 44,384 | 14 | 10 | 51 | 1,432 | 11,319 | 25,771 | 5,787 |
| WHITE... | 40,695 | 10 | 9 | 36 | 1,077 | 9,815 | 24,201 | 5,547 |
| NONWHITE | 3,689 | 4 | 1 | 15 | 355 | 1,504 | 1,570 | 240 |
| A. ARTERIOSCLEROTIC..... | 34,661 | -- | 1 | 5 | 818 | 8,833 | 20,672 | 4,332 |
| WHITE... | 32,550 | -- | 1 | 3 | 691 | 8,031 | 19,669 | 4,155 |
| NONWHITE | 2,111 | -- | -- | 2 | 127 | 802 | 1,003 | 177 |
| B. OTHER..... | 9,723 | 14 | 9 | 46 | 614 | 2,486 | 5,099 | 1,455 |
| WHITE... | 8,145 | 10 | 8 | 33 | 386 | 1,784 | 4,532 | 1,392 |
| NONWHITE | 1,578 | 4 | 1 | 13 | 228 | 702 | 567 | 63 |
| 2. MALIGNANT NEOPLASMS..... | 17,249 | 113 | 175 | 113 | 1,164 | 6,348 | 8,476 | 860 |
| WHITE... | 15,790 | 105 | 157 | 102 | 985 | 5,674 | 7,948 | 819 |
| NONWHITE | 1,459 | 8 | 18 | 11 | 179 | 674 | 528 | 41 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.... | 10,420 | 12 | 12 | 27 | 253 | 1,806 | 6,472 | 1,838 |
| WHITE... | 9,510 | 12 | 9 | 17 | 178 | 1,453 | 6,051 | 790 |
| NONWHITE | 910 | -- | 3 | 10 | 75 | 353 | 421 | 48 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY..... | 4,728 | 4,527 | 56 | 41 | 33 | 51 | 20 | -- |
| WHITE... | 3,658 | 3,477 | 53 | 36 | 29 | 46 | 17 | -- |
| NONWHITE | 1,070 | 1,050 | 3 | 5 | 4 | 5 | 3 | -- |
| 5. ACCIDENTS..... | 4,380 | 366 | 336 | 621 | 922 | 1,018 | 937 | 180 |
| WHITE... | 3,859 | 280 | 279 | 566 | 768 | 906 | 888 | 172 |
| NONWHITE | 521 | 86 | 57 | 55 | 154 | 112 | 49 | 8 |
| A. MOTOR VEHICLE..... | 1,928 | 77 | 147 | 426 | 498 | 451 | 306 | 23 |
| WHITE... | 1,753 | 65 | 128 | 399 | 441 | 408 | 291 | 21 |
| NONWHITE | 175 | 12 | 19 | 27 | 57 | 43 | 15 | 2 |
| B. OTHER..... | 2,452 | 289 | 189 | 195 | 424 | 567 | 631 | 157 |
| WHITE... | 2,106 | 215 | 151 | 167 | 327 | 498 | 597 | 151 |
| NONWHITE | 346 | 74 | 38 | 28 | 97 | 69 | 34 | 6 |
| 6. PNEUMONIA AND INFLUENZA... | 3,754 | 942 | 57 | 41 | 219 | 567 | 1,456 | 472 |
| WHITE... | 2,891 | 559 | 39 | 29 | 121 | 405 | 1,289 | 449 |
| NONWHITE | 863 | 383 | 18 | 12 | 98 | 162 | 167 | 23 |
| 7. GENERAL ARTERIOSCLEROSIS.. | 1,945 | -- | -- | -- | 1 | 101 | 1,148 | 695 |
| WHITE... | 1,862 | -- | -- | -- | 1 | 90 | 1,090 | 681 |
| NONWHITE | 83 | -- | -- | -- | -- | 11 | 58 | 14 |
| 8. DIABETES MELLITUS..... | 1,566 | 2 | 8 | 14 | 85 | 433 | 945 | 79 |
| WHITE... | 1,391 | 1 | 8 | 11 | 70 | 349 | 874 | 78 |
| NONWHITE | 175 | 1 | -- | 3 | 15 | 84 | 71 | 1 |
| 9. CIRRHOSIS OF LIVER..... | 1,297 | 3 | 3 | 4 | 232 | 712 | 330 | 13 |
| WHITE... | 1,177 | 2 | 2 | 2 | 191 | 649 | 318 | 13 |
| NONWHITE | 120 | 1 | 1 | 2 | 41 | 63 | 12 | -- |
| 10. SUICIDE..... | 949 | -- | 2 | 53 | 251 | 403 | 228 | 12 |
| WHITE... | 897 | -- | 2 | 46 | 226 | 389 | 222 | 12 |
| NONWHITE | 52 | -- | -- | 7 | 25 | 14 | 6 | -- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART..... | 862 | -- | 1 | 1 | 48 | 175 | 490 | 147 |
| WHITE... | 751 | -- | 1 | -- | 20 | 130 | 459 | 141 |
| NONWHITE | 111 | -- | -- | 1 | 28 | 45 | 31 | 6 |
| 12. OTHER CIRCULATORY DISEASES..... | 916 | -- | 3 | 15 | 62 | 269 | 503 | 64 |
| WHITE... | 851 | -- | 3 | 14 | 54 | 239 | 480 | 61 |
| NONWHITE | 65 | -- | -- | 1 | 8 | 30 | 23 | 3 |

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1961--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| CHICAGO, ALL CAUSES..... | 41,262 | 2,783 | 286 | 460 | 2,830 | 12,082 | 19,921 | 2,900 |
| WHITE... | 33,050 | 1,467 | 187 | 268 | 1,686 | 9,290 | 17,525 | 2,627 |
| NONWHITE | 8,212 | 1,316 | 99 | 192 | 1,144 | 2,792 | 2,396 | 273 |
| 1. HEART DISEASE..... | 18,810 | 6 | 4 | 31 | 761 | 5,552 | 10,703 | 1,753 |
| WHITE... | 15,895 | 2 | 3 | 18 | 449 | 4,316 | 9,516 | 1,591 |
| NONWHITE | 2,915 | 4 | 1 | 13 | 312 | 1,236 | 1,187 | 162 |
| A. ARTERIOSCLEROTIC..... | 14,435 | -- | -- | 3 | 351 | 4,016 | 8,663 | 1,402 |
| WHITE... | 12,832 | -- | -- | 1 | 245 | 3,382 | 7,913 | 1,291 |
| NONWHITE | 1,603 | -- | -- | 2 | 106 | 634 | 750 | 111 |
| B. OTHER..... | 4,375 | 6 | 4 | 28 | 410 | 1,536 | 2,040 | 351 |
| WHITE... | 3,063 | 2 | 3 | 17 | 204 | 934 | 1,603 | 300 |
| NONWHITE | 1,312 | 4 | 1 | 11 | 206 | 602 | 437 | 51 |
| 2. MALIGNANT NEOPLASMS..... | 6,996 | 31 | 57 | 39 | 469 | 2,770 | 3,380 | 250 |
| WHITE... | 5,835 | 26 | 47 | 30 | 322 | 2,220 | 2,971 | 219 |
| NONWHITE | 1,161 | 5 | 10 | 9 | 147 | 550 | 409 | 31 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.... | 3,583 | 4 | 5 | 18 | 125 | 835 | 2,198 | 398 |
| WHITE... | 2,892 | 4 | 4 | 10 | 66 | 557 | 1,884 | 367 |
| NONWHITE | 691 | -- | 1 | 8 | 59 | 278 | 314 | 31 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY..... | 1,906 | 1,833 | 17 | 12 | 17 | 19 | 8 | -- |
| WHITE... | 1,066 | 1,012 | 14 | 8 | 13 | 14 | 5 | -- |
| NONWHITE | 840 | 821 | 3 | 4 | 4 | 5 | 3 | -- |
| 5. ACCIDENTS..... | 1,405 | 123 | 100 | 133 | 315 | 374 | 323 | 37 |
| WHITE... | 1,031 | 60 | 59 | 91 | 197 | 300 | 290 | 34 |
| NONWHITE | 374 | 63 | 41 | 42 | 118 | 74 | 33 | 3 |
| A. MOTOR VEHICLE..... | 453 | 20 | 39 | 69 | 116 | 114 | 86 | 9 |
| WHITE... | 325 | 10 | 22 | 51 | 76 | 83 | 75 | 8 |
| NONWHITE | 128 | 10 | 17 | 18 | 40 | 31 | 11 | 1 |
| B. OTHER..... | 952 | 103 | 61 | 64 | 199 | 260 | 237 | 28 |
| WHITE... | 706 | 50 | 37 | 40 | 121 | 217 | 215 | 26 |
| NONWHITE | 246 | 53 | 24 | 24 | 78 | 43 | 22 | 2 |
| 6. PNEUMONIA AND INFLUENZA... | 1,924 | 527 | 28 | 23 | 159 | 343 | 706 | 138 |
| WHITE... | 1,192 | 219 | 14 | 13 | 66 | 208 | 552 | 120 |
| NONWHITE | 732 | 308 | 14 | 10 | 93 | 135 | 154 | 18 |
| 7. GENERAL ARTERIOSCLEROSIS.. | 525 | -- | -- | -- | -- | 35 | 357 | 133 |
| WHITE... | 479 | -- | -- | -- | -- | 26 | 325 | 128 |
| NONWHITE | 46 | -- | -- | -- | -- | 9 | 32 | 5 |
| 8. DIABETES MELLITUS..... | 637 | 1 | 1 | 6 | 34 | 199 | 376 | 20 |
| WHITE... | 504 | -- | 1 | 3 | 21 | 138 | 322 | 19 |
| NONWHITE | 133 | 1 | -- | 3 | 13 | 61 | 54 | 1 |
| 9. CIRRHOSIS OF LIVER..... | 768 | 2 | 2 | 2 | 165 | 431 | 163 | 3 |
| WHITE... | 663 | 1 | 1 | 1 | 128 | 375 | 154 | 3 |
| NONWHITE | 105 | 1 | 1 | 1 | 37 | 56 | 9 | -- |
| 10. SUICIDE..... | 329 | -- | 1 | 23 | 84 | 143 | 76 | 2 |
| WHITE... | 288 | -- | 1 | 17 | 65 | 130 | 73 | 2 |
| NONWHITE | 41 | -- | -- | 6 | 19 | 13 | 3 | -- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART..... | 354 | -- | -- | -- | 24 | 104 | 187 | 39 |
| WHITE... | 272 | -- | -- | -- | 3 | 67 | 166 | 36 |
| NONWHITE | 82 | -- | -- | -- | 21 | 37 | 21 | 3 |
| 12. OTHER CIRCULATORY DISEASES..... | 320 | -- | 1 | 6 | 14 | 119 | 168 | 12 |
| WHITE... | 269 | -- | 1 | 5 | 10 | 95 | 148 | 10 |
| NONWHITE | 51 | -- | -- | 1 | 4 | 24 | 20 | 2 |

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1961--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| DOWNSTATE, ALL CAUSES..... | 60,434 | 3,888 | 581 | 818 | 3,043 | 13,696 | 30,577 | 7,831 |
| WHITE... | 58,200 | 3,516 | 549 | 777 | 2,835 | 13,028 | 29,802 | 7,693 |
| NONWHITE | 2,234 | 372 | 32 | 41 | 208 | 668 | 775 | 138 |
| 1. HEART DISEASE..... | 25,574 | 8 | 6 | 20 | 671 | 5,767 | 15,068 | 4,034 |
| WHITE... | 24,800 | 8 | 6 | 18 | 628 | 5,499 | 14,685 | 3,956 |
| NONWHITE | 774 | -- | -- | 2 | 43 | 268 | 383 | 78 |
| A. ARTERIOSCLEROTIC..... | 20,226 | -- | 1 | 2 | 467 | 4,817 | 12,009 | 2,930 |
| WHITE... | 19,718 | -- | 1 | 2 | 446 | 4,649 | 11,756 | 2,864 |
| NONWHITE | 508 | -- | -- | -- | 21 | 168 | 253 | 66 |
| B. OTHER..... | 5,348 | 8 | 5 | 18 | 204 | 950 | 3,059 | 1,104 |
| WHITE... | 5,082 | 8 | 5 | 16 | 182 | 850 | 2,929 | 1,092 |
| NONWHITE | 266 | -- | -- | 2 | 22 | 100 | 130 | 12 |
| 2. MALIGNANT NEOPLASMS..... | 10,253 | 82 | 118 | 74 | 695 | 3,578 | 5,096 | 610 |
| WHITE... | 9,955 | 79 | 110 | 72 | 663 | 3,454 | 4,977 | 600 |
| NONWHITE | 298 | 3 | 8 | 2 | 32 | 124 | 119 | 10 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.... | 6,837 | 8 | 7 | 9 | 128 | 971 | 4,274 | 1,440 |
| WHITE... | 6,618 | 8 | 5 | 7 | 112 | 896 | 4,167 | 1,423 |
| NONWHITE | 219 | -- | 2 | 2 | 16 | 75 | 107 | 17 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY..... | 2,822 | 2,694 | 39 | 29 | 16 | 32 | 12 | -- |
| WHITE... | 2,592 | 2,465 | 39 | 28 | 16 | 32 | 12 | -- |
| NONWHITE | 230 | 229 | -- | 1 | -- | -- | -- | -- |
| 5. ACCIDENTS..... | 2,975 | 243 | 236 | 488 | 607 | 644 | 614 | 143 |
| WHITE... | 2,828 | 220 | 220 | 475 | 571 | 606 | 598 | 138 |
| NONWHITE | 147 | 23 | 16 | 13 | 36 | 38 | 16 | 5 |
| A. MOTOR VEHICLE..... | 1,475 | 57 | 108 | 357 | 382 | 337 | 220 | 14 |
| WHITE... | 1,428 | 55 | 106 | 348 | 365 | 325 | 216 | 13 |
| NONWHITE | 47 | 2 | 2 | 9 | 17 | 12 | 4 | 1 |
| B. OTHER..... | 1,500 | 186 | 128 | 131 | 225 | 307 | 394 | 129 |
| WHITE... | 1,400 | 165 | 114 | 127 | 206 | 281 | 382 | 125 |
| NONWHITE | 100 | 21 | 14 | 4 | 19 | 26 | 12 | 4 |
| 6. PNEUMONIA AND INFLUENZA... | 1,830 | 415 | 29 | 18 | 60 | 224 | 750 | 334 |
| WHITE... | 1,699 | 340 | 25 | 16 | 55 | 197 | 737 | 329 |
| NONWHITE | 131 | 75 | 4 | 2 | 5 | 27 | 13 | 5 |
| 7. GENERAL ARTERIOSCLEROSIS.. | 1,420 | -- | -- | -- | 1 | 66 | 791 | 562 |
| WHITE... | 1,383 | -- | -- | -- | 1 | 64 | 765 | 553 |
| NONWHITE | 37 | -- | -- | -- | -- | 2 | 26 | 9 |
| 8. DIABETES MELLITUS..... | 929 | 1 | 7 | 8 | 51 | 234 | 569 | 59 |
| WHITE... | 887 | 1 | 7 | 8 | 49 | 211 | 552 | 59 |
| NONWHITE | 42 | -- | -- | -- | 2 | 23 | 17 | -- |
| 9. CIRRHOSIS OF LIVER..... | 529 | 1 | 1 | 2 | 67 | 281 | 167 | 10 |
| WHITE... | 514 | 1 | 1 | 1 | 63 | 274 | 164 | 10 |
| NONWHITE | 15 | -- | -- | 1 | 4 | 7 | 3 | -- |
| 10. SUICIDE..... | 620 | -- | 1 | 30 | 167 | 260 | 152 | 10 |
| WHITE... | 609 | -- | 1 | 29 | 161 | 259 | 149 | 10 |
| NONWHITE | 11 | -- | -- | 1 | 6 | 1 | 3 | -- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART..... | 508 | -- | 1 | 1 | 24 | 71 | 303 | 108 |
| WHITE... | 479 | -- | 1 | -- | 17 | 63 | 293 | 105 |
| NONWHITE | 29 | -- | -- | 1 | 7 | 8 | 10 | 3 |
| 12. OTHER CIRCULATORY DISEASES..... | 596 | -- | 2 | 9 | 48 | 150 | 335 | 52 |
| WHITE... | 582 | -- | 2 | 9 | 44 | 144 | 332 | 51 |
| NONWHITE | 14 | -- | -- | -- | 4 | 6 | 3 | 1 |

TABLE 88.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1961

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1961)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| ILLINOIS, ALL CAUSES..... | 991.4 | 580.1 | 45.5 | 99.0 | 215.9 | 1,171.2 | 5,377.8 | 20,247.2 |
| WHITE... | 995.3 | 506.9 | 44.0 | 91.0 | 187.7 | 1,105.4 | 5,341.6 | 20,640.0 |
| NONWHITE | 958.3 | 1,010.8 | 57.0 | 162.9 | 433.3 | 1,901.1 | 5,983.0 | 13,700.0 |
| 1. HEART DISEASE..... | 432.7 | 1.2 | 0.5 | 4.0 | 52.6 | 514.3 | 2,744.5 | 10,918.9 |
| WHITE... | 443.9 | 1.0 | 0.5 | 3.1 | 44.7 | 486.1 | 2,731.5 | 11,094.0 |
| NONWHITE | 338.4 | 2.4 | 0.4 | 10.5 | 113.8 | 826.4 | 2,962.3 | 8,000.0 |
| A. ARTERIOSCLEROTIC..... | 337.9 | -0- | 0.1 | 0.4 | 30.1 | 401.3 | 2,201.5 | 8,173.6 |
| WHITE... | 355.0 | -0- | 0.1 | 0.3 | 28.7 | 397.8 | 2,220.0 | 8,310.0 |
| NONWHITE | 193.7 | -0- | -0- | 1.4 | 40.7 | 440.7 | 1,892.5 | 5,900.0 |
| B. OTHER..... | 94.8 | 1.2 | 0.5 | 3.6 | 22.6 | 112.9 | 543.0 | 2,745.3 |
| WHITE... | 88.8 | 1.0 | 0.5 | 2.9 | 16.0 | 88.4 | 511.5 | 2,784.0 |
| NONWHITE | 144.8 | 2.4 | 0.4 | 9.1 | 73.1 | 385.7 | 1,069.8 | 2,100.0 |
| 2. MALIGNANT NEOPLASMS..... | 168.2 | 9.8 | 9.2 | 8.8 | 42.8 | 288.4 | 902.7 | 1,622.6 |
| WHITE... | 172.2 | 10.7 | 9.4 | 8.9 | 40.9 | 281.0 | 897.1 | 1,638.0 |
| NONWHITE | 133.9 | 4.8 | 7.8 | 7.7 | 57.4 | 370.3 | 996.2 | 1,366.7 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.... | 101.6 | 1.0 | 0.6 | 2.1 | 9.3 | 82.1 | 689.2 | 3,467.9 |
| WHITE... | 103.7 | 1.2 | 0.5 | 1.5 | 7.4 | 72.0 | 683.0 | 1,580.0 |
| NONWHITE | 83.5 | -0- | 1.3 | 7.0 | 24.0 | 194.0 | 794.3 | 1,600.0 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY..... | 46.1 | 393.7 | 2.9 | 3.2 | 1.2 | 2.3 | 2.1 | -0- |
| WHITE... | 39.9 | 353.7 | 3.2 | 3.1 | 1.2 | 2.3 | 1.9 | -0- |
| NONWHITE | 98.2 | 628.7 | 1.3 | 3.5 | 1.3 | 2.7 | 5.7 | -0- |
| 5. ACCIDENTS..... | 42.7 | 31.8 | 17.6 | 48.1 | 33.9 | 46.3 | 99.8 | 339.6 |
| WHITE... | 42.1 | 28.5 | 16.7 | 49.3 | 31.9 | 44.9 | 100.2 | 344.0 |
| NONWHITE | 47.8 | 51.5 | 24.8 | 38.5 | 49.4 | 61.5 | 92.5 | 266.7 |
| A. MOTOR VEHICLE..... | 18.8 | 6.7 | 7.7 | 33.0 | 18.3 | 20.5 | 32.6 | 43.4 |
| WHITE... | 19.1 | 6.6 | 7.6 | 34.8 | 18.3 | 20.2 | 32.8 | 42.0 |
| NONWHITE | 16.1 | 7.2 | 8.3 | 18.9 | 18.3 | 23.6 | 28.3 | 66.7 |
| B. OTHER..... | 23.9 | 25.1 | 9.9 | 15.1 | 15.6 | 25.8 | 67.2 | 296.2 |
| WHITE... | 23.0 | 21.9 | 9.0 | 14.5 | 13.6 | 24.7 | 67.4 | 302.0 |
| NONWHITE | 31.7 | 44.3 | 16.5 | 19.6 | 31.1 | 37.9 | 64.2 | 200.0 |
| 6. PNEUMONIA AND INFLUENZA... | 36.6 | 81.9 | 3.0 | 3.2 | 8.1 | 25.8 | 155.1 | 890.6 |
| WHITE... | 31.5 | 56.9 | 2.3 | 2.5 | 5.0 | 20.1 | 145.5 | 898.0 |
| NONWHITE | 79.2 | 229.3 | 7.8 | 8.4 | 31.4 | 89.0 | 315.1 | 766.7 |
| 7. GENERAL ARTERIOSCLEROSIS.. | 19.0 | -0- | -0- | -0- | 0.0 | 4.6 | 122.3 | 1,311.3 |
| WHITE... | 20.3 | -0- | -0- | -0- | 0.0 | 4.5 | 123.0 | 1,362.0 |
| NONWHITE | 7.6 | -0- | -0- | -0- | -0- | 6.0 | 109.4 | 466.7 |
| 8. DIABETES MELLITUS..... | 15.3 | 0.2 | 0.4 | 1.1 | 3.1 | 19.7 | 100.6 | 149.1 |
| WHITE... | 15.2 | 0.1 | 0.5 | 1.0 | 2.9 | 17.3 | 98.6 | 156.0 |
| NONWHITE | 16.1 | 0.6 | -0- | 2.1 | 4.8 | 46.2 | 134.0 | 33.3 |
| 9. CIRRHOSIS OF LIVER..... | 12.6 | 0.3 | 0.2 | 0.3 | 8.5 | 32.3 | 35.1 | 24.5 |
| WHITE... | 12.8 | 0.2 | 0.1 | 0.2 | 7.9 | 32.1 | 35.9 | 26.0 |
| NONWHITE | 11.0 | 0.6 | 0.4 | 1.4 | 13.1 | 34.6 | 22.6 | -0- |
| 10. SUICIDE..... | 9.3 | -0- | 0.1 | 4.1 | 9.2 | 18.3 | 24.3 | 22.6 |
| WHITE... | 9.8 | -0- | 0.1 | 4.0 | 9.4 | 19.3 | 25.1 | 24.0 |
| NONWHITE | 4.8 | -0- | -0- | 4.9 | 8.0 | 7.7 | 11.3 | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART..... | 8.4 | -0- | 0.1 | 0.1 | 1.8 | 8.0 | 52.2 | 277.4 |
| WHITE... | 8.2 | -0- | 0.1 | -0- | 0.8 | 6.4 | 51.8 | 282.0 |
| NONWHITE | 10.2 | -0- | -0- | 0.7 | 9.0 | 24.7 | 58.5 | 200.0 |
| 12. OTHER CIRCULATORY DISEASES..... | 8.9 | -0- | 0.2 | 1.2 | 2.3 | 12.2 | 53.6 | 120.8 |
| WHITE... | 9.3 | -0- | 0.2 | 1.2 | 2.2 | 11.8 | 54.2 | 122.0 |
| NONWHITE | 6.0 | -0- | -0- | 0.7 | 2.6 | 16.5 | 43.4 | 100.0 |

TABLE 88.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1961--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1961)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| CHICAGO, ALL CAUSES..... | 1,162.3 | 730.4 | 49.0 | 102.7 | 295.7 | 1,448.7 | 6,000.3 | 20,714.3 |
| WHITE... | 1,218.7 | 586.8 | 45.7 | 78.8 | 237.1 | 1,334.8 | 5,960.9 | 21,891.7 |
| NONWHITE | 980.0 | 1,004.6 | 56.6 | 177.8 | 465.0 | 2,023.2 | 6,305.3 | 13,650.0 |
| 1. HEART DISEASE..... | 529.9 | 1.6 | 0.7 | 6.9 | 79.5 | 665.7 | 3,223.8 | 12,521.4 |
| WHITE... | 586.1 | 0.8 | 0.7 | 5.3 | 63.2 | 620.1 | 3,236.7 | 13,258.3 |
| NONWHITE | 347.9 | 3.1 | 0.6 | 12.0 | 126.8 | 895.7 | 3,123.7 | 8,100.0 |
| A. ARTERIOSCLEROTIC..... | 406.6 | -0- | -0- | 0.7 | 36.7 | 481.5 | 2,609.3 | 10,014.3 |
| WHITE... | 473.2 | -0- | -0- | 0.3 | 34.5 | 485.9 | 2,691.5 | 10,758.3 |
| NONWHITE | 191.3 | -0- | -0- | 1.9 | 43.1 | 459.4 | 1,973.7 | 5,550.0 |
| B. OTHER..... | 123.2 | 1.6 | 0.7 | 6.3 | 42.8 | 184.2 | 614.5 | 2,507.1 |
| WHITE... | 112.9 | 0.8 | 0.7 | 5.0 | 28.7 | 134.2 | 545.2 | 2,500.0 |
| NONWHITE | 156.6 | 3.1 | 0.6 | 10.2 | 83.7 | 436.2 | 1,150.0 | 2,550.0 |
| 2. MALIGNANT NEOPLASMS..... | 197.1 | 8.1 | 9.8 | 8.7 | 49.0 | 332.1 | 1,018.1 | 1,785.7 |
| WHITE... | 215.2 | 10.4 | 11.5 | 8.8 | 45.3 | 319.0 | 1,010.5 | 1,825.0 |
| NONWHITE | 138.5 | 3.8 | 5.7 | 8.3 | 59.8 | 398.6 | 1,076.3 | 1,550.0 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.... | 100.9 | 1.0 | 0.9 | 4.0 | 13.1 | 100.1 | 662.0 | 2,842.9 |
| WHITE... | 106.6 | 1.6 | 1.0 | 2.9 | 9.3 | 80.0 | 640.8 | 3,058.3 |
| NONWHITE | 82.5 | -0- | 0.6 | 7.4 | 24.0 | 201.4 | 826.3 | 1,550.0 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY..... | 53.7 | 481.1 | 2.9 | 2.7 | 1.8 | 2.3 | 2.4 | -0- |
| WHITE... | 39.3 | 404.8 | 3.4 | 2.4 | 1.8 | 2.0 | 1.7 | -0- |
| NONWHITE | 100.2 | 626.7 | 1.7 | 3.7 | 1.6 | 3.6 | 7.9 | -0- |
| 5. ACCIDENTS..... | 39.6 | 32.3 | 17.1 | 29.7 | 32.9 | 44.8 | 97.3 | 264.3 |
| WHITE... | 38.0 | 24.0 | 14.4 | 26.8 | 27.7 | 43.1 | 98.6 | 283.3 |
| NONWHITE | 44.6 | 48.1 | 23.4 | 38.9 | 48.0 | 53.6 | 86.8 | 150.0 |
| A. MOTOR VEHICLE..... | 12.8 | 5.2 | 6.7 | 15.4 | 12.1 | 13.7 | 25.9 | 64.3 |
| WHITE... | 12.0 | 4.0 | 5.4 | 15.0 | 10.7 | 11.9 | 25.5 | 66.7 |
| NONWHITE | 15.3 | 7.6 | 9.7 | 16.7 | 16.3 | 22.5 | 28.9 | 50.0 |
| B. OTHER..... | 26.8 | 27.0 | 10.4 | 14.3 | 20.8 | 31.2 | 71.4 | 200.0 |
| WHITE... | 26.0 | 20.0 | 9.0 | 11.8 | 17.0 | 31.2 | 73.1 | 216.7 |
| NONWHITE | 29.4 | 40.5 | 13.7 | 22.2 | 31.7 | 31.2 | 57.9 | 100.0 |
| 6. PNEUMONIA AND INFLUENZA... | 54.2 | 138.3 | 4.8 | 5.1 | 16.6 | 41.1 | 212.7 | 985.7 |
| WHITE... | 44.0 | 87.6 | 3.4 | 3.8 | 9.3 | 29.9 | 187.8 | 1,000.0 |
| NONWHITE | 87.4 | 235.1 | 8.0 | 9.3 | 37.8 | 97.8 | 405.3 | 900.0 |
| 7. GENERAL ARTERIOSCLEROSIS.. | 14.8 | -0- | -0- | -0- | -0- | 4.2 | 107.5 | 950.0 |
| WHITE... | 17.7 | -0- | -0- | -0- | -0- | 3.7 | 110.5 | 1,066.7 |
| NONWHITE | 5.5 | -0- | -0- | -0- | -0- | 6.5 | 84.2 | 250.0 |
| 8. DIABETES MELLITUS..... | 17.9 | 0.3 | 0.2 | 1.3 | 3.6 | 23.9 | 113.3 | 142.9 |
| WHITE... | 18.6 | -0- | 0.2 | 0.9 | 3.0 | 19.8 | 109.5 | 158.3 |
| NONWHITE | 15.9 | 0.8 | -0- | 2.8 | 5.3 | 44.2 | 142.1 | 50.0 |
| 9. CIRRHOSIS OF LIVER..... | 21.6 | 0.5 | 0.3 | 0.4 | 17.2 | 51.7 | 49.1 | 21.4 |
| WHITE... | 24.4 | 0.4 | 0.2 | 0.3 | 18.0 | 53.9 | 52.4 | 25.0 |
| NONWHITE | 12.5 | 0.8 | 0.6 | 0.9 | 15.0 | 40.6 | 23.7 | -0- |
| 10. SUICIDE..... | 9.3 | -0- | 0.2 | 5.1 | 8.8 | 17.1 | 22.9 | 14.3 |
| WHITE... | 10.6 | -0- | 0.2 | 5.0 | 9.1 | 18.7 | 24.8 | 16.7 |
| NONWHITE | 4.9 | -0- | -0- | 5.6 | 7.7 | 9.4 | 7.9 | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART..... | 10.0 | -0- | -0- | -0- | 2.5 | 12.5 | 56.3 | 278.6 |
| WHITE... | 10.0 | -0- | -0- | -0- | 0.4 | 9.6 | 56.5 | 300.0 |
| NONWHITE | 9.8 | -0- | -0- | -0- | 8.5 | 26.8 | 55.3 | 150.0 |
| 12. OTHER CIRCULATORY DISEASES..... | 9.0 | -0- | 0.2 | 1.3 | 1.5 | 14.3 | 50.6 | 85.7 |
| WHITE... | 9.9 | -0- | 0.2 | 1.5 | 1.4 | 13.6 | 50.3 | 83.3 |
| NONWHITE | 6.1 | -0- | -0- | 0.9 | 1.6 | 17.4 | 52.6 | 100.0 |

TABLE 88.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1961--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1961)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| DOWNSTATE, ALL CAUSES..... | 900.9 | 505.6 | 44.0 | 97.0 | 172.6 | 1,001.9 | 5,037.4 | 20,079.5 |
| WHITE... | 901.5 | 479.7 | 43.4 | 96.2 | 167.1 | 984.7 | 5,034.1 | 20,244.7 |
| NONWHITE | 886.5 | 1,033.3 | 58.2 | 117.1 | 315.2 | 1,518.2 | 5,166.7 | 13,800.0 |
| 1. HEART DISEASE..... | 381.2 | 1.0 | 0.5 | 2.4 | 38.1 | 421.9 | 2,482.4 | 10,343.6 |
| WHITE... | 384.1 | 1.1 | 0.5 | 2.2 | 37.0 | 415.6 | 2,480.6 | 10,410.5 |
| NONWHITE | 307.1 | -0- | -0- | 5.7 | 65.2 | 609.1 | 2,553.3 | 7,800.0 |
| A. ARTERIOSCLEROTIC..... | 301.5 | -0- | 0.1 | 0.2 | 26.5 | 352.4 | 1,978.4 | 7,512.8 |
| WHITE... | 305.4 | -0- | 0.1 | 0.2 | 26.3 | 351.4 | 1,985.8 | 7,536.8 |
| NONWHITE | 201.6 | -0- | -0- | -0- | 31.8 | 381.8 | 1,686.7 | 6,600.0 |
| B. OTHER..... | 79.7 | 1.0 | 0.4 | 2.1 | 11.6 | 69.5 | 504.0 | 2,830.8 |
| WHITE... | 78.7 | 1.1 | 0.4 | 2.0 | 10.7 | 64.2 | 494.8 | 2,873.7 |
| NONWHITE | 105.6 | -0- | -0- | 5.7 | 33.3 | 227.3 | 866.7 | 1,200.0 |
| 2. MALIGNANT NEOPLASMS..... | 152.8 | 10.7 | 8.9 | 8.8 | 39.4 | 261.7 | 839.5 | 1,564.1 |
| WHITE... | 154.2 | 10.8 | 8.7 | 8.9 | 39.1 | 261.1 | 840.7 | 1,578.9 |
| NONWHITE | 118.3 | 8.3 | 14.5 | 5.7 | 48.5 | 281.8 | 793.3 | 1,000.0 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.... | 101.9 | 1.0 | 0.5 | 1.1 | 7.3 | 71.0 | 704.1 | 3,692.3 |
| WHITE... | 102.5 | 1.1 | 0.4 | 0.9 | 6.6 | 67.7 | 703.9 | 3,744.7 |
| NONWHITE | 86.9 | -0- | 3.6 | 5.7 | 24.2 | 170.5 | 713.3 | 1,700.0 |
| 4. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY..... | 42.1 | 350.3 | 3.0 | 3.4 | 0.9 | 2.3 | 2.0 | -0- |
| WHITE... | 40.1 | 336.3 | 3.1 | 3.5 | 0.9 | 2.4 | 2.0 | -0- |
| NONWHITE | 91.3 | 636.1 | -0- | 2.9 | -0- | -0- | -0- | -0- |
| 5. ACCIDENTS..... | 44.4 | 31.6 | 17.9 | 57.9 | 34.4 | 47.1 | 101.2 | 366.7 |
| WHITE... | 43.8 | 30.0 | 17.4 | 58.8 | 33.6 | 45.8 | 101.0 | 363.2 |
| NONWHITE | 58.3 | 63.9 | 29.1 | 37.1 | 54.5 | 86.4 | 106.7 | 500.0 |
| A. MOTOR VEHICLE..... | 22.0 | 7.4 | 8.2 | 42.3 | 21.7 | 24.7 | 36.2 | 35.9 |
| WHITE... | 22.1 | 7.5 | 8.4 | 43.1 | 21.5 | 24.6 | 36.5 | 34.2 |
| NONWHITE | 18.7 | 5.6 | 3.6 | 25.7 | 25.8 | 27.3 | 26.7 | 100.0 |
| B. OTHER..... | 22.4 | 24.2 | 9.7 | 15.5 | 12.8 | 22.5 | 64.9 | 330.8 |
| WHITE... | 21.7 | 22.5 | 9.0 | 15.7 | 12.1 | 21.2 | 64.5 | 328.9 |
| NONWHITE | 39.7 | 58.3 | 25.5 | 11.4 | 28.8 | 59.1 | 80.0 | 400.0 |
| 6. PNEUMONIA AND INFLUENZA... | 27.3 | 54.0 | 2.2 | 2.1 | 3.4 | 16.4 | 123.6 | 856.4 |
| WHITE... | 26.3 | 46.4 | 2.0 | 2.0 | 3.2 | 14.9 | 124.5 | 865.8 |
| NONWHITE | 52.0 | 208.3 | 7.3 | 5.7 | 7.6 | 61.4 | 86.7 | 500.0 |
| 7. GENERAL ARTERIOSCLEROSIS.. | 21.2 | -0- | -0- | -0- | 0.1 | 4.8 | 130.3 | 1,441.0 |
| WHITE... | 21.4 | -0- | -0- | -0- | 0.1 | 4.8 | 129.2 | 1,455.3 |
| NONWHITE | 14.7 | -0- | -0- | -0- | -0- | 4.5 | 173.3 | 900.0 |
| 8. DIABETES MELLITUS..... | 13.8 | 0.1 | 0.5 | 0.9 | 2.9 | 17.1 | 93.7 | 151.3 |
| WHITE... | 13.7 | 0.1 | 0.6 | 1.0 | 2.9 | 15.9 | 93.2 | 155.3 |
| NONWHITE | 16.7 | -0- | -0- | -0- | 3.0 | 52.3 | 113.3 | -0- |
| 9. CIRRHOSIS OF LIVER..... | 7.9 | 0.1 | 0.1 | 0.2 | 3.8 | 20.6 | 27.5 | 25.6 |
| WHITE... | 8.0 | 0.1 | 0.1 | 0.1 | 3.7 | 20.7 | 27.7 | 26.3 |
| NONWHITE | 6.0 | -0- | -0- | 2.9 | 6.1 | 15.9 | 20.0 | -0- |
| 10. SUICIDE..... | 9.2 | -0- | 0.1 | 3.6 | 9.5 | 19.0 | 25.0 | 25.6 |
| WHITE... | 9.4 | -0- | 0.1 | 3.6 | 9.5 | 19.6 | 25.2 | 26.3 |
| NONWHITE | 4.4 | -0- | -0- | 2.9 | 9.1 | 2.3 | 20.0 | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART..... | 7.6 | -0- | 0.1 | 0.1 | 1.4 | 5.2 | 49.9 | 276.9 |
| WHITE... | 7.4 | -0- | 0.1 | -0- | 1.0 | 4.8 | 49.5 | 276.3 |
| NONWHITE | 11.5 | -0- | -0- | 2.9 | 10.6 | 18.2 | 66.7 | 300.0 |
| 12. OTHER CIRCULATORY DISEASES..... | 8.9 | -0- | 0.2 | 1.1 | 2.7 | 11.0 | 55.2 | 133.3 |
| WHITE... | 9.0 | -0- | 0.2 | 1.1 | 2.6 | 10.9 | 56.1 | 134.2 |
| NONWHITE | 5.6 | -0- | -0- | -0- | 6.1 | 13.6 | 20.0 | 100.0 |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | ACUTE RHEUMATIC FEVER |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ILLINOIS... | 101,696 | 58,565 | 34,661 | 9,723 | 10,420 | 1,945 | 862 | 916 | 38 |
| ADAMS..... | 918 | 571 | 322 | 60 | 140 | 29 | 9 | 11 | -- |
| ALEXANDER.... | 257 | 158 | 74 | 30 | 34 | 18 | 1 | 1 | -- |
| BOND..... | 165 | 93 | 43 | 29 | 15 | 3 | 2 | 1 | -- |
| BOONE..... | 221 | 138 | 84 | 21 | 27 | 2 | 3 | 1 | -- |
| BROWN..... | 77 | 51 | 29 | 5 | 16 | 1 | -- | -- | -- |
| BUREAU..... | 450 | 275 | 155 | 39 | 59 | 13 | 5 | 4 | -- |
| CALHOUN..... | 48 | 33 | 19 | 6 | 8 | -- | -- | -- | -- |
| CARROLL..... | 247 | 152 | 82 | 22 | 35 | 10 | 1 | 2 | -- |
| CASS..... | 194 | 135 | 85 | 13 | 21 | 6 | 4 | 5 | 1 |
| CHAMPAIGN.... | 815 | 450 | 240 | 83 | 99 | 17 | 1 | 10 | -- |
| CHRISTIAN.... | 417 | 255 | 167 | 26 | 44 | 7 | 6 | 5 | -- |
| CLARK..... | 240 | 160 | 72 | 35 | 38 | 7 | 3 | 5 | -- |
| CLAY..... | 166 | 98 | 54 | 22 | 18 | 3 | -- | 1 | -- |
| CLINTON..... | 214 | 108 | 65 | 16 | 20 | 4 | 2 | 1 | -- |
| COLES..... | 487 | 308 | 169 | 28 | 85 | 20 | 3 | 2 | 1 |
| COOK..... | 53,063 | 30,168 | 18,474 | 5,347 | 4,733 | 707 | 427 | 460 | 20 |
| CRAWFORD..... | 267 | 168 | 95 | 26 | 41 | 3 | 1 | 2 | -- |
| CUMBERLAND... | 116 | 66 | 47 | 5 | 9 | 2 | 2 | 1 | -- |
| DE KALB..... | 481 | 295 | 179 | 32 | 66 | 6 | 3 | 7 | 2 |
| DE WITT..... | 207 | 137 | 78 | 27 | 26 | 4 | -- | 2 | -- |
| DOUGLAS..... | 177 | 104 | 50 | 23 | 25 | 3 | 3 | -- | -- |
| DU PAGE..... | 2,002 | 1,082 | 631 | 160 | 216 | 47 | 7 | 20 | 1 |
| EDGAR..... | 293 | 160 | 76 | 27 | 47 | 5 | 1 | 4 | -- |
| EDWARDS..... | 115 | 76 | 42 | 15 | 13 | 5 | -- | 1 | -- |
| EFFINGHAM.... | 231 | 135 | 74 | 24 | 28 | 7 | 1 | 1 | -- |
| FAYETTE..... | 263 | 153 | 86 | 21 | 32 | 12 | -- | 2 | -- |
| FORD..... | 179 | 114 | 70 | 14 | 18 | 5 | 4 | 3 | -- |
| FRANKLIN..... | 598 | 394 | 266 | 47 | 51 | 20 | 4 | 6 | -- |
| FULTON..... | 520 | 309 | 159 | 47 | 81 | 11 | 8 | 3 | -- |
| GALLATIN..... | 86 | 50 | 29 | 12 | 8 | -- | 1 | -- | -- |
| GREENE..... | 234 | 128 | 70 | 27 | 25 | 6 | -- | -- | -- |
| GRUNDY..... | 214 | 139 | 80 | 21 | 32 | 4 | 1 | 1 | -- |
| HAMILTON..... | 149 | 103 | 56 | 26 | 14 | 5 | 1 | 1 | -- |
| HANCOCK..... | 292 | 177 | 102 | 26 | 33 | 10 | 6 | -- | -- |
| HARDIN..... | 79 | 47 | 27 | 8 | 9 | 3 | -- | -- | -- |
| HENDERSON.... | 84 | 53 | 28 | 10 | 11 | 3 | 1 | -- | -- |
| HENRY..... | 581 | 361 | 211 | 35 | 85 | 14 | 10 | 6 | -- |
| IROQUOIS..... | 342 | 213 | 136 | 30 | 35 | 6 | 3 | 3 | -- |
| JACKSON..... | 456 | 282 | 152 | 45 | 56 | 12 | 12 | 5 | -- |
| JASPER..... | 129 | 74 | 42 | 15 | 10 | 7 | -- | -- | -- |
| JEFFERSON.... | 394 | 200 | 106 | 47 | 39 | 5 | 2 | 1 | -- |
| JERSEY..... | 152 | 85 | 46 | 20 | 17 | 1 | -- | 1 | -- |
| JO DAVIESS... | 255 | 141 | 62 | 30 | 37 | 8 | 1 | 3 | -- |
| JOHNSON..... | 111 | 71 | 41 | 7 | 20 | 3 | -- | -- | -- |
| KANE..... | 1,855 | 1,030 | 620 | 147 | 212 | 27 | 9 | 15 | -- |
| KANKAKEE..... | 745 | 410 | 232 | 64 | 80 | 13 | 12 | 9 | -- |
| KENDALL..... | 129 | 56 | 37 | 8 | 10 | 1 | -- | -- | -- |
| KNOX..... | 626 | 377 | 249 | 28 | 74 | 16 | 4 | 6 | -- |
| LAKE..... | 2,206 | 1,248 | 759 | 191 | 216 | 44 | 16 | 21 | 1 |
| LA SALLE..... | 1,224 | 722 | 404 | 101 | 172 | 28 | 5 | 11 | 1 |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ILLINOIS... | 17,249 | 4,380 | 1,928 | 2,452 | 3,754 | 3,607 | 1,121 | 1,566 | 1,297 | 949 |
| ADAMS..... | 143 | 31 | 15 | 16 | 33 | 28 | 7 | 14 | 9 | 6 |
| ALEXANDER.... | 36 | 10 | 5 | 5 | 14 | 6 | 2 | 6 | 1 | 2 |
| BOND..... | 28 | 11 | 6 | 5 | 8 | 2 | 2 | 3 | -- | 2 |
| BOONE..... | 30 | 12 | 10 | 2 | 6 | 8 | 4 | 7 | -- | 2 |
| BROWN..... | 11 | 4 | 2 | 2 | -- | 1 | -- | 1 | 2 | -- |
| BUREAU..... | 67 | 23 | 9 | 14 | 7 | 7 | 4 | 13 | 1 | 7 |
| CALHOUN..... | 5 | 5 | 3 | 2 | -- | -- | 2 | -- | -- | 1 |
| CARROLL..... | 34 | 13 | 9 | 4 | 5 | 11 | 3 | 3 | 1 | 2 |
| CASS..... | 28 | 8 | 1 | 7 | 2 | 7 | -- | 3 | -- | -- |
| CHAMPAIGN.... | 114 | 41 | 26 | 15 | 30 | 41 | 13 | 15 | 1 | 15 |
| CHRISTIAN.... | 56 | 27 | 14 | 13 | 8 | 6 | 1 | 7 | 4 | 5 |
| CLARK..... | 32 | 8 | 2 | 6 | 4 | 5 | 2 | 3 | 1 | 3 |
| CLAY..... | 27 | 9 | 3 | 6 | 4 | 4 | 1 | 5 | 1 | -- |
| CLINTON..... | 40 | 13 | 9 | 4 | 8 | 12 | 5 | 4 | 3 | -- |
| COLES..... | 72 | 20 | 9 | 11 | 16 | 9 | 3 | 6 | 4 | 5 |
| COOK..... | 9,255 | 1,926 | 709 | 1,217 | 2,304 | 2,010 | 550 | 830 | 919 | 438 |
| CRAWFORD..... | 37 | 8 | 8 | -- | 4 | 5 | -- | 7 | 1 | 3 |
| CUMBERLAND... | 17 | 3 | -- | 3 | 5 | 3 | 1 | 1 | -- | -- |
| DE KALB..... | 79 | 23 | 12 | 11 | 14 | 18 | 5 | 7 | 3 | -- |
| DE WITT..... | 34 | 5 | 4 | 1 | 6 | 3 | 3 | 1 | -- | -- |
| DOUGLAS..... | 25 | 10 | 9 | 1 | 7 | 5 | -- | 5 | 1 | 3 |
| DU PAGE..... | 380 | 106 | 48 | 58 | 56 | 83 | 42 | 28 | 27 | 24 |
| EDGAR..... | 56 | 17 | 12 | 5 | 11 | 10 | -- | 5 | 2 | 1 |
| EDWARDS..... | 15 | 5 | 3 | 2 | 3 | 5 | 1 | 1 | -- | 1 |
| EFFINGHAM.... | 32 | 15 | 8 | 7 | 7 | 7 | 2 | 4 | 3 | 1 |
| FAYETTE..... | 49 | 21 | 11 | 10 | 4 | 4 | 3 | -- | 1 | 3 |
| FORD..... | 25 | 13 | 10 | 3 | 2 | 3 | 1 | 3 | 1 | -- |
| FRANKLIN..... | 92 | 21 | 12 | 9 | 14 | 8 | 3 | 8 | 2 | 5 |
| FULTON..... | 78 | 30 | 16 | 14 | 15 | 9 | 5 | 10 | 7 | 10 |
| GALLATIN..... | 14 | 5 | 3 | 2 | 2 | 1 | 1 | -- | -- | 1 |
| GREENE..... | 49 | 11 | 2 | 9 | 6 | 6 | 2 | 4 | -- | 4 |
| GRUNDY..... | 27 | 9 | 2 | 7 | 1 | 9 | 1 | 6 | 1 | -- |
| HAMILTON..... | 20 | 5 | 4 | 1 | 2 | 3 | 1 | -- | -- | 1 |
| HANCOCK..... | 44 | 18 | 6 | 12 | 9 | 6 | -- | 7 | 1 | 1 |
| HARDIN..... | 19 | 2 | 1 | 1 | 2 | 1 | 2 | -- | -- | -- |
| HENDERSON.... | 13 | 7 | 5 | 2 | 2 | 2 | -- | 1 | -- | 2 |
| HENRY..... | 87 | 30 | 16 | 14 | 12 | 24 | 5 | 8 | 4 | 4 |
| IROQUOIS..... | 47 | 17 | 12 | 5 | 12 | 6 | 4 | 3 | 2 | 2 |
| JACKSON..... | 76 | 20 | 11 | 9 | 10 | 13 | 3 | 5 | 3 | 4 |
| JASPER..... | 19 | 8 | 2 | 6 | 4 | 2 | 1 | 1 | -- | 1 |
| JEFFERSON.... | 66 | 26 | 17 | 9 | 10 | 9 | 7 | 6 | 3 | 4 |
| JERSEY..... | 30 | 7 | 5 | 2 | 6 | 5 | 3 | 3 | -- | -- |
| JO DAVIESS... | 61 | 11 | 7 | 4 | 9 | 2 | 2 | 3 | -- | 4 |
| JOHNSON..... | 16 | 6 | 4 | 2 | 1 | 2 | -- | 2 | 1 | 1 |
| KANE..... | 314 | 98 | 54 | 44 | 55 | 91 | 24 | 26 | 16 | 11 |
| KANKAKEE..... | 132 | 42 | 17 | 25 | 38 | 21 | 15 | 10 | 7 | 10 |
| KENDALL..... | 29 | 5 | 2 | 3 | 4 | 4 | 3 | 3 | -- | 1 |
| KNOX..... | 112 | 24 | 13 | 11 | 20 | 17 | 4 | 3 | 3 | 7 |
| LAKE..... | 349 | 150 | 83 | 67 | 54 | 97 | 32 | 25 | 26 | 25 |
| LA SALLE..... | 211 | 60 | 23 | 37 | 35 | 33 | 10 | 22 | 7 | 18 |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIO-SCLEROSIS | HYPER-TENSION WITHOUT MENTION OF HEART | OTHER CIRCU-LATORY DISEASES | ACUTE RHEU-MATIC FEVER |
| | | | ARTERIO-SCLEROTIC | OTHER | | | | | |
| LAWRENCE..... | 232 | 132 | 65 | 15 | 30 | 17 | 3 | 2 | -- |
| LEE..... | 382 | 215 | 126 | 40 | 31 | 12 | 4 | 2 | -- |
| LIVINGSTON... | 396 | 241 | 133 | 31 | 67 | 5 | 1 | 3 | -- |
| LOGAN..... | 303 | 182 | 103 | 28 | 31 | 16 | 3 | 1 | -- |
| MC DONOUGH... | 345 | 220 | 151 | 26 | 34 | 6 | 2 | 1 | -- |
| MC HENRY..... | 783 | 438 | 251 | 64 | 90 | 16 | 7 | 10 | -- |
| MC LEAN..... | 863 | 541 | 317 | 58 | 129 | 24 | 5 | 8 | -- |
| MACON..... | 1,099 | 609 | 307 | 99 | 137 | 39 | 10 | 16 | 1 |
| MACOUPIN..... | 594 | 351 | 204 | 52 | 73 | 16 | 4 | 2 | -- |
| MADISON..... | 1,893 | 1,054 | 589 | 195 | 199 | 39 | 22 | 9 | 1 |
| MARION..... | 509 | 289 | 171 | 36 | 67 | 5 | 6 | 3 | -- |
| MARSHALL..... | 159 | 94 | 55 | 4 | 25 | 8 | -- | 2 | -- |
| MASON..... | 164 | 91 | 59 | 11 | 16 | 3 | 1 | 1 | -- |
| MASSAC..... | 188 | 108 | 52 | 21 | 24 | 9 | -- | 2 | -- |
| MENARD..... | 115 | 65 | 39 | 9 | 13 | 1 | 1 | 2 | -- |
| MERCER..... | 194 | 121 | 78 | 13 | 17 | 5 | 5 | 2 | 1 |
| MONROE..... | 188 | 117 | 73 | 8 | 16 | 16 | 2 | 2 | -- |
| MONTGOMERY... | 435 | 256 | 150 | 40 | 46 | 12 | 3 | 5 | -- |
| MORGAN..... | 403 | 255 | 141 | 38 | 57 | 13 | 2 | 4 | -- |
| MOULTRIE..... | 188 | 114 | 63 | 7 | 30 | 2 | 8 | 4 | -- |
| OGLE..... | 346 | 195 | 108 | 38 | 37 | 7 | 3 | 2 | -- |
| PEORIA..... | 1,911 | 1,093 | 631 | 127 | 207 | 100 | 10 | 17 | 1 |
| PERRY..... | 224 | 132 | 83 | 17 | 23 | 5 | 1 | 3 | -- |
| PIATT..... | 161 | 97 | 43 | 16 | 22 | 9 | 5 | 2 | -- |
| PIKE..... | 277 | 179 | 80 | 44 | 36 | 11 | 3 | 5 | -- |
| POPE..... | 45 | 30 | 15 | 5 | 7 | 3 | -- | -- | -- |
| PULASKI..... | 148 | 90 | 48 | 14 | 15 | 10 | 2 | 1 | -- |
| PUTNAM..... | 41 | 25 | 13 | 3 | 7 | 1 | 1 | -- | -- |
| RANDOLPH..... | 304 | 199 | 118 | 38 | 30 | 8 | 4 | 1 | -- |
| RICHLAND..... | 183 | 107 | 65 | 22 | 14 | 4 | -- | 2 | -- |
| ROCK ISLAND.. | 1,398 | 833 | 499 | 91 | 170 | 33 | 25 | 14 | 1 |
| ST. CLAIR.... | 2,441 | 1,387 | 760 | 273 | 269 | 39 | 19 | 25 | 2 |
| SALINE..... | 450 | 310 | 188 | 51 | 58 | 8 | 1 | 4 | -- |
| SANGAMON..... | 1,669 | 987 | 616 | 117 | 189 | 26 | 20 | 19 | -- |
| SCHUYLER..... | 114 | 79 | 29 | 28 | 15 | 2 | 2 | 3 | -- |
| SCOTT..... | 72 | 47 | 34 | 5 | 7 | 1 | -- | -- | -- |
| SHELBY..... | 317 | 176 | 81 | 31 | 50 | 8 | 5 | 1 | -- |
| STARK..... | 97 | 65 | 44 | 4 | 15 | 1 | 1 | -- | -- |
| STEPHENSON... | 497 | 286 | 159 | 53 | 53 | 6 | 9 | 6 | -- |
| TAZEWELL..... | 700 | 374 | 199 | 79 | 60 | 20 | 5 | 11 | -- |
| UNION..... | 203 | 121 | 59 | 29 | 20 | 10 | -- | 3 | -- |
| VERMILION.... | 1,049 | 611 | 323 | 114 | 119 | 35 | 8 | 12 | -- |
| WABASH..... | 175 | 105 | 55 | 17 | 23 | 6 | 2 | 2 | -- |
| WARREN..... | 250 | 154 | 63 | 43 | 38 | 5 | 3 | 2 | -- |
| WASHINGTON... | 172 | 106 | 61 | 14 | 25 | 3 | 1 | 2 | -- |
| WAYNE..... | 205 | 127 | 65 | 40 | 17 | 2 | 1 | 2 | -- |
| WHITE..... | 250 | 156 | 91 | 13 | 35 | 9 | 3 | 5 | -- |
| WHITESIDE.... | 488 | 278 | 147 | 53 | 51 | 18 | 7 | 2 | -- |
| WILL..... | 1,608 | 892 | 473 | 198 | 151 | 39 | 17 | 13 | 1 |
| WILLIAMSON... | 631 | 404 | 240 | 59 | 75 | 12 | 12 | 4 | 2 |
| WINNEBAGO.... | 1,718 | 927 | 565 | 106 | 183 | 29 | 16 | 27 | 1 |
| WOODFORD..... | 277 | 163 | 91 | 28 | 25 | 16 | 2 | 1 | -- |
| UNSPECIFIED.. | 71 | 24 | 12 | 10 | 2 | -- | -- | -- | -- |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAWRENCE..... | 31 | 17 | 6 | 11 | 7 | 2 | 1 | 12 | -- | 1 |
| LEE..... | 62 | 28 | 16 | 12 | 9 | 18 | -- | 10 | 2 | 7 |
| LIVINGSTON... | 66 | 24 | 13 | 11 | 10 | 15 | 3 | 5 | -- | 3 |
| LOGAN..... | 53 | 11 | 4 | 7 | 12 | 5 | 3 | 1 | 2 | 1 |
| MC DONOUGH... | 42 | 17 | 9 | 8 | 12 | 9 | 5 | 6 | 1 | 5 |
| MC HENRY..... | 134 | 40 | 18 | 22 | 40 | 27 | 8 | 13 | 10 | 5 |
| MC LEAN..... | 143 | 42 | 22 | 20 | 20 | 24 | 7 | 9 | 10 | 12 |
| MACON..... | 224 | 52 | 25 | 27 | 21 | 40 | 14 | 19 | 12 | 12 |
| MACOUPIN..... | 106 | 24 | 11 | 13 | 31 | 3 | 4 | 14 | 3 | 6 |
| MADISON..... | 304 | 99 | 45 | 54 | 48 | 93 | 30 | 38 | 11 | 20 |
| MARION..... | 87 | 28 | 15 | 13 | 16 | 11 | 6 | 9 | 4 | 3 |
| MARSHALL..... | 29 | 12 | 5 | 7 | 7 | 3 | -- | 1 | 1 | 2 |
| MASON..... | 33 | 8 | 5 | 3 | 3 | 7 | 2 | 4 | -- | 2 |
| MASSAC..... | 22 | 11 | 3 | 8 | 4 | 8 | 1 | 3 | 3 | 1 |
| MENARD..... | 18 | 4 | -- | 4 | 9 | 3 | 1 | 2 | 1 | 2 |
| MERCER..... | 26 | 7 | 3 | 4 | 8 | 6 | 1 | 7 | 2 | 1 |
| MONROE..... | 29 | 11 | 3 | 8 | 6 | 6 | 4 | -- | 1 | 2 |
| MONTGOMERY... | 67 | 25 | 9 | 16 | 17 | 7 | 7 | 4 | 4 | 7 |
| MORGAN..... | 63 | 17 | 13 | 4 | 16 | 5 | 4 | 5 | 2 | 2 |
| MOULTRIE..... | 33 | 14 | 12 | 2 | 11 | 3 | -- | 3 | 1 | -- |
| OGLE..... | 57 | 20 | 8 | 12 | 12 | 12 | 3 | 9 | 4 | 3 |
| PEORIA..... | 311 | 92 | 51 | 41 | 62 | 70 | 25 | 27 | 15 | 27 |
| PERRY..... | 40 | 14 | 9 | 5 | 3 | 3 | 4 | 5 | 1 | 2 |
| PIATT..... | 23 | 13 | 6 | 7 | 2 | 1 | -- | 3 | 3 | 2 |
| PIKE..... | 29 | 14 | 6 | 8 | 11 | 4 | 3 | 3 | 1 | 1 |
| POPE..... | 5 | 4 | 1 | 3 | -- | 1 | -- | -- | -- | -- |
| PULASKI..... | 19 | 5 | 4 | 1 | 5 | 6 | 3 | 4 | -- | 2 |
| PUTNAM..... | 9 | 1 | -- | 1 | -- | 1 | -- | 1 | 1 | -- |
| RANDOLPH..... | 38 | 23 | 12 | 11 | 10 | 6 | 1 | 4 | 1 | 4 |
| RICHLAND..... | 32 | 9 | 3 | 6 | 7 | 4 | 1 | 1 | 1 | -- |
| ROCK ISLAND.. | 228 | 75 | 46 | 29 | 38 | 56 | 22 | 22 | 10 | 11 |
| ST. CLAIR.... | 407 | 121 | 46 | 75 | 64 | 104 | 20 | 41 | 31 | 28 |
| SALINE..... | 67 | 20 | 10 | 10 | 7 | 2 | 4 | 2 | 4 | 3 |
| SANGAMON..... | 277 | 64 | 31 | 33 | 30 | 66 | 18 | 22 | 19 | 15 |
| SCHUYLER..... | 19 | 5 | 3 | 2 | 2 | 1 | -- | -- | -- | 2 |
| SCOTT..... | 11 | 4 | 1 | 3 | -- | 5 | -- | -- | -- | 1 |
| SHELBY..... | 62 | 18 | 8 | 10 | 7 | 6 | 2 | 3 | -- | 5 |
| STARK..... | 15 | 4 | -- | 4 | 3 | 1 | -- | 3 | 2 | -- |
| STEPHENSON... | 91 | 19 | 10 | 9 | 13 | 10 | 8 | 8 | 4 | 14 |
| TAZEWELL..... | 134 | 35 | 15 | 20 | 24 | 23 | 12 | 14 | 14 | 13 |
| UNION..... | 32 | 9 | 5 | 4 | 7 | 3 | 5 | 4 | -- | 2 |
| VERMILION.... | 157 | 41 | 23 | 18 | 54 | 38 | 16 | 10 | 8 | 15 |
| WABASH..... | 31 | 11 | 6 | 5 | 7 | 3 | -- | 3 | 1 | 1 |
| WARREN..... | 30 | 17 | 7 | 10 | 11 | 3 | 3 | 2 | 2 | 2 |
| WASHINGTON... | 24 | 5 | 1 | 4 | 15 | 4 | 1 | 1 | -- | 1 |
| WAYNE..... | 30 | 15 | 9 | 6 | 8 | 5 | 2 | 4 | -- | 1 |
| WHITE..... | 46 | 6 | 2 | 4 | 7 | 6 | 3 | 1 | -- | 1 |
| WHITESIDE.... | 80 | 25 | 11 | 14 | 23 | 13 | 10 | 11 | 2 | 3 |
| WILL..... | 253 | 66 | 31 | 35 | 46 | 95 | 29 | 33 | 16 | 17 |
| WILLIAMSON... | 104 | 25 | 12 | 13 | 13 | 14 | 9 | 3 | 3 | 3 |
| WINNEBAGO.... | 336 | 76 | 30 | 46 | 53 | 64 | 27 | 16 | 13 | 27 |
| WOODFORD..... | 45 | 17 | 9 | 8 | 5 | 6 | 4 | 3 | 2 | 5 |
| UNSPECIFIED.. | 3 | 17 | 1 | 16 | 7 | 2 | -- | -- | -- | 4 |

TABLE 98.-- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1961)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ILLINOIS... | 991.4 | 570.9 | 337.9 | 94.8 | 101.6 | 19.0 | 8.4 | 8.9 | 0.4 |
| ADAMS..... | 1,330.4 | 827.5 | 466.7 | 87.0 | 202.9 | 42.0 | 13.0 | 15.9 | -0- |
| ALEXANDER.... | 1,626.6 | 1,000.0 | 468.4 | 189.9 | 215.2 | 113.9 | 6.3 | 6.3 | -0- |
| BOND..... | 1,170.2 | 659.6 | 305.0 | 205.7 | 106.4 | 21.3 | 14.2 | 7.1 | -0- |
| BOONE..... | 1,067.6 | 666.7 | 405.8 | 101.4 | 130.4 | 9.7 | 14.5 | 4.8 | -0- |
| BROWN..... | 1,262.3 | 836.1 | 475.4 | 82.0 | 262.3 | 16.4 | -0- | -0- | -0- |
| BUREAU..... | 1,193.6 | 729.4 | 411.1 | 103.4 | 156.5 | 34.5 | 13.3 | 10.6 | -0- |
| CALHOUN..... | 813.6 | 559.3 | 322.0 | 101.7 | 135.6 | -0- | -0- | -0- | -0- |
| CARROLL..... | 1,260.2 | 775.5 | 418.4 | 112.2 | 178.6 | 51.0 | 5.1 | 10.2 | -0- |
| CASS..... | 1,337.9 | 931.0 | 586.2 | 89.7 | 144.8 | 41.4 | 27.6 | 34.5 | 6.9 |
| CHAMPAIGN.... | 597.5 | 329.9 | 176.0 | 60.9 | 72.6 | 12.5 | 0.7 | 7.3 | -0- |
| CHRISTIAN.... | 1,118.0 | 683.6 | 447.7 | 69.7 | 118.0 | 18.8 | 16.1 | 13.4 | -0- |
| CLARK..... | 1,454.5 | 969.7 | 436.4 | 212.1 | 230.3 | 42.4 | 18.2 | 30.3 | -0- |
| CLAY..... | 1,050.6 | 620.3 | 341.8 | 139.2 | 113.9 | 19.0 | -0- | 6.3 | -0- |
| CLINTON..... | 880.7 | 444.4 | 267.5 | 65.8 | 82.3 | 16.5 | 8.2 | 4.1 | -0- |
| COLES..... | 1,124.7 | 711.3 | 390.3 | 64.7 | 196.3 | 46.2 | 6.9 | 4.6 | 2.3 |
| COOK..... | 1,017.1 | 578.3 | 354.1 | 102.5 | 90.7 | 13.6 | 8.2 | 8.8 | 0.4 |
| CRAWFORD..... | 1,289.9 | 811.6 | 458.9 | 125.6 | 198.1 | 14.5 | 4.8 | 9.7 | -0- |
| CUMBERLAND... | 1,171.7 | 666.7 | 474.7 | 50.5 | 90.9 | 20.2 | 20.2 | 10.1 | -0- |
| DE KALB..... | 909.3 | 557.7 | 338.4 | 60.5 | 124.8 | 11.3 | 5.7 | 13.2 | 3.8 |
| DE WITT..... | 1,196.5 | 791.9 | 450.9 | 156.1 | 150.3 | 23.1 | -0- | 11.6 | -0- |
| DOUGLAS..... | 903.1 | 530.6 | 255.1 | 117.3 | 127.6 | 15.3 | 15.3 | -0- | -0- |
| DU PAGE..... | 614.1 | 331.9 | 193.6 | 49.1 | 66.3 | 14.4 | 2.1 | 6.1 | 0.3 |
| EDGAR..... | 1,296.5 | 708.0 | 336.3 | 119.5 | 208.0 | 22.1 | 4.4 | 17.7 | -0- |
| EDWARDS..... | 1,438.0 | 950.0 | 525.0 | 187.5 | 162.5 | 62.5 | -0- | 12.5 | -0- |
| EFFINGHAM.... | 983.0 | 574.5 | 314.9 | 102.1 | 119.1 | 29.8 | 4.3 | 4.3 | -0- |
| FAYETTE..... | 1,195.5 | 695.5 | 390.9 | 95.5 | 145.5 | 54.5 | -0- | 9.1 | -0- |
| FORD..... | 1,065.5 | 678.6 | 416.7 | 83.3 | 107.1 | 29.8 | 23.8 | 17.9 | -0- |
| FRANKLIN..... | 1,561.4 | 1,028.7 | 694.5 | 122.7 | 133.2 | 52.2 | 10.4 | 15.7 | -0- |
| FULTON..... | 1,232.2 | 732.2 | 376.8 | 111.4 | 191.9 | 26.1 | 19.0 | 7.1 | -0- |
| GALLATIN..... | 1,146.7 | 666.7 | 386.7 | 160.0 | 106.7 | -0- | 13.3 | -0- | -0- |
| GREENE..... | 1,344.8 | 735.6 | 402.3 | 155.2 | 143.7 | 34.5 | -0- | -0- | -0- |
| GRUNDY..... | 942.7 | 612.3 | 352.4 | 92.5 | 141.0 | 17.6 | 4.4 | 4.4 | -0- |
| HAMILTON..... | 1,505.1 | 1,040.4 | 565.7 | 262.6 | 141.4 | 50.5 | 10.1 | 10.1 | -0- |
| HANCOCK..... | 1,182.2 | 716.6 | 413.0 | 105.3 | 133.6 | 40.5 | 24.3 | -0- | -0- |
| HARDIN..... | 1,386.0 | 824.6 | 473.7 | 140.4 | 157.9 | 52.6 | -0- | -0- | -0- |
| HENDERSON.... | 1,024.4 | 646.3 | 341.5 | 122.0 | 134.1 | 36.6 | 12.2 | -0- | -0- |
| HENRY..... | 1,166.7 | 724.9 | 423.7 | 70.3 | 170.7 | 28.1 | 20.1 | 12.0 | -0- |
| IROQUOIS..... | 1,008.8 | 628.3 | 401.2 | 88.5 | 103.2 | 17.7 | 8.8 | 8.8 | -0- |
| JACKSON..... | 1,043.5 | 645.3 | 347.8 | 103.0 | 128.1 | 27.5 | 27.5 | 11.4 | -0- |
| JASPER..... | 1,141.6 | 654.9 | 371.7 | 132.7 | 88.5 | 61.9 | -0- | -0- | -0- |
| JEFFERSON.... | 1,223.6 | 621.1 | 329.2 | 146.0 | 121.1 | 15.5 | 6.2 | 3.1 | -0- |
| JERSEY..... | 873.6 | 488.5 | 264.4 | 114.9 | 97.7 | 5.7 | -0- | 5.7 | -0- |
| JO DAVIESS... | 1,153.8 | 638.0 | 280.5 | 135.7 | 167.4 | 36.2 | 4.5 | 13.6 | -0- |
| JOHNSON..... | 1,632.4 | 1,044.1 | 602.9 | 102.9 | 294.1 | 44.1 | -0- | -0- | -0- |
| KANE..... | 858.8 | 476.9 | 287.0 | 68.1 | 98.1 | 12.5 | 4.2 | 6.9 | -0- |
| KANKAKEE..... | 790.0 | 434.8 | 246.0 | 67.9 | 84.8 | 13.8 | 12.7 | 9.5 | -0- |
| KENDALL..... | 712.7 | 309.4 | 204.4 | 44.2 | 55.2 | 5.5 | -0- | -0- | -0- |
| KNOX..... | 1,011.3 | 609.0 | 402.3 | 45.2 | 119.5 | 25.8 | 6.5 | 9.7 | -0- |
| LAKE..... | 723.3 | 409.2 | 248.9 | 62.6 | 70.8 | 14.4 | 5.2 | 6.9 | 0.3 |
| LA SALLE..... | 1,091.9 | 644.1 | 360.4 | 90.1 | 153.4 | 25.0 | 4.5 | 9.8 | 0.9 |

TABLE 98. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1961)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ILLINOIS... | 168.2 | 42.7 | 18.8 | 23.9 | 36.6 | 35.2 | 10.9 | 15.3 | 12.6 | 9.3 |
| ADAMS..... | 207.2 | 44.9 | 21.7 | 23.2 | 47.8 | 40.6 | 10.1 | 20.3 | 13.0 | 8.7 |
| ALEXANDER.... | 227.8 | 63.3 | 31.6 | 31.6 | 88.6 | 38.0 | 12.7 | 38.0 | 6.3 | 12.7 |
| BOND..... | 198.6 | 78.0 | 42.6 | 35.5 | 56.7 | 14.2 | 14.2 | 21.3 | -0- | 14.2 |
| BOONE..... | 144.9 | 58.0 | 48.3 | 9.7 | 29.0 | 38.6 | 19.3 | 33.8 | -0- | 9.7 |
| BROWN..... | 180.3 | 65.6 | 32.8 | 32.8 | -0- | 16.4 | -0- | 16.4 | 32.8 | -0- |
| BUREAU..... | 177.7 | 61.0 | 23.9 | 37.1 | 18.6 | 18.6 | 10.6 | 34.5 | 2.7 | 18.6 |
| CALHOUN..... | 84.7 | 84.7 | 50.8 | 33.9 | -0- | -0- | 33.9 | -0- | -0- | 16.9 |
| CARROLL..... | 173.5 | 66.3 | 45.9 | 20.4 | 25.5 | 56.1 | 15.3 | 15.3 | 5.1 | 10.2 |
| CASS..... | 193.1 | 55.2 | 6.9 | 48.3 | 13.8 | 48.3 | -0- | 20.7 | -0- | -0- |
| CHAMPAIGN.... | 83.6 | 30.1 | 19.1 | 11.0 | 22.0 | 30.1 | 9.5 | 11.0 | 0.7 | 11.0 |
| CHRISTIAN.... | 150.1 | 72.4 | 37.5 | 34.9 | 21.4 | 16.1 | 2.7 | 18.8 | 10.7 | 13.4 |
| CLARK..... | 193.9 | 48.5 | 12.1 | 36.4 | 24.2 | 30.3 | 12.1 | 18.2 | 6.1 | 18.2 |
| CLAY..... | 170.9 | 57.0 | 19.0 | 38.0 | 25.3 | 25.3 | 6.3 | 31.6 | 6.3 | -0- |
| CLINTON..... | 164.6 | 53.5 | 37.0 | 16.5 | 32.9 | 49.4 | 20.6 | 16.5 | 12.3 | -0- |
| COLES..... | 166.3 | 46.2 | 20.8 | 25.4 | 37.0 | 20.8 | 6.9 | 13.9 | 9.2 | 11.5 |
| COOK..... | 177.4 | 36.9 | 13.6 | 23.3 | 44.2 | 38.5 | 10.5 | 15.9 | 17.6 | 8.4 |
| CRAWFORD..... | 178.7 | 38.6 | 38.6 | -0- | 19.3 | 24.2 | -0- | 33.8 | 4.8 | 14.5 |
| CUMBERLAND... | 171.7 | 30.3 | -0- | 30.3 | 50.5 | 30.3 | 10.1 | 10.1 | -0- | -0- |
| DE KALB..... | 149.3 | 43.5 | 22.7 | 20.8 | 26.5 | 34.0 | 9.5 | 13.2 | 5.7 | -0- |
| DE WITT..... | 196.5 | 28.9 | 23.1 | 5.8 | 34.7 | 17.3 | 17.3 | 5.8 | -0- | -0- |
| DOUGLAS..... | 127.6 | 51.0 | 45.9 | 5.1 | 35.7 | 25.5 | -0- | 25.5 | 5.1 | 15.3 |
| DU PAGE..... | 116.6 | 32.5 | 14.7 | 17.8 | 17.2 | 25.5 | 12.9 | 8.6 | 8.3 | 7.4 |
| EDGAR..... | 247.8 | 75.2 | 53.1 | 22.1 | 48.7 | 44.2 | -0- | 22.1 | 8.8 | 4.4 |
| EDWARDS..... | 187.5 | 62.5 | 37.5 | 25.0 | 37.5 | 62.5 | 12.5 | 12.5 | -0- | 12.5 |
| EFFINGHAM.... | 136.2 | 63.8 | 34.0 | 29.8 | 29.8 | 29.8 | 8.5 | 17.0 | 12.8 | 4.3 |
| FAYETTE..... | 222.7 | 95.5 | 50.0 | 45.5 | 18.2 | 18.2 | 13.6 | -0- | 4.5 | 13.6 |
| FORD..... | 148.8 | 77.4 | 59.5 | 17.9 | 11.9 | 17.9 | 6.0 | 17.9 | 6.0 | -0- |
| FRANKLIN..... | 240.2 | 54.8 | 31.3 | 23.5 | 36.6 | 20.9 | 7.8 | 20.9 | 5.2 | 13.1 |
| FULTON..... | 184.8 | 71.1 | 37.9 | 33.2 | 35.5 | 21.3 | 11.8 | 23.7 | 16.6 | 23.7 |
| GALLATIN..... | 186.7 | 66.7 | 40.0 | 26.7 | 26.7 | 13.3 | 13.3 | -0- | -0- | 13.3 |
| GREENE..... | 281.6 | 63.2 | 11.5 | 51.7 | 34.5 | 34.5 | 11.5 | 23.0 | -0- | 23.0 |
| GRUNDY..... | 118.9 | 39.6 | 8.8 | 30.8 | 4.4 | 39.6 | 4.4 | 26.4 | 4.4 | -0- |
| HAMILTON..... | 202.0 | 50.5 | 40.4 | 10.1 | 20.2 | 30.3 | 10.1 | -0- | -0- | 10.1 |
| HANCOCK..... | 178.1 | 72.9 | 24.3 | 48.6 | 36.4 | 24.3 | -0- | 28.3 | 4.0 | 4.0 |
| HARDIN..... | 333.3 | 35.1 | 17.5 | 17.5 | 35.1 | 17.5 | 35.1 | -0- | -0- | -0- |
| HENDERSON.... | 158.5 | 85.4 | 61.0 | 24.4 | 24.4 | 24.4 | -0- | 12.2 | -0- | 24.4 |
| HENRY..... | 174.7 | 60.2 | 32.1 | 28.1 | 24.1 | 48.2 | 10.0 | 16.1 | 8.0 | 8.0 |
| IROQUOIS..... | 138.6 | 50.1 | 35.4 | 14.7 | 35.4 | 17.7 | 11.8 | 8.8 | 5.9 | 5.9 |
| JACKSON..... | 173.9 | 45.8 | 25.2 | 20.6 | 22.9 | 29.7 | 6.9 | 11.4 | 6.9 | 9.2 |
| JASPER..... | 168.1 | 70.8 | 17.7 | 53.1 | 35.4 | 17.7 | 8.8 | 8.8 | -0- | 8.8 |
| JEFFERSON.... | 205.0 | 80.7 | 52.8 | 28.0 | 31.1 | 28.0 | 21.7 | 18.6 | 9.3 | 12.4 |
| JERSEY..... | 172.4 | 40.2 | 28.7 | 11.5 | 34.5 | 28.7 | 17.2 | 17.2 | -0- | -0- |
| JO DAVIESS... | 276.0 | 49.8 | 31.7 | 18.1 | 40.7 | 9.0 | 9.0 | 13.6 | -0- | 18.1 |
| JOHNSON..... | 235.3 | 88.2 | 58.8 | 29.4 | 14.7 | 29.4 | -0- | 29.4 | 14.7 | 14.7 |
| KANE..... | 145.4 | 45.4 | 25.0 | 20.4 | 25.5 | 42.1 | 11.1 | 12.0 | 7.4 | 5.1 |
| KANKAKEE..... | 140.0 | 44.5 | 18.0 | 26.5 | 40.3 | 22.3 | 15.9 | 10.6 | 7.4 | 10.6 |
| KENDALL..... | 160.2 | 27.6 | 11.0 | 16.6 | 22.1 | 22.1 | 16.6 | 16.6 | -0- | 5.5 |
| KNOX..... | 180.9 | 38.8 | 21.0 | 17.8 | 32.3 | 27.5 | 6.5 | 4.8 | 4.8 | 11.3 |
| LAKE..... | 114.4 | 49.2 | 27.2 | 22.0 | 17.7 | 31.8 | 10.5 | 8.2 | 8.5 | 8.2 |
| LA SALLE..... | 188.2 | 53.5 | 20.5 | 33.0 | 31.2 | 29.4 | 8.9 | 19.6 | 6.2 | 16.1 |

TABLE 98. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1961)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIO-SCLEROSIS | HYPER-TENSION WITHOUT MENTION OF HEART | OTHER CIRCU-LATORY DISEASES | ACUTE RHEU-MATIC FEVER |
| | | | ARTERIO-SCLEROTIC | OTHER | | | | | |
| LAWRENCE..... | 1,254.1 | 713.5 | 351.4 | 81.1 | 162.2 | 91.9 | 16.2 | 10.8 | -0- |
| LEE..... | 977.0 | 549.9 | 322.3 | 102.3 | 79.3 | 30.7 | 10.2 | 5.1 | -0- |
| LIVINGSTON... | 970.6 | 590.7 | 326.0 | 76.0 | 164.2 | 14.7 | 2.5 | 7.4 | -0- |
| LOGAN..... | 893.8 | 536.9 | 303.8 | 82.6 | 91.4 | 47.2 | 8.8 | 2.9 | -0- |
| MC DONOUGH... | 1,181.5 | 753.4 | 517.1 | 89.0 | 116.4 | 20.5 | 6.8 | 3.4 | -0- |
| MC HENRY..... | 892.8 | 499.4 | 286.2 | 73.0 | 102.6 | 18.2 | 8.0 | 11.4 | -0- |
| MC LEAN..... | 1,041.1 | 635.7 | 372.5 | 68.2 | 151.6 | 28.2 | 5.9 | 9.4 | -0- |
| MACON..... | 916.6 | 507.9 | 256.0 | 82.6 | 114.3 | 32.5 | 8.3 | 13.3 | 0.8 |
| MACOUPIN..... | 1,365.5 | 806.9 | 469.0 | 119.5 | 167.8 | 36.8 | 9.2 | 4.6 | -0- |
| MADISON..... | 825.2 | 459.5 | 256.8 | 85.0 | 86.7 | 17.0 | 9.6 | 3.9 | 0.4 |
| MARION..... | 1,291.9 | 733.5 | 434.0 | 91.4 | 170.1 | 15.2 | 15.2 | 7.6 | -0- |
| MARSHALL..... | 1,186.6 | 701.5 | 410.4 | 29.9 | 186.6 | 59.7 | -0- | 14.9 | -0- |
| MASON..... | 1,086.1 | 602.6 | 390.7 | 72.8 | 106.0 | 19.9 | 6.6 | 6.6 | -0- |
| MASSAC..... | 1,305.6 | 750.0 | 361.1 | 145.8 | 166.7 | 62.5 | -0- | 13.9 | -0- |
| MENARD..... | 1,236.6 | 698.9 | 419.4 | 96.8 | 139.8 | 10.8 | 10.8 | 21.5 | -0- |
| MERCER..... | 1,134.5 | 707.6 | 456.1 | 76.0 | 99.4 | 29.2 | 29.2 | 11.7 | 5.8 |
| MONROE..... | 1,197.5 | 745.2 | 465.0 | 51.0 | 101.9 | 101.9 | 12.7 | 12.7 | -0- |
| MONTGOMERY... | 1,389.8 | 817.9 | 479.2 | 127.8 | 147.0 | 38.3 | 9.6 | 16.0 | -0- |
| MORGAN..... | 1,092.1 | 691.1 | 382.1 | 103.0 | 154.5 | 35.2 | 5.4 | 10.8 | -0- |
| MOULTRIE..... | 1,372.3 | 832.1 | 459.9 | 51.1 | 219.0 | 14.6 | 58.4 | 29.2 | -0- |
| OGLE..... | 894.1 | 503.9 | 279.1 | 98.2 | 95.6 | 18.1 | 7.8 | 5.2 | -0- |
| PEORIA..... | 996.9 | 570.2 | 329.2 | 66.2 | 108.0 | 52.2 | 5.2 | 8.9 | 0.5 |
| PERRY..... | 1,172.8 | 691.1 | 434.6 | 89.0 | 120.4 | 26.2 | 5.2 | 15.7 | -0- |
| PIATT..... | 1,066.2 | 642.4 | 284.8 | 106.0 | 145.7 | 59.6 | 33.1 | 13.2 | -0- |
| PIKE..... | 1,351.2 | 873.2 | 390.2 | 214.6 | 175.6 | 53.7 | 14.6 | 24.4 | -0- |
| POPE..... | 1,125.0 | 750.0 | 375.0 | 125.0 | 175.0 | 75.0 | -0- | -0- | -0- |
| PULASKI..... | 1,436.9 | 873.8 | 466.0 | 135.9 | 145.6 | 97.1 | 19.4 | 9.7 | -0- |
| PUTNAM..... | 911.1 | 555.6 | 288.9 | 66.7 | 155.6 | 22.2 | 22.2 | -0- | -0- |
| RANDOLPH..... | 1,010.0 | 661.1 | 392.0 | 126.2 | 99.7 | 26.6 | 13.3 | 3.3 | -0- |
| RICHLAND..... | 1,129.6 | 660.5 | 401.2 | 135.8 | 86.4 | 24.7 | -0- | 12.3 | -0- |
| ROCK ISLAND.. | 913.1 | 544.1 | 325.9 | 59.4 | 111.0 | 21.6 | 16.3 | 9.1 | 0.7 |
| ST. CLAIR.... | 907.4 | 515.6 | 282.5 | 101.5 | 100.0 | 14.5 | 7.1 | 9.3 | 0.7 |
| SALINE..... | 1,724.1 | 1,187.7 | 720.3 | 195.4 | 222.2 | 30.7 | 3.8 | 15.3 | -0- |
| SANGAMON..... | 1,125.4 | 665.5 | 415.4 | 78.9 | 127.4 | 17.5 | 13.5 | 12.8 | -0- |
| SCHUYLER..... | 1,310.3 | 908.0 | 333.3 | 321.8 | 172.4 | 23.0 | 23.0 | 34.5 | -0- |
| SCOTT..... | 1,142.9 | 746.0 | 539.7 | 79.4 | 111.1 | 15.9 | -0- | -0- | -0- |
| SHELBY..... | 1,354.7 | 752.1 | 346.2 | 132.5 | 213.7 | 34.2 | 21.4 | 4.3 | -0- |
| STARK..... | 1,197.5 | 802.5 | 543.2 | 49.4 | 185.2 | 12.3 | 12.3 | -0- | -0- |
| STEPHENSON... | 1,064.2 | 612.4 | 340.5 | 113.5 | 113.5 | 12.8 | 19.3 | 12.8 | -0- |
| TAZEWELL..... | 684.9 | 365.9 | 194.7 | 77.3 | 58.7 | 19.6 | 4.9 | 10.8 | -0- |
| UNION..... | 1,146.9 | 683.6 | 333.3 | 163.8 | 113.0 | 56.5 | -0- | 16.9 | -0- |
| VERMILION.... | 1,078.1 | 628.0 | 332.0 | 117.2 | 122.3 | 36.0 | 8.2 | 12.3 | -0- |
| WABASH..... | 1,259.0 | 755.4 | 395.7 | 122.3 | 165.5 | 43.2 | 14.4 | 14.4 | -0- |
| WARREN..... | 1,168.2 | 719.6 | 294.4 | 200.9 | 177.6 | 23.4 | 14.0 | 9.3 | -0- |
| WASHINGTON... | 1,274.1 | 785.2 | 451.9 | 103.7 | 185.2 | 22.2 | 7.4 | 14.8 | -0- |
| WAYNE..... | 1,084.7 | 672.0 | 343.9 | 211.6 | 89.9 | 10.6 | 5.3 | 10.6 | -0- |
| WHITE..... | 1,295.3 | 808.3 | 471.5 | 67.4 | 181.3 | 46.6 | 15.5 | 25.9 | -0- |
| WHITESIDE.... | 798.7 | 455.0 | 240.6 | 86.7 | 83.5 | 29.5 | 11.5 | 3.3 | -0- |
| WILL..... | 812.1 | 450.5 | 238.9 | 100.0 | 76.3 | 19.7 | 8.6 | 6.6 | 0.5 |
| WILLIAMSON... | 1,374.7 | 880.2 | 522.9 | 128.5 | 163.4 | 26.1 | 26.1 | 8.7 | 4.4 |
| WINNEBAGO.... | 795.0 | 429.0 | 261.5 | 49.1 | 84.7 | 13.4 | 7.4 | 12.5 | 0.5 |
| WOODFORD..... | 1,112.4 | 654.6 | 365.5 | 112.4 | 100.4 | 64.3 | 8.0 | 4.0 | -0- |

TABLE 98. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1961--CONTINUED
(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1961)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAWRENCE..... | 167.6 | 91.9 | 32.4 | 59.5 | 37.8 | 10.8 | 5.4 | 64.9 | -0- | 5.4 |
| LEE..... | 158.6 | 71.6 | 40.9 | 30.7 | 23.0 | 46.0 | -0- | 25.6 | 5.1 | 17.9 |
| LIVINGSTON... | 161.8 | 58.8 | 31.9 | 27.0 | 24.5 | 36.8 | 7.4 | 12.3 | -0- | 7.4 |
| LOGAN..... | 156.3 | 32.4 | 11.8 | 20.6 | 35.4 | 14.7 | 8.8 | 2.9 | 5.9 | 2.9 |
| MC DONOUGH... | 143.8 | 58.2 | 30.8 | 27.4 | 41.1 | 30.8 | 17.1 | 20.5 | 3.4 | 17.1 |
| MC HENRY..... | 152.8 | 45.6 | 20.5 | 25.1 | 45.6 | 30.8 | 9.1 | 14.8 | 11.4 | 5.7 |
| MC LEAN..... | 168.0 | 49.4 | 25.9 | 23.5 | 23.5 | 28.2 | 8.2 | 10.6 | 11.8 | 14.1 |
| MACON..... | 186.8 | 43.4 | 20.9 | 22.5 | 17.5 | 33.4 | 11.7 | 15.8 | 10.0 | 10.0 |
| MACOUPIN..... | 243.7 | 55.2 | 25.3 | 29.9 | 71.3 | 6.9 | 9.2 | 32.2 | 6.9 | 13.8 |
| MADISON..... | 132.5 | 43.2 | 19.6 | 23.5 | 20.9 | 40.5 | 13.1 | 16.6 | 4.8 | 8.7 |
| MARION..... | 220.8 | 71.1 | 38.1 | 33.0 | 40.6 | 27.9 | 15.2 | 22.8 | 10.2 | 7.6 |
| MARSHALL..... | 216.4 | 89.6 | 37.3 | 52.2 | 52.2 | 22.4 | -0- | 7.5 | 7.5 | 14.9 |
| MASON..... | 218.5 | 53.0 | 33.1 | 19.9 | 19.9 | 46.4 | 13.2 | 26.5 | -0- | 13.2 |
| MASSAC..... | 152.8 | 76.4 | 20.8 | 55.6 | 27.8 | 55.6 | 6.9 | 20.8 | 20.8 | 6.9 |
| MENARD..... | 193.5 | 43.0 | -0- | 43.0 | 96.8 | 32.3 | 10.8 | 21.5 | 10.8 | 21.5 |
| MERCER..... | 152.0 | 40.9 | 17.5 | 23.4 | 46.8 | 35.1 | 5.8 | 40.9 | 11.7 | 5.8 |
| MONROE..... | 184.7 | 70.1 | 19.1 | 51.0 | 38.2 | 38.2 | 25.5 | -0- | 6.4 | 12.7 |
| MONTGOMERY... | 214.1 | 79.9 | 28.8 | 51.1 | 54.3 | 22.4 | 22.4 | 12.8 | 12.8 | 22.4 |
| MORGAN..... | 170.7 | 46.1 | 35.2 | 10.8 | 43.4 | 13.6 | 10.8 | 13.6 | 5.4 | 5.4 |
| MOULTRIE..... | 240.9 | 102.2 | 87.6 | 14.6 | 80.3 | 21.9 | -0- | 21.9 | 7.3 | -0- |
| OGLE..... | 147.3 | 51.7 | 20.7 | 31.0 | 31.0 | 31.0 | 7.8 | 23.3 | 10.3 | 7.8 |
| PEORIA..... | 162.2 | 48.0 | 26.6 | 21.4 | 32.3 | 36.5 | 13.0 | 14.1 | 7.8 | 14.1 |
| PERRY..... | 209.4 | 73.3 | 47.1 | 26.2 | 15.7 | 15.7 | 20.9 | 26.2 | 5.2 | 10.5 |
| PIATT..... | 152.3 | 86.1 | 39.7 | 46.4 | 13.2 | 6.6 | -0- | 19.9 | 19.9 | 13.2 |
| PIKE..... | 141.5 | 68.3 | 29.3 | 39.0 | 53.7 | 19.5 | 14.6 | 14.6 | 4.9 | 4.9 |
| POPE..... | 125.0 | 100.0 | 25.0 | 75.0 | -0- | 25.0 | -0- | -0- | -0- | -0- |
| PULASKI..... | 184.5 | 48.5 | 38.8 | 9.7 | 48.5 | 58.3 | 29.1 | 38.8 | -0- | 19.4 |
| PUTNAM..... | 200.0 | 22.2 | -0- | 22.2 | -0- | 22.2 | -0- | 22.2 | 22.2 | -0- |
| RANDOLPH..... | 126.2 | 76.4 | 39.9 | 36.5 | 33.2 | 19.9 | 3.3 | 13.3 | 3.3 | 13.3 |
| RICHLAND..... | 197.5 | 55.6 | 18.5 | 37.0 | 43.2 | 24.7 | 6.2 | 6.2 | 6.2 | -0- |
| ROCK ISLAND.. | 148.9 | 49.0 | 30.0 | 18.9 | 24.8 | 36.6 | 14.4 | 14.4 | 6.5 | 7.2 |
| ST. CLAIR.... | 151.3 | 45.0 | 17.1 | 27.9 | 23.8 | 38.7 | 7.4 | 15.2 | 11.5 | 10.4 |
| SALINE..... | 256.7 | 76.6 | 38.3 | 38.3 | 26.8 | 7.7 | 15.3 | 7.7 | 15.3 | 11.5 |
| SANGAMON..... | 186.8 | 43.2 | 20.9 | 22.3 | 20.2 | 44.5 | 12.1 | 14.8 | 12.8 | 10.1 |
| SCHUYLER..... | 218.4 | 57.5 | 34.5 | 23.0 | 23.0 | 11.5 | -0- | -0- | -0- | 23.0 |
| SCOTT..... | 174.6 | 63.5 | 15.9 | 47.6 | -0- | 79.4 | -0- | -0- | -0- | 15.9 |
| SHELBY..... | 265.0 | 76.9 | 34.2 | 42.7 | 29.9 | 25.6 | 8.5 | 12.8 | -0- | 21.4 |
| STARK..... | 185.2 | 49.4 | -0- | 49.4 | 37.0 | 12.3 | -0- | 37.0 | 24.7 | -0- |
| STEPHENSON... | 194.9 | 40.7 | 21.4 | 19.3 | 27.8 | 21.4 | 17.1 | 17.1 | 8.6 | 30.0 |
| TAZEWELL..... | 131.1 | 34.2 | 14.7 | 19.6 | 23.5 | 22.5 | 11.7 | 13.7 | 13.7 | 12.7 |
| UNION..... | 180.8 | 50.8 | 28.2 | 22.6 | 39.5 | 16.9 | 28.2 | 22.6 | -0- | 11.3 |
| VERMILION.... | 161.4 | 42.1 | 23.6 | 18.5 | 55.5 | 39.1 | 16.4 | 10.3 | 8.2 | 15.4 |
| WABASH..... | 223.0 | 79.1 | 43.2 | 36.0 | 50.4 | 21.6 | -0- | 21.6 | 7.2 | 7.2 |
| WARREN..... | 140.2 | 79.4 | 32.7 | 46.7 | 51.4 | 14.0 | 14.0 | 9.3 | 9.3 | 9.3 |
| WASHINGTON... | 177.8 | 37.0 | 7.4 | 29.6 | 111.1 | 29.6 | 7.4 | 7.4 | -0- | 7.4 |
| WAYNE..... | 158.7 | 79.4 | 47.6 | 31.7 | 42.3 | 26.5 | 10.6 | 21.2 | -0- | 5.3 |
| WHITE..... | 238.3 | 31.1 | 10.4 | 20.7 | 36.3 | 31.1 | 15.5 | 5.2 | -0- | 5.2 |
| WHITESIDE.... | 130.9 | 40.9 | 18.0 | 22.9 | 37.6 | 21.3 | 16.4 | 18.0 | 3.3 | 4.9 |
| WILL..... | 127.8 | 33.3 | 15.7 | 17.7 | 23.2 | 48.0 | 14.6 | 16.7 | 8.1 | 8.6 |
| WILLIAMSON... | 226.6 | 54.5 | 26.1 | 28.3 | 28.3 | 30.5 | 19.6 | 6.5 | 6.5 | 6.5 |
| WINNEBAGO.... | 155.5 | 35.2 | 13.9 | 21.3 | 24.5 | 29.6 | 12.5 | 7.4 | 6.0 | 12.5 |
| WOODFORD..... | 180.7 | 68.3 | 36.1 | 32.1 | 20.1 | 24.1 | 16.1 | 12.0 | 8.0 | 20.1 |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961
(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ALTON | 471 | 258 | 125 | 53 | 65 | 8 | 5 | 2 | -- |
| ARLINGTON HEIGHTS | 176 | 88 | 41 | 23 | 17 | 2 | 1 | 4 | -- |
| AURORA | 713 | 403 | 252 | 49 | 86 | 10 | 1 | 5 | -- |
| BELLEVILLE | 488 | 293 | 162 | 44 | 60 | 12 | 4 | 10 | 1 |
| BELLWOOD | 116 | 58 | 37 | 10 | 9 | 1 | -- | -- | 1 |
| BELVIDERE | 139 | 91 | 53 | 16 | 19 | 1 | 1 | 1 | -- |
| BERWYN | 594 | 341 | 223 | 44 | 58 | 6 | 3 | 7 | -- |
| BLOOMINGTON | 449 | 270 | 154 | 35 | 64 | 7 | 5 | 5 | -- |
| BLUE ISLAND | 250 | 146 | 88 | 16 | 26 | 7 | 2 | 6 | 1 |
| BROOKFIELD | 176 | 106 | 64 | 23 | 13 | 3 | 1 | 2 | -- |
| CAHOKIA | 45 | 18 | 8 | 5 | 2 | -- | 2 | -- | 1 |
| CALUMET CITY | 187 | 88 | 57 | 17 | 12 | -- | 2 | -- | -- |
| CANTON | 174 | 99 | 52 | 11 | 29 | 2 | 3 | 2 | -- |
| CARBONDALE | 115 | 58 | 26 | 8 | 19 | 2 | -- | 3 | -- |
| CARPENTERSVILLE | 53 | 25 | 14 | 7 | 4 | -- | -- | -- | -- |
| CENTRALIA | 197 | 103 | 55 | 22 | 22 | 3 | 1 | -- | -- |
| CENTREVILLE | 86 | 50 | 22 | 14 | 13 | 1 | -- | -- | -- |
| CHAMPAIGN | 296 | 157 | 91 | 26 | 30 | 5 | -- | 5 | -- |
| CHARLESTON | 146 | 104 | 47 | 6 | 42 | 6 | 1 | 1 | 1 |
| CHICAGO | 41,262 | 23,606 | 14,435 | 4,375 | 3,583 | 525 | 354 | 320 | 14 |
| CHICAGO HEIGHTS | 331 | 176 | 117 | 22 | 29 | 3 | 1 | 4 | -- |
| CICERO | 763 | 451 | 279 | 68 | 80 | 10 | 9 | 4 | 1 |
| COLLINSVILLE | 165 | 98 | 59 | 10 | 16 | 8 | 2 | 2 | 1 |
| DANVILLE | 514 | 282 | 153 | 53 | 52 | 13 | 4 | 7 | -- |
| DECATUR | 852 | 470 | 230 | 77 | 115 | 28 | 8 | 12 | -- |
| DEERFIELD | 70 | 33 | 23 | 5 | 5 | -- | -- | -- | -- |
| DE KALB | 147 | 81 | 49 | 8 | 19 | 1 | 1 | 2 | 1 |
| DES PLAINES | 300 | 168 | 92 | 25 | 37 | 8 | 3 | 3 | -- |
| DIXON | 193 | 110 | 56 | 24 | 23 | 7 | -- | -- | -- |
| DOLTON | 74 | 35 | 24 | 2 | 7 | -- | -- | 2 | -- |
| DOWNERS GROVE | 153 | 85 | 43 | 12 | 22 | 4 | 1 | 3 | -- |
| EAST MOLINE | 130 | 78 | 39 | 5 | 23 | 3 | 4 | 4 | -- |
| EAST PEORIA | 94 | 44 | 28 | 9 | 3 | 3 | -- | 1 | -- |
| EAST ST. LOUIS | 1,079 | 604 | 317 | 124 | 129 | 17 | 10 | 7 | -- |
| EDWARDSVILLE | 115 | 61 | 35 | 16 | 5 | 4 | -- | 1 | -- |
| ELGIN | 510 | 282 | 172 | 35 | 57 | 10 | 4 | 4 | -- |
| ELK GROVE | 31 | 9 | 5 | -- | 3 | -- | -- | 1 | -- |
| ELMHURST | 249 | 135 | 72 | 18 | 33 | 7 | 1 | 4 | -- |
| ELMWOOD PARK | 197 | 111 | 73 | 11 | 23 | 1 | 1 | 2 | -- |
| EVANSTON | 911 | 526 | 306 | 79 | 101 | 21 | 7 | 12 | -- |
| EVERGREEN PARK | 157 | 84 | 47 | 16 | 17 | 4 | -- | -- | -- |
| FOREST PARK | 188 | 122 | 76 | 20 | 21 | 3 | 1 | 1 | -- |
| FRANKLIN PARK | 101 | 48 | 35 | 7 | 6 | -- | -- | -- | -- |
| FREEPORT | 332 | 182 | 107 | 26 | 34 | 4 | 6 | 5 | -- |
| GALESBURG | 389 | 231 | 153 | 17 | 46 | 11 | 2 | 2 | -- |
| GLENCOE | 58 | 35 | 26 | 3 | 5 | -- | 1 | -- | -- |
| GLEN ELLYN | 117 | 69 | 40 | 9 | 14 | 4 | 1 | 1 | -- |
| GLENVIEW | 137 | 76 | 51 | 8 | 11 | 1 | 1 | 4 | -- |
| GRANITE CITY | 314 | 173 | 106 | 31 | 24 | 6 | 4 | 2 | -- |
| HARVEY | 249 | 148 | 96 | 22 | 22 | 1 | -- | 7 | -- |
| HIGHLAND PARK | 183 | 117 | 72 | 9 | 27 | 2 | 1 | 6 | -- |
| HINSDALE | 108 | 59 | 40 | 5 | 10 | 2 | 1 | 1 | -- |
| HOMEWOOD | 106 | 66 | 41 | 12 | 8 | 3 | -- | 2 | -- |
| JACKSONVILLE | 262 | 163 | 93 | 24 | 37 | 7 | 1 | 1 | -- |
| JOLIET | 797 | 446 | 235 | 110 | 70 | 14 | 11 | 6 | -- |
| KANKAKEE | 347 | 180 | 97 | 20 | 47 | 7 | 6 | 3 | -- |
| KEWANEE | 217 | 130 | 79 | 15 | 23 | 6 | 4 | 3 | -- |
| LA GRANGE | 181 | 93 | 55 | 9 | 20 | 5 | 2 | 2 | -- |
| LA GRANGE PARK | 108 | 62 | 33 | 7 | 17 | 1 | 3 | 1 | -- |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961 --CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ALTON | 87 | 17 | 3 | 14 | 20 | 17 | 8 | 10 | 1 | 5 |
| ARLINGTON HEIGHTS | 39 | 11 | 4 | 7 | 14 | 9 | 2 | 2 | -- | 3 |
| AURORA | 124 | 25 | 14 | 11 | 17 | 40 | 9 | 12 | 6 | 3 |
| BELLEVILLE | 94 | 22 | 10 | 12 | 7 | 6 | 2 | 4 | 8 | 5 |
| BELLWOOD | 25 | 2 | -- | 2 | 1 | 8 | 1 | 2 | 2 | 1 |
| BELVIDERE | 20 | 9 | 8 | 1 | 1 | 4 | -- | 3 | -- | 1 |
| BERWYN | 124 | 10 | 4 | 6 | 16 | 15 | 5 | 9 | 9 | 8 |
| BLOOMINGTON | 79 | 19 | 12 | 7 | 14 | 12 | 6 | 7 | 9 | 4 |
| BLUE ISLAND | 41 | 14 | 6 | 8 | 8 | 8 | 4 | 3 | 5 | 2 |
| BROOKFIELD | 30 | 7 | 4 | 3 | 4 | 3 | 1 | 4 | 4 | 3 |
| CAHOKIA | 8 | 1 | -- | 1 | 3 | 6 | 1 | -- | 2 | -- |
| CALUMET CITY | 37 | 19 | 9 | 10 | 5 | 11 | 2 | 3 | 4 | -- |
| CANTON | 26 | 9 | 4 | 5 | 6 | 5 | -- | 4 | 3 | 3 |
| CARBONDALE | 28 | 5 | -- | 5 | 2 | 7 | 1 | -- | 1 | 2 |
| CARPENTERSVILLE | 7 | 4 | 1 | 3 | -- | 6 | 2 | 2 | -- | 1 |
| CENTRALIA | 40 | 10 | 6 | 4 | 9 | 3 | 2 | 3 | 2 | -- |
| CENTREVILLE | 10 | 8 | 2 | 6 | 1 | 3 | 1 | 3 | 1 | 1 |
| CHAMPAIGN | 41 | 14 | 8 | 6 | 13 | 20 | 2 | 10 | -- | 4 |
| CHARLESTON | 15 | 3 | 2 | 1 | 2 | 1 | 1 | 1 | 2 | 1 |
| CHICAGO | 6,996 | 1,405 | 453 | 952 | 1,924 | 1,521 | 385 | 637 | 768 | 329 |
| CHICAGO HEIGHTS | 59 | 11 | 7 | 4 | 14 | 15 | 8 | 8 | 6 | 1 |
| CICERO | 149 | 24 | 8 | 16 | 15 | 16 | 5 | 28 | 13 | 2 |
| COLLINSVILLE | 19 | 10 | 3 | 7 | 3 | 7 | 3 | 4 | -- | 4 |
| DANVILLE | 80 | 23 | 16 | 7 | 38 | 20 | 8 | 4 | 3 | 7 |
| DECATUR | 176 | 32 | 14 | 18 | 17 | 34 | 9 | 13 | 12 | 8 |
| DEERFIELD | 19 | 4 | 2 | 2 | 2 | 5 | -- | 1 | -- | 2 |
| DE KALB | 28 | 8 | 4 | 4 | 7 | 4 | 2 | 1 | 2 | -- |
| DES PLAINES | 50 | 18 | 10 | 8 | 10 | 20 | 4 | 7 | 3 | 3 |
| DIXON | 32 | 8 | 5 | 3 | 6 | 8 | -- | 5 | 1 | 4 |
| DOLTON | 13 | 3 | 2 | 1 | 4 | 3 | -- | 3 | -- | 3 |
| DOWNERS GROVE | 31 | 6 | 1 | 5 | 2 | 4 | 2 | 3 | 1 | 3 |
| EAST MOLINE | 19 | 5 | 3 | 2 | 2 | 8 | 4 | 1 | 1 | 2 |
| EAST PEORIA | 14 | 6 | 1 | 5 | 7 | 4 | 5 | 3 | 1 | 2 |
| EAST ST. LOUIS | 171 | 50 | 20 | 30 | 41 | 56 | 9 | 21 | 13 | 7 |
| EDWARDSVILLE | 18 | 10 | 7 | 3 | 4 | 3 | 2 | 2 | -- | -- |
| ELGIN | 94 | 24 | 17 | 7 | 17 | 18 | 5 | 4 | 5 | 5 |
| ELK GROVE | 7 | 4 | 4 | -- | 2 | 4 | 1 | -- | 1 | -- |
| ELMHURST | 49 | 20 | 9 | 11 | 10 | 11 | 5 | 3 | 2 | 4 |
| ELMWOOD PARK | 47 | 6 | 1 | 5 | 3 | 9 | 2 | 3 | 1 | -- |
| EVANSTON | 174 | 19 | 9 | 10 | 32 | 31 | 9 | 13 | 9 | 9 |
| EVERGREEN PARK | 32 | 13 | 9 | 4 | 4 | 8 | 2 | 3 | 3 | 1 |
| FOREST PARK | 36 | 3 | 1 | 2 | 6 | 3 | -- | 2 | 2 | 2 |
| FRANKLIN PARK | 20 | 3 | 1 | 2 | 2 | 5 | 2 | 1 | 2 | 2 |
| FREEPORT | 65 | 11 | 6 | 5 | 7 | 9 | 8 | 6 | 2 | 11 |
| GALESBURG | 78 | 13 | 8 | 5 | 11 | 12 | 2 | 2 | 3 | 3 |
| GLENCOE | 9 | -- | -- | -- | 2 | 2 | -- | 1 | 1 | 1 |
| GLEN ELLYN | 19 | 4 | 1 | 3 | 2 | 6 | 3 | 2 | 2 | 3 |
| GLENVIEW | 22 | 3 | 2 | 1 | 5 | 10 | 5 | 1 | 1 | 2 |
| GRANITE CITY | 51 | 18 | 11 | 7 | 8 | 7 | 5 | 6 | 1 | 4 |
| HARVEY | 45 | 12 | 1 | 11 | 3 | 11 | 4 | 3 | 2 | 1 |
| HIGHLAND PARK | 34 | 5 | 3 | 2 | 2 | 5 | 1 | 1 | 1 | 1 |
| HINSDALE | 26 | 3 | 1 | 2 | 2 | 3 | 1 | 2 | 2 | -- |
| HOMEWOOD | 26 | 2 | 1 | 1 | -- | 5 | 2 | 1 | -- | -- |
| JACKSONVILLE | 47 | 7 | 6 | 1 | 10 | 3 | 3 | 3 | 2 | 1 |
| JOLIET | 135 | 26 | 10 | 16 | 23 | 38 | 12 | 19 | 13 | 7 |
| KANKAKEE | 64 | 18 | 7 | 11 | 19 | 9 | 8 | 4 | 4 | 5 |
| KEWANEE | 39 | 9 | 3 | 6 | 6 | 4 | 3 | 4 | 3 | 1 |
| LA GRANGE | 43 | 4 | 2 | 2 | 5 | 5 | 1 | 3 | 2 | 4 |
| LA GRANGE PARK | 24 | 8 | 8 | -- | 3 | 1 | 1 | 1 | -- | -- |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961
--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIO-SCLEROSIS | HYPER-TENSION WITHOUT MENTION OF HEART | OTHER CIRCU-LATORY DISEASES | ACUTE RHEU-MATIC FEVER |
| | | | ARTERIO-SCLEROTIC | OTHER | | | | | |
| LAKE FOREST..... | 80 | 46 | 29 | 4 | 9 | 2 | 1 | 1 | -- |
| LANSING..... | 80 | 38 | 28 | 4 | 5 | -- | -- | 1 | -- |
| LA SALLE..... | 141 | 83 | 42 | 15 | 23 | 1 | 2 | -- | -- |
| LINCOLN..... | 176 | 103 | 56 | 15 | 17 | 12 | 2 | 1 | -- |
| LINCOLNWOOD..... | 76 | 40 | 25 | 5 | 9 | 1 | -- | -- | -- |
| LOMBARD..... | 161 | 80 | 49 | 14 | 16 | -- | -- | 1 | -- |
| MACOMB..... | 130 | 83 | 56 | 7 | 18 | 2 | -- | -- | -- |
| MARION..... | 169 | 108 | 59 | 13 | 30 | 2 | 3 | -- | 1 |
| MARKHAM..... | 51 | 25 | 13 | 5 | 4 | 3 | -- | -- | -- |
| MATTOON..... | 225 | 145 | 78 | 18 | 35 | 11 | 2 | 1 | -- |
| MAYWOOD..... | 269 | 164 | 107 | 25 | 22 | 2 | 3 | 5 | -- |
| MELROSE PARK..... | 188 | 89 | 54 | 15 | 16 | 3 | -- | 1 | -- |
| MOLINE..... | 439 | 275 | 181 | 28 | 47 | 10 | 3 | 5 | 1 |
| MONMOUTH..... | 141 | 79 | 27 | 22 | 23 | 4 | 1 | 2 | -- |
| MORTON GROVE..... | 118 | 68 | 42 | 14 | 7 | 2 | 1 | 2 | -- |
| MOUNT PROSPECT... | 87 | 40 | 26 | 5 | 6 | 1 | -- | 2 | -- |
| MOUNT VERNON..... | 217 | 122 | 66 | 29 | 23 | 3 | -- | 1 | -- |
| MUNDELEIN..... | 59 | 29 | 19 | 2 | 5 | 1 | 1 | 1 | -- |
| NAPERVILLE..... | 86 | 48 | 25 | 6 | 14 | 2 | -- | 1 | -- |
| NILES..... | 138 | 71 | 45 | 11 | 12 | 1 | 2 | -- | -- |
| NORMAL..... | 85 | 60 | 31 | 5 | 17 | 4 | -- | 3 | -- |
| NORRIDGE..... | 79 | 38 | 27 | 2 | 6 | -- | 1 | 2 | -- |
| NORTH CHICAGO.... | 119 | 67 | 41 | 11 | 12 | 1 | 2 | -- | -- |
| NORTHBROOK..... | 68 | 37 | 21 | 8 | 7 | 1 | -- | -- | -- |
| NORTHLAKE..... | 68 | 30 | 15 | 4 | 9 | 1 | 1 | -- | -- |
| OAK LAWN..... | 298 | 159 | 95 | 26 | 24 | 2 | 2 | 10 | -- |
| OAK PARK..... | 738 | 454 | 260 | 81 | 82 | 13 | 5 | 12 | 1 |
| OTTAWA..... | 233 | 131 | 81 | 16 | 28 | 4 | -- | 2 | -- |
| PALATINE..... | 110 | 69 | 36 | 14 | 18 | 1 | -- | -- | -- |
| PARK FOREST..... | 86 | 34 | 22 | 3 | 5 | -- | 1 | 3 | -- |
| PARK RIDGE..... | 266 | 157 | 102 | 16 | 31 | 6 | 1 | 1 | -- |
| PEKIN..... | 247 | 126 | 65 | 25 | 26 | 3 | 3 | 4 | -- |
| PEORIA..... | 1,273 | 725 | 434 | 98 | 129 | 45 | 7 | 11 | 1 |
| PERU..... | 109 | 67 | 49 | 8 | 8 | 1 | -- | 1 | -- |
| QUINCY..... | 671 | 419 | 250 | 39 | 100 | 18 | 4 | 8 | -- |
| RANTOUL..... | 53 | 24 | 14 | 3 | 6 | -- | -- | 1 | -- |
| RIVERDALE..... | 87 | 53 | 33 | 7 | 7 | 5 | 1 | -- | -- |
| RIVER FOREST..... | 126 | 68 | 37 | 11 | 16 | 2 | 1 | 1 | -- |
| ROCK FALLS..... | 85 | 53 | 32 | 7 | 11 | 2 | 1 | -- | -- |
| ROCKFORD..... | 1,295 | 714 | 424 | 92 | 143 | 22 | 11 | 21 | 1 |
| ROCK ISLAND..... | 519 | 293 | 183 | 29 | 54 | 11 | 13 | 3 | -- |
| ROLLING MEADOWS.. | 22 | 8 | 4 | 1 | -- | 1 | 1 | 1 | -- |
| SKOKIE..... | 352 | 206 | 144 | 18 | 34 | 6 | 1 | 3 | -- |
| SOUTH HOLLAND.... | 82 | 44 | 23 | 11 | 8 | -- | -- | 2 | -- |
| SPRINGFIELD..... | 1,182 | 706 | 437 | 89 | 130 | 21 | 15 | 14 | -- |
| STERLING..... | 128 | 72 | 37 | 14 | 15 | 3 | 3 | -- | -- |
| STREATOR..... | 228 | 131 | 62 | 14 | 39 | 11 | 1 | 4 | -- |
| SUMMIT..... | 112 | 54 | 34 | 5 | 10 | 3 | 1 | 1 | -- |
| URBANA..... | 223 | 128 | 58 | 26 | 35 | 6 | -- | 3 | -- |
| VILLA PARK..... | 120 | 61 | 36 | 13 | 10 | 2 | -- | -- | -- |
| WAUKEGAN..... | 475 | 235 | 143 | 45 | 40 | 3 | -- | 4 | -- |
| WESTCHESTER..... | 73 | 43 | 31 | 4 | 8 | -- | -- | -- | -- |
| WESTERN SPRINGS.. | 65 | 31 | 21 | 3 | 7 | -- | -- | -- | -- |
| WHEATON..... | 146 | 77 | 50 | 8 | 13 | 4 | -- | 2 | -- |
| WILMETTE..... | 218 | 133 | 80 | 23 | 20 | 8 | -- | 2 | -- |
| WINNETKA..... | 121 | 65 | 32 | 9 | 18 | 2 | 1 | 3 | -- |
| WOOD RIVER..... | 69 | 35 | 22 | 7 | 6 | -- | -- | -- | -- |
| ZION..... | 132 | 94 | 57 | 13 | 17 | 6 | 1 | -- | -- |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961 --CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAKE FOREST..... | 18 | 3 | 2 | 1 | -- | -- | -- | 1 | 1 | 2 |
| LANSING..... | 16 | 8 | 5 | 3 | 3 | 7 | 1 | 2 | -- | -- |
| LA SALLE..... | 25 | 4 | 3 | 1 | 5 | 4 | 1 | 1 | 2 | 1 |
| LINCOLN..... | 36 | 6 | 1 | 5 | 5 | 2 | 2 | 1 | 1 | 1 |
| LINCOLNWOOD..... | 20 | 2 | 1 | 1 | 2 | -- | 1 | 1 | -- | 2 |
| LOMBARD..... | 29 | 9 | 6 | 3 | 7 | 11 | 4 | 2 | 2 | -- |
| MACOMB..... | 13 | 11 | 6 | 5 | 2 | 2 | 2 | 1 | -- | 3 |
| MARION..... | 25 | 8 | 3 | 5 | 2 | 4 | 4 | -- | 1 | 2 |
| MARKHAM..... | 9 | 5 | 3 | 2 | 3 | 2 | 3 | -- | 1 | 2 |
| MATTOON..... | 38 | 7 | 2 | 5 | 9 | 3 | -- | 2 | 1 | 3 |
| MAYWOOD..... | 45 | 9 | 4 | 5 | 7 | 11 | 3 | 2 | 4 | -- |
| MELROSE PARK..... | 32 | 21 | 11 | 10 | 5 | 8 | 3 | 2 | 3 | 4 |
| MOLINE..... | 72 | 18 | 12 | 6 | 8 | 20 | 5 | 3 | 4 | 2 |
| MONMOUTH..... | 20 | 12 | 6 | 6 | 8 | 1 | 1 | 1 | 1 | -- |
| MORTON GROVE..... | 22 | 5 | 3 | 2 | 4 | 6 | -- | 1 | 4 | 1 |
| MOUNT PROSPECT... | 10 | 10 | 6 | 4 | 2 | 6 | 4 | -- | 2 | 2 |
| MOUNT VERNON..... | 36 | 5 | 2 | 3 | 4 | 5 | 3 | 4 | 3 | 2 |
| MUNDELEIN..... | 12 | 4 | 4 | -- | 3 | 2 | 2 | -- | 1 | 1 |
| NAPERVILLE..... | 12 | 3 | 1 | 2 | 3 | 8 | 1 | 2 | 1 | 1 |
| NILES..... | 35 | 5 | 2 | 3 | 4 | 9 | 1 | 1 | 4 | 1 |
| NORMAL..... | 15 | 1 | -- | 1 | 1 | 3 | -- | -- | -- | -- |
| NORRIDGE..... | 15 | 6 | 2 | 4 | 3 | 4 | 5 | -- | -- | -- |
| NORTH CHICAGO.... | 13 | 6 | 3 | 3 | 3 | 6 | 5 | 1 | 1 | 2 |
| NORTHBROOK..... | 8 | 6 | 3 | 3 | 1 | 6 | 2 | -- | 1 | 1 |
| NORTHLAKE..... | 10 | 6 | 3 | 3 | 4 | 8 | -- | 4 | -- | -- |
| OAK LAWN..... | 57 | 13 | 8 | 5 | 4 | 17 | 6 | 1 | 3 | 4 |
| OAK PARK..... | 147 | 23 | 13 | 10 | 27 | 9 | 5 | 18 | 9 | 7 |
| OTTAWA..... | 40 | 9 | -- | 9 | 10 | 10 | 2 | 5 | -- | 5 |
| PALATINE..... | 18 | 4 | 2 | 2 | 2 | 4 | 1 | 1 | 1 | 2 |
| PARK FOREST..... | 12 | 8 | 3 | 5 | 5 | 16 | 4 | -- | 1 | 1 |
| PARK RIDGE..... | 58 | 14 | 9 | 5 | 5 | 7 | 1 | -- | 2 | 4 |
| PEKIN..... | 30 | 12 | 6 | 6 | 7 | 9 | 4 | 4 | 8 | 8 |
| PEORIA..... | 198 | 55 | 31 | 24 | 47 | 50 | 16 | 11 | 13 | 18 |
| PERU..... | 19 | 7 | 3 | 4 | 2 | 1 | -- | -- | 2 | 2 |
| QUINCY..... | 102 | 20 | 11 | 9 | 28 | 17 | 4 | 12 | 7 | 2 |
| RANTOUL..... | 4 | 2 | 2 | -- | 5 | 6 | 1 | 1 | -- | 2 |
| RIVERDALE..... | 16 | 3 | 1 | 2 | 1 | 5 | 1 | 1 | 2 | 1 |
| RIVER FOREST..... | 26 | 6 | 2 | 4 | 3 | 4 | 1 | 3 | 1 | 1 |
| ROCK FALLS..... | 9 | 6 | -- | 6 | 4 | 6 | 2 | -- | -- | -- |
| ROCKFORD..... | 257 | 43 | 12 | 31 | 43 | 42 | 20 | 11 | 11 | 19 |
| ROCK ISLAND..... | 94 | 29 | 19 | 10 | 21 | 20 | 8 | 9 | 4 | 4 |
| ROLLING MEADOWS.. | 2 | 2 | 1 | 1 | -- | 5 | 2 | 1 | -- | -- |
| SKOKIE..... | 70 | 14 | 7 | 7 | 15 | 12 | 8 | 3 | 1 | 3 |
| SOUTH HOLLAND... | 8 | 4 | 1 | 3 | 9 | 3 | 3 | 2 | -- | -- |
| SPRINGFIELD..... | 197 | 51 | 25 | 26 | 23 | 39 | 13 | 14 | 16 | 7 |
| STERLING..... | 25 | 4 | 1 | 3 | 7 | 3 | 1 | 4 | 1 | -- |
| STREATOR..... | 39 | 8 | 4 | 4 | 5 | 6 | 3 | 7 | 2 | 5 |
| SUMMIT..... | 22 | 6 | 1 | 5 | 4 | 6 | 2 | 3 | 2 | -- |
| URBANA..... | 33 | 4 | 3 | 1 | 7 | 9 | 8 | 1 | -- | 3 |
| VILLA PARK..... | 21 | 7 | 1 | 6 | 2 | 10 | 3 | 2 | 3 | 1 |
| WAUKEGAN..... | 79 | 33 | 15 | 18 | 17 | 26 | 7 | 7 | 10 | 5 |
| WESTCHESTER..... | 14 | 1 | -- | 1 | 4 | 4 | -- | 1 | 2 | 3 |
| WESTERN SPRINGS.. | 20 | 4 | 3 | 1 | 4 | 1 | -- | -- | 1 | -- |
| WHEATON..... | 25 | 6 | 2 | 4 | 2 | 5 | 5 | 4 | 4 | -- |
| WILMETTE..... | 43 | 5 | 2 | 3 | 6 | 10 | 1 | 1 | 1 | 2 |
| WINNETKA..... | 35 | -- | -- | -- | 6 | -- | -- | -- | 3 | -- |
| WOOD RIVER..... | 13 | 5 | 2 | 3 | 1 | 3 | 2 | 2 | 1 | 1 |
| ZION..... | 8 | 10 | 5 | 5 | 2 | 7 | 1 | 2 | 2 | -- |

TABLE 108. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1961)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ALTON | 1,077.8 | 590.4 | 286.0 | 121.3 | 148.7 | 18.3 | 11.4 | 4.6 | -0- |
| ARLINGTON HEIGHTS | 619.7 | 309.9 | 144.4 | 81.0 | 59.9 | 7.0 | 3.5 | 14.1 | -0- |
| AURORA | 1,110.6 | 627.7 | 392.5 | 76.3 | 134.0 | 15.6 | 1.6 | 7.8 | -0- |
| BELLEVILLE | 1,304.8 | 783.4 | 433.2 | 117.6 | 160.4 | 32.1 | 10.7 | 26.7 | 2.7 |
| BELLWOOD | 549.8 | 274.9 | 175.4 | 47.4 | 42.7 | 4.7 | -0- | -0- | 4.7 |
| BELVIDERE | 1,219.3 | 798.2 | 464.9 | 140.4 | 166.7 | 8.8 | 8.8 | 8.8 | -0- |
| BERWYN | 1,091.9 | 626.8 | 409.9 | 80.9 | 106.6 | 11.0 | 5.5 | 12.9 | -0- |
| BLOOMINGTON | 1,223.4 | 735.7 | 419.6 | 95.4 | 174.4 | 19.1 | 13.6 | 13.6 | -0- |
| BLUE ISLAND | 1,250.0 | 730.0 | 440.0 | 80.0 | 130.0 | 35.0 | 10.0 | 30.0 | 5.0 |
| BROOKFIELD | 854.4 | 514.6 | 310.7 | 111.7 | 63.1 | 14.6 | 4.9 | 9.7 | -0- |
| CAHOKIA | 276.1 | 110.4 | 49.1 | 30.7 | 12.3 | -0- | 12.3 | -0- | 6.1 |
| CALUMET CITY | 736.2 | 346.5 | 224.4 | 66.9 | 47.2 | -0- | 7.9 | -0- | -0- |
| CANTON | 1,279.4 | 727.9 | 382.4 | 80.9 | 213.2 | 14.7 | 22.1 | 14.7 | -0- |
| CARBONDALE | 718.8 | 362.5 | 162.5 | 50.0 | 118.8 | 12.5 | -0- | 18.8 | -0- |
| CARPENTERSVILLE | 296.1 | 139.7 | 78.2 | 39.1 | 22.3 | -0- | -0- | -0- | -0- |
| CENTRALIA | 1,417.3 | 741.0 | 395.7 | 158.3 | 158.3 | 21.6 | 7.2 | -0- | -0- |
| CENTREVILLE | 661.5 | 384.6 | 169.2 | 107.7 | 100.0 | 7.7 | -0- | -0- | -0- |
| CHAMPAIGN | 580.4 | 307.8 | 178.4 | 51.0 | 58.8 | 9.8 | -0- | 9.8 | -0- |
| CHARLESTON | 1,364.5 | 972.0 | 439.3 | 56.1 | 392.5 | 56.1 | 9.3 | 9.3 | 9.3 |
| CHICAGO | 1,162.3 | 665.0 | 406.6 | 123.2 | 100.9 | 14.8 | 10.0 | 9.0 | 0.4 |
| CHICAGO HEIGHTS | 940.3 | 500.0 | 332.4 | 62.5 | 82.4 | 8.5 | 2.8 | 11.4 | -0- |
| CICERO | 1,099.4 | 649.9 | 402.0 | 98.0 | 115.3 | 14.4 | 13.0 | 5.8 | 1.4 |
| COLLINSVILLE | 1,145.8 | 680.6 | 409.7 | 69.4 | 111.1 | 55.6 | 13.9 | 13.9 | 6.9 |
| DANVILLE | 1,218.0 | 668.2 | 362.6 | 125.6 | 123.2 | 30.8 | 9.5 | 16.6 | -0- |
| DECATUR | 1,078.5 | 594.9 | 291.1 | 97.5 | 145.6 | 35.4 | 10.1 | 15.2 | -0- |
| DEERFIELD | 578.5 | 272.7 | 190.1 | 41.3 | 41.3 | -0- | -0- | -0- | -0- |
| DE KALB | 781.9 | 430.9 | 260.6 | 42.6 | 101.1 | 5.3 | 5.3 | 10.6 | 5.3 |
| DES PLAINES | 840.3 | 470.6 | 257.7 | 70.0 | 103.6 | 22.4 | 8.4 | 8.4 | -0- |
| DIXON | 979.7 | 558.4 | 284.3 | 121.8 | 116.8 | 35.5 | -0- | -0- | -0- |
| DOLTON | 385.4 | 182.3 | 125.0 | 10.4 | 36.5 | -0- | -0- | 10.4 | -0- |
| DOWNERS GROVE | 715.0 | 397.2 | 200.9 | 56.1 | 102.8 | 18.7 | 4.7 | 14.0 | -0- |
| EAST MOLINE | 773.8 | 464.3 | 232.1 | 29.8 | 136.9 | 17.9 | 23.8 | 23.8 | -0- |
| EAST PEORIA | 752.0 | 352.0 | 224.0 | 72.0 | 24.0 | 24.0 | -0- | 8.0 | -0- |
| EAST ST. LOUIS | 1,300.0 | 727.7 | 381.9 | 149.4 | 155.4 | 20.5 | 12.0 | 8.4 | -0- |
| EDWARDSVILLE | 1,138.6 | 604.0 | 346.5 | 158.4 | 49.5 | 39.6 | -0- | 9.9 | -0- |
| ELGIN | 1,024.1 | 566.3 | 345.4 | 70.3 | 114.5 | 20.1 | 8.0 | 8.0 | -0- |
| ELK GROVE | 310.0 | 90.0 | 50.0 | -0- | 30.0 | -0- | -0- | 10.0 | -0- |
| ELMHURST | 665.8 | 361.0 | 192.5 | 48.1 | 88.2 | 18.7 | 2.7 | 10.7 | -0- |
| ELMWOOD PARK | 817.4 | 460.6 | 302.9 | 45.6 | 95.4 | 4.1 | 4.1 | 8.3 | -0- |
| EVANSTON | 1,138.8 | 657.5 | 382.5 | 98.8 | 126.2 | 26.2 | 8.8 | 15.0 | -0- |
| EVERGREEN PARK | 640.8 | 342.9 | 191.8 | 65.3 | 69.4 | 16.3 | -0- | -0- | -0- |
| FOREST PARK | 1,287.7 | 835.6 | 520.5 | 137.0 | 143.8 | 20.5 | 6.8 | 6.8 | -0- |
| FRANKLIN PARK | 540.1 | 256.7 | 187.2 | 37.4 | 32.1 | -0- | -0- | -0- | -0- |
| FREEPORT | 1,238.8 | 679.1 | 399.3 | 97.0 | 126.9 | 14.9 | 22.4 | 18.7 | -0- |
| GALESBURG | 1,037.3 | 616.0 | 408.0 | 45.3 | 122.7 | 29.3 | 5.3 | 5.3 | -0- |
| GLENCOE | 552.4 | 333.3 | 247.6 | 28.6 | 47.6 | -0- | 9.5 | -0- | -0- |
| GLEN ELLYN | 726.7 | 428.6 | 248.4 | 55.9 | 87.0 | 24.8 | 6.2 | 6.2 | -0- |
| GLENVIEW | 736.6 | 408.6 | 274.2 | 43.0 | 59.1 | 5.4 | 5.4 | 21.5 | -0- |
| GRANITE CITY | 765.9 | 422.0 | 258.5 | 75.6 | 58.5 | 14.6 | 9.8 | 4.9 | -0- |
| HARVEY | 846.9 | 503.4 | 326.5 | 74.8 | 74.8 | 3.4 | -0- | 23.8 | -0- |
| HIGHLAND PARK | 712.1 | 455.3 | 280.2 | 35.0 | 105.1 | 7.8 | 3.9 | 23.3 | -0- |
| HINSDALE | 830.8 | 453.8 | 307.7 | 38.5 | 76.9 | 15.4 | 7.7 | 7.7 | -0- |
| HOMEWOOD | 791.0 | 492.5 | 306.0 | 89.6 | 59.7 | 22.4 | -0- | 14.9 | -0- |
| JACKSONVILLE | 1,201.8 | 747.7 | 426.6 | 110.1 | 169.7 | 32.1 | 4.6 | 4.6 | -0- |
| JOLIET | 1,184.2 | 662.7 | 349.2 | 163.4 | 104.0 | 20.8 | 16.3 | 8.9 | -0- |
| KANKAKEE | 1,248.2 | 647.5 | 348.9 | 71.9 | 169.1 | 25.2 | 21.6 | 10.8 | -0- |
| KEWANEE | 1,323.2 | 792.7 | 481.7 | 91.5 | 140.2 | 36.6 | 24.4 | 18.3 | -0- |
| LA GRANGE | 1,167.7 | 600.0 | 354.8 | 58.1 | 129.0 | 32.3 | 12.9 | 12.9 | -0- |
| LA GRANGE PARK | 771.4 | 442.9 | 235.7 | 50.0 | 121.4 | 7.1 | 21.4 | 7.1 | -0- |

TABLE 108. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961 --CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1961)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ALTON | 199.1 | 38.9 | 6.9 | 32.0 | 45.8 | 38.9 | 18.3 | 22.9 | 2.3 | 11.4 |
| ARLINGTON HEIGHTS | 137.3 | 38.7 | 14.1 | 24.6 | 49.3 | 31.7 | 7.0 | 7.0 | -0- | 10.6 |
| AURORA | 193.1 | 38.9 | 21.8 | 17.1 | 26.5 | 62.3 | 14.0 | 18.7 | 9.3 | 4.7 |
| BELLEVILLE | 251.3 | 58.8 | 26.7 | 32.1 | 18.7 | 16.0 | 5.3 | 10.7 | 21.4 | 13.4 |
| BELLWOOD | 118.5 | 9.5 | -0- | 9.5 | 4.7 | 37.9 | 4.7 | 9.5 | 9.5 | 4.7 |
| BELVIDERE | 175.4 | 78.9 | 70.2 | 8.8 | 8.8 | 35.1 | -0- | 26.3 | -0- | 8.8 |
| BERWYN | 227.9 | 18.4 | 7.4 | 11.0 | 29.4 | 27.6 | 9.2 | 16.5 | 16.5 | 14.7 |
| BLOOMINGTON | 215.3 | 51.8 | 32.7 | 19.1 | 38.1 | 32.7 | 16.3 | 19.1 | 24.5 | 10.9 |
| BLUE ISLAND | 205.0 | 70.0 | 30.0 | 40.0 | 40.0 | 40.0 | 20.0 | 15.0 | 25.0 | 10.0 |
| BROOKFIELD | 145.6 | 34.0 | 19.4 | 14.6 | 19.4 | 14.6 | 4.9 | 19.4 | 19.4 | 14.6 |
| CAHOKIA | 49.1 | 6.1 | -0- | 6.1 | 18.4 | 36.8 | 6.1 | -0- | 12.3 | -0- |
| CALUMET CITY | 145.7 | 74.8 | 35.4 | 39.4 | 19.7 | 43.3 | 7.9 | 11.8 | 15.7 | -0- |
| CANTON | 191.2 | 66.2 | 29.4 | 36.8 | 44.1 | 36.8 | -0- | 29.4 | 22.1 | 22.1 |
| CARBONDALE | 175.0 | 31.3 | -0- | 31.3 | 12.5 | 43.8 | 6.2 | -0- | 6.2 | 12.5 |
| CARPENTERSVILLE | 39.1 | 22.3 | 5.6 | 16.8 | -0- | 33.5 | 11.2 | 11.2 | -0- | 5.6 |
| CENTRALIA | 287.8 | 71.9 | 43.2 | 28.8 | 64.7 | 21.6 | 14.4 | 21.6 | 14.4 | -0- |
| CENTREVILLE | 76.9 | 61.5 | 15.4 | 46.2 | 7.7 | 23.1 | 7.7 | 23.1 | 7.7 | 7.7 |
| CHAMPAIGN | 80.4 | 27.5 | 15.7 | 11.8 | 25.5 | 39.2 | 3.9 | 19.6 | -0- | 7.8 |
| CHARLESTON | 140.2 | 28.0 | 18.7 | 9.3 | 18.7 | 9.3 | 9.3 | 9.3 | 18.7 | 9.3 |
| CHICAGO | 197.1 | 39.6 | 12.8 | 26.8 | 54.2 | 42.8 | 10.8 | 17.9 | 21.6 | 9.3 |
| CHICAGO HEIGHTS | 167.6 | 31.2 | 19.9 | 11.4 | 39.8 | 42.6 | 22.7 | 22.7 | 17.0 | 2.8 |
| CICERO | 214.7 | 34.6 | 11.5 | 23.1 | 21.6 | 23.1 | 7.2 | 40.3 | 18.7 | 2.9 |
| COLLINSVILLE | 131.9 | 69.4 | 20.8 | 48.6 | 20.8 | 48.6 | 20.8 | 27.8 | -0- | 27.8 |
| DANVILLE | 189.6 | 54.5 | 37.9 | 16.6 | 90.0 | 47.4 | 19.0 | 9.5 | 7.1 | 16.6 |
| DECATUR | 222.8 | 40.5 | 17.7 | 22.8 | 21.5 | 43.0 | 11.4 | 16.5 | 15.2 | 10.1 |
| DEERFIELD | 157.0 | 33.1 | 16.5 | 16.5 | 16.5 | 41.3 | -0- | 8.3 | -0- | 16.5 |
| DE KALB | 148.9 | 42.6 | 21.3 | 21.3 | 37.2 | 21.3 | 10.6 | 5.3 | 10.6 | -0- |
| DES PLAINES | 140.1 | 50.4 | 28.0 | 22.4 | 28.0 | 56.0 | 11.2 | 19.6 | 8.4 | 8.4 |
| DIXON | 162.4 | 40.6 | 25.4 | 15.2 | 30.5 | 40.6 | -0- | 25.4 | 5.1 | 20.3 |
| DOLTON | 67.7 | 15.6 | 10.4 | 5.2 | 20.8 | 15.6 | -0- | 15.6 | -0- | 15.6 |
| DOWNERS GROVE | 144.9 | 28.0 | 4.7 | 23.4 | 9.3 | 18.7 | 9.3 | 14.0 | 4.7 | 14.0 |
| EAST MOLINE | 113.1 | 29.8 | 17.9 | 11.9 | 11.9 | 47.6 | 23.8 | 6.0 | 6.0 | 11.9 |
| EAST PEORIA | 112.0 | 48.0 | 8.0 | 40.0 | 56.0 | 32.0 | 40.0 | 24.0 | 8.0 | 16.0 |
| EAST ST. LOUIS | 206.0 | 60.2 | 24.1 | 36.1 | 49.4 | 67.5 | 10.8 | 25.3 | 15.7 | 8.4 |
| EDWARDSVILLE | 178.2 | 99.0 | 69.3 | 29.7 | 39.6 | 29.7 | 19.8 | 19.8 | -0- | -0- |
| ELGIN | 188.8 | 48.2 | 34.1 | 14.1 | 34.1 | 36.1 | 10.0 | 8.0 | 10.0 | 10.0 |
| ELK GROVE | 70.0 | 40.0 | 40.0 | -0- | 20.0 | 40.0 | 10.0 | -0- | 10.0 | -0- |
| ELMHURST | 131.0 | 53.5 | 24.1 | 29.4 | 26.7 | 29.4 | 13.4 | 8.0 | 5.3 | 10.7 |
| ELMWOOD PARK | 195.0 | 24.9 | 4.1 | 20.7 | 12.4 | 37.3 | 8.3 | 12.4 | 4.1 | -0- |
| EVANSTON | 217.5 | 23.8 | 11.2 | 12.5 | 40.0 | 38.8 | 11.2 | 16.2 | 11.2 | 11.2 |
| EVERGREEN PARK | 130.6 | 53.1 | 36.7 | 16.3 | 16.3 | 32.7 | 8.2 | 12.2 | 12.2 | 4.1 |
| FOREST PARK | 246.6 | 20.5 | 6.8 | 13.7 | 41.1 | 20.5 | -0- | 13.7 | 13.7 | 13.7 |
| FRANKLIN PARK | 107.0 | 16.0 | 5.3 | 10.7 | 10.7 | 26.7 | 10.7 | 5.3 | 10.7 | 10.7 |
| FREEPORT | 242.5 | 41.0 | 22.4 | 18.7 | 26.1 | 33.6 | 29.9 | 22.4 | 7.5 | 41.0 |
| GALESBURG | 208.0 | 34.7 | 21.3 | 13.3 | 29.3 | 32.0 | 5.3 | 5.3 | 8.0 | 8.0 |
| GLENCOE | 85.7 | -0- | -0- | -0- | 19.0 | 19.0 | -0- | 9.5 | 9.5 | 9.5 |
| GLEN ELLYN | 118.0 | 24.8 | 6.2 | 18.6 | 12.4 | 37.3 | 18.6 | 12.4 | 12.4 | 18.6 |
| GLENVIEW | 118.3 | 16.1 | 10.8 | 5.4 | 26.9 | 53.8 | 26.9 | 5.4 | 5.4 | 10.8 |
| GRANITE CITY | 124.4 | 43.9 | 26.8 | 17.1 | 19.5 | 17.1 | 12.2 | 14.6 | 2.4 | 9.8 |
| HARVEY | 153.1 | 40.8 | 3.4 | 37.4 | 10.2 | 37.4 | 13.6 | 10.2 | 6.8 | 3.4 |
| HIGHLAND PARK | 132.3 | 19.5 | 11.7 | 7.8 | 7.8 | 19.5 | 3.9 | 3.9 | 3.9 | 3.9 |
| HINSDALE | 200.0 | 23.1 | 7.7 | 15.4 | 15.4 | 23.1 | 7.7 | 15.4 | 15.4 | -0- |
| HOMEWOOD | 194.0 | 14.9 | 7.5 | 7.5 | -0- | 37.3 | 14.9 | 7.5 | -0- | -0- |
| JACKSONVILLE | 215.6 | 32.1 | 27.5 | 4.6 | 45.9 | 13.8 | 13.8 | 13.8 | 9.2 | 4.6 |
| JOLIET | 200.6 | 38.6 | 14.9 | 23.8 | 34.2 | 56.5 | 17.8 | 28.2 | 19.3 | 10.4 |
| KANKAKEE | 230.2 | 64.7 | 25.2 | 39.6 | 68.3 | 32.4 | 28.8 | 14.4 | 14.4 | 18.0 |
| KEWANEE | 237.8 | 54.9 | 18.3 | 36.6 | 36.6 | 24.4 | 18.3 | 24.4 | 18.3 | 6.1 |
| LA GRANGE | 277.4 | 25.8 | 12.9 | 12.9 | 32.3 | 32.3 | 6.5 | 19.4 | 12.9 | 25.8 |
| LA GRANGE PARK | 171.4 | 57.1 | 57.1 | -0- | 21.4 | 7.1 | 7.1 | 7.1 | -0- | -0- |

TABLE 108. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961 --CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1961)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAKE FOREST | 754.7 | 434.0 | 273.6 | 37.7 | 84.9 | 18.9 | 9.4 | 9.4 | -0- |
| LANSING | 437.2 | 207.7 | 153.0 | 21.9 | 27.3 | -0- | -0- | 5.5 | -0- |
| LA SALLE | 1,175.0 | 691.7 | 350.0 | 125.0 | 191.7 | 8.3 | 16.7 | -0- | -0- |
| LINCOLN | 1,035.3 | 605.9 | 329.4 | 88.2 | 100.0 | 70.6 | 11.8 | 5.9 | -0- |
| LINCOLNWOOD | 644.1 | 339.0 | 211.9 | 42.4 | 76.3 | 8.5 | -0- | -0- | -0- |
| LOMBARD | 703.1 | 349.3 | 214.0 | 61.1 | 69.9 | -0- | -0- | 4.4 | -0- |
| MACOMB | 1,065.6 | 680.3 | 459.0 | 57.4 | 147.5 | 16.4 | -0- | -0- | -0- |
| MARION | 1,495.6 | 955.8 | 522.1 | 115.0 | 265.5 | 17.7 | 26.5 | -0- | 8.8 |
| MARKHAM | 425.0 | 208.3 | 108.3 | 41.7 | 33.3 | 25.0 | -0- | -0- | -0- |
| MATTOON | 1,171.9 | 755.2 | 406.2 | 93.7 | 182.3 | 57.3 | 10.4 | 5.2 | -0- |
| MAYWOOD | 978.2 | 596.4 | 389.1 | 90.9 | 80.0 | 7.3 | 10.9 | 18.2 | -0- |
| MELROSE PARK | 821.0 | 388.6 | 235.8 | 65.5 | 69.9 | 13.1 | -0- | 4.4 | -0- |
| MOLINE | 1,004.6 | 629.3 | 414.2 | 64.1 | 107.6 | 22.9 | 6.9 | 11.4 | 2.3 |
| MONMOUTH | 1,355.8 | 759.6 | 259.6 | 211.5 | 221.2 | 38.5 | 9.6 | 19.2 | -0- |
| MORTON GROVE | 570.0 | 328.5 | 202.9 | 67.6 | 33.8 | 9.7 | 4.8 | 9.7 | -0- |
| MOUNT PROSPECT | 450.8 | 207.3 | 134.7 | 25.9 | 31.1 | 5.2 | -0- | 10.4 | -0- |
| MOUNT VERNON | 1,391.0 | 782.1 | 423.1 | 185.9 | 147.4 | 19.2 | -0- | 6.4 | -0- |
| MUNDELEIN | 522.1 | 256.6 | 168.1 | 17.7 | 44.2 | 8.8 | 8.8 | 8.8 | -0- |
| NAPERVILLE | 656.5 | 366.4 | 190.8 | 45.8 | 106.9 | 15.3 | -0- | 7.6 | -0- |
| NILES | 663.5 | 341.3 | 216.3 | 52.9 | 57.7 | 4.8 | 9.6 | -0- | -0- |
| NORMAL | 620.4 | 438.0 | 226.3 | 36.5 | 124.1 | 29.2 | -0- | 21.9 | -0- |
| NORRIDGE | 548.6 | 263.9 | 187.5 | 13.9 | 41.7 | -0- | 6.9 | 13.9 | -0- |
| NORTH CHICAGO | 512.9 | 288.8 | 176.7 | 47.4 | 51.7 | 4.3 | 8.6 | -0- | -0- |
| NORTHBROOK | 557.4 | 303.3 | 172.1 | 65.6 | 57.4 | 8.2 | -0- | -0- | -0- |
| NORTHLAKE | 535.4 | 236.2 | 118.1 | 31.5 | 70.9 | 7.9 | 7.9 | -0- | -0- |
| OAK LAWN | 1,042.0 | 555.9 | 332.2 | 90.9 | 83.9 | 7.0 | 7.0 | 35.0 | -0- |
| OAK PARK | 1,205.9 | 741.8 | 424.8 | 132.4 | 134.0 | 21.2 | 8.2 | 19.6 | 1.6 |
| OTTAWA | 1,188.8 | 668.4 | 413.3 | 81.6 | 142.9 | 20.4 | -0- | 10.2 | -0- |
| PALATINE | 932.2 | 584.7 | 305.1 | 118.6 | 152.5 | 8.5 | -0- | -0- | -0- |
| PARK FOREST | 281.0 | 111.1 | 71.9 | 9.8 | 16.3 | -0- | 3.3 | 9.8 | -0- |
| PARK RIDGE | 808.5 | 477.2 | 310.0 | 48.6 | 94.2 | 18.2 | 3.0 | 3.0 | -0- |
| PEKIN | 863.6 | 440.6 | 227.3 | 87.4 | 90.9 | 10.5 | 10.5 | 14.0 | -0- |
| PEORIA | 1,221.7 | 695.8 | 416.5 | 94.0 | 123.8 | 43.2 | 6.7 | 10.6 | 1.0 |
| PERU | 1,038.1 | 638.1 | 466.7 | 76.2 | 76.2 | 9.5 | -0- | 9.5 | -0- |
| QUINCY | 1,501.1 | 937.4 | 559.3 | 87.2 | 223.7 | 40.3 | 8.9 | 17.9 | -0- |
| RANTOUL | 238.7 | 108.1 | 63.1 | 13.5 | 27.0 | -0- | -0- | 4.5 | -0- |
| RIVERDALE | 713.1 | 434.4 | 270.5 | 57.4 | 57.4 | 41.0 | 8.2 | -0- | -0- |
| RIVER FOREST | 992.1 | 535.4 | 291.3 | 86.6 | 126.0 | 15.7 | 7.9 | 7.9 | -0- |
| ROCK FALLS | 809.5 | 504.8 | 304.8 | 66.7 | 104.8 | 19.0 | 9.5 | -0- | -0- |
| ROCKFORD | 1,010.9 | 557.4 | 331.0 | 71.8 | 111.6 | 17.2 | 8.6 | 16.4 | 0.8 |
| ROCK ISLAND | 990.5 | 559.2 | 349.2 | 55.3 | 103.1 | 21.0 | 24.8 | 5.7 | -0- |
| ROLLING MEADOWS | 196.4 | 71.4 | 35.7 | 8.9 | -0- | 8.9 | 8.9 | 8.9 | -0- |
| SKOKIE | 585.7 | 342.8 | 239.6 | 30.0 | 56.6 | 10.0 | 1.7 | 5.0 | -0- |
| SOUTH HOLLAND | 781.0 | 419.0 | 219.0 | 104.8 | 76.2 | -0- | -0- | 19.0 | -0- |
| SPRINGFIELD | 1,412.2 | 843.5 | 522.1 | 106.3 | 155.3 | 25.1 | 17.9 | 16.7 | -0- |
| STERLING | 810.1 | 455.7 | 234.2 | 88.6 | 94.9 | 19.0 | 19.0 | -0- | -0- |
| STREATOR | 1,341.2 | 770.6 | 364.7 | 82.4 | 229.4 | 64.7 | 5.9 | 23.5 | -0- |
| SUMMIT | 1,066.7 | 514.3 | 323.8 | 47.6 | 95.2 | 28.6 | 9.5 | 9.5 | -0- |
| URBANA | 796.4 | 457.1 | 207.1 | 92.9 | 125.0 | 21.4 | -0- | 10.7 | -0- |
| VILLA PARK | 574.2 | 291.9 | 172.2 | 62.2 | 47.8 | 9.6 | -0- | -0- | -0- |
| WAUKEGAN | 837.7 | 414.5 | 252.2 | 79.4 | 70.5 | 5.3 | -0- | 7.1 | -0- |
| WESTCHESTER | 398.9 | 235.0 | 169.4 | 21.9 | 43.7 | -0- | -0- | -0- | -0- |
| WESTERN SPRINGS | 596.3 | 284.4 | 192.7 | 27.5 | 64.2 | -0- | -0- | -0- | -0- |
| WHEATON | 595.9 | 314.3 | 204.1 | 32.7 | 53.1 | 16.3 | -0- | 8.2 | -0- |
| WILMETTE | 767.6 | 468.3 | 281.7 | 81.0 | 70.4 | 28.2 | -0- | 7.0 | -0- |
| WINNETKA | 903.0 | 485.1 | 238.8 | 67.2 | 134.3 | 14.9 | 7.5 | 22.4 | -0- |
| WOOD RIVER | 579.8 | 294.1 | 184.9 | 58.8 | 50.4 | -0- | -0- | -0- | -0- |
| ZION | 1,082.0 | 770.5 | 467.2 | 106.6 | 139.3 | 49.2 | 8.2 | -0- | -0- |

TABLE 108. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1961 --CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1961)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAKE FOREST..... | 169.8 | 28.3 | 18.9 | 9.4 | -0- | -0- | -0- | 9.4 | 9.4 | 18.9 |
| LANSING..... | 87.4 | 43.7 | 27.3 | 16.4 | 16.4 | 38.3 | 5.5 | 10.9 | -0- | -0- |
| LA SALLE..... | 208.3 | 33.3 | 25.0 | 8.3 | 41.7 | 33.3 | 8.3 | 8.3 | 16.7 | 8.3 |
| LINCOLN..... | 211.8 | 35.3 | 5.9 | 29.4 | 29.4 | 11.8 | 11.8 | 5.9 | 5.9 | 5.9 |
| LINCOLNWOOD..... | 169.5 | 16.9 | 8.5 | 8.5 | 16.9 | -0- | 8.5 | 8.5 | -0- | 16.9 |
| LOMBARD..... | 126.6 | 39.3 | 26.2 | 13.1 | 30.6 | 48.0 | 17.5 | 8.7 | 8.7 | -0- |
| MACOMB..... | 106.6 | 90.2 | 49.2 | 41.0 | 16.4 | 16.4 | 16.4 | 8.2 | -0- | 24.6 |
| MARION..... | 221.2 | 70.8 | 26.5 | 44.2 | 17.7 | 35.4 | 35.4 | -0- | 8.8 | 17.7 |
| MARKHAM..... | 75.0 | 41.7 | 25.0 | 16.7 | 25.0 | 16.7 | 25.0 | -0- | 8.3 | 16.7 |
| MATTOON..... | 197.9 | 36.5 | 10.4 | 26.0 | 46.9 | 15.6 | -0- | 10.4 | 5.2 | 15.6 |
| MAYWOOD..... | 163.6 | 32.7 | 14.5 | 18.2 | 25.5 | 40.0 | 10.9 | 7.3 | 14.5 | -0- |
| MELROSE PARK..... | 139.7 | 91.7 | 48.0 | 43.7 | 21.8 | 34.9 | 13.1 | 8.7 | 13.1 | 17.5 |
| MOLINE..... | 164.8 | 41.2 | 27.5 | 13.7 | 18.3 | 45.8 | 11.4 | 6.9 | 9.2 | 4.6 |
| MONMOUTH..... | 192.3 | 115.4 | 57.7 | 57.7 | 76.9 | 9.6 | 9.6 | 9.6 | 9.6 | -0- |
| MORTON GROVE..... | 106.3 | 24.2 | 14.5 | 9.7 | 19.3 | 29.0 | -0- | 4.8 | 19.3 | 4.8 |
| MOUNT PROSPECT... | 51.8 | 51.8 | 31.1 | 20.7 | 10.4 | 31.1 | 20.7 | -0- | 10.4 | 10.4 |
| MOUNT VERNON..... | 230.8 | 32.1 | 12.8 | 19.2 | 25.6 | 32.1 | 19.2 | 25.6 | 19.2 | 12.8 |
| MUNDELEIN..... | 106.2 | 35.4 | 35.4 | -0- | 26.5 | 17.7 | 17.7 | -0- | 8.8 | 8.8 |
| NAPERVILLE..... | 91.6 | 22.9 | 7.6 | 15.3 | 22.9 | 61.1 | 7.6 | 15.3 | 7.6 | 7.6 |
| NILES..... | 168.3 | 24.0 | 9.6 | 14.4 | 19.2 | 43.3 | 4.8 | 4.8 | 19.2 | 4.8 |
| NORMAL..... | 109.5 | 7.3 | -0- | 7.3 | 7.3 | 21.9 | -0- | -0- | -0- | -0- |
| NORRIDGE..... | 104.2 | 41.7 | 13.9 | 27.8 | 20.8 | 27.8 | 34.7 | -0- | -0- | -0- |
| NORTH CHICAGO.... | 56.0 | 25.9 | 12.9 | 12.9 | 12.9 | 25.9 | 21.6 | 4.3 | 4.3 | 8.6 |
| NORTHBROOK..... | 65.6 | 49.2 | 24.6 | 24.6 | 8.2 | 49.2 | 16.4 | -0- | 8.2 | 8.2 |
| NORTHLAKE..... | 78.7 | 47.2 | 23.6 | 23.6 | 31.5 | 63.0 | -0- | 31.5 | -0- | -0- |
| OAK LAWN..... | 199.3 | 45.5 | 28.0 | 17.5 | 14.0 | 59.4 | 21.0 | 3.5 | 10.5 | 14.0 |
| OAK PARK..... | 240.2 | 37.6 | 21.2 | 16.3 | 44.1 | 14.7 | 8.2 | 29.4 | 14.7 | 3.3 |
| OTTAWA..... | 204.1 | 45.9 | -0- | 45.9 | 51.0 | 51.0 | 10.2 | 25.5 | -0- | 25.5 |
| PALATINE..... | 152.5 | 33.9 | 16.9 | 16.9 | 16.9 | 33.9 | 8.5 | 8.5 | 8.5 | 16.9 |
| PARK FOREST..... | 39.2 | 26.1 | 9.8 | 16.3 | 16.3 | 52.3 | 13.1 | -0- | 3.3 | 3.3 |
| PARK RIDGE..... | 176.3 | 42.6 | 27.4 | 15.2 | 15.2 | 21.3 | 3.0 | -0- | 6.1 | 12.2 |
| PEKIN..... | 174.8 | 42.0 | 21.0 | 21.0 | 24.5 | 31.5 | 14.0 | 14.0 | 28.0 | 28.0 |
| PEORIA..... | 190.0 | 52.8 | 29.8 | 23.0 | 45.1 | 48.0 | 15.4 | 10.6 | 12.5 | 17.3 |
| PERU..... | 181.0 | 66.7 | 28.6 | 38.1 | 19.0 | 9.5 | -0- | -0- | 19.0 | 19.0 |
| QUINCY..... | 228.2 | 44.7 | 24.6 | 20.1 | 62.6 | 38.0 | 8.9 | 26.8 | 15.7 | 4.5 |
| RANTOUL..... | 18.0 | 9.0 | 9.0 | -0- | 22.5 | 27.0 | 4.5 | 4.5 | -0- | 9.0 |
| RIVERDALE..... | 131.1 | 24.6 | 8.2 | 16.4 | 8.2 | 41.0 | 8.2 | 8.2 | 16.4 | 8.2 |
| RIVER FOREST..... | 204.7 | 47.2 | 15.7 | 31.5 | 23.6 | 31.5 | 7.9 | 23.6 | 7.9 | 7.9 |
| ROCK FALLS..... | 85.7 | 57.1 | -0- | 57.1 | 38.1 | 57.1 | 19.0 | -0- | -0- | -0- |
| ROCKFORD..... | 200.6 | 33.6 | 9.4 | 24.2 | 33.6 | 32.8 | 15.6 | 8.6 | 8.6 | 14.8 |
| ROCK ISLAND..... | 179.4 | 55.3 | 36.3 | 19.1 | 40.1 | 38.2 | 15.3 | 17.2 | 7.6 | 7.6 |
| ROLLING MEADOWS.. | 17.9 | 17.9 | 8.9 | 8.9 | -0- | 44.6 | 17.9 | 8.9 | -0- | -0- |
| SKOKIE..... | 116.5 | 23.3 | 11.6 | 11.6 | 25.0 | 20.0 | 13.3 | 5.0 | 1.7 | 5.0 |
| SOUTH HOLLAND.... | 76.2 | 38.1 | 9.5 | 28.6 | 85.7 | 28.6 | 28.6 | 19.0 | -0- | -0- |
| SPRINGFIELD..... | 235.4 | 60.9 | 29.9 | 31.1 | 27.5 | 46.6 | 15.5 | 16.7 | 19.1 | 8.4 |
| STERLING..... | 158.2 | 25.3 | 6.3 | 19.0 | 44.3 | 19.0 | 6.3 | 25.3 | 6.3 | -0- |
| STREATOR..... | 229.4 | 47.1 | 23.5 | 23.5 | 29.4 | 35.3 | 17.6 | 41.2 | 11.8 | 29.4 |
| SUMMIT..... | 209.5 | 57.1 | 9.5 | 47.6 | 38.1 | 57.1 | 19.0 | 28.6 | 19.0 | -0- |
| URBANA..... | 117.9 | 14.3 | 10.7 | 3.6 | 25.0 | 32.1 | 28.6 | 3.6 | -0- | 10.7 |
| VILLA PARK..... | 100.5 | 33.5 | 4.8 | 28.7 | 9.6 | 47.8 | 14.4 | 9.6 | 14.4 | 4.8 |
| WAUKEGAN..... | 139.3 | 58.2 | 26.5 | 31.7 | 30.0 | 45.9 | 12.3 | 12.3 | 17.6 | 8.8 |
| WESTCHESTER..... | 76.5 | 5.5 | -0- | 5.5 | 21.9 | 21.9 | -0- | 5.5 | 10.9 | -0- |
| WESTERN SPRINGS.. | 183.5 | 36.7 | 27.5 | 9.2 | 36.7 | 9.2 | -0- | -0- | 9.2 | -0- |
| WHEATON..... | 102.0 | 24.5 | 8.2 | 16.3 | 8.2 | 20.4 | 20.4 | 16.3 | 16.3 | -0- |
| WILMETTE..... | 151.4 | 17.6 | 7.0 | 10.6 | 21.1 | 35.2 | 3.5 | 3.5 | 3.5 | 7.0 |
| WINNETKA..... | 261.2 | -0- | -0- | -0- | 44.8 | -0- | -0- | -0- | 22.4 | -0- |
| WOOD RIVER..... | 109.2 | 42.0 | 16.8 | 25.2 | 8.4 | 25.2 | 16.8 | 16.8 | 8.4 | 8.4 |
| ZION..... | 65.6 | 82.0 | 41.0 | 41.0 | 16.4 | 57.4 | 8.2 | 16.4 | 16.4 | -0- |

Table 11. -- TEN LEADING CAUSES OF DEATH IN SELECTED AGE GROUPS, ILLINOIS: 1961

(For ages under 1 year see Table D page 3)

Age 1-4 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 914 |
| 1. | Accidents | E800-E962 | 244 |
| | a. Motor vehicle | (E810-E835, E960) | (68) |
| | b. Other | (residue of E800-E962) | (176) |
| 2. | Influenza and pneumonia | 480-493 | 190 |
| 3. | Congenital malformations | 750-759 | 107 |
| 4. | Malignant neoplasms | 140-205 | 104 |
| 5. | Meningitis, except meningococcal and tuberculous | 340 | 27 |
| 6. | Gastro-enteritis, chronic enteritis and colitis | 571-572 | 23 |
| 7. | Meningococcal infections | 057 | 20 |
| 8. | Homicide | E964, E980-E985 | 15 |
| 9. | Measles | 085 | 13 |
| 9. | Cerebral spastic infantile paralysis | 351 | 13 |

Age 5-14 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 867 |
| 1. | Accidents | E800-E962 | 336 |
| | a. Motor vehicle | (E810-E835, E960) | (147) |
| | b. Other | (residue of E800-E962) | (189) |
| 2. | Malignant neoplasms | 140-205 | 175 |
| 3. | Influenza and pneumonia | 480-493 | 57 |
| 3. | Congenital malformations | 750-759 | 55 |
| 4. | Anemias | 290-293 | 15 |
| 5. | Cerebral spastic infantile paralysis | 351 | 13 |
| 5. | Homicide | E964, E980-E985 | 13 |
| 6. | Vascular lesions affecting central nervous system | 330-334 | 12 |
| 7. | Heart diseases | 410-443 | 10 |
| 8. | Nephritis, acute and chronic | 590-594 | 9 |
| 9. | Diabetes mellitus | 260 | 8 |
| 9. | Acute infectious encephalitis | 082 | 8 |

Age 15-24 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,278 |
| 1. | Accidents | E800-E962 | 621 |
| | a. Motor vehicle | (E810-E835, E960) | (426) |
| | b. Other | (residue of E800-E962) | (195) |
| 2. | Malignant neoplasms | 140-205 | 113 |
| 3. | Homicide | E964, E980-E985 | 83 |
| 4. | Suicide | E963, E970-E979 | 53 |
| 5. | Heart diseases | 410-443 | 51 |
| 6. | Influenza and pneumonia | 480-493 | 41 |
| 7. | Congenital malformations | 750-759 | 40 |
| 8. | Vascular lesions affecting central nervous system | 330-334 | 27 |
| 9. | Nephritis, acute and chronic | 590-594 | 24 |
| 10. | Diabetes mellitus | 260 | 14 |
| 10. | Maternal causes | 640-689 | 14 |

Age 25-44 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 5,873 |
| 1. | Heart diseases | 410-443 | 1,432 |
| 2. | Malignant neoplasms | 140-205 | 1,164 |
| 3. | Accidents | E800-E962 | 922 |
| | a. Motor vehicle | (E810-E835, E960) | (498) |
| | b. Other | (residue of E800-E962) | (424) |
| 4. | Homicide | E964, E980-E985 | 265 |
| 5. | Vascular lesions affecting central nervous system | 330-334 | 253 |
| 6. | Suicide | E963, E970-E979 | 251 |
| 7. | Cirrhosis of liver | 581 | 232 |
| 8. | Tuberculosis | 001-019 | 88 |
| 8. | Nephritis, acute and chronic | 590-594 | 88 |
| 9. | Diabetes mellitus | 260 | 85 |

Age 45-64 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 25,778 |
| 1. | Heart diseases | 410-443 | 11,319 |
| 2. | Malignant neoplasms | 140-205 | 6,348 |
| 3. | Vascular lesions affecting central nervous system | 330-334 | 1,806 |
| 4. | Accidents | E800-E962 | 1,018 |
| | a. Motor vehicle | (E810-E835, E960) | (451) |
| | b. Other | (residue of E800-E962) | (567) |
| 5. | Cirrhosis of liver | 581 | 712 |
| 6. | Influenza and pneumonia | 480-493 | 567 |
| 7. | Diabetes mellitus | 260 | 433 |
| 8. | Suicide | E963, E970-E979 | 403 |
| 9. | Ulcers of stomach and duodenum | 540, 541 | 258 |
| 10. | Tuberculosis | 001-019 | 204 |

Age 65 years and over

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 61,229 |
| 1. | Heart diseases | 410-443 | 31,558 |
| 2. | Malignant neoplasms | 140-205 | 9,336 |
| 3. | Vascular lesions affecting central nervous system | 330-334 | 8,310 |
| 4. | Influenza and pneumonia | 480-493 | 1,928 |
| 5. | General arteriosclerosis | 450 | 1,843 |
| 6. | Accidents | E800-E962 | 1,117 |
| | a. Motor vehicle | (E810-E835, E960) | (329) |
| | b. Other | (residue of E800-E962) | (788) |
| 7. | Diabetes mellitus | 260 | 1,024 |
| 8. | Hypertension without mention of heart disease | 440-447 | 637 |
| 9. | Ulcers of stomach and duodenum | 540-541 | 420 |
| 10. | Nephritis, acute and chronic | 590-594 | 384 |

[1]Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955 Revision, World Health Organization.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1952 - 1961

| Disease | 1961 | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 |
|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | | | | | | | | | | |
| Actinomycosis | -- | -- | 3 | 1 | 3 | 2 | 1 | 2 | -- | -- |
| Amebiasis cases and carriers | 377 | 450 | 348 | 279 | 310 | 428 | 478 | 771 | 598 | 639 |
| Anthrax | -- | 1 | -- | -- | -- | -- | -- | 1 | 1 | 1 |
| Brucellosis | 59 | 74 | 71 | 83 | 120 | 133 | 140 | 203 | 243 | 294 |
| Chancroid | 24 | 44 | 41 | 43 | 22 | 57 | 229 | 211 | 126 | 106 |
| Chickenpox | 14,611 | 13,370 | 9,669 | 11,631 | 15,804 | 14,495 | 17,139 | 11,427 | 17,968 | 15,540 |
| Conjunctivitis, all forms | 2 | -- | 3 | 49 | 63 | 50 | 60 | 109 | 64 | 31 |
| Diarrhea of newborn | 58 | 19 | 11 | 159 | 238 | 198 | 107 | 97 | 72 | 68 |
| Diphtheria cases and carriers | 11 | 21 | 80 | 73 | 45 | 201 | 238 | 316 | 258 | 89 |
| Dysentery bacillary cases and carriers | 280 | 206 | 324 | 230 | 234 | 192 | 464 | 640 | 570 | 386 |
| Encephalitis, acute and post | 164 | 167 | 133 | 218 | 130 | 146 | 130 | 109 | 98 | 107 |
| Erysipelas | ** | ** | ** | 140 | 107 | 120 | 106 | 218 | 176 | 138 |
| Food infections | 268 | 156 | 337 | 457 | 381 | 335 | 230 | 595 | 213 | 128 |
| Food poisonings | 828 | 240 | 364 | 310 | 135 | 548 | 124 | 451 | 160 | 141 |
| German measles | 3,438 | 1,723 | 2,148 | 15,431 | 4,866 | 6,314 | 1,583 | 1,419 | 3,344 | 6,108 |
| Gonorrhea | 26,362 | 22,608 | 18,596 | 21,522 | 19,738 | 20,169 | 21,110 | 21,810 | 21,014 | 16,555 |
| Hepatitis, infectious and serum | 2,667 | 1,707 | 895 | 706 | 728 | 700 | 1,028 | 2,464 | 1,048 | 241 |
| Impetigo contagiosa | 10 | 6 | 2 | 6 | 2 | 7 | 20 | 17 | -- | 7 |
| Influenza, all forms | ** | ** | ** | 632 | 141,518 | 66 | 69 | 153 | 1,931 | 159 |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | -- | 4 | 63 | 4 | 2 |
| Leprosy | -- | 1 | 1 | -- | 4 | -- | -- | 1 | -- | -- |
| Leptospirosis | -- | 3 | 1 | -- | 1 | -- | 1 | 1 | -- | -- |
| Malaria | 1 | -- | 2 | 3 | 3 | 2 | 3 | 1 | 3 | 6 |
| Measles | 16,931 | 22,448 | 10,913 | 24,413 | 10,826 | 41,952 | 14,742 | 32,983 | 16,722 | 32,239 |
| Meningitis meningococcal | 122 | 158 | 168 | 175 | 162 | 147 | 188 | 190 | 256 | 282 |
| Meningitis, other | 655 | 634 | 545 | 734 | 463 | 286 | 258 | 250 | 251 | 263 |
| Mononucleosis infectious | ** | ** | ** | 501 | 336 | 362 | 230 | 75 | 31 | 6 |
| Mumps | 11,234 | 10,551 | 5,424 | 9,538 | 6,888 | 6,750 | 12,309 | 10,219 | 7,502 | 10,751 |
| Paratyphoid cases and carriers | 6 | 3 | 7 | 3 | 2 | 15 | 5 | 18 | 13 | 14 |
| Pneumonia, all forms | ** | ** | ** | 3,587 | 3,271 | 2,843 | 2,724 | 2,808 | 2,815 | 2,830 |
| Poliomyelitis | 26 | 145 | 332 | 204 | 307 | 1,957 | 1,408 | 2,212 | 2,040 | 4,001 |
| Psittacosis and ornithosis | 7 | 7 | 11 | 7 | 18 | 39 | 40 | 32 | 34 | 9 |
| Rabies in man | -- | -- | -- | -- | -- | -- | -- | 1 | -- | 1 |
| Rheumatic fever | 1,936 | 1,598 | 1,446 | 1,327 | 854 | 897 | 379 | 420 | 335 | 238 |
| Ringworm of the scalp | 136 | 124 | 158 | 185 | 161 | 262 | 428 | 651 | 576 | 568 |
| Rocky Mountain spotted fever | 4 | 10 | 1 | 9 | 6 | 6 | 2 | 11 | 5 | 7 |
| Scarlet fever and strep throat | 5,645 | 4,402 | 7,473 | 4,501 | 5,359 | 3,383 | 3,183 | 3,953 | 4,403 | 4,140 |
| Syphilis | 6,543 | 6,639 | 8,510 | 7,355 | 6,891 | 4,985 | 4,323 | 5,117 | 5,832 | 8,024 |
| Tetanus | 12 | 20 | 18 | 24 | 20 | 28 | 29 | 40 | 29 | 33 |
| Toxoplasmosis | -- | -- | -- | 3 | -- | -- | 1 | -- | -- | -- |
| Trachoma | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Trichinosis | 9 | 8 | 2 | 3 | 6 | 2 | 2 | 2 | 16 | 4 |
| Tuberculosis | 4,021 | 4,063 | 4,220 | 4,616 | 5,123 | 5,450 | 5,813 | 5,811 | 5,606 | 4,481 |
| Tularemia | 39 | 37 | 48 | 61 | 33 | 45 | 50 | 101 | 29 | 67 |
| Typhoid cases and carriers | 39 | 28 | 34 | 38 | 30 | 44 | 51 | 66 | 76 | 55 |
| Typhus cases and carriers | -- | 1 | -- | 1 | 12 | 2 | 2 | 4 | 1 | -- |
| Vincent's infection | * | * | * | 134 | 97 | 75 | 63 | 51 | 56 | 34 |
| Whooping cough | 677 | 442 | 1,714 | 947 | 880 | 569 | 1,801 | 1,874 | 579 | 705 |

*Deleted from list of reportable diseases in Illinois in July, 1959.
**No state total given since data are available for Chicago only.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1952 - 1961 -- Continued

| Disease | 1961 | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 |
|---|---|---|---|---|---|---|---|---|---|---|
| CHICAGO | | | | | | | | | | |
| Actinomycosis | -- | -- | -- | 1 | 2 | 2 | -- | -- | -- | -- |
| Amebiasis cases and carriers | 23 | 31 | 40 | 77 | 141 | 113 | 195 | 156 | 215 | 335 |
| Anthrax | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- |
| Brucellosis | 15 | 12 | 1 | 6 | 6 | 16 | 11 | 6 | 36 | 8 |
| Chancroid | 19 | 35 | 40 | 35 | 17 | 36 | 223 | 204 | 115 | 98 |
| Chickenpox | 2,782 | 3,238 | 1,770 | 3,191 | 3,496 | 3,529 | 5,349 | 3,757 | 5,056 | 4,806 |
| Conjunctivitis, all forms | -- | -- | 1 | 28 | 12 | 19 | 19 | 23 | 23 | 14 |
| Diarrhea of newborn | 33 | 11 | 5 | 143 | 225 | 170 | 98 | 94 | 70 | 36 |
| Diphtheria cases and carriers | 2 | 7 | 70 | 66 | 42 | 189 | 228 | 302 | 238 | 72 |
| Dysentery bacillary cases and carriers | 86 | 73 | 59 | 70 | 35 | 59 | 87 | 68 | 41 | 69 |
| Encephalitis, acute and post | 34 | 54 | 41 | 80 | 33 | 56 | 51 | 35 | 43 | 50 |
| Erysipelas | 17 | 21 | 39 | 27 | 19 | 25 | 19 | 44 | 49 | 28 |
| Food infections | 109 | 41 | 43 | 228 | 208 | 86 | 90 | 68 | 85 | 46 |
| Food poisonings | 222 | 182 | 202 | 185 | 2 | 142 | -- | -- | 1 | -- |
| German measles | 690 | 496 | 630 | 2,091 | 773 | 1,466 | 542 | 400 | 975 | 901 |
| Gonorrhea | 23,160 | 19,525 | 16,102 | 19,313 | 17,372 | 17,560 | 18,308 | 18,824 | 17 477 | 12,717 |
| Hepatitis, infectious and serum | 614 | 406 | 251 | 155 | 139 | 131 | 212 | 197 | 88 | 35 |
| Impetigo contagiosa | -- | -- | -- | -- | -- | 1 | 4 | -- | -- | -- |
| Influenza, all forms | 6 | 38 | 13 | 63 | 521 | 10 | 8 | 29 | 162 | 52 |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | -- | 1 | 46 | -- | -- |
| Leprosy | -- | -- | -- | -- | 2 | -- | -- | 1 | -- | -- |
| Leptospirosis | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Malaria | -- | -- | 1 | -- | 2 | 1 | 1 | -- | 3 | 4 |
| Measles | 5,816 | 6,995 | 5,276 | 10,060 | 2,754 | 17,761 | 5,106 | 19,255 | 4,254 | 14,017 |
| Meningitis meningococcal | 58 | 57 | 94 | 99 | 76 | 57 | 99 | 80 | 130 | 143 |
| Meningitis, other | 259 | 279 | 243 | 260 | 195 | 133 | 114 | 124 | 137 | 128 |
| Mononucleosis infectious | 15 | 13 | 17 | 27 | 8 | 20 | 21 | 8 | -- | 3 |
| Mumps | 1,528 | 1,941 | 1,042 | 1,967 | 1,705 | 1,156 | 4,043 | 1,682 | 1,921 | 3,189 |
| Paratyphoid cases and carriers | -- | 1 | 3 | -- | 2 | 7 | 2 | 3 | 4 | 5 |
| Pneumonia, all forms | 2,086 | 2,562 | 2,470 | 2,720 | 2,586 | 2,382 | 2,290 | 2,422 | 2,346 | 2,394 |
| Poliomyelitis | 5 | 34 | 48 | 16 | 28 | 1,207 | 399 | 652 | 343 | 1,203 |
| Psittacosis and ornithosis | -- | -- | -- | -- | -- | 5 | 6 | 2 | 5 | 3 |
| Rabies in man | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Rheumatic fever | 538 | 349 | 399 | 462 | 9 | 8 | 277 | 294 | 258 | 207 |
| Ringworm of the scalp | 48 | 73 | 84 | 142 | 94 | 120 | 248 | 363 | 364 | 460 |
| Rocky Mountain spotted fever | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Scarlet fever and strep throat | 892 | 802 | 1,267 | 1,183 | 2,236 | 1,356 | 1,287 | 1,436 | 1,623 | 1,525 |
| Syphilis | 5,332 | 5,266 | 7,083 | 5,759 | 4,503 | 3,184 | 2,529 | 2,869 | 3,076 | 4,365 |
| Tetanus | 2 | 2 | 5 | 9 | 5 | 5 | 9 | 17 | 4 | 11 |
| Toxoplasmosis | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Trachoma | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Trichinosis | 5 | 4 | 1 | -- | 3 | -- | 2 | 2 | 2 | 4 |
| Tuberculosis | 2,737 | 2,815 | 2,790 | 3,094 | 3,623 | 3,841 | 4,216 | 4,011 | 3,737 | 2,515 |
| Tularemia | -- | -- | -- | 1 | -- | -- | 2 | -- | 4 | 3 |
| Typhoid cases and carriers | 26 | 6 | 12 | 12 | 13 | 9 | 14 | 18 | 24 | 14 |
| Typhus cases and carriers | -- | -- | -- | -- | 12 | 2 | 2 | 4 | 1 | -- |
| Vincent's infection | * | * | * | -- | -- | -- | -- | -- | -- | -- |
| Whooping cough | 574 | 294 | 1,186 | 709 | 695 | 368 | 1,013 | 931 | 220 | 360 |

*Deleted from list of reportable diseases in Illinois in July, 1959.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1952 - 1961 -- Concluded

| Disease | 1961 | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 |
|---|---|---|---|---|---|---|---|---|---|---|
| DOWNSTATE | | | | | | | | | | |
| Actinomycosis | -- | -- | 3 | -- | 1 | -- | 1 | 2 | -- | -- |
| Amebiasis cases and carriers | 354 | 419 | 308 | 202 | 169 | 315 | 283 | 615 | 383 | 304 |
| Anthrax | -- | 1 | -- | -- | -- | -- | -- | 1 | -- | 1 |
| Brucellosis | 44 | 62 | 70 | 77 | 114 | 117 | 129 | 197 | 207 | 286 |
| Chancroid | 5 | 9 | 1 | 8 | 5 | 21 | 6 | 7 | 11 | 8 |
| Chickenpox | 11,829 | 10,132 | 7,899 | 8,440 | 12,308 | 10,966 | 11,790 | 7,670 | 12,912 | 10,734 |
| Conjunctivitis, all forms | 2 | -- | 2 | 21 | 51 | 31 | 41 | 86 | 41 | 17 |
| Diarrhea of newborn | 25 | 8 | 5 | 16 | 13 | 28 | 9 | 3 | 2 | 32 |
| Diphtheria cases and carriers | 9 | 14 | 10 | 7 | 3 | 12 | 10 | 14 | 20 | 17 |
| Dysentery bacillary cases and carriers | 194 | 133 | 265 | 160 | 199 | 133 | 377 | 572 | 529 | 317 |
| Encephalitis, acute and post | 130 | 113 | 92 | 138 | 97 | 90 | 79 | 74 | 55 | 57 |
| Erysipelas | * | * | * | 113 | 88 | 95 | 87 | 174 | 127 | 110 |
| Food infections | 159 | 115 | 294 | 229 | 173 | 249 | 140 | 527 | 128 | 82 |
| Food poisonings | 606 | 58 | 162 | 125 | 133 | 406 | 124 | 451 | 159 | 141 |
| German measles | 2,748 | 1,227 | 1,518 | 13,340 | 4,093 | 4,848 | 1,041 | 1,019 | 2,369 | 5,207 |
| Gonorrhea | 3,202 | 3,083 | 2,494 | 2,209 | 2,366 | 2,609 | 2,802 | 2,986 | 3,537 | 3,838 |
| Hepatitis, infectious and serum | 2,053 | 1,301 | 644 | 551 | 589 | 569 | 816 | 2,267 | 960 | 206 |
| Impetigo contagiosa | 10 | 6 | 2 | 5 | 2 | 6 | 16 | 17 | -- | 7 |
| Influenza, all forms | * | * | * | 569 | 140,997 | 56 | 61 | 124 | 1,769 | 107 |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | -- | 3 | 17 | 4 | 2 |
| Leprosy | -- | 1 | 1 | -- | 2 | -- | -- | -- | -- | -- |
| Leptospirosis | -- | 3 | 1 | -- | 1 | -- | 1 | -- | -- | -- |
| Malaria | 1 | -- | 1 | 3 | 1 | 1 | 2 | 1 | -- | 2 |
| Measles | 11,115 | 15,453 | 5,637 | 14,353 | 8,072 | 24,191 | 9,636 | 13,728 | 12,468 | 18,222 |
| Meningitis meningococcal | 64 | 101 | 74 | 76 | 86 | 90 | 89 | 110 | 126 | 139 |
| Meningitis, other | 396 | 355 | 302 | 474 | 268 | 153 | 144 | 126 | 114 | 135 |
| Mononucleosis infectious | * | * | * | 474 | 328 | 342 | 209 | 67 | 31 | 3 |
| Mumps | 9,706 | 8,610 | 4,382 | 7,571 | 5,183 | 5,594 | 8,266 | 8,537 | 5,581 | 7,562 |
| Paratyphoid cases and carriers | 5 | 7 | 4 | 3 | -- | 8 | 3 | 15 | 9 | 9 |
| Pneumonia, all forms | * | * | * | 867 | 685 | 461 | 434 | 386 | 469 | 436 |
| Poliomyelitis | 21 | 111 | 284 | 188 | 279 | 750 | 1,009 | 1,560 | 1,697 | 2,798 |
| Psittacosis and ornithosis | 7 | 7 | 11 | 7 | 18 | 34 | 34 | 30 | 29 | 6 |
| Rabies in man | -- | -- | -- | -- | -- | -- | -- | 1 | -- | 1 |
| Rheumatic fever | 1,398 | 1,249 | 1,047 | 865 | 845 | 889 | 102 | 126 | 77 | 31 |
| Ringworm of the scalp | 88 | 51 | 74 | 43 | 67 | 142 | 180 | 288 | 212 | 108 |
| Rocky Mountain spotted fever | 4 | 10 | 1 | 9 | 6 | 6 | 2 | 11 | 5 | 7 |
| Scarlet fever and strep throat | 4,753 | 3,600 | 6,206 | 3,318 | 3,123 | 2,027 | 1,896 | 2,517 | 2,780 | 2,615 |
| Syphilis | 1,211 | 1,373 | 1,427 | 1,596 | 2,388 | 1,801 | 1,794 | 2,248 | 2,756 | 3,659 |
| Tetanus | 10 | 18 | 13 | 15 | 15 | 23 | 20 | 23 | 25 | 22 |
| Toxoplasmosis | -- | -- | -- | 3 | -- | -- | 1 | -- | -- | -- |
| Trachoma | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Trichinosis | 4 | 4 | 1 | 3 | 3 | 2 | -- | -- | 14 | -- |
| Tuberculosis | 1,284 | 1,248 | 1,430 | 1,522 | 1,500 | 1,609 | 1,597 | 1,800 | 1,869 | 1,966 |
| Tularemia | 39 | 37 | 48 | 60 | 33 | 45 | 48 | 101 | 25 | 64 |
| Typhoid cases and carriers | 13 | 22 | 22 | 26 | 17 | 35 | 37 | 48 | 52 | 41 |
| Typhus cases and carriers | -- | 1 | -- | 1 | -- | -- | -- | -- | -- | -- |
| Vincent's infection | * | * | * | 134 | 97 | 75 | 63 | 51 | 56 | 34 |
| Whooping cough | 103 | 148 | 528 | 238 | 185 | 201 | 788 | 943 | 359 | 345 |

*Deleted from list of reportable diseases in Illinois in July, 1959.

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill
Permit No. 101

PRINTED BY THE AUTHORITY OF THE STATE OF ILLINOIS

514.1
611v
962

# VITAL STATISTICS ILLINOIS

19 62

ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS

THE LIBRARY OF THE
SEP 24 1964
UNIVERSITY OF ILLINOIS

# VITAL STATISTICS ILLINOIS

19 62



ILLINOIS DEPARTMENT OF PUBLIC HEALTH
SPRINGFIELD, ILLINOIS
August, 1964

STATE OF ILLINOIS

DEPARTMENT OF PUBLIC HEALTH

Franklin D. Yoder, M. D.
Director

BUREAU OF STATISTICS

Springfield, Illinois
August, 1964

TABLE OF CONTENTS

Page

DESCRIPTION OF 1962 ILLINOIS VITAL EVENTS . . . . . 1

General summary . . . . . 1

Live births . . . . . 2

Fetal deaths . . . . . 2

Perinatal mortality . . . . . 2

Infant deaths . . . . . 2

Maternal deaths . . . . . 2

Leading causes of death . . . . . 3

Other causes . . . . . 5

Notifiable disease case reports . . . . . 6

TEXT TABLES

Table — Page

A -- Resident live births by race classified by sex, legitimacy status, place of birth and attendant, and age of mother, Illinois, Chicago, and Downstate: 1962 . . . . . 1

B -- Causes of fetal death among infants born to Illinois mothers in 1962 . . . . . 2

C -- Resident perinatal losses and perinatal mortality ratio by race and sex, Illinois, Chicago, and Downstate: 1962 . . . . . 3

D -- Ten leading causes of infant deaths by age, Illinois residents: 1962 . . . . . 4

E -- Ten leading causes of deaths among the white and nonwhite races, Illinois residents: 1962 . . . . . 4

F -- Components of resident heart disease deaths, Illinois: 1962 . . . . . 5

G -- Resident cancer deaths by site and age, Illinois: 1962 . . . . . 5

H -- Resident deaths due to vascular lesions affecting the central nervous system, Illinois: 1962 . . . . . 6

I -- Accidental deaths among Illinois residents by type of accident and age of decedent: 1962 . . . . . 6

J -- Accidental deaths occurring in Illinois by type of accident and place where accident occurred by population class: 1962 . . . . . 7

MAP AND CHART

Page

Crude mortality rates for selected causes of death, Illinois: 1920 - 1962 . . . . . 8

Map of population by counties: 1962 . . . . . 9

TABLE OF CONTENTS -- Continued

TABULAR SECTION


| Table | | Page |
|---|---|---|
| 1. | -- Live births, deaths, infant deaths, neonatal deaths, and maternal deaths, with rates for each, and fetal deaths, with ratios, Illinois: 1918 - 1962 | 11 |
| 2A. | -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of Illinois counties: 1962 | 12 |
| 2B. | -- Live birth rates and infant death, neonatal death, and stillbirth race specific rates among residents of Illinois counties: 1962 | 14 |
| 3A. | -- Live births, infant deaths, neonatal deaths, and stillbirths by race among residents of the larger cities of Illinois: 1962 | 16 |
| 3B. | -- Live birth rates and infant death, neonatal death, and stillbirth race-specific rates among residents of the larger cities of Illinois: 1962 | 18 |
| 4. | -- Live births, stillbirths by gestation, and infant deaths by age among residents of Illinois counties: 1962 | 20 |
| 5. | -- Live births, stillbirths by gestation, and infant deaths by age among residents of the larger cities of Illinois: 1962 | 22 |
| 6. | -- Live births with percentage rates for premature births and hospital births, infant deaths by age with rates, and maternal deaths among residents of Illinois counties: 1962 | 24 |
| 7. | -- Live births with percentage rates for premature births, and hospital births, infant deaths by age with rates, and maternal deaths among residents of the larger cities of Illinois: 1962 | 26 |
| 8A. | -- The twelve leading causes of death, by age and color, among residents of Illinois, Chicago, and Downstate: 1962 | 28 |
| 8B. | -- Death rates for the twelve leading causes, by age and color, among residents of Illinois, Chicago, and Downstate: 1962 | 31 |
| 9A. | -- Deaths from important causes among residents of Illinois counties: 1962 | 34 |
| 9B. | -- Death rates for important causes among residents of Illinois counties: 1962 | 38 |
| 10A. | -- Deaths from important causes among residents of the larger cities of Illinois: 1962 | 42 |
| 10B. | -- Death rates for important causes among residents of the larger cities of Illinois: 1962 | 46 |
| 11. | -- Ten leading causes of death in selected age groups, Illinois: 1962 | 50 |
| 12. | -- Cases of notifiable disease reported to the Illinois Department of Public Health for Illinois, Chicago, and Downstate: 1952 - 1962 | 51 |

## EXPLANATION OF SYMBOLS

| | |
|---|---|
| Quantity zero in frequency tables | . . . . . |
| Rate or percent more than 0 but less than 0.05 | 0.0 |
| Figures within parenthesis not included in totals | ( ) |
| Rate zero corresponding to -- on frequency table | -0- |

## GENERAL SUMMARY

The data on population, births and deaths in Table 1, page 11, summarize vital statistics in Illinois from 1918 through 1962. The high birth rates for this period occurred in 1956 and 1957 when they were respectively 24.5 and 25.0 per 1,000 estimated mid year population. The birth rate of 22.3 in 1962 was slightly higher than the rate of 21.4 in 1946, the first year of the present period of high birth rates. Even though the number of deaths in Illinois in 1962 was about 4,300 higher than the 100,396 reported during the 1918 influenza epidemic, the rate of 10.1 per 1,000 population is much lower than the 16.0 recorded then. The lowest death rate during the period shown in Table 1 was 9.9 in 1961. The infant death rate continues to go down. There were 24.0 infant deaths per 1,000 live births in 1962. This rate is less than a third of the highest rate of 81.9 which was recorded in 1923. From a high of 41.4 deaths of children under the age of one month per 1,000 live births in 1923, the neonatal death rate has been falling slowly to its lowest figure of 17.6 in 1962. After a general downward trend from 1922 to 1961, maternal deaths showed a slight rise in 1962. During this period, the highest rate was 67.9 maternal deaths per 10,000 live births in 1929 and the lowest was 2.6 in 1961. The rate in 1962 was 3.0. The fetal death ratio has rather closely paralleled the neonatal death rate for the entire period from 1922 to 1962. The highest ratio was 39.1 fetal deaths (stillbirths of twenty or more weeks' gestation) per 1,000 live births in 1923 and lowest was 14.5 in 1959. The 1962 ratio was 14.7

Table A. -- RESIDENT LIVE BIRTHS BY RACE CLASSIFIED BY SEX, LEGITIMACY STATUS, PLACE OF BIRTH AND ATTENDANT, AND AGE OF MOTHER, ILLINOIS, CHICAGO, AND DOWNSTATE: 1962

| | Illinois | | | | Chicago | | | | Downstate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Negro | Other | Total | White | Negro | Other | Total | White | Negro | Other |
| TOTAL | 230,484 | 192,244 | 37,436 | 804 | 84,333 | 53,857 | 29,987 | 489 | 146,151 | 138,387 | 7,449 | 315 |
| Sex: | | | | | | | | | | | | |
| Male | 117,990 | 98,808 | 18,758 | 424 | 42,948 | 27,651 | 15,038 | 259 | 75,042 | 71,157 | 3,720 | 165 |
| Female | 112,494 | 93,436 | 18,678 | 380 | 41,385 | 26,206 | 14,949 | 230 | 71,109 | 67,230 | 3,729 | 150 |
| Legitimacy: | | | | | | | | | | | | |
| Legitimate | 214,806 | 187,330 | 26,686 | 790 | 73,339 | 51,788 | 21,070 | 481 | 141,467 | 135,542 | 5,616 | 309 |
| Illegitimate | 15,678 | 4,914 | 10,750 | 14 | 10,994 | 2,069 | 8,917 | 8 | 4,684 | 2,845 | 1,833 | 6 |
| Place of birth and attendant: | | | | | | | | | | | | |
| In hospital | 226,505 | 190,520 | 35,186 | 799 | 80,992 | 52,583 | 27,924 | 485 | 145,513 | 137,937 | 7,262 | 314 |
| Other place | 3,979 | 1,724 | 2,250 | 5 | 3,341 | 1,274 | 2,063 | 4 | 638 | 450 | 187 | 1 |
| Physician | 3,766 | 1,630 | 2,131 | 5 | 3,251 | 1,227 | 2,020 | 4 | 515 | 403 | 111 | 1 |
| Midwife | 97 | 17 | 80 | -- | 42 | 15 | 27 | -- | 55 | 2 | 53 | -- |
| Other | 116 | 77 | 39 | -- | 48 | 32 | 16 | -- | 68 | 45 | 23 | -- |
| Age of mother: | | | | | | | | | | | | |
| 10 - 14 years | 374 | 87 | 287 | -- | 264 | 35 | 229 | -- | 110 | 52 | 58 | -- |
| 15 - 19 years | 29,043 | 21,855 | 7,161 | 27 | 11,671 | 5,950 | 5,703 | 18 | 17,372 | 15,905 | 1,458 | 9 |
| 20 - 24 years | 79,439 | 66,998 | 12,277 | 164 | 29,842 | 19,815 | 9,923 | 104 | 49,597 | 47,183 | 2,354 | 60 |
| 25 - 29 years | 59,961 | 50,853 | 8,819 | 289 | 21,363 | 14,052 | 7,136 | 175 | 38,598 | 36,801 | 1,683 | 114 |
| 30 - 34 years | 36,773 | 31,246 | 5,322 | 205 | 12,600 | 8,220 | 4,274 | 106 | 24,173 | 23,026 | 1,048 | 99 |
| 35 - 39 years | 19,559 | 16,561 | 2,898 | 100 | 6,775 | 4,476 | 2,224 | 75 | 12,784 | 12,085 | 674 | 25 |
| 40 - 44 years | 5,089 | 4,439 | 631 | 19 | 1,717 | 1,241 | 465 | 11 | 3,372 | 3,198 | 166 | 8 |
| 45 - 49 years | 244 | 204 | 40 | -- | 100 | 68 | 32 | -- | 144 | 136 | 8 | -- |
| Unstated | 2 | 1 | 1 | -- | 1 | -- | 1 | -- | 1 | 1 | -- | -- |

Source: Tabulations in Illinois Bureau of Statistics

## LIVE BIRTHS

The 230,484 births to Illinois residents during 1962 represent the third consecutive decrease since the peak of 239,871 in 1959. The 1962 birth rate of 22.3 per 1,000 population is the lowest since 1950. Births to Chicago white residents declined from 64,458 in the peak year 1951 to 53,857 in 1962. In contrast, nonwhite births in Chicago have about doubled in twelve years from 15,874 in 1950 to 30,476 in 1962. There were 31,415 in 1961, the highest year. In the remainder of the state, births to white residents reached their peak in 1960 when there were 142,810. The 7,764 nonwhite live births in 1962 in the Downstate area represent the highest to date.

The number of births to residents of the 102 counties and of the 117 cities of 10,000 or more population are listed on Tables 2A and 3A, pages 12 and 16, with corresponding birth rates on Tables 2B and 3B, pages 14 and 18.

## FETAL DEATHS

There were 3,393 resident fetal deaths, or 14.7 per 1,000 live births, in Illinois during 1962. Among these, 11.6%, or 392, were of twenty to twenty-three weeks' gestation. Ill-defined or unknown causes were attributed to 1,185, or 34.9%, of all fetal deaths. The causes of death for 685, or 27.3%, of the 2,508 white fetal deaths were ill-defined or unknown. Of the 885 nonwhite fetal deaths, 500 or 56.4% were similarly classified. Fetal deaths are reported by cause in Table B, and by gestation by county and large city in Tables 4 and 5, pages 20 through 23.

Table B. -- CAUSES OF FETAL DEATH AMONG INFANTS BORN TO ILLINOIS MOTHERS IN 1962

| Cause | Number | Percent |
|---|---|---|
| ALL CAUSES | 3,393 | 100.0 |
| Cause in the mother: | | |
| Chronic disease in mother | 85 | 2.5 |
| Acute disease in mother | 19 | 0.5 |
| Diseases and conditions of pregnancy and childbirth | 198 | 5.8 |
| Difficulties in labor | 115 | 3.4 |
| Other causes in mother | 14 | 0.4 |
| Placenta and cord conditions without mention of prolapsed cord | 1,088 | 32.2 |
| Placenta and prolapsed cord conditions | 115 | 3.4 |
| Birth injuries | 21 | 0.6 |
| Malformations of fetus | 214 | 6.3 |
| Disease of fetus | 340 | 10.0 |
| Ill-defined causes in mother and fetus | 848 | 25.0 |
| Cause unknown | 337 | 9.9 |

Source: Tabulations in Illinois Bureau of Statistics.

## PERINATAL MORTALITY

At 30.3, the perinatal mortality rate for Illinois in 1962 is at the same low level as in 1961 and 1959. Both the white and nonwhite rates appear to be leveling off. The nonwhite rate continues to be about two-thirds higher than the white rate. Details by sex and race for Illinois, Chicago, and Downstate are given in Table C. The perinatal mortality ratio is 1,000 times the sum of fetal deaths and deaths of infants under seven days of age divided by the sum of fetal deaths and live births. The result is an index of the inability of infants to survive the hazards of pregnacy and delivery and of life during the first week. Tables 4 and 5, pages 20 through 23, give the information needed to compute the perinatal mortality ratios for counties and large cities.

## INFANT DEATHS

Infant deaths during 1962 are shown by cause in Table D, and by race and age for the counties and the larger cities in Tables 2 through 7, pages 12 through 27. The 1962 rate of 24.0 deaths under one year of age per 1,000 live births to Illinois residents is the lowest reported during the forty-one years for which records are available.

Comparison of two three-year periods a decade apart, 1960-1962 with 1950-1952, shows three significant changes in infant death rates: (1) For white infants, the rates dropped from 23.6 per 1,000 live births in 1950-1952 to 21.7 in 1960-1962, while the rates for nonwhite infants rose from 37.9 to 38.3 during the same periods. (2) The pneumonia mortality rose. Deaths from pneumonia among children ages 28 days to one year increased from 1.8 to 2.2 per 1,000 live births for white infants and from 5.1 to 8.4 for nonwhite. Pneumonia among children under 28 days of age increased from 0.6 to 0.7 for white infants, and from 2.4 to 3.1 for nonwhite. (3) Fewer infant deaths in the latter period were classified to immaturity with no other stated cause. The change was from 3.8 in 1950-1952 to 2.6 for the white infants and from 7.0 to 3.3 for the nonwhite. On the other hand, the death rates from postnatal asphxia and atelectasis with mention of immaturity have increased from 3.7 to 4.9 for the white infants and from 6.7 to 12.5 for the nonwhite infants.

## MATERNAL DEATHS

There were 48 white and 22 nonwhite resident maternal deaths in 1962 in contrast to 35 white and 26 nonwhite maternal deaths in 1961. The

1962 number of 70 and rate of 3.0 per 10,000 live births are higher than the 61 and 2.6 reported in the preceding year. Of the deaths in 1962, there were 13 white and 16 nonwhite deaths in Chicago, with rates of 2.4 and 5.3 respectively. Downstate, there were 35 white and 6 nonwhite deaths with rates of 2.5 and 7.7.

During the past forty years, the number of maternal deaths in Illinois has been reduced by about one-half each decade. The 1962 maternal death rate is about one-twentieth of the 1922 rate.

## LEADING CAUSES OF DEATH

The number of deaths and death rates per 100,000 population from leading causes of death are presented on Tables 8A and 8B, pages 28 and 31, for Illinois, Chicago and Downstate. Mortality from these same causes plus acute rheumatic fever is given first for the counties, the number of deaths appearing in Table 9A, page 34, and rates in Table 9B, page 38, the same information for larger cities appears in Table 10A, page 42, and in Table 10B, page 46. Deaths among Illinois residents during 1962 are given for specified classes of heart disease, cancer, vascular lesions and accidents in Tables F, G, H and I. Table J shows the number of accidental deaths by type and place where the accident occurred. Leading causes of death for several age groups, beginning with the group 1 to 4 years, are shown on Table 11, page 50. Data for age groups under 28 days and 28 days to one year are shown in Table D. Trends for ten important causes of death for several decades are shown on the ratio charts, page 8.

The ten leading causes of death by race appear in Table E. The first six causes of death are common to both the white and nonwhite races. The changes in the 1962 rates from the 1950 rates per 100,000 population partly reflect the younger age distribution of the nonwhite group. This summary shows the amount and direction of the changes.

| | RATES | | CHANGE | |
|---|---|---|---|---|
| WHITE | 1950 | 1962 | Amount | Percent |
| Heart diseases | 440.8 | 463.2 | +22.4 | + 5% |
| Cancer | 168.7 | 169.0 | + 0.3 | 0 |
| Vascular lesions - C.N.S. | 107.0 | 104.5 | - 2.5 | - 2 |
| Influenza and pneumonia | 27.3 | 33.7 | + 6.4 | +23 |
| Accidents | 56.7 | 43.8 | -12.9 | -23 |
| Diseases of early infancy | 31.4 | 28.0 | - 3.4 | -12 |
| NONWHITE | | | | |
| Heart diseases | 405.2 | 345.0 | -60.2 | -15% |
| Cancer | 141.1 | 125.7 | -15.4 | -11 |
| Vascular lesions - C.N.S. | 95.6 | 87.7 | - 7.9 | - 8 |
| Influenza and pneumonia | 51.9 | 85.8 | +33.9 | +65 |
| Accidents | 67.8 | 51.2 | -16.6 | -24 |
| Diseases of early infancy | 69.5 | 80.5 | +11.0 | +16 |

Table C. -- RESIDENT PERINATAL LOSSES AND PERINATAL MORTALITY RATIO BY RACE AND SEX, ILLINOIS, CHICAGO, AND DOWNSTATE: 1962
(This table includes 49 fetal deaths of less than 20 weeks' gestation)

| | Illinois | | | | Chicago | | | | Downstate | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | White | Negro | Other | Total | White | Negro | Other | Total | White | Negro | Other |
| Both sexes: | | | | | | | | | | | | |
| Fetal deaths | 3,393 | 2,508 | 878 | 7 | 1,473 | 745 | 724 | 4 | 1,920 | 1,763 | 154 | 3 |
| Deaths under 1 week of age | 3,689 | 2,830 | 848 | 11 | 1,471 | 779 | 687 | 5 | 2,218 | 2,051 | 161 | 6 |
| Total | 7,082 | 5,338 | 1,726 | 18 | 2,944 | 1,524 | 1,411 | 9 | 4,138 | 3,814 | 315 | 9 |
| Live births and fetal deaths | 233,877 | 194,752 | 38,314 | 811 | 85,806 | 54,602 | 30,711 | 493 | 148,071 | 140,150 | 7,603 | 318 |
| Ratio* | 30.3 | 27.4 | 45.0 | 22.2 | 34.3 | 27.9 | 45.9 | 18.3 | 27.9 | 27.2 | 41.4 | 28.3 |
| Male: | | | | | | | | | | | | |
| Fetal deaths | 1,780 | 1,313 | 462 | 5 | 788 | 405 | 381 | 2 | 992 | 908 | 81 | 3 |
| Deaths under 1 week of age | 2,112 | 1,650 | 459 | 3 | 833 | 458 | 373 | 2 | 1,279 | 1,192 | [illegible] | 1 |
| Total | 3,892 | 2,963 | 921 | 8 | 1,621 | 863 | 754 | 4 | 2,271 | 2,100 | 167 | 4 |
| Live births and fetal deaths | 119,770 | 100,121 | 19,220 | 429 | 43,736 | 28,056 | 15,419 | 261 | 76,034 | 72,065 | 3,801 | 168 |
| Ratio* | 32.5 | 29.6 | 47.9 | 18.6 | 37.1 | 30.8 | 48.9 | 15.3 | 29.9 | 29.1 | 43.9 | 23.8 |
| Female: | | | | | | | | | | | | |
| Fetal deaths | 1,613 | 1,195 | 416 | 2 | 685 | 340 | 343 | 2 | 928 | 855 | 73 | -- |
| Deaths under 1 week of age | 1,577 | 1,180 | 389 | [illegible] | 638 | 321 | 314 | 3 | 939 | 859 | 75 | 5 |
| Total | 3,190 | 2,375 | 805 | 10 | 1,323 | 661 | 657 | 5 | 1,867 | 1,714 | 148 | 5 |
| Live births and fetal deaths | 114,107 | 94,631 | 19,094 | 382 | 42,070 | 26,546 | 15,292 | 232 | 72,037 | 68,085 | 3,802 | 150 |
| Ratio* | 28.0 | 25.1 | 42.2 | 26.2 | 31.4 | 24.9 | 43.0 | 21.6 | 25.9 | 25.2 | 38.9 | 33.3 |

*Perinatal mortality ratio is 1,000 times (fetal deaths of 20 weeks' gestation and over plus deaths under one week of age) divided by (live births plus fetal deaths of 20 weeks' gestation and over). See Table A for live births.

TABLE D. -- TEN LEADING CAUSES OF INFANT DEATHS, BY AGE, ILLINOIS RESIDENTS: 1962

| Neonatal (Under 28 days of age) | | | Ages 28 days to 1 year | | |
|---|---|---|---|---|---|
| Cause | Number | Percent | Cause | Number | Percent |
| ALL CAUSES | 4,061 | 100.0 | ALL CAUSES | 1,466 | 100.0 |
| 1. Postnatal asphyxia and atelectasis | 1,725 | 42.5 | 1. Influenza and pneumonia | 716 | 48.8 |
| 2. Immaturity, unqualified | 581 | 14.3 | 2. Congenital malformations | 281 | 19.2 |
| 3. Congenital malformations | 500 | 12.3 | a. Monstrosity | (2) | (0.1) |
| a. Monstrosity | (63) | (1.6) | b. Spina bifida and meningocele | (19) | (1.3) |
| b. Spina bifida and meningocele | (46) | (1.1) | 3. Accidents | 108 | 7.4 |
| 4. Birth injury | 415 | 10.2 | a. Mechanical suffocation in bed | (30) | (2.0) |
| 5. Pneumonia of newborn | 280 | 6.9 | b. Suffocation by inhalation and ingestion of food | (19) | (1.3) |
| 6. Ill-defined diseases of early infancy | 189 | 4.7 | c. Falls | (15) | (1.0) |
| 7. Erythroblastosis | 148 | 3.6 | 4. Gastro-enteritis and colitis | 81 | 5.5 |
| 8. Hernia, intestinal obstructions | 34 | 0.8 | 5. Bronchitis | 35 | 2.4 |
| 8. Hemorrhagic disease of newborn | 34 | 0.8 | 6. Meningitis, except meningococcal and tuberculous | 25 | 1.7 |
| 10. Disorders arising from certain diseases of mother during pregnancy | 30 | 0.7 | 7. Postnatal asphyxia and atelectasis | 16 | 1.1 |
| | | | 8. Malignant neoplasms | 12 | 0.8 |
| | | | a. Leukemia and aleukemia | (4) | (0.3) |
| | | | 9. Hernia, intestinal obstructions | 10 | 0.7 |
| | | | 10. Nutritional maladjustment | 9 | 0.6 |

Source: Tabulations in Illinois Bureau of Statistics.

TABLE E. -- TEN LEADING CAUSES OF DEATHS AMONG THE WHITE AND NONWHITE RACES, ILLINOIS RESIDENTS: 1962

(Rates are per 100,000 estimated population as of July 1, 1962)

| WHITE | | | | NONWHITE | | | |
|---|---|---|---|---|---|---|---|
| Cause | Number | Rate | Percent | Cause | Number | Rate | Percent |
| ALL CAUSES | 93,709 | 1,018.1 | 100.0 | ALL CAUSES | 10,986 | 975.7 | 100.0 |
| 1. Heart disease | 42,635 | 463.2 | 45.5 | 1. Heart disease | 3,885 | 345.0 | 35.4 |
| 2. Cancer | 15,555 | 169.0 | 16.6 | 2. Cancer | 1,415 | 125.7 | 12.9 |
| 3. Vascular lesions affecting the central nervous system | 9,620 | 104.5 | 10.3 | 3. Vascular lesions affecting the central nervous sytem | 987 | 87.7 | 9.0 |
| 4. Accidents | 4,032 | 43.8 | 4.3 | 4. Influenza and pneumonia | 966 | 85.8 | 8.8 |
| 5. Influenza and pneumonia | 3,106 | 33.7 | 3.3 | 5. Diseases of early infancy | 906 | 80.5 | 8.2 |
| 6. Diseases of early infancy | 2,581 | 28.0 | 2.8 | 6. Accidents | 576 | 51.2 | 5.2 |
| 7. Arteriosclerosis | 1,906 | 20.7 | 2.0 | 7. Homicide | 321 | 28.5 | 2.9 |
| 8. Diabetes mellitus | 1,446 | 15.7 | 1.5 | 8. Diabetes mellitus | 209 | 18.6 | 1.9 |
| 9. Cirrhosis of the liver | 1,213 | 13.2 | 1.3 | 9. Cirrhosis of the liver | 148 | 13.1 | 1.3 |
| 10. Congenital malformations | 955 | 10.4 | 1.0 | 10. Congenital malformations | 145 | 12.9 | 1.3 |

Source: Tabulations in Illinois Bureau of Statistics.

Among the deaths under the age of 25 years, there were 82 deaths from heart disease, (Table F). According to Table G, of the 356 deaths at these ages, 134 were from leukemia and aleukemia and 64 from cancer of the brain and nervous system. Vascular lesions of the central nervous system (Table H), accounted for 38 deaths, of which 15 were due to subarachnoid hemorrhage and 14 were due to cerebral hemorrhage.

Exactly one-half of all deaths in the age range from 15 to 24 years were accidental. (Table I) The 687 accidental deaths in this group were divided into 258 from motor vehicle collision, 138 from running off the road, 68 from other types of motor vehicle accident, 66 from drowning and 157 from other accidents. Falls were the cause of 45% of all accidental deaths at age 65 or older.

Table J, page 7 , shows that the death rates for all accidents accurring in non-metropolitan counties are considerably higher than in the corresponding metropolitan population classes. Rural areas have much the highest rates, followed in almost unbroken sequence by city groups in order of size. For accidents occurring in Illinois the death rates for all accidents (42.3), motor vehicle (18.3) and at home (12.4) are each about 19 per cent below the corresponding rates for the United States in 1962.

## OTHER CAUSES

Other important causes of death in 1962 were hypertension without mention of heart disease (924), ulcers of the stomach and duodenum (772), chronic nephritis and renal sclerosis (672) and tuberculosis (528), each of which increased from 1961. Deaths in 1962 from syphilis (68), tetanus (9) and poliomyelitis (3) exceeded 1961, while deaths were fewer than in 1961 for meningococcal infections (25), chickenpox (4), infectious hep-

TABLE G. -- RESIDENT CANCER DEATHS BY SITE AND AGE; ILLINOIS: 1962

| Age | Total | Site | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Buccal cavity and pharynx | Stomach | Digestive organs except stomach | Bronchus, lung and pleura | Other sites, respiratory system | Breast | Genital organs | Nervous system, incl. brain | Other and unspecified sites | Leukemia and aleukemia | Lymphosarcoma |
| ALL AGES | 16,970 | 408 | 1,212 | 4,736 | 1,232 | 1,527 | 1,612 | 2,411 | 418 | 1,835 | 758 | 821 |
| Under 1 year | 12 | -- | -- | 1 | -- | -- | -- | -- | -- | 5 | 4 | 2 |
| 1 - 4 years | 87 | -- | -- | 4 | -- | -- | -- | 2 | 22 | 17 | 39 | 3 |
| 5 - 14 years | 131 | 2 | -- | 2 | -- | -- | -- | 3 | 25 | 24 | 54 | 21 |
| 15 - 24 years | 126 | 2 | 1 | E | -- | 3 | 1 | 11 | 17 | 14 | 37 | 32 |
| 25 - 44 years | 1,137 | 22 | 46 | 184 | 53 | 76 | 185 | 219 | 74 | 112 | 68 | 98 |
| 45 - 64 years | 6,323 | 166 | 352 | 1,607 | 640 | 673 | 737 | 835 | 203 | 626 | 183 | 301 |
| 65 - 74 years | 5,047 | 118 | 392 | 1,534 | 403 | 532 | 381 | 652 | 66 | 529 | 209 | 231 |
| 75 - 84 years | 3,309 | 70 | 349 | 1,117 | 128 | 208 | 230 | 543 | 11 | 395 | 138 | 120 |
| 85 years and over | 798 | 28 | 72 | 279 | 8 | 35 | 78 | 146 | -- | 113 | 26 | 13 |

Source: Tabulations in Illinois Bureau of Statistics.

Table F. -- COMPONENTS OF RESIDENT HEART DISEASE DEATHS, ILLINOIS: 1962

| Age | Heart diseases | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Total | Chronic rheumatic | Arteriosclerotic including coronary | Degenerative heart | Acute and subacute bacterial endocarditis | Acute myocarditis not specified as rheumatic | Acute pericarditis specified as nonrheumatic | Functional disease | Congestive heart failure | Other and unspecified | Hypertensive |
| ALL AGES | 46,520 | 949 | 36,998 | 3,511 | 46 | 65 | 10 | 308 | 94 | 1,131 | 3,408 |
| Under 1 year | 10 | -- | -- | 2 | -- | 1 | 1 | 3 | -- | 3 | -- |
| 1 - 4 years | 6 | -- | 2 | 1 | -- | 3 | -- | -- | -- | -- | -- |
| 5 - 14 years | 12 | 1 | 1 | 4 | -- | 1 | -- | 2 | -- | 2 | 1 |
| 15 - 24 years | 54 | 19 | 13 | 2 | 5 | 4 | -- | 1 | -- | 7 | 3 |
| 25 - 44 years | 1,500 | 168 | 911 | 60 | 10 | 11 | 1 | 8 | 4 | 212 | 115 |
| 45 - 64 years | 11,628 | 457 | 9,257 | 438 | 19 | 16 | [illegible] | 55 | 23 | 595 | 761 |
| 65 - 74 years | 13,243 | 179 | 10,968 | 840 | 6 | 11 | 1 | 77 | 23 | 184 | 954 |
| 75 - 84 years | 13,688 | 102 | 11,009 | 1,249 | 6 | 13 | -- | 105 | 24 | 93 | 1,087 |
| 85 years and over | 6,379 | 23 | 4,837 | 915 | -- | 5 | -- | 57 | 21 | 35 | 487 |

Source: Tabulations in Illinois Bureau of Statistics.

atitis (63), the septicemias (49) and acute infectious encephalitis (25). Measles caused 20 deaths in both 1961 and 1962. Influenza deaths were 126 in 1962, 53 in 1961 and 184 in 1960. There was one death due to diphtheria and none due to typhoid fever, paratyphoid fever, whooping cough or food poisoning. There were 1,268 deaths from the respiratory diseases exclusive of tuberculosis, cancer, pneumonia, and influenza. Of these, 632 were due to emphysema. In 1950, the same group of diseases caused 629 deaths, of which 63 were due to emphysema.

## NOTIFIABLE DISEASE CASE REPORTS

Cases of notifiable disease reported for Illinois, Chicago and the Downstate portion of Illinois are shown in Table 12, pages from 51 to 53, for 1952 through 1962. The prophylactic drug program enacted by the Illinois General Assembly in 1957 has stimulated increased reporting of rheumatic fever. Poliomyelitis diminished rapidly following the introduction of the Salk vaccine in 1955. The 24,853 gonorrhea cases in Illinois in 1962 are exceeded only by the 1961 peak of 26,362. Reported cases of syphilis decreased for the third consecutive year to 5,506 in 1962. Chicago reported 86% of the gonorrhea and 79% of the syphilis cases in the state. Food poisoning cases showed a sudden large increase in 1961 and then rose again in 1962 when 1,118 were reported. Of the case reports, 81% were from Downstate. Reported cases of tuberculosis have decreased every year since 1955 when 5,813 cases were reported. Of 3,895 cases of tuberculosis reported in Illinois in 1962, 69% were from Chicago.

Table H. -- RESIDENT DEATHS DUE TO VASCULAR LESIONS AFFECTING THE CENTRAL NERVOUS SYSTEM, ILLINOIS: 1962

| Age | Total | Type of vascular lesion | | | | |
|---|---|---|---|---|---|---|
| | | Subarachnoid hemorrhage | Cerebral hemorrhage | Cerebral embolism and thrombosis | Spasm of cerebral arteries | Other |
| ALL AGES | 10,607 | 361 | 6,071 | 3,352 | -- | 823 |
| Under 1 year | 2 | 1 | 1 | -- | -- | -- |
| 1 - 4 years | 6 | 2 | 2 | 1 | -- | 1 |
| 5 - 14 years | 14 | 3 | 5 | 1 | -- | 5 |
| 15 - 24 years | 16 | 9 | 6 | 1 | -- | -- |
| 25 - 44 years | 259 | 103 | 125 | 26 | -- | 5 |
| 45 - 64 years | 1,802 | 165 | 1,151 | 420 | -- | 66 |
| 65 - 74 years | 2,923 | 49 | 1,748 | 946 | -- | 180 |
| 75 - 84 years | 3,796 | 25 | 2,141 | 1,282 | -- | 348 |
| 85 years and over | 1,789 | 4 | 892 | 675 | -- | 218 |

Source: Tabulations in Illinois Bureau of Statistics.

Table I. -- ACCIDENTAL DEATHS AMONG ILLINOIS RESIDENTS BY TYPE OF ACCIDENT AND AGE OF DECEDENT: 1962

| Age | Total | TRANSPORT ACCIDENTS | | | | | | | | | | | | | NON - TRANSPORT ACCIDENTS | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Motor vehicle | | | | | | | | | Other transport | | | | | | | | | | | |
| | | Collision | | | | | | Non-collision | | | | | | | | | | | | | | |
| | | Pedestrian | Other motor vehicle | R. R. train | Bicycle | Animal or animal drawn vehicle | Fixed object | Running off road | Other traffic | Non - traffic | Other road vehicle | Water transport | Aircraft | Railway | Poisonings | Falls | Fire | Firearms | Mechanical suffocation | Drowning | Other | Therapeutic and non - therapeutic complications |
| NUMBER: | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 4,608 | 363 | 851 | 72 | 21 | 1 | 89 | 360 | 207 | 26 | 10 | 53 | 52 | 74 | 247 | 866 | 368 | 116 | 59 | 252 | 491 | 30 |
| Under 1 year | 131 | -- | 9 | -- | -- | -- | -- | -- | 2 | -- | -- | -- | -- | -- | 2 | 15 | 15 | -- | 44 | 3 | 40 | 1 |
| 1 - 4 years | 251 | 48 | 16 | 1 | -- | -- | 1 | 4 | 1 | 2 | -- | -- | 1 | 1 | 36 | 25 | 57 | 2 | 1 | 21 | 34 | -- |
| 5 - 14 years | 327 | 62 | 38 | 5 | 17 | -- | 2 | 6 | 12 | 1 | 4 | 6 | 1 | 7 | 4 | 8 | 30 | 17 | 4 | 69 | 34 | -- |
| 15 - 24 years | 687 | 16 | 183 | 26 | 1 | -- | 32 | 138 | 62 | 6 | 2 | 6 | 6 | 7 | 34 | 18 | 6 | 28 | 1 | 66 | 49 | -- |
| 25 - 44 years | 997 | 34 | 234 | 22 | -- | -- | 34 | 125 | 56 | 3 | 2 | 26 | 37 | 16 | 80 | 91 | 66 | 31 | 5 | 35 | 95 | 5 |
| 45 - 64 years | 1,054 | 80 | 229 | 10 | 1 | 1 | 15 | 62 | 45 | 9 | 1 | 11 | 6 | 23 | 64 | 189 | 84 | 31 | 4 | 37 | 145 | 7 |
| 65 - 84 years | 959 | 112 | 137 | 8 | 2 | -- | 5 | 24 | 28 | 4 | -- | 4 | 1 | 17 | 26 | 368 | 93 | 7 | -- | 19 | 11 | 16 |
| 85 years and over | 202 | 11 | 5 | -- | -- | -- | -- | 1 | 1 | 1 | 1 | -- | -- | 3 | 1 | 152 | 17 | -- | -- | 2 | 6 | 1 |
| RATE:* | | | | | | | | | | | | | | | | | | | | | | |
| All ages | 44.6 | 3.5 | 8.2 | 0.7 | 0.2 | 0.0 | 0.9 | 3.5 | 2.0 | 0.3 | 0.1 | 0.5 | 0.5 | 0.7 | 2.4 | 8.4 | 3.6 | 1.1 | 0.6 | 2.4 | 4.7 | 0.3 |
| Under 1 year | 60.6 | -0- | 4.2 | -0- | -0- | -0- | -0- | -0- | 0.9 | -0- | -0- | -0- | -0- | -0- | 0.9 | 6.9 | 6.9 | -0- | 20.4 | 1.4 | 18.5 | 0.5 |
| 1 - 4 years | 26.6 | 5.1 | 1.7 | 0.1 | -0- | -0- | 0.1 | 0.4 | 0.1 | 0.2 | -0- | -0- | 0.1 | 0.1 | 3.8 | 2.7 | 6.1 | 0.2 | 0.1 | 2.2 | 3.6 | -0- |
| 5 - 14 years | 16.4 | 3.1 | 1.9 | 0.2 | 0.8 | -0- | 0.1 | 0.3 | 0.6 | 0.1 | 0.2 | 0.3 | 0.1 | 0.4 | 0.2 | 0.4 | 1.5 | 0.8 | 0.2 | 3.5 | 1.7 | -0- |
| 15 - 24 years | 53.4 | 1.2 | 14.2 | 2.0 | 0.1 | -0- | 2.5 | 10.7 | 4.8 | 0.5 | 0.2 | 0.5 | 0.5 | 0.5 | 2.6 | 1.4 | 0.5 | 2.2 | 0.1 | 5.1 | 3.8 | -0- |
| 25 - 44 years | 37.4 | 1.3 | 8.8 | 0.8 | -0- | -0- | 1.3 | 4.7 | 2.1 | 0.1 | 0.1 | 1.0 | 1.4 | 0.6 | 3.0 | 3.4 | 2.5 | 1.1 | 0.2 | 1.3 | 3.5 | 0.2 |
| 45 - 64 years | 47.9 | 3.7 | 10.4 | 0.5 | 0.1 | 0.1 | 0.7 | 2.8 | 2.0 | 0.4 | 0.1 | 0.5 | 0.3 | 1.0 | 2.9 | 8.6 | 3.8 | 1.4 | 0.2 | 1.7 | 6.6 | 0.3 |
| 65 - 84 years | 99.3 | 11.6 | 14.2 | 0.8 | 0.2 | -0- | 0.5 | 2.5 | 2.9 | 0.4 | -0- | 0.4 | 0.1 | 1.8 | 2.7 | 38.1 | 9.6 | 0.7 | -0- | 2.0 | 9.1 | 1.7 |
| 85 years and over | 360.7 | 19.6 | 8.9 | -0- | -0- | -0- | -0- | 1.8 | 1.8 | 1.8 | 1.8 | -0- | -0- | 5.4 | 1.8 | 271.4 | 30.4 | -0- | -0- | 3.6 | 10.7 | 1.8 |

*Deaths per 100,000 population.
Source: Tabulations in Illinois Bureau of Statistics.

Table J. -- ACCIDENTAL DEATHS OCCURRING IN ILLINOIS BY TYPE OF ACCIDENT AND PLACE WHERE ACCIDENT OCCURRED BY POPULATION CLASS: 1962

| POPULATION CLASS | All accidents | MOTOR VEHICLE | | | | NON-MOTOR VEHICLE | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total | Pedestrian | Other vehicle | Other | Occupational | | Home | | | Public | | |
| | | | | | | Farm | Non-farm | Fire and explosion | Falls | Other | Drowning | Falls | Other |
| NUMBER: | | | | | | | | | | | | | |
| All Accidents | 4,371 | 1,890 | 335 | 846 | 709 | 59 | 244 | 293 | 542 | 451 | 21 | 221 | 461 |
| METROPOLITAN COUNTIES: | | | | | | | | | | | | | |
| Cities | | | | | | | | | | | | | |
| Chicago | 1,106 | 254 | 128 | 56 | 70 | -- | 74 | 145 | 166 | 165 | 76 | 101 | [illegible] |
| 100,000 - 499,999 | 63 | 26 | 11 | 9 | [illegible] | -- | 3 | 4 | 13 | 11 | 1 | 4 | [illegible] |
| 50,000 - 99,999 | 201 | 66 | 22 | 24 | 20 | -- | 14 | 17 | 32 | 34 | 5 | 14 | 19 |
| 25,000 - 49,999 | 153 | 59 | 20 | 15 | 24 | -- | 12 | [illegible] | 25 | 20 | 7 | 10 | 12 |
| 10,000 - 24,999 | 161 | 60 | 19 | 18 | 23 | -- | 14 | 7 | 24 | 26 | 9 | [illegible] | 17 |
| Rural | 932 | 617 | 59 | 307 | 251 | 12 | 41 | 32 | 63 | 67 | 44 | [illegible] | 50 |
| NONMETROPOLITAN COUNTIES: | | | | | | | | | | | | | |
| Cities | | | | | | | | | | | | | |
| 25,000 - 49,999 | 53 | 9 | 3 | 3 | 3 | -- | 6 | 5 | 16 | 5 | 2 | [illegible] | [illegible] |
| 10,000 - 24,999 | 78 | 23 | 8 | 11 | 4 | -- | 11 | 5 | 21 | 11 | -- | [illegible] | [illegible] |
| Rural | 1,190 | 725 | 60 | 379 | 286 | 45 | 65 | 62 | 78 | 69 | 56 | 10 | 80 |
| PLACE UNKNOWN* | 434 | 51 | 5 | 24 | 22 | 2 | 4 | 8 | 104 | 43 | 10 | [illegible] | [illegible] |
| RATE PER 100,000 POPULATION: | | | | | | | | | | | | | |
| All Accidents | 42.3 | 18.3 | 3.2 | 8.2 | 6.9 | 0.6 | 2.4 | 2.8 | 5.2 | 4.4 | 2.0 | [illegible] | 4.5 |
| METROPOLITAN COUNTIES: | | | | | | | | | | | | | |
| Cities | | | | | | | | | | | | | |
| Chicago | 32.1 | 7.4 | 3.7 | 1.6 | 2.0 | -0- | 2.1 | 4.2 | 4.8 | 4.8 | 2.2 | [illegible] | 3.6 |
| 100,000 - 499,999 | 27.1 | 11.2 | 4.7 | 3.9 | 2.6 | -0- | 1.3 | 1.7 | 5.6 | 4.7 | 0.4 | [illegible] | 0.4 |
| 50,000 - 99,999 | 21.7 | 7.1 | 2.4 | 2.6 | 2.2 | -0- | 1.5 | 1.8 | 3.5 | 3.7 | 0.5 | [illegible] | 2.1 |
| 25,000 - 49,999 | 22.2 | 8.6 | 2.9 | 2.2 | 3.5 | -0- | 1.7 | 1.2 | 3.6 | 2.9 | 1.0 | [illegible] | 1.7 |
| 10,000 - 24,999 | 19.6 | 7.3 | 2.3 | 2.2 | 2.8 | -0- | 1.7 | 0.9 | 2.9 | 3.2 | 1.1 | [illegible] | 2.1 |
| Rural | 49.5 | 32.8 | 3.1 | 16.3 | 13.3 | 0.6 | 2.2 | 1.7 | 3.3 | 3.6 | 2.3 | 0.3 | 2.7 |
| NONMETROPOLITAN COUNTIES: | | | | | | | | | | | | | |
| Cities | | | | | | | | | | | | | |
| 25,000 - 49,999 | 24.4 | 4.1 | 1.4 | 1.4 | 1.4 | -0- | 2.8 | 2.3 | 7.4 | 2.3 | 0.9 | 1.4 | 3.2 |
| 10,000 - 24,999 | 23.4 | 6.9 | 2.4 | 3.3 | 1.2 | -0- | 3.3 | 1.5 | 6.3 | 3.3 | -0- | 0.9 | 1.2 |
| Rural | 66.7 | 40.7 | 3.4 | 21.3 | 16.0 | 2.5 | 3.6 | 3.5 | 4.4 | 3.9 | 3.1 | 0.6 | 4.5 |

* These are deaths occurring in Illinois with place of injury either not stated or reported as Out-of-State.
Source: Tabulations in Illinois Bureau of Statistics.

## CRUDE MORTALITY RATES FOR SELECTED CAUSES OF DEATHS, ILLINOIS: 1920 - 1962

The Revisions of the International List of Causes of Death used were: the 2nd for 1920, 3rd for 1925, 4th for 1930 and 1935, 5th for 1940 and 1945, both 5th and 6th for 1950, and 7th for 1955 through 1962. The width of the break in the trend at 1950 shows the effect of the change in classification procedures from the 5th to the 6th Revision.

Data for 1920 through 1935 refer to deaths which occurred in Illinois; 1940 and later rates refer to deaths among residents of Illinois, irrespective of the place of death.

(All death rates are per 100,000 population estimated as of midyear)




These are RATIO charts; equal vertical distances represent equal PERCENTAGE changes in rate.

# POPULATION BY COUNTIES: 1962




Source: Bureau of Statistics, Illinois Department of Public Health.

Table 1. -- LIVE BIRTHS, DEATHS, INFANT DEATHS, NEONATAL DEATHS, AND MATERNAL DEATHS, WITH RATES FOR EACH, AND FETAL DEATHS, WITH RATIOS, ILLINOIS: 1918 - 1962

(Live birth rates and death rates per 1,000 estimated midyear population. Infant and neonatal death rates and fetal death ratios per 1,000 live births. Maternal death rates per 10,000 live births)

| Year | Estimated population | Live births | | Deaths | | Infant deaths | | Neonatal deaths | | Maternal deaths | | Fetal deaths | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Rate | Number | Ratio |
| 1962* . . . | 10,330,000 | 230,484 | 22.3 | 104,695 | 10.1 | 5,527 | 24.0 | 4,061 | 17.6 | 70 | 3.0 | 3,393 | 14.7 |
| 1961* . . . | 10,258,000 | 237,051 | 23.1 | 101,696 | 9.9 | 5,757 | 24.3 | 4,209 | 17.8 | 61 | 2.6 | 3,472 | 14.6 |
| 1960* . . . | 10,113,000 | 238,760 | 23.6 | 103,038 | 10.2 | 5,959 | 25.0 | 4,322 | 18.1 | 70 | 2.9 | 3,528 | 14.8 |
| 1959* . . . | 9,974,000 | 239,871 | 24.0 | 101,406 | 10.2 | 5,990 | 25.0 | 4,318 | 18.0 | 72 | 3.0 | 3,489 | 14.5 |
| 1958* . . . | 9,832,000 | 234,712 | 23.9 | 101,729 | 10.3 | 5,857 | 25.0 | 4,211 | 17.9 | 74 | 3.2 | 3,615 | 15.4 |
| 1957* . . . | 9,559,000 | 238,579 | 25.0 | 102,293 | 10.7 | 6,070 | 25.4 | 4,417 | 18.5 | 80 | 3.4 | 3,616 | 15.2 |
| 1956* . . . | 9,368,000 | 229,571 | 24.5 | 96,956 | 10.3 | 5,642 | 24.6 | 4,158 | 18.1 | 77 | 3.4 | 3,399 | 14.8 |
| 1955* . . . | 9,228,000 | 220,541 | 23.9 | 95,585 | 10.4 | 5,479 | 24.8 | 3,969 | 18.0 | 83 | 3.8 | 3,328 | 15.1 |
| 1954* . . . | 9,087,000 | 217,229 | 23.9 | 92,307 | 10.2 | 5,442 | 25.1 | 4,018 | 18.5 | 92 | 4.2 | 3,233 | 14.9 |
| 1953* . . . | 8,952,000 | 206,813 | 23.1 | 96,607 | 10.8 | 5,326 | 25.8 | 3,812 | 18.4 | 98 | 4.7 | 3,323 | 16.1 |
| 1952* . . . | 8,868,000 | 205,438 | 23.2 | 94,173 | 10.6 | 5,115 | 24.9 | 3,721 | 18.1 | 92 | 4.5 | 3,239 | 15.8 |
| 1951* . . . | 8,736,000 | 201,082 | 23.0 | 93,254 | 10.7 | 5,023 | 25.0 | 3,776 | 18.8 | 107 | 5.3 | 3,270 | 16.3 |
| 1950* . . . | 8,754,000 | 189,640 | 21.7 | 92,260 | 10.5 | 4,855 | 25.6 | 3,580 | 18.9 | 114 | 6.0 | 3,084 | 16.3 |
| 1949† . . . | 8,670,000 | 189,313 | 21.8 | 92,568 | 10.7 | 5,195 | 27.4 | 3,812 | 20.1 | 132 | 7.0 | 3,274 | 17.3 |
| 1948† . . . | 8,552,000 | 184,871 | 21.6 | 91,328 | 10.7 | 5,123 | 27.7 | 3,792 | 20.5 | 151 | 8.2 | 3,284 | 17.8 |
| 1947† . . . | 8,341,000 | 196,007 | 23.5 | 93,686 | 11.2 | 5,672 | 28.9 | 4,236 | 21.6 | 204 | 10.4 | 3,669 | 18.7 |
| 1946† . . . | 8,155,000 | 174,825 | 21.4 | 89,566 | 11.0 | 5,316 | 30.4 | 4,015 | 23.0 | 237 | 13.6 | 3,667 | 21.0 |
| 1945† . . . | 7,601,000 | 138,705 | 18.2 | 90,116 | 11.9 | 4,377 | 31.6 | 3,001 | 21.6 | 235 | 16.9 | 2,951 | 21.3 |
| 1944† . . . | 7,719,000 | 142,005 | 18.4 | 88,180 | 11.4 | 4,602 | 32.4 | 3,107 | 21.9 | 254 | 17.9 | 3,158 | 22.2 |
| 1943† . . . | 7,761,000 | 155,735 | 20.1 | 92,058 | 11.9 | 5,184 | 33.3 | 3,474 | 22.3 | 320 | 20.5 | 3,470 | 22.3 |
| 1942† . . . | 8,057,000 | 156,232 | 19.4 | 87,777 | 10.9 | 5,170 | 33.1 | 3,613 | 23.1 | 326 | 20.9 | 3,445 | 22.1 |
| 1941† . . . | 7,995,000 | 136,159 | 17.0 | 86,582 | 10.8 | 4,661 | 34.2 | 3,215 | 23.6 | 340 | 25.0 | 3,202 | 23.5 |
| 1940† . . . | 7,905,000 | 124,615 | 15.8 | 89,099 | 11.3 | 4,398 | 35.3 | 3,004 | 24.1 | 369 | 29.6 | 3,152 | 25.3 |
| 1939† . . . | 7,890,000 | 118,852 | 15.1 | 87,623 | 11.1 | 4,526 | 38.1 | 3,042 | 25.6 | 375 | 31.6 | 2,978 | 25.1 |
| 1938‡ . . . | 7,866,000 | 122,562 | 15.6 | 84,769 | 10.8 | 5,016 | 40.9 | 3,244 | 26.5 | 412 | 33.6 | 3,207 | 26.2 |
| 1937‡ . . . | 7,857,000 | 115,282 | 14.7 | 87,739 | 11.2 | 4,967 | 43.1 | 3,208 | 27.8 | 450 | 39.0 | 3,058 | 26.5 |
| 1936‡ . . . | 7,840,000 | 112,167 | 14.3 | 92,806 | 11.8 | 5,246 | 46.8 | 3,315 | 29.6 | 500 | 44.6 | 3,099 | 27.6 |
| 1935‡ . . . | 7,797,000 | 111,884 | 14.3 | 85,518 | 11.0 | 5,138 | 45.9 | 3,380 | 30.2 | 555 | 49.6 | 3,308 | 29.6 |
| 1934‡ . . . | 7,772,000 | 110,226 | 14.2 | 87,205 | 11.2 | 5,825 | 52.8 | 3,633 | 33.0 | 568 | 51.5 | 3,333 | 30.2 |
| 1933‡ . . . | 7,768,000 | 107,910 | 13.9 | 82,513 | 10.6 | 5,284 | 49.0 | 3,402 | 31.5 | 537 | 49.8 | 3,219 | 29.8 |
| 1932‡ . . . | 7,736,000 | 111,512 | 14.4 | 83,180 | 10.8 | 5,884 | 52.8 | 3,639 | 32.6 | 625 | 56.0 | 3,446 | 30.9 |
| 1931‡ . . . | 7,687,000 | 118,788 | 15.5 | 85,788 | 11.2 | 6,961 | 58.6 | 4,067 | 34.2 | 659 | 55.5 | 4,080 | 34.3 |
| 1930‡ . . . | 7,644,000 | 128,121 | 16.8 | 83,591 | 10.9 | 7,152 | 55.8 | 4,356 | 34.0 | 699 | 54.6 | 4,311 | 33.6 |
| 1929‡ . . . | 7,606,000 | 128,633 | 16.9 | 87,788 | 11.5 | 7,901 | 61.4 | 4,751 | 36.9 | 874 | 67.9 | 4,452 | 34.6 |
| 1928‡ . . . | 7,576,000 | 129,667 | 17.1 | 90,195 | 11.9 | 8,326 | 64.2 | 4,760 | 36.7 | 743 | 57.3 | 4,677 | 36.1 |
| 1927‡ . . . | 7,519,000 | 133,662 | 17.8 | 82,849 | 11.0 | 8,605 | 64.4 | 4,989 | 37.3 | 743 | 55.6 | 4,693 | 35.1 |
| 1926‡ . . . | 7,395,000 | 133,939 | 18.1 | 85,331 | 11.5 | 9,294 | 69.4 | 5,043 | 37.7 | 871 | 65.0 | 4,879 | 36.4 |
| 1925‡ . . . | 7,306,000 | 135,437 | 18.5 | 81,593 | 11.2 | 9,822 | 72.5 | 5,156 | 38.1 | 789 | 58.3 | 4,885 | 36.1 |
| 1924‡ . . . | 7,215,000 | 137,118 | 19.0 | 77,133 | 10.7 | 9,734 | 71.0 | 5,475 | 39.9 | 844 | 61.6 | 5,290 | 38.6 |
| 1923‡ . . . | 7,068,000 | 131,920 | 18.7 | 81,753 | 11.6 | 10,809 | 81.9 | 5,467 | 41.4 | 846 | 64.1 | 5,157 | 39.1 |
| 1922‡ . . . | 6,958,000 | 134,050 | 19.3 | 75,771 | 10.9 | 10,195 | 76.1 | 5,438 | 40.6 | 847 | 63.2 | 4,826 | 36.0 |
| 1921‡ . . . | 6,858,000 | n. a. | n. a. | 73,424 | 10.7 | 10,674 | n. a. | 5,620 | n. a. | 944 | n. a. | n. a. | n. a. |
| 1920‡ . . . | 6,663,000 | n. a. | n. a. | 82,296 | 12.4 | 11,641 | n. a. | 5,584 | n. a. | 1,141 | n. a. | n. a. | n. a. |
| 1919‡ . . . | 6,392,000 | n. a. | n. a. | 77,256 | 12.1 | 11,148 | n. a. | 5,317 | n. a. | 960 | n. a. | n. a. | n. a. |
| 1918‡ . . . | 6,275,000 | n. a. | n. a. | 100,396 | 16.0 | 13,109 | n. a. | 5,897 | n. a. | 1,160 | n. a. | n. a. | n. a. |

*Data for the years 1950 - 1962, incl., are resident data from tabulations of the Illinois Department of Public Health.

†Data for the years 1939 - 1949, incl., are resident data as published by the National Office of Vital Statistics.

‡Data for the years 1918 - 1938, incl., are Illinois occurrences as published by the U. S. Bureau of the Census.

n. a. (not available) Illinois admitted to United States Birth Registration Area in 1922.

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962

| COUNTY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ILLINOIS. | 230,484 | 192,244 | 38,240 | 5,527 | 4,086 | 1,441 | 4,061 | 3,083 | 978 | 3,393 | 2,508 | 885 |
| ADAMS . . . | 1,423 | 1,379 | 44 | 29 | 26 | 3 | 25 | 22 | 3 | 15 | 14 | 1 |
| ALEXANDER . | 357 | 187 | 170 | 21 | 5 | 16 | 14 | 3 | 11 | 6 | 2 | 4 |
| BOND. . . . | 227 | 226 | 1 | 2 | 2 | -- | 1 | 1 | -- | 6 | 6 | -- |
| BOONE . . . | 434 | 430 | 4 | 9 | 9 | -- | 8 | 8 | -- | 9 | 9 | -- |
| BROWN . . . | 106 | 106 | -- | 3 | 3 | -- | 3 | 3 | -- | 1 | 1 | -- |
| BUREAU. . . | 696 | 695 | 1 | 14 | 14 | -- | 9 | 9 | -- | 8 | 7 | 1 |
| CALHOUN . . | 111 | 111 | -- | 2 | 2 | -- | 2 | 2 | -- | 3 | 3 | -- |
| CARROLL . . | 369 | 368 | 1 | 11 | 11 | -- | 7 | 7 | -- | 5 | 5 | -- |
| CASS. . . . | 277 | 275 | 2 | 6 | 6 | -- | 3 | 3 | -- | 2 | 2 | -- |
| CHAMPAIGN . | 2,756 | 2,532 | 224 | 56 | 48 | 8 | 43 | 38 | 5 | 38 | 35 | 3 |
| CHRISTIAN . | 726 | 722 | 4 | 20 | 20 | -- | 17 | 17 | -- | 9 | 9 | -- |
| CLARK . . . | 299 | 299 | -- | 6 | 6 | -- | 6 | 6 | -- | 1 | 1 | -- |
| CLAY. . . . | 250 | 250 | -- | 1 | 1 | -- | 1 | 1 | -- | 5 | 5 | -- |
| CLINTON . . | 602 | 601 | 1 | 9 | 9 | -- | 8 | 8 | -- | 15 | 15 | -- |
| COLES . . . | 831 | 828 | 3 | 20 | 20 | -- | 16 | 16 | -- | 15 | 14 | 1 |
| COOK. . . . | 122,083 | 89,804 | 32,279 | 3,114 | 1,892 | 1,222 | 2,219 | 1,400 | 819 | 1,975 | 1,198 | 777 |
| CRAWFORD. . | 348 | 348 | -- | 5 | 5 | -- | 4 | 4 | -- | 2 | 2 | -- |
| CUMBERLAND. | 217 | 217 | -- | 7 | 7 | -- | 6 | 6 | -- | 2 | 2 | -- |
| DE KALB . . | 1,183 | 1,180 | 3 | 19 | 19 | -- | 10 | 10 | -- | 18 | 18 | -- |
| DE WITT . . | 345 | 345 | -- | 10 | 10 | -- | 9 | 9 | -- | 5 | 5 | -- |
| DOUGLAS . . | 363 | 362 | 1 | 7 | 7 | -- | 7 | 7 | -- | 7 | 7 | -- |
| DU PAGE . . | 7,577 | 7,544 | 33 | 139 | 139 | -- | 108 | 108 | -- | 75 | 75 | -- |
| EDGAR . . . | 375 | 374 | 1 | 13 | 13 | -- | 7 | 7 | -- | 8 | 8 | -- |
| EDWARDS . . | 131 | 130 | 1 | 4 | 4 | -- | 4 | 4 | -- | 1 | 1 | -- |
| EFFINGHAM . | 594 | 594 | -- | 13 | 13 | -- | 9 | 9 | -- | 10 | 10 | -- |
| FAYETTE . . | 385 | 385 | -- | 7 | 7 | -- | 6 | 6 | -- | 12 | 12 | -- |
| FORD. . . . | 319 | 318 | 1 | 9 | 9 | -- | 7 | 7 | -- | 1 | 1 | -- |
| FRANKLIN. . | 590 | 590 | -- | 12 | 12 | -- | 7 | 7 | -- | 7 | 7 | -- |
| FULTON. . . | 768 | 765 | 3 | 8 | 8 | -- | 8 | 8 | -- | 13 | 13 | -- |
| GALLATIN. . | 131 | 127 | 4 | 4 | 3 | 1 | 3 | 2 | 1 | 1 | 1 | -- |
| GREENE. . . | 330 | 330 | -- | 3 | 3 | -- | 2 | 2 | -- | 5 | 5 | -- |
| GRUNDY. . . | 513 | 512 | 1 | 8 | 8 | -- | 8 | 8 | -- | 8 | 8 | -- |
| HAMILTON. . | 158 | 157 | 1 | 6 | 6 | -- | 4 | 4 | -- | 1 | 1 | -- |
| HANCOCK . . | 392 | 392 | -- | 11 | 11 | -- | 11 | 11 | -- | 9 | 9 | -- |
| HARDIN. . . | 104 | 104 | -- | 3 | 3 | -- | 2 | 2 | -- | -- | -- | -- |
| HENDERSON . | 171 | 171 | -- | 1 | 1 | -- | -- | -- | -- | 2 | 2 | -- |
| HENRY . . . | 1,004 | 987 | 17 | 30 | 30 | -- | 25 | 25 | -- | 13 | 12 | 1 |
| IROQUOIS. . | 668 | 664 | 4 | 11 | 11 | -- | 8 | 8 | -- | 9 | 9 | -- |
| JACKSON . . | 940 | 868 | 72 | 18 | 16 | 2 | 11 | 11 | -- | 9 | 8 | 1 |
| JASPER. . . | 242 | 242 | -- | 5 | 5 | -- | 5 | 5 | -- | 3 | 3 | -- |
| JEFFERSON . | 605 | 566 | 39 | 20 | 17 | 3 | 18 | 16 | 2 | 14 | 14 | -- |
| JERSEY. . . | 393 | 393 | -- | 7 | 7 | -- | 6 | 6 | -- | 4 | 4 | -- |
| JO DAVIESS. | 514 | 513 | 1 | 9 | 9 | -- | 5 | 5 | -- | 6 | 6 | -- |
| JOHNSON . . | 124 | 123 | 1 | 6 | 6 | -- | 5 | 5 | -- | -- | -- | -- |
| KANE. . . . | 5,159 | 4,994 | 165 | 126 | 116 | 10 | 98 | 91 | 7 | 74 | 69 | 5 |
| KANKAKEE. . | 2,064 | 1,844 | 220 | 52 | 45 | 7 | 37 | 34 | 3 | 34 | 26 | 8 |
| KENDALL . . | 463 | 463 | -- | 14 | 14 | -- | 7 | 7 | -- | 10 | 10 | -- |
| KNOX. . . . | 1,089 | 1,051 | 38 | 15 | 15 | -- | 14 | 14 | -- | 16 | 16 | -- |
| LAKE. . . . | 7,260 | 6,712 | 548 | 153 | 134 | 19 | 124 | 109 | 15 | 72 | 61 | 11 |
| LA SALLE. . | 2,349 | 2,335 | 14 | 51 | 50 | 1 | 35 | 34 | 1 | 40 | 40 | -- |

TABLE 2A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

| COUNTY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAWRENCE. . | 325 | 318 | 7 | 4 | 4 | -- | 4 | 4 | -- | 1 | 1 | -- |
| LEE . . . . | 763 | 753 | 10 | 20 | 20 | -- | 14 | 14 | -- | 18 | 17 | 1 |
| LIVINGSTON. | 803 | 802 | 1 | 15 | 15 | -- | 12 | 12 | -- | 10 | 10 | -- |
| LOGAN . . . | 615 | 609 | 6 | 14 | 14 | -- | 10 | 10 | -- | 6 | 6 | -- |
| MC DONOUGH. | 539 | 534 | 5 | 8 | 8 | -- | 3 | 3 | -- | 10 | 10 | -- |
| MC HENRY. . | 2,105 | 2,102 | 3 | 48 | 47 | 1 | 34 | 33 | 1 | 22 | 22 | -- |
| MC LEAN . . | 1,832 | 1,798 | 34 | 38 | 37 | 1 | 31 | 30 | 1 | 19 | 18 | 1 |
| MACON . . . | 2,487 | 2,258 | 229 | 60 | 48 | 12 | 48 | 38 | 10 | 20 | 14 | 6 |
| MACOUPIN. . | 811 | 808 | 3 | 18 | 18 | -- | 14 | 14 | -- | 19 | 19 | -- |
| MADISON . . | 5,109 | 4,695 | 414 | 120 | 112 | 8 | 92 | 86 | 6 | 69 | 64 | 5 |
| MARION. . . | 750 | 713 | 37 | 15 | 15 | -- | 11 | 11 | -- | 13 | 13 | -- |
| MARSHALL. . | 253 | 253 | -- | 6 | 6 | -- | 5 | 5 | -- | 4 | 4 | -- |
| MASON . . . | 272 | 272 | -- | 2 | 2 | -- | 2 | 2 | -- | 6 | 6 | -- |
| MASSAC. . . | 247 | 229 | 18 | 10 | 9 | 1 | 6 | 6 | -- | 4 | 3 | 1 |
| MENARD. . . | 176 | 174 | 2 | 4 | 4 | -- | 3 | 3 | -- | 3 | 3 | -- |
| MERCER. . . | 318 | 318 | -- | 1 | 1 | -- | 1 | 1 | -- | 8 | 8 | -- |
| MONROE. . . | 360 | 360 | -- | 7 | 7 | -- | 5 | 5 | -- | 6 | 6 | -- |
| MONTGOMERY. | 560 | 557 | 3 | 9 | 9 | -- | 2 | 2 | -- | 6 | 6 | -- |
| MORGAN. . . | 640 | 614 | 26 | 13 | 11 | 2 | 12 | 10 | 2 | 8 | 5 | 3 |
| MOULTRIE. . | 248 | 248 | -- | 6 | 6 | -- | 6 | 6 | -- | -- | -- | -- |
| OGLE. . . . | 824 | 824 | -- | 22 | 22 | -- | 15 | 15 | -- | 6 | 6 | -- |
| PEORIA. . . | 4,284 | 3,882 | 402 | 97 | 87 | 10 | 73 | 67 | 6 | 55 | 47 | 8 |
| PERRY . . . | 348 | 345 | 3 | 8 | 8 | -- | 4 | 4 | -- | 6 | 5 | 1 |
| PIATT . . . | 280 | 280 | -- | 5 | 5 | -- | 4 | 4 | -- | 1 | 1 | -- |
| PIKE. . . . | 345 | 345 | -- | 9 | 9 | -- | 6 | 6 | -- | 6 | 6 | -- |
| POPE. . . . | 43 | 43 | -- | 1 | 1 | -- | -- | -- | -- | 1 | 1 | -- |
| PULASKI . . | 226 | 126 | 100 | 5 | 2 | 3 | 4 | 2 | 2 | 6 | 3 | 3 |
| PUTNAM. . . | 84 | 84 | -- | 5 | 5 | -- | 3 | 3 | -- | 4 | 4 | -- |
| RANDOLPH. . | 543 | 529 | 14 | 15 | 15 | -- | 12 | 12 | -- | 9 | 9 | -- |
| RICHLAND. . | 347 | 347 | -- | 8 | 8 | -- | 5 | 5 | -- | 5 | 5 | -- |
| ROCK ISLAND | 3,259 | 3,114 | 145 | 99 | 92 | 7 | 79 | 75 | 4 | 55 | 53 | 2 |
| ST CLAIR. . | 6,374 | 4,696 | 1,678 | 177 | 115 | 62 | 134 | 86 | 48 | 73 | 50 | 23 |
| SALINE. . . | 413 | 396 | 17 | 7 | 7 | -- | 4 | 4 | -- | 3 | 3 | -- |
| SANGAMON. . | 3,422 | 3,224 | 198 | 79 | 74 | 5 | 63 | 59 | 4 | 46 | 44 | 2 |
| SCHUYLER. . | 157 | 157 | -- | 2 | 2 | -- | 1 | 1 | -- | 2 | 2 | -- |
| SCOTT . . . | 114 | 114 | -- | 3 | 3 | -- | 3 | 3 | -- | 4 | 4 | -- |
| SHELBY. . . | 433 | 433 | -- | 6 | 6 | -- | 5 | 5 | -- | 5 | 5 | -- |
| STARK . . . | 155 | 155 | -- | 4 | 4 | -- | 4 | 4 | -- | -- | -- | -- |
| STEPHENSON. | 1,009 | 964 | 45 | 22 | 21 | 1 | 15 | 14 | 1 | 12 | 10 | 2 |
| TAZEWELL. . | 2,366 | 2,363 | 3 | 41 | 41 | -- | 24 | 24 | -- | 24 | 24 | -- |
| UNION . . . | 265 | 263 | 2 | 8 | 8 | -- | 7 | 7 | -- | 8 | 8 | -- |
| VERMILION . | 1,994 | 1,856 | 138 | 48 | 43 | 5 | 37 | 34 | 3 | 31 | 27 | 4 |
| WABASH. . . | 286 | 284 | 2 | 3 | 3 | -- | 3 | 3 | -- | 7 | 7 | -- |
| WARREN. . . | 419 | 414 | 5 | 11 | 11 | -- | 10 | 10 | -- | 5 | 5 | -- |
| WASHINGTON. | 228 | 228 | -- | 5 | 5 | -- | 4 | 4 | -- | 1 | 1 | -- |
| WAYNE . . . | 293 | 293 | -- | 2 | 2 | -- | 1 | 1 | -- | 2 | 2 | -- |
| WHITE . . . | 293 | 292 | 1 | 3 | 3 | -- | 2 | 2 | -- | 2 | 2 | -- |
| WHITESIDE . | 1,431 | 1,426 | 5 | 33 | 32 | 1 | 26 | 25 | 1 | 18 | 17 | 1 |
| WILL. . . . | 4,980 | 4,600 | 380 | 96 | 77 | 19 | 70 | 55 | 15 | 46 | 41 | 5 |
| WILLIAMSON. | 842 | 825 | 17 | 26 | 26 | -- | 17 | 17 | -- | 9 | 8 | 1 |
| WINNEBAGO . | 5,269 | 4,884 | 385 | 117 | 107 | 10 | 96 | 90 | 6 | 61 | 58 | 3 |
| WOODFORD. . | 528 | 528 | -- | 9 | 9 | -- | 9 | 9 | -- | 5 | 5 | -- |
| UNSPECIFIED | 2 | 2 | -- | 4 | 3 | 1 | 4 | 3 | 1 | 19 | 19 | -- |

TABLE 2B. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1962. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| COUNTY | LIVE BIRTHS | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ILLINOIS. | 22.3 | 24.0 | 21.3 | 37.7 | 17.6 | 16.0 | 25.6 | 14.7 | 13.0 | 23.1 |
| ADAMS . . . | 20.5 | 20.4 | 18.9 | 68.2 | 17.6 | 16.0 | 68.2 | 10.5 | 10.2 | 22.7 |
| ALEXANDER . | 23.6 | 58.8 | 26.7 | 94.1 | 39.2 | 16.0 | 64.7 | 16.8 | 10.7 | 23.5 |
| BOND. . . . | 16.2 | 8.8 | 8.8 | -0- | 4.4 | 4.4 | -0- | 26.4 | 26.5 | -0- |
| BOONE . . . | 20.8 | 20.7 | 20.9 | -0- | 18.4 | 18.6 | -0- | 20.7 | 20.9 | -0- |
| BROWN . . . | 17.7 | 28.3 | 28.3 | -0- | 28.3 | 28.3 | -0- | 9.4 | 9.4 | -0- |
| BUREAU. . . | 18.6 | 20.1 | 20.1 | -0- | 12.9 | 12.9 | -0- | 11.5 | 10.1 | 1,000.0 |
| CALHOUN . . | 19.5 | 18.0 | 18.0 | -0- | 18.0 | 18.0 | -0- | 27.0 | 27.0 | -0- |
| CARROLL . . | 18.9 | 29.8 | 29.9 | -0- | 19.0 | 19.0 | -0- | 13.6 | 13.6 | -0- |
| CASS. . . . | 19.4 | 21.7 | 21.8 | -0- | 10.8 | 10.9 | -0- | 7.2 | 7.3 | -0- |
| CHAMPAIGN . | 19.9 | 20.3 | 19.0 | 35.7 | 15.6 | 15.0 | 22.3 | 13.8 | 13.8 | 13.4 |
| CHRISTIAN . | 19.9 | 27.5 | 27.7 | -0- | 23.4 | 23.5 | -0- | 12.4 | 12.5 | -0- |
| CLARK . . . | 18.3 | 20.1 | 20.1 | -0- | 20.1 | 20.1 | -0- | 3.3 | 3.3 | -0- |
| CLAY. . . . | 16.2 | 4.0 | 4.0 | -0- | 4.0 | 4.0 | -0- | 20.0 | 20.0 | -0- |
| CLINTON . . | 24.8 | 15.0 | 15.0 | -0- | 13.3 | 13.3 | -0- | 24.9 | 25.0 | -0- |
| COLES . . . | 19.1 | 24.1 | 24.2 | -0- | 19.3 | 19.3 | -0- | 18.1 | 16.9 | 333.3 |
| COOK. . . . | 23.3 | 25.5 | 21.1 | 37.9 | 18.2 | 15.6 | 25.4 | 16.2 | 13.3 | 24.1 |
| CRAWFORD. . | 16.8 | 14.4 | 14.4 | -0- | 11.5 | 11.5 | -0- | 5.7 | 5.7 | -0- |
| CUMBERLAND. | 22.1 | 32.3 | 32.3 | -0- | 27.6 | 27.6 | -0- | 9.2 | 9.2 | -0- |
| DE KALB . . | 21.7 | 16.1 | 16.1 | -0- | 8.5 | 8.5 | -0- | 15.2 | 15.3 | -0- |
| DE WITT . . | 20.1 | 29.0 | 29.0 | -0- | 26.1 | 26.1 | -0- | 14.5 | 14.5 | -0- |
| DOUGLAS . . | 18.6 | 19.3 | 19.3 | -0- | 19.3 | 19.3 | -0- | 19.3 | 19.3 | -0- |
| DU PAGE . . | 22.8 | 18.3 | 18.4 | -0- | 14.3 | 14.3 | -0- | 9.9 | 9.9 | -0- |
| EDGAR . . . | 16.8 | 34.7 | 34.8 | -0- | 18.7 | 18.7 | -0- | 21.3 | 21.4 | -0- |
| EDWARDS . . | 17.2 | 30.5 | 30.8 | -0- | 30.5 | 30.8 | -0- | 7.6 | 7.7 | -0- |
| EFFINGHAM . | 25.3 | 21.9 | 21.9 | -0- | 15.2 | 15.2 | -0- | 16.8 | 16.8 | -0- |
| FAYETTE . . | 17.7 | 18.2 | 18.2 | -0- | 15.6 | 15.6 | -0- | 31.2 | 31.2 | -0- |
| FORD. . . . | 19.1 | 28.2 | 28.3 | -0- | 21.9 | 22.0 | -0- | 3.1 | 3.1 | -0- |
| FRANKLIN. . | 15.9 | 20.3 | 20.3 | -0- | 11.9 | 11.9 | -0- | 11.9 | 11.9 | -0- |
| FULTON. . . | 18.5 | 10.4 | 10.5 | -0- | 10.4 | 10.5 | -0- | 16.9 | 17.0 | -0- |
| GALLATIN. . | 18.5 | 30.5 | 23.6 | 250.0 | 22.9 | 15.7 | 250.0 | 7.6 | 7.9 | -0- |
| GREENE. . . | 19.3 | 9.1 | 9.1 | -0- | 6.1 | 6.1 | -0- | 15.2 | 15.2 | -0- |
| GRUNDY. . . | 22.2 | 15.6 | 15.6 | -0- | 15.6 | 15.6 | -0- | 15.6 | 15.6 | -0- |
| HAMILTON. . | 16.6 | 38.0 | 38.2 | -0- | 25.3 | 25.5 | -0- | 6.3 | 6.4 | -0- |
| HANCOCK . . | 16.1 | 28.1 | 28.1 | -0- | 28.1 | 28.1 | -0- | 23.0 | 23.0 | -0- |
| HARDIN. . . | 18.6 | 28.8 | 28.8 | -0- | 19.2 | 19.2 | -0- | -0- | -0- | -0- |
| HENDERSON . | 21.1 | 5.8 | 5.8 | -0- | -0- | -0- | -0- | 11.7 | 11.7 | -0- |
| HENRY . . . | 20.2 | 29.9 | 30.4 | -0- | 24.9 | 25.3 | -0- | 12.9 | 12.2 | 58.8 |
| IROQUOIS. . | 20.0 | 16.5 | 16.6 | -0- | 12.0 | 12.0 | -0- | 13.5 | 13.6 | -0- |
| JACKSON . . | 21.6 | 19.1 | 18.4 | 27.8 | 11.7 | 12.7 | -0- | 9.6 | 9.2 | 13.9 |
| JASPER. . . | 21.8 | 20.7 | 20.7 | -0- | 20.7 | 20.7 | -0- | 12.4 | 12.4 | -0- |
| JEFFERSON . | 19.2 | 33.1 | 30.0 | 76.9 | 29.8 | 28.3 | 51.3 | 23.1 | 24.7 | -0- |
| JERSEY. . . | 22.6 | 17.8 | 17.8 | -0- | 15.3 | 15.3 | -0- | 10.2 | 10.2 | -0- |
| JO DAVIESS. | 23.5 | 17.5 | 17.5 | -0- | 9.7 | 9.7 | -0- | 11.7 | 11.7 | -0- |
| JOHNSON . . | 19.1 | 48.4 | 48.8 | -0- | 40.3 | 40.7 | -0- | -0- | -0- | -0- |
| KANE. . . . | 23.5 | 24.4 | 23.2 | 50.6 | 19.0 | 18.2 | 42.4 | 14.3 | 13.8 | 30.3 |
| KANKAKEE. . | 21.4 | 25.2 | 24.4 | 31.8 | 17.9 | 18.4 | 13.6 | 16.5 | 14.1 | 36.4 |
| KENDALL . . | 24.9 | 30.2 | 30.2 | -0- | 15.1 | 15.1 | -0- | 21.6 | 21.6 | -0- |
| KNOX. . . . | 17.4 | 13.8 | 14.3 | -0- | 12.9 | 13.3 | -0- | 14.7 | 15.2 | -0- |
| LAKE. . . . | 22.6 | 21.1 | 20.0 | 34.7 | 17.1 | 16.2 | 27.4 | 9.9 | 9.1 | 20.1 |
| LA SALLE. . | 20.9 | 21.7 | 21.4 | 71.4 | 14.9 | 14.6 | 71.4 | 17.0 | 17.1 | -0- |

TABLE 28. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE SPECIFIC RATES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1962. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| | LIVE BIRTHS | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|
| COUNTY | TOTAL | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAWRENCE. . | 18.1 | 12.3 | 12.6 | -0- | 12.3 | 12.6 | -0- | 3.1 | 3.1 | -0- |
| LEE . . . . | 19.4 | 26.2 | 26.6 | -0- | 18.3 | 18.6 | -0- | 23.6 | 22.6 | 100.0 |
| LIVINGSTON. | 19.6 | 18.7 | 18.7 | -0- | 14.9 | 15.0 | -0- | 12.5 | 12.5 | -0- |
| LOGAN . . . | 17.9 | 22.8 | 23.0 | -0- | 16.3 | 16.4 | -0- | 9.8 | 9.9 | -0- |
| MC DONOUGH. | 18.6 | 14.8 | 15.0 | -0- | 5.6 | 5.6 | -0- | 18.6 | 18.7 | -0- |
| MC HENRY. . | 23.1 | 22.8 | 22.4 | 333.3 | 16.2 | 15.7 | 333.3 | 10.5 | 10.5 | -0- |
| MC LEAN . . | 21.4 | 20.7 | 20.6 | 29.4 | 16.9 | 16.7 | 29.4 | 10.4 | 10.0 | 29.4 |
| MACON . . . | 20.4 | 24.1 | 21.3 | 52.4 | 19.3 | 16.8 | 43.7 | 8.0 | 6.2 | 26.2 |
| MACOUPIN. . | 18.7 | 22.2 | 22.3 | -0- | 17.3 | 17.3 | -0- | 23.4 | 23.5 | -0- |
| MADISON . . | 21.8 | 23.5 | 23.9 | 19.3 | 18.0 | 18.3 | 14.5 | 13.5 | 13.6 | 12.1 |
| MARION. . . | 19.4 | 20.0 | 21.0 | -0- | 14.7 | 15.4 | -0- | 17.3 | 18.2 | -0- |
| MARSHALL. . | 19.2 | 23.7 | 23.7 | -0- | 19.8 | 19.8 | -0- | 15.8 | 15.8 | -0- |
| MASON . . . | 17.9 | 7.4 | 7.4 | -0- | 7.4 | 7.4 | -0- | 22.1 | 22.1 | -0- |
| MASSAC. . . | 17.0 | 40.5 | 39.3 | 55.6 | 24.3 | 26.2 | -0- | 16.2 | 13.1 | 55.6 |
| MENARD. . . | 19.3 | 22.7 | 23.0 | -0- | 17.0 | 17.2 | -0- | 17.0 | 17.2 | -0- |
| MERCER. . . | 18.6 | 3.1 | 3.1 | -0- | 3.1 | 3.1 | -0- | 25.2 | 25.2 | -0- |
| MONROE. . . | 22.9 | 19.4 | 19.4 | -0- | 13.9 | 13.9 | -0- | 16.7 | 16.7 | -0- |
| MONTGOMERY. | 18.0 | 16.1 | 16.2 | -0- | 3.6 | 3.6 | -0- | 10.7 | 10.8 | -0- |
| MORGAN. . . | 17.3 | 20.3 | 17.9 | 76.9 | 18.8 | 16.3 | 76.9 | 12.5 | 8.1 | 115.4 |
| MOULTRIE. . | 18.1 | 24.2 | 24.2 | -0- | 24.2 | 24.2 | -0- | -0- | -0- | -0- |
| OGLE. . . . | 21.0 | 26.7 | 26.7 | -0- | 18.2 | 18.2 | -0- | 7.3 | 7.3 | -0- |
| PEORIA. . . | 22.3 | 22.6 | 22.4 | 24.9 | 17.0 | 17.3 | 14.9 | 12.8 | 12.1 | 19.9 |
| PERRY . . . | 18.7 | 23.0 | 23.2 | -0- | 11.5 | 11.6 | -0- | 17.2 | 14.5 | 333.3 |
| PIATT . . . | 18.8 | 17.9 | 17.9 | -0- | 14.3 | 14.3 | -0- | 3.6 | 3.6 | -0- |
| PIKE. . . . | 17.2 | 26.1 | 26.1 | -0- | 17.4 | 17.4 | -0- | 17.4 | 17.4 | -0- |
| POPE. . . . | 11.6 | 23.3 | 23.3 | -0- | -0- | -0- | -0- | 23.3 | 23.3 | -0- |
| PULASKI . . | 23.3 | 22.1 | 15.9 | 30.0 | 17.7 | 15.9 | 20.0 | 26.5 | 23.8 | 30.0 |
| PUTNAM. . . | 18.7 | 59.5 | 59.5 | -0- | 35.7 | 35.7 | -0- | 47.6 | 47.6 | -0- |
| RANDOLPH. . | 18.3 | 27.6 | 28.4 | -0- | 22.1 | 22.7 | -0- | 16.6 | 17.0 | -0- |
| RICHLAND. . | 21.6 | 23.1 | 23.1 | -0- | 14.4 | 14.4 | -0- | 14.4 | 14.4 | -0- |
| ROCK ISLAND | 21.2 | 30.4 | 29.5 | 48.3 | 24.2 | 24.1 | 27.6 | 16.9 | 17.0 | 13.8 |
| ST CLAIR. . | 23.6 | 27.8 | 24.5 | 36.9 | 21.0 | 18.3 | 28.6 | 11.5 | 10.6 | 13.7 |
| SALINE. . . | 16.9 | 16.9 | 17.7 | -0- | 9.7 | 10.1 | -0- | 7.3 | 7.6 | -0- |
| SANGAMON. . | 23.0 | 23.1 | 23.0 | 25.3 | 18.4 | 18.3 | 20.2 | 13.4 | 13.6 | 10.1 |
| SCHUYLER. . | 18.5 | 12.7 | 12.7 | -0- | 6.4 | 6.4 | -0- | 12.7 | 12.7 | -0- |
| SCOTT . . . | 18.4 | 26.3 | 26.3 | -0- | 26.3 | 26.3 | -0- | 35.1 | 35.1 | -0- |
| SHELBY. . . | 18.7 | 13.9 | 13.9 | -0- | 11.5 | 11.5 | -0- | 11.5 | 11.5 | -0- |
| STARK . . . | 19.4 | 25.8 | 25.8 | -0- | 25.8 | 25.8 | -0- | -0- | -0- | -0- |
| STEPHENSON. | 21.5 | 21.8 | 21.8 | 22.2 | 14.9 | 14.5 | 22.2 | 11.9 | 10.4 | 44.4 |
| TAZEWELL. . | 22.9 | 17.3 | 17.4 | -0- | 10.1 | 10.2 | -0- | 10.1 | 10.2 | -0- |
| UNION . . . | 15.4 | 30.2 | 30.4 | -0- | 26.4 | 26.6 | -0- | 30.2 | 30.4 | -0- |
| VERMILION . | 20.4 | 24.1 | 23.2 | 36.2 | 18.6 | 18.3 | 21.7 | 15.5 | 14.5 | 29.0 |
| WABASH. . . | 20.6 | 10.5 | 10.6 | -0- | 10.5 | 10.6 | -0- | 24.5 | 24.6 | -0- |
| WARREN. . . | 19.6 | 26.3 | 26.6 | -0- | 23.9 | 24.2 | -0- | 11.9 | 12.1 | -0- |
| WASHINGTON. | 17.1 | 21.9 | 21.9 | -0- | 17.5 | 17.5 | -0- | 4.4 | 4.4 | -0- |
| WAYNE . . . | 15.8 | 6.8 | 6.8 | -0- | 3.4 | 3.4 | -0- | 6.8 | 6.8 | -0- |
| WHITE . . . | 15.6 | 10.2 | 10.3 | -0- | 6.8 | 6.8 | -0- | 6.8 | 6.8 | -0- |
| WHITESIDE . | 23.2 | 23.1 | 22.4 | 200.0 | 18.2 | 17.5 | 200.0 | 12.6 | 11.9 | 200.0 |
| WILL. . . . | 24.7 | 19.3 | 16.7 | 50.0 | 14.1 | 12.0 | 39.5 | 9.2 | 8.9 | 13.2 |
| WILLIAMSON. | 18.5 | 30.9 | 31.5 | -0- | 20.2 | 20.6 | -0- | 10.7 | 9.7 | 58.8 |
| WINNEBAGO . | 23.8 | 22.2 | 21.9 | 26.0 | 18.2 | 18.4 | 15.6 | 11.6 | 11.9 | 7.8 |
| WOODFORD. . | 21.1 | 17.0 | 17.0 | -0- | 17.0 | 17.0 | -0- | 9.5 | 9.5 | -0- |

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962

| CITY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALTON | 975 | 797 | 178 | 29 | 25 | 4 | 23 | 20 | 3 | 12 | 11 | 1 |
| ARLINGTON HEIGHTS | 875 | 872 | 3 | 16 | 16 | -- | 14 | 14 | -- | 8 | 8 | -- |
| AURORA | 1,760 | 1,658 | 102 | 56 | 48 | 8 | 38 | 33 | 5 | 28 | 23 | 5 |
| BELLEVILLE | 816 | 810 | 6 | 18 | 16 | 2 | 17 | 15 | 2 | 7 | 7 | -- |
| BELLWOOD | 521 | 519 | 2 | 18 | 18 | -- | 10 | 10 | -- | 8 | 8 | -- |
| BELVIDERE | 248 | 245 | 3 | 7 | 7 | -- | 6 | 6 | -- | 6 | 6 | -- |
| BERWYN | 949 | 948 | 1 | 23 | 23 | -- | 19 | 19 | -- | 7 | 7 | -- |
| BLOOMINGTON | 869 | 835 | 34 | 21 | 20 | 1 | 18 | 17 | 1 | 8 | 8 | -- |
| BLUE ISLAND | 561 | 537 | 24 | 16 | 15 | 1 | 14 | 13 | 1 | 6 | 6 | -- |
| BROOKFIELD | 381 | 378 | 3 | 9 | 9 | -- | 6 | 6 | -- | 2 | 2 | -- |
| CAHOKIA | 448 | 446 | 2 | 8 | 8 | -- | 7 | 7 | -- | 3 | 3 | -- |
| CALUMET CITY | 631 | 630 | 1 | 18 | 18 | -- | 15 | 15 | -- | 3 | 3 | -- |
| CANTON | 246 | 244 | 2 | 2 | 2 | -- | 2 | 2 | -- | 3 | 3 | -- |
| CARBONDALE | 323 | 281 | 42 | 7 | 6 | 1 | 3 | 3 | -- | 2 | 1 | 1 |
| CARPENTERSVILLE | 501 | 501 | -- | 19 | 19 | -- | 16 | 16 | -- | 8 | 8 | -- |
| CENTRALIA | 291 | 254 | 37 | 7 | 7 | -- | 5 | 5 | -- | 5 | 5 | -- |
| CENTREVILLE | 268 | 105 | 163 | 17 | 8 | 9 | 10 | 4 | 6 | 3 | 2 | 1 |
| CHAMPAIGN | 1,227 | 1,063 | 164 | 23 | 17 | 6 | 19 | 15 | 4 | 11 | 9 | 2 |
| CHARLESTON | 240 | 240 | -- | 4 | 4 | -- | 4 | 4 | -- | 1 | 1 | -- |
| CHICAGO | 84,333 | 53,857 | 30,476 | 2,332 | 1,162 | 1,170 | 1,643 | 856 | 787 | 1,473 | 745 | 728 |
| CHICAGO HEIGHTS | 1,185 | 952 | 233 | 28 | 20 | 8 | 21 | 16 | 5 | 19 | 11 | 8 |
| CICERO | 1,326 | 1,325 | 1 | 38 | 38 | -- | 30 | 30 | -- | 17 | 17 | -- |
| COLLINSVILLE | 327 | 318 | 9 | 6 | 6 | -- | 4 | 4 | -- | 4 | 3 | 1 |
| DANVILLE | 943 | 813 | 130 | 36 | 31 | 5 | 29 | 26 | 3 | 16 | 12 | 4 |
| DE KALB | 401 | 399 | 2 | 5 | 5 | -- | 1 | 1 | -- | 5 | 5 | -- |
| DECATUR | 1,767 | 1,539 | 228 | 44 | 32 | 12 | 35 | 25 | 10 | 17 | 11 | 6 |
| DEERFIELD | 295 | 295 | -- | 4 | 4 | -- | 2 | 2 | -- | 1 | 1 | -- |
| DES PLAINES | 1,227 | 1,224 | 3 | 25 | 25 | -- | 16 | 16 | -- | 16 | 16 | -- |
| DIXON | 334 | 324 | 10 | 11 | 11 | -- | 7 | 7 | -- | 9 | 8 | 1 |
| DOLTON | 498 | 498 | -- | 9 | 9 | -- | 7 | 7 | -- | 6 | 6 | -- |
| DOWNERS GROVE | 502 | 499 | 3 | 8 | 8 | -- | 7 | 7 | -- | 5 | 5 | -- |
| EAST MOLINE | 377 | 343 | 34 | 17 | 15 | 2 | 14 | 13 | 1 | 7 | 7 | -- |
| EAST PEORIA | 323 | 322 | 1 | 1 | 1 | -- | 1 | 1 | -- | 1 | 1 | -- |
| EAST ST. LOUIS | 2,329 | 962 | 1,367 | 78 | 31 | 47 | 58 | 21 | 37 | 26 | 8 | 18 |
| EDWARDSVILLE | 232 | 217 | 15 | 5 | 4 | 1 | 4 | 3 | 1 | 2 | 1 | 1 |
| ELGIN | 1,103 | 1,046 | 57 | 23 | 21 | 2 | 21 | 19 | 2 | 12 | 12 | -- |
| ELK GROVE | 521 | 520 | 1 | 8 | 8 | -- | 5 | 5 | -- | 9 | 9 | -- |
| ELMHURST | 678 | 676 | 2 | 15 | 15 | -- | 13 | 13 | -- | 6 | 6 | -- |
| ELMWOOD PARK | 496 | 496 | -- | 15 | 15 | -- | 12 | 12 | -- | 6 | 6 | -- |
| EVANSTON | 1,757 | 1,407 | 350 | 33 | 28 | 5 | 27 | 24 | 3 | 17 | 7 | 10 |
| EVERGREEN PARK | 410 | 409 | 1 | 10 | 10 | -- | 6 | 6 | -- | 1 | 1 | -- |
| FOREST PARK | 328 | 328 | -- | 12 | 12 | -- | 11 | 11 | -- | 3 | 3 | -- |
| FRANKLIN PARK | 460 | 460 | -- | 13 | 13 | -- | 11 | 11 | -- | 7 | 7 | -- |
| FREEPORT | 599 | 555 | 44 | 10 | 9 | 1 | 7 | 6 | 1 | 9 | 7 | 2 |
| GALESBURG | 668 | 632 | 36 | 11 | 11 | -- | 11 | 11 | -- | 12 | 12 | -- |
| GLEN ELLYN | 465 | 461 | 4 | 11 | 11 | -- | 9 | 9 | -- | 5 | 5 | -- |
| GLENCOE | 94 | 90 | 4 | 1 | 1 | -- | 1 | 1 | -- | 1 | -- | 1 |
| GLENVIEW | 569 | 565 | 4 | 13 | 13 | -- | 9 | 9 | -- | 3 | 3 | -- |
| GRANITE CITY | 964 | 962 | 2 | 28 | 28 | -- | 25 | 25 | -- | 17 | 17 | -- |
| HARVEY | 952 | 833 | 119 | 24 | 21 | 3 | 19 | 18 | 1 | 16 | 16 | -- |
| HIGHLAND PARK | 426 | 424 | 2 | 8 | 8 | -- | 6 | 6 | -- | 5 | 5 | -- |
| HINSDALE | 219 | 218 | 1 | 3 | 3 | -- | 1 | 1 | -- | 3 | 3 | -- |
| HOMEWOOD | 219 | 218 | 1 | 2 | 2 | -- | 2 | 2 | -- | 4 | 4 | -- |
| JACKSONVILLE | 377 | 351 | 26 | 9 | 7 | 2 | 8 | 6 | 2 | 6 | 3 | 3 |
| JOLIET | 1,671 | 1,512 | 159 | 36 | 24 | 12 | 27 | 17 | 10 | 16 | 15 | 1 |
| KANKAKEE | 680 | 554 | 126 | 21 | 16 | 5 | 15 | 13 | 2 | 7 | 3 | 4 |
| KEWANEE | 307 | 290 | 17 | 9 | 9 | -- | 8 | 8 | -- | 6 | 5 | 1 |
| LA GRANGE | 311 | 283 | 28 | 9 | 8 | 1 | 5 | 5 | -- | 4 | 3 | 1 |
| LA GRANGE PARK | 208 | 208 | -- | 4 | 4 | -- | 2 | 2 | -- | 1 | 1 | -- |
| LA SALLE | 195 | 195 | -- | 8 | 8 | -- | 5 | 5 | -- | 5 | 5 | -- |

TABLE 3A. -- LIVE BIRTHS, INFANT DEATHS, NEONATAL DEATHS, AND STILLBIRTHS BY RACE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962--CONTINUED

| CITY | LIVE BIRTHS | | | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAKE FOREST | 191 | 184 | 7 | 7 | 7 | -- | 7 | 7 | -- | -- | -- | -- |
| LANSING | 405 | 405 | -- | 11 | 11 | -- | 8 | 8 | -- | 2 | 2 | -- |
| LINCOLN | 320 | 314 | 6 | 9 | 9 | -- | 6 | 6 | -- | 5 | 5 | -- |
| LINCOLNWOOD | 100 | 100 | -- | -- | -- | -- | -- | -- | -- | 1 | 1 | -- |
| LOMBARD | 677 | 675 | 2 | 11 | 11 | -- | 11 | 11 | -- | 6 | 6 | -- |
| MACOMB | 231 | 226 | 5 | 1 | 1 | -- | -- | -- | -- | 4 | 4 | -- |
| MARION | 220 | 212 | 8 | 5 | 5 | -- | 4 | 4 | -- | 3 | 3 | -- |
| MARKHAM | 335 | 271 | 64 | 7 | 4 | 3 | 4 | 3 | 1 | 11 | 9 | 2 |
| MATTOON | 330 | 327 | 3 | 8 | 8 | -- | 7 | 7 | -- | 7 | 6 | 1 |
| MAYWOOD | 653 | 414 | 239 | 14 | 8 | 6 | 10 | 8 | 2 | 13 | 10 | 3 |
| MELROSE PARK | 877 | 873 | 4 | 16 | 16 | -- | 11 | 11 | -- | 11 | 11 | -- |
| MOLINE | 950 | 942 | 8 | 26 | 26 | -- | 23 | 23 | -- | 16 | 16 | -- |
| MONMOUTH | 229 | 224 | 5 | 8 | 8 | -- | 7 | 7 | -- | 5 | 5 | -- |
| MORTON GROVE | 419 | 415 | 4 | 7 | 7 | -- | 5 | 5 | -- | 3 | 3 | -- |
| MOUNT PROSPECT | 578 | 577 | 1 | 17 | 17 | -- | 16 | 16 | -- | 5 | 5 | -- |
| MOUNT VERNON | 328 | 289 | 39 | 14 | 11 | 3 | 12 | 10 | 2 | 8 | 8 | -- |
| MUNDELEIN | 352 | 351 | 1 | 7 | 7 | -- | 7 | 7 | -- | 4 | 4 | -- |
| NAPERVILLE | 329 | 327 | 2 | 9 | 9 | -- | 7 | 7 | -- | 4 | 4 | -- |
| NILES | 609 | 605 | 4 | 7 | 7 | -- | 6 | 6 | -- | 7 | 7 | -- |
| NORMAL | 252 | 252 | -- | 4 | 4 | -- | 4 | 4 | -- | 4 | 4 | -- |
| NORRIDGE | 274 | 272 | 2 | 3 | 3 | -- | 3 | 3 | -- | 3 | 3 | -- |
| NORTH CHICAGO | 466 | 265 | 201 | 11 | 5 | 6 | 9 | 5 | 4 | 11 | 5 | 6 |
| NORTH LAKE | 216 | 214 | 2 | 5 | 5 | -- | 4 | 4 | -- | 1 | 1 | -- |
| NORTHBROOK | 363 | 362 | 1 | 7 | 7 | -- | 4 | 4 | -- | 5 | 5 | -- |
| OAK LAWN | 1,397 | 1,395 | 2 | 29 | 29 | -- | 22 | 22 | -- | 22 | 22 | -- |
| OAK PARK | 1,044 | 1,038 | 6 | 20 | 20 | -- | 17 | 17 | -- | 13 | 13 | -- |
| OTTAWA | 477 | 474 | 3 | 6 | 6 | -- | 5 | 5 | -- | 10 | 10 | -- |
| PALATINE | 408 | 404 | 4 | 6 | 6 | -- | 6 | 6 | -- | 3 | 3 | -- |
| PARK FOREST | 829 | 821 | 8 | 16 | 16 | -- | 11 | 11 | -- | 12 | 12 | -- |
| PARK RIDGE | 561 | 560 | 1 | 6 | 6 | -- | 6 | 6 | -- | 6 | 6 | -- |
| PEKIN | 729 | 729 | -- | 18 | 18 | -- | 12 | 12 | -- | 12 | 12 | -- |
| PEORIA | 2,284 | 1,903 | 381 | 64 | 55 | 9 | 50 | 45 | 5 | 32 | 24 | 8 |
| PERU | 191 | 191 | -- | 4 | 4 | -- | 4 | 4 | -- | 4 | 4 | -- |
| QUINCY | 920 | 880 | 40 | 16 | 13 | 3 | 16 | 13 | 3 | 9 | 8 | 1 |
| RANTOUL | 131 | 127 | 4 | 16 | 14 | 2 | 12 | 11 | 1 | 8 | 8 | -- |
| RIVER FOREST | 142 | 141 | 1 | -- | -- | -- | -- | -- | -- | 1 | 1 | -- |
| RIVERDALE | 251 | 250 | 1 | 8 | 8 | -- | 4 | 4 | -- | 3 | 3 | -- |
| ROCK FALLS | 316 | 316 | -- | 9 | 9 | -- | 8 | 8 | -- | 3 | 3 | -- |
| ROCK ISLAND | 1,025 | 923 | 102 | 34 | 29 | 5 | 27 | 24 | 3 | 10 | 8 | 2 |
| ROCKFORD | 3,157 | 2,889 | 268 | 75 | 66 | 9 | 66 | 61 | 5 | 37 | 34 | 3 |
| ROLLING MEADOWS | 371 | 370 | 1 | 7 | 7 | -- | 5 | 5 | -- | 2 | 2 | -- |
| SKOKIE | 1,108 | 1,102 | 6 | 13 | 12 | 1 | 9 | 8 | 1 | 15 | 15 | -- |
| SOUTH HOLLAND | 290 | 289 | 1 | 7 | 7 | -- | 5 | 5 | -- | 5 | 5 | -- |
| SPRINGFIELD | 1,981 | 1,789 | 192 | 63 | 58 | 5 | 52 | 48 | 4 | 31 | 29 | 2 |
| STERLING | 397 | 394 | 3 | 11 | 10 | 1 | 8 | 7 | 1 | 2 | 2 | -- |
| STREATOR | 432 | 423 | 9 | 9 | 8 | 1 | 6 | 5 | 1 | 5 | 5 | -- |
| SUMMIT | 334 | 255 | 79 | 11 | 7 | 4 | 6 | 3 | 3 | 2 | -- | 2 |
| URBANA | 717 | 663 | 54 | 5 | 5 | -- | 5 | 5 | -- | 9 | 8 | 1 |
| VILLA PARK | 621 | 619 | 2 | 12 | 12 | -- | 7 | 7 | -- | 13 | 13 | -- |
| WAUKEGAN | 1,703 | 1,465 | 238 | 38 | 28 | 10 | 29 | 21 | 8 | 16 | 11 | 5 |
| WESTCHESTER | 260 | 260 | -- | 4 | 4 | -- | 4 | 4 | -- | 9 | 9 | -- |
| WESTERN SPRINGS | 145 | 145 | -- | -- | -- | -- | -- | -- | -- | 4 | 4 | -- |
| WHEATON | 484 | 474 | 10 | 8 | 8 | -- | 6 | 6 | -- | 2 | 2 | -- |
| WILMETTE | 418 | 417 | 1 | 3 | 3 | -- | 1 | 1 | -- | 8 | 8 | -- |
| WINNETKA | 172 | 171 | 1 | 2 | 2 | -- | -- | -- | -- | -- | -- | -- |
| WOOD RIVER | 263 | 262 | 1 | 8 | 8 | -- | 5 | 5 | -- | 5 | 5 | -- |
| ZION | 421 | 397 | 24 | 11 | 11 | -- | 10 | 10 | -- | 10 | 10 | -- |

TABLE 38. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE-SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1962. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| CITY | LIVE BIRTHS | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| ALTON | 22.0 | 29.7 | 31.4 | 22.5 | 23.6 | 25.1 | 16.9 | 12.3 | 13.8 | 5.6 |
| ARLINGTON HEIGHTS | 26.1 | 18.3 | 18.3 | -0- | 16.0 | 16.1 | -0- | 9.1 | 9.2 | -0- |
| AURORA | 26.7 | 31.8 | 29.0 | 78.4 | 21.6 | 19.9 | 49.0 | 15.9 | 13.9 | 49.0 |
| BELLEVILLE | 21.5 | 22.1 | 19.8 | 333.3 | 20.8 | 18.5 | 333.3 | 8.6 | 8.6 | -0- |
| BELLWOOD | 23.5 | 34.5 | 34.7 | -0- | 19.2 | 19.3 | -0- | 15.4 | 15.4 | -0- |
| BELVIDERE | 21.4 | 28.2 | 28.6 | -0- | 24.2 | 24.5 | -0- | 24.2 | 24.5 | -0- |
| BERWYN | 17.3 | 24.2 | 24.3 | -0- | 20.0 | 20.0 | -0- | 7.4 | 7.4 | -0- |
| BLOOMINGTON | 23.4 | 24.2 | 24.0 | 29.4 | 20.7 | 20.4 | 29.4 | 9.2 | 9.6 | -0- |
| BLUE ISLAND | 27.5 | 28.5 | 27.9 | 41.7 | 25.0 | 24.2 | 41.7 | 10.7 | 11.2 | -0- |
| BROOKFIELD | 18.0 | 23.6 | 23.8 | -0- | 15.7 | 15.9 | -0- | 5.2 | 5.3 | -0- |
| CAHOKIA | 26.4 | 17.9 | 17.9 | -0- | 15.6 | 15.7 | -0- | 6.7 | 6.7 | -0- |
| CALUMET CITY | 24.0 | 28.5 | 28.6 | -0- | 23.8 | 23.8 | -0- | 4.8 | 4.8 | -0- |
| CANTON | 18.1 | 8.1 | 8.2 | -0- | 8.1 | 8.2 | -0- | 12.2 | 12.3 | -0- |
| CARBONDALE | 19.6 | 21.7 | 21.4 | 23.8 | 9.3 | 10.7 | -0- | 6.2 | 3.6 | 23.8 |
| CARPENTERSVILLE | 26.6 | 37.9 | 37.9 | -0- | 31.9 | 31.9 | -0- | 16.0 | 16.0 | -0- |
| CENTRALIA | 20.6 | 24.1 | 27.6 | -0- | 17.2 | 19.7 | -0- | 17.2 | 19.7 | -0- |
| CENTREVILLE | 19.9 | 63.4 | 76.2 | 55.2 | 37.3 | 38.1 | 36.8 | 11.2 | 19.0 | 6.1 |
| CHAMPAIGN | 23.8 | 18.7 | 16.0 | 36.6 | 15.5 | 14.1 | 24.4 | 9.0 | 8.5 | 12.2 |
| CHARLESTON | 22.2 | 16.7 | 16.7 | -0- | 16.7 | 16.7 | -0- | 4.2 | 4.2 | -0- |
| CHICAGO | 24.4 | 27.7 | 21.6 | 38.4 | 19.5 | 15.9 | 25.8 | 17.5 | 13.8 | 23.9 |
| CHICAGO HEIGHTS | 32.8 | 23.6 | 21.0 | 34.3 | 17.7 | 16.8 | 21.5 | 16.0 | 11.6 | 34.3 |
| CICERO | 18.9 | 28.7 | 28.7 | -0- | 22.6 | 22.6 | -0- | 12.8 | 12.8 | -0- |
| COLLINSVILLE | 22.4 | 18.3 | 18.9 | -0- | 12.2 | 12.6 | -0- | 12.2 | 9.4 | 111.1 |
| DANVILLE | 22.2 | 38.2 | 38.1 | 38.5 | 30.8 | 32.0 | 23.1 | 17.0 | 14.8 | 30.8 |
| DE KALB | 19.6 | 12.5 | 12.5 | -0- | 2.5 | 2.5 | -0- | 12.5 | 12.5 | -0- |
| DECATUR | 22.0 | 24.9 | 20.8 | 52.6 | 19.8 | 16.2 | 43.9 | 9.6 | 7.1 | 26.3 |
| DEERFIELD | 23.4 | 13.6 | 13.6 | -0- | 6.8 | 6.8 | -0- | 3.4 | 3.4 | -0- |
| DES PLAINES | 29.6 | 20.4 | 20.4 | -0- | 13.0 | 13.1 | -0- | 13.0 | 13.1 | -0- |
| DIXON | 16.8 | 32.9 | 34.0 | -0- | 21.0 | 21.6 | -0- | 26.9 | 24.7 | 100.0 |
| DOLTON | 24.8 | 18.1 | 18.1 | -0- | 14.1 | 14.1 | -0- | 12.0 | 12.0 | -0- |
| DOWNERS GROVE | 22.6 | 15.9 | 16.0 | -0- | 13.9 | 14.0 | -0- | 10.0 | 10.0 | -0- |
| EAST MOLINE | 22.2 | 45.1 | 43.7 | 58.8 | 37.1 | 37.9 | 29.4 | 18.6 | 20.4 | -0- |
| EAST PEORIA | 25.4 | 3.1 | 3.1 | -0- | 3.1 | 3.1 | -0- | 3.1 | 3.1 | -0- |
| EAST ST. LOUIS | 28.2 | 33.5 | 32.2 | 34.4 | 24.9 | 21.8 | 27.1 | 11.2 | 8.3 | 13.2 |
| EDWARDSVILLE | 21.9 | 21.6 | 18.4 | 66.7 | 17.2 | 13.8 | 66.7 | 8.6 | 4.6 | 66.7 |
| ELGIN | 22.0 | 20.9 | 20.1 | 35.1 | 19.0 | 18.2 | 35.1 | 10.9 | 11.5 | -0- |
| ELK GROVE | 48.2 | 15.4 | 15.4 | -0- | 9.6 | 9.6 | -0- | 17.3 | 17.3 | -0- |
| ELMHURST | 17.7 | 22.1 | 22.2 | -0- | 19.2 | 19.2 | -0- | 8.8 | 8.9 | -0- |
| ELMWOOD PARK | 19.9 | 30.2 | 30.2 | -0- | 24.2 | 24.2 | -0- | 12.1 | 12.1 | -0- |
| EVANSTON | 21.9 | 18.8 | 19.9 | 14.3 | 15.4 | 17.1 | 8.6 | 9.7 | 5.0 | 28.6 |
| EVERGREEN PARK | 16.5 | 24.4 | 24.4 | -0- | 14.6 | 14.7 | -0- | 2.4 | 2.4 | -0- |
| FOREST PARK | 22.2 | 36.6 | 36.6 | -0- | 33.5 | 33.5 | -0- | 9.1 | 9.1 | -0- |
| FRANKLIN PARK | 23.8 | 28.3 | 28.3 | -0- | 23.9 | 23.9 | -0- | 15.2 | 15.2 | -0- |
| FREEPORT | 22.2 | 16.7 | 16.2 | 22.7 | 11.7 | 10.8 | 22.7 | 15.0 | 12.6 | 45.5 |
| GALESBURG | 17.5 | 16.5 | 17.4 | -0- | 16.5 | 17.4 | -0- | 18.0 | 19.0 | -0- |
| GLEN ELLYN | 28.0 | 23.7 | 23.9 | -0- | 19.4 | 19.5 | -0- | 10.8 | 10.8 | -0- |
| GLENCOE | 8.4 | 10.6 | 11.1 | -0- | 10.6 | 11.1 | -0- | 10.6 | -0- | 250.0 |
| GLENVIEW | 29.3 | 22.8 | 23.0 | -0- | 15.8 | 15.9 | -0- | 5.3 | 5.3 | -0- |
| GRANITE CITY | 23.1 | 29.0 | 29.1 | -0- | 25.9 | 26.0 | -0- | 17.6 | 17.7 | -0- |
| HARVEY | 31.3 | 25.2 | 25.2 | 25.2 | 20.0 | 21.6 | 8.4 | 16.8 | 19.2 | -0- |
| HIGHLAND PARK | 16.3 | 18.8 | 18.9 | -0- | 14.1 | 14.2 | -0- | 11.7 | 11.8 | -0- |
| HINSDALE | 16.6 | 13.7 | 13.8 | -0- | 4.6 | 4.6 | -0- | 13.7 | 13.8 | -0- |
| HOMEWOOD | 16.1 | 9.1 | 9.2 | -0- | 9.1 | 9.2 | -0- | 18.3 | 18.3 | -0- |
| JACKSONVILLE | 17.2 | 23.9 | 19.9 | 76.9 | 21.2 | 17.1 | 76.9 | 15.9 | 8.5 | 115.4 |
| JOLIET | 24.4 | 21.5 | 15.9 | 75.5 | 16.2 | 11.2 | 62.9 | 9.6 | 9.9 | 6.3 |
| KANKAKEE | 24.3 | 30.9 | 28.9 | 39.7 | 22.1 | 23.5 | 15.9 | 10.3 | 5.4 | 31.7 |
| KEWANEE | 18.6 | 29.3 | 31.0 | -0- | 26.1 | 27.6 | -0- | 19.5 | 17.2 | 58.8 |
| LA GRANGE | 19.8 | 28.9 | 28.3 | 35.7 | 16.1 | 17.7 | -0- | 12.9 | 10.6 | 35.7 |
| LA GRANGE PARK | 14.6 | 19.2 | 19.2 | -0- | 9.6 | 9.6 | -0- | 4.8 | 4.8 | -0- |
| LA SALLE | 16.1 | 41.0 | 41.0 | -0- | 25.6 | 25.6 | -0- | 25.6 | 25.6 | -0- |

TABLE 38. -- LIVE BIRTH RATES AND INFANT DEATH, NEONATAL DEATH, AND STILLBIRTH RACE-SPECIFIC RATES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962--CONTINUED

(LIVE BIRTH RATES PER 1,000 EST. POPULATION AS OF JULY 1, 1962. ALL OTHER RATES PER 1,000 LIVE BIRTHS)

| CITY | LIVE BIRTHS | INFANT DEATHS | | | NEONATAL DEATHS | | | STILLBIRTHS | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE | TOTAL | WHITE | NON-WHITE |
| LAKE FOREST | 17.5 | 36.6 | 38.0 | -0- | 36.6 | 38.0 | -0- | -0- | -0- | -0- |
| LANSING | 21.2 | 27.2 | 27.2 | -0- | 19.8 | 19.8 | -0- | 4.9 | 4.9 | -0- |
| LINCOLN | 18.6 | 28.1 | 28.7 | -0- | 18.8 | 19.1 | -0- | 15.6 | 15.9 | -0- |
| LINCOLNWOOD | 8.4 | -0- | -0- | -0- | -0- | -0- | -0- | 10.0 | 10.0 | -0- |
| LOMBARD | 26.8 | 16.2 | 16.3 | -0- | 16.2 | 16.3 | -0- | 8.9 | 8.9 | -0- |
| MACOMB | 18.6 | 4.3 | 4.4 | -0- | -0- | -0- | -0- | 17.3 | 17.7 | -0- |
| MARION | 19.3 | 22.7 | 23.6 | -0- | 18.2 | 18.9 | -0- | 13.6 | 14.2 | -0- |
| MARKHAM | 27.0 | 20.9 | 14.8 | 46.9 | 11.9 | 11.1 | 15.6 | 32.8 | 33.2 | 31.3 |
| MATTOON | 17.0 | 24.2 | 24.5 | -0- | 21.2 | 21.4 | -0- | 21.2 | 18.3 | 333.3 |
| MAYWOOD | 23.3 | 21.4 | 19.3 | 25.1 | 15.3 | 19.3 | 8.4 | 19.9 | 24.2 | 12.6 |
| MELROSE PARK | 36.7 | 18.2 | 18.3 | -0- | 12.5 | 12.6 | -0- | 12.5 | 12.6 | -0- |
| MOLINE | 21.9 | 27.4 | 27.6 | -0- | 24.2 | 24.4 | -0- | 16.8 | 17.0 | -0- |
| MONMOUTH | 21.8 | 34.9 | 35.7 | -0- | 30.6 | 31.3 | -0- | 21.8 | 22.3 | -0- |
| MORTON GROVE | 19.7 | 16.7 | 16.9 | -0- | 11.9 | 12.0 | -0- | 7.2 | 7.2 | -0- |
| MOUNT PROSPECT | 28.3 | 29.4 | 29.5 | -0- | 27.7 | 27.7 | -0- | 8.7 | 8.7 | -0- |
| MOUNT VERNON | 20.8 | 42.7 | 38.1 | 76.9 | 36.6 | 34.6 | 51.3 | 24.4 | 27.7 | -0- |
| MUNDELEIN | 28.9 | 19.9 | 19.9 | -0- | 19.9 | 19.9 | -0- | 11.4 | 11.4 | -0- |
| NAPERVILLE | 24.4 | 27.4 | 27.5 | -0- | 21.3 | 21.4 | -0- | 12.2 | 12.2 | -0- |
| NILES | 24.4 | 11.5 | 11.6 | -0- | 9.9 | 9.9 | -0- | 11.5 | 11.6 | -0- |
| NORMAL | 18.3 | 15.9 | 15.9 | -0- | 15.9 | 15.9 | -0- | 15.9 | 15.9 | -0- |
| NORRIDGE | 18.8 | 10.9 | 11.0 | -0- | 10.9 | 11.0 | -0- | 10.9 | 11.0 | -0- |
| NORTH CHICAGO | 19.7 | 23.6 | 18.9 | 29.9 | 19.3 | 18.9 | 19.9 | 23.6 | 18.9 | 29.9 |
| NORTH LAKE | 17.0 | 23.1 | 23.4 | -0- | 18.5 | 18.7 | -0- | 4.6 | 4.7 | -0- |
| NORTHBROOK | 29.3 | 19.3 | 19.3 | -0- | 11.0 | 11.0 | -0- | 13.8 | 13.8 | -0- |
| OAK LAWN | 44.2 | 20.8 | 20.8 | -0- | 15.7 | 15.8 | -0- | 15.7 | 15.8 | -0- |
| OAK PARK | 17.1 | 19.2 | 19.3 | -0- | 16.3 | 16.4 | -0- | 12.5 | 12.5 | -0- |
| OTTAWA | 24.0 | 12.6 | 12.7 | -0- | 10.5 | 10.5 | -0- | 21.0 | 21.1 | -0- |
| PALATINE | 27.2 | 14.7 | 14.9 | -0- | 14.7 | 14.9 | -0- | 7.4 | 7.4 | -0- |
| PARK FOREST | 25.8 | 19.3 | 19.5 | -0- | 13.3 | 13.4 | -0- | 14.5 | 14.6 | -0- |
| PARK RIDGE | 15.8 | 10.7 | 10.7 | -0- | 10.7 | 10.7 | -0- | 10.7 | 10.7 | -0- |
| PEKIN | 25.1 | 24.7 | 24.7 | -0- | 16.5 | 16.5 | -0- | 16.5 | 16.5 | -0- |
| PEORIA | 22.4 | 28.0 | 28.9 | 23.6 | 21.9 | 23.6 | 13.1 | 14.0 | 12.6 | 21.0 |
| PERU | 17.9 | 20.9 | 20.9 | -0- | 20.9 | 20.9 | -0- | 20.9 | 20.9 | -0- |
| QUINCY | 20.6 | 17.4 | 14.8 | 75.0 | 17.4 | 14.8 | 75.0 | 9.8 | 9.1 | 25.0 |
| RANTOUL | 5.8 | 122.1 | 110.2 | 500.0 | 91.6 | 86.6 | 250.0 | 61.1 | 63.0 | -0- |
| RIVER FOREST | 11.1 | -0- | -0- | -0- | -0- | -0- | -0- | 7.0 | 7.1 | -0- |
| RIVERDALE | 20.2 | 31.9 | 32.0 | -0- | 15.9 | 16.0 | -0- | 12.0 | 12.0 | -0- |
| ROCK FALLS | 29.5 | 28.5 | 28.5 | -0- | 25.3 | 25.3 | -0- | 9.5 | 9.5 | -0- |
| ROCK ISLAND | 19.5 | 33.2 | 31.4 | 49.0 | 26.3 | 26.0 | 29.4 | 9.8 | 8.7 | 19.6 |
| ROCKFORD | 24.2 | 23.8 | 22.8 | 33.6 | 20.9 | 21.1 | 18.7 | 11.7 | 11.8 | 11.2 |
| ROLLING MEADOWS | 31.7 | 18.9 | 18.9 | -0- | 13.5 | 13.5 | -0- | 5.4 | 5.4 | -0- |
| SKOKIE | 17.0 | 11.7 | 10.9 | 166.7 | 8.1 | 7.3 | 166.7 | 13.5 | 13.6 | -0- |
| SOUTH HOLLAND | 22.8 | 24.1 | 24.2 | -0- | 17.2 | 17.3 | -0- | 17.2 | 17.3 | -0- |
| SPRINGFIELD | 23.6 | 31.8 | 32.4 | 26.0 | 26.2 | 26.8 | 20.8 | 15.6 | 16.2 | 10.4 |
| STERLING | 24.5 | 27.7 | 25.4 | 333.3 | 20.2 | 17.8 | 333.3 | 5.0 | 5.1 | -0- |
| STREATOR | 25.1 | 20.8 | 18.9 | 111.1 | 13.9 | 11.8 | 111.1 | 11.6 | 11.8 | -0- |
| SUMMIT | 30.9 | 32.9 | 27.5 | 50.6 | 18.0 | 11.8 | 38.0 | 6.0 | -0- | 25.3 |
| URBANA | 25.2 | 7.0 | 7.5 | -0- | 7.0 | 7.5 | -0- | 12.6 | 12.1 | 18.5 |
| VILLA PARK | 26.7 | 19.3 | 19.4 | -0- | 11.3 | 11.3 | -0- | 20.9 | 21.0 | -0- |
| WAUKEGAN | 29.3 | 22.3 | 19.1 | 42.0 | 17.0 | 14.3 | 33.6 | 9.4 | 7.5 | 21.0 |
| WESTCHESTER | 13.9 | 15.4 | 15.4 | -0- | 15.4 | 15.4 | -0- | 34.6 | 34.6 | -0- |
| WESTERN SPRINGS | 12.9 | -0- | -0- | -0- | -0- | -0- | -0- | 27.6 | 27.6 | -0- |
| WHEATON | 19.2 | 16.5 | 16.9 | -0- | 12.4 | 12.7 | -0- | 4.1 | 4.2 | -0- |
| WILMETTE | 14.5 | 7.2 | 7.2 | -0- | 2.4 | 2.4 | -0- | 19.1 | 19.2 | -0- |
| WINNETKA | 12.7 | 11.6 | 11.7 | -0- | -0- | -0- | -0- | -0- | -0- | -0- |
| WOOD RIVER | 21.9 | 30.4 | 30.5 | -0- | 19.0 | 19.1 | -0- | 19.0 | 19.1 | -0- |
| ZION | 33.7 | 26.1 | 27.7 | -0- | 23.8 | 25.2 | -0- | 23.8 | 25.2 | -0- |

TABLE 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962

| COUNTY | TOTAL LIVE BIRTHS | STILLBIRTHS | | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | GESTATION IN WEEKS | | | | | | | | | TOTAL | AGE | | |
| | | TOTAL | LESS THAN 20 | 20-23 | 24-27 | 28-31 | 32-35 | 36-39 | 40 AND OVER | NOT STATED | | LESS THAN 7 DA. | 7-28 DA. | 1-11 MONTHS |
| ILLINOIS. | 230,484 | 3,393 | 49 | 392 | 378 | 366 | 448 | 680 | 1,067 | 13 | 5,527 | 3,689 | 372 | 1,466 |
| ADAMS . . . | 1,423 | 15 | 1 | 2 | 1 | 2 | 2 | 5 | 2 | -- | 29 | 22 | 3 | 4 |
| ALEXANDER . | 357 | 6 | -- | -- | 3 | -- | -- | 1 | 2 | -- | 21 | 13 | 1 | 7 |
| BOND. . . . | 227 | 6 | -- | -- | -- | -- | 1 | 3 | 2 | -- | 2 | 1 | -- | 1 |
| BOONE . . . | 434 | 9 | 2 | 1 | -- | -- | 2 | 3 | 1 | -- | 9 | 8 | -- | 1 |
| BROWN . . . | 106 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 3 | 3 | -- | -- |
| BUREAU. . . | 696 | 8 | 1 | -- | 1 | 1 | 1 | 2 | 2 | -- | 14 | 9 | -- | 5 |
| CALHOUN . . | 111 | 3 | -- | -- | -- | -- | -- | -- | 3 | -- | 2 | 2 | -- | -- |
| CARROLL . . | 369 | 5 | -- | 3 | 1 | -- | -- | -- | 1 | -- | 11 | 6 | 1 | 4 |
| CASS. . . . | 277 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 6 | 2 | 1 | 3 |
| CHAMPAIGN . | 2,756 | 38 | -- | 4 | 4 | 5 | 5 | 7 | 13 | -- | 56 | 35 | 8 | 13 |
| CHRISTIAN . | 726 | 9 | -- | 2 | -- | 1 | 3 | -- | 3 | -- | 20 | 13 | 4 | 3 |
| CLARK . . . | 299 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | 6 | 5 | 1 | -- |
| CLAY. . . . | 250 | 5 | -- | -- | 1 | 1 | -- | 1 | 2 | -- | 1 | 1 | -- | -- |
| CLINTON . . | 602 | 15 | -- | 2 | 2 | 2 | 2 | 2 | 5 | -- | 9 | 8 | -- | 1 |
| COLES . . . | 831 | 15 | -- | 3 | 1 | -- | 1 | 3 | 7 | -- | 20 | 14 | 2 | 4 |
| COOK. . . . | 122,083 | 1,975 | 13 | 224 | 235 | 223 | 270 | 406 | 603 | 1 | 3,114 | 2,007 | 212 | 895 |
| CRAWFORD. . | 348 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 5 | 3 | 1 | 1 |
| CUMBERLAND. | 217 | 2 | -- | 1 | -- | 1 | -- | -- | -- | -- | 7 | 6 | -- | 1 |
| DE KALB . . | 1,183 | 18 | -- | -- | 1 | 2 | 3 | 6 | 5 | 1 | 19 | 10 | -- | 9 |
| DE WITT . . | 345 | 5 | 1 | 2 | -- | -- | -- | -- | 2 | -- | 10 | 9 | -- | 1 |
| DOUGLAS . . | 363 | 7 | -- | 2 | 2 | 1 | -- | 1 | 1 | -- | 7 | 7 | -- | -- |
| DU PAGE . . | 7,577 | 75 | 1 | 6 | 4 | 9 | 17 | 13 | 25 | -- | 139 | 96 | 12 | 31 |
| EDGAR . . . | 375 | 8 | -- | -- | 1 | -- | -- | 1 | 4 | 2 | 13 | 7 | -- | 6 |
| EDWARDS . . | 131 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 4 | 4 | -- | -- |
| EFFINGHAM . | 594 | 10 | 1 | 3 | 1 | -- | -- | 1 | 4 | -- | 13 | 8 | 1 | 4 |
| FAYETTE . . | 385 | 12 | -- | 4 | -- | 1 | 1 | 2 | 4 | -- | 7 | 6 | -- | 1 |
| FORD. . . . | 319 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 9 | 7 | -- | 2 |
| FRANKLIN. . | 590 | 7 | 1 | 2 | -- | -- | 2 | 1 | 1 | -- | 12 | 4 | 3 | 5 |
| FULTON. . . | 768 | 13 | 1 | 1 | 1 | 1 | 1 | 5 | 3 | -- | 8 | 8 | -- | -- |
| GALLATIN. . | 131 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | 4 | 3 | -- | 1 |
| GREENE. . . | 330 | 5 | -- | 2 | -- | -- | -- | -- | 3 | -- | 3 | 2 | -- | 1 |
| GRUNDY. . . | 513 | 8 | -- | 2 | 1 | 1 | -- | 1 | 3 | -- | 8 | 8 | -- | -- |
| HAMILTON. . | 158 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 6 | 4 | -- | 2 |
| HANCOCK . . | 392 | 9 | -- | 2 | 2 | 1 | 1 | 1 | 2 | -- | 11 | 11 | -- | -- |
| HARDIN. . . | 104 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 3 | 2 | -- | 1 |
| HENDERSON . | 171 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 1 | -- | -- | 1 |
| HENRY . . . | 1,004 | 13 | 1 | 2 | 2 | 1 | 1 | 1 | 5 | -- | 30 | 24 | 1 | 5 |
| IROQUOIS. . | 668 | 9 | 1 | -- | -- | 1 | 1 | 3 | 3 | -- | 11 | 7 | 1 | 3 |
| JACKSON . . | 940 | 9 | -- | 3 | -- | 1 | -- | 2 | 3 | -- | 18 | 10 | 1 | 7 |
| JASPER. . . | 242 | 3 | -- | -- | 1 | 1 | -- | -- | 1 | -- | 5 | 5 | -- | -- |
| JEFFERSON . | 605 | 14 | -- | 1 | 4 | 2 | 1 | 2 | 4 | -- | 20 | 17 | 1 | 2 |
| JERSEY. . . | 393 | 4 | -- | -- | -- | -- | 4 | -- | -- | -- | 7 | 5 | 1 | 1 |
| JO DAVIESS. | 514 | 6 | 1 | -- | -- | -- | -- | 1 | 4 | -- | 9 | 4 | 1 | 4 |
| JOHNSON . . | 124 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 6 | 5 | -- | 1 |
| KANE. . . . | 5,159 | 74 | -- | 4 | 7 | 7 | 8 | 16 | 31 | 1 | 126 | 91 | 7 | 28 |
| KANKAKEE. . | 2,064 | 34 | -- | 2 | 7 | 3 | 4 | 6 | 12 | -- | 52 | 33 | 4 | 15 |
| KENDALL . . | 463 | 10 | -- | 1 | 1 | 2 | 1 | -- | 5 | -- | 14 | 7 | -- | 7 |
| KNOX. . . . | 1,089 | 16 | 1 | 1 | 2 | 3 | 3 | 1 | 5 | -- | 15 | 13 | 1 | 1 |
| LAKE. . . . | 7,260 | 72 | 1 | 9 | 9 | 9 | 17 | 9 | 18 | -- | 153 | 120 | 4 | 29 |
| LA SALLE. . | 2,349 | 40 | -- | 5 | 5 | 5 | 6 | 9 | 10 | -- | 51 | 30 | 5 | 16 |

TABLE 4. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

| COUNTY | TOTAL LIVE BIRTHS | STILLBIRTHS | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | GESTATION IN WEEKS | | | | | | | | TOTAL | AGE | | |
| | | TOTAL | LESS THAN 20 | 20-23 | 24-27 | 28-31 | 32-35 | 36-39 | 40 AND OVER | NOT STATED | | LESS THAN 7 DA. | 7-28 DA. | 1-11 MONTHS |
| LAWRENCE. . | 325 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | 4 | 3 | 1 | -- |
| LEE . . . . | 763 | 18 | 6 | 4 | -- | 1 | 1 | -- | 6 | -- | 20 | 12 | 2 | 6 |
| LIVINGSTON. | 803 | 10 | -- | -- | 1 | -- | 1 | 5 | 2 | 1 | 15 | 11 | 1 | 3 |
| LOGAN . . . | 615 | 6 | -- | -- | -- | -- | 1 | 3 | 2 | -- | 14 | 8 | 2 | 4 |
| MC DONOUGH. | 539 | 10 | -- | 3 | 3 | -- | 2 | -- | 2 | -- | 8 | 3 | -- | 5 |
| MC HENRY. . | 2,105 | 22 | 2 | 4 | 3 | 2 | 3 | 2 | 6 | -- | 48 | 29 | 5 | 14 |
| MC LEAN . . | 1,832 | 19 | 1 | 2 | 1 | 3 | 3 | 4 | 5 | -- | 38 | 28 | 3 | 7 |
| MACON . . . | 2,487 | 20 | 2 | 4 | 2 | 2 | 3 | 2 | 5 | -- | 60 | 44 | 4 | 12 |
| MACOUPIN. . | 811 | 19 | -- | 4 | 2 | 1 | -- | 8 | 4 | -- | 18 | 11 | 3 | 4 |
| MADISON . . | 5,109 | 69 | -- | 8 | 4 | 5 | 5 | 21 | 25 | 1 | 120 | 87 | 5 | 28 |
| MARION. . . | 750 | 13 | -- | 2 | 1 | -- | -- | 2 | 8 | -- | 15 | 9 | 2 | 4 |
| MARSHALL. . | 253 | 4 | -- | 2 | 1 | -- | -- | -- | 1 | -- | 6 | 4 | 1 | 1 |
| MASON . . . | 272 | 6 | -- | 1 | -- | -- | 2 | -- | 3 | -- | 2 | 1 | 1 | -- |
| MASSAC. . . | 247 | 4 | -- | 2 | -- | 1 | -- | 1 | -- | -- | 10 | 4 | 2 | 4 |
| MENARD. . . | 176 | 3 | -- | 2 | -- | -- | -- | 1 | -- | -- | 4 | 3 | -- | 1 |
| MERCER. . . | 318 | 8 | -- | 3 | 2 | -- | 2 | 1 | -- | -- | 1 | 1 | -- | -- |
| MONROE. . . | 360 | 6 | -- | -- | 1 | -- | 2 | 1 | 2 | -- | 7 | 5 | -- | 2 |
| MONTGOMERY. | 560 | 6 | -- | -- | -- | -- | -- | 1 | 5 | -- | 9 | 2 | -- | 7 |
| MORGAN. . . | 640 | 8 | 1 | 1 | 1 | 1 | -- | 2 | 2 | -- | 13 | 11 | 1 | 1 |
| MOULTRIE. . | 248 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 6 | 6 | -- | -- |
| OGLE. . . . | 824 | 6 | -- | -- | -- | 2 | 1 | 2 | 1 | -- | 22 | 12 | 3 | 7 |
| PEORIA. . . | 4,284 | 55 | -- | 2 | 7 | 6 | 6 | 11 | 23 | -- | 97 | 69 | 4 | 24 |
| PERRY . . . | 348 | 6 | 1 | 1 | -- | 1 | -- | 2 | 1 | -- | 8 | 4 | -- | 4 |
| PIATT . . . | 280 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | 5 | 4 | -- | 1 |
| PIKE. . . . | 345 | 6 | -- | 1 | -- | 1 | 1 | 1 | 2 | -- | 9 | 6 | -- | 3 |
| POPE. . . . | 43 | 1 | -- | -- | -- | 1 | -- | -- | -- | -- | 1 | -- | -- | 1 |
| PULASKI . . | 226 | 6 | -- | -- | -- | 1 | 2 | 1 | 2 | -- | 5 | 4 | -- | 1 |
| PUTNAM. . . | 84 | 4 | -- | -- | 1 | 1 | -- | 1 | 1 | -- | 5 | 3 | -- | 2 |
| RANDOLPH. . | 543 | 9 | -- | -- | 2 | 1 | 1 | 4 | -- | 1 | 15 | 9 | 3 | 3 |
| RICHLAND. . | 347 | 5 | -- | -- | 1 | 1 | 1 | -- | 2 | -- | 8 | 4 | 1 | 3 |
| ROCK ISLAND | 3,259 | 55 | 2 | 3 | 6 | 6 | 9 | 8 | 21 | -- | 99 | 74 | 5 | 20 |
| ST CLAIR. . | 6,374 | 73 | 1 | 9 | 11 | 10 | 9 | 17 | 16 | -- | 177 | 122 | 12 | 43 |
| SALINE. . . | 413 | 3 | -- | -- | -- | 1 | -- | -- | 2 | -- | 7 | 4 | -- | 3 |
| SANGAMON. . | 3,422 | 46 | 2 | 5 | 6 | 5 | 2 | 8 | 18 | -- | 79 | 59 | 4 | 16 |
| SCHUYLER. . | 157 | 2 | -- | -- | 1 | -- | -- | -- | 1 | -- | 2 | 1 | -- | 1 |
| SCOTT . . . | 114 | 4 | -- | 1 | -- | -- | -- | 2 | 1 | -- | 3 | 3 | -- | -- |
| SHELBY. . . | 433 | 5 | -- | 1 | -- | -- | 3 | -- | 1 | -- | 6 | 5 | -- | 1 |
| STARK . . . | 155 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 4 | 4 | -- | -- |
| STEPHENSON. | 1,009 | 12 | 1 | -- | 3 | 1 | 1 | 1 | 5 | -- | 22 | 13 | 2 | 7 |
| TAZEWELL. . | 2,366 | 24 | 1 | 2 | 3 | 2 | 1 | 6 | 9 | -- | 41 | 22 | 2 | 17 |
| UNION . . . | 265 | 8 | -- | 1 | 1 | -- | 2 | 1 | 2 | 1 | 8 | 6 | 1 | 1 |
| VERMILION . | 1,994 | 31 | -- | 2 | 1 | 3 | 6 | 9 | 10 | -- | 48 | 33 | 4 | 11 |
| WABASH. . . | 286 | 7 | 1 | -- | -- | 1 | 1 | 1 | 3 | -- | 3 | 3 | -- | -- |
| WARREN. . . | 419 | 5 | -- | -- | -- | 1 | -- | 1 | 3 | -- | 11 | 9 | 1 | 1 |
| WASHINGTON. | 228 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 5 | 4 | -- | 1 |
| WAYNE . . . | 293 | 2 | -- | 1 | -- | 1 | -- | -- | -- | -- | 2 | 1 | -- | 1 |
| WHITE . . . | 293 | 2 | -- | -- | -- | -- | 1 | 1 | -- | -- | 3 | 2 | -- | 1 |
| WHITESIDE . | 1,431 | 18 | -- | 1 | 1 | 2 | 2 | 6 | 6 | -- | 33 | 25 | 1 | 7 |
| WILL. . . . | 4,980 | 46 | -- | 5 | 4 | 5 | 6 | 11 | 15 | -- | 96 | 62 | 8 | 26 |
| WILLIAMSON. | 842 | 9 | -- | 2 | 1 | 2 | -- | 1 | 3 | -- | 26 | 15 | 2 | 9 |
| WINNEBAGO . | 5,269 | 61 | -- | 5 | 4 | 5 | 9 | 11 | 24 | 3 | 117 | 89 | 7 | 21 |
| WOODFORD. . | 528 | 5 | -- | -- | -- | -- | 1 | -- | 4 | -- | 9 | 7 | 2 | -- |
| UNSPECIFIED | 2 | 19 | 1 | 8 | 3 | 3 | -- | 2 | 1 | 1 | 4 | 4 | -- | -- |

TABLE 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962

| CITY | TOTAL LIVE BIRTHS | STILLBIRTHS | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | GESTATION IN WEEKS | | | | | | | | TOTAL | AGE | | |
| | | TOTAL | LESS THAN 20 | 20-23 | 24-27 | 28-31 | 32-35 | 36-39 | 40 AND OVER | NOT STATED | | LESS THAN 7 DA. | 7-28 DA. | 1-11 MONTHS |
| ALTON | 975 | 12 | -- | 1 | -- | -- | -- | 5 | 6 | -- | 29 | 22 | 1 | 6 |
| ARLINGTON HEIGHTS | 875 | 8 | -- | -- | -- | 1 | 1 | 2 | 4 | -- | 16 | 13 | 1 | 2 |
| AURORA | 1,760 | 28 | -- | 2 | 2 | 4 | 4 | 4 | 11 | 1 | 56 | 36 | 2 | 18 |
| BELLEVILLE | 816 | 7 | -- | 2 | -- | 2 | -- | 1 | 2 | -- | 18 | 16 | 1 | 1 |
| BELLWOOD | 521 | 8 | -- | 1 | 1 | 1 | 2 | 1 | 2 | -- | 18 | 10 | -- | 8 |
| BELVIDERE | 248 | 6 | 2 | 1 | -- | -- | 1 | 1 | 1 | -- | 7 | 6 | -- | 1 |
| BERWYN | 949 | 7 | -- | 1 | -- | 1 | 1 | 2 | 2 | -- | 23 | 18 | 1 | 4 |
| BLOOMINGTON | 869 | 8 | 1 | 1 | -- | 2 | 2 | 1 | 1 | -- | 21 | 16 | 2 | 3 |
| BLUE ISLAND | 561 | 6 | -- | -- | -- | 1 | -- | 3 | 2 | -- | 16 | 13 | 1 | 2 |
| BROOKFIELD | 381 | 2 | -- | -- | 1 | -- | -- | -- | 1 | -- | 9 | 5 | 1 | 3 |
| CAHOKIA | 448 | 3 | -- | -- | -- | -- | -- | 1 | 2 | -- | 8 | 7 | -- | 1 |
| CALUMET CITY | 631 | 3 | -- | -- | -- | -- | -- | 2 | 1 | -- | 18 | 13 | 2 | 3 |
| CANTON | 246 | 3 | 1 | -- | -- | -- | -- | 1 | 1 | -- | 2 | 2 | -- | -- |
| CARBONDALE | 323 | 2 | -- | -- | -- | 1 | -- | -- | 1 | -- | 7 | 3 | -- | 4 |
| CARPENTERSVILLE | 501 | 8 | -- | -- | 1 | 1 | -- | 2 | 4 | -- | 19 | 15 | 1 | 3 |
| CENTRALIA | 291 | 5 | -- | -- | -- | -- | -- | -- | 5 | -- | 7 | 4 | 1 | 2 |
| CENTREVILLE | 268 | 3 | -- | -- | -- | 1 | 1 | 1 | -- | -- | 17 | 8 | 2 | 7 |
| CHAMPAIGN | 1,227 | 11 | -- | -- | 2 | 3 | 1 | -- | 5 | -- | 23 | 17 | 2 | 4 |
| CHARLESTON | 240 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 4 | 4 | -- | -- |
| CHICAGO | 84,333 | 1,473 | 4 | 166 | 178 | 184 | 203 | 289 | 449 | -- | 2,332 | 1,471 | 172 | 689 |
| CHICAGO HEIGHTS | 1,185 | 19 | -- | 5 | 3 | 3 | 3 | 2 | 3 | -- | 28 | 19 | 2 | 7 |
| CICERO | 1,326 | 17 | 1 | 1 | 3 | -- | 2 | 3 | 7 | -- | 38 | 26 | 4 | 8 |
| COLLINSVILLE | 327 | 4 | -- | 1 | -- | -- | -- | 3 | -- | -- | 6 | 4 | -- | 2 |
| DANVILLE | 943 | 16 | -- | 1 | -- | 1 | 4 | 3 | 7 | -- | 36 | 27 | 2 | 7 |
| DE KALB | 401 | 5 | -- | -- | -- | -- | 1 | 2 | 2 | -- | 5 | 1 | -- | 4 |
| DECATUR | 1,767 | 17 | 1 | 4 | 2 | 2 | 3 | 1 | 4 | -- | 44 | 32 | 3 | 9 |
| DEERFIELD | 295 | 1 | -- | -- | -- | -- | -- | -- | 1 | -- | 4 | 2 | -- | 2 |
| DES PLAINES | 1,227 | 16 | -- | 2 | -- | -- | 2 | 4 | 8 | -- | 25 | 15 | 1 | 9 |
| DIXON | 334 | 9 | 5 | 2 | -- | -- | -- | -- | 2 | -- | 11 | 6 | 1 | 4 |
| DOLTON | 498 | 6 | -- | 2 | -- | 1 | 1 | 1 | 1 | -- | 9 | 7 | -- | 2 |
| DOWNERS GROVE | 502 | 5 | -- | -- | -- | -- | -- | 3 | 2 | -- | 8 | 7 | -- | 1 |
| EAST MOLINE | 377 | 7 | -- | -- | 1 | 1 | -- | -- | 5 | -- | 17 | 13 | 1 | 3 |
| EAST PEORIA | 323 | 1 | -- | -- | 1 | -- | -- | -- | -- | -- | 1 | 1 | -- | -- |
| EAST ST. LOUIS | 2,329 | 26 | -- | 3 | 8 | 2 | 2 | 4 | 7 | -- | 78 | 52 | 6 | 20 |
| EDWARDSVILLE | 232 | 2 | -- | -- | -- | -- | 1 | 1 | -- | -- | 5 | 2 | 2 | 1 |
| ELGIN | 1,103 | 12 | -- | 1 | 3 | 1 | -- | 6 | 1 | -- | 23 | 19 | 2 | 2 |
| ELK GROVE | 521 | 9 | -- | -- | 2 | -- | 2 | 3 | 2 | -- | 8 | 5 | -- | 3 |
| ELMHURST | 678 | 6 | -- | -- | -- | 3 | 1 | 1 | 1 | -- | 15 | 9 | 4 | 2 |
| ELMWOOD PARK | 496 | 6 | -- | 1 | 2 | -- | 1 | 1 | 1 | -- | 15 | 10 | 2 | 3 |
| EVANSTON | 1,757 | 17 | -- | -- | 3 | -- | 2 | 9 | 2 | 1 | 33 | 24 | 3 | 6 |
| EVERGREEN PARK | 410 | 1 | -- | 1 | -- | -- | -- | -- | -- | -- | 10 | 6 | -- | 4 |
| FOREST PARK | 328 | 3 | -- | -- | -- | -- | 1 | -- | 2 | -- | 12 | 11 | -- | 1 |
| FRANKLIN PARK | 460 | 7 | -- | -- | 1 | -- | 2 | 2 | 2 | -- | 13 | 10 | 1 | 2 |
| FREEPORT | 599 | 9 | 1 | -- | 1 | 1 | 1 | 1 | 4 | -- | 10 | 6 | 1 | 3 |
| GALESBURG | 668 | 12 | -- | 1 | 1 | 2 | 2 | 1 | 5 | -- | 11 | 10 | 1 | -- |
| GLEN ELLYN | 465 | 5 | -- | -- | -- | 1 | 1 | 1 | 2 | -- | 11 | 9 | -- | 2 |
| GLENCOE | 94 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 1 | 1 | -- | -- |
| GLENVIEW | 569 | 3 | -- | 1 | -- | -- | -- | 2 | -- | -- | 13 | 9 | -- | 4 |
| GRANITE CITY | 964 | 17 | -- | 2 | 2 | 3 | 2 | 2 | 6 | -- | 28 | 25 | -- | 3 |
| HARVEY | 952 | 16 | -- | 1 | 2 | -- | 5 | 1 | 7 | -- | 24 | 17 | 2 | 5 |
| HIGHLAND PARK | 426 | 5 | 1 | -- | 1 | 1 | -- | 1 | 1 | -- | 8 | 6 | -- | 2 |
| HINSDALE | 219 | 3 | -- | -- | 1 | -- | -- | 2 | -- | -- | 3 | 1 | -- | 2 |
| HOMEWOOD | 219 | 4 | 1 | -- | 1 | -- | 1 | -- | 1 | -- | 2 | 1 | 1 | -- |
| JACKSONVILLE | 377 | 6 | 1 | 1 | -- | 1 | -- | 1 | 2 | -- | 9 | 7 | 1 | 1 |
| JOLIET | 1,671 | 16 | -- | 1 | -- | -- | 6 | 5 | 4 | -- | 36 | 22 | 5 | 9 |
| KANKAKEE | 680 | 7 | -- | 1 | 1 | 1 | -- | 2 | 2 | -- | 21 | 15 | -- | 6 |
| KEWANEE | 307 | 6 | -- | -- | 1 | 1 | -- | 1 | 3 | -- | 9 | 7 | 1 | 1 |
| LA GRANGE | 311 | 4 | -- | 2 | 2 | -- | -- | -- | -- | -- | 9 | 4 | 1 | 4 |
| LA GRANGE PARK | 208 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | 4 | 2 | -- | 2 |
| LA SALLE | 195 | 5 | -- | 2 | 1 | 1 | -- | -- | 1 | -- | 8 | 4 | 1 | 3 |

TABLE 5. -- LIVE BIRTHS, STILLBIRTHS BY GESTATION, AND INFANT DEATHS BY AGE AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962--CONTINUED

| CITY | TOTAL LIVE BIRTHS | STILLBIRTHS | | | | | | | | INFANT DEATHS | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | GESTATION IN WEEKS | | | | | | | | TOTAL | AGE | | |
| | | TOTAL | LESS THAN 20 | 20-23 | 24-27 | 28-31 | 32-35 | 36-39 | 40 AND OVER | NOT STATED | | LESS THAN 7 DA. | 7-28 DA. | 1-11 MONTHS |
| LAKE FOREST | 191 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 7 | 7 | -- | -- |
| LANSING | 405 | 2 | -- | 1 | -- | -- | -- | -- | 1 | -- | 11 | 7 | 1 | 3 |
| LINCOLN | 320 | 5 | -- | -- | -- | -- | 1 | 3 | 1 | -- | 9 | 4 | 2 | 3 |
| LINCOLNWOOD | 100 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- |
| LOMBARD | 677 | 6 | -- | -- | -- | 1 | 1 | 2 | 2 | -- | 11 | 11 | -- | -- |
| MACOMB | 231 | 4 | -- | 1 | 1 | -- | 2 | -- | -- | -- | 1 | -- | -- | 1 |
| MARION | 220 | 3 | -- | -- | 1 | -- | -- | -- | 2 | -- | 5 | 3 | 1 | 1 |
| MARKHAM | 335 | 11 | -- | 1 | 1 | 2 | 1 | 1 | 5 | -- | 7 | 4 | -- | 3 |
| MATTOON | 330 | 7 | -- | -- | 1 | -- | 1 | -- | 5 | -- | 8 | 6 | 1 | 1 |
| MAYWOOD | 653 | 13 | 1 | 2 | 1 | 1 | 1 | 2 | 5 | -- | 14 | 10 | -- | 4 |
| MELROSE PARK | 877 | 11 | -- | 1 | 2 | 1 | -- | 2 | 5 | -- | 16 | 11 | -- | 5 |
| MOLINE | 950 | 16 | 1 | -- | 2 | 3 | 4 | 4 | 2 | -- | 26 | 21 | 2 | 3 |
| MONMOUTH | 229 | 5 | -- | -- | -- | 1 | -- | 1 | 3 | -- | 8 | 6 | 1 | 1 |
| MORTON GROVE | 419 | 3 | -- | -- | -- | 1 | -- | 1 | 1 | -- | 7 | 5 | -- | 2 |
| MOUNT PROSPECT | 578 | 5 | -- | -- | -- | -- | 2 | 2 | 1 | -- | 17 | 15 | 1 | 1 |
| MOUNT VERNON | 328 | 8 | -- | 1 | 4 | -- | -- | 1 | 2 | -- | 14 | 11 | 1 | 2 |
| MUNDELEIN | 352 | 4 | -- | 1 | 2 | -- | -- | -- | 1 | -- | 7 | 6 | 1 | -- |
| NAPERVILLE | 329 | 4 | -- | -- | -- | -- | 2 | -- | 2 | -- | 9 | 6 | 1 | 2 |
| NILES | 609 | 7 | -- | 1 | 1 | -- | -- | 2 | 3 | -- | 7 | 6 | -- | 1 |
| NORMAL | 252 | 4 | -- | 1 | -- | -- | -- | 1 | 2 | -- | 4 | 4 | -- | -- |
| NORRIDGE | 274 | 3 | -- | -- | -- | -- | -- | 1 | 2 | -- | 3 | 3 | -- | -- |
| NORTH CHICAGO | 466 | 11 | -- | 1 | 1 | 1 | 3 | 3 | 2 | -- | 11 | 9 | -- | 2 |
| NORTH LAKE | 216 | 1 | -- | -- | -- | -- | -- | 1 | -- | -- | 5 | 4 | -- | 1 |
| NORTHBROOK | 363 | 5 | -- | -- | -- | 2 | -- | 2 | 1 | -- | 7 | 4 | -- | 3 |
| OAK LAWN | 1,397 | 22 | -- | 4 | 3 | -- | 1 | 6 | 8 | -- | 29 | 22 | -- | 7 |
| OAK PARK | 1,044 | 13 | 1 | -- | 1 | 2 | 1 | 1 | 7 | -- | 20 | 16 | 1 | 3 |
| OTTAWA | 477 | 10 | -- | 1 | 1 | 3 | -- | 2 | 3 | -- | 6 | 5 | -- | 1 |
| PALATINE | 408 | 3 | -- | 1 | 1 | -- | -- | 1 | -- | -- | 6 | 6 | -- | -- |
| PARK FOREST | 829 | 12 | -- | 3 | 3 | 1 | 2 | 2 | 1 | -- | 16 | 8 | 3 | 5 |
| PARK RIDGE | 561 | 6 | -- | -- | 1 | 1 | 2 | 1 | 1 | -- | 6 | 5 | 1 | -- |
| PEKIN | 729 | 12 | 1 | -- | 2 | 2 | 1 | 2 | 4 | -- | 18 | 11 | 1 | 6 |
| PEORIA | 2,284 | 32 | -- | -- | 3 | 3 | 4 | 9 | 13 | -- | 64 | 49 | 1 | 14 |
| PERU | 191 | 4 | -- | -- | -- | -- | -- | 1 | 3 | -- | 4 | 4 | -- | -- |
| QUINCY | 920 | 9 | 1 | 2 | 1 | -- | 1 | 2 | 2 | -- | 16 | 14 | 2 | -- |
| RANTOUL | 131 | 8 | -- | 1 | -- | 1 | 3 | 2 | 1 | -- | 16 | 8 | 4 | 4 |
| RIVER FOREST | 142 | 1 | -- | -- | -- | -- | 1 | -- | -- | -- | -- | -- | -- | -- |
| RIVERDALE | 251 | 3 | -- | 1 | 1 | 1 | -- | -- | -- | -- | 8 | 4 | -- | 4 |
| ROCK FALLS | 316 | 3 | -- | -- | -- | 1 | -- | 1 | 1 | -- | 9 | 7 | 1 | 1 |
| ROCK ISLAND | 1,025 | 10 | -- | 2 | 1 | -- | 3 | 1 | 3 | -- | 34 | 25 | 2 | 7 |
| ROCKFORD | 3,157 | 37 | -- | 4 | 1 | 4 | 5 | 6 | 15 | 2 | 75 | 63 | 3 | 9 |
| ROLLING MEADOWS | 371 | 2 | -- | -- | -- | -- | -- | 1 | 1 | -- | 7 | 5 | -- | 2 |
| SKOKIE | 1,108 | 15 | -- | 2 | 1 | 3 | 1 | 5 | 3 | -- | 13 | 9 | -- | 4 |
| SOUTH HOLLAND | 290 | 5 | -- | -- | -- | -- | -- | 2 | 3 | -- | 7 | 5 | -- | 2 |
| SPRINGFIELD | 1,981 | 31 | 2 | 3 | 5 | 3 | 2 | 6 | 10 | -- | 63 | 48 | 4 | 11 |
| STERLING | 397 | 2 | -- | -- | -- | -- | 1 | -- | 1 | -- | 11 | 8 | -- | 3 |
| STREATOR | 432 | 5 | -- | -- | 1 | -- | 2 | 2 | -- | -- | 9 | 3 | 3 | 3 |
| SUMMIT | 334 | 2 | -- | 1 | -- | -- | -- | -- | 1 | -- | 11 | 6 | -- | 5 |
| URBANA | 717 | 9 | -- | 2 | 1 | -- | -- | 2 | 4 | -- | 5 | 5 | -- | -- |
| VILLA PARK | 621 | 13 | -- | -- | 1 | 1 | 3 | 4 | 4 | -- | 12 | 6 | 1 | 5 |
| WAUKEGAN | 1,703 | 16 | -- | 3 | 1 | 2 | 3 | 3 | 4 | -- | 38 | 29 | -- | 9 |
| WESTCHESTER | 260 | 9 | -- | 1 | 2 | 1 | 3 | 1 | 1 | -- | 4 | 3 | 1 | -- |
| WESTERN SPRINGS | 145 | 4 | -- | 2 | -- | -- | 2 | -- | -- | -- | -- | -- | -- | -- |
| WHEATON | 484 | 2 | -- | -- | -- | -- | -- | -- | 2 | -- | 8 | 6 | -- | 2 |
| WILMETTE | 418 | 8 | -- | -- | -- | -- | 2 | 2 | 4 | -- | 3 | 1 | -- | 2 |
| WINNETKA | 172 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 2 | -- | -- | 2 |
| WOOD RIVER | 263 | 5 | -- | -- | -- | -- | 1 | 1 | 3 | -- | 8 | 4 | 1 | 3 |
| ZION | 421 | 10 | -- | -- | 1 | 2 | 2 | 2 | 3 | -- | 11 | 10 | -- | 1 |

TABLE 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962

| COUNTY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE[1] BIRTHS | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7 TO 28 DAYS | | 1 TO 11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NUMBER | RATE[3] | NUMBER | RATE[3] | NUMBER | RATE[3] | |
| ILLINOIS. | 230,484 | 17,898 | 7.77 | 226,505 | 98.27 | 3,689 | 16.0 | 372 | 1.6 | 1,466 | 6.4 | 70 |
| ADAMS . . . | 1,423 | 83 | 5.83 | 1,419 | 99.72 | 22 | 15.5 | 3 | 2.1 | 4 | 2.8 | -- |
| ALEXANDER . | 357 | 37 | 10.36 | 317 | 88.80 | 13 | 36.4 | 1 | 2.8 | 7 | 19.6 | 1 |
| BOND. . . . | 227 | 12 | 5.29 | 227 | 100.00 | 1 | 4.4 | -- | -0- | 1 | 4.4 | -- |
| BOONE . . . | 434 | 27 | 6.22 | 433 | 99.77 | 8 | 18.4 | -- | -0- | 1 | 2.3 | -- |
| BROWN . . . | 106 | 5 | 4.72 | 106 | 100.00 | 3 | 28.3 | -- | -0- | -- | -0- | -- |
| BUREAU. . . | 696 | 54 | 7.76 | 692 | 99.43 | 9 | 12.9 | -- | -0- | 5 | 7.2 | -- |
| CALHOUN . . | 111 | 5 | 4.50 | 105 | 94.59 | 2 | 18.0 | -- | -0- | -- | -0- | -- |
| CARROLL . . | 369 | 26 | 7.05 | 367 | 99.46 | 6 | 16.3 | 1 | 2.7 | 4 | 10.8 | -- |
| CASS. . . . | 277 | 15 | 5.42 | 277 | 100.00 | 2 | 7.2 | 1 | 3.6 | 3 | 10.8 | -- |
| CHAMPAIGN . | 2,756 | 171 | 6.20 | 2,749 | 99.75 | 35 | 12.7 | 8 | 2.9 | 13 | 4.7 | -- |
| CHRISTIAN . | 726 | 41 | 5.65 | 724 | 99.72 | 13 | 17.9 | 4 | 5.5 | 3 | 4.1 | -- |
| CLARK . . . | 299 | 16 | 5.35 | 294 | 98.33 | 5 | 16.7 | 1 | 3.3 | -- | -0- | -- |
| CLAY. . . . | 250 | 8 | 3.20 | 244 | 97.60 | 1 | 4.0 | -- | -0- | -- | -0- | -- |
| CLINTON . . | 602 | 26 | 4.32 | 601 | 99.83 | 8 | 13.3 | -- | -0- | 1 | 1.7 | -- |
| COLES . . . | 831 | 56 | 6.74 | 829 | 99.76 | 14 | 16.8 | 2 | 2.4 | 4 | 4.8 | -- |
| COOK. . . . | 122,083 | 10,553 | 8.64 | 118,590 | 97.14 | 2,007 | 16.4 | 212 | 1.7 | 895 | 7.3 | 35 |
| CRAWFORD. . | 348 | 23 | 6.61 | 346 | 99.43 | 3 | 8.6 | 1 | 2.9 | 1 | 2.9 | -- |
| CUMBERLAND. | 217 | 16 | 7.37 | 216 | 99.54 | 6 | 27.6 | -- | -0- | 1 | 4.6 | -- |
| DE KALB . . | 1,183 | 56 | 4.73 | 1,181 | 99.83 | 10 | 8.5 | -- | -0- | 9 | 7.6 | -- |
| DE WITT . . | 345 | 26 | 7.54 | 343 | 99.42 | 9 | 26.1 | -- | -0- | 1 | 2.9 | -- |
| DOUGLAS . . | 363 | 26 | 7.16 | 362 | 99.72 | 7 | 19.3 | -- | -0- | -- | -0- | -- |
| DU PAGE . . | 7,577 | 461 | 6.08 | 7,549 | 99.63 | 96 | 12.7 | 12 | 1.6 | 31 | 4.1 | 3 |
| EDGAR . . . | 375 | 18 | 4.80 | 375 | 100.00 | 7 | 18.7 | -- | -0- | 6 | 16.0 | -- |
| EDWARDS . . | 131 | 6 | 4.58 | 131 | 100.00 | 4 | 30.5 | -- | -0- | -- | -0- | -- |
| EFFINGHAM . | 594 | 37 | 6.23 | 594 | 100.00 | 8 | 13.5 | 1 | 1.7 | 4 | 6.7 | -- |
| FAYETTE . . | 385 | 29 | 7.53 | 385 | 100.00 | 6 | 15.6 | -- | -0- | 1 | 2.6 | -- |
| FORD. . . . | 319 | 17 | 5.33 | 319 | 100.00 | 7 | 21.9 | -- | -0- | 2 | 6.3 | -- |
| FRANKLIN. . | 590 | 36 | 6.10 | 586 | 99.32 | 4 | 6.8 | 3 | 5.1 | 5 | 8.5 | -- |
| FULTON. . . | 768 | 30 | 3.91 | 767 | 99.87 | 8 | 10.4 | -- | -0- | -- | -0- | 1 |
| GALLATIN. . | 131 | 7 | 5.34 | 127 | 96.95 | 3 | 22.9 | -- | -0- | 1 | 7.6 | -- |
| GREENE. . . | 330 | 19 | 5.76 | 329 | 99.70 | 2 | 6.1 | -- | -0- | 1 | 3.0 | -- |
| GRUNDY. . . | 513 | 29 | 5.65 | 510 | 99.42 | 8 | 15.6 | -- | -0- | -- | -0- | -- |
| HAMILTON. . | 158 | 15 | 9.49 | 157 | 99.37 | 4 | 25.3 | -- | -0- | 2 | 12.7 | -- |
| HANCOCK . . | 392 | 19 | 4.85 | 391 | 99.74 | 11 | 28.1 | -- | -0- | -- | -0- | -- |
| HARDIN. . . | 104 | 8 | 7.69 | 103 | 99.04 | 2 | 19.2 | -- | -0- | 1 | 9.6 | -- |
| HENDERSON . | 171 | 6 | 3.51 | 171 | 100.00 | -- | -0- | -- | -0- | 1 | 5.8 | -- |
| HENRY . . . | 1,004 | 73 | 7.27 | 1,001 | 99.70 | 24 | 23.9 | 1 | 1.0 | 5 | 5.0 | -- |
| IROQUOIS. . | 668 | 32 | 4.79 | 667 | 99.85 | 7 | 10.5 | 1 | 1.5 | 3 | 4.5 | 1 |
| JACKSON . . | 940 | 48 | 5.11 | 938 | 99.79 | 10 | 10.6 | 1 | 1.1 | 7 | 7.4 | 1 |
| JASPER. . . | 242 | 18 | 7.44 | 242 | 100.00 | 5 | 20.7 | -- | -0- | -- | -0- | -- |
| JEFFERSON . | 605 | 56 | 9.26 | 605 | 100.00 | 17 | 28.1 | 1 | 1.7 | 2 | 3.3 | -- |
| JERSEY. . . | 393 | 33 | 8.40 | 389 | 98.98 | 5 | 12.7 | 1 | 2.5 | 1 | 2.5 | -- |
| JO DAVIESS. | 514 | 24 | 4.67 | 511 | 99.42 | 4 | 7.8 | 1 | 1.9 | 4 | 7.8 | -- |
| JOHNSON . . | 124 | 9 | 7.26 | 124 | 100.00 | 5 | 40.3 | -- | -0- | 1 | 8.1 | -- |
| KANE. . . . | 5,159 | 350 | 6.78 | 5,148 | 99.79 | 91 | 17.6 | 7 | 1.4 | 28 | 5.4 | -- |
| KANKAKEE. . | 2,064 | 189 | 9.16 | 2,055 | 99.56 | 33 | 16.0 | 4 | 1.9 | 15 | 7.3 | 3 |
| KENDALL . . | 463 | 28 | 6.05 | 461 | 99.57 | 7 | 15.1 | -- | -0- | 7 | 15.1 | -- |
| KNOX. . . . | 1,089 | 52 | 4.78 | 1,085 | 99.63 | 13 | 11.9 | 1 | 0.9 | 1 | 0.9 | 1 |
| LAKE. . . . | 7,260 | 548 | 7.55 | 7,226 | 99.53 | 120 | 16.5 | 4 | 0.6 | 29 | 4.0 | 2 |
| LA SALLE. . | 2,349 | 153 | 6.51 | 2,343 | 99.74 | 30 | 12.8 | 5 | 2.1 | 16 | 6.8 | -- |

[1]PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2]NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
[3]RATES PER 1,000 LIVE BIRTHS.

TABLE 6. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

| COUNTY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE[1] BIRTHS | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7 TO 28 DAYS | | 1 TO 11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NUMBER | RATE[3] | NUMBER | RATE[3] | NUMBER | RATE[3] | |
| LAWRENCE. . | 325 | 29 | 8.92 | 324 | 99.69 | 3 | 9.2 | 1 | 3.1 | -- | -0- | -- |
| LEE . . . . | 763 | 45 | 5.90 | 763 | 100.00 | 12 | 15.7 | 2 | 2.6 | 6 | 7.9 | -- |
| LIVINGSTON. | 803 | 53 | 6.60 | 800 | 99.63 | 11 | 13.7 | 1 | 1.2 | 3 | 3.7 | 1 |
| LOGAN . . . | 615 | 29 | 4.72 | 615 | 100.00 | 8 | 13.0 | 2 | 3.3 | 4 | 6.5 | -- |
| MC DONOUGH. | 539 | 25 | 4.64 | 536 | 99.44 | 3 | 5.6 | -- | -0- | 5 | 9.3 | -- |
| MC HENRY. . | 2,105 | 131 | 6.22 | 2,098 | 99.67 | 29 | 13.8 | 5 | 2.4 | 14 | 6.7 | 1 |
| MC LEAN . . | 1,832 | 106 | 5.79 | 1,827 | 99.73 | 28 | 15.3 | 3 | 1.6 | 7 | 3.8 | -- |
| MACON . . . | 2,487 | 185 | 7.44 | 2,479 | 99.68 | 44 | 17.7 | 4 | 1.6 | 12 | 4.8 | -- |
| MACOUPIN. . | 811 | 45 | 5.55 | 807 | 99.51 | 11 | 13.6 | 3 | 3.7 | 4 | 4.9 | -- |
| MADISON . . | 5,109 | 396 | 7.75 | 5,073 | 99.30 | 87 | 17.0 | 5 | 1.0 | 28 | 5.5 | 4 |
| MARION. . . | 750 | 41 | 5.47 | 748 | 99.73 | 9 | 12.0 | 2 | 2.7 | 4 | 5.3 | 1 |
| MARSHALL. . | 253 | 13 | 5.14 | 251 | 99.21 | 4 | 15.8 | 1 | 4.0 | 1 | 4.0 | 1 |
| MASON . . . | 272 | 17 | 6.25 | 271 | 99.63 | 1 | 3.7 | 1 | 3.7 | -- | -0- | -- |
| MASSAC. . . | 247 | 14 | 5.67 | 245 | 99.19 | 4 | 16.2 | 2 | 8.1 | 4 | 16.2 | -- |
| MENARD. . . | 176 | 15 | 8.52 | 175 | 99.43 | 3 | 17.0 | -- | -0- | 1 | 5.7 | -- |
| MERCER. . . | 318 | 12 | 3.77 | 317 | 99.69 | 1 | 3.1 | -- | -0- | -- | -0- | -- |
| MONROE. . . | 360 | 30 | 8.33 | 359 | 99.72 | 5 | 13.9 | -- | -0- | 2 | 5.6 | -- |
| MONTGOMERY. | 560 | 29 | 5.18 | 555 | 99.11 | 2 | 3.6 | -- | -0- | 7 | 12.5 | -- |
| MORGAN. . . | 640 | 42 | 6.56 | 636 | 99.38 | 11 | 17.2 | 1 | 1.6 | 1 | 1.6 | -- |
| MOULTRIE. . | 248 | 15 | 6.05 | 242 | 97.58 | 6 | 24.2 | -- | -0- | -- | -0- | -- |
| OGLE. . . . | 824 | 46 | 5.58 | 821 | 99.64 | 12 | 14.6 | 3 | 3.6 | 7 | 8.5 | -- |
| PEORIA. . . | 4,284 | 308 | 7.19 | 4,271 | 99.70 | 69 | 16.1 | 4 | 0.9 | 24 | 5.6 | 3 |
| PERRY . . . | 348 | 16 | 4.60 | 347 | 99.71 | 4 | 11.5 | -- | -0- | 4 | 11.5 | -- |
| PIATT . . . | 280 | 17 | 6.07 | 280 | 100.00 | 4 | 14.3 | -- | -0- | 1 | 3.6 | -- |
| PIKE. . . . | 345 | 24 | 6.96 | 343 | 99.42 | 6 | 17.4 | -- | -0- | 3 | 8.7 | 1 |
| POPE. . . . | 43 | 2 | 4.65 | 42 | 97.67 | -- | -0- | -- | -0- | 1 | 23.3 | -- |
| PULASKI . . | 226 | 12 | 5.31 | 209 | 92.48 | 4 | 17.7 | -- | -0- | 1 | 4.4 | 1 |
| PUTNAM. . . | 84 | 7 | 8.33 | 84 | 100.00 | 3 | 35.7 | -- | -0- | 2 | 23.8 | -- |
| RANDOLPH. . | 543 | 36 | 6.63 | 542 | 99.82 | 9 | 16.6 | 3 | 5.5 | 3 | 5.5 | -- |
| RICHLAND. . | 347 | 17 | 4.90 | 347 | 100.00 | 4 | 11.5 | 1 | 2.9 | 3 | 8.6 | -- |
| ROCK ISLAND | 3,259 | 244 | 7.49 | 3,248 | 99.66 | 74 | 22.7 | 5 | 1.5 | 20 | 6.1 | -- |
| ST CLAIR. . | 6,374 | 582 | 9.13 | 6,326 | 99.25 | 122 | 19.1 | 12 | 1.9 | 43 | 6.7 | 2 |
| SALINE. . . | 413 | 35 | 8.47 | 412 | 99.76 | 4 | 9.7 | -- | -0- | 3 | 7.3 | 1 |
| SANGAMON. . | 3,422 | 264 | 7.71 | 3,414 | 99.77 | 59 | 17.2 | 4 | 1.2 | 16 | 4.7 | 1 |
| SCHUYLER. . | 157 | 8 | 5.10 | 157 | 100.00 | 1 | 6.4 | -- | -0- | 1 | 6.4 | -- |
| SCOTT . . . | 114 | 5 | 4.39 | 114 | 100.00 | 3 | 26.3 | -- | -0- | -- | -0- | -- |
| SHELBY. . . | 433 | 25 | 5.77 | 431 | 99.54 | 5 | 11.5 | -- | -0- | 1 | 2.3 | -- |
| STARK . . . | 155 | 9 | 5.81 | 155 | 100.00 | 4 | 25.8 | -- | -0- | -- | -0- | -- |
| STEPHENSON. | 1,009 | 56 | 5.55 | 1,006 | 99.70 | 13 | 12.9 | 2 | 2.0 | 7 | 6.9 | -- |
| TAZEWELL. . | 2,366 | 137 | 5.79 | 2,365 | 99.96 | 22 | 9.3 | 2 | 0.8 | 17 | 7.2 | -- |
| UNION . . . | 265 | 16 | 6.04 | 264 | 99.62 | 6 | 22.6 | 1 | 3.8 | 1 | 3.8 | -- |
| VERMILION . | 1,994 | 162 | 8.12 | 1,989 | 99.75 | 33 | 16.5 | 4 | 2.0 | 11 | 5.5 | -- |
| WABASH. . . | 286 | 17 | 5.94 | 285 | 99.65 | 3 | 10.5 | -- | -0- | -- | -0- | -- |
| WARREN. . . | 419 | 27 | 6.44 | 416 | 99.28 | 9 | 21.5 | 1 | 2.4 | 1 | 2.4 | 1 |
| WASHINGTON. | 228 | 12 | 5.26 | 222 | 97.37 | 4 | 17.5 | -- | -0- | 1 | 4.4 | -- |
| WAYNE . . . | 293 | 11 | 3.75 | 290 | 98.98 | 1 | 3.4 | -- | -0- | 1 | 3.4 | -- |
| WHITE . . . | 293 | 11 | 3.75 | 288 | 98.29 | 2 | 6.8 | -- | -0- | 1 | 3.4 | -- |
| WHITESIDE . | 1,431 | 78 | 5.45 | 1,428 | 99.79 | 25 | 17.5 | 1 | 0.7 | 7 | 4.9 | 1 |
| WILL. . . . | 4,980 | 354 | 7.11 | 4,964 | 99.68 | 62 | 12.4 | 8 | 1.6 | 26 | 5.2 | 2 |
| WILLIAMSON. | 842 | 65 | 7.72 | 838 | 99.52 | 15 | 17.8 | 2 | 2.4 | 9 | 10.7 | -- |
| WINNEBAGO . | 5,269 | 368 | 6.98 | 5,247 | 99.58 | 39 | 16.9 | 7 | 1.3 | 21 | 4.0 | 1 |
| WOODFORD. . | 528 | 23 | 4.36 | 526 | 99.62 | 7 | 13.3 | 2 | 3.8 | -- | -0- | -- |
| UNSPECIFIED | 2 | -- | | 2 | | 4 | | -- | | -- | | -- |

[1]PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS WEIGHT AND UNDER.
[2]NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
[3]RATES PER 1,000 LIVE BIRTHS.

TABLE 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962

| CITY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE[1] BIRTHS | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7 TO 28 DAYS | | 1 TO 11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NUMBER | RATE[3] | NUMBER | RATE[3] | NUMBER | RATE[3] | |
| ALTON | 975 | 96 | 9.85 | 967 | 99.18 | 22 | 22.6 | 1 | 1.0 | 6 | 6.2 | 1 |
| ARLINGTON HEIGHTS | 875 | 53 | 6.06 | 875 | 100.00 | 13 | 14.9 | 1 | 1.1 | 2 | 2.3 | -- |
| AURORA | 1,760 | 127 | 7.22 | 1,757 | 99.83 | 36 | 20.5 | 2 | 1.1 | 18 | 10.2 | -- |
| BELLEVILLE | 816 | 58 | 7.11 | 815 | 99.88 | 16 | 19.6 | 1 | 1.2 | 1 | 1.2 | -- |
| BELLWOOD | 521 | 35 | 6.72 | 520 | 99.81 | 10 | 19.2 | -- | -0- | 8 | 15.4 | -- |
| BELVIDERE | 248 | 15 | 6.05 | 248 | 100.00 | 6 | 24.2 | -- | -0- | 1 | 4.0 | -- |
| BERWYN | 949 | 66 | 6.95 | 945 | 99.58 | 18 | 19.0 | 1 | 1.1 | 4 | 4.2 | -- |
| BLOOMINGTON | 869 | 55 | 6.33 | 869 | 100.00 | 16 | 18.4 | 2 | 2.3 | 3 | 3.5 | -- |
| BLUE ISLAND | 561 | 38 | 6.77 | 560 | 99.82 | 13 | 23.2 | 1 | 1.8 | 2 | 3.6 | -- |
| BROOKFIELD | 381 | 27 | 7.09 | 380 | 99.74 | 5 | 13.1 | 1 | 2.6 | 3 | 7.9 | -- |
| CAHOKIA | 448 | 32 | 7.14 | 447 | 99.78 | 7 | 15.6 | -- | -0- | 1 | 2.2 | -- |
| CALUMET CITY | 631 | 47 | 7.45 | 631 | 100.00 | 13 | 20.6 | 2 | 3.2 | 3 | 4.8 | -- |
| CANTON | 246 | 12 | 4.88 | 245 | 99.59 | 2 | 8.1 | -- | -0- | -- | -0- | -- |
| CARBONDALE | 323 | 17 | 5.26 | 322 | 99.69 | 3 | 9.3 | -- | -0- | 4 | 12.4 | 1 |
| CARPENTERSVILLE | 501 | 43 | 8.58 | 500 | 99.80 | 15 | 29.9 | 1 | 2.0 | 3 | 6.0 | -- |
| CENTRALIA | 291 | 13 | 4.47 | 291 | 100.00 | 4 | 13.7 | 1 | 3.4 | 2 | 6.9 | 1 |
| CENTREVILLE | 268 | 35 | 13.06 | 264 | 98.51 | 8 | 29.9 | 2 | 7.5 | 7 | 26.1 | -- |
| CHAMPAIGN | 1,227 | 96 | 7.82 | 1,223 | 99.67 | 17 | 13.9 | 2 | 1.6 | 4 | 3.3 | -- |
| CHARLESTON | 240 | 11 | 4.58 | 240 | 100.00 | 4 | 16.7 | -- | -0- | -- | -0- | -- |
| CHICAGO | 84,333 | 8,023 | 9.51 | 80,992 | 96.04 | 1,471 | 17.4 | 172 | 2.0 | 689 | 8.2 | 29 |
| CHICAGO HEIGHTS | 1,185 | 107 | 9.03 | 1,178 | 99.41 | 19 | 16.0 | 2 | 1.7 | 7 | 5.9 | -- |
| CICERO | 1,326 | 114 | 8.60 | 1,322 | 99.70 | 26 | 19.6 | 4 | 3.0 | 8 | 6.0 | -- |
| COLLINSVILLE | 327 | 18 | 5.50 | 327 | 100.00 | 4 | 12.2 | -- | -0- | 2 | 6.1 | -- |
| DANVILLE | 943 | 82 | 8.70 | 941 | 99.79 | 27 | 28.6 | 2 | 2.1 | 7 | 7.4 | -- |
| DE KALB | 401 | 15 | 3.74 | 401 | 100.00 | 1 | 2.5 | -- | -0- | 4 | 10.0 | -- |
| DECATUR | 1,767 | 144 | 8.15 | 1,762 | 99.72 | 32 | 18.1 | 3 | 1.7 | 9 | 5.1 | -- |
| DEERFIELD | 295 | 21 | 7.12 | 295 | 100.00 | 2 | 6.8 | -- | -0- | 2 | 6.8 | -- |
| DES PLAINES | 1,227 | 60 | 4.89 | 1,226 | 99.92 | 15 | 12.2 | 1 | 0.8 | 9 | 7.3 | -- |
| DIXON | 334 | 23 | 6.89 | 334 | 100.00 | 6 | 18.0 | 1 | 3.0 | 4 | 12.0 | -- |
| DOLTON | 498 | 26 | 5.22 | 496 | 99.60 | 7 | 14.1 | -- | -0- | 2 | 4.0 | 1 |
| DOWNERS GROVE | 502 | 25 | 4.98 | 502 | 100.00 | 7 | 13.9 | -- | -0- | 1 | 2.0 | -- |
| EAST MOLINE | 377 | 29 | 7.69 | 376 | 99.73 | 13 | 34.5 | 1 | 2.7 | 3 | 8.0 | -- |
| EAST PEORIA | 323 | 24 | 7.43 | 323 | 100.00 | 1 | 3.1 | -- | -0- | -- | -0- | -- |
| EAST ST. LOUIS | 2,329 | 278 | 11.94 | 2,300 | 98.75 | 52 | 22.3 | 6 | 2.6 | 20 | 8.6 | 2 |
| EDWARDSVILLE | 232 | 15 | 6.47 | 232 | 100.00 | 2 | 8.6 | 2 | 8.6 | 1 | 4.3 | -- |
| ELGIN | 1,103 | 76 | 6.89 | 1,102 | 99.91 | 19 | 17.2 | 2 | 1.8 | 2 | 1.8 | -- |
| ELK GROVE | 521 | 29 | 5.57 | 520 | 99.81 | 5 | 9.6 | -- | -0- | 3 | 5.8 | -- |
| ELMHURST | 678 | 22 | 3.24 | 676 | 99.71 | 9 | 13.3 | 4 | 5.9 | 2 | 2.9 | -- |
| ELMWOOD PARK | 496 | 41 | 8.27 | 495 | 99.80 | 10 | 20.2 | 2 | 4.0 | 3 | 6.0 | -- |
| EVANSTON | 1,757 | 129 | 7.34 | 1,748 | 99.49 | 24 | 13.7 | 3 | 1.7 | 6 | 3.4 | -- |
| EVERGREEN PARK | 410 | 37 | 9.02 | 410 | 100.00 | 6 | 14.6 | -- | -0- | 4 | 9.8 | -- |
| FOREST PARK | 328 | 28 | 8.54 | 327 | 99.70 | 11 | 33.5 | -- | -0- | 1 | 3.0 | -- |
| FRANKLIN PARK | 460 | 35 | 7.61 | 457 | 99.35 | 10 | 21.7 | 1 | 2.2 | 2 | 4.3 | -- |
| FREEPORT | 599 | 46 | 7.68 | 596 | 99.50 | 6 | 10.0 | 1 | 1.7 | 3 | 5.0 | -- |
| GALESBURG | 668 | 40 | 5.99 | 666 | 99.70 | 10 | 15.0 | 1 | 1.5 | -- | -0- | 1 |
| GLEN ELLYN | 465 | 29 | 6.24 | 463 | 99.57 | 9 | 19.4 | -- | -0- | 2 | 4.3 | -- |
| GLENCOE | 94 | 7 | 7.45 | 94 | 100.00 | 1 | 10.6 | -- | -0- | -- | -0- | -- |
| GLENVIEW | 569 | 47 | 8.26 | 568 | 99.82 | 9 | 15.8 | -- | -0- | 4 | 7.0 | -- |
| GRANITE CITY | 964 | 73 | 7.57 | 962 | 99.79 | 25 | 25.9 | -- | -0- | 3 | 3.1 | 1 |
| HARVEY | 952 | 74 | 7.77 | 946 | 99.37 | 17 | 17.9 | 2 | 2.1 | 5 | 5.3 | -- |
| HIGHLAND PARK | 426 | 33 | 7.75 | 423 | 99.30 | 6 | 14.1 | -- | -0- | 2 | 4.7 | -- |
| HINSDALE | 219 | 12 | 5.48 | 218 | 99.54 | 1 | 4.6 | -- | -0- | 2 | 9.1 | -- |
| HOMEWOOD | 219 | 11 | 5.02 | 219 | 100.00 | 1 | 4.6 | 1 | 4.6 | -- | -0- | -- |
| JACKSONVILLE | 377 | 28 | 7.43 | 376 | 99.73 | 7 | 18.6 | 1 | 2.7 | 1 | 2.7 | -- |
| JOLIET | 1,671 | 121 | 7.24 | 1,666 | 99.70 | 22 | 13.2 | 5 | 3.0 | 9 | 5.4 | 1 |
| KANKAKEE | 680 | 73 | 10.74 | 678 | 99.71 | 15 | 22.1 | -- | -0- | 6 | 8.8 | -- |
| KEWANEE | 307 | 27 | 8.79 | 306 | 99.67 | 7 | 22.8 | 1 | 3.3 | 1 | 3.3 | -- |
| LA GRANGE | 311 | 19 | 6.11 | 311 | 100.00 | 4 | 12.9 | 1 | 3.2 | 4 | 12.9 | -- |
| LA GRANGE PARK | 208 | 6 | 2.88 | 207 | 99.52 | 2 | 9.6 | -- | -0- | 2 | 9.6 | -- |
| LA SALLE | 195 | 13 | 6.67 | 195 | 100.00 | 4 | 20.5 | 1 | 5.1 | 3 | 15.4 | -- |

[1]PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS OF WEIGHT AND UNDER.
[2]NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
[3]RATES PER 1,000 LIVE BIRTHS.

TABLE 7. -- LIVE BIRTHS WITH PERCENTAGE RATES FOR PREMATURE BIRTHS AND HOSPITAL BIRTHS, INFANT DEATHS BY AGE WITH RATES, AND MATERNAL DEATHS AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962
--CONTINUED

| CITY | LIVE BIRTHS | | | | | INFANT DEATHS BY AGE[2] | | | | | | MATERNAL DEATHS |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | TOTAL | PREMATURE[1] BIRTHS | | HOSPITAL BIRTHS | | UNDER 7 DAYS | | 7 TO 28 DAYS | | 1 TO 11 MONTHS | | |
| | | NUMBER | PERCENT OF TOTAL | NUMBER | PERCENT OF TOTAL | NUMBER | RATE[3] | NUMBER | RATE[3] | NUMBER | RATE[3] | |
| LAKE FOREST | 191 | 20 | 10.47 | 190 | 99.48 | 7 | 36.6 | -- | -0- | -- | -0- | -- |
| LANSING | 405 | 18 | 4.44 | 405 | 100.00 | 7 | 17.3 | 1 | 2.5 | 3 | 7.4 | 1 |
| LINCOLN | 320 | 19 | 5.94 | 320 | 100.00 | 4 | 12.5 | 2 | 6.3 | 3 | 9.4 | -- |
| LINCOLNWOOD | 100 | 8 | 8.00 | 100 | 100.00 | -- | -0- | -- | -0- | -- | -0- | -- |
| LOMBARD | 677 | 45 | 6.65 | 672 | 99.26 | 11 | 16.2 | -- | -0- | -- | -0- | -- |
| MACOMB | 231 | 9 | 3.90 | 231 | 100.00 | -- | -0- | -- | -0- | 1 | 4.3 | -- |
| MARION | 220 | 13 | 5.91 | 220 | 100.00 | 3 | 13.6 | 1 | 4.5 | 1 | 4.5 | -- |
| MARKHAM | 335 | 25 | 7.46 | 332 | 99.10 | 4 | 11.9 | -- | -0- | 3 | 9.0 | -- |
| MATTOON | 330 | 25 | 7.58 | 330 | 100.00 | 6 | 18.2 | 1 | 3.0 | 1 | 3.0 | -- |
| MAYWOOD | 653 | 52 | 7.96 | 648 | 99.23 | 10 | 15.3 | -- | -0- | 4 | 6.1 | -- |
| MELROSE PARK | 877 | 59 | 6.73 | 875 | 99.77 | 11 | 12.5 | -- | -0- | 5 | 5.7 | -- |
| MOLINE | 950 | 66 | 6.95 | 945 | 99.47 | 21 | 22.1 | 2 | 2.1 | 3 | 3.2 | -- |
| MONMOUTH | 229 | 16 | 6.99 | 229 | 100.00 | 6 | 26.2 | 1 | 4.4 | 1 | 4.4 | 1 |
| MORTON GROVE | 419 | 17 | 4.06 | 419 | 100.00 | 5 | 11.9 | -- | -0- | 2 | 4.8 | -- |
| MOUNT PROSPECT | 578 | 32 | 5.54 | 577 | 99.83 | 15 | 26.0 | 1 | 1.7 | 1 | 1.7 | -- |
| MOUNT VERNON | 328 | 31 | 9.45 | 328 | 100.00 | 11 | 33.5 | 1 | 3.0 | 2 | 6.1 | -- |
| MUNDELEIN | 352 | 23 | 6.53 | 352 | 100.00 | 6 | 17.0 | 1 | 2.8 | -- | -0- | -- |
| NAPERVILLE | 329 | 17 | 5.17 | 328 | 99.70 | 6 | 18.2 | 1 | 3.0 | 2 | 6.1 | -- |
| NILES | 609 | 40 | 6.57 | 608 | 99.84 | 6 | 9.9 | -- | -0- | 1 | 1.6 | -- |
| NORMAL | 252 | 13 | 5.16 | 252 | 100.00 | 4 | 15.9 | -- | -0- | -- | -0- | -- |
| NORRIDGE | 274 | 19 | 6.93 | 274 | 100.00 | 3 | 10.9 | -- | -0- | -- | -0- | -- |
| NORTH CHICAGO | 466 | 55 | 11.80 | 460 | 98.71 | 9 | 19.3 | -- | -0- | 2 | 4.3 | 1 |
| NORTH LAKE | 216 | 10 | 4.63 | 215 | 99.54 | 4 | 18.5 | -- | -0- | 1 | 4.6 | -- |
| NORTHBROOK | 363 | 32 | 8.82 | 362 | 99.72 | 4 | 11.0 | -- | -0- | 3 | 8.3 | -- |
| OAK LAWN | 1,397 | 89 | 6.37 | 1,392 | 99.64 | 22 | 15.7 | -- | -0- | 7 | 5.0 | 1 |
| OAK PARK | 1,044 | 72 | 6.90 | 1,038 | 99.43 | 16 | 15.3 | 1 | 1.0 | 3 | 2.9 | -- |
| OTTAWA | 477 | 37 | 7.76 | 477 | 100.00 | 5 | 10.5 | -- | -0- | 1 | 2.1 | -- |
| PALATINE | 408 | 27 | 6.62 | 406 | 99.51 | 6 | 14.7 | -- | -0- | -- | -0- | -- |
| PARK FOREST | 829 | 46 | 5.55 | 829 | 100.00 | 8 | 9.7 | 3 | 3.6 | 5 | 6.0 | -- |
| PARK RIDGE | 561 | 27 | 4.81 | 557 | 99.29 | 5 | 8.9 | 1 | 1.8 | -- | -0- | -- |
| PEKIN | 729 | 45 | 6.17 | 729 | 100.00 | 11 | 15.1 | 1 | 1.4 | 6 | 8.2 | -- |
| PEORIA | 2,284 | 203 | 8.89 | 2,275 | 99.61 | 49 | 21.5 | 1 | 0.4 | 14 | 6.1 | 3 |
| PERU | 191 | 9 | 4.71 | 191 | 100.00 | 4 | 20.9 | -- | -0- | -- | -0- | -- |
| QUINCY | 920 | 65 | 7.07 | 918 | 99.78 | 14 | 15.2 | 2 | 2.2 | -- | -0- | -- |
| RANTOUL | 131 | 6 | 4.58 | 131 | 100.00 | 8 | 61.1 | 4 | 30.5 | 4 | 30.5 | -- |
| RIVER FOREST | 142 | 3 | 2.11 | 139 | 97.89 | -- | -0- | -- | -0- | -- | -0- | -- |
| RIVERDALE | 251 | 18 | 7.17 | 250 | 99.60 | 4 | 15.9 | -- | -0- | 4 | 15.9 | -- |
| ROCK FALLS | 316 | 22 | 6.96 | 316 | 100.00 | 7 | 22.2 | 1 | 3.2 | 1 | 3.2 | -- |
| ROCK ISLAND | 1,025 | 89 | 8.68 | 1,023 | 99.80 | 25 | 24.4 | 2 | 2.0 | 7 | 6.8 | -- |
| ROCKFORD | 3,157 | 234 | 7.41 | 3,145 | 99.62 | 63 | 20.0 | 3 | 1.0 | 9 | 2.9 | 1 |
| ROLLING MEADOWS | 371 | 15 | 4.04 | 370 | 99.73 | 5 | 13.5 | -- | -0- | 2 | 5.4 | -- |
| SKOKIE | 1,108 | 76 | 6.86 | 1,104 | 99.64 | 9 | 8.1 | -- | -0- | 4 | 3.6 | -- |
| SOUTH HOLLAND | 290 | 10 | 3.45 | 288 | 99.31 | 5 | 17.2 | -- | -0- | 2 | 6.9 | -- |
| SPRINGFIELD | 1,981 | 182 | 9.19 | 1,974 | 99.65 | 48 | 24.2 | 4 | 2.0 | 11 | 5.6 | 1 |
| STERLING | 397 | 23 | 5.79 | 396 | 99.75 | 8 | 20.2 | -- | -0- | 3 | 7.6 | -- |
| STREATOR | 432 | 27 | 6.25 | 430 | 99.54 | 3 | 6.9 | 3 | 6.9 | 3 | 6.9 | -- |
| SUMMIT | 334 | 24 | 7.19 | 331 | 99.10 | 6 | 18.0 | -- | -0- | 5 | 15.0 | -- |
| URBANA | 717 | 42 | 5.86 | 715 | 99.72 | 5 | 7.0 | -- | -0- | -- | -0- | -- |
| VILLA PARK | 621 | 45 | 7.25 | 621 | 100.00 | 6 | 9.7 | 1 | 1.6 | 5 | 8.1 | 1 |
| WAUKEGAN | 1,703 | 130 | 7.63 | 1,694 | 99.47 | 29 | 17.0 | -- | -0- | 9 | 5.3 | 1 |
| WESTCHESTER | 260 | 20 | 7.69 | 259 | 99.62 | 3 | 11.5 | 1 | 3.8 | -- | -0- | -- |
| WESTERN SPRINGS | 145 | 4 | 2.76 | 145 | 100.00 | -- | -0- | -- | -0- | -- | -0- | -- |
| WHEATON | 484 | 25 | 5.17 | 481 | 99.38 | 6 | 12.4 | -- | -0- | 2 | 4.1 | 1 |
| WILMETTE | 418 | 14 | 3.35 | 416 | 99.52 | 1 | 2.4 | -- | -0- | 2 | 4.8 | -- |
| WINNETKA | 172 | 12 | 6.98 | 171 | 99.42 | -- | -0- | -- | -0- | 2 | 11.6 | -- |
| WOOD RIVER | 263 | 13 | 4.94 | 263 | 100.00 | 4 | 15.2 | 1 | 3.8 | 3 | 11.4 | 1 |
| ZION | 421 | 30 | 7.13 | 418 | 99.29 | 10 | 23.8 | -- | -0- | 1 | 2.4 | -- |

[1]PREMATURE BIRTHS ARE BIRTHS OF 2,500 GRAMS OF WEIGHT AND UNDER.
[2]NUMBERS AND RATES FOR TOTAL INFANT DEATHS ARE GIVEN IN TABLES 2A AND 2B.
[3]RATES PER 1,000 LIVE BIRTHS.

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1962

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| ILLINOIS, ALL CAUSES | 104,695 | 6,344 | 800 | 1,375 | 6,091 | 26,311 | 52,332 | 11,442 |
| WHITE | 93,709 | 4,673 | 659 | 1,130 | 4,543 | 22,702 | 49,020 | 10,982 |
| NONWHITE | 10,986 | 1,671 | 141 | 245 | 1,548 | 3,609 | 3,312 | 460 |
| 1. HEART DISEASE | 46,520 | 16 | 12 | 54 | 1,500 | 11,628 | 26,931 | 6,379 |
| WHITE | 42,635 | 12 | 9 | 39 | 1,081 | 10,023 | 25,351 | 6,120 |
| NONWHITE | 3,885 | 4 | 3 | 15 | 419 | 1,605 | 1,580 | 259 |
| A. ARTERIOSCLEROTIC | 36,998 | 2 | 1 | 13 | 911 | 9,257 | 21,977 | 4,837 |
| WHITE | 34,569 | 1 | -- | 6 | 733 | 8,316 | 20,857 | 4,656 |
| NONWHITE | 2,429 | 1 | 1 | 7 | 178 | 941 | 1,120 | 181 |
| B. OTHER | 9,522 | 14 | 11 | 41 | 589 | 2,371 | 4,954 | 1,542 |
| WHITE | 8,066 | 11 | 9 | 33 | 348 | 1,707 | 4,494 | 1,464 |
| NONWHITE | 1,456 | 3 | 2 | 8 | 241 | 664 | 460 | 78 |
| 2. MALIGNANT NEOPLASMS | 16,970 | 99 | 131 | 126 | 1,137 | 6,323 | 8,356 | 798 |
| WHITE | 15,555 | 91 | 115 | 118 | 941 | 5,677 | 7,850 | 763 |
| NONWHITE | 1,415 | 8 | 16 | 8 | 196 | 646 | 506 | 35 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM | 10,607 | 8 | 14 | 16 | 259 | 1,802 | 6,719 | 1,789 |
| WHITE | 9,620 | 7 | 13 | 12 | 166 | 1,442 | 6,252 | 1,728 |
| NONWHITE | 987 | 1 | 1 | 4 | 93 | 360 | 467 | 61 |
| 4. ACCIDENTS | 4,608 | 382 | 327 | 687 | 997 | 1,054 | 959 | 202 |
| WHITE | 4,032 | 264 | 264 | 607 | 844 | 951 | 910 | 192 |
| NONWHITE | 576 | 118 | 63 | 80 | 153 | 103 | 49 | 10 |
| A. MOTOR VEHICLE | 1,990 | 84 | 143 | 464 | 508 | 452 | 320 | 19 |
| WHITE | 1,857 | 71 | 128 | 442 | 460 | 426 | 313 | 17 |
| NONWHITE | 133 | 13 | 15 | 22 | 48 | 26 | 7 | 2 |
| B. OTHER | 2,618 | 298 | 184 | 223 | 489 | 602 | 639 | 183 |
| WHITE | 2,175 | 193 | 136 | 165 | 384 | 525 | 597 | 175 |
| NONWHITE | 443 | 105 | 48 | 58 | 105 | 77 | 42 | 8 |
| 5. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY | 4,587 | 4,367 | 54 | 32 | 63 | 48 | 20 | 3 |
| WHITE | 3,536 | 3,335 | 49 | 29 | 56 | 46 | 18 | 3 |
| NONWHITE | 1,051 | 1,032 | 5 | 3 | 7 | 2 | 2 | -- |
| 6. PNEUMONIA AND INFLUENZA | 4,072 | 873 | 57 | 49 | 244 | 695 | 1,631 | 523 |
| WHITE | 3,106 | 501 | 43 | 38 | 130 | 486 | 1,415 | 493 |
| NONWHITE | 966 | 372 | 14 | 11 | 114 | 209 | 216 | 30 |
| 7. GENERAL ARTERIOSCLEROSIS | 1,988 | -- | -- | -- | 2 | 112 | 1,122 | 752 |
| WHITE | 1,906 | -- | -- | -- | -- | 100 | 1,070 | 736 |
| NONWHITE | 82 | -- | -- | -- | 2 | 12 | 52 | 16 |
| 8. DIABETES MELLITUS | 1,655 | 4 | 2 | 12 | 85 | 469 | 982 | 101 |
| WHITE | 1,446 | 4 | 2 | 9 | 73 | 371 | 893 | 94 |
| NONWHITE | 209 | -- | -- | 3 | 12 | 98 | 89 | 7 |
| 9. CIRRHOSIS OF LIVER | 1,361 | 2 | 2 | 5 | 237 | 729 | 365 | 21 |
| WHITE | 1,213 | 2 | 1 | 5 | 186 | 651 | 349 | 19 |
| NONWHITE | 148 | -- | 1 | -- | 51 | 78 | 16 | 2 |
| 10. SUICIDE | 997 | -- | 1 | 65 | 268 | 418 | 227 | 18 |
| WHITE | 945 | -- | 1 | 52 | 246 | 407 | 221 | 18 |
| NONWHITE | 52 | -- | -- | 13 | 22 | 11 | 6 | -- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART | 924 | -- | -- | -- | 39 | 157 | 535 | 193 |
| WHITE | 808 | -- | -- | -- | 18 | 106 | 506 | 178 |
| NONWHITE | 116 | -- | -- | -- | 21 | 51 | 29 | 15 |
| 12. OTHER CIRCULATORY DISEASES | 989 | 1 | 1 | 13 | 62 | 253 | 609 | 50 |
| WHITE | 902 | 1 | 1 | 13 | 49 | 222 | 568 | 48 |
| NONWHITE | 87 | -- | -- | -- | 13 | 31 | 41 | 2 |

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1962--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| CHICAGO, ALL CAUSES. . . . . | 42,127 | 2,674 | 267 | 490 | 2,980 | 12,303 | 20,251 | 3,162 |
| WHITE. . | 33,458 | 1,322 | 162 | 294 | 1,660 | 9,409 | 17,759 | 2,852 |
| NONWHITE | 8,669 | 1,352 | 105 | 196 | 1,320 | 2,894 | 2,492 | 310 |
| 1. HEART DISEASE. . . . . | 19,354 | 5 | 5 | 30 | 852 | 5,646 | 10,841 | 1,975 |
| WHITE. . | 16,311 | 1 | 2 | 17 | 483 | 4,354 | 9,662 | 1,792 |
| NONWHITE | 3,043 | 4 | 3 | 13 | 369 | 1,292 | 1,179 | 183 |
| A. ARTERIOSCLEROTIC. . . . | 15,343 | 1 | 1 | 10 | 456 | 4,243 | 9,037 | 1,595 |
| WHITE. . | 13,495 | -- | -- | 5 | 300 | 3,518 | 8,205 | 1,467 |
| NONWHITE | 1,848 | 1 | 1 | 5 | 156 | 725 | 832 | 128 |
| B. OTHER . . . . . | 4,011 | 4 | 4 | 20 | 396 | 1,403 | 1,804 | 380 |
| WHITE. . | 2,816 | 1 | 2 | 12 | 183 | 836 | 1,457 | 325 |
| NONWHITE | 1,195 | 3 | 2 | 8 | 213 | 567 | 347 | 55 |
| 2. MALIGNANT NEOPLASMS. . . . | 6,855 | 33 | 47 | 38 | 461 | 2,742 | 3,312 | 222 |
| WHITE. . | 5,736 | 29 | 35 | 31 | 298 | 2,218 | 2,927 | 198 |
| NONWHITE | 1,119 | 4 | 12 | 7 | 163 | 524 | 385 | 24 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM . . | 3,573 | 4 | 4 | 10 | 139 | 853 | 2,174 | 389 |
| WHITE. . | 2,825 | 3 | 4 | 7 | 58 | 566 | 1,835 | 352 |
| NONWHITE | 748 | 1 | -- | 3 | 81 | 287 | 339 | 37 |
| 4. ACCIDENTS. . . . . | 1,448 | 155 | 101 | 170 | 329 | 359 | 296 | 38 |
| WHITE. . | 1,025 | 65 | 54 | 110 | 214 | 289 | 261 | 32 |
| NONWHITE | 423 | 90 | 47 | 60 | 115 | 70 | 35 | 6 |
| A. MOTOR VEHICLE . . . . . | 444 | 22 | 30 | 77 | 101 | 115 | 92 | 7 |
| WHITE. . | 362 | 11 | 18 | 65 | 74 | 101 | 87 | 6 |
| NONWHITE | 82 | 11 | 12 | 12 | 27 | 14 | 5 | 1 |
| B. OTHER . . . . . | 1,004 | 133 | 71 | 93 | 228 | 244 | 204 | 31 |
| WHITE. . | 663 | 54 | 36 | 45 | 140 | 188 | 174 | 26 |
| NONWHITE | 341 | 79 | 35 | 48 | 88 | 56 | 30 | 5 |
| 5. CONGENITAL MALFORMATIONS . AND DISEASES OF EARLY INFANCY. . . . . | 1,815 | 1,749 | 9 | 11 | 21 | 16 | 6 | 3 |
| WHITE. . | 974 | 919 | 6 | 10 | 16 | 15 | 5 | 3 |
| NONWHITE | 841 | 830 | 3 | 1 | 5 | 1 | 1 | -- |
| 6. PNEUMONIA AND INFLUENZA. . | 2,118 | 511 | 30 | 26 | 170 | 476 | 762 | 143 |
| WHITE. . | 1,263 | 186 | 16 | 17 | 65 | 286 | 574 | 119 |
| NONWHITE | 855 | 325 | 14 | 9 | 105 | 190 | 188 | 24 |
| 7. GENERAL ARTERIOSCLEROSIS . | 602 | -- | -- | -- | 2 | 58 | 389 | 153 |
| WHITE. . | 549 | -- | -- | -- | -- | 49 | 354 | 146 |
| NONWHITE | 53 | -- | -- | -- | 2 | 9 | 35 | 7 |
| 8. DIABETES MELLITUS. . . . . | 733 | -- | 1 | 5 | 39 | 240 | 418 | 30 |
| WHITE. . | 568 | -- | 1 | 3 | 28 | 160 | 350 | 26 |
| NONWHITE | 165 | -- | -- | 2 | 11 | 80 | 68 | 4 |
| 9. CIRRHOSIS OF LIVER . . . . | 793 | 1 | 1 | 4 | 154 | 434 | 191 | 8 |
| WHITE. . | 667 | 1 | -- | 4 | 110 | 370 | 176 | 6 |
| NONWHITE | 126 | -- | 1 | -- | 44 | 64 | 15 | 2 |
| 10. SUICIDE. . . . . | 347 | -- | -- | 26 | 100 | 136 | 76 | 9 |
| WHITE. . | 300 | -- | -- | 14 | 80 | 126 | 71 | 9 |
| NONWHITE | 47 | -- | -- | 12 | 20 | 10 | 5 | -- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART . . . . . | 327 | -- | -- | -- | 26 | 80 | 179 | 42 |
| WHITE. . | 242 | -- | -- | -- | 9 | 39 | 159 | 35 |
| NONWHITE | 85 | -- | -- | -- | 17 | 41 | 20 | 7 |
| 12. OTHER CIRCULATORY DISEASES . . . . . | 352 | -- | -- | 4 | 24 | 86 | 227 | 11 |
| WHITE. . | 289 | -- | -- | 4 | 12 | 67 | 196 | 10 |
| NONWHITE | 63 | -- | -- | -- | 12 | 19 | 31 | 1 |

TABLE 8A. -- THE TWELVE LEADING CAUSES OF DEATH BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1962--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| DOWNSTATE, ALL CAUSES. . . . . | 62,568 | 3,670 | 533 | 885 | 3,111 | 14,008 | 32,081 | 8,280 |
| WHITE. . | 60,251 | 3,351 | 497 | 836 | 2,883 | 13,293 | 31,261 | 8,130 |
| NONWHITE | 2,317 | 319 | 36 | 49 | 228 | 715 | 820 | 150 |
| 1. HEART DISEASE. . . . . | 27,166 | 11 | 7 | 24 | 648 | 5,982 | 16,090 | 4,404 |
| WHITE. . | 26,324 | 11 | 7 | 22 | 598 | 5,669 | 15,689 | 4,328 |
| NONWHITE | 842 | -- | -- | 2 | 50 | 313 | 401 | 76 |
| A. ARTERIOSCLEROTIC. . . . | 21,655 | 1 | -- | 3 | 455 | 5,014 | 12,940 | 3,242 |
| WHITE. . | 21,074 | 1 | -- | 1 | 433 | 4,798 | 12,652 | 3,189 |
| NONWHITE | 581 | -- | -- | 2 | 22 | 216 | 288 | 53 |
| B. OTHER . . . . . | 5,511 | 10 | 7 | 21 | 193 | 968 | 3,150 | 1,162 |
| WHITE. . | 5,250 | 10 | 7 | 21 | 165 | 871 | 3,037 | 1,139 |
| NONWHITE | 261 | -- | -- | -- | 28 | 97 | 113 | 23 |
| 2. MALIGNANT NEOPLASMS. . . . | 10,115 | 66 | 84 | 88 | 676 | 3,581 | 5,044 | 576 |
| WHITE. . | 9,819 | 62 | 80 | 87 | 643 | 3,459 | 4,923 | 565 |
| NONWHITE | 296 | 4 | 4 | 1 | 33 | 122 | 121 | 11 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM . . | 7,034 | 4 | 10 | 6 | 120 | 949 | 4,545 | 1,400 |
| WHITE. . | 6,795 | 4 | 9 | 5 | 108 | 876 | 4,417 | 1,376 |
| NONWHITE | 239 | -- | 1 | 1 | 12 | 73 | 128 | 24 |
| 4. ACCIDENTS. . . . . | 3,160 | 227 | 226 | 517 | 668 | 695 | 663 | 164 |
| WHITE. . | 3,007 | 199 | 210 | 497 | 630 | 662 | 649 | 160 |
| NONWHITE | 153 | 28 | 16 | 20 | 38 | 33 | 14 | 4 |
| A. MOTOR VEHICLE . . . . . | 1,546 | 62 | 113 | 387 | 407 | 337 | 228 | 12 |
| WHITE. . | 1,495 | 60 | 110 | 377 | 386 | 325 | 226 | 11 |
| NONWHITE | 51 | 2 | 3 | 10 | 21 | 12 | 2 | 1 |
| B. OTHER . . . . . | 1,614 | 165 | 113 | 130 | 261 | 358 | 435 | 152 |
| WHITE. . | 1,512 | 139 | 100 | 120 | 244 | 337 | 423 | 149 |
| NONWHITE | 102 | 26 | 13 | 10 | 17 | 21 | 12 | 3 |
| 5. CONGENITAL MALFORMATIONS . AND DISEASES OF EARLY INFANCY. . . . . | 2,772 | 2,618 | 45 | 21 | 42 | 32 | 14 | -- |
| WHITE. . | 2,562 | 2,416 | 43 | 19 | 40 | 31 | 13 | -- |
| NONWHITE | 210 | 202 | 2 | 2 | 2 | 1 | 1 | -- |
| 6. PNEUMONIA AND INFLUENZA. . | 1,954 | 362 | 27 | 23 | 74 | 219 | 869 | 380 |
| WHITE. . | 1,843 | 315 | 27 | 21 | 65 | 200 | 841 | 374 |
| NONWHITE | 111 | 47 | -- | 2 | 9 | 19 | 28 | 6 |
| 7. GENERAL ARTERIOSCLEROSIS . | 1,386 | -- | -- | -- | -- | 54 | 733 | 599 |
| WHITE. . | 1,357 | -- | -- | -- | -- | 51 | 716 | 590 |
| NONWHITE | 29 | -- | -- | -- | -- | 3 | 17 | 9 |
| 8. DIABETES MELLITUS. . . . . | 922 | 4 | 1 | 7 | 46 | 229 | 564 | 71 |
| WHITE. . | 878 | 4 | 1 | 6 | 45 | 211 | 543 | 68 |
| NONWHITE | 44 | -- | -- | 1 | 1 | 18 | 21 | 3 |
| 9. CIRRHOSIS OF LIVER . . . . | 568 | 1 | 1 | 1 | 83 | 295 | 174 | 13 |
| WHITE. . | 546 | 1 | 1 | 1 | 76 | 281 | 173 | 13 |
| NONWHITE | 22 | -- | -- | -- | 7 | 14 | 1 | -- |
| 10. SUICIDE. . . . . | 650 | -- | 1 | 39 | 168 | 282 | 151 | 9 |
| WHITE. . | 645 | -- | 1 | 38 | 166 | 281 | 150 | 9 |
| NONWHITE | 5 | -- | -- | 1 | 2 | 1 | 1 | -- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART . . . . . | 597 | -- | -- | -- | 13 | 77 | 356 | 151 |
| WHITE. . | 566 | -- | -- | -- | 9 | 67 | 347 | 143 |
| NONWHITE | 31 | -- | -- | -- | 4 | 10 | 9 | 8 |
| 12. OTHER CIRCULATORY DISEASES . . . . . | 637 | 1 | 1 | 9 | 38 | 167 | 382 | 39 |
| WHITE. . | 613 | 1 | 1 | 9 | 37 | 155 | 372 | 38 |
| NONWHITE | 24 | -- | -- | -- | 1 | 12 | 10 | 1 |

TABLE 88.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1962

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1962)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| ILLINOIS, ALL CAUSES | 1,013.5 | 547.8 | 39.9 | 106.2 | 228.3 | 1,195.4 | 5,522.6 | 21,228.2 |
| WHITE | 1,018.1 | 474.9 | 37.5 | 98.4 | 193.1 | 1,126.7 | 5,477.1 | 21,533.3 |
| NONWHITE | 975.7 | 959.8 | 56.7 | 167.3 | 490.6 | 1,940.3 | 6,296.6 | 15,862.1 |
| 1. HEART DISEASE | 450.3 | 1.4 | 0.6 | 4.2 | 56.2 | 528.3 | 2,842.0 | 11,834.9 |
| WHITE | 463.2 | 1.2 | 0.5 | 3.4 | 45.9 | 497.4 | 2,832.5 | 12,000.0 |
| NONWHITE | 345.0 | 2.3 | 1.2 | 10.2 | 132.8 | 862.9 | 3,003.8 | 8,931.0 |
| A. ARTERIOSCLEROTIC | 358.2 | 0.2 | 0.0 | 1.0 | 34.1 | 420.6 | 2,319.2 | 8,974.0 |
| WHITE | 375.6 | 0.1 | -0- | 0.5 | 31.2 | 412.7 | 2,330.4 | 9,129.4 |
| NONWHITE | 215.7 | 0.6 | 0.4 | 4.8 | 56.4 | 505.9 | 2,129.3 | 6,241.4 |
| B. OTHER | 92.2 | 1.2 | 0.5 | 3.2 | 22.1 | 107.7 | 522.8 | 2,860.9 |
| WHITE | 87.6 | 1.1 | 0.5 | 2.9 | 14.8 | 84.7 | 502.1 | 2,870.6 |
| NONWHITE | 129.3 | 1.7 | 0.8 | 5.5 | 76.4 | 357.0 | 874.5 | 2,689.7 |
| 2. MALIGNANT NEOPLASMS | 164.3 | 8.5 | 6.5 | 9.7 | 42.6 | 287.3 | 881.8 | 1,480.5 |
| WHITE | 169.0 | 9.2 | 6.5 | 10.3 | 40.0 | 281.7 | 877.1 | 1,496.1 |
| NONWHITE | 125.7 | 4.6 | 6.4 | 5.5 | 62.1 | 347.3 | 962.0 | 1,206.9 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM | 102.7 | 0.7 | 0.7 | 1.2 | 9.7 | 81.9 | 709.1 | 3,319.1 |
| WHITE | 104.5 | 0.7 | 0.7 | 1.0 | 7.1 | 71.6 | 698.5 | 3,388.2 |
| NONWHITE | 87.7 | 0.6 | 0.4 | 2.7 | 29.5 | 193.5 | 887.8 | 2,103.4 |
| 4. ACCIDENTS | 44.6 | 33.0 | 16.3 | 53.1 | 37.4 | 47.9 | 101.2 | 374.8 |
| WHITE | 43.8 | 26.8 | 15.0 | 52.9 | 35.9 | 47.2 | 101.7 | 376.5 |
| NONWHITE | 51.2 | 67.8 | 25.4 | 54.6 | 48.5 | 55.4 | 93.2 | 344.8 |
| A. MOTOR VEHICLE | 19.3 | 7.3 | 7.1 | 35.8 | 19.0 | 20.5 | 33.8 | 35.3 |
| WHITE | 20.2 | 7.2 | 7.3 | 38.5 | 19.5 | 21.1 | 35.0 | 33.3 |
| NONWHITE | 11.8 | 7.5 | 6.0 | 15.0 | 15.2 | 14.0 | 13.3 | 69.0 |
| B. OTHER | 25.3 | 25.7 | 9.2 | 17.2 | 18.3 | 27.4 | 67.4 | 339.5 |
| WHITE | 23.6 | 19.6 | 7.7 | 14.4 | 16.3 | 26.1 | 66.7 | 343.1 |
| NONWHITE | 39.3 | 60.3 | 19.3 | 39.6 | 33.3 | 41.4 | 79.8 | 275.9 |
| 5. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY | 44.4 | 377.1 | 2.7 | 2.5 | 2.4 | 2.2 | 2.1 | 5.6 |
| WHITE | 38.4 | 338.9 | 2.8 | 2.5 | 2.4 | 2.3 | 2.0 | 5.9 |
| NONWHITE | 93.3 | 592.8 | 2.0 | 2.0 | 2.2 | 1.1 | 3.8 | -0- |
| 6. PNEUMONIA AND INFLUENZA | 39.4 | 75.4 | 2.8 | 3.8 | 9.1 | 31.6 | 172.1 | 970.3 |
| WHITE | 33.7 | 50.9 | 2.4 | 3.3 | 5.5 | 24.1 | 158.1 | 966.7 |
| NONWHITE | 85.8 | 213.7 | 5.6 | 7.5 | 36.1 | 112.4 | 410.6 | 1,034.5 |
| 7. GENERAL ARTERIOSCLEROSIS | 19.2 | -0- | -0- | -0- | 0.1 | 5.1 | 118.4 | 1,395.2 |
| WHITE | 20.7 | -0- | -0- | -0- | -0- | 5.0 | 119.6 | 1,443.1 |
| NONWHITE | 7.3 | -0- | -0- | -0- | 0.6 | 6.5 | 98.9 | 551.7 |
| 8. DIABETES MELLITUS | 16.0 | 0.3 | 0.1 | 0.9 | 3.2 | 21.3 | 103.6 | 187.4 |
| WHITE | 15.7 | 0.4 | 0.1 | 0.8 | 3.1 | 18.4 | 99.8 | 184.3 |
| NONWHITE | 18.6 | -0- | -0- | 2.0 | 3.8 | 52.7 | 169.2 | 241.4 |
| 9. CIRRHOSIS OF LIVER | 13.2 | 0.2 | 0.1 | 0.4 | 8.9 | 33.1 | 38.5 | 39.0 |
| WHITE | 13.2 | 0.2 | 0.1 | 0.4 | 7.9 | 32.3 | 39.0 | 37.3 |
| NONWHITE | 13.1 | -0- | 0.4 | -0- | 16.2 | 41.9 | 30.4 | 69.0 |
| 10. SUICIDE | 9.7 | -0- | 0.0 | 5.0 | 10.0 | 19.0 | 24.0 | 33.4 |
| WHITE | 10.3 | -0- | 0.1 | 4.5 | 10.5 | 20.2 | 24.7 | 35.3 |
| NONWHITE | 4.6 | -0- | -0- | 8.9 | 7.0 | 5.9 | 11.4 | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART | 8.9 | -0- | -0- | -0- | 1.5 | 7.1 | 56.5 | 358.1 |
| WHITE | 8.8 | -0- | -0- | -0- | 0.8 | 5.3 | 56.5 | 349.0 |
| NONWHITE | 10.3 | -0- | -0- | -0- | 6.7 | 27.4 | 55.1 | 517.2 |
| 12. OTHER CIRCULATORY DISEASES | 9.6 | 0.1 | 0.0 | 1.0 | 2.3 | 11.5 | 64.3 | 92.8 |
| WHITE | 9.8 | 0.1 | 0.1 | 1.1 | 2.1 | 11.0 | 63.5 | 94.1 |
| NONWHITE | 7.7 | -0- | -0- | -0- | 4.1 | 16.7 | 77.9 | 69.0 |

TABLE 8B.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1962--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1962)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| CHICAGO, ALL CAUSES. . . . . | 1,221.1 | 715.5 | 44.6 | 112.9 | 336.2 | 1,519.3 | 6,061.4 | 22,748.2 |
| WHITE. . | 1,295.8 | 557.8 | 39.7 | 91.0 | 260.2 | 1,408.5 | 5,999.7 | 23,766.7 |
| NONWHITE | 998.7 | 989.0 | 55.2 | 176.7 | 531.2 | 2,040.9 | 6,540.7 | 16,315.8 |
| 1. HEART DISEASE. . . . . | 561.0 | 1.3 | 0.8 | 6.9 | 96.1 | 697.2 | 3,244.8 | 14,208.6 |
| WHITE. . | 631.7 | 0.4 | 0.5 | 5.3 | 75.7 | 651.8 | 3,264.2 | 14,933.3 |
| NONWHITE | 350.6 | 2.9 | 1.6 | 11.7 | 148.5 | 911.1 | 3,094.5 | 9,631.6 |
| A. ARTERIOSCLEROTIC. . . . | 444.7 | 0.3 | 0.2 | 2.3 | 51.4 | 524.0 | 2,704.9 | 11,474.8 |
| WHITE. . | 522.7 | -0- | -0- | 1.5 | 47.0 | 526.6 | 2,772.0 | 12,225.0 |
| NONWHITE | 212.9 | 0.7 | 0.5 | 4.5 | 62.8 | 511.3 | 2,183.7 | 6,736.8 |
| B. OTHER . . . . . | 116.3 | 1.1 | 0.7 | 4.6 | 44.7 | 173.3 | 540.0 | 2,733.8 |
| WHITE. . | 109.1 | 0.4 | 0.5 | 3.7 | 28.7 | 125.1 | 492.2 | 2,708.3 |
| NONWHITE | 137.7 | 2.2 | 1.1 | 7.2 | 85.7 | 399.9 | 910.8 | 2,894.7 |
| 2. MALIGNANT NEOPLASMS. . . . | 198.7 | 8.8 | 7.9 | 8.8 | 52.0 | 338.6 | 991.3 | 1,597.1 |
| WHITE. . | 222.2 | 12.2 | 8.6 | 9.6 | 46.7 | 332.0 | 988.9 | 1,650.0 |
| NONWHITE | 128.9 | 2.9 | 6.3 | 6.3 | 65.6 | 369.5 | 1,010.5 | 1,263.2 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM . . | 103.6 | 1.1 | 0.7 | 2.3 | 15.7 | 105.3 | 650.7 | 2,798.6 |
| WHITE. . | 109.4 | 1.3 | 1.0 | 2.2 | 9.1 | 84.7 | 619.9 | 2,933.3 |
| NONWHITE | 86.2 | 0.7 | -0- | 2.7 | 32.6 | 202.4 | 889.8 | 1,947.4 |
| 4. ACCIDENTS. . . . . | 42.0 | 41.5 | 16.9 | 39.2 | 37.1 | 44.3 | 88.6 | 273.4 |
| WHITE. . | 39.7 | 27.4 | 13.2 | 34.1 | 33.5 | 43.3 | 88.2 | 266.7 |
| NONWHITE | 48.7 | 65.8 | 24.7 | 54.1 | 46.3 | 49.4 | 91.9 | 315.8 |
| A. MOTOR VEHICLE . . . . . | 12.9 | 5.9 | 5.0 | 17.7 | 11.4 | 14.2 | 27.5 | 50.4 |
| WHITE. . | 14.0 | 4.6 | 4.4 | 20.1 | 11.6 | 15.1 | 29.4 | 50.0 |
| NONWHITE | 9.4 | 8.0 | 6.3 | 10.8 | 10.9 | 9.9 | 13.1 | 52.6 |
| B. OTHER . . . . . | 29.1 | 35.6 | 11.9 | 21.4 | 25.7 | 30.1 | 61.1 | 223.0 |
| WHITE. . | 25.7 | 22.8 | 8.8 | 13.9 | 21.9 | 28.1 | 58.8 | 216.7 |
| NONWHITE | 39.3 | 57.8 | 18.4 | 43.3 | 35.4 | 39.5 | 78.7 | 263.2 |
| 5. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY. . . . . | 52.6 | 468.0 | 1.5 | 2.5 | 2.4 | 2.0 | 1.8 | 21.6 |
| WHITE. . | 37.7 | 387.8 | 1.5 | 3.1 | 2.5 | 2.2 | 1.7 | 25.0 |
| NONWHITE | 96.9 | 607.2 | 1.6 | 0.9 | 2.0 | 0.7 | 2.6 | -0- |
| 6. PNEUMONIA AND INFLUENZA. . | 61.4 | 136.7 | 5.0 | 6.0 | 19.2 | 58.8 | 228.1 | 1,028.8 |
| WHITE. . | 48.9 | 78.5 | 3.9 | 5.3 | 10.2 | 42.8 | 193.9 | 991.7 |
| NONWHITE | 98.5 | 237.7 | 7.4 | 8.1 | 42.3 | 134.0 | 493.4 | 1,263.2 |
| 7. GENERAL ARTERIOSCLEROSIS . | 17.4 | -0- | -0- | -0- | 0.2 | 7.2 | 116.4 | 1,100.7 |
| WHITE. . | 21.3 | -0- | -0- | -0- | -0- | 7.3 | 119.6 | 1,216.7 |
| NONWHITE | 6.1 | -0- | -0- | -0- | 0.8 | 6.3 | 91.9 | 368.4 |
| 8. DIABETES MELLITUS. . . . . | 21.2 | -0- | 0.2 | 1.2 | 4.4 | 29.6 | 125.1 | 215.8 |
| WHITE. . | 22.0 | -0- | 0.2 | 0.9 | 4.4 | 24.0 | 118.2 | 216.7 |
| NONWHITE | 19.0 | -0- | -0- | 1.8 | 4.4 | 56.4 | 178.5 | 210.5 |
| 9. CIRRHOSIS OF LIVER . . . . | 23.0 | 0.3 | 0.2 | 0.9 | 17.4 | 53.6 | 57.2 | 57.6 |
| WHITE. . | 25.8 | 0.4 | -0- | 1.2 | 17.2 | 55.4 | 59.5 | 50.0 |
| NONWHITE | 14.5 | -0- | 0.5 | -0- | 17.7 | 45.1 | 39.4 | 105.3 |
| 10. SUICIDE. . . . . | 10.1 | -0- | -0- | 6.0 | 11.3 | 16.8 | 22.7 | 64.7 |
| WHITE. . | 11.6 | -0- | -0- | 4.3 | 12.5 | 18.9 | 24.0 | 75.0 |
| NONWHITE | 5.4 | -0- | -0- | 10.8 | 8.0 | 7.1 | 13.1 | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART . . . . . | 9.5 | -0- | -0- | -0- | 2.9 | 9.9 | 53.6 | 302.2 |
| WHITE. . | 9.4 | -0- | -0- | -0- | 1.4 | 5.8 | 53.7 | 291.7 |
| NONWHITE | 9.8 | -0- | -0- | -0- | 6.8 | 28.9 | 52.5 | 368.4 |
| 12. OTHER CIRCULATORY DISEASES . . . . . | 10.2 | -0- | -0- | 0.9 | 2.7 | 10.6 | 67.9 | 79.1 |
| WHITE. . | 11.2 | -0- | -0- | 1.2 | 1.9 | 10.0 | 66.2 | 83.3 |
| NONWHITE | 7.3 | -0- | -0- | -0- | 4.8 | 13.4 | 81.4 | 52.6 |

TABLE 88.-- DEATH RATES FOR THE TWELVE LEADING CAUSES, BY AGE AND COLOR, AMONG RESIDENTS OF ILLINOIS, CHICAGO, AND DOWNSTATE: 1962--CONTINUED

(RATES PER 100,000 ESTIMATED POPULATION IN EACH GROUP AS OF JULY 1, 1962)

| CAUSE AND RACE | ALL AGES | 0-4 YEARS | 5-14 YEARS | 15-24 YEARS | 25-44 YEARS | 45-64 YEARS | 65-84 YEARS | 85 AND OVER |
|---|---|---|---|---|---|---|---|---|
| DOWNSTATE, ALL CAUSES. . . . . | 909.4 | 467.9 | 37.8 | 102.8 | 174.6 | 1,006.9 | 5,229.2 | 20,700.0 |
| WHITE. . | 909.9 | 448.6 | 36.8 | 101.3 | 168.1 | 986.9 | 5,218.9 | 20,846.2 |
| NONWHITE | 898.1 | 852.9 | 61.6 | 138.0 | 340.3 | 1,617.6 | 5,655.2 | 15,000.0 |
| 1. HEART DISEASE. . . . . | 394.9 | 1.4 | 0.5 | 2.8 | 36.4 | 430.0 | 2,622.7 | 11,010.0 |
| WHITE. . | 397.5 | 1.5 | 0.5 | 2.7 | 34.9 | 420.9 | 2,619.2 | 11,097.4 |
| NONWHITE | 326.4 | -0- | -0- | 5.6 | 74.6 | 708.1 | 2,765.5 | 7,600.0 |
| A. ARTERIOSCLEROTIC. . . . | 314.8 | 0.1 | -0- | 0.3 | 25.5 | 360.4 | 2,109.2 | 8,105.0 |
| WHITE. . | 318.2 | 0.1 | -0- | 0.1 | 25.2 | 356.2 | 2,112.2 | 8,176.9 |
| NONWHITE | 225.2 | -0- | -0- | 5.6 | 32.8 | 488.7 | 1,986.2 | 5,300.0 |
| B. OTHER . . . . . | 80.1 | 1.3 | 0.5 | 2.4 | 10.8 | 69.6 | 513.4 | 2,905.0 |
| WHITE. . | 79.3 | 1.3 | 0.5 | 2.5 | 9.6 | 64.7 | 507.0 | 2,920.5 |
| NONWHITE | 101.2 | -0- | -0- | -0- | 41.8 | 219.5 | 779.3 | 2,300.0 |
| 2. MALIGNANT NEOPLASMS. . . . | 147.0 | 8.4 | 6.0 | 10.2 | 37.9 | 257.4 | 822.2 | 1,440.0 |
| WHITE. . | 148.3 | 8.3 | 5.9 | 10.5 | 37.5 | 256.8 | 821.9 | 1,448.7 |
| NONWHITE | 114.7 | 10.7 | 6.8 | 2.8 | 49.3 | 276.0 | 834.5 | 1,100.0 |
| 3. VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM . . | 102.2 | 0.5 | 0.7 | 0.7 | 6.7 | 68.2 | 740.8 | 3,500.0 |
| WHITE. . | 102.6 | 0.5 | 0.7 | 0.6 | 6.3 | 65.0 | 737.4 | 3,528.2 |
| NONWHITE | 92.6 | -0- | 1.7 | 2.8 | 17.9 | 165.2 | 882.8 | 2,400.0 |
| 4. ACCIDENTS. . . . . | 45.9 | 28.9 | 16.0 | 60.1 | 37.5 | 50.0 | 108.1 | 410.0 |
| WHITE. . | 45.4 | 26.6 | 15.6 | 60.2 | 36.7 | 49.1 | 108.3 | 410.3 |
| NONWHITE | 59.3 | 74.9 | 27.4 | 56.3 | 56.7 | 74.7 | 96.6 | 400.0 |
| A. MOTOR VEHICLE . . . . . | 22.5 | 7.9 | 8.0 | 45.0 | 22.8 | 24.2 | 37.2 | 30.0 |
| WHITE. . | 22.6 | 8.0 | 8.1 | 45.7 | 22.5 | 24.1 | 37.7 | 28.2 |
| NONWHITE | 19.8 | 5.3 | 5.1 | 28.2 | 31.3 | 27.1 | 13.8 | 100.0 |
| B. OTHER . . . . . | 23.5 | 21.0 | 8.0 | 15.1 | 14.6 | 25.7 | 70.9 | 380.0 |
| WHITE. . | 22.8 | 18.6 | 7.4 | 14.5 | 14.2 | 25.0 | 70.6 | 382.1 |
| NONWHITE | 39.5 | 69.5 | 22.3 | 28.2 | 25.4 | 47.5 | 82.8 | 300.0 |
| 5. CONGENITAL MALFORMATIONS AND DISEASES OF EARLY INFANCY. . . . . | 40.3 | 333.8 | 3.2 | 2.4 | 2.4 | 2.3 | 2.3 | -0- |
| WHITE. . | 38.7 | 323.4 | 3.2 | 2.3 | 2.3 | 2.3 | 2.2 | -0- |
| NONWHITE | 81.4 | 540.1 | 3.4 | 5.6 | 3.0 | 2.3 | 6.9 | -0- |
| 6. PNEUMONIA AND INFLUENZA. . | 28.4 | 46.1 | 1.9 | 2.7 | 4.2 | 15.7 | 141.6 | 950.0 |
| WHITE. . | 27.8 | 42.2 | 2.0 | 2.5 | 3.8 | 14.8 | 140.4 | 959.0 |
| NONWHITE | 43.0 | 125.7 | -0- | 5.6 | 13.4 | 43.0 | 193.1 | 600.0 |
| 7. GENERAL ARTERIOSCLEROSIS . | 20.1 | -0- | -0- | -0- | -0- | 3.9 | 119.5 | 1,497.5 |
| WHITE. . | 20.5 | -0- | -0- | -0- | -0- | 3.8 | 119.5 | 1,512.8 |
| NONWHITE | 11.2 | -0- | -0- | -0- | -0- | 6.8 | 117.2 | 900.0 |
| 8. DIABETES MELLITUS. . . . . | 13.4 | 0.5 | 0.1 | 0.8 | 2.6 | 16.5 | 91.9 | 177.5 |
| WHITE. . | 13.3 | 0.5 | 0.1 | 0.7 | 2.6 | 15.7 | 90.7 | 174.4 |
| NONWHITE | 17.1 | -0- | -0- | 2.8 | 1.5 | 40.7 | 144.8 | 300.0 |
| 9. CIRRHOSIS OF LIVER . . . . | 8.3 | 0.1 | 0.1 | 0.1 | 4.7 | 21.2 | 28.4 | 32.5 |
| WHITE. . | 8.2 | 0.1 | 0.1 | 0.1 | 4.4 | 20.9 | 28.9 | 33.3 |
| NONWHITE | 8.5 | -0- | -0- | -0- | 10.4 | 31.7 | 6.9 | -0- |
| 10. SUICIDE. . . . . | 9.4 | -0- | 0.1 | 4.5 | 9.4 | 20.3 | 24.6 | 22.5 |
| WHITE. . | 9.7 | -0- | 0.1 | 4.6 | 9.7 | 20.9 | 25.0 | 23.1 |
| NONWHITE | 1.9 | -0- | -0- | 2.8 | 3.0 | 2.3 | 6.9 | -0- |
| 11. HYPERTENSION WITHOUT MENTION OF HEART . . . . . | 8.7 | -0- | -0- | -0- | 0.7 | 5.5 | 58.0 | 377.5 |
| WHITE. . | 8.5 | -0- | -0- | -0- | 0.5 | 5.0 | 57.9 | 366.7 |
| NONWHITE | 12.0 | -0- | -0- | -0- | 6.0 | 22.6 | 62.1 | 800.0 |
| 12. OTHER CIRCULATORY DISEASES . . . . . | 9.3 | 0.1 | 0.1 | 1.0 | 2.1 | 12.0 | 62.3 | 97.5 |
| WHITE. . | 9.3 | 0.1 | 0.1 | 1.1 | 2.2 | 11.5 | 62.1 | 97.4 |
| NONWHITE | 9.3 | -0- | -0- | -0- | 1.5 | 27.1 | 69.0 | 100.0 |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ILLINOIS . | 104,695 | 61,072 | 36,998 | 9,522 | 10,607 | 1,988 | 924 | 989 | 44 |
| ADAMS . . . | 899 | 547 | 332 | 53 | 122 | 25 | 12 | 3 | -- |
| ALEXANDER . | 273 | 156 | 104 | 19 | 23 | 6 | 1 | 3 | -- |
| BOND. . . . | 172 | 110 | 55 | 28 | 21 | 1 | 3 | 2 | -- |
| BOONE . . . | 211 | 137 | 86 | 21 | 25 | 3 | 2 | -- | -- |
| BROWN . . . | 105 | 65 | 32 | 13 | 15 | 3 | 1 | 1 | -- |
| BUREAU. . . | 397 | 232 | 129 | 39 | 43 | 11 | 3 | 7 | -- |
| CALHOUN . . | 71 | 44 | 17 | 14 | 9 | 3 | -- | 1 | -- |
| CARROLL . . | 238 | 141 | 80 | 22 | 25 | 8 | 1 | 5 | -- |
| CASS. . . . | 205 | 126 | 84 | 11 | 28 | 2 | -- | 1 | -- |
| CHAMPAIGN . | 822 | 480 | 273 | 69 | 102 | 16 | 11 | 9 | -- |
| CHRISTIAN . | 489 | 281 | 171 | 27 | 51 | 21 | 8 | 3 | -- |
| CLARK . . . | 209 | 127 | 59 | 24 | 36 | 6 | 1 | 1 | -- |
| CLAY. . . . | 194 | 136 | 82 | 18 | 26 | 5 | -- | 4 | 1 |
| CLINTON . . | 228 | 146 | 77 | 35 | 25 | 5 | 3 | 1 | -- |
| COLES . . . | 490 | 286 | 145 | 45 | 74 | 11 | 6 | 5 | -- |
| COOK. . . . | 54,449 | 31,181 | 19,708 | 5,013 | 4,739 | 799 | 430 | 469 | 23 |
| CRAWFORD. . | 252 | 165 | 108 | 18 | 29 | 5 | 4 | 1 | -- |
| CUMBERLAND. | 113 | 74 | 41 | 4 | 27 | 2 | -- | -- | -- |
| DE KALB . . | 477 | 286 | 185 | 25 | 61 | 7 | 4 | 4 | -- |
| DE WITT . . | 226 | 153 | 71 | 36 | 34 | 4 | 4 | 4 | -- |
| DOUGLAS . . | 201 | 137 | 59 | 45 | 23 | 4 | 2 | 4 | -- |
| DU PAGE . . | 2,075 | 1,125 | 634 | 195 | 224 | 31 | 13 | 23 | 5 |
| EDGAR . . . | 296 | 183 | 84 | 30 | 54 | 9 | 3 | 3 | -- |
| EDWARDS . . | 98 | 54 | 29 | 10 | 11 | 2 | 1 | 1 | -- |
| EFFINGHAM . | 215 | 115 | 55 | 24 | 27 | 6 | 1 | 2 | -- |
| FAYETTE . . | 251 | 161 | 89 | 26 | 37 | 7 | 1 | 1 | -- |
| FORD. . . . | 181 | 99 | 60 | 14 | 17 | 5 | 1 | 2 | -- |
| FRANKLIN. . | 592 | 381 | 253 | 63 | 46 | 14 | 1 | 4 | -- |
| FULTON. . . | 533 | 350 | 191 | 53 | 72 | 20 | 10 | 4 | -- |
| GALLATIN. . | 131 | 80 | 37 | 19 | 21 | 2 | -- | 1 | -- |
| GREENE. . . | 250 | 170 | 76 | 28 | 50 | 9 | 3 | 4 | -- |
| GRUNDY. . . | 220 | 134 | 76 | 16 | 34 | -- | 5 | 3 | -- |
| HAMILTON. . | 129 | 88 | 41 | 31 | 13 | -- | 2 | 1 | -- |
| HANCOCK . . | 312 | 198 | 119 | 15 | 49 | 8 | 3 | 4 | -- |
| HARDIN. . . | 72 | 46 | 23 | 3 | 18 | 2 | -- | -- | -- |
| HENDERSON . | 82 | 41 | 23 | 6 | 11 | -- | 1 | -- | -- |
| HENRY . . . | 555 | 338 | 206 | 32 | 70 | 18 | 9 | 3 | -- |
| IROQUOIS. . | 382 | 240 | 139 | 50 | 37 | 6 | 3 | 5 | -- |
| JACKSON . . | 455 | 266 | 153 | 28 | 56 | 10 | 12 | 7 | -- |
| JASPER. . . | 148 | 82 | 59 | 12 | 7 | 2 | 2 | -- | -- |
| JEFFERSON . | 391 | 212 | 118 | 45 | 42 | 7 | -- | -- | -- |
| JERSEY. . . | 152 | 82 | 47 | 14 | 15 | 4 | 1 | 1 | -- |
| JO DAVIESS. | 285 | 178 | 83 | 33 | 43 | 10 | 2 | 6 | 1 |
| JOHNSON . . | 109 | 66 | 49 | 6 | 8 | 2 | -- | 1 | -- |
| KANE. . . . | 1,902 | 1,081 | 636 | 150 | 224 | 25 | 17 | 27 | 2 |
| KANKAKEE. . | 774 | 438 | 301 | 52 | 51 | 13 | 10 | 10 | 1 |
| KENDALL . . | 160 | 78 | 50 | 12 | 12 | 1 | 3 | -- | -- |
| KNOX. . . . | 652 | 420 | 281 | 34 | 77 | 16 | 3 | 9 | -- |
| LAKE. . . . | 2,151 | 1,200 | 733 | 167 | 210 | 56 | 14 | 20 | -- |
| LA SALLE. . | 1,255 | 742 | 417 | 99 | 173 | 29 | 4 | 20 | -- |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ILLINOIS . | 16,970 | 4,608 | 1,990 | 2,618 | 4,072 | 3,487 | 1,100 | 1,655 | 1,361 | 997 |
| ADAMS . . . | 138 | 45 | 18 | 27 | 20 | 17 | 8 | 8 | 12 | 13 |
| ALEXANDER . | 33 | 17 | 6 | 11 | 6 | 12 | 4 | 6 | 2 | 3 |
| BOND. . . . | 24 | 10 | 8 | 2 | 5 | -- | 3 | 1 | -- | -- |
| BOONE . . . | 30 | 12 | 7 | 5 | 6 | 6 | 2 | 4 | -- | -- |
| BROWN . . . | 12 | 6 | 2 | 4 | 3 | 3 | -- | 2 | -- | -- |
| BUREAU. . . | 64 | 24 | 14 | 10 | 15 | 7 | 4 | 7 | 1 | 4 |
| CALHOUN . . | 11 | 3 | 1 | 2 | 5 | 1 | 1 | 1 | 1 | 1 |
| CARROLL . . | 43 | 13 | 5 | 8 | 8 | 7 | -- | 4 | -- | 8 |
| CASS. . . . | 32 | 8 | -- | 8 | 7 | 2 | 2 | 4 | 1 | 4 |
| CHAMPAIGN . | 103 | 54 | 32 | 22 | 32 | 33 | 20 | 9 | 9 | 4 |
| CHRISTIAN . | 84 | 26 | 11 | 15 | 17 | 16 | 4 | 9 | 4 | 4 |
| CLARK . . . | 35 | 11 | 3 | 8 | 9 | 5 | 1 | 2 | 1 | -- |
| CLAY. . . . | 20 | 12 | 5 | 7 | 4 | 1 | -- | 2 | 2 | 1 |
| CLINTON . . | 31 | 14 | 11 | 3 | 4 | 7 | 3 | 3 | 1 | 1 |
| COLES . . . | 71 | 33 | 18 | 15 | 11 | 13 | 5 | 8 | 3 | 2 |
| COOK. . . . | 9,111 | 1,929 | 661 | 1,268 | 2,532 | 1,951 | 534 | 938 | 957 | 482 |
| CRAWFORD. . | 34 | 14 | 5 | 9 | 5 | 2 | 4 | 2 | 1 | 1 |
| CUMBERLAND. | 14 | 2 | 1 | 1 | -- | 6 | -- | 4 | -- | 2 |
| DE KALB . . | 75 | 23 | 13 | 10 | 25 | 8 | 5 | 7 | 2 | 3 |
| DE WITT . . | 31 | 9 | 6 | 3 | 5 | 7 | 2 | 2 | -- | 2 |
| DOUGLAS . . | 20 | 9 | 5 | 4 | 6 | 6 | 2 | 2 | -- | 3 |
| DU PAGE . . | 371 | 131 | 69 | 62 | 60 | 91 | 38 | 31 | 25 | 25 |
| EDGAR . . . | 43 | 16 | 10 | 6 | 9 | 6 | 2 | 5 | 1 | 3 |
| EDWARDS . . | 21 | 8 | 2 | 6 | -- | 4 | 1 | 5 | -- | -- |
| EFFINGHAM . | 35 | 12 | 7 | 5 | 7 | 7 | 4 | 4 | 2 | 2 |
| FAYETTE . . | 30 | 13 | 6 | 7 | 9 | 6 | -- | 3 | 2 | 1 |
| FORD. . . . | 32 | 16 | 10 | 6 | 7 | 6 | 1 | 1 | -- | -- |
| FRANKLIN. . | 100 | 27 | 10 | 17 | 16 | 4 | 6 | 11 | 2 | 5 |
| FULTON. . . | 60 | 34 | 25 | 9 | 17 | 6 | 5 | 9 | 3 | 5 |
| GALLATIN. . | 17 | 11 | 2 | 9 | 3 | 3 | -- | 2 | 2 | 1 |
| GREENE. . . | 33 | 8 | 2 | 6 | 13 | 2 | 1 | 2 | 1 | 2 |
| GRUNDY. . . | 37 | 12 | 7 | 5 | 5 | 8 | -- | 4 | -- | -- |
| HAMILTON. . | 17 | 5 | 4 | 1 | 2 | 4 | 1 | 1 | -- | 2 |
| HANCOCK . . | 48 | 15 | 9 | 6 | 8 | 10 | 1 | 6 | 1 | 4 |
| HARDIN. . . | 9 | 6 | 4 | 2 | 2 | 2 | -- | -- | 1 | -- |
| HENDERSON . | 13 | 16 | 13 | 3 | 1 | -- | 1 | 2 | -- | -- |
| HENRY . . . | 84 | 30 | 18 | 12 | 14 | 20 | 7 | 6 | 4 | 6 |
| IROQUOIS. . | 59 | 12 | 8 | 4 | 20 | 7 | 2 | 4 | 4 | 1 |
| JACKSON . . | 79 | 17 | 7 | 10 | 12 | 8 | 6 | 10 | 2 | 5 |
| JASPER. . . | 23 | 11 | 5 | 6 | 2 | 5 | -- | 4 | 1 | -- |
| JEFFERSON . | 52 | 21 | 11 | 10 | 12 | 12 | 7 | 5 | 3 | 5 |
| JERSEY. . . | 26 | 11 | 5 | 6 | 9 | 4 | 2 | 1 | -- | 1 |
| JO DAVIESS. | 49 | 16 | 8 | 8 | 7 | 4 | 1 | 7 | -- | 6 |
| JOHNSON . . | 12 | 5 | 4 | 1 | 6 | 4 | 1 | 3 | -- | 1 |
| KANE. . . . | 303 | 109 | 59 | 50 | 59 | 88 | 22 | 31 | 18 | 24 |
| KANKAKEE. . | 124 | 45 | 14 | 31 | 27 | 31 | 15 | 13 | 7 | 3 |
| KENDALL . . | 25 | 16 | 12 | 4 | 6 | 7 | 4 | -- | 1 | 3 |
| KNOX. . . . | 98 | 26 | 11 | 15 | 19 | 13 | 3 | 9 | 2 | 7 |
| LAKE. . . . | 374 | 109 | 58 | 51 | 61 | 102 | 32 | 28 | 35 | 18 |
| LA SALLE. . | 222 | 68 | 34 | 34 | 25 | 29 | 11 | 13 | 14 | 16 |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAWRENCE. . | 248 | 162 | 73 | 31 | 37 | 8 | 10 | 3 | -- |
| LEE . . . . | 394 | 241 | 131 | 41 | 51 | 13 | 2 | 3 | -- |
| LIVINGSTON. | 389 | 240 | 136 | 27 | 63 | 9 | 1 | 4 | -- |
| LOGAN . . . | 345 | 216 | 136 | 37 | 19 | 13 | 7 | 4 | -- |
| MC DONOUGH. | 331 | 207 | 136 | 26 | 31 | 9 | 2 | 3 | -- |
| MC HENRY. . | 833 | 469 | 279 | 59 | 90 | 24 | 8 | 9 | -- |
| MC LEAN . . | 913 | 577 | 336 | 64 | 127 | 29 | 12 | 9 | -- |
| MACON . . . | 1,197 | 675 | 385 | 93 | 136 | 33 | 11 | 16 | 1 |
| MACOUPIN. . | 601 | 364 | 210 | 55 | 76 | 10 | 8 | 5 | -- |
| MADISON . . | 2,028 | 1,118 | 612 | 205 | 221 | 37 | 22 | 20 | 1 |
| MARION. . . | 480 | 301 | 191 | 49 | 45 | 7 | 5 | 4 | -- |
| MARSHALL. . | 174 | 111 | 58 | 9 | 30 | 10 | -- | 3 | 1 |
| MASON . . . | 171 | 96 | 66 | 15 | 13 | -- | -- | 2 | -- |
| MASSAC. . . | 180 | 88 | 34 | 17 | 27 | 8 | -- | 1 | 1 |
| MENARD. . . | 130 | 84 | 55 | 11 | 11 | 2 | 3 | 2 | -- |
| MERCER. . . | 196 | 123 | 76 | 17 | 23 | 4 | 1 | 2 | -- |
| MONROE. . . | 184 | 115 | 69 | 15 | 15 | 15 | 1 | -- | -- |
| MONTGOMERY. | 440 | 275 | 144 | 48 | 66 | 10 | 2 | 5 | -- |
| MORGAN. . . | 428 | 315 | 184 | 45 | 56 | 22 | 4 | 3 | 1 |
| MOULTRIE. . | 205 | 138 | 83 | 7 | 39 | 2 | 7 | -- | -- |
| OGLE. . . . | 367 | 207 | 117 | 36 | 43 | 5 | 5 | 1 | -- |
| PEORIA. . . | 1,846 | 1,090 | 639 | 125 | 199 | 87 | 15 | 25 | -- |
| PERRY . . . | 254 | 158 | 106 | 18 | 29 | 2 | 2 | 1 | -- |
| PIATT . . . | 136 | 80 | 36 | 16 | 17 | 8 | 2 | 1 | -- |
| PIKE. . . . | 278 | 184 | 90 | 51 | 25 | 15 | -- | 3 | -- |
| POPE. . . . | 64 | 40 | 20 | 7 | 9 | 3 | 1 | -- | -- |
| PULASKI . . | 153 | 95 | 57 | 7 | 22 | 6 | 2 | 1 | -- |
| PUTNAM. . . | 52 | 29 | 19 | 5 | 4 | 1 | -- | -- | -- |
| RANDOLPH. . | 342 | 225 | 138 | 33 | 43 | 6 | 3 | 2 | -- |
| RICHLAND. . | 210 | 126 | 82 | 21 | 17 | 4 | 1 | 1 | -- |
| ROCK ISLAND | 1,567 | 975 | 650 | 106 | 164 | 25 | 16 | 13 | 1 |
| ST CLAIR. . | 2,669 | 1,511 | 840 | 307 | 285 | 37 | 19 | 23 | -- |
| SALINE. . . | 478 | 333 | 212 | 45 | 54 | 10 | 8 | 4 | -- |
| SANGAMON. . | 1,717 | 1,008 | 594 | 138 | 203 | 28 | 22 | 22 | 1 |
| SCHUYLER. . | 132 | 97 | 35 | 41 | 19 | -- | 1 | 1 | -- |
| SCOTT . . . | 87 | 56 | 34 | 7 | 10 | 4 | -- | 1 | -- |
| SHELBY. . . | 296 | 184 | 91 | 33 | 47 | 8 | 4 | 1 | -- |
| STARK . . . | 96 | 62 | 34 | 10 | 13 | 1 | 2 | 2 | -- |
| STEPHENSON. | 528 | 324 | 189 | 49 | 61 | 6 | 10 | 9 | -- |
| TAZEWELL. . | 734 | 398 | 219 | 74 | 72 | 19 | 2 | 12 | -- |
| UNION . . . | 205 | 127 | 71 | 24 | 18 | 13 | -- | 1 | -- |
| VERMILION . | 1,134 | 698 | 381 | 108 | 145 | 42 | 14 | 8 | -- |
| WABASH. . . | 167 | 108 | 57 | 21 | 23 | 5 | 2 | -- | -- |
| WARREN. . . | 244 | 159 | 81 | 36 | 31 | 5 | -- | 6 | -- |
| WASHINGTON. | 229 | 129 | 82 | 7 | 28 | 6 | 5 | 1 | -- |
| WAYNE . . . | 193 | 110 | 61 | 23 | 22 | 1 | 1 | 2 | -- |
| WHITE . . . | 245 | 164 | 98 | 16 | 35 | 8 | 3 | 4 | -- |
| WHITESIDE . | 544 | 314 | 156 | 66 | 57 | 20 | 8 | 7 | -- |
| WILL. . . . | 1,676 | 991 | 527 | 204 | 193 | 32 | 13 | 21 | 1 |
| WILLIAMSON. | 680 | 437 | 278 | 40 | 72 | 18 | 22 | 6 | 1 |
| WINNEBAGO . | 1,682 | 895 | 538 | 105 | 193 | 24 | 12 | 21 | 2 |
| WOODFORD. . | 255 | 171 | 106 | 19 | 31 | 12 | 2 | 1 | -- |
| UNSPECIFIED | 39 | 14 | 6 | 7 | -- | 1 | -- | -- | -- |

TABLE 9A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAWRENCE. . | 35 | 9 | 4 | 5 | 9 | 4 | -- | 1 | 1 | 4 |
| LEE . . . . | 60 | 13 | 3 | 10 | 11 | 11 | 6 | 9 | 4 | 5 |
| LIVINGSTON. | 59 | 20 | 9 | 11 | 16 | 10 | 4 | 4 | 2 | 4 |
| LOGAN . . . | 47 | 22 | 12 | 10 | 9 | 7 | 4 | 3 | 4 | 8 |
| MC DONOUGH. | 42 | 15 | 9 | 6 | 20 | 3 | -- | 5 | 2 | 5 |
| MC HENRY. . | 129 | 64 | 48 | 16 | 31 | 29 | 8 | 17 | 9 | 14 |
| MC LEAN . . | 147 | 54 | 28 | 26 | 26 | 25 | 11 | 4 | 7 | 4 |
| MACON . . . | 217 | 55 | 28 | 27 | 28 | 43 | 20 | 21 | 8 | 14 |
| MACOUPIN. . | 95 | 23 | 10 | 13 | 31 | 10 | 4 | 7 | 8 | 6 |
| MADISON . . | 352 | 124 | 53 | 71 | 71 | 79 | 23 | 28 | 21 | 26 |
| MARION. . . | 78 | 17 | 8 | 9 | 15 | 10 | 3 | 8 | 6 | 2 |
| MARSHALL. . | 18 | 10 | 7 | 3 | 3 | 4 | 1 | 3 | 2 | 2 |
| MASON . . . | 33 | 8 | 4 | 4 | 8 | 2 | 1 | 3 | 1 | 3 |
| MASSAC. . . | 36 | 17 | 5 | 12 | 5 | 5 | 3 | 2 | 2 | -- |
| MENARD. . . | 17 | 5 | 2 | 3 | 8 | 3 | -- | 2 | -- | 1 |
| MERCER. . . | 27 | 8 | 4 | 4 | 12 | 1 | -- | 7 | 1 | 1 |
| MONROE. . . | 32 | 10 | 8 | 2 | 3 | 3 | 3 | -- | -- | -- |
| MONTGOMERY. | 72 | 21 | 10 | 11 | 15 | 1 | 5 | 7 | 1 | 7 |
| MORGAN. . . | 52 | 15 | 11 | 4 | 6 | 10 | 2 | 2 | 1 | 2 |
| MOULTRIE. . | 29 | 6 | 2 | 4 | 7 | 4 | 2 | 1 | 1 | 2 |
| OGLE. . . . | 56 | 16 | 6 | 10 | 13 | 11 | 6 | 7 | 3 | 4 |
| PEORIA. . . | 288 | 81 | 38 | 43 | 65 | 60 | 25 | 22 | 18 | 17 |
| PERRY . . . | 35 | 18 | 10 | 8 | 10 | 4 | 1 | 4 | 2 | 3 |
| PIATT . . . | 26 | 7 | 4 | 3 | 3 | 3 | 4 | -- | 4 | 1 |
| PIKE. . . . | 48 | 7 | 4 | 3 | 5 | 4 | 3 | 5 | -- | 3 |
| POPE. . . . | 9 | 7 | 3 | 4 | 1 | -- | -- | 3 | -- | -- |
| PULASKI . . | 21 | 6 | 4 | 2 | 8 | 4 | -- | 2 | -- | -- |
| PUTNAM. . . | 6 | 2 | 1 | 1 | 2 | 3 | -- | 1 | 1 | 1 |
| RANDOLPH. . | 54 | 14 | 11 | 3 | 5 | 10 | 2 | 3 | 4 | 1 |
| RICHLAND. . | 35 | 9 | 2 | 7 | 16 | 3 | 2 | 1 | 1 | 3 |
| ROCK ISLAND | 217 | 77 | 37 | 40 | 39 | 69 | 16 | 26 | 10 | 14 |
| ST CLAIR. . | 424 | 141 | 54 | 87 | 82 | 119 | 33 | 47 | 21 | 29 |
| SALINE. . . | 66 | 20 | 9 | 11 | 9 | 4 | -- | 6 | 1 | 5 |
| SANGAMON. . | 293 | 82 | 47 | 35 | 45 | 54 | 18 | 23 | 20 | 18 |
| SCHUYLER. . | 14 | 9 | 5 | 4 | -- | 1 | -- | 1 | -- | 2 |
| SCOTT . . . | 15 | 2 | 1 | 1 | 4 | 3 | -- | 1 | -- | 1 |
| SHELBY. . . | 38 | 17 | 5 | 12 | 12 | 4 | 3 | 4 | 2 | 6 |
| STARK . . . | 12 | 4 | 2 | 2 | 2 | 3 | 1 | 6 | -- | 1 |
| STEPHENSON. | 84 | 27 | 12 | 15 | 15 | 13 | 5 | 5 | 2 | 5 |
| TAZEWELL. . | 133 | 44 | 20 | 24 | 18 | 18 | 16 | 15 | 8 | 8 |
| UNION . . . | 25 | 9 | 3 | 6 | 10 | 4 | 2 | 5 | 1 | 2 |
| VERMILION . | 169 | 54 | 19 | 35 | 39 | 32 | 11 | 14 | 8 | 8 |
| WABASH. . . | 26 | 4 | 1 | 3 | 5 | 2 | 1 | 3 | 1 | 2 |
| WARREN. . . | 34 | 8 | 2 | 6 | 11 | 8 | 2 | 2 | 3 | 3 |
| WASHINGTON. | 36 | 16 | 12 | 4 | 19 | 4 | 1 | 2 | -- | 2 |
| WAYNE . . . | 37 | 6 | 3 | 3 | 9 | -- | 2 | -- | 2 | 7 |
| WHITE . . . | 31 | 20 | 14 | 6 | 5 | 2 | -- | 2 | 1 | 3 |
| WHITESIDE . | 72 | 28 | 10 | 18 | 9 | 23 | 9 | 12 | 4 | 6 |
| WILL. . . . | 256 | 115 | 57 | 58 | 38 | 57 | 25 | 27 | 16 | 16 |
| WILLIAMSON. | 103 | 30 | 7 | 23 | 11 | 14 | 4 | 5 | 6 | 5 |
| WINNEBAGO . | 278 | 91 | 49 | 42 | 56 | 77 | 28 | 21 | 12 | 26 |
| WOODFORD. . | 39 | 9 | 6 | 3 | 5 | 6 | 2 | 1 | -- | 1 |
| UNSPECIFIED | 1 | 12 | 1 | 11 | 4 | 1 | -- | -- | 1 | -- |

TABLE 9B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1962)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ILLINOIS . | 1,013.5 | 591.2 | 358.2 | 92.2 | 102.7 | 19.2 | 8.9 | 9.6 | 0.4 |
| ADAMS . . . | 1,293.5 | 787.1 | 477.7 | 76.3 | 175.5 | 36.0 | 17.3 | 4.3 | -0- |
| ALEXANDER . | 1,807.9 | 1,033.1 | 688.7 | 125.8 | 152.3 | 39.7 | 6.6 | 19.9 | -0- |
| BOND. . . . | 1,228.6 | 785.7 | 392.9 | 200.0 | 150.0 | 7.1 | 21.4 | 14.3 | -0- |
| BOONE . . . | 1,009.6 | 655.5 | 411.5 | 100.5 | 119.6 | 14.4 | 9.6 | -0- | -0- |
| BROWN . . . | 1,750.0 | 1,083.3 | 533.3 | 216.7 | 250.0 | 50.0 | 16.7 | 16.7 | -0- |
| BUREAU. . . | 1,058.7 | 618.7 | 344.0 | 104.0 | 114.7 | 29.3 | 8.0 | 18.7 | -0- |
| CALHOUN . . | 1,245.6 | 771.9 | 298.2 | 245.6 | 157.9 | 52.6 | -0- | 17.5 | -0- |
| CARROLL . . | 1,220.5 | 723.1 | 410.3 | 112.8 | 128.2 | 41.0 | 5.1 | 25.6 | -0- |
| CASS. . . . | 1,433.6 | 881.1 | 587.4 | 76.9 | 195.8 | 14.0 | -0- | 7.0 | -0- |
| CHAMPAIGN . | 592.6 | 346.1 | 196.8 | 49.7 | 73.5 | 11.5 | 7.9 | 6.5 | -0- |
| CHRISTIAN . | 1,339.7 | 769.9 | 468.5 | 74.0 | 139.7 | 57.5 | 21.9 | 8.2 | -0- |
| CLARK . . . | 1,282.2 | 779.1 | 362.0 | 147.2 | 220.9 | 36.8 | 6.1 | 6.1 | -0- |
| CLAY. . . . | 1,259.7 | 883.1 | 532.5 | 116.9 | 168.8 | 32.5 | -0- | 26.0 | 6.5 |
| CLINTON . . | 938.3 | 600.8 | 316.9 | 144.0 | 102.9 | 20.6 | 12.3 | 4.1 | -0- |
| COLES . . . | 1,129.0 | 659.0 | 334.1 | 103.7 | 170.5 | 25.3 | 13.8 | 11.5 | -0- |
| COOK. . . . | 1,037.9 | 594.4 | 375.7 | 95.6 | 90.3 | 15.2 | 8.2 | 8.9 | 0.4 |
| CRAWFORD. . | 1,217.4 | 797.1 | 521.7 | 87.0 | 140.1 | 24.2 | 19.3 | 4.8 | -0- |
| CUMBERLAND. | 1,153.1 | 755.1 | 418.4 | 40.8 | 275.5 | 20.4 | -0- | -0- | -0- |
| DE KALB . . | 876.8 | 525.7 | 340.1 | 46.0 | 112.1 | 12.9 | 7.4 | 7.4 | -0- |
| DE WITT . . | 1,314.0 | 889.5 | 412.8 | 209.3 | 197.7 | 23.3 | 23.3 | 23.3 | -0- |
| DOUGLAS . . | 1,030.8 | 702.6 | 302.6 | 230.8 | 117.9 | 20.5 | 10.3 | 20.5 | -0- |
| DU PAGE . . | 623.1 | 337.8 | 190.4 | 58.6 | 67.3 | 9.3 | 3.9 | 6.9 | 1.5 |
| EDGAR . . . | 1,327.4 | 820.6 | 376.7 | 134.5 | 242.2 | 40.4 | 13.5 | 13.5 | -0- |
| EDWARDS . . | 1,289.5 | 710.5 | 381.6 | 131.6 | 144.7 | 26.3 | 13.2 | 13.2 | -0- |
| EFFINGHAM . | 914.9 | 489.4 | 234.0 | 102.1 | 114.9 | 25.5 | 4.3 | 8.5 | -0- |
| FAYETTE . . | 1,156.7 | 741.9 | 410.1 | 119.8 | 170.5 | 32.3 | 4.6 | 4.6 | -0- |
| FORD. . . . | 1,083.8 | 592.8 | 359.3 | 83.8 | 101.8 | 29.9 | 6.0 | 12.0 | -0- |
| FRANKLIN. . | 1,600.0 | 1,029.7 | 683.8 | 170.3 | 124.3 | 37.8 | 2.7 | 10.8 | -0- |
| FULTON. . . | 1,284.3 | 843.4 | 460.2 | 127.7 | 173.5 | 48.2 | 24.1 | 9.6 | -0- |
| GALLATIN. . | 1,845.1 | 1,126.8 | 521.1 | 267.6 | 295.8 | 28.2 | -0- | 14.1 | -0- |
| GREENE. . . | 1,462.0 | 994.2 | 444.4 | 163.7 | 292.4 | 52.6 | 17.5 | 23.4 | -0- |
| GRUNDY. . . | 952.4 | 580.1 | 329.0 | 69.3 | 147.2 | -0- | 21.6 | 13.0 | -0- |
| HAMILTON. . | 1,357.9 | 926.3 | 431.6 | 326.3 | 136.8 | -0- | 21.1 | 10.5 | -0- |
| HANCOCK . . | 1,284.0 | 814.8 | 489.7 | 61.7 | 201.6 | 32.9 | 12.3 | 16.5 | -0- |
| HARDIN. . . | 1,285.7 | 821.4 | 410.7 | 53.6 | 321.4 | 35.7 | -0- | -0- | -0- |
| HENDERSON . | 1,012.3 | 506.2 | 284.0 | 74.1 | 135.8 | -0- | 12.3 | -0- | -0- |
| HENRY . . . | 1,114.5 | 678.7 | 413.7 | 64.3 | 140.6 | 36.1 | 18.1 | 6.0 | -0- |
| IROQUOIS. . | 1,143.7 | 718.6 | 416.2 | 149.7 | 110.8 | 18.0 | 9.0 | 15.0 | -0- |
| JACKSON . . | 1,043.6 | 610.1 | 350.9 | 64.2 | 128.4 | 22.9 | 27.5 | 16.1 | -0- |
| JASPER. . . | 1,333.3 | 738.7 | 531.5 | 108.1 | 63.1 | 18.0 | 18.0 | -0- | -0- |
| JEFFERSON . | 1,241.3 | 673.0 | 374.6 | 142.9 | 133.3 | 22.2 | -0- | -0- | -0- |
| JERSEY. . . | 873.6 | 471.3 | 270.1 | 80.5 | 86.2 | 23.0 | 5.7 | 5.7 | -0- |
| JO DAVIESS. | 1,301.4 | 812.8 | 379.0 | 150.7 | 196.3 | 45.7 | 9.1 | 27.4 | 4.6 |
| JOHNSON . . | 1,676.9 | 1,015.4 | 753.8 | 92.3 | 123.1 | 30.8 | -0- | 15.4 | -0- |
| KANE. . . . | 864.5 | 491.4 | 289.1 | 68.2 | 101.8 | 11.4 | 7.7 | 12.3 | 0.9 |
| KANKAKEE. . | 802.1 | 453.9 | 311.9 | 53.9 | 52.8 | 13.5 | 10.4 | 10.4 | 1.0 |
| KENDALL . . | 860.2 | 419.4 | 268.8 | 64.5 | 64.5 | 5.4 | 16.1 | -0- | -0- |
| KNOX. . . . | 1,043.2 | 672.0 | 449.6 | 54.4 | 123.2 | 25.6 | 4.8 | 14.4 | -0- |
| LAKE. . . . | 670.1 | 373.8 | 228.3 | 52.0 | 65.4 | 17.4 | 4.4 | 6.2 | -0- |
| LA SALLE. . | 1,118.5 | 661.3 | 371.7 | 88.2 | 154.2 | 25.8 | 3.6 | 17.8 | -0- |

TABLE 9B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1962)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ILLINOIS . | 164.3 | 44.6 | 19.3 | 25.3 | 39.4 | 33.8 | 10.6 | 16.0 | 13.2 | 9.7 |
| ADAMS . . . | 198.6 | 64.7 | 25.9 | 38.8 | 28.8 | 24.5 | 11.5 | 11.5 | 17.3 | 18.7 |
| ALEXANDER . | 218.5 | 112.6 | 39.7 | 72.8 | 39.7 | 79.5 | 26.5 | 39.7 | 13.2 | 19.9 |
| BOND. . . . | 171.4 | 71.4 | 57.1 | 14.3 | 35.7 | -0- | 21.4 | 7.1 | -0- | -0- |
| BOONE . . . | 143.5 | 57.4 | 33.5 | 23.9 | 28.7 | 28.7 | 9.6 | 19.1 | -0- | -0- |
| BROWN . . . | 200.0 | 100.0 | 33.3 | 66.7 | 50.0 | 50.0 | -0- | 33.3 | -0- | -0- |
| BUREAU. . . | 170.7 | 64.0 | 37.3 | 26.7 | 40.0 | 18.7 | 10.7 | 18.7 | 2.7 | 10.7 |
| CALHOUN . . | 193.0 | 52.6 | 17.5 | 35.1 | 87.7 | 17.5 | 17.5 | 17.5 | 17.5 | 17.5 |
| CARROLL . . | 220.5 | 66.7 | 25.6 | 41.0 | 41.0 | 35.9 | -0- | 20.5 | -0- | 41.0 |
| CASS. . . . | 223.8 | 55.9 | -0- | 55.9 | 49.0 | 14.0 | 14.0 | 28.0 | 7.0 | 28.0 |
| CHAMPAIGN . | 74.3 | 38.9 | 23.1 | 15.9 | 23.1 | 23.8 | 14.4 | 6.5 | 6.5 | 2.9 |
| CHRISTIAN . | 230.1 | 71.2 | 30.1 | 41.1 | 46.6 | 43.8 | 11.0 | 24.7 | 11.0 | 11.0 |
| CLARK . . . | 214.7 | 67.5 | 18.4 | 49.1 | 55.2 | 30.7 | 6.1 | 12.3 | 6.1 | -0- |
| CLAY. . . . | 129.9 | 77.9 | 32.5 | 45.5 | 26.0 | 6.5 | -0- | 13.0 | 13.0 | 6.5 |
| CLINTON . . | 127.6 | 57.6 | 45.3 | 12.3 | 16.5 | 28.8 | 12.3 | 12.3 | 4.1 | 4.1 |
| COLES . . . | 163.6 | 76.0 | 41.5 | 34.6 | 25.3 | 30.0 | 11.5 | 18.4 | 6.9 | 4.6 |
| COOK. . . . | 173.7 | 36.8 | 12.6 | 24.2 | 48.3 | 37.2 | 10.2 | 17.9 | 18.2 | 9.2 |
| CRAWFORD. . | 164.3 | 67.6 | 24.2 | 43.5 | 24.2 | 9.7 | 19.3 | 9.7 | 4.8 | 4.8 |
| CUMBERLAND. | 142.9 | 20.4 | 10.2 | 10.2 | -0- | 61.2 | -0- | 40.8 | -0- | 20.4 |
| DE KALB . . | 137.9 | 42.3 | 23.9 | 18.4 | 46.0 | 14.7 | 9.2 | 12.9 | 3.7 | 5.5 |
| DE WITT . . | 180.2 | 52.3 | 34.9 | 17.4 | 29.1 | 40.7 | 11.6 | 11.6 | -0- | 11.6 |
| DOUGLAS . . | 102.6 | 46.2 | 25.6 | 20.5 | 30.8 | 30.8 | 10.3 | 10.3 | -0- | 15.4 |
| DU PAGE . . | 111.4 | 39.3 | 20.7 | 18.6 | 18.0 | 27.3 | 11.4 | 9.3 | 7.5 | 7.5 |
| EDGAR . . . | 192.8 | 71.7 | 44.8 | 26.9 | 40.4 | 26.9 | 9.0 | 22.4 | 4.5 | 13.5 |
| EDWARDS . . | 276.3 | 105.3 | 26.3 | 78.9 | -0- | 52.6 | 13.2 | 65.8 | -0- | -0- |
| EFFINGHAM . | 148.9 | 51.1 | 29.8 | 21.3 | 29.8 | 29.8 | 17.0 | 17.0 | 8.5 | 8.5 |
| FAYETTE . . | 138.2 | 59.9 | 27.6 | 32.3 | 41.5 | 27.6 | -0- | 13.8 | 9.2 | 4.6 |
| FORD. . . . | 191.6 | 95.8 | 59.9 | 35.9 | 41.9 | 35.9 | 6.0 | 6.0 | -0- | -0- |
| FRANKLIN. . | 270.3 | 73.0 | 27.0 | 45.9 | 43.2 | 10.8 | 16.2 | 29.7 | 5.4 | 13.5 |
| FULTON. . . | 144.6 | 81.9 | 60.2 | 21.7 | 41.0 | 14.5 | 12.0 | 21.7 | 7.2 | 12.0 |
| GALLATIN. . | 239.4 | 154.9 | 28.2 | 126.8 | 42.3 | 42.3 | -0- | 28.2 | 28.2 | 14.1 |
| GREENE. . . | 193.0 | 46.8 | 11.7 | 35.1 | 76.0 | 11.7 | 5.8 | 11.7 | 5.8 | 11.7 |
| GRUNDY. . . | 160.2 | 51.9 | 30.3 | 21.6 | 21.6 | 34.6 | -0- | 17.3 | -0- | -0- |
| HAMILTON. . | 178.9 | 52.6 | 42.1 | 10.5 | 21.1 | 42.1 | 10.5 | 10.5 | -0- | 21.1 |
| HANCOCK . . | 197.5 | 61.7 | 37.0 | 24.7 | 32.9 | 41.2 | 4.1 | 24.7 | 4.1 | 16.5 |
| HARDIN. . . | 160.7 | 107.1 | 71.4 | 35.7 | 35.7 | 35.7 | -0- | -0- | 17.9 | -0- |
| HENDERSON . | 160.5 | 197.5 | 160.5 | 37.0 | 12.3 | -0- | 12.3 | 24.7 | -0- | -0- |
| HENRY . . . | 168.7 | 60.2 | 36.1 | 24.1 | 28.1 | 40.2 | 14.1 | 12.0 | 8.0 | 12.0 |
| IROQUOIS. . | 176.6 | 35.9 | 24.0 | 12.0 | 59.9 | 21.0 | 6.0 | 12.0 | 12.0 | 3.0 |
| JACKSON . . | 181.2 | 39.0 | 16.1 | 22.9 | 27.5 | 18.3 | 13.8 | 22.9 | 4.6 | 11.5 |
| JASPER. . . | 207.2 | 99.1 | 45.0 | 54.1 | 18.0 | 45.0 | -0- | 36.0 | 9.0 | -0- |
| JEFFERSON . | 165.1 | 66.7 | 34.9 | 31.7 | 38.1 | 38.1 | 22.2 | 15.9 | 9.5 | 15.9 |
| JERSEY. . . | 149.4 | 63.2 | 28.7 | 34.5 | 51.7 | 23.0 | 11.5 | 5.7 | -0- | 5.7 |
| JO DAVIESS. | 223.7 | 73.1 | 36.5 | 36.5 | 32.0 | 18.3 | 4.6 | 32.0 | -0- | 27.4 |
| JOHNSON . . | 184.6 | 76.9 | 61.5 | 15.4 | 92.3 | 61.5 | 15.4 | 46.2 | -0- | 15.4 |
| KANE. . . . | 137.7 | 49.5 | 26.8 | 22.7 | 26.8 | 40.0 | 10.0 | 14.1 | 8.2 | 10.9 |
| KANKAKEE. . | 128.5 | 46.6 | 14.5 | 32.1 | 28.0 | 32.1 | 15.5 | 13.5 | 7.3 | 3.1 |
| KENDALL . . | 134.4 | 86.0 | 64.5 | 21.5 | 32.3 | 37.6 | 21.5 | -0- | 5.4 | 16.1 |
| KNOX. . . . | 156.8 | 41.6 | 17.6 | 24.0 | 30.4 | 20.8 | 4.8 | 14.4 | 3.2 | 11.2 |
| LAKE. . . . | 116.5 | 34.0 | 18.1 | 15.9 | 19.0 | 31.8 | 10.0 | 8.7 | 10.9 | 5.6 |
| LA SALLE. . | 197.9 | 60.6 | 30.3 | 30.3 | 22.3 | 25.8 | 9.8 | 11.6 | 12.5 | 14.3 |

TABLE 9B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1962)

| COUNTY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAWRENCE. . | 1,377.8 | 900.0 | 405.6 | 172.2 | 205.6 | 44.4 | 55.6 | 16.7 | -0- |
| LEE . . . . | 1,002.5 | 613.2 | 333.3 | 104.3 | 129.8 | 33.1 | 5.1 | 7.6 | -0- |
| LIVINGSTON. | 948.8 | 585.4 | 331.7 | 65.9 | 153.7 | 22.0 | 2.4 | 9.8 | -0- |
| LOGAN . . . | 1,002.9 | 627.9 | 395.3 | 107.6 | 55.2 | 37.8 | 20.3 | 11.6 | -0- |
| MC DONOUGH. | 1,141.4 | 713.8 | 469.0 | 89.7 | 106.9 | 31.0 | 6.9 | 10.3 | -0- |
| MC HENRY. . | 915.4 | 515.4 | 306.6 | 64.8 | 98.9 | 26.4 | 8.8 | 9.9 | -0- |
| MC LEAN . . | 1,066.6 | 674.1 | 392.5 | 74.8 | 148.4 | 33.9 | 14.0 | 10.5 | -0- |
| MACON . . . | 982.0 | 553.7 | 315.8 | 76.3 | 111.6 | 27.1 | 9.0 | 13.1 | 0.8 |
| MACOUPIN. . | 1,388.0 | 840.6 | 485.0 | 127.0 | 175.5 | 23.1 | 18.5 | 11.5 | -0- |
| MADISON . . | 865.2 | 477.0 | 261.1 | 87.5 | 94.3 | 15.8 | 9.4 | 8.5 | 0.4 |
| MARION. . . | 1,240.3 | 777.8 | 493.5 | 126.6 | 116.3 | 18.1 | 12.9 | 10.3 | -0- |
| MARSHALL. . | 1,318.2 | 840.9 | 439.4 | 68.2 | 227.3 | 75.8 | -0- | 22.7 | 7.6 |
| MASON . . . | 1,125.0 | 631.6 | 434.2 | 98.7 | 85.5 | -0- | -0- | 13.2 | -0- |
| MASSAC. . . | 1,241.4 | 606.9 | 234.5 | 117.2 | 186.2 | 55.2 | -0- | 6.9 | 6.9 |
| MENARD. . . | 1,428.6 | 923.1 | 604.4 | 120.9 | 120.9 | 22.0 | 33.0 | 22.0 | -0- |
| MERCER. . . | 1,146.2 | 719.3 | 444.4 | 99.4 | 134.5 | 23.4 | 5.8 | 11.7 | -0- |
| MONROE. . . | 1,172.0 | 732.5 | 439.5 | 95.5 | 95.5 | 95.5 | 6.4 | -0- | -0- |
| MONTGOMERY. | 1,414.8 | 884.2 | 463.0 | 154.3 | 212.2 | 32.2 | 6.4 | 16.1 | -0- |
| MORGAN. . . | 1,159.9 | 853.7 | 498.6 | 122.0 | 151.8 | 59.6 | 10.8 | 8.1 | 2.7 |
| MOULTRIE. . | 1,496.4 | 1,007.3 | 605.8 | 51.1 | 284.7 | 14.6 | 51.1 | -0- | -0- |
| OGLE. . . . | 936.2 | 528.1 | 298.5 | 91.8 | 109.7 | 12.8 | 12.8 | 2.6 | -0- |
| PEORIA. . . | 961.5 | 567.7 | 332.8 | 65.1 | 103.6 | 45.3 | 7.8 | 13.0 | -0- |
| PERRY . . . | 1,365.6 | 849.5 | 569.9 | 96.8 | 155.9 | 10.8 | 10.8 | 5.4 | -0- |
| PIATT . . . | 912.8 | 536.9 | 241.6 | 107.4 | 114.1 | 53.7 | 13.4 | 6.7 | -0- |
| PIKE. . . . | 1,383.1 | 915.4 | 447.8 | 253.7 | 124.4 | 74.6 | -0- | 14.9 | -0- |
| POPE. . . . | 1,729.7 | 1,081.1 | 540.5 | 189.2 | 243.2 | 81.1 | 27.0 | -0- | -0- |
| PULASKI . . | 1,577.3 | 979.4 | 587.6 | 72.2 | 226.8 | 61.9 | 20.6 | 10.3 | -0- |
| PUTNAM. . . | 1,155.6 | 644.4 | 422.2 | 111.1 | 88.9 | 22.2 | -0- | -0- | -0- |
| RANDOLPH. . | 1,151.5 | 757.6 | 464.6 | 111.1 | 144.8 | 20.2 | 10.1 | 6.7 | -0- |
| RICHLAND. . | 1,304.3 | 782.6 | 509.3 | 130.4 | 105.6 | 24.8 | 6.2 | 6.2 | -0- |
| ROCK ISLAND | 1,018.9 | 633.9 | 422.6 | 68.9 | 106.6 | 16.3 | 10.4 | 8.5 | 0.7 |
| ST CLAIR. . | 988.5 | 559.6 | 311.1 | 113.7 | 105.6 | 13.7 | 7.0 | 8.5 | -0- |
| SALINE. . . | 1,951.0 | 1,359.2 | 865.3 | 183.7 | 220.4 | 40.8 | 32.7 | 16.3 | -0- |
| SANGAMON. . | 1,152.3 | 676.5 | 398.7 | 92.6 | 136.2 | 18.8 | 14.8 | 14.8 | 0.7 |
| SCHUYLER. . | 1,552.9 | 1,141.2 | 411.8 | 482.4 | 223.5 | -0- | 11.8 | 11.8 | -0- |
| SCOTT . . . | 1,403.2 | 903.2 | 548.4 | 112.9 | 161.3 | 64.5 | -0- | 16.1 | -0- |
| SHELBY. . . | 1,281.4 | 796.5 | 393.9 | 142.9 | 203.5 | 34.6 | 17.3 | 4.3 | -0- |
| STARK . . . | 1,200.0 | 775.0 | 425.0 | 125.0 | 162.5 | 12.5 | 25.0 | 25.0 | -0- |
| STEPHENSON. | 1,125.8 | 690.8 | 403.0 | 104.5 | 130.1 | 12.8 | 21.3 | 19.2 | -0- |
| TAZEWELL. . | 709.2 | 384.5 | 211.6 | 71.5 | 69.6 | 18.4 | 1.9 | 11.6 | -0- |
| UNION . . . | 1,191.9 | 738.4 | 412.8 | 139.5 | 104.7 | 75.6 | -0- | 5.8 | -0- |
| VERMILION . | 1,158.3 | 713.0 | 389.2 | 110.3 | 148.1 | 42.9 | 14.3 | 8.2 | -0- |
| WABASH. . . | 1,201.4 | 777.0 | 410.1 | 151.1 | 165.5 | 36.0 | 14.4 | -0- | -0- |
| WARREN. . . | 1,140.2 | 743.0 | 378.5 | 168.2 | 144.9 | 23.4 | -0- | 28.0 | -0- |
| WASHINGTON. | 1,721.8 | 969.9 | 616.5 | 52.6 | 210.5 | 45.1 | 37.6 | 7.5 | -0- |
| WAYNE . . . | 1,043.2 | 594.6 | 329.7 | 124.3 | 118.9 | 5.4 | 5.4 | 10.8 | -0- |
| WHITE . . . | 1,303.2 | 872.3 | 521.3 | 85.1 | 186.2 | 42.6 | 16.0 | 21.3 | -0- |
| WHITESIDE . | 883.1 | 509.7 | 253.2 | 107.1 | 92.5 | 32.5 | 13.0 | 11.4 | -0- |
| WILL. . . . | 829.7 | 490.6 | 260.9 | 101.0 | 95.5 | 15.8 | 6.4 | 10.4 | 0.5 |
| WILLIAMSON. | 1,494.5 | 960.4 | 611.0 | 87.9 | 158.2 | 39.6 | 48.4 | 13.2 | 2.2 |
| WINNEBAGO . | 761.1 | 405.0 | 243.4 | 47.5 | 87.3 | 10.9 | 5.4 | 9.5 | 0.9 |
| WOODFORD. . | 1,020.0 | 684.0 | 424.0 | 76.0 | 124.0 | 48.0 | 8.0 | 4.0 | -0- |

TABLE 9B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF ILLINOIS COUNTIES: 1962--CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1962)

| COUNTY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAWRENCE. . | 194.4 | 50.0 | 22.2 | 27.8 | 50.0 | 22.2 | -0- | 5.6 | 5.6 | 22.2 |
| LEE . . . . | 152.7 | 33.1 | 7.6 | 25.4 | 28.0 | 28.0 | 15.3 | 22.9 | 10.2 | 12.7 |
| LIVINGSTON. | 143.9 | 48.8 | 22.0 | 26.8 | 39.0 | 24.4 | 9.8 | 9.8 | 4.9 | 9.8 |
| LOGAN . . . | 136.6 | 64.0 | 34.9 | 29.1 | 26.2 | 20.3 | 11.6 | 8.7 | 11.6 | 23.3 |
| MC DONOUGH. | 144.8 | 51.7 | 31.0 | 20.7 | 69.0 | 10.3 | -0- | 17.2 | 6.9 | 17.2 |
| MC HENRY. . | 141.8 | 70.3 | 52.7 | 17.6 | 34.1 | 31.9 | 8.8 | 18.7 | 9.9 | 15.4 |
| MC LEAN . . | 171.7 | 63.1 | 32.7 | 30.4 | 30.4 | 29.2 | 12.9 | 4.7 | 8.2 | 4.7 |
| MACON . . . | 178.0 | 45.1 | 23.0 | 22.1 | 23.0 | 35.3 | 16.4 | 17.2 | 6.6 | 11.5 |
| MACOUPIN. . | 219.4 | 53.1 | 23.1 | 30.0 | 71.6 | 23.1 | 9.2 | 16.2 | 18.5 | 13.9 |
| MADISON . . | 150.2 | 52.9 | 22.6 | 30.3 | 30.3 | 33.7 | 9.8 | 11.9 | 9.0 | 11.1 |
| MARION. . . | 201.6 | 43.9 | 20.7 | 23.3 | 38.8 | 25.8 | 7.8 | 20.7 | 15.5 | 5.2 |
| MARSHALL. . | 136.4 | 75.8 | 53.0 | 22.7 | 22.7 | 30.3 | 7.6 | 22.7 | 15.2 | 15.2 |
| MASON . . . | 217.1 | 52.6 | 26.3 | 26.3 | 52.6 | 13.2 | 6.6 | 19.7 | 6.6 | 19.7 |
| MASSAC. . . | 248.3 | 117.2 | 34.5 | 82.8 | 34.5 | 34.5 | 20.7 | 13.8 | 13.8 | -0- |
| MENARD. . . | 186.8 | 54.9 | 22.0 | 33.0 | 87.9 | 33.0 | -0- | 22.0 | -0- | 11.0 |
| MERCER. . . | 157.9 | 46.8 | 23.4 | 23.4 | 70.2 | 5.8 | -0- | 40.9 | 5.8 | 5.8 |
| MONROE. . . | 203.8 | 63.7 | 51.0 | 12.7 | 19.1 | 19.1 | 19.1 | -0- | -0- | -0- |
| MONTGOMERY. | 231.5 | 67.5 | 32.2 | 35.4 | 48.2 | 3.2 | 16.1 | 22.5 | 3.2 | 22.5 |
| MORGAN. . . | 140.9 | 40.7 | 29.8 | 10.8 | 16.3 | 27.1 | 5.4 | 5.4 | 2.7 | 5.4 |
| MOULTRIE. . | 211.7 | 43.8 | 14.6 | 29.2 | 51.1 | 29.2 | 14.6 | 7.3 | 7.3 | 14.6 |
| OGLE. . . . | 142.9 | 40.8 | 15.3 | 25.5 | 33.2 | 28.1 | 15.3 | 17.9 | 7.7 | 10.2 |
| PEORIA. . . | 150.0 | 42.2 | 19.8 | 22.4 | 33.9 | 31.3 | 13.0 | 11.5 | 9.4 | 8.9 |
| PERRY . . . | 188.2 | 96.8 | 53.8 | 43.0 | 53.8 | 21.5 | 5.4 | 21.5 | 10.8 | 16.1 |
| PIATT . . . | 174.5 | 47.0 | 26.8 | 20.1 | 20.1 | 20.1 | 26.8 | -0- | 26.8 | 6.7 |
| PIKE. . . . | 238.8 | 34.8 | 19.9 | 14.9 | 24.9 | 19.9 | 14.9 | 24.9 | -0- | 14.9 |
| POPE. . . . | 243.2 | 189.2 | 81.1 | 108.1 | 27.0 | -0- | -0- | 81.1 | -0- | -0- |
| PULASKI . . | 216.5 | 61.9 | 41.2 | 20.6 | 82.5 | 41.2 | -0- | 20.6 | -0- | -0- |
| PUTNAM. . . | 133.3 | 44.4 | 22.2 | 22.2 | 44.4 | 66.7 | -0- | 22.2 | 22.2 | 22.2 |
| RANDOLPH. . | 181.8 | 47.1 | 37.0 | 10.1 | 16.8 | 33.7 | 6.7 | 10.1 | 13.5 | 3.4 |
| RICHLAND. . | 217.4 | 55.9 | 12.4 | 43.5 | 99.4 | 18.6 | 12.4 | 6.2 | 6.2 | 18.6 |
| ROCK ISLAND | 141.1 | 50.1 | 24.1 | 26.0 | 25.4 | 44.9 | 10.4 | 16.9 | 6.5 | 9.1 |
| ST CLAIR. . | 157.0 | 52.2 | 20.0 | 32.2 | 30.4 | 44.1 | 12.2 | 17.4 | 7.8 | 10.7 |
| SALINE. . . | 269.4 | 81.6 | 36.7 | 44.9 | 36.7 | 16.3 | -0- | 24.5 | 4.1 | 20.4 |
| SANGAMON. . | 196.6 | 55.0 | 31.5 | 23.5 | 30.2 | 36.2 | 12.1 | 15.4 | 13.4 | 12.1 |
| SCHUYLER. . | 164.7 | 105.9 | 58.8 | 47.1 | -0- | 11.8 | -0- | 11.8 | -0- | 23.5 |
| SCOTT . . . | 241.9 | 32.3 | 16.1 | 16.1 | 64.5 | 48.4 | -0- | 16.1 | -0- | 16.1 |
| SHELBY. . . | 164.5 | 73.6 | 21.6 | 51.9 | 51.9 | 17.3 | 13.0 | 17.3 | 8.7 | 26.0 |
| STARK . . . | 150.0 | 50.0 | 25.0 | 25.0 | 25.0 | 37.5 | 12.5 | 75.0 | -0- | 12.5 |
| STEPHENSON. | 179.1 | 57.6 | 25.6 | 32.0 | 32.0 | 27.7 | 10.7 | 10.7 | 4.3 | 10.7 |
| TAZEWELL. . | 128.5 | 42.5 | 19.3 | 23.2 | 17.4 | 17.4 | 15.5 | 14.5 | 7.7 | 7.7 |
| UNION . . . | 145.3 | 52.3 | 17.4 | 34.9 | 58.1 | 23.3 | 11.6 | 29.1 | 5.8 | 11.6 |
| VERMILION . | 172.6 | 55.2 | 19.4 | 35.8 | 39.8 | 32.7 | 11.2 | 14.3 | 8.2 | 8.2 |
| WABASH. . . | 187.1 | 28.8 | 7.2 | 21.6 | 36.0 | 14.4 | 7.2 | 21.6 | 7.2 | 14.4 |
| WARREN. . . | 158.9 | 37.4 | 9.3 | 28.0 | 51.4 | 37.4 | 9.3 | 9.3 | 14.0 | 14.0 |
| WASHINGTON. | 270.7 | 120.3 | 90.2 | 30.1 | 142.9 | 30.1 | 7.5 | 15.0 | -0- | 15.0 |
| WAYNE . . . | 200.0 | 32.4 | 16.2 | 16.2 | 48.6 | -0- | 10.8 | -0- | 10.8 | 37.8 |
| WHITE . . . | 164.9 | 106.4 | 74.5 | 31.9 | 26.6 | 10.6 | -0- | 10.6 | 5.3 | 16.0 |
| WHITESIDE . | 116.9 | 45.5 | 16.2 | 29.2 | 14.6 | 37.3 | 14.6 | 19.5 | 6.5 | 9.7 |
| WILL. . . . | 126.7 | 56.9 | 28.2 | 28.7 | 18.8 | 28.2 | 12.4 | 13.4 | 7.9 | 7.9 |
| WILLIAMSON. | 226.4 | 65.9 | 15.4 | 50.5 | 24.2 | 30.8 | 8.8 | 11.0 | 13.2 | 11.0 |
| WINNEBAGO . | 125.8 | 41.2 | 22.2 | 19.0 | 25.3 | 34.8 | 12.7 | 9.5 | 5.4 | 11.8 |
| WOODFORD. . | 156.0 | 36.0 | 24.0 | 12.0 | 20.0 | 24.0 | 8.0 | 4.0 | -0- | 4.0 |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ALTON | 510 | 283 | 133 | 61 | 67 | 14 | 3 | 4 | 1 |
| ARLINGTON HEIGHTS | 202 | 103 | 56 | 24 | 19 | 3 | -- | 1 | -- |
| AURORA | 688 | 406 | 241 | 49 | 85 | 8 | 8 | 15 | -- |
| BELLEVILLE | 486 | 281 | 147 | 48 | 74 | 5 | 3 | 4 | -- |
| BELLWOOD | 141 | 75 | 50 | 13 | 8 | 1 | -- | 3 | -- |
| BELVIDERE | 150 | 97 | 61 | 12 | 20 | 3 | 1 | -- | -- |
| BERWYN | 651 | 408 | 284 | 49 | 54 | 10 | 6 | 3 | 2 |
| BLOOMINGTON | 456 | 292 | 170 | 37 | 63 | 9 | 8 | 5 | -- |
| BLUE ISLAND | 225 | 140 | 99 | 12 | 19 | 3 | 3 | 4 | -- |
| BROOKFIELD | 208 | 121 | 64 | 32 | 18 | 3 | 2 | 2 | -- |
| CAHOKIA | 36 | 11 | 6 | 1 | 1 | 1 | -- | 2 | -- |
| CALUMET CITY | 182 | 88 | 60 | 12 | 14 | 1 | -- | 1 | -- |
| CANTON | 192 | 127 | 79 | 15 | 21 | 11 | -- | 1 | -- |
| CARBONDALE | 136 | 73 | 42 | 4 | 26 | -- | 1 | -- | -- |
| CARPENTERSVILLE | 72 | 24 | 12 | 7 | 4 | -- | -- | 1 | -- |
| CENTRALIA | 192 | 118 | 68 | 26 | 18 | 3 | 2 | 1 | -- |
| CENTREVILLE | 113 | 57 | 28 | 16 | 10 | -- | 1 | 2 | -- |
| CHAMPAIGN | 340 | 183 | 111 | 29 | 28 | 5 | 8 | 2 | -- |
| CHARLESTON | 164 | 98 | 49 | 12 | 26 | 6 | 3 | 2 | -- |
| CHICAGO | 42,127 | 24,226 | 15,343 | 4,011 | 3,573 | 602 | 327 | 352 | 18 |
| CHICAGO HEIGHTS | 322 | 159 | 99 | 21 | 24 | 10 | 2 | 3 | -- |
| CICERO | 753 | 429 | 301 | 42 | 75 | 5 | 1 | 3 | 2 |
| COLLINSVILLE | 201 | 116 | 78 | 15 | 17 | 1 | 2 | 3 | -- |
| DANVILLE | 619 | 371 | 203 | 51 | 83 | 20 | 10 | 4 | -- |
| DE KALB | 132 | 78 | 50 | 8 | 13 | 3 | 2 | 2 | -- |
| DECATUR | 913 | 528 | 297 | 72 | 108 | 28 | 9 | 13 | 1 |
| DEERFIELD | 56 | 34 | 17 | 4 | 9 | 3 | -- | 1 | -- |
| DES PLAINES | 286 | 156 | 90 | 30 | 25 | 7 | -- | 4 | -- |
| DIXON | 212 | 125 | 67 | 24 | 22 | 9 | 1 | 2 | -- |
| DOLTON | 92 | 49 | 32 | 6 | 7 | 3 | 1 | -- | -- |
| DOWNERS GROVE | 162 | 95 | 54 | 15 | 22 | -- | 2 | 2 | -- |
| EAST MOLINE | 161 | 86 | 61 | 9 | 14 | 1 | -- | 1 | -- |
| EAST PEORIA | 75 | 48 | 30 | 9 | 8 | 1 | -- | -- | -- |
| EAST ST. LOUIS | 1,184 | 678 | 365 | 156 | 120 | 19 | 11 | 7 | -- |
| EDWARDSVILLE | 99 | 61 | 28 | 19 | 11 | -- | 1 | 2 | -- |
| ELGIN | 577 | 349 | 213 | 50 | 64 | 11 | 4 | 6 | 1 |
| ELK GROVE | 34 | 10 | 4 | 5 | -- | -- | -- | 1 | -- |
| ELMHURST | 294 | 176 | 101 | 26 | 39 | 6 | 1 | 3 | -- |
| ELMWOOD PARK | 211 | 119 | 83 | 19 | 11 | 2 | 3 | 1 | -- |
| EVANSTON | 917 | 536 | 295 | 76 | 113 | 21 | 15 | 15 | 1 |
| EVERGREEN PARK | 189 | 115 | 74 | 18 | 14 | 4 | 3 | 2 | -- |
| FOREST PARK | 203 | 114 | 77 | 16 | 19 | 1 | -- | 1 | -- |
| FRANKLIN PARK | 114 | 59 | 38 | 5 | 15 | 1 | -- | -- | -- |
| FREEPORT | 334 | 211 | 125 | 25 | 45 | 1 | 7 | 8 | -- |
| GALESBURG | 386 | 230 | 154 | 18 | 43 | 10 | 2 | 3 | -- |
| GLEN ELLYN | 139 | 67 | 37 | 7 | 20 | 1 | 1 | 1 | -- |
| GLENCOE | 57 | 34 | 21 | 3 | 6 | -- | 3 | 1 | -- |
| GLENVIEW | 157 | 76 | 43 | 12 | 15 | 5 | -- | 1 | -- |
| GRANITE CITY | 351 | 200 | 113 | 28 | 47 | 4 | 5 | 3 | -- |
| HARVEY | 276 | 153 | 99 | 23 | 25 | 1 | 3 | 2 | -- |
| HIGHLAND PARK | 205 | 123 | 87 | 8 | 19 | 6 | 2 | 1 | -- |
| HINSDALE | 110 | 68 | 39 | 14 | 9 | -- | 3 | 1 | 2 |
| HOMEWOOD | 112 | 60 | 32 | 7 | 16 | 3 | 2 | -- | -- |
| JACKSONVILLE | 283 | 212 | 123 | 31 | 38 | 15 | 3 | 2 | -- |
| JOLIET | 796 | 489 | 263 | 108 | 84 | 17 | 9 | 8 | -- |
| KANKAKEE | 348 | 210 | 136 | 26 | 28 | 9 | 6 | 5 | -- |
| KEWANEE | 200 | 118 | 74 | 13 | 22 | 5 | 4 | -- | -- |
| LA GRANGE | 186 | 113 | 65 | 18 | 22 | 6 | -- | 2 | -- |
| LA GRANGE PARK | 113 | 74 | 43 | 15 | 12 | 2 | -- | 2 | -- |
| LA SALLE | 178 | 104 | 47 | 25 | 25 | 2 | 1 | 4 | -- |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962 --CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ALTON | 92 | 30 | 11 | 19 | 19 | 21 | 4 | 9 | 4 | 5 |
| ARLINGTON HEIGHTS | 38 | 12 | 6 | 6 | 5 | 10 | 3 | 5 | 3 | 2 |
| AURORA | 99 | 40 | 19 | 21 | 19 | 34 | 9 | 5 | 7 | 7 |
| BELLEVILLE | 95 | 24 | 8 | 16 | 14 | 14 | 5 | 5 | 1 | 5 |
| BELLWOOD | 16 | 6 | 2 | 4 | 7 | 10 | 4 | 1 | 3 | 3 |
| BELVIDERE | 22 | 9 | 5 | 4 | 3 | 4 | 2 | 4 | -- | -- |
| BERWYN | 100 | 20 | 6 | 14 | 17 | 16 | 8 | 10 | 6 | 7 |
| BLOOMINGTON | 72 | 19 | 9 | 10 | 14 | 14 | 6 | 3 | 5 | 3 |
| BLUE ISLAND | 36 | 7 | -- | 7 | 6 | 13 | 1 | 2 | 3 | 2 |
| BROOKFIELD | 40 | 11 | 7 | 4 | 8 | 5 | 3 | 7 | -- | 2 |
| CAHOKIA | 10 | 1 | 1 | -- | 2 | 4 | 3 | -- | -- | -- |
| CALUMET CITY | 38 | 10 | 2 | 8 | 6 | 11 | 4 | 3 | 3 | 1 |
| CANTON | 20 | 14 | 9 | 5 | 8 | 2 | 2 | 3 | 2 | 1 |
| CARBONDALE | 32 | 3 | 3 | -- | 4 | 3 | 2 | 3 | -- | 2 |
| CARPENTERSVILLE | 11 | 8 | 5 | 3 | 2 | 16 | 3 | 1 | -- | 1 |
| CENTRALIA | 36 | 5 | 2 | 3 | 4 | 4 | 1 | 3 | 4 | 1 |
| CENTREVILLE | 19 | 3 | 1 | 2 | 6 | 11 | -- | 2 | 1 | -- |
| CHAMPAIGN | 39 | 32 | 25 | 7 | 15 | 14 | 11 | 5 | 3 | 1 |
| CHARLESTON | 19 | 11 | 6 | 5 | 2 | 2 | 2 | 4 | 2 | -- |
| CHICAGO | 6,855 | 1,448 | 444 | 1,004 | 2,118 | 1,464 | 351 | 733 | 793 | 347 |
| CHICAGO HEIGHTS | 52 | 19 | 9 | 10 | 17 | 18 | 1 | 7 | 9 | 2 |
| CICERO | 147 | 20 | 3 | 17 | 26 | 26 | 6 | 17 | 11 | 10 |
| COLLINSVILLE | 35 | 16 | 2 | 14 | 5 | 3 | 1 | 2 | 1 | 2 |
| DANVILLE | 87 | 25 | 7 | 18 | 28 | 25 | 8 | 4 | 6 | 4 |
| DE KALB | 26 | 4 | 3 | 1 | 6 | 1 | 2 | 1 | 1 | 1 |
| DECATUR | 167 | 36 | 16 | 20 | 15 | 32 | 16 | 16 | 7 | 12 |
| DEERFIELD | 8 | 4 | 1 | 3 | 1 | 1 | 2 | -- | -- | 1 |
| DES PLAINES | 42 | 23 | 9 | 14 | 16 | 9 | 11 | 3 | 3 | 2 |
| DIXON | 36 | 8 | 2 | 6 | 7 | 3 | 5 | 4 | 4 | 2 |
| DOLTON | 17 | 3 | 2 | 1 | 3 | 7 | 2 | 2 | 2 | 1 |
| DOWNERS GROVE | 26 | 8 | 5 | 3 | 2 | 6 | 3 | 1 | 2 | 6 |
| EAST MOLINE | 24 | 13 | 8 | 5 | 2 | 12 | 3 | 3 | 2 | -- |
| EAST PEORIA | 11 | 3 | -- | 3 | 1 | 1 | 1 | -- | -- | -- |
| EAST ST. LOUIS | 168 | 61 | 16 | 45 | 40 | 52 | 13 | 23 | 12 | 12 |
| EDWARDSVILLE | 12 | 9 | 7 | 2 | 5 | 2 | 3 | -- | -- | 1 |
| ELGIN | 95 | 23 | 14 | 9 | 19 | 20 | 1 | 10 | 6 | 4 |
| ELK GROVE | 5 | 5 | 2 | 3 | 1 | 3 | 4 | -- | -- | -- |
| ELMHURST | 59 | 11 | 5 | 6 | 7 | 10 | 5 | 3 | 3 | 3 |
| ELMWOOD PARK | 50 | 4 | 1 | 3 | 1 | 9 | 3 | 4 | 1 | 1 |
| EVANSTON | 161 | 25 | 7 | 18 | 26 | 22 | 6 | 17 | 12 | 14 |
| EVERGREEN PARK | 34 | 7 | 3 | 4 | 5 | 6 | 2 | 2 | 4 | 1 |
| FOREST PARK | 37 | 6 | 1 | 5 | 5 | 10 | 1 | 4 | 4 | 2 |
| FRANKLIN PARK | 16 | 5 | 2 | 3 | 7 | 9 | 4 | 4 | 1 | 2 |
| FREEPORT | 50 | 15 | 4 | 11 | 8 | 8 | 2 | 4 | 1 | 3 |
| GALESBURG | 63 | 19 | 6 | 13 | 14 | 10 | 1 | 7 | 1 | 5 |
| GLEN ELLYN | 27 | 12 | 5 | 7 | 2 | 9 | 3 | 4 | 1 | 1 |
| GLENCOE | 15 | 1 | -- | 1 | -- | 1 | -- | 1 | 1 | 1 |
| GLENVIEW | 39 | 6 | -- | 6 | 1 | 8 | 5 | 5 | 1 | 3 |
| GRANITE CITY | 53 | 19 | 11 | 8 | 10 | 20 | 6 | 2 | 9 | 4 |
| HARVEY | 41 | 6 | 5 | 1 | 12 | 19 | 2 | 4 | 5 | 3 |
| HIGHLAND PARK | 37 | 5 | 4 | 1 | 6 | 5 | 4 | 3 | 3 | -- |
| HINSDALE | 20 | 8 | 5 | 3 | 3 | 1 | -- | 1 | 2 | 2 |
| HOMEWOOD | 28 | 5 | 1 | 4 | 2 | 1 | 1 | 2 | 1 | 2 |
| JACKSONVILLE | 26 | 11 | 8 | 3 | 5 | 7 | 1 | 1 | -- | 1 |
| JOLIET | 124 | 40 | 13 | 27 | 14 | 20 | 11 | 18 | 10 | 7 |
| KANKAKEE | 57 | 12 | 3 | 9 | 10 | 15 | 5 | 6 | 4 | 2 |
| KEWANEE | 32 | 8 | 4 | 4 | 9 | 7 | 1 | 2 | 1 | 2 |
| LA GRANGE | 33 | 5 | 3 | 2 | 5 | 4 | 5 | 3 | 1 | 1 |
| LA GRANGE PARK | 21 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | -- | 1 |
| LA SALLE | 33 | 7 | 1 | 6 | 3 | 4 | 2 | 2 | 1 | 4 |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962 --CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAKE FOREST | 79 | 44 | 29 | 8 | 5 | -- | -- | 2 | -- |
| LANSING | 108 | 54 | 30 | 5 | 10 | 6 | 1 | 2 | -- |
| LINCOLN | 200 | 120 | 74 | 24 | 8 | 8 | 5 | 1 | -- |
| LINCOLNWOOD | 76 | 45 | 28 | 3 | 9 | 3 | -- | 2 | -- |
| LOMBARD | 149 | 81 | 44 | 20 | 13 | 2 | -- | 2 | -- |
| MACOMB | 125 | 85 | 53 | 13 | 14 | 2 | 1 | 2 | -- |
| MARION | 167 | 111 | 73 | 4 | 27 | 2 | 4 | 1 | -- |
| MARKHAM | 59 | 24 | 14 | 5 | 4 | 1 | -- | -- | -- |
| MATTOON | 222 | 127 | 64 | 23 | 33 | 4 | 2 | 1 | -- |
| MAYWOOD | 278 | 163 | 97 | 39 | 21 | 1 | 4 | 1 | -- |
| MELROSE PARK | 197 | 97 | 56 | 19 | 15 | 3 | 1 | 3 | -- |
| MOLINE | 511 | 328 | 206 | 40 | 63 | 7 | 7 | 5 | -- |
| MONMOUTH | 138 | 92 | 45 | 22 | 18 | 3 | -- | 4 | -- |
| MORTON GROVE | 94 | 56 | 39 | 3 | 11 | 2 | 1 | -- | -- |
| MOUNT PROSPECT | 119 | 54 | 32 | 8 | 10 | 1 | 1 | 2 | -- |
| MOUNT VERNON | 223 | 123 | 71 | 23 | 25 | 4 | -- | -- | -- |
| MUNDELEIN | 50 | 23 | 14 | 6 | 1 | 1 | 1 | -- | -- |
| NAPERVILLE | 86 | 41 | 27 | 4 | 8 | -- | 1 | 1 | -- |
| NILES | 133 | 74 | 52 | 6 | 9 | 1 | -- | 6 | -- |
| NORMAL | 115 | 71 | 38 | 11 | 13 | 6 | 2 | 1 | -- |
| NORRIDGE | 88 | 55 | 38 | 3 | 12 | 1 | 1 | -- | -- |
| NORTH CHICAGO | 112 | 55 | 31 | 6 | 11 | 3 | 1 | 3 | -- |
| NORTH LAKE | 71 | 33 | 25 | 4 | 3 | -- | -- | 1 | -- |
| NORTHBROOK | 74 | 39 | 22 | 6 | 11 | -- | -- | -- | -- |
| OAK LAWN | 285 | 151 | 87 | 28 | 24 | 4 | 5 | 3 | -- |
| OAK PARK | 807 | 506 | 291 | 83 | 111 | 11 | 6 | 4 | -- |
| OTTAWA | 256 | 141 | 86 | 25 | 46 | 2 | -- | 2 | -- |
| PALATINE | 97 | 49 | 25 | 7 | 8 | 5 | 2 | 2 | -- |
| PARK FOREST | 87 | 37 | 22 | 7 | 5 | 1 | -- | 2 | -- |
| PARK RIDGE | 259 | 161 | 106 | 16 | 30 | 6 | 3 | -- | -- |
| PEKIN | 280 | 145 | 74 | 25 | 28 | 9 | 1 | 8 | -- |
| PEORIA | 1,198 | 695 | 431 | 83 | 113 | 39 | 10 | 19 | -- |
| PERU | 123 | 74 | 47 | 6 | 15 | 4 | 1 | 1 | -- |
| QUINCY | 666 | 413 | 251 | 38 | 94 | 17 | 11 | 2 | -- |
| RANTOUL | 52 | 18 | 9 | 3 | 5 | -- | -- | 1 | -- |
| RIVER FOREST | 116 | 82 | 44 | 19 | 16 | 1 | 1 | 1 | -- |
| RIVERDALE | 104 | 58 | 46 | 5 | 5 | 1 | 1 | -- | -- |
| ROCK FALLS | 90 | 50 | 23 | 6 | 13 | 3 | 3 | 2 | -- |
| ROCK ISLAND | 562 | 353 | 246 | 34 | 51 | 9 | 7 | 6 | -- |
| ROCKFORD | 1,234 | 668 | 404 | 74 | 143 | 18 | 9 | 19 | 1 |
| ROLLING MEADOWS | 43 | 21 | 14 | 3 | 4 | -- | -- | -- | -- |
| SKOKIE | 352 | 204 | 137 | 28 | 26 | 8 | 2 | 3 | -- |
| SOUTH HOLLAND | 77 | 42 | 23 | 10 | 7 | -- | 2 | -- | -- |
| SPRINGFIELD | 1,194 | 710 | 410 | 107 | 141 | 20 | 17 | 14 | 1 |
| STERLING | 158 | 79 | 43 | 15 | 11 | 6 | 2 | 2 | -- |
| STREATOR | 214 | 136 | 73 | 11 | 33 | 9 | 1 | 9 | -- |
| SUMMIT | 107 | 58 | 33 | 3 | 18 | 2 | 2 | -- | -- |
| URBANA | 181 | 117 | 63 | 10 | 33 | 8 | 1 | 2 | -- |
| VILLA PARK | 127 | 62 | 35 | 13 | 10 | 2 | -- | 1 | 1 |
| WAUKEGAN | 527 | 286 | 161 | 51 | 51 | 18 | 3 | 2 | -- |
| WESTCHESTER | 99 | 50 | 37 | 4 | 7 | 1 | 1 | -- | -- |
| WESTERN SPRINGS | 61 | 38 | 28 | 4 | 6 | -- | -- | -- | -- |
| WHEATON | 133 | 76 | 37 | 10 | 22 | 4 | -- | 2 | 1 |
| WILMETTE | 223 | 128 | 70 | 23 | 24 | 7 | 2 | 2 | -- |
| WINNETKA | 99 | 56 | 34 | 6 | 8 | 3 | 2 | 3 | -- |
| WOOD RIVER | 78 | 36 | 23 | 8 | 5 | -- | -- | -- | -- |
| ZION | 138 | 90 | 52 | 10 | 23 | 4 | 1 | -- | -- |

TABLE 10A. -- DEATHS FROM IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962 --CONTINUED

(INCLUDES DEATHS OF ILLINOIS RESIDENTS OCCURRING OUTSIDE THE STATE)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAKE FOREST | 15 | 1 | -- | 1 | 2 | 7 | -- | -- | 3 | 1 |
| LANSING | 18 | 6 | 5 | 1 | 5 | 7 | 4 | 2 | 2 | -- |
| LINCOLN | 29 | 10 | 6 | 4 | 5 | 4 | 3 | 2 | 2 | 5 |
| LINCOLNWOOD | 16 | -- | -- | -- | 1 | -- | -- | 5 | 1 | 1 |
| LOMBARD | 27 | 9 | 6 | 3 | 3 | 7 | 5 | 3 | 1 | 1 |
| MACOMB | 12 | 3 | 2 | 1 | 7 | -- | -- | 2 | 1 | 3 |
| MARION | 29 | 3 | 2 | 1 | 4 | 3 | 2 | 1 | -- | -- |
| MARKHAM | 12 | 7 | 5 | 2 | 8 | 3 | 1 | -- | 2 | -- |
| MATTOON | 36 | 17 | 8 | 9 | 5 | 7 | 2 | 4 | -- | 2 |
| MAYWOOD | 47 | 11 | 7 | 4 | 11 | 9 | 2 | 7 | 2 | 1 |
| MELROSE PARK | 37 | 16 | 8 | 8 | 8 | 9 | 4 | 1 | 1 | 3 |
| MOLINE | 66 | 20 | 12 | 8 | 16 | 19 | 6 | 8 | 1 | 10 |
| MONMOUTH | 15 | 5 | 1 | 4 | 7 | 5 | 2 | -- | 3 | -- |
| MORTON GROVE | 14 | 2 | -- | 2 | 1 | 5 | 2 | 2 | 2 | 1 |
| MOUNT PROSPECT | 25 | 8 | 2 | 6 | 4 | 16 | 3 | -- | 1 | 1 |
| MOUNT VERNON | 29 | 9 | 6 | 3 | 9 | 9 | 4 | 3 | 1 | 1 |
| MUNDELEIN | 8 | 5 | 4 | 1 | -- | 4 | 3 | 3 | -- | 1 |
| NAPERVILLE | 18 | 3 | 1 | 2 | 6 | 7 | 1 | -- | -- | -- |
| NILES | 26 | 4 | 2 | 2 | 6 | 3 | 5 | 2 | -- | -- |
| NORMAL | 21 | 4 | 3 | 1 | 1 | 4 | 1 | 1 | 1 | 1 |
| NORRIDGE | 12 | 5 | 2 | 3 | 1 | 3 | -- | 2 | 1 | -- |
| NORTH CHICAGO | 27 | 3 | -- | 3 | 2 | 9 | -- | 2 | 1 | 2 |
| NORTH LAKE | 13 | 4 | 2 | 2 | 4 | 3 | 2 | 3 | 1 | 1 |
| NORTHBROOK | 17 | 5 | 1 | 4 | 1 | 3 | 1 | -- | 2 | 2 |
| OAK LAWN | 47 | 10 | 4 | 6 | 8 | 19 | 8 | 3 | 10 | 2 |
| OAK PARK | 157 | 13 | 8 | 5 | 20 | 13 | 5 | 13 | 11 | 6 |
| OTTAWA | 50 | 18 | 9 | 9 | 7 | 5 | -- | 3 | 3 | 4 |
| PALATINE | 20 | 3 | 2 | 1 | -- | 6 | -- | 2 | 3 | 4 |
| PARK FOREST | 19 | 4 | 2 | 2 | 3 | 8 | 3 | -- | 1 | 2 |
| PARK RIDGE | 48 | 10 | 5 | 5 | 9 | 5 | 2 | 2 | 5 | 2 |
| PEKIN | 47 | 21 | 9 | 12 | 7 | 8 | 7 | 5 | 5 | 5 |
| PEORIA | 187 | 48 | 23 | 25 | 44 | 41 | 15 | 15 | 16 | 14 |
| PERU | 21 | 6 | 3 | 3 | -- | 3 | 1 | 2 | 1 | 3 |
| QUINCY | 104 | 27 | 11 | 16 | 15 | 11 | 6 | 6 | 8 | 10 |
| RANTOUL | 5 | 6 | 2 | 4 | 5 | 9 | 4 | -- | 1 | -- |
| RIVER FOREST | 20 | 2 | 1 | 1 | 1 | -- | -- | 1 | 3 | 2 |
| RIVERDALE | 23 | 4 | 2 | 2 | 8 | 4 | -- | -- | 1 | 2 |
| ROCK FALLS | 9 | 2 | 1 | 1 | 1 | 7 | 2 | 4 | -- | 1 |
| ROCK ISLAND | 93 | 18 | 8 | 10 | 13 | 26 | 1 | 9 | 2 | 2 |
| ROCKFORD | 210 | 64 | 34 | 30 | 42 | 52 | 14 | 16 | 8 | 14 |
| ROLLING MEADOWS | 8 | 1 | 1 | -- | 2 | 5 | 2 | -- | 1 | 1 |
| SKOKIE | 89 | 9 | 7 | 2 | 7 | 8 | 4 | 3 | 2 | 4 |
| SOUTH HOLLAND | 11 | 2 | 2 | -- | 8 | 3 | 3 | 1 | 2 | -- |
| SPRINGFIELD | 191 | 56 | 32 | 24 | 31 | 44 | 10 | 14 | 18 | 11 |
| STERLING | 29 | 7 | 1 | 6 | 1 | 6 | 3 | 1 | 1 | 3 |
| STREATOR | 36 | 8 | 6 | 2 | 3 | 5 | 2 | 1 | 4 | -- |
| SUMMIT | 16 | 7 | 3 | 4 | 3 | 7 | 1 | -- | 3 | 4 |
| URBANA | 27 | 5 | 1 | 4 | 6 | 4 | 1 | 2 | 1 | 2 |
| VILLA PARK | 21 | 6 | 1 | 5 | 4 | 7 | 3 | 2 | 5 | 2 |
| WAUKEGAN | 94 | 24 | 10 | 14 | 15 | 23 | 10 | 6 | 14 | 2 |
| WESTCHESTER | 25 | 6 | 2 | 4 | 2 | 3 | 2 | 2 | 3 | 1 |
| WESTERN SPRINGS | 17 | -- | -- | -- | -- | -- | -- | 2 | 1 | -- |
| WHEATON | 22 | 9 | 5 | 4 | 2 | 6 | 1 | 2 | 1 | 2 |
| WILMETTE | 48 | 5 | 4 | 1 | 7 | -- | 2 | 6 | 4 | 2 |
| WINNETKA | 24 | 4 | 1 | 3 | 3 | -- | 2 | -- | 2 | -- |
| WOOD RIVER | 17 | 2 | 1 | 1 | 2 | 2 | 4 | 1 | 1 | 2 |
| ZION | 12 | 5 | 4 | 1 | 4 | 8 | 2 | -- | -- | 2 |

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1962)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| ALTON | 1,148.6 | 637.4 | 299.5 | 137.4 | 150.9 | 31.5 | 6.8 | 9.0 | 2.3 |
| ARLINGTON HEIGHTS | 603.0 | 307.5 | 167.2 | 71.6 | 56.7 | 9.0 | -0- | 3.0 | -0- |
| AURORA | 1,042.4 | 615.2 | 365.2 | 74.2 | 128.8 | 12.1 | 12.1 | 22.7 | -0- |
| BELLEVILLE | 1,278.9 | 739.5 | 386.8 | 126.3 | 194.7 | 13.2 | 7.9 | 10.5 | -0- |
| BELLWOOD | 635.1 | 337.8 | 225.2 | 58.6 | 36.0 | 4.5 | -0- | 13.5 | -0- |
| BELVIDERE | 1,293.1 | 836.2 | 525.9 | 103.4 | 172.4 | 25.9 | 8.6 | -0- | -0- |
| BERWYN | 1,183.6 | 741.8 | 516.4 | 89.1 | 98.2 | 18.2 | 10.9 | 5.5 | 3.6 |
| BLOOMINGTON | 1,229.1 | 787.1 | 458.2 | 99.7 | 169.8 | 24.3 | 21.6 | 13.5 | -0- |
| BLUE ISLAND | 1,102.9 | 686.3 | 485.3 | 58.8 | 93.1 | 14.7 | 14.7 | 19.6 | -0- |
| BROOKFIELD | 981.1 | 570.8 | 301.9 | 150.9 | 84.9 | 14.2 | 9.4 | 9.4 | -0- |
| CAHOKIA | 211.8 | 64.7 | 35.3 | 5.9 | 5.9 | 5.9 | -0- | 11.8 | -0- |
| CALUMET CITY | 692.0 | 334.6 | 228.1 | 45.6 | 53.2 | 3.8 | -0- | 3.8 | -0- |
| CANTON | 1,411.8 | 933.8 | 580.9 | 110.3 | 154.4 | 80.9 | -0- | 7.4 | -0- |
| CARBONDALE | 824.2 | 442.4 | 254.5 | 24.2 | 157.6 | -0- | 6.1 | -0- | -0- |
| CARPENTERSVILLE | 383.0 | 127.7 | 63.8 | 37.2 | 21.3 | -0- | -0- | 5.3 | -0- |
| CENTRALIA | 1,361.7 | 836.9 | 482.3 | 184.4 | 127.7 | 21.3 | 14.2 | 7.1 | -0- |
| CENTREVILLE | 837.0 | 422.2 | 207.4 | 118.5 | 74.1 | -0- | 7.4 | 14.8 | -0- |
| CHAMPAIGN | 660.2 | 355.3 | 215.5 | 56.3 | 54.4 | 9.7 | 15.5 | 3.9 | -0- |
| CHARLESTON | 1,518.5 | 907.4 | 453.7 | 111.1 | 240.7 | 55.6 | 27.8 | 18.5 | -0- |
| CHICAGO | 1,221.1 | 702.2 | 444.7 | 116.3 | 103.6 | 17.4 | 9.5 | 10.2 | 0.5 |
| CHICAGO HEIGHTS | 892.0 | 440.4 | 274.2 | 58.2 | 66.5 | 27.7 | 5.5 | 8.3 | -0- |
| CICERO | 1,074.2 | 612.0 | 429.4 | 59.9 | 107.0 | 7.1 | 1.4 | 4.3 | 2.9 |
| COLLINSVILLE | 1,376.7 | 794.5 | 534.2 | 102.7 | 116.4 | 6.8 | 13.7 | 20.5 | -0- |
| DANVILLE | 1,459.9 | 875.0 | 478.8 | 120.3 | 195.8 | 47.2 | 23.6 | 9.4 | -0- |
| DE KALB | 643.9 | 380.5 | 243.9 | 39.0 | 63.4 | 14.6 | 9.8 | 9.8 | -0- |
| DECATUR | 1,138.4 | 658.4 | 370.3 | 89.8 | 134.7 | 34.9 | 11.2 | 16.2 | 1.2 |
| DEERFIELD | 444.4 | 269.8 | 134.9 | 31.7 | 71.4 | 23.8 | -0- | 7.9 | -0- |
| DES PLAINES | 690.8 | 376.8 | 217.4 | 72.5 | 60.4 | 16.9 | -0- | 9.7 | -0- |
| DIXON | 1,065.3 | 628.1 | 336.7 | 120.6 | 110.6 | 45.2 | 5.0 | 10.1 | -0- |
| DOLTON | 457.7 | 243.8 | 159.2 | 29.9 | 34.8 | 14.9 | 5.0 | -0- | -0- |
| DOWNERS GROVE | 729.7 | 427.9 | 243.2 | 67.6 | 99.1 | -0- | 9.0 | 9.0 | -0- |
| EAST MOLINE | 947.1 | 505.9 | 358.8 | 52.9 | 82.4 | 5.9 | -0- | 5.9 | -0- |
| EAST PEORIA | 590.6 | 378.0 | 236.2 | 70.9 | 63.0 | 7.9 | -0- | -0- | -0- |
| EAST ST. LOUIS | 1,435.2 | 821.8 | 442.4 | 189.1 | 145.5 | 23.0 | 13.3 | 8.5 | -0- |
| EDWARDSVILLE | 934.0 | 575.5 | 264.2 | 179.2 | 103.8 | -0- | 9.4 | 18.9 | -0- |
| ELGIN | 1,149.4 | 695.2 | 424.3 | 99.6 | 127.5 | 21.9 | 8.0 | 12.0 | 2.0 |
| ELK GROVE | 314.8 | 92.6 | 37.0 | 46.3 | -0- | -0- | -0- | 9.3 | -0- |
| ELMHURST | 767.6 | 459.5 | 263.7 | 67.9 | 101.8 | 15.7 | 2.6 | 7.8 | -0- |
| ELMWOOD PARK | 847.4 | 477.9 | 333.3 | 76.3 | 44.2 | 8.0 | 12.0 | 4.0 | -0- |
| EVANSTON | 1,142.0 | 667.5 | 367.4 | 94.6 | 140.7 | 26.2 | 18.7 | 18.7 | 1.2 |
| EVERGREEN PARK | 759.0 | 461.8 | 297.2 | 72.3 | 56.2 | 16.1 | 12.0 | 8.0 | -0- |
| FOREST PARK | 1,371.6 | 770.3 | 520.3 | 108.1 | 128.4 | 6.8 | -0- | 6.8 | -0- |
| FRANKLIN PARK | 590.7 | 305.7 | 196.9 | 25.9 | 77.7 | 5.2 | -0- | -0- | -0- |
| FREEPORT | 1,237.0 | 781.5 | 463.0 | 92.6 | 166.7 | 3.7 | 25.9 | 29.6 | -0- |
| GALESBURG | 1,013.1 | 603.7 | 404.2 | 47.2 | 112.9 | 26.2 | 5.2 | 7.9 | -0- |
| GLEN ELLYN | 837.3 | 403.6 | 222.9 | 42.2 | 120.5 | 6.0 | 6.0 | 6.0 | -0- |
| GLENCOE | 508.9 | 303.6 | 187.5 | 26.8 | 53.6 | -0- | 26.8 | 8.9 | -0- |
| GLENVIEW | 809.3 | 391.8 | 221.6 | 61.9 | 77.3 | 25.8 | -0- | 5.2 | -0- |
| GRANITE CITY | 841.7 | 479.6 | 271.0 | 67.1 | 112.7 | 9.6 | 12.0 | 7.2 | -0- |
| HARVEY | 907.9 | 503.3 | 325.7 | 75.7 | 82.2 | 3.3 | 9.9 | 6.6 | -0- |
| HIGHLAND PARK | 785.4 | 471.3 | 333.3 | 30.7 | 72.8 | 23.0 | 7.7 | 3.8 | -0- |
| HINSDALE | 833.3 | 515.2 | 295.5 | 106.1 | 68.2 | -0- | 22.7 | 7.6 | 15.2 |
| HOMEWOOD | 823.5 | 441.2 | 235.3 | 51.5 | 117.6 | 22.1 | 14.7 | -0- | -0- |
| JACKSONVILLE | 1,292.2 | 968.0 | 561.6 | 141.6 | 173.5 | 68.5 | 13.7 | 9.1 | -0- |
| JOLIET | 1,162.0 | 713.9 | 383.9 | 157.7 | 122.6 | 24.8 | 13.1 | 11.7 | -0- |
| KANKAKEE | 1,242.9 | 750.0 | 485.7 | 92.9 | 100.0 | 32.1 | 21.4 | 17.9 | -0- |
| KEWANEE | 1,212.1 | 715.2 | 448.5 | 78.8 | 133.3 | 30.3 | 24.2 | -0- | -0- |
| LA GRANGE | 1,184.7 | 719.7 | 414.0 | 114.6 | 140.1 | 38.2 | -0- | 12.7 | -0- |
| LA GRANGE PARK | 795.8 | 521.1 | 302.8 | 105.6 | 84.5 | 14.1 | -0- | 14.1 | -0- |
| LA SALLE | 1,471.1 | 859.5 | 388.4 | 206.6 | 206.6 | 16.5 | 8.3 | 33.1 | -0- |

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962 --CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1962)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| ALTON | 207.2 | 67.6 | 24.8 | 42.8 | 42.8 | 47.3 | 9.0 | 20.3 | 9.0 | 11.3 |
| ARLINGTON HEIGHTS | 113.4 | 35.8 | 17.9 | 17.9 | 14.9 | 29.9 | 9.0 | 14.9 | 9.0 | 6.0 |
| AURORA | 150.0 | 60.6 | 28.8 | 31.8 | 28.8 | 51.5 | 13.6 | 7.6 | 10.6 | 10.6 |
| BELLEVILLE | 250.0 | 63.2 | 21.1 | 42.1 | 36.8 | 36.8 | 13.2 | 13.2 | 2.6 | 13.2 |
| BELLWOOD | 72.1 | 27.0 | 9.0 | 18.0 | 31.5 | 45.0 | 18.0 | 4.5 | 13.5 | 13.5 |
| BELVIDERE | 189.7 | 77.6 | 43.1 | 34.5 | 25.9 | 34.5 | 17.2 | 34.5 | -0- | -0- |
| BERWYN | 181.8 | 36.4 | 10.9 | 25.5 | 30.9 | 29.1 | 14.5 | 18.2 | 10.9 | 12.7 |
| BLOOMINGTON | 194.1 | 51.2 | 24.3 | 27.0 | 37.7 | 37.7 | 16.2 | 8.1 | 13.5 | 8.1 |
| BLUE ISLAND | 176.5 | 34.3 | -0- | 34.3 | 29.4 | 63.7 | 4.9 | 9.8 | 14.7 | 9.8 |
| BROOKFIELD | 188.7 | 51.9 | 33.0 | 18.9 | 37.7 | 23.6 | 14.2 | 33.0 | -0- | 9.4 |
| CAHOKIA | 58.8 | 5.9 | 5.9 | -0- | 11.8 | 23.5 | 17.6 | -0- | -0- | -0- |
| CALUMET CITY | 144.5 | 38.0 | 7.6 | 30.4 | 22.8 | 41.8 | 15.2 | 11.4 | 11.4 | 3.8 |
| CANTON | 147.1 | 102.9 | 66.2 | 36.8 | 58.8 | 14.7 | 14.7 | 22.1 | 14.7 | 7.4 |
| CARBONDALE | 193.9 | 18.2 | 18.2 | -0- | 24.2 | 18.2 | 12.1 | 18.2 | -0- | 12.1 |
| CARPENTERSVILLE | 58.5 | 42.6 | 26.6 | 16.0 | 10.6 | 85.1 | 16.0 | 5.3 | -0- | 5.3 |
| CENTRALIA | 255.3 | 35.5 | 14.2 | 21.3 | 28.4 | 28.4 | 7.1 | 21.3 | 28.4 | 7.1 |
| CENTREVILLE | 140.7 | 22.2 | 7.4 | 14.8 | 44.4 | 81.5 | -0- | 14.8 | 7.4 | -0- |
| CHAMPAIGN | 75.7 | 62.1 | 48.5 | 13.6 | 29.1 | 27.2 | 21.4 | 9.7 | 5.8 | 1.9 |
| CHARLESTON | 175.9 | 101.9 | 55.6 | 46.3 | 18.5 | 18.5 | 18.5 | 37.0 | 18.5 | -0- |
| CHICAGO | 198.7 | 42.0 | 12.9 | 29.1 | 61.4 | 42.4 | 10.2 | 21.2 | 23.0 | 10.1 |
| CHICAGO HEIGHTS | 144.0 | 52.6 | 24.9 | 27.7 | 47.1 | 49.9 | 2.8 | 19.4 | 24.9 | 5.5 |
| CICERO | 209.7 | 28.5 | 4.3 | 24.3 | 37.1 | 37.1 | 8.6 | 24.3 | 15.7 | 14.3 |
| COLLINSVILLE | 239.7 | 109.6 | 13.7 | 95.9 | 34.2 | 20.5 | 6.8 | 13.7 | 6.8 | 13.7 |
| DANVILLE | 205.2 | 59.0 | 16.5 | 42.5 | 66.0 | 59.0 | 18.9 | 9.4 | 14.2 | 9.4 |
| DE KALB | 126.8 | 19.5 | 14.6 | 4.9 | 29.3 | 4.9 | 9.8 | 4.9 | 4.9 | 4.9 |
| DECATUR | 208.2 | 44.9 | 20.0 | 24.9 | 18.7 | 39.9 | 20.0 | 20.0 | 8.7 | 15.0 |
| DEERFIELD | 63.5 | 31.7 | 7.9 | 23.8 | 7.9 | 7.9 | 15.9 | -0- | -0- | 7.9 |
| DES PLAINES | 101.4 | 55.6 | 21.7 | 33.8 | 38.6 | 21.7 | 26.6 | 7.2 | 7.2 | 4.8 |
| DIXON | 180.9 | 40.2 | 10.1 | 30.2 | 35.2 | 15.1 | 25.1 | 20.1 | 20.1 | 10.1 |
| DOLTON | 84.6 | 14.9 | 10.0 | 5.0 | 14.9 | 34.8 | 10.0 | 10.0 | 10.0 | 5.0 |
| DOWNERS GROVE | 117.1 | 36.0 | 22.5 | 13.5 | 9.0 | 27.0 | 13.5 | 4.5 | 9.0 | 27.0 |
| EAST MOLINE | 141.2 | 76.5 | 47.1 | 29.4 | 11.8 | 70.6 | 17.6 | 17.6 | 11.8 | -0- |
| EAST PEORIA | 86.6 | 23.6 | -0- | 23.6 | 7.9 | 7.9 | 7.9 | -0- | -0- | -0- |
| EAST ST. LOUIS | 203.6 | 73.9 | 19.4 | 54.5 | 48.5 | 63.0 | 15.8 | 27.9 | 14.5 | 14.5 |
| EDWARDSVILLE | 113.2 | 84.9 | 66.0 | 18.9 | 47.2 | 18.9 | 28.3 | -0- | -0- | 9.4 |
| ELGIN | 189.2 | 45.8 | 27.9 | 17.9 | 37.8 | 39.8 | 2.0 | 19.9 | 12.0 | 8.0 |
| ELK GROVE | 46.3 | 46.3 | 18.5 | 27.8 | 9.3 | 27.8 | 37.0 | -0- | -0- | -0- |
| ELMHURST | 154.0 | 28.7 | 13.1 | 15.7 | 18.3 | 26.1 | 13.1 | 7.8 | 7.8 | 7.8 |
| ELMWOOD PARK | 200.8 | 16.1 | 4.0 | 12.0 | 4.0 | 36.1 | 12.0 | 16.1 | 4.0 | 4.0 |
| EVANSTON | 200.5 | 31.1 | 8.7 | 22.4 | 32.4 | 27.4 | 7.5 | 21.2 | 14.9 | 17.4 |
| EVERGREEN PARK | 136.5 | 28.1 | 12.0 | 16.1 | 20.1 | 24.1 | 8.0 | 8.0 | 16.1 | 4.0 |
| FOREST PARK | 250.0 | 40.5 | 6.8 | 33.8 | 33.8 | 67.6 | 6.8 | 27.0 | 27.0 | 13.5 |
| FRANKLIN PARK | 82.9 | 25.9 | 10.4 | 15.5 | 36.3 | 46.6 | 20.7 | 20.7 | 5.2 | 10.4 |
| FREEPORT | 185.2 | 55.6 | 14.8 | 40.7 | 29.6 | 29.6 | 7.4 | 14.8 | 3.7 | 11.1 |
| GALESBURG | 165.4 | 49.9 | 15.7 | 34.1 | 36.7 | 26.2 | 2.6 | 18.4 | 2.6 | 13.1 |
| GLEN ELLYN | 162.7 | 72.3 | 30.1 | 42.2 | 12.0 | 54.2 | 18.1 | 24.1 | 6.0 | 6.0 |
| GLENCOE | 133.9 | 8.9 | -0- | 8.9 | -0- | 8.9 | -0- | 8.9 | 8.9 | 8.9 |
| GLENVIEW | 201.0 | 30.9 | -0- | 30.9 | 5.2 | 41.2 | 25.8 | 25.8 | 5.2 | 15.5 |
| GRANITE CITY | 127.1 | 45.6 | 26.4 | 19.2 | 24.0 | 48.0 | 14.4 | 4.8 | 21.6 | 9.6 |
| HARVEY | 134.9 | 19.7 | 16.4 | 3.3 | 39.5 | 62.5 | 6.6 | 13.2 | 16.4 | 9.9 |
| HIGHLAND PARK | 141.8 | 19.2 | 15.3 | 3.8 | 23.0 | 19.2 | 15.3 | 11.5 | 11.5 | -0- |
| HINSDALE | 151.5 | 60.6 | 37.9 | 22.7 | 22.7 | 7.6 | -0- | 7.6 | 15.2 | 15.2 |
| HOMEWOOD | 205.9 | 36.8 | 7.4 | 29.4 | 14.7 | 7.4 | 7.4 | 14.7 | 7.4 | 14.7 |
| JACKSONVILLE | 118.7 | 50.2 | 36.5 | 13.7 | 22.8 | 32.0 | 4.6 | 4.6 | -0- | 4.6 |
| JOLIET | 181.0 | 58.4 | 19.0 | 39.4 | 20.4 | 29.2 | 16.1 | 26.3 | 14.6 | 10.2 |
| KANKAKEE | 203.6 | 42.9 | 10.7 | 32.1 | 35.7 | 53.6 | 17.9 | 21.4 | 14.3 | 7.1 |
| KEWANEE | 193.9 | 48.5 | 24.2 | 24.2 | 54.5 | 42.4 | 6.1 | 12.1 | 6.1 | 12.1 |
| LA GRANGE | 210.2 | 31.8 | 19.1 | 12.7 | 31.8 | 25.5 | 31.8 | 19.1 | 6.4 | 6.4 |
| LA GRANGE PARK | 147.9 | 14.1 | 7.0 | 7.0 | 14.1 | 14.1 | 14.1 | 14.1 | -0- | 7.0 |
| LA SALLE | 272.7 | 57.9 | 8.3 | 49.6 | 24.8 | 33.1 | 16.5 | 16.5 | 8.3 | 33.1 |

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962 --CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1962)

| CITY | ALL CAUSES | CARDIOVASCULAR DISEASES | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | HEART DISEASE | | VASCULAR LESIONS OF CENTRAL NERVOUS SYSTEM | GENERAL ARTERIOSCLEROSIS | HYPERTENSION WITHOUT MENTION OF HEART | OTHER CIRCULATORY DISEASES | ACUTE RHEUMATIC FEVER |
| | | | ARTERIOSCLEROTIC | OTHER | | | | | |
| LAKE FOREST | 724.8 | 403.7 | 266.1 | 73.4 | 45.9 | -0- | -0- | 18.3 | -0- |
| LANSING | 565.4 | 282.7 | 157.1 | 26.2 | 52.4 | 31.4 | 5.2 | 10.5 | -0- |
| LINCOLN | 1,162.8 | 697.7 | 430.2 | 139.5 | 46.5 | 46.5 | 29.1 | 5.8 | -0- |
| LINCOLNWOOD | 638.7 | 378.2 | 235.3 | 25.2 | 75.6 | 25.2 | -0- | 16.8 | -0- |
| LOMBARD | 588.9 | 320.2 | 173.9 | 79.1 | 51.4 | 7.9 | -0- | 7.9 | -0- |
| MACOMB | 1,008.1 | 685.5 | 427.4 | 104.8 | 112.9 | 16.1 | 8.1 | 16.1 | -0- |
| MARION | 1,464.9 | 973.7 | 640.4 | 35.1 | 236.8 | 17.5 | 35.1 | 8.8 | -0- |
| MARKHAM | 475.8 | 193.5 | 112.9 | 40.3 | 32.3 | 8.1 | -0- | -0- | -0- |
| MATTOON | 1,144.3 | 654.6 | 329.9 | 118.6 | 170.1 | 20.6 | 10.3 | 5.2 | -0- |
| MAYWOOD | 992.9 | 582.1 | 346.4 | 139.3 | 75.0 | 3.6 | 14.3 | 3.6 | -0- |
| MELROSE PARK | 824.3 | 405.9 | 234.3 | 79.5 | 62.8 | 12.6 | 4.2 | 12.6 | -0- |
| MOLINE | 1,180.1 | 757.5 | 475.8 | 92.4 | 145.5 | 16.2 | 16.2 | 11.5 | -0- |
| MONMOUTH | 1,314.3 | 876.2 | 428.6 | 209.5 | 171.4 | 28.6 | -0- | 38.1 | -0- |
| MORTON GROVE | 441.3 | 262.9 | 183.1 | 14.1 | 51.6 | 9.4 | 4.7 | -0- | -0- |
| MOUNT PROSPECT | 583.3 | 264.7 | 156.9 | 39.2 | 49.0 | 4.9 | 4.9 | 9.8 | -0- |
| MOUNT VERNON | 1,411.4 | 778.5 | 449.4 | 145.6 | 158.2 | 25.3 | -0- | -0- | -0- |
| MUNDELEIN | 409.8 | 188.5 | 114.8 | 49.2 | 8.2 | 8.2 | 8.2 | -0- | -0- |
| NAPERVILLE | 637.0 | 303.7 | 200.0 | 29.6 | 59.3 | -0- | 7.4 | 7.4 | -0- |
| NILES | 532.0 | 296.0 | 208.0 | 24.0 | 36.0 | 4.0 | -0- | 24.0 | -0- |
| NORMAL | 833.3 | 514.5 | 275.4 | 79.7 | 94.2 | 43.5 | 14.5 | 7.2 | -0- |
| NORRIDGE | 602.7 | 376.7 | 260.3 | 20.5 | 82.2 | 6.8 | 6.8 | -0- | -0- |
| NORTH CHICAGO | 472.6 | 232.1 | 130.8 | 25.3 | 46.4 | 12.7 | 4.2 | 12.7 | -0- |
| NORTH LAKE | 559.1 | 259.8 | 196.9 | 31.5 | 23.6 | -0- | -0- | 7.9 | -0- |
| NORTHBROOK | 596.8 | 314.5 | 177.4 | 48.4 | 88.7 | -0- | -0- | -0- | -0- |
| OAK LAWN | 901.9 | 477.8 | 275.3 | 88.6 | 75.9 | 12.7 | 15.8 | 9.5 | -0- |
| OAK PARK | 1,323.0 | 829.5 | 477.0 | 136.1 | 182.0 | 18.0 | 9.8 | 6.6 | -0- |
| OTTAWA | 1,286.4 | 708.5 | 331.7 | 125.6 | 231.2 | 10.1 | -0- | 10.1 | -0- |
| PALATINE | 646.7 | 326.7 | 166.7 | 46.7 | 53.3 | 33.3 | 13.3 | 13.3 | -0- |
| PARK FOREST | 271.0 | 115.3 | 68.5 | 21.8 | 15.6 | 3.1 | -0- | 6.2 | -0- |
| PARK RIDGE | 729.6 | 453.5 | 298.6 | 45.1 | 84.5 | 16.9 | 8.5 | -0- | -0- |
| PEKIN | 962.2 | 498.3 | 254.3 | 85.9 | 96.2 | 30.9 | 3.4 | 27.5 | -0- |
| PEORIA | 1,174.5 | 681.4 | 422.5 | 81.4 | 110.8 | 38.2 | 9.8 | 18.6 | -0- |
| PERU | 1,149.5 | 691.6 | 439.3 | 56.1 | 140.2 | 37.4 | 9.3 | 9.3 | -0- |
| QUINCY | 1,493.3 | 926.0 | 562.8 | 85.2 | 210.8 | 38.1 | 24.7 | 4.5 | -0- |
| RANTOUL | 232.1 | 80.4 | 40.2 | 13.4 | 22.3 | -0- | -0- | 4.5 | -0- |
| RIVER FOREST | 906.3 | 640.6 | 343.8 | 148.4 | 125.0 | 7.8 | 7.8 | 7.8 | -0- |
| RIVERDALE | 838.7 | 467.7 | 371.0 | 40.3 | 40.3 | 8.1 | 8.1 | -0- | -0- |
| ROCK FALLS | 841.1 | 467.3 | 215.0 | 56.1 | 121.5 | 28.0 | 28.0 | 18.7 | -0- |
| ROCK ISLAND | 1,068.4 | 671.1 | 467.7 | 64.6 | 97.0 | 17.1 | 13.3 | 11.4 | -0- |
| ROCKFORD | 944.1 | 511.1 | 309.1 | 56.6 | 109.4 | 13.8 | 6.9 | 14.5 | 0.8 |
| ROLLING MEADOWS | 367.5 | 179.5 | 119.7 | 25.6 | 34.2 | -0- | -0- | -0- | -0- |
| SKOKIE | 539.1 | 312.4 | 209.8 | 42.9 | 39.8 | 12.3 | 3.1 | 4.6 | -0- |
| SOUTH HOLLAND | 606.3 | 330.7 | 181.1 | 78.7 | 55.1 | -0- | 15.7 | -0- | -0- |
| SPRINGFIELD | 1,419.7 | 844.2 | 487.5 | 127.2 | 167.7 | 23.8 | 20.2 | 16.6 | 1.2 |
| STERLING | 975.3 | 487.7 | 265.4 | 92.6 | 67.9 | 37.0 | 12.3 | 12.3 | -0- |
| STREATOR | 1,244.2 | 790.7 | 424.4 | 64.0 | 191.9 | 52.3 | 5.8 | 52.3 | -0- |
| SUMMIT | 990.7 | 537.0 | 305.6 | 27.8 | 166.7 | 18.5 | 18.5 | -0- | -0- |
| URBANA | 637.3 | 412.0 | 221.8 | 35.2 | 116.2 | 28.2 | 3.5 | 7.0 | -0- |
| VILLA PARK | 545.1 | 266.1 | 150.2 | 55.8 | 42.9 | 8.6 | -0- | 4.3 | 4.3 |
| WAUKEGAN | 905.5 | 491.4 | 276.6 | 87.6 | 87.6 | 30.9 | 5.2 | 3.4 | -0- |
| WESTCHESTER | 529.4 | 267.4 | 197.9 | 21.4 | 37.4 | 5.3 | 5.3 | -0- | -0- |
| WESTERN SPRINGS | 544.6 | 339.3 | 250.0 | 35.7 | 53.6 | -0- | -0- | -0- | -0- |
| WHEATON | 527.8 | 301.6 | 146.8 | 39.7 | 87.3 | 15.9 | -0- | 7.9 | 4.0 |
| WILMETTE | 771.6 | 442.9 | 242.2 | 79.6 | 83.0 | 24.2 | 6.9 | 6.9 | -0- |
| WINNETKA | 733.3 | 414.8 | 251.9 | 44.4 | 59.3 | 22.2 | 14.8 | 22.2 | -0- |
| WOOD RIVER | 650.0 | 300.0 | 191.7 | 66.7 | 41.7 | -0- | -0- | -0- | -0- |
| ZION | 1,104.0 | 720.0 | 416.0 | 80.0 | 184.0 | 32.0 | 8.0 | -0- | -0- |

TABLE 10B. -- DEATH RATES FOR IMPORTANT CAUSES AMONG RESIDENTS OF THE LARGER CITIES OF ILLINOIS: 1962 --CONTINUED

(RATES PER 100,000 POPULATION ESTIMATED AS OF JULY 1, 1962)

| CITY | CANCER | ACCIDENTS | | | PNEUMONIA AND INFLUENZA | DISEASES OF EARLY INFANCY | CONGENITAL MALFORMATIONS | DIABETES MELLITUS | CIRRHOSIS OF LIVER | SUICIDE |
|---|---|---|---|---|---|---|---|---|---|---|
| | | TOTAL | MOTOR VEHICLE | OTHER | | | | | | |
| LAKE FOREST | 137.6 | 9.2 | -0- | 9.2 | 18.3 | 64.2 | -0- | -0- | 27.5 | 9.2 |
| LANSING | 94.2 | 31.4 | 26.2 | 5.2 | 26.2 | 36.6 | 20.9 | 10.5 | 10.5 | -0- |
| LINCOLN | 168.6 | 58.1 | 34.9 | 23.3 | 29.1 | 23.3 | 17.4 | 11.6 | 11.6 | 29.1 |
| LINCOLNWOOD | 134.5 | -0- | -0- | -0- | 8.4 | -0- | -0- | 42.0 | 8.4 | 8.4 |
| LOMBARD | 106.7 | 35.6 | 23.7 | 11.9 | 11.9 | 27.7 | 19.8 | 11.9 | 4.0 | 4.0 |
| MACOMB | 96.8 | 24.2 | 16.1 | 8.1 | 56.5 | -0- | -0- | 16.1 | 8.1 | 24.2 |
| MARION | 254.4 | 26.3 | 17.5 | 8.8 | 35.1 | 26.3 | 17.5 | 8.8 | -0- | -0- |
| MARKHAM | 96.8 | 56.5 | 40.3 | 16.1 | 64.5 | 24.2 | 8.1 | -0- | 16.1 | -0- |
| MATTOON | 185.6 | 87.6 | 41.2 | 46.4 | 25.8 | 36.1 | 10.3 | 20.6 | -0- | 10.3 |
| MAYWOOD | 167.9 | 39.3 | 25.0 | 14.3 | 39.3 | 32.1 | 7.1 | 25.0 | 7.1 | 3.6 |
| MELROSE PARK | 154.8 | 66.9 | 33.5 | 33.5 | 33.5 | 37.7 | 16.7 | 4.2 | 4.2 | 12.6 |
| MOLINE | 152.4 | 46.2 | 27.7 | 18.5 | 37.0 | 43.9 | 13.9 | 18.5 | 2.3 | 23.1 |
| MONMOUTH | 142.9 | 47.6 | 9.5 | 38.1 | 66.7 | 47.6 | 19.0 | -0- | 28.6 | -0- |
| MORTON GROVE | 65.7 | 9.4 | -0- | 9.4 | 4.7 | 23.5 | 9.4 | 9.4 | 9.4 | 4.7 |
| MOUNT PROSPECT | 122.5 | 39.2 | 9.8 | 29.4 | 19.6 | 78.4 | 14.7 | -0- | 4.9 | 4.9 |
| MOUNT VERNON | 183.5 | 57.0 | 38.0 | 19.0 | 57.0 | 57.0 | 25.3 | 19.0 | 6.3 | 6.3 |
| MUNDELEIN | 65.6 | 41.0 | 32.8 | 8.2 | -0- | 32.8 | 24.6 | 24.6 | -0- | 8.2 |
| NAPERVILLE | 133.3 | 22.2 | 7.4 | 14.8 | 44.4 | 51.9 | 7.4 | -0- | -0- | -0- |
| NILES | 104.0 | 16.0 | 8.0 | 8.0 | 24.0 | 12.0 | 20.0 | 8.0 | -0- | -0- |
| NORMAL | 152.2 | 29.0 | 21.7 | 7.2 | 7.2 | 29.0 | 7.2 | 7.2 | 7.2 | 7.2 |
| NORRIDGE | 82.2 | 34.2 | 13.7 | 20.5 | 6.8 | 20.5 | -0- | 13.7 | 6.8 | -0- |
| NORTH CHICAGO | 113.9 | 12.7 | -0- | 12.7 | 8.4 | 38.0 | -0- | 8.4 | 4.2 | 8.4 |
| NORTH LAKE | 102.4 | 31.5 | 15.7 | 15.7 | 31.5 | 23.6 | 15.7 | 23.6 | 7.9 | 7.9 |
| NORTHBROOK | 137.1 | 40.3 | 8.1 | 32.3 | 8.1 | 24.2 | 8.1 | -0- | 16.1 | 16.1 |
| OAK LAWN | 148.7 | 31.6 | 12.7 | 19.0 | 25.3 | 60.1 | 25.3 | 9.5 | 31.6 | 6.3 |
| OAK PARK | 257.4 | 21.3 | 13.1 | 8.2 | 32.8 | 21.3 | 8.2 | 21.3 | 18.0 | 9.8 |
| OTTAWA | 251.3 | 90.5 | 45.2 | 45.2 | 35.2 | 25.1 | -0- | 15.1 | 15.1 | 20.1 |
| PALATINE | 133.3 | 20.0 | 13.3 | 6.7 | -0- | 40.0 | -0- | 13.3 | 20.0 | 26.7 |
| PARK FOREST | 59.2 | 12.5 | 6.2 | 6.2 | 9.3 | 24.9 | 9.3 | -0- | 3.1 | 6.2 |
| PARK RIDGE | 135.2 | 28.2 | 14.1 | 14.1 | 25.4 | 14.1 | 5.6 | 5.6 | 14.1 | 5.6 |
| PEKIN | 161.5 | 72.2 | 30.9 | 41.2 | 24.1 | 27.5 | 24.1 | 17.2 | 17.2 | 17.2 |
| PEORIA | 183.3 | 47.1 | 22.5 | 24.5 | 43.1 | 40.2 | 14.7 | 14.7 | 15.7 | 13.7 |
| PERU | 196.3 | 56.1 | 28.0 | 28.0 | -0- | 28.0 | 9.3 | 18.7 | 9.3 | 28.0 |
| QUINCY | 233.2 | 60.5 | 24.7 | 35.9 | 33.6 | 24.7 | 13.5 | 13.5 | 17.9 | 22.4 |
| RANTOUL | 22.3 | 26.8 | 8.9 | 17.9 | 22.3 | 40.2 | 17.9 | -0- | 4.5 | -0- |
| RIVER FOREST | 156.3 | 15.6 | 7.8 | 7.8 | 7.8 | -0- | -0- | 7.8 | 23.4 | 15.6 |
| RIVERDALE | 185.5 | 32.3 | 16.1 | 16.1 | 64.5 | 32.3 | -0- | -0- | 8.1 | 16.1 |
| ROCK FALLS | 84.1 | 18.7 | 9.3 | 9.3 | 9.3 | 65.4 | 18.7 | 37.4 | -0- | 9.3 |
| ROCK ISLAND | 176.8 | 34.2 | 15.2 | 19.0 | 24.7 | 49.4 | 1.9 | 17.1 | 3.8 | 3.8 |
| ROCKFORD | 160.7 | 49.0 | 26.0 | 23.0 | 32.1 | 39.8 | 10.7 | 12.2 | 6.1 | 10.7 |
| ROLLING MEADOWS | 68.4 | 8.5 | 8.5 | -0- | 17.1 | 42.7 | 17.1 | -0- | 8.5 | 8.5 |
| SKOKIE | 136.3 | 13.8 | 10.7 | 3.1 | 10.7 | 12.3 | 6.1 | 4.6 | 3.1 | 6.1 |
| SOUTH HOLLAND | 86.6 | 15.7 | 15.7 | -0- | 63.0 | 23.6 | 23.6 | 7.9 | 15.7 | -0- |
| SPRINGFIELD | 227.1 | 66.6 | 38.0 | 28.5 | 36.9 | 52.3 | 11.9 | 16.6 | 21.4 | 13.1 |
| STERLING | 179.0 | 43.2 | 6.2 | 37.0 | 6.2 | 37.0 | 18.5 | 6.2 | 6.2 | 18.5 |
| STREATOR | 209.3 | 46.5 | 34.9 | 11.6 | 17.4 | 29.1 | 11.6 | 5.8 | 23.3 | -0- |
| SUMMIT | 148.1 | 64.8 | 27.8 | 37.0 | 27.8 | 64.8 | 9.3 | -0- | 27.8 | 37.0 |
| URBANA | 95.1 | 17.6 | 3.5 | 14.1 | 21.1 | 14.1 | 3.5 | 7.0 | 3.5 | 7.0 |
| VILLA PARK | 90.1 | 25.8 | 4.3 | 21.5 | 17.2 | 30.0 | 12.9 | 8.6 | 21.5 | 8.6 |
| WAUKEGAN | 161.5 | 41.2 | 17.2 | 24.1 | 25.8 | 39.5 | 17.2 | 10.3 | 24.1 | 3.4 |
| WESTCHESTER | 133.7 | 32.1 | 10.7 | 21.4 | 10.7 | 16.0 | 10.7 | 10.7 | 16.0 | 5.3 |
| WESTERN SPRINGS | 151.8 | -0- | -0- | -0- | -0- | -0- | -0- | 17.9 | 8.9 | -0- |
| WHEATON | 87.3 | 35.7 | 19.8 | 15.9 | 7.9 | 23.8 | 4.0 | 7.9 | 4.0 | 7.9 |
| WILMETTE | 166.1 | 17.3 | 13.8 | 3.5 | 24.2 | -0- | 6.9 | 20.8 | 13.8 | 6.9 |
| WINNETKA | 177.8 | 29.6 | 7.4 | 22.2 | 22.2 | -0- | 14.8 | -0- | 14.8 | -0- |
| WOOD RIVER | 141.7 | 16.7 | 8.3 | 8.3 | 16.7 | 16.7 | 33.3 | 8.3 | 8.3 | 16.7 |
| ZION | 96.0 | 40.0 | 32.0 | 8.0 | 32.0 | 64.0 | 16.0 | -0- | -0- | 16.0 |

Table 11. -- TEN LEADING CAUSES OF DEATH IN SELECTED AGE GROUPS, ILLINOIS: 1962
(For ages under 1 year see Table D page 4 )

Age 1 - 4 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 817 |
| 1. | Accidents | E800-E962 | 251 |
| | a. Motor vehicle | (E810-E835, E960) | (73) |
| | b. Other | (Residue of E800-E962) | (178) |
| 2. | Influenza and pneumonia | 480-493 | 157 |
| 3. | Congenital malformations | 750-759 | 100 |
| 4. | Malignant neoplasms | 140-205 | 87 |
| 5. | Gastro-enteritis, chronic enteritis and colitis | 543, 571, 572 | 24 |
| 6. | Meningitis, except meningococcal and tuberculous | 340 | 21 |
| 7. | Bronchitis | 500-502 | 18 |
| 8. | Meningococcal infections | 057 | 12 |
| 8. | Homicide | (E964, E980-E985) | 12 |
| 10. | Acute infectious encephalitis | 082 | 8 |

Age 5 - 14 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 800 |
| 1. | Accidents | E800-E962 | 327 |
| | a. Motor vehicle | (E810-E835, E960) | (143) |
| | b. Other | (Residue of E800-E962) | (184) |
| 2. | Malignant neoplasms | 140-205 | 131 |
| 3. | Influenza and pneumonia | 480-493 | 57 |
| 4. | Congenital malformations | 750-759 | 53 |
| 5. | Fibrocystic disease of pancreas | 587.3 | 16 |
| 6. | Vascular lesions affecting central nervous system | 330-334 | 14 |
| 7. | Cerebral spastic infantile paralysis | 351 | 12 |
| 7. | Heart diseases | 410-443 | 12 |
| 9. | Epilepsy | 353 | 11 |
| 9. | Appendicitis | 550-553 | 11 |

Age 15 - 24 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 1,375 |
| 1. | Accidents | E800-E962 | 687 |
| | a. Motor vehicle | (E810-E835, E960) | (464) |
| | b. Other | (Residue of E800-E962) | (223) |
| 2. | Malignant neoplasms | 140-205 | 126 |
| 3. | Homicide | E964, E980-E985 | 98 |
| 4. | Suicide | E963, E970-E979 | 65 |
| 5. | Heart diseases | 410-443 | 54 |
| 6. | Influenza and pneumonia | 480-493 | 49 |
| 7. | Nephritis, acute and chronic | 590-594 | 35 |
| 8. | Congenital malformations | 750-759 | 32 |
| 9. | Vascular lesions affecting central nervous system | 330-334 | 16 |
| 10. | Epilepsy | 353 | 15 |

Age 25 - 44 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 6,091 |
| 1. | Heart diseases | 410-443 | 1,500 |
| 2. | Malignant neoplasms | 140-205 | 1,137 |
| 3. | Accidents | E800-E962 | 997 |
| | a. Motor vehicle | (E810-E835, E960) | (508) |
| | b. Other | (Residue of E800-E962) | (489) |
| 4. | Homicide | E963, E980-E985 | 287 |
| 5. | Suicide | E963, E970-E979 | 268 |
| 6. | Vascular lesions affecting central nervous system | 330-334 | 259 |
| 7. | Influenza and pneumonia | 480-493 | 244 |
| 8. | Cirrhosis of the liver | 581 | 237 |
| 9. | Nephritis, acute and chronic | 590-594 | 108 |
| 10. | Tuberculosis | 001-019 | 89 |

Age 45 - 64 years

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 26,311 |
| 1. | Heart diseases | 410-443 | 11,628 |
| 2. | Malignant neoplasms | 140-205 | 6,323 |
| 3. | Vascular lesions affecting central nervous system | 330-334 | 1,802 |
| 4. | Accidents | E800-E962 | 1,054 |
| | a. Motor vehicle | (E810-E835, E960) | (452) |
| | b. Other | (Residue of E800-E962) | (602) |
| 5. | Cirrhosis of the liver | 581 | 729 |
| 6. | Influenza and pneumonia | 480-493 | 695 |
| 7. | Diabetes mellitus | 260 | 469 |
| 8. | Suicide | E963, E970-E979 | 418 |
| 9. | Ulcers of stomach and duodenum | 540-541 | 270 |
| 10. | Tuberculosis | 001-019 | 214 |

Age 65 years and over

| Rank | Cause | 7th rev. no.[1] | No. |
|---|---|---|---|
| | ALL CAUSES | | 63,774 |
| 1. | Heart diseases | 410-443 | 33,310 |
| 2. | Malignant neoplasms | 140-205 | 9,154 |
| 3. | Vascular lesions affecting central nervous system | 330-334 | 8,508 |
| 4. | Influenza and pneumonia | 480-493 | 2,154 |
| 5. | General arteriosclerosis | 450 | 1,874 |
| 6. | Accidents | E800-E962 | 1,161 |
| | a. Motor vehicle | (E810-E835, E960) | (339) |
| | b. Other | (Residue of E800-E962) | (822) |
| 7. | Diabetes mellitus | 260 | 1,083 |
| 8. | Hypertension without mention of heart disease | 444-447 | 728 |
| 9. | Ulcers of stomach and duodenum | 540-541 | 447 |
| 10. | Cirrhosis of the liver | 581 | 386 |

[1]Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955 Revision, World Health Organization.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1952 -- 1962

| Disease | 1962 | 1961 | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ILLINOIS | | | | | | | | | | | |
| Actinomycosis | 1 | -- | -- | 3 | 1 | 3 | 2 | 1 | 2 | -- | -- |
| Amebiasis cases and carriers | 311 | 377 | 450 | 348 | 279 | 310 | 428 | 478 | 771 | 598 | 639 |
| Anthrax | -- | -- | 1 | -- | -- | -- | -- | -- | 1 | 1 | 1 |
| Blastomycosis | 1 | 1 | * | * | * | * | * | * | * | * | * |
| Brucellosis | 57 | 59 | 74 | 71 | 83 | 120 | 133 | 140 | 203 | 243 | 294 |
| Chancroid | 7 | 24 | 44 | 41 | 43 | 22 | 57 | 229 | 211 | 126 | 106 |
| Chickenpox | 10,543 | 14,611 | 13,370 | 9,669 | 11,631 | 15,804 | 14,495 | 17,139 | 11,427 | 17,968 | 15,540 |
| Conjunctivitis, all forms | 1 | 2 | -- | 3 | 49 | 63 | 50 | 60 | 109 | 64 | 31 |
| Diarrhea of newborn | 112 | 58 | 19 | 11 | 159 | 238 | 198 | 107 | 97 | 72 | 68 |
| Diphtheria cases and carriers | 4 | 11 | 21 | 80 | 73 | 45 | 201 | 238 | 316 | 258 | 89 |
| Dysentery bacillary cases and carriers | 346 | 280 | 206 | 324 | 230 | 234 | 192 | 464 | 640 | 570 | 386 |
| Encephalitis, acute and post | 117 | 164 | 167 | 133 | 218 | 130 | 146 | 130 | 109 | 98 | 107 |
| Food infections | 402 | 268 | 156 | 337 | 457 | 381 | 335 | 230 | 595 | 213 | 128 |
| Food poisonings | 1,118 | 828 | 240 | 364 | 310 | 135 | 548 | 124 | 451 | 160 | 141 |
| Gastroenteritis, (E. Coli) cases and carriers | 375 | 359 | * | * | * | * | * | * | * | * | * |
| German measles | 2,030 | 3,438 | 1,723 | 2,148 | 15,431 | 4,866 | 6,314 | 1,583 | 1,419 | 3,344 | 6,108 |
| Gonorrhea | 24,853 | 26,362 | 22,608 | 18,596 | 21,522 | 19,738 | 20,169 | 21,110 | 21,810 | 21,014 | 16,555 |
| Hepatitis, infectious and serum | 2,257 | 2,667 | 1,707 | 895 | 706 | 728 | 700 | 1,028 | 2,464 | 1,048 | 241 |
| Histoplasmosis | 11 | 15 | 8 | * | * | * | * | * | * | * | * |
| Impetigo contagiosa | -- | 10 | 6 | 2 | 6 | 2 | 7 | 20 | 17 | -- | 7 |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | -- | -- | 4 | 63 | 4 | 2 |
| Leprosy | 2 | -- | 1 | 1 | -- | 4 | -- | -- | 1 | -- | -- |
| Leptospirosis | -- | -- | 3 | 1 | -- | 1 | -- | 1 | 1 | -- | -- |
| Malaria | 5 | 1 | -- | 2 | 3 | 3 | 2 | 3 | 1 | 3 | 6 |
| Measles | 16,623 | 16,931 | 22,448 | 10,913 | 24,413 | 10,826 | 41,952 | 14,742 | 32,983 | 16,722 | 32,239 |
| Meningitis meningococcal | 99 | 122 | 158 | 168 | 175 | 162 | 147 | 188 | 190 | 256 | 282 |
| Meningitis, other | 400 | 655 | 634 | 545 | 734 | 463 | 286 | 258 | 250 | 251 | 263 |
| Mumps | 4,685 | 11,234 | 10,551 | 5,424 | 9,538 | 6,888 | 6,750 | 12,309 | 10,219 | 7,502 | 10,751 |
| Paratyphoid cases and carriers | 7 | 6 | 8 | 7 | 3 | 2 | 15 | 5 | 18 | 13 | 14 |
| Poliomyelitis | 65 | 26 | 145 | 332 | 204 | 307 | 1,957 | 1,408 | 2,212 | 2,040 | 4,001 |
| Psittacosis and ornithosis | 4 | 7 | 7 | 11 | 7 | 18 | 39 | 40 | 32 | 34 | 9 |
| Rabies in man | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | 1 |
| Rheumatic fever | 1,671 | 1,936 | 1,598 | 1,446 | 1,327 | 854 | 897 | 379 | 420 | 335 | 238 |
| Ringworm of the scalp | 78 | 136 | 124 | 158 | 185 | 161 | 262 | 428 | 651 | 576 | 568 |
| Rocky Mountain spotted fever | 4 | 4 | 10 | 1 | 9 | 6 | 6 | 2 | 11 | 5 | 7 |
| Scarlet fever and strep throat | 6,317 | 5,645 | 4,402 | 7,473 | 4,501 | 5,359 | 3,383 | 3,183 | 3,953 | 4,403 | 4,140 |
| Staphylococcal inf. (neonatal) | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Staphylococcal inf. (other than neonatal) | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Syphilis | 5,506 | 6,543 | 6,639 | 8,510 | 7,355 | 6,891 | 4,985 | 4,323 | 5,117 | 5,832 | 8,024 |
| Tetanus | 13 | 12 | 20 | 18 | 24 | 20 | 28 | 29 | 40 | 29 | 33 |
| Toxoplasmosis | -- | -- | -- | -- | 3 | -- | -- | 1 | -- | -- | -- |
| Trichinosis | 5 | 9 | 8 | 2 | 3 | 6 | 2 | 2 | 2 | 16 | 4 |
| Tuberculosis | 3,895 | 4,021 | 4,063 | 4,220 | 4,616 | 5,123 | 5,450 | 5,813 | 5,811 | 5,606 | 4,481 |
| Tularemia | 19 | 39 | 37 | 48 | 61 | 33 | 45 | 50 | 101 | 29 | 67 |
| Typhoid cases and carriers | 29 | 39 | 28 | 34 | 38 | 30 | 44 | 51 | 66 | 76 | 55 |
| Typhus cases and carriers | -- | -- | 1 | -- | 1 | 12 | 2 | 2 | 4 | 1 | -- |
| Whooping cough | 1,021 | 677 | 442 | 1,714 | 947 | 880 | 569 | 1,801 | 1,874 | 579 | 705 |

*Not a reportable disease prior to 1959, 1960.
**No state total given since data are available for Downstate only.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1952 - 1962 -- Continued

| Disease | 1962 | 1961 | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| CHICAGO | | | | | | | | | | | |
| Actinomycosis | -- | -- | -- | -- | 1 | 2 | 2 | -- | -- | -- | -- |
| Amebiasis cases and carriers | 21 | 23 | 31 | 40 | 77 | 141 | 113 | 195 | 156 | 215 | 335 |
| Anthrax | -- | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- |
| Blastomycosis | -- | -- | * | * | * | * | * | * | * | * | * |
| Brucellosis | 11 | 15 | 12 | 1 | 6 | 6 | 16 | 11 | 6 | 36 | 8 |
| Chancroid | 4 | 19 | 35 | 40 | 35 | 17 | 36 | 223 | 204 | 115 | 98 |
| Chickenpox | 1,945 | 2,782 | 3,238 | 1,770 | 3,191 | 3,496 | 3,529 | 5,349 | 3,757 | 5,056 | 4,806 |
| Conjunctivitis, all forms | -- | -- | -- | 1 | 28 | 12 | 19 | 19 | 23 | 23 | 14 |
| Diarrhea of newborn | 91 | 33 | 11 | 5 | 143 | 225 | 170 | 98 | 94 | 70 | 36 |
| Diphtheria cases and carriers | 2 | 2 | 7 | 70 | 66 | 42 | 189 | 228 | 302 | 238 | 72 |
| Dysentery bacillary cases and carriers | 182 | 86 | 73 | 59 | 70 | 35 | 59 | 87 | 68 | 41 | 69 |
| Encephalitis, acute and post | 44 | 34 | 54 | 41 | 80 | 33 | 56 | 51 | 35 | 43 | 50 |
| Food infections | 179 | 109 | 41 | 43 | 228 | 208 | 86 | 90 | 68 | 85 | 46 |
| Food poisonings | 213 | 222 | 182 | 202 | 185 | 2 | 142 | -- | -- | 1 | -- |
| Gastroenteritis, (E. Coli) cases and carriers | 14 | 44 | * | * | * | * | * | * | * | * | * |
| German measles | 821 | 690 | 496 | 630 | 2,091 | 773 | 1,466 | 542 | 400 | 975 | 901 |
| Gonorrhea | 21,348 | 23,160 | 19,525 | 16,102 | 19,313 | 17,372 | 17,560 | 18,308 | 18,824 | 17,477 | 12,717 |
| Hepatitis, infectious and serum | 541 | 614 | 406 | 251 | 155 | 139 | 131 | 212 | 197 | 88 | 35 |
| Histoplasmosis | 2 | -- | 1 | * | * | * | * | * | * | * | * |
| Impetigo contagiosa | -- | -- | -- | -- | -- | -- | 1 | 4 | -- | -- | -- |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | -- | -- | 1 | 46 | -- | -- |
| Leprosy | 2 | -- | -- | -- | -- | 2 | -- | -- | 1 | -- | -- |
| Leptospirosis | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Malaria | -- | -- | -- | 1 | -- | 2 | 1 | 1 | -- | 3 | 4 |
| Measles | 5,536 | 5,816 | 6,995 | 5,276 | 10,060 | 2,754 | 17,761 | 5,106 | 19,255 | 4,254 | 14,017 |
| Meningitis meningococcal | 47 | 58 | 57 | 94 | 99 | 76 | 57 | 99 | 80 | 130 | 143 |
| Meningitis, other | 155 | 259 | 279 | 243 | 260 | 195 | 133 | 114 | 124 | 137 | 128 |
| Mumps | 1,055 | 1,528 | 1,941 | 1,042 | 1,967 | 1,705 | 1,156 | 4,043 | 1,682 | 1,921 | 3,189 |
| Paratyphoid cases and carriers | -- | -- | 1 | 3 | -- | 2 | 7 | 2 | 3 | 4 | 5 |
| Poliomyelitis | 44 | 5 | 34 | 48 | 16 | 28 | 1,207 | 399 | 652 | 343 | 1,203 |
| Psittacosis and ornithosis | -- | -- | -- | -- | -- | -- | 5 | 6 | 2 | 5 | 3 |
| Rabies in man | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Rheumatic fever | 441 | 538 | 349 | 399 | 462 | 9 | 8 | 277 | 294 | 258 | 207 |
| Ringworm of the scalp | 16 | 48 | 73 | 84 | 142 | 94 | 120 | 248 | 363 | 364 | 460 |
| Rocky Mountain spotted fever | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Scarlet fever and strep throat | 1,120 | 892 | 802 | 1,267 | 1,183 | 2,236 | 1,356 | 1,287 | 1,436 | 1,623 | 1,525 |
| Staphylococcal inf. (neonatal) | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Staphylococcal inf. (other than neonatal) | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** |
| Syphilis | 4,351 | 5,332 | 5,266 | 7,083 | 5,759 | 4,503 | 3,184 | 2,529 | 2,869 | 3,076 | 4,365 |
| Tetanus | 3 | 2 | 2 | 5 | 9 | 5 | 5 | 9 | 17 | 4 | 11 |
| Toxoplasmosis | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- |
| Trichinosis | 4 | 5 | 4 | 1 | -- | 3 | -- | 2 | 2 | 2 | 4 |
| Tuberculosis | 2,699 | 2,737 | 2,815 | 2,790 | 3,094 | 3,623 | 3,841 | 4,216 | 4,011 | 3,737 | 2,515 |
| Tularemia | 1 | -- | -- | -- | 1 | -- | -- | 2 | -- | 4 | 3 |
| Typhoid cases and carriers | 11 | 26 | 6 | 12 | 12 | 13 | 9 | 14 | 18 | 24 | 14 |
| Typhus cases and carriers | -- | -- | -- | -- | -- | 12 | 2 | 2 | 4 | 1 | -- |
| Whooping cough | 721 | 574 | 294 | 1,186 | 709 | 695 | 368 | 1,013 | 931 | 220 | 360 |

*Not a reportable disease prior to 1959, 1960.
**Data not reportable in Chicago.

Table 12. -- CASES OF NOTIFIABLE DISEASE REPORTED TO THE ILLINOIS DEPARTMENT OF PUBLIC HEALTH FOR ILLINOIS, CHICAGO, AND DOWNSTATE: 1952 - 1962 -- Continued

| Disease | 1962 | 1961 | 1960 | 1959 | 1958 | 1957 | 1956 | 1955 | 1954 | 1953 | 1952 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| DOWNSTATE | | | | | | | | | | | |
| Actinomycosis | 1 | -- | -- | 3 | -- | 1 | -- | 1 | 2 | -- | -- |
| Amebiasis cases and carriers | 290 | 354 | 419 | 308 | 282 | 169 | 315 | 283 | 615 | 383 | 304 |
| Anthrax | -- | -- | 1 | -- | -- | -- | -- | -- | 1 | -- | 1 |
| Blastomycosis | 1 | 1 | * | * | * | * | * | * | * | * | * |
| Brucellosis | 46 | 44 | 62 | 70 | 77 | 114 | 117 | 129 | 197 | 207 | 286 |
| Chancroid | 3 | 5 | 9 | 1 | 8 | 5 | 21 | 6 | 7 | 11 | 8 |
| Chickenpox | 8,598 | 11,829 | 10,132 | 7,899 | 8,440 | 12,304 | 10,966 | 11,790 | 7,670 | 12,912 | 10,134 |
| Conjunctivitis, all forms | 1 | 2 | -- | 2 | 21 | 51 | 31 | 41 | 86 | 41 | 17 |
| Diarrhea of newborn | 21 | 25 | 8 | 9 | 16 | 13 | 28 | 9 | 3 | 2 | 20 |
| Diphtheria cases and carriers | 2 | 9 | 14 | 10 | 7 | 3 | 12 | 10 | 14 | 20 | 17 |
| Dysentery bacillary cases and carriers | 164 | 194 | 133 | 265 | 160 | 199 | 133 | 377 | 572 | 529 | 317 |
| Encephalitis, acute and post | 73 | 130 | 113 | 92 | 138 | 97 | 90 | 79 | 74 | 55 | 51 |
| Food infections | 223 | 159 | 115 | 294 | 229 | 173 | 249 | 140 | 527 | 128 | 82 |
| Food poisonings | 905 | 606 | 58 | 162 | 125 | 133 | 406 | 124 | 451 | 150 | 141 |
| Gastroenteritis, (E. Coli) cases and carriers | 361 | 315 | * | * | * | * | * | * | * | * | * |
| German measles | 1,209 | 2,748 | 1,227 | 1,518 | 13,340 | 4,093 | 4,848 | 1,041 | 1,019 | 2,369 | 5,207 |
| Gonorrhea | 3,505 | 3,202 | 3,083 | 2,494 | 2,209 | 2,366 | 2,609 | 2,802 | 2,986 | 3,537 | 3,438 |
| Hepatitis, infectious and serum | 1,716 | 2,053 | 1,301 | 644 | 551 | 589 | 569 | 816 | 2,267 | 960 | 206 |
| Histoplasmosis | 9 | 15 | 7 | * | * | * | * | * | * | * | * |
| Impetigo contagiosa | -- | 10 | 6 | 2 | 6 | 2 | 6 | 16 | 17 | -- | 7 |
| Keratoconjunctivitis | -- | -- | -- | -- | -- | -- | -- | 3 | 17 | 4 | 2 |
| Leprosy | -- | -- | 1 | 1 | -- | 2 | -- | -- | -- | -- | -- |
| Leptospirosis | -- | -- | 3 | 1 | -- | 1 | -- | 1 | -- | -- | -- |
| Malaria | 5 | 1 | -- | 1 | 3 | 1 | 1 | 2 | 1 | -- | 2 |
| Measles | 11,087 | 11,115 | 15,453 | 5,637 | 14,353 | 8,072 | 24,191 | 9,636 | 13,726 | 12,468 | 16,242 |
| Meningitis meningococcal | 52 | 64 | 101 | 74 | 76 | 90 | 90 | 83 | 110 | 126 | 130 |
| Meningitis, other | 245 | 396 | 355 | 302 | 474 | 268 | 153 | 144 | 126 | 114 | 145 |
| Mumps | 3,630 | 9,706 | 8,610 | 4,382 | 7,571 | 5,183 | 5,594 | 8,266 | 8,537 | 5,581 | 7,562 |
| Paratyphoid cases and carriers | 7 | 6 | 7 | 4 | 3 | -- | 8 | 3 | 15 | 9 | 9 |
| Poliomyelitis | 21 | 21 | 111 | 284 | 188 | 279 | 750 | 1,009 | 1,560 | 1,697 | 2,[illegible] |
| Psittacosis and ornithosis | 4 | 7 | 7 | 11 | 7 | 19 | 34 | 34 | 30 | 29 | 6 |
| Rabies in man | -- | -- | -- | -- | -- | -- | -- | -- | 1 | -- | -- |
| Rheumatic fever | 1,230 | 1,398 | 1,249 | 1,047 | 865 | 945 | 889 | 102 | 126 | 77 | 31 |
| Ringworm of the scalp | 62 | 88 | 51 | 74 | 43 | 97 | 142 | 160 | 266 | 212 | 178 |
| Rocky Mountain spotted fever | 4 | 4 | 10 | 1 | 9 | 6 | 6 | 2 | 11 | 5 | -- |
| Scarlet fever and strep throat | 5,197 | 4,753 | 3,806 | 6,206 | 3,318 | 3,123 | 2,027 | 1,906 | 2,517 | 2,746 | 2,515 |
| Staphylococcal inf. (neonatal) | 27 | 34 | 61 | * | * | * | * | * | * | * | * |
| Staphylococcal inf. (other than neonatal) | 795 | 711 | 948 | * | * | * | * | * | * | * | * |
| Syphilis | 1,155 | 1,211 | 1,373 | 1,427 | 1,596 | 2,388 | 1,801 | 1,794 | 2,734 | 2,[illegible] | [illegible] |
| Tetanus | 10 | 10 | 18 | 13 | 15 | 15 | 23 | 20 | [illegible] | [illegible] | [illegible] |
| Toxoplasmosis | -- | -- | -- | -- | 3 | -- | -- | 1 | -- | -- | -- |
| Trichinosis | 1 | 4 | 4 | 1 | 3 | 3 | 2 | -- | -- | 14 | -- |
| Tuberculosis | 1,196 | 1,284 | 1,248 | 1,430 | 1,522 | 1,900 | 1,609 | 1,597 | 1,800 | 1,[illegible] | [illegible] |
| Tularemia | 18 | 39 | 37 | 48 | 60 | 33 | 45 | 4 | 11 | [illegible] | [illegible] |
| Typhoid cases and carriers | 18 | 13 | 22 | 22 | 26 | 17 | 39 | 37 | 42 | [illegible] | [illegible] |
| Typhus cases and carriers | -- | -- | 1 | -- | 1 | -- | -- | -- | -- | -- | -- |
| Whooping cough | 300 | 103 | 148 | 528 | 235 | 145 | 201 | 744 | 943 | [illegible] | [illegible] |

*Not a reportable disease prior to 1959, 1960.

VITAL STATISTICS IN ILLINOIS
ILLINOIS DEPARTMENT OF PUBLIC HEALTH
Springfield, Illinois

RETURN POSTAGE GUARANTEED

BULK RATE
U. S. Postage
PAID
Springfield, Ill.
Permit No. 101

PERIODICAL LIBRARIAN
PERIODICAL DIVISION
U OF I LIBRARY
URBANA ILLINOIS
00901-09

10

UNIVERSITY OF ILLINOIS-URBANA
3 0112 048997503